

COMPLETE SaaS PRODUCT PLAN

Sales • Quotation • Invoice • Inventory • Purchase • GRN • Reports

Product Type

Multi-Tenant Subscription-Based SaaS

Platforms

- Web Application
- Mobile Application
- SaaS Super Admin
- API / Integration Layer

Design Direction

Premium 2026 SaaS UI

- Glassmorphism
- Controlled Skeuomorphism
- Modern Dashboard
- Responsive Web
- Mobile-first operational workflows

1. PRODUCT VISION

The platform will be a complete business-management SaaS rather than a simple invoice maker.

It will combine:

- Quotation Maker
- Sales Management
- Sales Orders
- Invoice Maker
- Payment Management
- Customer Management
- Supplier Management

- Product Management
- Stock Management
- Warehouse Management
- Purchase Management
- GRN / Goods Receipt
- Sales Returns
- Purchase Returns
- Expense Management
- Reports
- Team Management
- Subscription Management
- Notifications
- Business Analytics
- Mobile App

The entire system will operate as a connected business workflow.

2. CORE SAAS MODEL

The most important change is the account architecture.


A person does NOT equal a company.

A user may:

- use the system personally
- belong to multiple companies
- create a team
- manage multiple branches
- work for different organizations
- purchase an individual subscription
- be invited into another organization's subscription

Therefore:

USER



3. FIVE CORE SAAS ENTITIES

3.1 User

Represents the actual person.

Example:

User

Akash

akash@email.com

+91XXXXXXXXXX

A user has one account but can belong to multiple workspaces.

3.2 Workspace

A workspace is where business data exists.

Examples:

Akash Personal

ABC Traders

XYZ Electronics

Ranchi Branch

A workspace can be:

- Personal
- Team
- Business
- Company
- Enterprise

3.3 Organization

For serious business accounts, the workspace becomes an organization.

Example:

ABC Electronics Pvt Ltd

It can contain:

Owner

Admins

Managers

Sales Team

Inventory Team

Accounts Team

Branches

Warehouses

3.4 Team / Group

A company may create groups.

Example:

ABC Electronics

Sales Team

└─ Rahul

└─ Amit

└─ Priya

Inventory Team

└─ Rakesh

└─ Sunil

Accounts Team

└─ Neha

└─ Pooja

Permissions can be assigned at group level.

3.5 Subscription

The subscription belongs to the correct billing entity.

Depending on the plan:

Individual Subscription

Team Subscription

Business Subscription

Enterprise Subscription

This gives you enormous flexibility later.

4. SIGNUP SYSTEM

Users should have an extremely simple signup experience.

The landing page should have:

Create your workspace

Manage sales, invoices & inventory in one place.

[Continue with Email]

[Continue with Mobile]

———— OR ————

[Continue with Google]

Google should be optional.

5. EMAIL SIGNUP

User enters:

Email Address

[akash@example.com]

[Send OTP]

Then:

Enter verification code

● ● ● ● ● ●

OTP sent to

a****@example.com

Resend OTP in 30 seconds

After successful verification:

Email Verified ✓

Then proceed to onboarding.

6. MOBILE SIGNUP

User selects country:

IN +91

Then:

Mobile Number

[98XXXXXXXX]

[Send OTP]

OTP:

Enter 6-digit OTP

● ● ● ● ● ●

OTP sent to

+91 *****1234

After verification:

Mobile Verified ✓

7. IMPORTANT AUTHENTICATION RULE

Do NOT create separate accounts when the same person later verifies another login method.

Example:

User initially signs up with:

akash@email.com

Later adds:

+91XXXXXXXXXX

Both should belong to the same user account.

Database:

users

|

└─ user_id: 1024

user_identities

├─ email

└─ phone

This prevents duplicate accounts.

8. LOGIN

Login should support:

Email + OTP

Mobile + OTP

Google

Optional later:

Password

Passkey

Authenticator App

The primary authentication method can remain OTP-based.

9. OTP SECURITY

Production implementation must include:

- OTP expiration
- OTP hashing
- Maximum attempts
- Resend cooldown

- IP rate limiting
- Device rate limiting
- Phone/email rate limiting
- Abuse detection
- Temporary lockout
- Verification status
- Login activity

Example:

OTP

Valid for 5 minutes

Maximum attempts: 5

Resend:

30 seconds

Maximum resend:

5/hour

Never store raw OTPs.

10. SIGNUP ONBOARDING

After OTP verification:

Step 1 — Name

What's your name?

First Name

Last Name

Step 2 — What are you using it for?

- ☐ Just for myself
- ☐ Small team
- ☐ Business
- ☐ Company
- ☐ Enterprise

Step 3 — Business information

Depending on selection:

Business Name

Industry

Country

State

City

Currency

Tax System

Step 4 — Workspace

Workspace Name

Workspace URL / Slug

Example:

abc-electronics

Step 5 — Subscription

Choose your plan

Free Trial

Individual

Team

Business

Enterprise

11. INVITATION FLOW

Suppose the company owner purchases a Business plan.

They can invite:

sales@example.com

inventory@example.com

accounts@example.com

Each person receives:

You've been invited to join

ABC Electronics

Role:

Sales Executive

[Accept Invitation]

If they don't have an account:

Verify Email / Mobile

↓

Create Account

↓

Accept Invitation

↓

Join Organization

No separate manual organization account should be required.

12. MULTIPLE WORKSPACES

A user can belong to multiple organizations.

Top-left workspace selector:

ABC Electronics



Personal Workspace

ABC Electronics

XYZ Traders

My Demo Company

+ Create Workspace

Switching workspace changes:

- Customers
- Products
- Sales
- Inventory
- Reports
- Users
- Settings

13. ORGANIZATION ROLES

Owner

Complete control.

Organization Admin

Business management.

Manager

Operational management.

Sales Manager

Sales-related permissions.

Sales Executive

Sales and customer operations.

Inventory Manager

Inventory and GRN.

Purchase Manager

Purchasing.

Accountant

Invoices, payments and financial reports.

Viewer

Read-only access.

14. CUSTOM ROLES

PRO/Enterprise users should be able to create:

Custom Role

Example:

Warehouse Supervisor

Permissions:

View Products ✓

Create Products ✕

View Stock ✓

Adjust Stock ✓

Delete Stock ✕

View Reports ✓

Permissions should be granular.

15. GROUP-BASED PERMISSIONS

Instead of assigning permissions individually:

Sales Team

can receive:

Customers

Quotations

Sales Orders

Invoices

Payments

Then adding a new salesperson automatically gives them the group's permissions.

16. SUBSCRIPTION MODEL

The SaaS should support multiple billing models.

Model A — Individual

For freelancers, shop owners and individuals.

Billing:

1 account

1 user

1 workspace

Model B — Team

For small teams.

Billing:

Base subscription

+

Number of seats

Example:

Team Plan

₹999/month

Includes 3 users

Additional user:

₹199/month

Model C — Business

For companies.

Billing can include:

Organization

+

Users

+

Branches

+

Warehouses

+

Features

Model D — Enterprise

Custom pricing.

Can include:

Unlimited/custom seats

Multiple organizations

Advanced permissions

API

SSO

Dedicated support

Custom integrations

Custom limits

17. DO NOT HARD-CODE PLAN LIMITS

This is extremely important.

Don't write:

```
if plan == business:
```

```
    users <= 10
```

Instead create a feature/entitlement system.

Example:

subscription_entitlements

feature	value
---------	-------

users.max	10
-----------	----

products.max	5000
--------------	------

warehouses.max	5
----------------	---

invoices.monthly	5000
------------------	------

whatsapp.enabled	true
------------------	------

api.enabled	false
-------------	-------

Now you can change pricing without changing application code.

18. SUBSCRIPTION ENGINE

Architecture:

User

↓

Workspace

↓

Subscription

↓

Plan

↓

Entitlements

↓

Usage

Example:

ABC Electronics

|

└─ Business Plan

└─ 10 Seats

└─ 5 Warehouses

└─ 5,000 Products

└─ Advanced Reports

19. SEAT MANAGEMENT

Admin dashboard:

Team Members

8 / 10 Seats Used

Rahul Sales

Amit Sales

Neha Accounts

Rakesh Inventory

[+ Invite Member]

When the 11th user is invited:

You've reached your seat limit.

Add another seat for ₹199/month

[Add Seat]

This is much better than blocking the entire workflow.

20. ACTIVE VS INACTIVE USERS

Seats should only count according to configurable rules.

For example:

Active

Invited

Suspended

Deactivated

Deactivated users can release seats.

But their historical actions remain in audit logs.

21. BILLING DASHBOARD

Organization owner:

Subscription

Business Plan

₹2,499/month

Next billing:

25 Oct 2026

Seats:

8 / 10

Usage:

Products 2,450 / 5,000

Invoices 1,230 / 5,000

Warehouses 3 / 5

Users 8 / 10

[Manage Plan]

[Add Seats]

[Billing History]

22. UPGRADE / DOWNGRADE

Users should be able to:

Upgrade

Downgrade

Add Seats

Remove Seats

Change Billing Cycle

Cancel

Resume

Downgrade should not immediately destroy data.

Example:

Current:

5 warehouses

New plan:

2 warehouses

Your existing data will remain accessible,

but new warehouses cannot be created until usage is within the new limit.

23. FREE TRIAL

Recommended architecture:

Signup

↓

Free Trial

↓

Full/limited feature access

↓

Trial Reminder

↓

Subscription

The trial should be configurable from Super Admin.

For example:

7 days

14 days

30 days

Do not hard-code the duration.

24. SUBSCRIPTION STATES

The system should support:

TRIAL

ACTIVE

PAST_DUE

GRACE_PERIOD

SUSPENDED

CANCELLED

EXPIRED

These states should affect feature access predictably.

25. GRACE PERIOD

If payment fails:

Payment Failed

↓

Retry

↓

Grace Period

↓

Reminder

↓

Suspension

Do not immediately delete data.

During suspension:

Login ✓

View data ✓

Export data ✓

New transactions ✕

depending on the configured policy.

26. BILLING PROVIDER ABSTRACTION

Don't hard-code a single payment provider into the entire application.

Build:

PaymentProviderInterface

Then adapters:

Razorpay

Stripe

Other Provider

This allows the SaaS to expand internationally later.

27. SAAS SUPER ADMIN

You need a completely separate admin application.

SUPER ADMIN

|

└─ Dashboard

└─ Organizations

└─ Users

└─ Subscriptions

└─ Plans

└─ Features

└─ Billing

└─ Coupons

└─ Usage

└─ Support

└─ Announcements

└─ Audit Logs

└─ Integrations

└─ System Health

└─ Settings

28. SUPER ADMIN DASHBOARD

KPI cards:

Total Users

Active Organizations

Active Subscriptions

MRR

ARR

Trial Users

Churn

Failed Payments

Charts:

New Signups

Subscription Growth

Revenue

Trial Conversion

Active Users

29. ORGANIZATION ADMIN VIEW

Super Admin can see:

Organization

ABC Electronics

Owner

Subscription

Users

Usage

Branches

Warehouses

Revenue

Created Date

Last Activity

But sensitive business data should be protected by strict administrative access controls and audit logging.

30. SUBSCRIPTION PLAN BUILDER

Super Admin should NOT require developer intervention to create plans.

UI:

Create Plan

Plan Name

Monthly Price

Annual Price

Users

Products

Warehouses

Invoices

Features

☒ Quotations

☒ Invoices

☒ Inventory

☒ Reports

☐ Advanced Reports

☐ WhatsApp

☐ API

☐ AI Insights

[Publish Plan]

31. ADD-ON SYSTEM

Instead of forcing everything into expensive plans, support add-ons.

Examples:

Additional User

Additional Warehouse

WhatsApp Pack

Advanced Reports

Extra Storage

API Access

AI Credits

This creates another revenue channel.

32. BILLING EVENTS

Maintain billing history:

Subscription Created

Payment Successful

Payment Failed

Plan Changed

Seat Added

Seat Removed

Subscription Cancelled

Subscription Renewed

33. USAGE METERING

Create a centralized usage service.

Example:

usage.users

usage.products

usage.invoices

usage.storage

usage.whatsapp_messages

usage.api_calls

The same engine can power:

- plan limits
- billing
- analytics
- warnings
- add-ons

34. QUOTATION MODULE

Quotation remains a core feature.

Workflow:

Customer

↓

Quotation

↓

Send

↓

Viewed

↓

Accepted

↓

Sales Order

↓

Invoice

Features:

- Templates
- PDF
- Email
- WhatsApp
- Share link
- Expiry
- Discount
- Tax
- Approval
- Version history
- Duplicate
- Convert

35. INVOICE MODULE

Invoice workflow:

Sales

↓

Invoice

↓

Send

↓

Payment

↓

Receipt

Invoice designer:

- Logo
 - Branding
 - GST
 - HSN/SAC
 - Tax breakdown
 - Bank information
 - UPI QR
 - Signature
 - Terms
 - Footer
-

36. INVENTORY ENGINE

Core stock formula:

Opening Stock

+ Purchase / GRN

+ Sales Return

+ Stock Adjustment In

+ Transfer In

-

Sales

-

Purchase Return

-

Stock Adjustment Out

-

Transfer Out

=

Current Stock

Every change creates a stock movement.

37. GRN

Purchase Order

↓

Goods Arrive

↓

GRN

↓

Quantity Verification

↓

Accepted / Rejected

↓

Stock Update

Support:

- Partial receipt
- Batch
- Serial number
- Expiry
- Damaged quantity
- Warehouse
- Purchase cost

38. BUSINESS DASHBOARD

The dashboard should adapt based on role.

Owner

Financial + business overview.

Salesperson

Sales pipeline + quotations + invoices.

Inventory Manager

Stock + GRN + low stock.

Accountant

Outstanding + payments + invoices.

This makes the product feel intelligent rather than showing the same dashboard to everyone.

39. UI/UX — DESKTOP

Continue the visual direction from your attached image.

PURCHASE	Recent Transactions
Suppliers	
Purchase	
REPORTS	
SETTINGS	

40. WORKSPACE SWITCHER

The workspace selector should be visually prominent.

ABC Electronics

Business Plan



Personal Workspace

ABC Electronics

XYZ Traders

+ Create Workspace

+ Join Organization

41. SUBSCRIPTION UI

Use premium glass cards.

BUSINESS	
₹2,499	
/month	
✓ 10 users	
✓ 5 warehouses	
✓ Inventory	
✓ Advanced reports	
✓ WhatsApp	
[Current Plan]	

42. MOBILE APP

The mobile app should use the same design system.

Bottom navigation:

Home

Sales

+

Stock

More

Center +:

New Quotation

New Sale

New Invoice

Payment

Customer

GRN

Expense

43. MOBILE WORKSPACE SWITCHER

At the top:

ABC Electronics ▼

Tap:

Personal

ABC Electronics

XYZ Traders

+ Create Workspace

44. MOBILE SUBSCRIPTION

Owner can manage:

Current Plan

Seats

Usage

Billing

Invoices

Payment Method

Upgrade

Add Seats

45. GLOBAL SEARCH

Search everything:

Customer

Product

Invoice

Quotation

Order

GRN

Payment

Supplier

SKU

Barcode

Support:

Ctrl + K

on desktop.

46. COMMAND CENTER

The command palette becomes especially useful in a SaaS application.

⌘ Search or execute...

Create Invoice

Create Quotation

Create Customer

Create Product

Record Payment

Create GRN

Switch Workspace

Manage Subscription

Open Reports

47. TECHNICAL ARCHITECTURE

Recommended stack:

Web

Next.js

TypeScript

Tailwind CSS

shadcn/ui

TanStack Query

TanStack Table

React Hook Form

Zod

Recharts/ECharts

Mobile

React Native

Expo

TypeScript

Backend

NestJS

TypeScript

REST API

WebSocket where required

Database

PostgreSQL

Cache / Queue

Redis

BullMQ

Storage

S3-compatible object storage

48. DATABASE ARCHITECTURE

Core tables:

users

user_identities

sessions

otp_verifications

organizations

workspaces

organization_members

organization_invitations

teams

team_members

roles

permissions

role_permissions

subscriptions

subscription_plans

subscription_items

subscription_entitlements

subscription_events

usage_records

usage_events

customers

customer_addresses

suppliers

products

product_variants

categories

brands

units

warehouses

warehouse_stocks

stock_movements

quotations

quotation_items

sales_orders

sales_order_items

invoices

invoice_items

payments

payment_allocations

purchase_orders

purchase_order_items

grns

grn_items

sales_returns

sales_return_items

purchase_returns

purchase_return_items

expenses

notifications

audit_logs

files

integrations

webhooks

49. TENANT ISOLATION

Every business-owned table should contain:

organization_id

For example:

invoices

id

organization_id

customer_id

invoice_number

...

Every request must resolve:

authenticated_user

↓

active_workspace

↓

organization

↓

permissions

↓

data

Never trust organization_id supplied directly by the browser.

The backend must derive it from the authenticated session/context.

50. AUTHENTICATION ARCHITECTURE

User

|

|— Email Identity

|

|— Phone Identity

|

|— Google Identity

OTP service:

Request OTP

↓

Rate Limit

↓

Generate OTP

↓

Hash OTP

↓

Send

↓

Verify

↓

Create Session

51. SESSION ARCHITECTURE

Maintain:

sessions

user_id

device

browser

ip

created_at

last_seen

expires_at

revoked_at

User can see:

Chrome • Windows

Active now

Android

Last active 2 hours ago

[Sign out]

52. API STRUCTURE

/api/v1/auth

/api/v1/workspaces

/api/v1/organizations

/api/v1/members

/api/v1/teams

/api/v1/subscriptions

/api/v1/billing

/api/v1/usage

/api/v1/customers

/api/v1/products

/api/v1/inventory

/api/v1/quotations

/api/v1/orders

/api/v1/invoices

/api/v1/payments

/api/v1/purchases

/api/v1/grn

/api/v1/reports

53. SUBSCRIPTION MIDDLEWARE

Every protected feature should pass through entitlement checking.

Conceptually:

Request

↓

Authenticated?

↓

Organization?

↓

Permission?

↓

Subscription active?

↓

Feature enabled?

↓

Usage limit available?

↓

Execute

Example:

Create Warehouse

↓

warehouse.max

↓

Current: 4

Limit: 5

↓

ALLOW

Another:

Create Warehouse

↓

Current: 5

Limit: 5

↓

LIMIT REACHED

↓

Upgrade / Add-on

54. FEATURE FLAGS

Build a feature flag engine.

Example:

advanced_reports

whatsapp

ai_insights

multiple_warehouses

barcode

api_access

custom_invoice

approval_workflow

This allows you to launch features gradually.

55. AUDIT SYSTEM

Record:

User

Organization

Action

Entity

Entity ID

Old Value

New Value

IP

Device

Timestamp

Example:

Akash

updated

INV-1024

Amount:

₹25,000 → ₹28,000

56. NOTIFICATION SYSTEM

Notification channels:

In-App

Email

SMS

WhatsApp

Push

Central event:

Invoice Overdue

can trigger:

In-App ✓

Email ✓

WhatsApp optional

Push ✓

57. AUTOMATION ENGINE

Later, build:

WHEN

Invoice becomes overdue

THEN

Send notification

AND

Send email

AND

Create follow-up task

Another:

WHEN

Stock < minimum

THEN

Notify inventory manager

Another:

WHEN

Quotation accepted

THEN

Create sales order

This can eventually become a major PRO feature.

58. REPORTING ENGINE

Reports should respect organization permissions.

Core reports:

Sales

- Sales summary
- Sales by customer
- Sales by product
- Sales by category
- Salesperson
- Sales trend

Inventory

- Stock summary
- Stock ledger
- Stock valuation
- Low stock
- Out of stock
- Fast-moving
- Slow-moving

Purchase

- Purchase summary
- Supplier report
- Product purchase
- GRN report

Finance

- Receivables
- Payables
- Payments

- Expenses
- Profit summary

59. REPORT BUILDER

Allow:

Select Report

↓

Date

↓

Filters

↓

Columns

↓

Group

↓

Sort

↓

Generate

Export:

PDF

Excel

CSV

Print

60. BUSINESS DATA EXPORT

The customer owns their data.

Allow export:

Customers

Products

Invoices

Quotations

Sales

Purchases

Inventory

Payments

Reports

Enterprise should additionally support API/data export.

61. DATA DELETION

Subscription cancellation must NOT immediately delete the organization.

Recommended lifecycle:

Cancelled

↓

Grace period

↓

Read-only

↓

Archived

↓

Retention period

↓

Permanent deletion

Retention duration should be configurable.

62. MOBILE OFFLINE MODE

Mobile should support limited offline functionality.

Example:

No Internet

↓

Create Sale

↓

Save locally

↓

Internet restored

↓

Sync

↓

Server validates

↓

Completed

Use local database and synchronization queues.

63. BARCODE / QR

Mobile camera can scan:

- Product barcode
- Invoice QR
- Customer QR
- Stock QR

Possible product flow:

Scan

↓

Product found

↓

Stock

₹399

Available: 52



Add to Sale

64. FUTURE AI LAYER

AI should sit above the existing business engine.

Examples:

"Show me unpaid invoices over ₹20,000."

"Which products are running low?"

"How much did we sell this month?"

"Create a quotation for ABC Traders."

"Summarize this month's sales."

The AI must use permission-aware APIs rather than direct database access.

65. DESIGN SYSTEM

Visual foundation

Inspired by your attached dashboard:

Dark Teal Sidebar

+

Light Workspace

+

White/Glass Cards

+

Rounded Corners

+

Compact Typography

+

Soft Shadows

+

Charts

+

Status Pills

+

Floating Actions

Desktop

Premium SaaS.

Mobile

Glassmorphism + subtle skeuomorphic interactions.

66. DESIGN TOKENS

Radius:

12px

16px

20px

24px

Card:

18–24px

Small text:

11–12px

Body:

13–14px

Heading:

20–32px

Use consistent spacing tokens instead of random margins.

67. MOBILE UX PRINCIPLES

Every primary action should be reachable with the thumb.

Use:

Bottom Navigation

Floating +

Bottom Sheets

Swipe Actions

Large Touch Areas

Sticky Action Bars

Quick Search

Barcode Scanner

Avoid putting complex desktop tables directly onto mobile.

68. SAAS LANDING PAGE

The public website should contain:

Hero

Features

How It Works

Modules

Pricing

Use Cases

Screenshots

Testimonials

FAQ

Security

Integrations

CTA

Footer

Hero:

Run Your Business

From One Powerful Workspace.

Quotes, Sales, Invoices,

Inventory & Reports —

all connected.

[Start Free]

[View Demo]

69. PRICING PAGE

Pricing should have a toggle:

Monthly Annual

And:

Individual

Team

Business

Enterprise

Potential pricing presentation:

Individual

For solo professionals

Team

For growing teams

Business

For companies

Enterprise

For larger organizations

Exact prices should be configurable from Super Admin.

70. PLAN COMPARISON

Example architecture:

Feature	Individual Team		Business	Enterprise
Users	1	Configurable	Configurable	Custom
Customers	Limited	More	High	Custom
Products	Limited	High	High	Custom
Quotations	✓	✓	✓	✓
Invoices	✓	✓	✓	✓
Inventory	Basic	✓	Advanced	Advanced
Warehouses	1	Configurable	Multiple	Custom
GRN	Basic	✓	✓	✓
Reports	Basic	Standard	Advanced	Custom
Teams	—	✓	✓	✓

Feature	Individual Team		Business	Enterprise
Approvals	—	Basic	✓	Advanced
API	—	—	Optional	✓
AI	Optional	Optional	✓	Custom
Support	Standard	Standard	Priority	Dedicated

The actual limits and pricing should be controlled entirely from the admin panel.

71. REVENUE MODEL

Revenue can come from:

Base Subscription

+

Additional Seats

+

Additional Warehouses

+

Add-ons

+

WhatsApp/SMS usage

+

AI credits

+

Storage

+

API usage

+

Enterprise customization

This is considerably more scalable than charging only one fixed price per company.

72. DEVELOPMENT PHASES

Phase 1 — SaaS Foundation

- Authentication
- OTP
- Email verification
- Mobile verification
- Google login
- User system
- Workspace
- Organization
- Invitations
- Roles
- Permissions

Phase 2 — Subscription Engine

- Plans
 - Entitlements
 - Seats
 - Usage
 - Trial
 - Billing
 - Upgrade
 - Downgrade
 - Cancellation
 - Add-ons
 - Payment webhooks
-

Phase 3 — Business Core

- Customers
 - Suppliers
 - Products
 - Categories
 - Units
 - Taxes
 - Warehouses
-

Phase 4 — Sales

- Quotations
 - Sales orders
 - Invoices
 - Payments
 - Receipts
 - Returns
-

Phase 5 — Inventory

- Stock
 - Stock ledger
 - GRN
 - Purchase orders
 - Purchase returns
 - Stock transfer
 - Adjustments
-

Phase 6 — Reports

- Sales

- Inventory
 - Purchase
 - Finance
 - Outstanding
 - Profit
 - Custom report builder
-

Phase 7 — Communication

- Email
 - SMS
 - WhatsApp
 - Push
 - Notifications
-

Phase 8 — Mobile

- Authentication
 - Workspace
 - Dashboard
 - Sales
 - Quotation
 - Invoice
 - Payment
 - Products
 - Inventory
 - GRN
 - Barcode
 - Notifications
-

Phase 9 — Advanced SaaS

- Automation
 - AI
 - API
 - Webhooks
 - Advanced approval
 - Advanced analytics
 - Offline mode
 - Enterprise features
-

73. TESTING STRATEGY

Production SaaS needs more than UI testing.

Unit tests

Business calculations.

Integration tests

API + database.

E2E tests

Signup

↓

OTP

↓

Workspace

↓

Subscription

↓

Customer

↓

Product

↓

Quotation

↓

Invoice

↓

Payment

Security tests

- Tenant isolation
- Permission bypass
- Authentication
- API authorization
- Rate limiting
- File uploads

Billing tests

- Trial
- Upgrade
- Downgrade
- Failed payment
- Grace period
- Seat increase
- Cancellation

74. CRITICAL BUSINESS TEST

One of the most important automated tests:

Organization A

Customer A

Invoice A

Organization B

Customer B

Invoice B

User from Organization A must NEVER be able to access:

Customer B

Invoice B

Product B

Stock B

Reports B

Even if they manually modify API parameters.

75. BACKUP & RECOVERY

Production architecture should include:

Automated PostgreSQL backups

Point-in-time recovery

Object storage backup

Database replication strategy

Disaster recovery

Monitoring

Error tracking

Audit logs

76. OBSERVABILITY

Use centralized monitoring for:

API errors

Database errors

Slow queries

Failed jobs

Failed emails

Failed payments


OTP failures


Subscription failures


Storage errors

Create a system-health dashboard for Super Admin.

77. FINAL ARCHITECTURE







78. THE MOST IMPORTANT DESIGN DECISION

The application should be built around this hierarchy:

USER



IDENTITY



WORKSPACE



ORGANIZATION



TEAM



MEMBER



ROLE



PERMISSION



SUBSCRIPTION



ENTITLEMENT

↓

USAGE

↓

BUSINESS DATA

Not:

User → Company → Invoice

That simpler architecture will become difficult when you introduce:

- multiple companies
- seat billing
- team subscriptions
- add-ons
- enterprise plans
- multiple workspaces
- invitations
- branch management
- SaaS billing
- usage limits

79. FINAL PRODUCT POSITIONING

This should ultimately be positioned as:

"A complete business operating system for small and growing businesses."

Not merely:

Invoice Maker

The customer should be able to start as:

Solo User

then grow into:

Team

then:

Business

then:

Multi-branch Company

without migrating to another platform.

That growth path is the key SaaS strategy.

80. RECOMMENDED BUILD ORDER

The actual development order should therefore be:

01 Authentication + OTP

↓

02 User + Workspace

↓

03 Organization + Team

↓

04 RBAC + Permissions

↓

05 Subscription + Entitlements

↓

06 Billing + Seats

↓

07 Customers + Suppliers

↓

08 Products + Inventory

↓

09 Quotations

↓

10 Sales Orders

- ↓
- 11 Invoices
- ↓
- 12 Payments
- ↓
- 13 Purchase + GRN
- ↓
- 14 Returns
- ↓
- 15 Reports
- ↓
- 16 Notifications
- ↓
- 17 Mobile App
- ↓
- 18 API + Integrations
- ↓
- 19 Automation
- ↓
- 20 AI / Advanced Analytics

This order prevents the common mistake of building the invoice/inventory screens first and then discovering that the **SaaS subscription, organization, permissions and tenant architecture** need to be rewritten.

81. END-STATE

The finished platform will consist of:

Customer-facing SaaS

- Signup
- OTP

- Login
- Workspace
- Subscription
- Dashboard
- Sales
- Quotations
- Invoices
- Payments
- Inventory
- Purchase
- GRN
- Reports
- Customers
- Suppliers
- Teams
- Settings

Mobile

- Dashboard
- Quick Sale
- Quotation
- Invoice
- Payment
- Customer
- Product
- Barcode
- Stock
- GRN
- Notifications

SaaS Super Admin

- Users
- Organizations
- Plans
- Subscriptions
- Billing
- Seats
- Usage
- Features
- Add-ons
- Coupons
- Support
- Analytics
- System health

Platform Infrastructure

- Multi-tenancy
- RBAC
- OTP authentication
- Subscription engine
- Entitlement engine
- Usage metering
- Billing webhooks
- Notification engine
- Audit logs
- Reporting engine
- API
- Webhooks
- Background jobs

- Backup
- Monitoring

This is the architecture I would recommend if your goal is to launch it as a real commercial SaaS where a person can sign up in seconds, start alone, invite a team, upgrade seats, grow into a company account, and eventually move to an enterprise subscription without changing their workspace or business data.