Cyber Feed

DESIGN PREVIEW · Agent-edited sample; automated AI delivery is not connected.

Weekly · 10 selected updates · Oct 11, 2026

01 / Citrix NetScaler: check exposure and investigate compromise

Canadian Centre for Cyber Security · 2026-10-09

a. AI summary

• The Canadian Cyber Centre warns of critical vulnerabilities affecting NetScaler ADC and NetScaler Gateway. [1.1]

• A remote attacker could execute arbitrary code on a vulnerable appliance without authenticating. [1.1]

• Preserve forensic evidence before rebooting, patching, or rebuilding affected appliances, where feasible. [1.1]

• CISA KEV lists CVE-2026-88771 and CVE-2026-88772. That signal applies to those CVEs, not every related issue. [1.4]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

Tracked as CVE-2026-88771 , this vulnerability is an Improper Input Validation vulnerability (CWE-20) . The vulnerability may allow a remote, unauthenticated attacker to execute arbitrary code on a vulnerable NetScaler appliance. Successful exploitation could result in complete compromise of the appliance, unauthorized access to applications and services, credential theft, lateral movement, and further compromise of internal systems. Tracked as CVE-2026-88772 , this vulnerability is a Buffer Overflow vulnerability (CWE-119) . Successful exploitation may allow arbitrary code execution, memory corruption, denial of service conditions, or other unintended behaviour on affected appliances. [The supplied excerpt ends before the remaining explanation.] [1.1]

AFFECTED PRODUCTS & VERSIONS

The Canadian Centre for Cyber Security (Cyber Centre) is aware of critical vulnerabilities affecting Citrix NetScaler ADC and NetScaler Gateway appliances. In response to the vendor security bulletin and blog released on September 27, 2026, the Cyber Centre is issuing this alert to raise awareness of the vulnerabilities and associated reports of active exploitation. [1.1]

PATCHES & RECOMMENDED ACTION

Organizations should review the Citrix security bulletin to determine whether their deployments are affected, prioritize remediation of Internet-facing systems, and investigate for signs of compromise, particularly where evidence of suspicious activity predates the release of vendor fixes The Cyber Centre also recommends that organizations: contact Citrix or their authorized support provider as soon as possible to obtain the latest security guidance and patch availability information Preserve forensic evidence before shutting down, rebooting, patching, rebuilding, or otherwise modifying affected appliances, where feasible. Preserve appliance logs, remote syslog records, and NetScaler Console logs. Collect support bundles and other diagnostic information that may assist future investigations. Review running processes and active network connections for suspicious or unexplained activity. Examine startup scripts, scheduled tasks, web application directories, and crash dump locations for unauthorized modifications or indicators of persistence. Preserve suspicious files and configurations before changing or removing them. Correlate findings with firewall, DNS, authentication, endpoint, and other supporting telemetry sources. Investigate unexpected outbound connections, unusual administrative access, and suspicious activity on connected systems. Review the attached list of indicators of compromise and investigate to find matching patterns. Follow Citrix guidance for suspected compromises, including isolation of affected appliances and assessment of credential exposure . Conduct an organization-specific risk assessment based on the criticality of affected NetScaler deployments, any suspicious findings, and the limited information currently available. Where operationally feasible and justified by the organization's risk assessment, consider temporarily disabling or shutting down Internet-facing NetScaler appliances until vendor guidance and security updates become available; organizations should carefully weigh the cybersecurity risks of continued operation against the operational and business impacts of service disruption before taking this action. Prepare to reset

credentials, invalidate active sessions, and replace certificates if compromise is suspected Be prepared to rebuild or replace compromised appliances from trusted [The supplied source section is truncated; remaining details are not inferred.] [1.1]

EXPLOITATION STATUS

CISA KEV matched CVEs: CVE-2026-88771, CVE-2026-88772. [1.4]

Not supplied: versions. Check the complete source before acting.

c. References

[1.1] Canadian Centre for Cyber Security · 2026-10-09

https://www.cyber.gc.ca/en/alerts-advisories/al26-024-critical-vulnerabilities-affecting-citrix-netscaler-adc-netscaler-gateway-cve-2026-88771-cve-2026-88772

[1.2] Canadian Centre for Cyber Security · 2026-10-09

https://cyber.gc.ca/en/alerts-advisories/al26-024-critical-vulnerabilities-affecting-citrix-netscaler-adc-netscaler-gateway-cve-2026-88771-cve-2026-88772

[1.3] Google Threat Intelligence / Mandiant · Publication date not supplied

https://cloud.google.com/blog/topics/threat-intelligence/defending-against-active-exploitation-of-citrix-netscaler-adc-and-gateway-appliances/

[1.4] CISA KEV official catalog mirror · Publication date not supplied

https://raw.githubusercontent.com/cisagov/kev-data/main/known_exploited_vulnerabilities.json

02 / Lantronix: check device versions and apply the matching fix

CISA · 2026-10-08

a. AI summary

• CISA warns that successful exploitation could bypass authentication and run code with root-level privileges. [2.1]

• One affected product is EDS5000 through 2.1.0.0R3. Check the complete product table before acting. [2.1]

• For EDS5000, upgrade to 2.2.0.0R1 or later. This fix is specific to that family. [2.1]

• CISA KEV lists CVE-2025-67038. Do not interpret that as exploitation of every vulnerability in this advisory. [2.2]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

Successful exploitation of these vulnerabilities could allow an attacker to bypass authentication and execute code with root-level privileges. [2.1]

AFFECTED PRODUCTS & VERSIONS

Lantronix EDS5000 series: <=2.1.0.0R3 | Lantronix G520 series: <2.6.0.4R6 | Lantronix X300 series: <2.6.0.4R6 | Lantronix E210 series: <3.21.0.0R1 | Lantronix E220 series: <3.21.0.0R1 | Lantronix EDS3000PS series: <=3.1.0.0R2 [2.1]

PATCHES & RECOMMENDED ACTION

EDS5000 series: Upgrade to version 2.2.0.0R1 or later. The patch can be found here: [vendor reference] (CVE-2025-67034, CVE-2025-67035, CVE-2025-67036, CVE-2025-67037, CVE-2025-67038) | G520 series: Upgrade to version 2.6.0.4R6 or later. The patch can be found here: [vendor reference] (CVE-2025-67034, CVE-2025-67036, CVE-2025-67037, CVE-2025-67038) | X300 series: Upgrade to version 2.6.0.4R6 or later. The patch can be found here: [vendor reference] (CVE-2025-67034, CVE-2025-67036, CVE-2025-67037, CVE-2025-67038) | E210 series: Upgrade to version 3.21.0.0R1 or later. The patch can be found here: [vendor reference] (CVE-2025-67038) | E220 series: Upgrade to version 3.21.0.0R1 or later. The patch can be found here: [vendor reference] (CVE-2025-67038) | EDS3000PS series: Upgrade to version 3.2.0.0R2 or later. The patch can be found here: [vendor reference] (CVE-2025-67039, CVE-2025-70082, CVE-2025-67041) [2.1]

Lantronix has released the following updates addressing these vulnerabilities. For more information, see the Lantronix Vulnerability Library ([vendor reference]). | For more information or technical assistance, contact Lantronix support (Support@lantronix.com). [2.1]

EXPLOITATION STATUS

An issue was discovered in Lantronix EDS3000PS 3.1.0.0R2. The host parameter of the TFTP client in the Filesystem Browser page is not properly sanitized. This can be exploited to escape from the original command and execute an arbitrary one with root privileges. | No known public exploitation specifically targeting these vulnerabilities has been reported to CISA at this time. [2.1]

CISA KEV matched CVEs: CVE-2025-67038. [2.2]

c. References

[2.1] CISA · 2026-10-08

https://raw.githubusercontent.com/cisagov/CSAF/develop/csaf_files/OT/white/2026/icsa-26-069-02.json

[2.2] CISA KEV official catalog mirror · Publication date not supplied

https://raw.githubusercontent.com/cisagov/kev-data/main/known_exploited_vulnerabilities.json

03 / FortiMail: match your branch to its fixed release

Fortinet PSIRT · 2026-10-01

a. AI summary

• An unauthenticated attacker could write arbitrary files through crafted HTTP or HTTPS requests. [3.1]

• Fortinet reports exploitation in the wild. [3.1]

• Example: FortiMail 8.0.0–8.0.1 should move to 8.0.2 or above. Check the source table for other branches. [3.1]

• The listed workaround is to disable IBE feature support in the GUI. Consult the vendor guidance before changing configuration. [3.1]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

An Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal') [CWE-22] and Improper Neutralization of NULL Byte or NULL Character [CWE-158] vulnerability may allow an unauthenticated attacker to write arbitrary files on the underlying system via crafted HTTP or HTTPS requests. This has been reported to be exploited in the wild, customers are urged to apply the workaround below. [3.1]

AFFECTED PRODUCTS & VERSIONS

Version Affected Solution FortiMail 8.0 8.0.0 through 8.0.1 Upgrade to 8.0.2 or above FortiMail 7.6 7.6.0 through 7.6.6 Upgrade to 7.6.7 or above FortiMail 7.4 7.4.0 through 7.4.8 Upgrade to 7.4.9 or above FortiMail 7.2 7.2.0 through 7.2.9 Upgrade to branch 7.4 or above [3.1]

PATCHES & RECOMMENDED ACTION

Disable the IBE feature support via the GUI (Encryption -> IBE -> IBE Service 'off') or with the following CLI command: config system encryption ibe set status disable end Alternatively: - Disable access to the FortiMail webmail interface from the internet or limit the access only from trusted private network - Or if there is a Web Application Firewall in front of FortiMail, block POST requests to /ibe that contain '../' [3.1]

EXPLOITATION STATUS

This has been reported to be exploited in the wild, customers are urged to apply the workaround below. [3.1]

CISA KEV matched CVEs: CVE-2026-104286. [3.3]

c. References

[3.1] Fortinet PSIRT · 2026-10-01

https://www.fortiguard.com/psirt/FG-IR-26-175

[3.2] Fortinet PSIRT · 2026-10-01

https://fortiguard.fortinet.com/psirt/cvrf/FG-IR-26-175

[3.3] CISA KEV official catalog mirror · Publication date not supplied

https://raw.githubusercontent.com/cisagov/kev-data/main/known_exploited_vulnerabilities.json

04 / Flax Typhoon: reported exploitation and KEV additions

The Hacker News · 2026-10-09

a. AI summary

• The Hacker News links five reported CISA KEV additions to Flax Typhoon activity. [4.1]

• The supplied catalog match confirms CVE-2015-3306 only. [4.2]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

The U.S. Cybersecurity and Infrastructure Security Agency (CISA) on Thursday added five security flaws to its Known Exploited Vulnerabilities (KEV) catalog, following their abuse by a China-linked threat actor known as Flax Typhoon. [The supplied excerpt ends before the remaining explanation.] [4.1]

EXPLOITATION STATUS

CISA KEV matched CVEs: CVE-2015-3306. [4.2]

Not supplied: versions, remediation, workaround. Check the complete source before acting.

c. References

[4.1] The Hacker News · 2026-10-09

https://thehackernews.com/2026/10/flax-typhoon-exploits-five-flaws-as.html

[4.2] CISA KEV official catalog mirror · Publication date not supplied

https://raw.githubusercontent.com/cisagov/kev-data/main/known_exploited_vulnerabilities.json

05 / Cisco NGOAM: remote code execution risk on affected Nexus switches

Cisco Security Advisories · 2026-10-07

a. AI summary

• Cisco describes possible unauthenticated code execution or denial of service. [5.1]

• Nexus 3000/9000 standalone NX-OS exposure depends on NGOAM and vulnerability-specific conditions. [5.1]

• If NGOAM is not required, Cisco says disabling it removes the attack vector. [5.1]

• Cisco PSIRT reports no known public announcements or malicious use. [5.1]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

Multiple vulnerabilities in the Operation, Administration, and Maintenance (OAM) feature of Cisco NX-OS Software, known as Next Generation OAM (NGOAM), could allow an unauthenticated, remote attacker to execute arbitrary code with root privileges or cause a denial of service (DoS) condition on an affected device. These vulnerabilities are due to improper input validation of IP traffic when NGOAM is enabled. An attacker could exploit these vulnerabilities by sending crafted packets to an IP interface on an affected device. A successful exploit could allow the attacker to execute arbitrary code with root privileges and could cause process crashes, which could result in a reload of the device and a DoS condition. Note: Feature requirements vary for each vulnerability. For details, see the Vulnerable Products section of this advisory. Cisco has released software updates that address these vulnerabilities. There are no workarounds that address these vulnerabilities. [The supplied excerpt ends before the remaining explanation.] [5.1]

AFFECTED PRODUCTS & VERSIONS

These vulnerabilities affect Cisco Nexus 3000 Series Switches and Cisco Nexus 9000 Series Switches in standalone NX-OS mode if NGOAM is enabled and specific features are configured, as detailed in the following list: CVE-2026-76485: To be affected by this vulnerability, the switch must have NGOAM enabled. That is the only requirement. CVE-2026-76486: To be affected by this vulnerability, the switch must have NGOAM enabled and either Segment Routing over IPv6 (SRv6) or Network Virtualization (NV) Overlay enabled. NV Overlay also requires a VXLAN Ethernet VPN (EVPN) VXLAN Network Identifier (VNI) mapped to a Network Virtualization Endpoint (NVE) interface with at least one peer VXLAN Tunnel Endpoint (VTEP) learned (for example, BGP EVPN or an ingress-replication static peer). CVE-2026-76501: To be affected by this vulnerability, the switch must have both NGOAM and SRv6 enabled. Note: Cisco Nexus 3000 Series switches do not support SRv6, and only a subset of Cisco Nexus 9000 Series switches support SRv6. For more information, see Cisco Nexus 9000 Series NX-OS SRv6 Configuration Guide, Release 10.6(x) . Determine the Status of NGOAM To determine whether a device is configured with NGOAM enabled, use the show feature | include ngoam command at the Cisco NX-OS CLI. The following example shows NGOAM enabled on a device that is running Cisco NX-OS Software: switch# show feature | include ngoam ngoam 1 enabled Determine the Status of NV Overlay To determine whether a device is configured with NV Overlay enabled, use the show feature | include nve command at the Cisco NX-OS CLI. The following example shows NV Overlay enabled on a device that is running Cisco NX-OS Software: switch# show feature | include nve nve 1 disabled switch# configure switch(config)# feature nv overlay switch(config)# show feature | include nve nve 1 enabled Determine the Status of the NV Overlay VXLAN [The supplied source section is truncated; remaining details are not inferred.] [5.1]

PATCHES & RECOMMENDED ACTION

Cisco considers any workarounds and mitigations (if applicable) to be temporary solutions until an upgrade to a fixed software release is available. To remediate these vulnerabilities and avoid future exposure as described in this advisory, Cisco strongly recommends that customers upgrade to the fixed software indicated in this advisory. Cisco NX-OS Software To help customers determine their exposure to vulnerabilities in Cisco NX-OS Software, Cisco provides the Cisco Software Checker . This tool identifies any Cisco security advisories that impact a specific software release and the earliest release that fixes the vulnerabilities that are described in each advisory (“First Fixed”). If applicable, the tool also returns the earliest release that fixes all the vulnerabilities described in all the advisories that the Software Checker identifies (“Combined First Fixed”). To use the tool, go to the Cisco Software Checker page and follow the instructions. Alternatively, use the following form to search for vulnerabilities that affect a specific software release. To use the form, follow these steps: Choose which advisories the tool will search-only this advisory, only advisories with a Critical or High Security

Impact Rating (SIR) , or all advisories. Choose the appropriate software. Choose the appropriate platform. Enter a release number-for example, 10.4(4) for Cisco Nexus 3000 Series Switches or 16.0(8e) for Cisco NX-OS Software in ACI mode. Click Check . [5.1]

There are no workarounds that address these vulnerabilities. If the NGOAM feature is not required, disabling it removes the attack vector and is a mitigation for all three vulnerabilities. Disable the NGOAM by using the Cisco NX-OS CLI command no feature ngoam in global configuration mode on a Cisco Nexus 3000 Series or 9000 Series Switch. While this mitigation has been deployed and was proven successful in a test environment, customers should determine the applicability and effectiveness in their own environment and under their own use conditions. Customers should be aware that any workaround or mitigation that is implemented may negatively impact the functionality or performance of their network based on intrinsic customer deployment scenarios and limitations. Customers should not deploy any workarounds or mitigations before first evaluating the applicability to their own environment and any impact to such environment. Live Protect Shields Cisco has released Live Protect shields for CVE-2026-76485, CVE-2026-76486, and CVE-2026-76501 to temporarily mitigate these vulnerabilities for Cisco NX-OS Software. For information about Live Protect for Cisco NX-OS Software, see Cisco Nexus 9000 Series NX-OS Security Configuration Guide . Note: Live Protect shields are temporary mitigations to bridge the gap until software updates can be scheduled. To remediate this vulnerability, upgrade to a fixed software release as noted in the Fixed Software section of this advisory. [5.1]

EXPLOITATION STATUS

The Cisco Product Security Incident Response Team (PSIRT) is not aware of any public announcements or malicious use of the vulnerabilities that are described in this advisory. [5.1]

Not supplied: versions. Check the complete source before acting.

c. References

[5.1] Cisco Security Advisories · 2026-10-07

https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ngoam-rce-LWKQ4BU?vs_f=Cisco%20Security%20Advisory%26vs_cat=Security%20Intelligence%26vs_type=RSS%26vs_p=Cisco%20Nexus%203000%20and%209000%20Series%20Switches%20NGOAM%20Remote%20Code%20Execution%20Vulnerabilities%26vs_k=1

06 / Windows Media Foundation: match the affected version to its fix

Microsoft MSRC · 2026-10-09

a. AI summary

• Microsoft describes network code execution through a heap-based buffer overflow. [6.1]

• Affected records include Windows Server 2025 and several Windows 11 releases. [6.1]

• The Server 2025 entry lists KB5122871 and fixed build 10.0.26100.33438. [6.1]

• Microsoft marks public disclosure and exploitation as “No” in this record. [6.1]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

Heap-based buffer overflow in Microsoft Windows Media Foundation allows an unauthorized attacker to execute code over a network. [6.1]

AFFECTED PRODUCTS & VERSIONS

Windows Server 2025 (Server Core installation) | Windows 11 Version 25H2 for ARM64-based Systems | Windows 11 Version 25H2 for x64-based Systems | Windows 11 Version 24H2 for ARM64-based Systems | Windows 11 Version 24H2 for x64-based Systems | Windows Server 2025 | Windows 11 version 26H1 for x64-based Systems | Windows 11 Version 26H1 for ARM64-based Systems [6.1]

PATCHES & RECOMMENDED ACTION

5122871 | Fixed build: 10.0.26100.33438 | [vendor reference] | Products: Windows Server 2025 (Server Core installation), Windows Server 2025 | 5124008 | Fixed build: 10.0.26200.9445 | [vendor reference] | Products: Windows 11 Version 25H2 for ARM64-based Systems, Windows 11 Version 25H2 for x64-based Systems | 5124008 | Fixed build: 10.0.26100.9445 | [vendor reference] | Products: Windows 11 Version 24H2 for ARM64-based Systems, Windows 11 Version 24H2 for x64-based Systems | 5124012 | Fixed build: 10.0.28000.2954 | [vendor reference] | Products: Windows 11 version 26H1 for x64-based Systems, Windows 11 Version 26H1 for ARM64-based Systems [6.1]

EXPLOITATION STATUS

Publicly Disclosed:No;Exploited:No;Latest Software Release:Exploitation Unlikely [6.1]

Not supplied: workaround. Check the complete source before acting.

c. References

[6.1] Microsoft MSRC · 2026-10-09

https://api.msrc.microsoft.com/cvrf/v3.0/cvrf/2026-Sep

[6.2] Microsoft MSRC · 2026-10-09

https://msrc.microsoft.com/update-guide/vulnerability/CVE-2026-62744

07 / Talos newsletter: introductory extract, limited technical detail

Cisco Talos · 2026-10-08

a. AI summary

• The supplied Talos extract is an author introduction, not a complete technical advisory. [7.1]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

The supplied Talos excerpt is an author introduction. It contains no substantive technical account to expand into an attack or remediation report. No additional technical details are inferred. [7.1]

Not supplied: versions, remediation, exploitation, workaround. Check the complete source before acting.

c. References

[7.1] Cisco Talos · 2026-10-08

https://blog.talosintelligence.com/making-sure-the-checks-get-printed/

[7.2] CISA KEV official catalog mirror · Publication date not supplied

https://raw.githubusercontent.com/cisagov/kev-data/main/known_exploited_vulnerabilities.json

08 / SonicWall SMA1000: reported exploitation requires careful attribution

BleepingComputer · 2026-10-09

a. AI summary

• BleepingComputer reports exploitation of CVE-2026-102255 in SMA1000 appliances. [8.1]

• The named models are SMA1000 6210, 7210, and 8200v; the excerpt excludes SMA100 and firewall SSL-VPN. [8.1]

• A researcher reports honeypot attempts consistent with the flaw; vendor confirmation differs. [8.1]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

Attackers are exploiting a maximum-severity vulnerability in SonicWall SMA1000 appliances (CVE-2026-102255) that was patched on Tuesday, three days ago. [8.1]

AFFECTED PRODUCTS & VERSIONS

Tracked as CVE-2026-102255 , the flaw affects the Appliance WorkPlace interface on SMA1000 6210, 7210, and 8200v models, but does not affect the SMA 100 Series product line or SSL-VPN running on SonicWall firewalls. [8.1]

EXPLOITATION STATUS

While SonicWall has not yet flagged this vulnerability as actively exploited in its Tuesday advisory, Previdian founder and security researcher Ryan Dewhurst told BleepingComputer on Friday that the company's honeypot network has detected exploitation attempts consistent with the CVE-2026-102255 flaw. [8.1]

CISA KEV matched CVEs: CVE-2026-15409, CVE-2026-15410, CVE-2026-83548, CVE-2026-83549. [8.2]

Not supplied: versions, remediation, workaround. Check the complete source before acting.

c. References

[8.1] BleepingComputer · 2026-10-09

https://www.bleepingcomputer.com/news/security/max-severity-sonicwall-sma1000-flaw-now-exploited-in-attacks/

[8.2] CISA KEV official catalog mirror · Publication date not supplied

https://raw.githubusercontent.com/cisagov/kev-data/main/known_exploited_vulnerabilities.json

09 / Qilin: reported arrest and extradition, not a new technical advisory

The Record · 2026-10-09

a. AI summary

• The Record reports Japan’s confirmation of an arrest and extradition in a Qilin-related case. [9.1]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

Japan’s National Police Agency confirmed on Thursday the arrest and extradition of a Russian national accused of being involved in the Qilin ransomware gang. [9.1]

Not supplied: versions, remediation, exploitation, workaround. Check the complete source before acting.

c. References

[9.1] The Record · 2026-10-09

https://therecord.media/japan-germany-ransomware-arrest

10 / SmarterTools advisory: review the source before choosing an update

Canadian Centre for Cyber Security · 2026-10-09

a. AI summary

• The Canadian Cyber Centre encourages review of linked guidance and necessary updates. [10.1]

• The extract identifies a SmarterTools vulnerability but does not complete the product/version list. [10.1]

b. Detailed AI-powered report

WHAT HAPPENED / IMPACT

The Cyber Centre encourages users and administrators to review the provided web links and apply any necessary updates as they become available. [10.1]

AFFECTED PRODUCTS & VERSIONS

As of October 8, 2026, SmarterTools is affected by a vulnerability in the following product: [10.1]

Not supplied: versions, remediation, exploitation, workaround. Check the complete source before acting.

c. References

[10.1] Canadian Centre for Cyber Security · 2026-10-09

https://www.cyber.gc.ca/en/alerts-advisories/smartertools-security-advisory-av26-1026

[10.2] Canadian Centre for Cyber Security · 2026-10-09

https://cyber.gc.ca/en/alerts-advisories/smartertools-security-advisory-av26-1026

Evidence quotations are retained in the editorial JSON. Human review is required: exact citation matches alone cannot verify a paraphrase.