
reWallet

PROJECT DELIVERY REPORT · v1.0

reWallet Website
Design, Build & Handover

Marketing website for reWallet — a decentralized, non-custodial, multi-chain crypto wallet that businesses can launch under their own brand. This report covers what was built, the problems it solves for visitors and prospective clients, testing, and everything a developer needs to run it.



DATE	WEBSITE	REPOSITORY	RELEASE
30 October 2026	rewallet.online	infraworldadm/rewallet_webiste	main · df9d33b

Contents

01 Executive summary 3

02 Scope, objectives & brand rules 4

03 The problem reWallet solves 5

04 Website map — every section and its purpose 6

05 Hero, features & explainer video 7

06 Interactive app demo & security 9

07 Cross-chain bridge & multi-chain networks 11

08 White-label configurator & wallet themes 12

09 Beta downloads (iOS & Android) 13

10 White-label request form & emails 14

11 Design system, light/dark & responsive layout 16

12 SEO, link sharing & icons 17

13 Testing & quality assurance 18

14 Developer handover 19

15 Open items & recommendations 21

A Appendix — change log 22

01 Executive summary

We designed and built a complete, production-ready marketing website for reWallet from the brand PDF. It explains the product, lets visitors **try the wallet in the browser**, shows enterprises exactly how a **white-label wallet** would look with their brand, collects detailed project requirements, and gives testers direct access to the iOS and Android beta apps.

16	8	6	10/10
page sections	working app screens in the mock phone	deployable wallet themes	device & theme test runs passed

What was delivered

- **Branded website** (light by default, dark on toggle) matching the reWallet brand kit — logo, violet palette, IBM Plex typography.
- **Live product demo:** an interactive phone that copies the real reWallet app screens — Send, Receive, Swap, Bridge, Rewards, Settings and Merchant Pay — with demo data.
- **90-second narrated explainer** with 8 chapters, generated background music and full player controls.
- **White-label configurator:** six themes, logo upload, brand colour, networks, tokens, providers, fees, cashback, merchant and compliance — every option changes the live phone.
- **Mock cross-chain bridge** with any-to-any routing and multi-hop routes.
- **Beta downloads:** Apple TestFlight link and the Android APK with QR codes.
- **8-step white-label request form** that auto-submits and sends branded emails to the team and to the client.
- **SEO & sharing:** meta tags, share image, favicons, sitemap, robots and structured data.

Outcome. A visitor can understand reWallet, try it, see their own brand on it and request a proposal — all on one page, on any device — and the team receives a complete, structured brief for every lead.

Status

Area	Status	Note
Website (all sections)	Live in repo	Pushed to `main`, ready to deploy
Request form → emails	Needs SMTP login	Works today via FormSubmit fallback; branded emails start once SMTP is set in Vercel
Explainer voice-over	Device voice	Natural studio voice pending decision (Kokoro or recorded files)
SEO / sharing	Done	Assumes the site is served at rewallet.online

02 Scope, objectives & brand rules

Source material

The reWALLET brand PDF (two A2 boards): product messaging, feature list, supported networks, security layers, white-label options and real app screenshots (Home and Swap). Logo, hero imagery, NFT artwork and token icons were extracted from the PDF and reused.

Objectives

1. Present reWallet as a decentralized, non-custodial, multi-chain wallet — "One Wallet. Every Network. Complete Control."
2. Let people **feel the app** before installing, through a realistic, interactive mock.
3. Sell the **white-label** offer to banks, exchanges, fintechs, merchants, Web3 platforms, governments and enterprises.
4. Explain the problem solved: time, developer cost, future updates, special requests, fully managed stack, deploy everything at once.
5. Give testers the beta apps, and capture structured leads with an enterprise-grade request form.
6. Work perfectly on desktop and mobile, in light and dark mode.

Brand rules applied (from your review rounds)

Rule	How it was applied
Brand as **reWallet**, not INFRA Wallet	reWallet logo and name everywhere; APK renamed to `reWallet-1.0.0-23.apk`
No INFRA / "Powered by INFRA", no ReSystem or Desert Tech in content	Removed from all copy, mock data, routes and contact details. Footer keeps only "Part of the ReSystem ecosystem", as approved
No reAED / AED in the mock wallet	Mock uses USDT, USDC, ETH, BNB, TRX, ARB; balances default to USD; cashback paid in USDT
No Bitcoin	Removed from every network list, orbit and FAQ
Show multi-chain, any-to-any bridging	Bridge works between any listed networks, including multi-hop routes; "networks on request" highlighted
Contact email	`info@rewallet.online` across the site, form and emails
Light theme default	Light on first visit; dark via the sun/moon toggle, remembered per visitor
No captions on the video; no "security, nodes, RPC" in narration	Captions removed; script and on-screen stack updated

03 The problem reWallet solves

Every business that wants its own crypto wallet faces a long, expensive build that never really ends. The website tells this story in the explainer video, the "Why reWallet" cards, the white-label section and the request form.


Problem	How reWallet solves it	Where it appears on the site
12+ months to build key management, multi-chain, swaps, bridge, audits and apps	A finished, production-ready wallet you brand and deploy	Video ch.1–2, Why cards
Time to market	Go live in days, not months	Video ch.3 "Time saving"
Developer cost — iOS, Android, Web, Rust, Solidity, DevOps, QA...	No wallet team to hire; one integration; your developers stay on your product	Video ch.4 "Developer saving"
Endless maintenance	New chains, features and patches developed and pushed by reWallet	Video ch.5 "Future updates"
Missing networks or dApps	Request a new network or bring dApps into the in-wallet browser — the team adds them	Video ch.6, Networks "On request", form step 7
Running infrastructure	Complete architecture and tech stack fully managed	Video ch.7 "Fully managed"
Shipping on every platform	iOS, Android, Web and extension deployed at a single time	Video ch.8, Download section
Users fear losing control	Non-custodial: keys on device, no account freezes, biometric approval, risk detection	Security section, Features
Brand fit	Themes, logo, colours, name, networks, tokens, fees, programs and compliance all configurable	White-label configurator

Who it is for


Banks · Financial institutions · FinTech companies · Crypto exchanges · Merchants · Web3 platforms · Governments · Enterprises

04 Website map — every section and its purpose

#	Section	What it does
1	Navigation	Slim sticky menu (Features, Why reWallet, Live Demo, White-label), theme toggle, "Download beta" and "Get your wallet"; collapses to a menu on mobile
2	Hero	Headline, rotating multi-chain globe with transfer arcs, live block ticker, auto-touring app phone, QR to rewallet.online
3	Token marquee	Scrolling list of supported networks and tokens
4	Features	10 cards from the brand kit: create/import, reID, non-custodial, swaps, bridge, fast & low-cost, NFTs, cashback, custom networks, wallet control
5	Why reWallet	Narrated 8-chapter explainer video + six benefit cards
6	Live demo	Interactive phone with 8 chapters and multi-currency switcher
7	Security	Dark immersive section; five animated security layers
8	Bridge	Full-size mock bridge: any-to-any routes, fees, ETA, four-step progress
9	Networks	Orbit visual; live, coming soon and on-request networks
10	Enterprise / white-label	Configurator with 6 tabs and live framed phone; "Built for" audiences
11	Closing banner	"One Wallet. Every Network." summary with QR
12	FAQ	Five common questions
13	Download	TestFlight (iOS) and APK (Android) with QR codes and install steps
14	Request form	8-step white-label requirements wizard with review and auto-submit
15	Footer	CTA banner, brand blurb, Product / For business / Get the app / Contact link columns, "Part of the ReSystem ecosystem", back to top
16	Emails (off-site)	Branded team notification + client confirmation



Hero in dark mode




Hero on mobile

05 Hero, features & explainer video

5.1 Hero


- **Multi-chain globe** (canvas): rotating dotted globe with labelled network points (Ethereum, BNB Chain, TRON, Arbitrum, Optimism, Base, Polygon, Avalanche, Solana) and glowing arcs showing cross-chain transfers.
- **Live block ticker** along the bottom, coloured per network.
- **App phone** that tours Home → Swap → Bridge → Rewards; stops when the visitor taps it. Floating chips, soft aurora glow, mouse-follow light and 3D tilt.

5.2 Features



Bento grid of the ten brand-kit features, including any-to-any bridge routes and cashback bars

5.3 "Why reWallet" — narrated explainer




In-page animated video player (no video file needed): ~1:27, 8 chapters

Ch.	Chapter	On screen
1	The problem	Task bars fill; counter to 12+ months; "Maintenance — forever ∞"
2	The solution	Branded phone changes colour; deploy bar to 100%; iOS / Android / Web / Extension
3	Time saving	In-house 12+ months vs reWallet "Days"
4	Developer saving	11 engineering roles fade into "1 integration"
5	Future updates	Version feed v2.4–v2.7 "Rolled out"
6	Special requests	Tickets move Requested → In progress → Live
7	Fully managed	Stack assembles: Apps, Wallet UI & SDK, Features, Operations
8	Deploy	Launch animation and "Launch your wallet" button

- **Sound:** voice-over from the visitor's device voice (best natural voice auto-selected) plus generated background music that dips while the voice speaks. Browsers require a tap for sound, so it auto-plays silently when scrolled into view with a "Tap for sound" button.
- **Sync:** each chapter advances when its narration ends; a safety limit moves on if the browser's voice stalls — slides never freeze.
- **Controls:** play/pause, chapter bar, chapter buttons, mute, full screen; pauses when scrolled away or the tab is hidden.

06 Interactive app demo & security




Live demo — chapter menu, interactive phone, multi-currency switcher and asset dashboard list

The phone recreates the **real reWallet app UI** from the PDF screenshots (account header with gradient avatar, balance with secondary value, round action buttons, Tokens/NFTs tabs, Sort by and Import, token rows; Swap with You pay / You receive, 50%/Max, flip button and Provider/Price/Fees/Min. received/Slippage).

Screen	What visitors can do
Wallet (home)	Switch network, hide balance, browse tokens and NFTs, open cashback, tap a token to send it
Send	Recipient, amount, 50%/Max, platform fee, Travel Rule notice above $1,000, address screening, Face ID confirm
Receive	QR code, address, copy and share
Swap	Live quote, price impact, slippage cycle, flip, insufficient-balance handling, confirm
Bridge	Any-to-any networks, multi-hop route, ETA, confirm
Rewards	Pending / available / claimed, 7-day chart, claim, history
Settings	Security toggles, compliance status, network list, add a custom network (RPC + Chain ID)
Merchant Pay	Scan-to-pay checkout with cashback preview

Balances update after each demo action across all three phones on the page. Primary currency: USD, EUR, GBP, INR, SAR; secondary: USDT, USDC, ETH, BNB.


6.1 Security — "Multiple layers of protection. Zero custody."



Dark immersive section with a live animation for each layer; auto-rotates, tap to choose


Layer	Animation
Face ID / Fingerprint & Passkeys	Face scan with scan line → green tick, "Verified" for a 250 USDT send
PIN & Recovery Phrase	12 words reveal one by one, blur out, PIN dots fill
Secure Encryption	Key flows into a "Secure Enclave" chip; scrolling ciphertext
Transaction Verification	Recipient, network, fee, contract and simulation ticked off → "Ready to sign"
Risk Detection & Notifications	Radar sweep finds a red address; "Suspicious address blocked" alert

07 Cross-chain bridge & multi-chain networks




Mock bridge mid-transfer: TRON → Router → BNB Chain (multi-hop), steps progressing

- **Any network to any network** across Ethereum, BNB Chain, TRON, Arbitrum, Optimism, Base, Polygon and Avalanche.
- TRON ↔ EVM transfers shown as **multi-hop** through the reWallet Router; others direct.
- Shows amount received, 0.1% fee, network gas, route and arrival time; validates balance and same-network choices.
- Bridge runs four animated steps: Approve & sign → Lock on source → Relay & verify → Release on destination.



"Multi-chain by design": live (Ethereum, BSC, TRON), coming soon (Polygon, Avalanche, Arbitrum, Optimism, Base, Solana) and on request (your network, custom EVM via RPC, your dApps in-browser)

08 White-label configurator & wallet themes




Configurator with "Midnight Pro" theme applied to the framed "White-Label Ready" phone

Tab	Options	Where it shows on the phone
Theme	Classic, Midnight Pro, Violet Glow, Neo Bank, Luxe Gold, Ocean	Whole app re-skins
Brand	Logo presets or upload, app name, 7 colours + custom picker	Header, buttons, accents
Networks & Tokens	8 networks, 6 default tokens	Network switcher, Settings, Bridge, token list
Swap & Fees	Swap and bridge providers; platform fee 0–1%	Swap, Send, Bridge details
Programs	Cashback on/off, name, rate; merchant pay on/off, merchant name	Home banner, Rewards, Pay
Compliance	Identity badge, sanctions screening, Travel Rule, region	Home badge, Send, Settings

Each change jumps the phone to the screen where the setting lives and highlights it; a "Now showing" label explains what changed; Reset restores defaults.


09 Beta downloads (iOS & Android)




Download section with install steps and QR codes

Platform	Link	Details
iPhone & iPad	`testflight.apple.com/join/JTpDaFjY`	Install TestFlight → open invite / scan QR → Accept → Install
Android	`/downloads/reWallet-1.0.0-23.apk`	v1.0.0 (build 23), 83 MB; allow "Install unknown apps"; QR points to rewallet.online

Note: the app name inside the APK is unchanged (only the file was renamed). The Android QR works once the site is live on rewallet.online. Cloudflare Pages cannot serve files over 25 MB — on that host the APK must move to separate storage.




Download on mobile




White-label phone on mobile

10 White-label request form & emails




8-step wizard with step list, progress bar and validation

Step	Information collected
1 About you	Company*, name*, role, email*, phone/WhatsApp, country*, website, organisation type
2 Wallet & scope	White-label app / SDK / co-branded; platforms; users in year 1; launch date; use case
3 Chains & assets	Networks, custom networks (RPC, Chain ID), default tokens, own token contracts, NFTs
4 Brand & style	App name*, brand colours, starting theme, brand assets, light/dark, languages, app-store publishing
5 Features & integrations	12 features (swap, bridge, dApp browser, cashback, merchant pay, on/off-ramp, staking…), dApps, integrations (reID, KYC, API, payments, CRM, SSO, cards)
6 Security & compliance	Key management, security features, KYC / Travel Rule / sanctions / limits / audit logs, jurisdiction, licences, data residency
7 Infrastructure, updates & support	Hosting (managed / your cloud / on-premise), update policy, special requests, support level, budget, preferred contact, notes
8 Review	Full summary with Edit per section, consent, Send



Review step




Auto-submitted confirmation with reference


How a submission is delivered

1. The form posts the answers to `/api/request` (serverless function) — no email app is opened.
2. The function sends **two branded HTML emails** in the reID template style (dark header, blue gradient banner, blue button, dark footer) with reWallet branding:
   - **Team email** to info@rewallet.online — every answer grouped by step, reference number, "Reply to client" button.
   - **Client email** — thank-you, reference, copy of answers, next steps, "Try the reWallet beta" button.
3. **Fallback:** until SMTP is configured, submissions go through FormSubmit — team receives a table of answers, client receives a plain-text thank-you.


Spam honeypot, server-side validation and field length limits are included. Emails are responsive (tested at 375 px).



Client email (mobile)



Team email (mobile)



Explainer on mobile

11 Design system, light/dark & responsive layout

Colours

Token	Light	Dark	Use
Brand violet	#7000FF	#7000FF	Buttons, highlights, phone actions
Background	#FBFAFF	#0B0716	Page
Text	#140F22	#F4F1FF	Body copy
Accent gradient	Violet → cyan		Headline highlights

Typography & motion

- IBM Plex Sans (headings/body) and IBM Plex Mono (labels), matching the PDF; the phone uses the system app font for realism.
- Animations: scroll reveals, counters, globe and arcs, block ticker, orbit, security scenes, video scenes, theme cross-fade. All respect "Reduce motion".

Accessibility


- Text contrast meets WCAG AA in both themes; visible keyboard focus; labelled icon buttons; ARIA tabs and radio groups; form errors next to fields.

Responsive breakpoints


Width	Layout
> 1280 px	Full desktop: two-column hero, 12-column feature grid, full menu
901–1280 px	Laptop: same 4-link menu; grids tighten
641–900 px	Tablet: stacked sections, burger menu, horizontal chapter scroller
≤ 640 px	Phone: single column, scaled phone mock, 3:4 video, stacked form

12 SEO, link sharing & icons

Item	Value
Title	reWallet — Decentralized Multi-Chain Crypto Wallet | White-Label Ready
Description	Decentralized, non-custodial, multi-chain wallet with swaps, bridge, NFTs and cashback; launch your own white-label wallet on iOS, Android, Web and extension — fully managed.
Canonical	https://rewallet.online/
Open Graph / X card	Title, description, 1200×630 image, alt text, site name, locale; `summary_large_image`
Icons	favicon.ico (16–64), 32 px, 192 px, 512 px, Apple touch icon, web manifest
Crawling	robots.txt (blocks /api/), sitemap.xml
Structured data	Organization, WebSite and SoftwareApplication (JSON-LD)



Share image shown when the link is posted on WhatsApp, LinkedIn, X, Facebook or Slack



Footer: CTA banner and link columns (Security, Bridge, Networks and FAQ moved here from the header)

13 Testing & quality assurance

Automated browser runs (Chromium) at five screen sizes, each in light and dark mode — **10 runs, all passed**.

Check	1440	1280	820	390	360
No sideways scroll / overflow	✓	✓	✓	✓	✓
No JavaScript errors	✓	✓	✓	✓	✓
Video auto-plays, 8 chapters, chapter jump	✓	✓	✓	✓	✓
Demo swap completes with Face ID sheet	✓	✓	✓	✓	✓
Bridge runs all 4 steps	✓	✓	✓	✓	✓
Theme + merchant toggle change the phone	✓	✓	✓	✓	✓
Security: 5 animated scenes	✓	✓	✓	✓	✓
Form validates, reviews and auto-submits	✓	✓	✓	✓	✓
TestFlight + APK links	✓	✓	✓	✓	✓

Additional checks

Test	Result
Form fallback (API unavailable → FormSubmit)	Pass — answers posted, success screen shown
Email function: missing config / bad input / valid request	503 / 400 / 200 — two emails generated (team + client)
Email layout at 375 px and 700 px	Pass — no overflow, stacked rows on mobile
Static files: favicon, OG image, manifest, robots, sitemap, APK, QR codes	All HTTP 200
Manifest and JSON-LD syntax	Valid
Real email delivery via SMTP	Not tested — needs SMTP login
Audio (voice + music)	Not testable headless — verify on a real device

14 Developer handover

Stack

Static HTML, CSS and vanilla JavaScript — no build step, no framework. One serverless function for email (Node 18+, nodemailer). Fonts from Google Fonts; no other runtime dependencies.

Repository structure

```
rewallet_webiste/
├── index.html          page markup, SEO meta, JSON-LD          (770 lines)
├── styles.css          design system, themes, responsive        (1,171 lines)
├── app.js              phone mock, configurator, video, bridge,
│                       security, globe, form, theme, nav        (1,037 lines)
├── api/request.js      POST /api/request → team + client emails (120 lines)
├── assets/             logos, icons, images, QR codes, OG image
├── downloads/          reWallet-1.0.0-23.apk
├── favicon.ico  site.webmanifest  robots.txt  sitemap.xml
├── package.json        nodemailer dependency for the function
├── .env.example        email settings template
└── README.md
```

Run locally

```
python3 -m http.server 8080      # then open http://localhost:8080
# the form falls back to FormSubmit locally (no /api)
```

Deploy (Vercel recommended)

1. Import `infraworldadm/rewallet_webiste` in Vercel — framework "Other", no build command, output = repo root.
2. Add the domain **rewallet.online**.
3. Set environment variables (Project → Settings → Environment Variables), then redeploy:

Variable	Example
SMTP_HOST / SMTP_PORT	smtp.gmail.com / 465
SMTP_USER / SMTP_PASS	info@rewallet.online / app password
MAIL_FROM	reWallet <info@rewallet.online>
MAIL_TO	info@rewallet.online
SITE_URL	https://rewallet.online

Where to change things

What	Where
TestFlight link	`index.html` → Download section (and regenerate `assets/qr-ios.svg`)
New Android build	Replace `downloads/reWallet-*.apk`; update version, size and link in Download section
Contact email	`CONTACT_EMAIL` in `app.js`; `MAIL_TO` env; footer/contact links in `index.html`
Form endpoint / fallback	`CONTACT_ENDPOINT`, `FALLBACK_ENDPOINT` in `app.js`
Form questions	Steps in `index.html` (#wz); labels in `LABEL` (app.js) and `SECTIONS/LABEL` (api/request.js)
Email design	`layout()` in `api/request.js`
Video narration script	`VO` array in the explainer block of `app.js`
Wallet themes	`THEMES` in `app.js` + thumbnails `.th-*` in `styles.css`
Demo tokens, balances, networks	`TOKEN`, `USD`, `BAL`, `NETS`, `DEFAULT` in `app.js`
Site colours	CSS variables in `:root` and `[data-theme=light]` in `styles.css`
SEO text / share image	`<head>` of `index.html`; `assets/og-image.jpg` (1200×630)

Good to know

- All wallet figures on the site are demo data — no real wallet, keys or transactions.
- Browser storage is only used to remember the light/dark choice.
- FormSubmit sends a one-time activation email to info@rewallet.online on the first submission — click it once.

15 Open items & recommendations

#	Item	Owner	Action
1	Branded emails to team and client	reWallet	Provide SMTP login (mailbox + app password) and set it in Vercel
2	FormSubmit activation (fallback)	reWallet	Click the activation email after the first test submission
3	Natural human voice-over	reWallet	Approve Kokoro voice generation, or supply 8 recorded/ElevenLabs files
4	Deploy to rewallet.online	reWallet / dev	Needed for share image, sitemap and the Android QR to resolve
5	APK hosting	dev	Fine on Vercel/GitHub; move to object storage if using Cloudflare Pages
6	Public store links	reWallet	Swap TestFlight/APK for App Store and Google Play links at launch

Recommendations

- Add **Privacy Policy** and **Terms** pages (needed for app stores and the form consent).
- Add privacy-friendly **analytics** (e.g. Vercel Analytics or Plausible) to track demo usage and form conversion.
- Store form submissions in a CRM or database as well as email.
- Add Arabic as a second language for the GCC market.
- Replace demo stats with real figures (users, networks, volume) once available.

A Appendix — change log

Commit	Change
`3225ebb`	Initial responsive landing page with interactive app demo
`93439b8`	Light/dark themes (light default) with toggle; contact email info@rewallet.online
`43d516a`	Mock bridge section, white-label frame, rewallet.online mentions; reAED/AED removed from mock
`6a93a46`	Real-app phone mock, wallet themes, working configurator, animated hero; INFRA/ReSystem branding removed
`35dd3d4`	Immersive animated security section; calmer hero
`efe5c02`	Explainer video, multi-chain globe hero with live blocks, Bitcoin removed, networks on request
`0954ec4`	Narrated voice-over, generated music, enterprise script, sound controls
`97c6b01`	Continuous auto-advancing narration, richer music, captions removed, script trimmed
`be1852f`	Beta downloads (TestFlight + APK), 8-step request form, maintenance bar fix, menu tidy
`8afcf18`	Restored video/security/globe, auto-submitting form with branded emails, SEO/OG/favicons, QA fixes
`7a69cfd`	Slimmer header (4 links) and full multi-column footer with CTA
`df9d33b`	Fix: page no longer jumps to the request form on load

Contact
info@rewallet.online · rewallet.online · Dubai, United Arab Emirates