

2024 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Substance Abuse and Mental Health Services Administration
Center for Behavioral Health Statistics and Quality
Rockville, Maryland 20857

October 17, 2025

2024 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Contract No. 75S20322C00001

Project No. 0218596

Deliverable 56

Prepared for: Substance Abuse and Mental Health Services Administration,
Rockville, Maryland

Prepared by: RTI International, Research Triangle Park, North Carolina

Data File Name: puf2024_100325

October 17, 2025

Recommended Citation: Center for Behavioral Health Statistics and Quality.
(2025). *2024 National Survey on Drug Use and Health Public Use File
Codebook*, Substance Abuse and Mental Health Services Administration,
Rockville, MD

TABLE OF CONTENTS

IDENTIFICATION.....	3
SAMPLE WEIGHTING AND ESTIMATION VARS	4
GEOGRAPHIC	5
COUNTY	5
SEGMENT.....	6
BLOCK.....	7
DEMOGRAPHICS	8
DEMOGRAPHICS	8
IMPUTED DEMOGRAPHICS	13
RECODED DEMOGRAPHICS.....	14
EDUCATION	16
RECODED EDUCATION.....	20
EMPLOYMENT.....	21
IMPUTED EMPLOYMENT.....	25
HOUSEHOLD COMPOSITION (ROSTER).....	26
PROXY INFORMATION.....	28
HEALTH INSURANCE	29
IMPUTED HEALTH INSURANCE.....	34
RECODED HEALTH INSURANCE.....	36
INCOME.....	37
IMPUTED INCOME	38
RECODED INCOME	40
SPECIAL TOPICS.....	41
RECODED SPECIAL TOPICS	48
SUBSTANCE USE.....	50
NICOTINE.....	50
NICOTINE DEPENDENCE.....	61
IMPUTED NICOTINE DEPENDENCE.....	67
ALCOHOL	68
CONSUMPTION OF ALCOHOL	73
RECODED CONSUMPTION OF ALCOHOL.....	82
MARIJUANA	86
MARKET INFORMATION FOR MARIJUANA.....	95
BLUNTS	101
COCAINE.....	104
CRACK.....	108
HEROIN	112
HALLUCINOGENS	115
INHALANTS.....	131
METHAMPHETAMINE	139
PAIN RELIEVERS SCREENER.....	143
PAIN RELIEVERS	144
TRANQUILIZERS SCREENER	153
TRANQUILIZERS	154
STIMULANTS SCREENER	161
STIMULANTS	162
SEDATIVES SCREENER.....	170
SEDATIVES.....	171
IMPUTED SUBSTANCE USE	177
RECENCY OF DRUG USE	177
PAST YEAR FREQUENCY OF USE.....	193
PAST MONTH FREQUENCY OF USE	196
AGE/DATE OF FIRST DRUG USE	202
RECODED DRUG USE	213
OTHER SUBSTANCE TOPICS.....	264
SPECIAL DRUGS.....	264
IMPUTED SPECIAL DRUGS.....	277
RECODED SPECIAL DRUGS	278
SUBSTANCE USE DISORDER	280
IMPUTED SUBSTANCE USE DISORDER.....	367
RECODED SUBSTANCE USE DISORDER.....	376
PRIOR SUBSTANCE USE	383
ALCOHOL AND DRUG TREATMENT	400
IMPUTED ALCOHOL AND DRUG TREATMENT.....	411
RECODED ALCOHOL AND DRUG TREATMENT.....	416
RISK/AVAILABILITY	425
RECODED RISK/AVAILABILITY	430

TABLE OF CONTENTS

SOCIAL ENVIRONMENT	432
YOUTH EXPERIENCES	434
RECODED YOUTH EXPERIENCES	452
MENTAL HEALTH	458
ADULT MENTAL HEALTH	458
IMPUTED ADULT MENTAL HEALTH	470
RECODED ADULT MENTAL HEALTH	480
ADULT DEPRESSION	486
IMPUTED ADULT DEPRESSION	505
RECODED ADULT DEPRESSION	506
ADOLESCENT DEPRESSION	509
RECODED ADOLESCENT DEPRESSION	526
MENTAL HEALTH SERVICES UTILIZATION	532
IMPUTED MENTAL HEALTH SERVICES UTILIZATION	538
RECODED MENTAL HEALTH SERVICES UTILIZATION	542
OTHER TOPICS	548
HEALTH	548
RECODED HEALTH	563
EMERGING ISSUES	564
IMPUTED EMERGING ISSUES	568
INTERVIEW INFORMATION	570
RECODED EMERGING ISSUES	571
INDEX	575

APPENDICES

APPENDIX A	Drug Codes for Open-Ended Questions
APPENDIX B	Consolidated Drug OTHER, Specify Tables
APPENDIX C	Nicotine Dependence and Substance Use Disorder
APPENDIX D	Recoded Mental Health
APPENDIX E	Recoded Adolescent Depression Variable Documentation
APPENDIX F	Public Use File Estimates

IDENTIFICATION

IDENTIFICATION

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2.

[QUESTID2](#) Len : 7 RESPONDENT IDENTIFICATION

The following variable, FILEDATE, represents the date the SAS data file was created.

[FILEDATE](#) Len : 10 CREATION DATE OF THE DATA FILE

SAMPLE WEIGHTING AND ESTIMATION VARS

SAMPLE WEIGHTING AND ESTIMATION VARS

<u>ANALWT2_C</u>	Len : 8	FIN PRSN-LEVEL SMPLE WGHT 2
<u>VESTR_C</u>	Len : 5	VARIANCE STRATUM
<u>VEREP</u>	Len : 2	VARIANCE PRIMARY SAMPLING UNIT

COUNTY

GEOGRAPHIC

COUNTY

The variable PDEN10 is based on 2010 Census data and the December 2009 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN10

Len : 1 POPULATION DENSITY 2010 - THREE LEVELS

	Freq	Pct
1 = Segment in a CBSA with 1 million or more persons.....	25395	43.31
2 = Segm. in a CBSA with fewer than 1 million persons	29864	50.93
3 = Segment not in a CBSA	3374	5.75

NOTE: COUTYP4 is recoded based on the 2013 Rural/Urban Continuum Codes.

COUTYP4

Len : 1 COUNTY METRO/NONMETRO STATUS (2013 3-LEVEL)

	Freq	Pct
1 = Large Metro	26794	45.70
2 = Small Metro	22594	38.53
3 = Nonmetro.....	9245	15.77

SEGMENT

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN102. MAIIN102 is based on 2010 census data.

MAIIN102

Len : 1 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
1 = Segment in an American Indian area	900	1.53
2 = Segment not in an American Indian area	57733	98.47

BLOCK

BLOCK

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

The variable AIIND102 is based on 2010 census data and is defined by mapping the census block in which a respondent resides to the 2010 census file.

[AIIND102](#)

Len : 1 AMER INDIAN AREA INDICATOR

	Freq	Pct
1 = Census block in an American Indian area	908	1.55
2 = Census block not in an American Indian area	57725	98.45

DEMOGRAPHICS

DEMOGRAPHICS

DEMOGRAPHICS

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE3

Len : 2 RECODE - FINAL EDITED AGE

	Freq	Pct
1 = Respondent is 12 or 13 years old	3527	6.02
2 = Respondent is 14 or 15 years old	3932	6.71
3 = Respondent is 16 or 17 years old	3875	6.61
4 = Respondent is between 18 and 20 years old.....	5024	8.57
5 = Respondent is between 21 and 23 years old.....	5401	9.21
6 = Respondent is 24 or 25 years old	3711	6.33
7 = Respondent is between 26 and 29 years old.....	4000	6.82
8 = Respondent is between 30 and 34 years old.....	5621	9.59
9 = Respondent is between 35 and 49 years old.....	12845	21.91
10 = Respondent is between 50 and 64 years old.....	5197	8.86
11 = Respondent is 65 years old or older	5500	9.38

Have you ever been in the United States Armed Forces?

(QD09)

SERVICE

Len : 2 EVER BEEN IN THE US ARMED FORCES

	Freq	Pct
1 = Yes.....	2355	4.02
2 = No.....	46833	79.87
85 = BAD DATA Logically assigned.....	21	0.04
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP.....	9420	16.07

Are you currently on active duty in the United States Armed Forces, are you in a Reserve component, or are you now separated or retired from the military?

(QD10)

MILSTAT

Len : 2 CURRENT MILITARY STATUS

	Freq	Pct
2 = In a reserves component.....	161	0.27
3 = Now separated/retired from reserves/active duty	2191	3.74
85 = BAD DATA Logically assigned	21	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP.....	56253	95.94

Have you ever served on active duty in the United States Armed Forces or Reserve components? Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

(QD10A)

ACTDEVER

Len : 2 EVER ON ACTIVE DUTY IN US MILITARY/RESERV

	Freq	Pct
1 = Yes.....	1783	3.04
2 = No.....	573	0.98
85 = BAD DATA Logically assigned	21	0.04
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP.....	56253	95.94

DEMOGRAPHICS

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

(QD10B1)
[ACTD2001](#)

Len : 2 SEPTEMBER 2001 OR LATER

	Freq	Pct
1 = Yes.....	800	1.36
2 = No (not entered).....	973	1.66
85 = BAD DATA Logically assigned.....	22	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	6	0.01
99 = LEGITIMATE SKIP.....	56826	96.92

(QD10B2)
[ACTD9001](#)

Len : 2 AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)

	Freq	Pct
1 = Yes.....	416	0.71
2 = No (not entered).....	1357	2.31
85 = BAD DATA Logically assigned.....	21	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	56826	96.92

(QD10B3)
[ACTD7590](#)

Len : 2 MAY 1975 TO JULY 1990

	Freq	Pct
1 = Yes.....	431	0.74
2 = No (not entered).....	1340	2.29
85 = BAD DATA Logically assigned.....	26	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	4	0.01
99 = LEGITIMATE SKIP.....	56826	96.92

(QD10B4)
[ACTDVIET](#)

Len : 2 VIETNAM ERA (MARCH 1961 TO APRIL 1975)

	Freq	Pct
1 = Yes.....	487	0.83
2 = No (not entered).....	1286	2.19
85 = BAD DATA Logically assigned.....	21	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	56826	96.92

(QD10B5, QD10B6, QD10B7, QD10B8, QD10B9)
[ACTDPRIV](#)

Len : 2 ANY TIME BEFORE VIETNAM ERA (MARCH 1961)

	Freq	Pct
1 = Yes.....	73	0.12
2 = No (not entered).....	1698	2.90
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	5	0.01
99 = LEGITIMATE SKIP.....	56826	96.92

DEMOGRAPHICS

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

(QD10C)

COMBATPY

Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
1 = YES	748	1.28
2 = NO.....	1023	1.74
85 = BAD DATA Logically assigned.....	21	0.04
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP.....	56826	96.92

How many times have you been married?

(QD08)

NOMARR2

Len : 2 NUMBER OF TIMES MARRIED

	Freq	Pct
1 = One time	19625	33.47
2 = Two or more times.....	5243	8.94
94 = DON'T KNOW.....	34	0.06
97 = REFUSED	83	0.14
99 = LEGITIMATE SKIP.....	33648	57.39

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

(QD12)

HEALTH

Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent.....	12453	21.24
2 = Very good.....	21501	36.67
3 = Good.....	17813	30.38
4 = Fair	5902	10.07
5 = Poor	930	1.59
94 = DON'T KNOW.....	22	0.04
97 = REFUSED	12	0.02

How many times in the past 12 months have you moved? Please include moves from one residence to another within the same city/town as well as those from one city/town to another.

(QD13)

MOVSINPYR2

Len : 3 # TIMES MOVED PAST 12 MONTHS- RECODED

	Freq	Pct
0 = 0 times	42698	72.82
1 = One time	8679	14.80
2 = Two times	3639	6.21
3 = Three or more times.....	1370	2.34
985 = BAD DATA Logically assigned.....	67	0.11
994 = DON'T KNOW	514	0.88
997 = REFUSED	360	0.61
998 = BLANK (NO ANSWER).....	1306	2.23

How well do you speak English?

(QD55)

SPEAKENGL

Len : 2 HOW WELL SPEAK ENGLISH

	Freq	Pct
1 = Very well	50703	86.48
2 = Well	4221	7.20
3 = Not well.....	1402	2.39
4 = Not at all.....	655	1.12
85 = BAD DATA Logically assigned.....	67	0.11
94 = DON'T KNOW	101	0.17
97 = REFUSED	152	0.26
98 = BLANK (NO ANSWER)	1332	2.27

DEMOGRAPHICS

Do you have difficulty seeing, even when wearing glasses or contact lenses?

(SEE)

[LVLDIFSEE2](#)

Len : 2 LEVEL OF DIFFICULTY SEEING EVEN WITH GLASSES

	Freq	Pct
1 = No Difficulty.....	41847	71.37
2 = Some difficulty	13049	22.26
3 = A lot of difficulty or cannot do at all.....	1946	3.32
85 = BAD DATA Logically assigned.....	67	0.11
94 = DON'T KNOW.....	189	0.32
97 = REFUSED	201	0.34
98 = BLANK (NO ANSWER)	1334	2.28

Do you have difficulty hearing, even when using hearing aids?

(HEAR)

[LVLDIFHEAR2](#)

Len : 2 LEVEL OF DIFFICULTY HEARING EVEN WITH HEARING AIDS

	Freq	Pct
1 = No Difficulty.....	49375	84.21
2 = Some difficulty	6395	10.91
3 = A lot of difficulty or cannot do at all.....	982	1.67
85 = BAD DATA Logically assigned.....	67	0.11
94 = DON'T KNOW.....	254	0.43
97 = REFUSED	222	0.38
98 = BLANK (NO ANSWER)	1338	2.28

Do you have difficulty walking or climbing steps?

(WALK)

[LVLDIFWALK2](#)

Len : 2 LEVEL OF DIFFICULTY WALKING OR CLIMBING STEPS

	Freq	Pct
1 = No Difficulty.....	49585	84.57
2 = Some difficulty	5826	9.94
3 = A lot of difficulty or cannot do at all.....	1501	2.56
85 = BAD DATA Logically assigned.....	67	0.11
94 = DON'T KNOW.....	134	0.23
97 = REFUSED	180	0.31
98 = BLANK (NO ANSWER)	1340	2.29

Do you have difficulty remembering or concentrating?

(MEM)

[LVLDIFMEM2](#)

Len : 2 LEVEL OF DIFFICULTY REMEMBERING OR CONCENTRATING

	Freq	Pct
1 = No Difficulty.....	35896	61.22
2 = Some difficulty	16837	28.72
3 = A lot of difficulty or cannot do at all.....	4175	7.12
85 = BAD DATA Logically assigned.....	67	0.11
94 = DON'T KNOW.....	136	0.23
97 = REFUSED	181	0.31
98 = BLANK (NO ANSWER)	1341	2.29

Do you have difficulty with self-care, such as washing all over or dressing?

(CARE)

[LVLDIFCARE2](#)

Len : 2 LEVEL OF DIFFICULTY WITH SELF-CARE

	Freq	Pct
1 = No Difficulty.....	51614	88.03
2 = Some difficulty	4239	7.23
3 = A lot of difficulty or cannot do at all.....	1026	1.75
85 = BAD DATA Logically assigned.....	67	0.11
94 = DON'T KNOW.....	151	0.26
97 = REFUSED	193	0.33
98 = BLANK (NO ANSWER)	1343	2.29

DEMOGRAPHICS

Using your usual language, do you have difficulty communicating, for example understanding or being understood?

(COMM)

LVLDIFFCOMM2

Len : 2 LEVEL OF DIFFICULTY COMMUNICATING USING YOUR USUAL LANGUAGE

	Freq	Pct
1 = No Difficulty.....	49281	84.05
2 = Some difficulty	6381	10.88
3 = A lot of difficulty or cannot do at all.....	1218	2.08
85 = BAD DATA Logically assigned.....	67	0.11
94 = DON'T KNOW.....	154	0.26
97 = REFUSED	185	0.32
98 = BLANK (NO ANSWER)	1347	2.30

IMPUTED DEMOGRAPHICS

IMPUTED DEMOGRAPHICS

Missing values for the respondent's sex question were not permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.

(CONFGI, GICC02, QD01)

IRSEX

Len : 1 RESPONDENT SEX - IMPUTATION REVISED

	Freq	Pct
1 = Male.....	27102	46.22
2 = Female.....	31531	53.78

NOTE: The variable IRMARIT reflects the move of the marital status questions from self-administration in 2015 back to interviewer administration in 2016. This variable is considered to be comparable with corresponding variables in 2002 to 2014 (when this question also was interviewer-administered) but is not considered to be comparable with the marital status variable IRMARITSTAT in 2015. Analytic goals should be considered prior to pooling or comparing marital status data from 2015 with data from other years.

IRMARIT

Len : 2 IMPUTATION REVISED MARITAL STATUS

	Freq	Pct
1 = Married.....	18515	31.58
2 = Widowed.....	1448	2.47
3 = Divorced or Separated.....	4972	8.48
4 = Never Been Married.....	28303	48.27
99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	5395	9.20

IIMARIT

Len : 1 IMPUTATION INDICATOR MARITAL STATUS

	Freq	Pct
1 = Marital status from questionnaire.....	53156	90.66
3 = Marital status statistically imputed.....	82	0.14
9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	5395	9.20

IREDUHIGHST2

Len : 2 EDUCATION - RECODED IMPUTATION REVISED

	Freq	Pct
1 = Fifth grade or less grade completed.....	908	1.55
2 = Sixth grade completed.....	1887	3.22
3 = Seventh grade completed.....	1941	3.31
4 = Eighth grade completed.....	2333	3.98
5 = Ninth grade completed.....	2656	4.53
6 = Tenth grade completed.....	2610	4.45
7 = Eleventh or Twelfth grade completed, no diploma.....	3829	6.53
8 = High school diploma/GED.....	13004	22.18
9 = Some college credit, but no degree.....	9379	16.00
10 = Associate's degree (for example, AA, AS).....	4123	7.03
11 = College graduate or higher.....	15963	27.23

IIEDUHIGHST2

Len : 1 EDUCATION INDICATOR - IMPUTATION INDICATOR

	Freq	Pct
1 = Education from questionnaire.....	58546	99.85
3 = Education statistically imputed.....	87	0.15

RECODED DEMOGRAPHICS

RECODED DEMOGRAPHICS

(AGE3)

CATAGE

Len : 1 RC-AGE CATEGORY

	Freq	Pct
1 = 12-17 Years Old.....	11334	19.33
2 = 18-25 Years Old.....	14136	24.11
3 = 26-34 Years Old.....	9621	16.41
4 = 35 or Older.....	23542	40.15

(AGE3)

CATAG2

Len : 1 RC-AGE CATEGORY RECODE (3 LEVELS)

	Freq	Pct
1 = 12-17 Years Old.....	11334	19.33
2 = 18-25 Years Old.....	14136	24.11
3 = 26 or Older.....	33163	56.56

(AGE3)

CATAG3

Len : 1 RC-AGE CATEGORY RECODE (5 LEVELS)

	Freq	Pct
1 = 12-17 Years Old.....	11334	19.33
2 = 18-25 Years Old.....	14136	24.11
3 = 26-34 Years Old.....	9621	16.41
4 = 35-49 Years Old.....	12845	21.91
5 = 50 or Older.....	10697	18.24

(AGE3)

CATAG6

Len : 1 RC-AGE CATEGORY RECODE (6 LEVELS)

	Freq	Pct
1 = 12-17 Years Old.....	11334	19.33
2 = 18-25 Years Old.....	14136	24.11
3 = 26-34 Years Old.....	9621	16.41
4 = 35-49 Years Old.....	12845	21.91
5 = 50-64 Years Old.....	5197	8.86
6 = 65 or Older.....	5500	9.38

(AGE3)

CATAG7

Len : 1 RC-AGE CATEGORY RECODE (7 LEVELS)

	Freq	Pct
1 = 12-13 Years Old.....	3527	6.02
2 = 14-15 Years Old.....	3932	6.71
3 = 16-17 Years Old.....	3875	6.61
4 = 18-20 Years Old.....	5024	8.57
5 = 21-25 Years Old.....	9112	15.54
6 = 26-34 Years Old.....	9621	16.41
7 = 35 or Older.....	23542	40.15

(AGE3)

PREGAGE2

Len : 1 RC-PREGNANCY AGE CATEGORY RECODE

	Freq	Pct
1 = 15-17 Years Old.....	5939	10.13
2 = 18-25 Years Old.....	14136	24.11
3 = 26-44 Years Old.....	18667	31.84
4 = Otherwise (12-14, 45 or Older).....	19891	33.92

(AGE3)

DRVINAGE

Len : 1 RC-DUI AGE CATEGORY RECODE

	Freq	Pct
1 = 16-25 Years Old.....	18011	30.72
2 = 26 or Older.....	33163	56.56
3 = Otherwise (12-15 Years Old).....	7459	12.72

RECODED DEMOGRAPHICS

(AGE3)

DRVINDETAG

Len : 1 RC-DUI DETAILED AGE CATEGORY RECODE

	Freq	Pct
1 = 16-20 Years Old.....	8899	15.18
2 = 21-25 Years Old.....	9112	15.54
3 = 26 or Older.....	33163	56.56
4 = Otherwise (12-15 Years Old).....	7459	12.72

(CATAGE, IRSEX)

SEXAGE

Len : 1 RC-COMBINED SEX BY AGE CATEGORY INDICATOR

	Freq	Pct
1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1).....	5865	10.00
2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1).....	5469	9.33
3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2).....	6635	11.32
4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2).....	7501	12.79
5 = Otherwise.....	33163	56.56

Because the reordering of the response options in alphabetical order in the 2022 NSDUH placed “American Indian or Alaska Native” as the first option, the unweighted number of non-Hispanic American Indian or Alaska Native respondents increased from prior years. Additionally, in 2023, the race and ethnicity questions in the in-person questionnaire became self-administered instead of being administered by an interviewer, which again seems to have increased the size of the unweighted “American Indian or Alaska Native” sample. Despite the weighted population size for non-Hispanic American Indian or Alaska Native people being consistent between years, caution is advised in comparing outcomes for this group over time due to the change in the unweighted number of respondents.

NEWRACE2

Len : 1 RC-RACE/HISPANICITY RECODE (7 LEVELS)

	Freq	Pct
1 = NonHisp White.....	32185	54.89
2 = NonHisp Black/Afr Am.....	7352	12.54
3 = NonHisp Native Am/AK Native.....	1123	1.92
4 = NonHisp Native HI/Other Pac Isl.....	302	0.52
5 = NonHisp Asian.....	2688	4.58
6 = NonHisp more than one race.....	2826	4.82
7 = Hispanic.....	12157	20.73

(IRSEX, NEWRACE2)

SEXRACE

Len : 1 RC-COMBINED SEX BY RACE INDICATOR

	Freq	Pct
1 = Male, White, Not Hisp (IRSEX=1 and NEWRACE2=1).....	14805	25.25
2 = Female, White, Not Hisp (IRSEX=2 and NEWRACE2=1).....	17380	29.64
3 = Male, Black, Not Hisp (IRSEX=1 and NEWRACE2=2).....	3313	5.65
4 = Female, Black, Not Hisp (IRSEX=2 and NEWRACE2=2).....	4039	6.89
5 = Male, Hispanic (IRSEX=1 and NEWRACE2=7).....	5650	9.64
6 = Female, Hispanic (IRSEX=2 and NEWRACE2=7).....	6507	11.10
7 = Male or Female, Other Races (Otherwise).....	6939	11.83

(IREDUHIGHEST2)

EDUHIGHCAT

Len : 1 RC-EDUCATION CATEGORIES

	Freq	Pct
1 = Less high school (IREDUHIGHEST2=1-7 & AGE3=4-11).....	4969	8.47
2 = High school grad (IREDUHIGHEST2=8 & AGE3=4-11).....	12893	21.99
3 = Some coll/Assoc Dg (IREDUHIGHEST2=9-10 & AGE3=4-11).....	13476	22.98
4 = College graduate (IREDUHIGHEST2=11 & AGE3=4-11).....	15961	27.22
5 = 12 to 17 year olds (AGE3=1-3).....	11334	19.33

(HEALTH)

HEALTH2

Len : 1 RC-OVERALL HEALTH RECODE

	Freq	Pct
. = Unknown (Otherwise).....	34	0.06
1 = Excellent (HEALTH=1).....	12453	21.24
2 = Very Good (HEALTH=2).....	21501	36.67
3 = Good (HEALTH=3).....	17813	30.38
4 = Fair/Poor (HEALTH=4,5).....	6832	11.65

EDUCATION

EDUCATION

NOTE: EDUSCHLGO takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. EDUSCHLGO was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. By 'school', we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well. Do you go to school?

If you are on a holiday or break from school, such as spring break or summer vacation, but plan to return when the break is over, please answer yes.

(QD17, QD17A, QD17B)

EDUSCHLGO

Len : 2 NOW GOING TO SCHOOL

	Freq	Pct
1 = Yes.....	17028	29.04
2 = No.....	39424	67.24
11 = Yes (EDUSKPMON = 30).....	34	0.06
85 = BAD DATA Logically assigned.....	66	0.11
94 = DON'T KNOW.....	372	0.63
97 = REFUSED.....	365	0.62
98 = BLANK (NO ANSWER).....	1344	2.29

What grade or year of school are you now attending?

What grade or year of school will you be attending when your vacation is over?

(QD18)

EDUSCHGRD2

Len : 2 WHAT GRADE IN NOW/WILL BE IN

	Freq	Pct
1 = 5th Grade or lower.....	44	0.08
2 = 6th Grade.....	484	0.83
3 = 7th Grade.....	1517	2.59
4 = 8th Grade.....	1575	2.69
5 = 9th Grade.....	1799	3.07
6 = 10th Grade.....	1837	3.13
7 = 11th Grade.....	1649	2.81
8 = 12th Grade.....	1620	2.76
9 = College or university/1st year.....	1614	2.75
10 = College or university/2nd Year, 3rd year.....	2105	3.59
11 = College or university/4th Year, 5th or higher year.....	2034	3.47
98 = BLANK (NO ANSWER).....	2931	5.00
99 = LEGITIMATE SKIP.....	39424	67.24

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

(QD19)

EDUFULPAR

Len : 2 FULL OR PART TIME

	Freq	Pct
1 = FULL-TIME.....	13941	23.78
2 = PART-TIME.....	2447	4.17
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	373	0.64
97 = REFUSED.....	291	0.50
98 = BLANK (NO ANSWER).....	2151	3.67
99 = LEGITIMATE SKIP.....	39424	67.24

EDUCATION

During the past 30 days, that is, from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured? Please do not include days you missed because you stayed home with a sick child or other family member.

(QD20)

EDUSCKMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK

	Freq	Pct
RANGE = 1 - 30	5165	8.81
0 = None	6745	11.50
85 = BAD DATA Logically assigned	6	0.01
90 = SCHOOL NOT IN SESSION	1514	2.58
94 = DON'T KNOW	465	0.79
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER)	2816	4.80
99 = LEGITIMATE SKIP	41871	71.41

What is your best estimate of the number of whole days of school you missed because you were sick or injured during the past 30 days?

(QD20DKRE)

EDUSCKEST

Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SICK OR INURED

	Freq	Pct
1 = 0 days	76	0.13
2 = 1 day	38	0.06
3 = 2 days	37	0.06
4 = 3 to 5 days	71	0.12
5 = 6 or more days	66	0.11
6 = School was not in session during the past 30 days	35	0.06
94 = DON'T KNOW	171	0.29
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	2822	4.81
99 = LEGITIMATE SKIP	55295	94.31

NOTE: EDUSCKCOM is a recoded variable that incorporates data from EDUSCKMON (if respondents reported a valid number of days that they missed school in QD20 or they reported that school was not in session) or EDUSCKEST (if respondents were asked question QD20DKRE because they answered QD20 as "don't know" or "refused"). If respondents reported in QD20DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSCKCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

(QD20, QD20DKRE)

EDUSCKCOM

Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SICK (COMBINED)

	Freq	Pct
RANGE = 0 - 30	12198	20.80
90 = SCHOOL NOT IN SESSION	1549	2.64
94 = DON'T KNOW	171	0.29
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	2822	4.81
99 = LEGITIMATE SKIP	41871	71.41

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there? Please do not include days you missed because you stayed home with a sick child or other family member.

(QD21)

EDUSKPMON

Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING

	Freq	Pct
RANGE = 1 - 30	3064	5.23
0 = None	8951	15.27
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	319	0.54
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	2818	4.81
99 = LEGITIMATE SKIP	43420	74.05

EDUCATION

What is your best estimate of the number of whole days of school you missed because you skipped or 'cut' or just didn't want to be there during the past 30 days?

(QD21DKRE)
EDUSKPEST

Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SKIPPED OR CUT

	Freq	Pct
1 = 0 days.....	101	0.17
2 = 1 day.....	20	0.03
3 = 2 days.....	23	0.04
4 = 3 to 5 days.....	27	0.05
5 = 6 or more days.....	35	0.06
94 = DON'T KNOW.....	138	0.24
97 = REFUSED.....	30	0.05
98 = BLANK (NO ANSWER).....	2824	4.82
99 = LEGITIMATE SKIP.....	55435	94.55

NOTE: EDUSKPCOM is a recoded variable that incorporates data from EDUSKPMON (if respondents reported a valid number of days that they missed school in QD21) or EDUSKPEST (if respondents were asked question QD21DKRE because they answered QD21 as "don't know" or "refused"). If respondents reported in QD21DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSKPCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

(QD21, QD21DKRE)
EDUSKPCOM

Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SKIPPING (COMBINED)

	Freq	Pct
RANGE = 0 - 30.....	12221	20.84
94 = DON'T KNOW.....	138	0.24
97 = REFUSED.....	30	0.05
98 = BLANK (NO ANSWER).....	2824	4.82
99 = LEGITIMATE SKIP.....	43420	74.05

For this question, please consider only the family members listed below, whether or not they live with you.

- Your spouse
- Your unmarried partner
- Your mother
- Your father
- Your son or sons
- Your daughter or daughters
- Your brother or brothers
- Your sister or sisters

Please include only these family members, whether they are biological, step or adoptive. Are any of these family members currently serving in the United States military? Press F2 to see and hear a definition of "military."

(QD10D)
MILTFAMILY

Len : 2 ANY IMMEDIATE FAMILY CURRENTLY IN US MILITARY

	Freq	Pct
1 = Yes.....	4996	8.52
2 = No.....	51227	87.37
85 = BAD DATA Logically assigned.....	108	0.18
94 = DON'T KNOW.....	514	0.88
97 = REFUSED.....	410	0.70
98 = BLANK (NO ANSWER).....	1378	2.35

(QD10E1, QD10E2)
MILTSPPAR

Len : 2 SPOUSE OR PARTNER IN MILITARY

	Freq	Pct
1 = Yes.....	1150	1.96
2 = No.....	2768	4.72
85 = BAD DATA Logically assigned.....	47	0.08
94 = DON'T KNOW.....	634	1.08
97 = REFUSED.....	378	0.64
98 = BLANK (NO ANSWER).....	2429	4.14
99 = LEGITIMATE SKIP.....	51227	87.37

EDUCATION

(QD10E3, QD10E4)

MILTPARNT

Len : 2 FATHER OR MOTHER IN MILITARY

	Freq	Pct
1 = Yes.....	1078	1.84
2 = No.....	2830	4.83
85 = BAD DATA Logically assigned.....	90	0.15
94 = DON'T KNOW.....	634	1.08
97 = REFUSED.....	378	0.64
98 = BLANK (NO ANSWER).....	2396	4.09
99 = LEGITIMATE SKIP.....	51227	87.37

(QD10E5, QD10E6)

MILTCHLDR

Len : 2 SON OR DAUGHTER IN MILITARY

	Freq	Pct
1 = Yes.....	556	0.95
2 = No.....	3331	5.68
85 = BAD DATA Logically assigned.....	98	0.17
94 = DON'T KNOW.....	634	1.08
97 = REFUSED.....	378	0.64
98 = BLANK (NO ANSWER).....	2409	4.11
99 = LEGITIMATE SKIP.....	51227	87.37

(QD10E7, QD10E8)

MILTSIBLN

Len : 2 SISTER OR BROTHER IN MILITARY

	Freq	Pct
1 = Yes.....	1621	2.76
2 = No.....	2297	3.92
85 = BAD DATA Logically assigned.....	41	0.07
94 = DON'T KNOW.....	634	1.08
97 = REFUSED.....	378	0.64
98 = BLANK (NO ANSWER).....	2435	4.15
99 = LEGITIMATE SKIP.....	51227	87.37

RECODED EDUCATION

RECODED EDUCATION

(AGE3, EDUFULPAR, EDUSCHGRD2, EDUSCHLGO)

[ENRLCOLLFT2](#) Len : 1 RC-COLLEGE ENROLLMENT-FULL TIME

	Freq	Pct
1 = Full Time College Student Aged 18-22	2512	4.28
2 = Other Persons Aged 18-22	5673	9.68
3 = Unknwn Enrollment or not College Aged.....	50448	86.04

(AGE3, EDUFULPAR, EDUSCHGRD2, EDUSCHLGO)

[ENRLCOLLST2](#) Len : 1 RC-COLLEGE ENROLLMENT

	Freq	Pct
1 = Full Time College Student Aged 18-22	2512	4.28
2 = Part Time College Student Aged 18-22	605	1.03
3 = Not Enrolled Aged 18-22.....	4171	7.11
4 = Other Persons Aged 18-22	897	1.53
5 = Unknwn Enrollment or not College Aged.....	50448	86.04

EMPLOYMENT

EMPLOYMENT

(*WRK35WKUS, WRKDPSTWK, WRKDPSTYR, WRKEFFORT, WRKRSNJOB, WRKRSNNOT*)
WRKSTATWK2 Len : 2 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
1 = Worked at full-time job, past week	20781	35.44
2 = Worked at part time job, past week	6913	11.79
3 = Has job or volunteer worker, did not work past wk	2994	5.11
4 = Unemployed/on layoff, looking for work	3206	5.47
5 = Disabled	1906	3.25
6 = Keeping house full-time	2026	3.46
7 = In school/training	3163	5.39
8 = Retired	4375	7.46
9 = Does not have a job, some other reason	5898	10.06
98 = BLANK (NO ANSWER)	1976	3.37
99 = LEGITIMATE SKIP	5395	9.20

The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

(*QD26*)
WRKDPSTWK Len : 2 WORK AT JOB LAST WEEK

	Freq	Pct
1 = Yes	27763	47.35
2 = No	23481	40.05
4 = No LOGICALLY ASSIGNED	68	0.12
85 = BAD DATA Logically assigned	56	0.10
94 = DON'T KNOW	184	0.31
97 = REFUSED	309	0.53
98 = BLANK (NO ANSWER)	1377	2.35
99 = LEGITIMATE SKIP	5395	9.20

Even though you did not work at any time last week, did you have a job or business?

(*QD27*)
WRKHADJOB Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
1 = Yes	3079	5.25
2 = No	20329	34.67
4 = No LOGICALLY ASSIGNED	68	0.12
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	37	0.06
97 = REFUSED	343	0.58
98 = BLANK (NO ANSWER)	1567	2.67
99 = LEGITIMATE SKIP	33158	56.55

How many hours did you work last week at all jobs or businesses?

(*QD28*)
WRKDHRSWK2 Len : 3 HOW MANY HOURS WORKED LAST WEEK

	Freq	Pct
RANGE = 1 - 60	26928	45.93
61 = 61 or more	630	1.07
985 = BAD DATA Logically assigned	4	0.01
994 = DON'T KNOW	153	0.26
997 = REFUSED	358	0.61
998 = BLANK (NO ANSWER)	1616	2.76
999 = LEGITIMATE SKIP	28944	49.36

EMPLOYMENT

Do you usually work 35 hours or more per week at all jobs or businesses?

(QD29)

[WRK35WKUS](#)

Len : 2 USUALLY WORK 35 OR MORE HRS PER WEEK

	Freq	Pct
1 = Yes.....	22368	38.15
2 = No.....	8388	14.31
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	61	0.10
97 = REFUSED.....	365	0.62
98 = BLANK (NO ANSWER).....	1655	2.82
99 = LEGITIMATE SKIP.....	25792	43.99

Which one of these reasons best describes why you did not work last week?

(QD30)

[WRKRSNNOT](#)

Len : 3 REASON FOR NOT WORKING AT JOB - PAST WK

	Freq	Pct
1 = On vacation/sick/furlough/strike/maternity or family leave.....	922	1.57
2 = On layoff and not looking for work.....	81	0.14
3 = On layoff and looking for work.....	154	0.26
4 = Waiting to report to a new job.....	171	0.29
5 = Self-employed and did not have business last week.....	386	0.66
6 = Going to school/training.....	337	0.57
7 = Some other reason.....	974	1.66
994 = DON'T KNOW.....	29	0.05
997 = REFUSED.....	367	0.63
998 = BLANK (NO ANSWER).....	1634	2.79
999 = LEGITIMATE SKIP.....	53578	91.38

Which one of these reasons best describes why you did not have a job or business last week?

(QD31)

[WRKRSNJOB](#)

Len : 3 REASON FOR NOT HAVING A JOB - PAST WK

	Freq	Pct
1 = Looking for work.....	4264	7.27
2 = On layoff and not looking for work.....	556	0.95
3 = Keeping house or caring for children full time.....	2028	3.46
4 = Going to school/training.....	3165	5.40
5 = Retired.....	4379	7.47
6 = Disabled for work.....	1907	3.25
7 = Didn't want a job.....	1075	1.83
8 = Some other reason.....	2756	4.70
985 = BAD DATA Logically assigned.....	52	0.09
994 = DON'T KNOW.....	134	0.23
997 = REFUSED.....	437	0.75
998 = BLANK (NO ANSWER).....	1643	2.80
999 = LEGITIMATE SKIP.....	36237	61.80

During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.

(QD32)

[WRKEFFORT](#)

Len : 2 PAST 30 DAYS, MAKE EFFORT TO FIND WORK

	Freq	Pct
1 = Yes.....	3053	5.21
2 = No.....	1193	2.03
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	447	0.76
98 = BLANK (NO ANSWER).....	1827	3.12
99 = LEGITIMATE SKIP.....	52103	88.86

EMPLOYMENT

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

(QD33)

[WRKDPSTYR](#)

Len : 2 PAST 12 MOS, WORKED AT ANY JOB

	Freq	Pct
1 = Yes.....	5239	8.94
2 = No.....	15200	25.92
85 = BAD DATA Logically assigned.....	52	0.09
94 = DON'T KNOW.....	190	0.32
97 = REFUSED.....	322	0.55
98 = BLANK (NO ANSWER).....	1393	2.38
99 = LEGITIMATE SKIP.....	36237	61.80

Have you been self-employed at any time during the past 12 months?

(QD34)

[WRKSELFEM](#)

Len : 2 PAST 12 MOS, SELF EMPLOYED

	Freq	Pct
1 = Yes.....	5449	9.29
2 = No.....	30129	51.39
5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	386	0.66
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	73	0.12
97 = REFUSED.....	359	0.61
98 = BLANK (NO ANSWER).....	1638	2.79
99 = LEGITIMATE SKIP.....	20595	35.13

How many different employers, including yourself, have you had in the past 12 months?

(QD35, QD36)

[WRKNUMJOB2](#)

Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS

	Freq	Pct
1 = One.....	25179	42.94
2 = Two.....	7499	12.79
3 = Three.....	1909	3.26
4 = Four or more.....	1015	1.73
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	291	0.50
97 = REFUSED.....	499	0.85
98 = BLANK (NO ANSWER).....	1642	2.80
99 = LEGITIMATE SKIP.....	20595	35.13

During the past 12 months, was there ever a time when you did not have at least one job or business?

(QD37)

[WRKNJBPYR](#)

Len : 2 PAST 12 MOS, TIME WITH NO JOB

	Freq	Pct
1 = Yes.....	5308	9.05
2 = No.....	25420	43.35
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	39	0.07
97 = REFUSED.....	406	0.69
98 = BLANK (NO ANSWER).....	1651	2.82
99 = LEGITIMATE SKIP.....	25805	44.01

In how many weeks during the past 12 months did you not have at least one job or business?

(QD38)

[WRKNJBWKS](#)

Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 52.....	5001	8.53
85 = BAD DATA Logically assigned.....	27	0.05
94 = DON'T KNOW.....	244	0.42
97 = REFUSED.....	445	0.76
98 = BLANK (NO ANSWER).....	1691	2.88
99 = LEGITIMATE SKIP.....	51225	87.37

EMPLOYMENT

In what year did you last work at a job or business?

(QD39A)

WRKLASTYR2

Len : 4 WHAT YEAR LAST WORKED

	Freq	Pct
RANGE = 1986 - 2024	14410	24.58
1985 = 1985 or earlier.....	141	0.24
9985 = BAD DATA Logically assigned	70	0.12
9991 = NEVER WORKED AT A JOB OR BUSINESS.....	4971	8.48
9994 = DON'T KNOW	534	0.91
9997 = REFUSED	310	0.53
9998 = BLANK (NO ANSWER).....	1960	3.34
9999 = LEGITIMATE SKIP.....	36237	61.80

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

(QD40)

WRKSICKMO

Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	8723	14.88
0 = None	21713	37.03
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	237	0.40
97 = REFUSED	447	0.76
98 = BLANK (NO ANSWER)	1675	2.86
99 = LEGITIMATE SKIP.....	25792	43.99

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there? Please do not include days you missed because of a planned vacation or days that you stayed home with a sick child or other family member.

(QD41)

WRKSKIPMO

Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	4498	7.67
0 = None	25955	44.27
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	229	0.39
97 = REFUSED	465	0.79
98 = BLANK (NO ANSWER)	1676	2.86
99 = LEGITIMATE SKIP.....	25792	43.99

IMPUTED EMPLOYMENT

IMPUTED EMPLOYMENT

The following variable, IRWRKSTAT, replaces EMPSTATY that was created from 2001 to 2014. In 2015 employment questions moved from being interviewer-administered to being self-administered through ACASI. The name changes for employment variables reflect the break in comparability.

(WRKSTATWK2)

[IRWRKSTAT](#)

Len : 2 EMPLOYMENT STATUS - IMPUTATION REVISED

	Freq	Pct
1 = Employed full time	23153	39.49
2 = Employed part time.....	8634	14.73
3 = Unemployed	3976	6.78
4 = Other (incl. not in labor force)	17475	29.80
99 = 12-14 year olds	5395	9.20

(WRKSTATWK2)

[IIWRKSTAT](#)

Len : 1 EMPLOYMENT STATUS - IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire.....	51180	87.29
3 = Employment statistically imputed.....	2058	3.51
9 = 12-14 years old	5395	9.20

(WRKSTATWK2)

[II2WRKSTAT](#)

Len : 1 EMPLOYMENT STATUS - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire.....	51180	87.29
3 = Emp. statistically imputed (unrestricted).....	1976	3.37
4 = Emp. stat. imp. (restr. to full-time or part-time).....	82	0.14
9 = 12-14 years old	5395	9.20

IRWRKSTAT18 is a recode of IRWRKSTAT and AGE3. Respondents aged 12-17 are assigned a skip code, regardless of their answers to the employment status questions.

(AGE3, IRWRKSTAT)

[IRWRKSTAT18](#)

Len : 2 EMPLOYMENT STATUS 18+ - IMPUTATION REVISED

	Freq	Pct
1 = Employed full time	22901	39.06
2 = Employed part time.....	7159	12.21
3 = Unemployed	3108	5.30
4 = Other (incl. not in labor force)	14131	24.10
99 = 12-17 year olds	11334	19.33

(AGE3, IIWRKSTAT)

[IIWRKSTAT18](#)

Len : 1 EMPLOYMENT STATUS 18+ - IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire.....	45367	77.37
3 = Employment statistically imputed.....	1932	3.30
9 = 12-17 years old	11334	19.33

(AGE3, II2WRKSTAT)

[II2WRKST18](#)

Len : 1 EMPLOYMENT STATUS 18+ - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire.....	45367	77.37
3 = Emp. statistically imputed (unrestricted).....	1871	3.19
4 = Emp. stat. imp. (restr. to full-time or part-time).....	61	0.10
9 = 12-17 years old	11334	19.33

HOUSEHOLD COMPOSITION (ROSTER)

HOUSEHOLD COMPOSITION (ROSTER)

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

<u>EDFAM18</u>	Len : 2 RC-EDITED INDICATOR: FAMILY IN HH 18 OR OLDER		
		Freq	Pct
	0 = R has other family members >=18	46757	79.75
	1 = R does not have other family members >=18.....	10301	17.57
	98 = UNKNOWN	1575	2.69

<u>IMOTHER</u>	Len : 1 RC-MOTHER IN HH		
		Freq	Pct
	1 = R is 12-17, mother in hh	10242	17.47
	2 = R is 12-17, no mother in hh.....	1064	1.81
	3 = R is 12-17, don't know whether mother is in hh.....	28	0.05
	4 = R is 18 or older	47299	80.67

<u>IFATHER</u>	Len : 1 RC-FATHER IN HH		
		Freq	Pct
	1 = R is 12-17, father in hh	7769	13.25
	2 = R is 12-17, no father in hh	3527	6.02
	3 = R is 12-17, don't know whether father is in hh.....	38	0.06
	4 = R is 18 or older	47299	80.67

<u>NRCH17_2</u>	Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD		
		Freq	Pct
	RANGE = 0 - 2	54004	92.11
	. = Missing	1743	2.97
	3 = 3 or more.....	2886	4.92

<u>IRHHSIZ2</u>	Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH		
		Freq	Pct
	1 = One person in household.....	6329	10.79
	2 = Two people in household	14568	24.85
	3 = Three people in household.....	12381	21.12
	4 = Four people in household.....	12472	21.27
	5 = Five people in household	7262	12.39
	6 = 6 or more people in household.....	5621	9.59

<u>IRHHSIZ2</u>	Len : 1 IRHHSIZ2-IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	57088	97.36
	3 = Statistically imputed data.....	1545	2.64

<u>IRKI17_2</u>	Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
		Freq	Pct
	1 = No children under 18	29123	49.67
	2 = One child under 18.....	11647	19.86
	3 = Two children under 18.....	10244	17.47
	4 = Three or more children under 18.....	7619	12.99

<u>IRKI17_2</u>	Len : 1 IRKI17_2-IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	56866	96.99
	3 = Statistically imputed data.....	1767	3.01

<u>IRHH65_2</u>	Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65		
		Freq	Pct
	1 = No people 65 or older in household	48356	82.47
	2 = One person 65 or older in household	6469	11.03
	3 = Two or more people 65 or older in household.....	3808	6.49

HOUSEHOLD COMPOSITION (ROSTER)

[IIHH65_2](#)

Len : 1 IRHH65_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56890	97.03
3 = Statistically imputed data	1743	2.97

PROXY INFORMATION

PROXY INFORMATION

PRXRETRY was created starting in 2014 and indicates whether respondents younger than 18 selected another proxy if their previously selected proxy was unavailable.

(QP03A)

[PRXRETRY](#)

Len : 2 SELECTED PROXY UNAVAILABLE, OTHER PROXY AVAILABLE?

	Freq	Pct
2 = No.....	975	1.66
94 = DON'T KNOW.....	96	0.16
97 = REFUSED	60	0.10
98 = BLANK (NO ANSWER)	3018	5.15
99 = LEGITIMATE SKIP.....	54484	92.92

(HASJOIN)

[PRXYDATA](#)

Len : 2 IS PROXY ANSWERING INSURANCE/INCOME QS

	Freq	Pct
1 = Yes.....	14487	24.71
2 = No.....	75	0.13
94 = DON'T KNOW.....	95	0.16
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	1917	3.27
99 = LEGITIMATE SKIP (Respondent answering)	41995	71.62

HEALTH INSURANCE

HEALTH INSURANCE

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive. This information will help in planning health care services and finding ways to lower costs of care.

NOTE: Respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Several government programs provide medical care or help pay medical bills.

Medicare is a health insurance program for people aged 65 and older and for certain people with disabilities. Is [SAMPLE MEMBER A] covered by Medicare?

(QHI01, QHI01V)

MEDICARE

Len : 2 COVERED BY MEDICARE

	Freq	Pct
1 = Yes.....	6643	11.33
2 = No.....	50066	85.39
94 = DON'T KNOW.....	206	0.35
97 = REFUSED.....	71	0.12
98 = BLANK (NO ANSWER).....	1647	2.81

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. Respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for people with low income and people with disabilities. The Medicaid program in [STATE FILL] is also called [MEDIFILL]. Medicaid may also be called Medical Assistance.

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

(QHI02, QHI02A, QHI02V)

CAIDCHIP

Len : 2 COVERED BY MEDICAID/CHIP

	Freq	Pct
1 = Yes.....	15529	26.49
2 = No.....	40950	69.84
85 = BAD DATA Logically assigned.....	80	0.14
94 = DON'T KNOW.....	342	0.58
97 = REFUSED.....	73	0.12
98 = BLANK (NO ANSWER).....	1659	2.83

There are certain programs that cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

(QHI03)

CHAMPUS

Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY

	Freq	Pct
1 = Yes.....	2286	3.90
2 = No.....	54511	92.97
94 = DON'T KNOW.....	113	0.19
97 = REFUSED.....	57	0.10
98 = BLANK (NO ANSWER).....	1666	2.84

HEALTH INSURANCE

Private health insurance can be obtained through work, such as through an employer, union, or professional association, by paying premiums directly to a health insurance company, or by purchasing a plan through the Health Insurance Marketplace. It includes coverage by a health maintenance organization or HMO, fee for service plans, and single service plans.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

(QHI06)

[PRVHLTIN](#)

Len : 2 COVERED BY PRIVATE INSURANCE

	Freq	Pct
1 = Yes.....	32355	55.18
2 = No.....	24195	41.27
94 = DON'T KNOW.....	329	0.56
97 = REFUSED.....	86	0.15
98 = BLANK (NO ANSWER).....	1668	2.84

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association? It can be through any family member's employment, not just [SAMPLE MEMBER POSS] employment.

(QHI07)

[GRPHLTIN](#)

Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION

	Freq	Pct
1 = Yes.....	28008	47.77
2 = No.....	4278	7.30
94 = DON'T KNOW.....	60	0.10
97 = REFUSED.....	93	0.16
98 = BLANK (NO ANSWER).....	1999	3.41
99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	24195	41.27

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

(QHI08)

[HLTINALC](#)

Len : 2 PRIVATE INSURANCE COVERS TRMT FOR ALCOHOL ABUSE/ALCOHOLISM

	Freq	Pct
1 = Yes.....	17745	30.26
2 = No.....	6600	11.26
94 = DON'T KNOW.....	7985	13.62
97 = REFUSED.....	104	0.18
98 = BLANK (NO ANSWER).....	2004	3.42
99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	24195	41.27

Drug abuse?

(QHI09)

[HLTINDRG](#)

Len : 2 PRIVATE INSURANCE COVERS TRMT FOR DRUG ABUSE

	Freq	Pct
1 = Yes.....	17679	30.15
2 = No.....	6779	11.56
94 = DON'T KNOW.....	7873	13.43
97 = REFUSED.....	103	0.18
98 = BLANK (NO ANSWER).....	2004	3.42
99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	24195	41.27

Mental or emotional problems?

(QHI10)

[HLTINMNT](#)

Len : 2 PRIVATE INSURANCE COVERS TRMT FOR MENTAL/EMOTIONAL PROBLEMS

	Freq	Pct
1 = Yes.....	24642	42.03
2 = No.....	4193	7.15
94 = DON'T KNOW.....	3501	5.97
97 = REFUSED.....	98	0.17
98 = BLANK (NO ANSWER).....	2004	3.42
99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	24195	41.27

HEALTH INSURANCE

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

(QHI11)

[HLTINNOS](#)

Len : 2 COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)

	Freq	Pct
1 = Yes.....	1275	2.17
2 = No.....	5370	9.16
94 = DON'T KNOW.....	32	0.05
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	1648	2.81
99 = LEGITIMATE SKIP.....	50301	85.79

During the past 12 months, that is from [DATE FILL] through today, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

(QHI13)

[HLCNOTYR](#)

Len : 2 ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS

	Freq	Pct
1 = Yes.....	2876	4.91
2 = No.....	48083	82.01
85 = BAD DATA Logically assigned.....	8	0.01
94 = DON'T KNOW.....	83	0.14
97 = REFUSED.....	125	0.21
98 = BLANK (NO ANSWER).....	2088	3.56
99 = LEGITIMATE SKIP.....	5370	9.16

During the past 12 months, that is from [DATE FILL] through today, about how many months [were you/was SAMPLE MEMBER] without any kind of health insurance or coverage?

(QHI14)

[HLCNOTMO](#)

Len : 2 PAST 12 MOS, HOW MANY MOS W/O COVERAGE

	Freq	Pct
RANGE = 1 - 12.....	2848	4.86
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	127	0.22
98 = BLANK (NO ANSWER).....	2179	3.72
99 = LEGITIMATE SKIP.....	53453	91.17

About how long has it been since (SAMPLE MEMBER) last had any kind of health coverage?

(QHI15)

[HLCLAST](#)

Len : 2 TIME SINCE LAST HAD HEALTH CARE COVERAGE

	Freq	Pct
1 = Within the past 6 months.....	1311	2.24
2 = More than 6 months ago, but within the past year.....	623	1.06
3 = More than 1 year ago, but within the past 3 years.....	970	1.65
4 = More than 3 years ago.....	1138	1.94
5 = Never had coverage.....	1201	2.05
94 = DON'T KNOW.....	94	0.16
97 = REFUSED.....	142	0.24
98 = BLANK (NO ANSWER).....	2080	3.55
99 = LEGITIMATE SKIP.....	51074	87.11

HEALTH INSURANCE

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

(QHI17)
HLLOSRSN

Len : 2 MAIN REASON STOPPED COVERED BY HEALTH INSURANCE

	Freq	Pct
1 = Pers in family w/health ins lost job/chng employer.....	557	0.95
2 = Lost Medicaid/Med Assist b/c new job/incr income	439	0.75
3 = Lost Medicaid/Med Assist some other reason.....	393	0.67
4 = Cost is too high/can't afford premiums	822	1.40
5 = Became ineligible because of age or leaving school	408	0.70
6 = Employer does not offer coverage, or not eligible	252	0.43
7 = Got divorced or separated from person w/insurance	51	0.09
8 = Death of spouse or parent	17	0.03
9 = Insurance company refused coverage	52	0.09
10 = Don't need it.....	306	0.52
11 = Received Medicaid/med insur only while pregnant	87	0.15
12 = Some other reason.....	655	1.12
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW	83	0.14
97 = REFUSED	150	0.26
98 = BLANK (NO ANSWER)	2081	3.55
99 = LEGITIMATE SKIP.....	52275	89.16

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

(QHI181)
HLNVCOST

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE COST TOO HIGH

	Freq	Pct
1 = Response entered	464	0.79
6 = Response not entered	726	1.24
94 = DON'T KNOW	4	0.01
97 = REFUSED	119	0.20
98 = BLANK (NO ANSWER)	2148	3.66
99 = LEGITIMATE SKIP.....	55172	94.10

(QHI182)
HLNVOFFR

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE EMPLOYER DOESN'T OFFER

	Freq	Pct
1 = Response entered	128	0.22
6 = Response not entered	1062	1.81
94 = DON'T KNOW	4	0.01
97 = REFUSED	119	0.20
98 = BLANK (NO ANSWER)	2148	3.66
99 = LEGITIMATE SKIP.....	55172	94.10

(QHI183)
HLNVREF

Len : 2 NEVER HAD HEALTH INSURANCE BC INS COMPANY REFUSED COVERAGE

	Freq	Pct
1 = Response entered	33	0.06
6 = Response not entered	1157	1.97
94 = DON'T KNOW	4	0.01
97 = REFUSED	119	0.20
98 = BLANK (NO ANSWER)	2148	3.66
99 = LEGITIMATE SKIP.....	55172	94.10

(QHI184)
HLNVNEED

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE DON'T NEED IT

	Freq	Pct
1 = Response entered	277	0.47
6 = Response not entered	913	1.56
94 = DON'T KNOW	4	0.01
97 = REFUSED	119	0.20
98 = BLANK (NO ANSWER)	2148	3.66
99 = LEGITIMATE SKIP.....	55172	94.10

HEALTH INSURANCE

(QHI185)
HLNVSOR

Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE OF SOME OTHER REASON

	Freq	Pct
1 = Response entered	367	0.63
6 = Response not entered	823	1.40
94 = DON'T KNOW	4	0.01
97 = REFUSED	119	0.20
98 = BLANK (NO ANSWER)	2148	3.66
99 = LEGITIMATE SKIP.....	55172	94.10

IMPUTED HEALTH INSURANCE

IMPUTED HEALTH INSURANCE

(MEDICARE)

[IRMEDICR](#)

Len : 1 MEDICARE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, respondent does have Medicare	6892	11.75
2 = No, respondent does not have Medicare	51741	88.25

(MEDICARE)

[IIMEDICR](#)

Len : 1 MEDICARE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56709	96.72
3 = Statistically imputed data.....	1924	3.28

(CAIDCHIP)

[IRMCDCHP](#)

Len : 1 MEDICAID/CHIP - IMPUTATION REVISED

	Freq	Pct
1 = Yes, respondent does have Medicaid/CHIP	16092	27.45
2 = No, respondent does not have Medicaid/CHIP	42541	72.55

(CAIDCHIP)

[IIMCDCHP](#)

Len : 1 MEDICAID/CHIP - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56479	96.33
3 = Statistically imputed data.....	2154	3.67

(CHAMPUS)

[IRCHMPUS](#)

Len : 1 CHAMPUS - IMPUTATION REVISED

	Freq	Pct
1 = Yes, R has Tricare, Champus, VA, Military health.....	2360	4.03
2 = No, R doesn't have Tricare, Chmps, VA, Military health.....	56273	95.97

(CHAMPUS)

[IICHMPUS](#)

Len : 1 CHAMPUS - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56797	96.87
3 = Statistically imputed data.....	1836	3.13

(PRVHLTN)

[IRPRVHLT](#)

Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, R does have private health insurance	33543	57.21
2 = No, R does not have private health insurance	25090	42.79

(PRVHLTN)

[IIPRVHLT](#)

Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56550	96.45
3 = Statistically imputed data.....	2083	3.55

IMPUTED HEALTH INSURANCE

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

- (1) Not covered by Medicare (IRMEDICR=2)
- (2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
- (3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (4) Not covered by private insurance (IRPRVHLT=2)

Otherwise, they are not eligible and IROTHHLT=99.

(ANYHLT2, CAIDCHIP, CHAMPUS, IRCHMPUS, IRMCDCHP, IRMEDICR, IRPRVHLT, MEDICARE, PRVHLTIN)

[IROTHHLT](#)

Len : 2 OTHER HEALTH INSURANCE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, R is covered by other health insurance.....	1367	2.33
2 = No, R is not covered by other health insurance.....	5705	9.73
99 = LEGITIMATE SKIP.....	51561	87.94

(ANYHLT2, CAIDCHIP, CHAMPUS, IRCHMPUS, IRMCDCHP, IRMEDICR, IRPRVHLT, MEDICARE, PRVHLTIN)

[IROTHHLT](#)

Len : 1 OTHER HEALTH INSURANCE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data.....	6644	11.33
3 = Statistically imputed data.....	2190	3.74
9 = LEGITIMATE SKIP.....	49799	84.93

RECODED HEALTH INSURANCE

RECODED HEALTH INSURANCE

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

<u>HLCALLFG</u>	Len : 2	FLAG IF EVERY FORM OF HEALTH INS REPORTED		
			Freq	Pct
		1 = Answered yes to all current health insurance Qs.....	23	0.04
		98 = BLANK (NO ANSWER)	58610	99.96

<u>HLCALL99</u>	Len : 2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN		
			Freq	Pct
		1 = Yes.....	26	0.04
		98 = BLANK (NO ANSWER)	58607	99.96

NOTE: The following variable, ANYHLT2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNO.

(CAIDCHIP, CHAMPUS, HLTINNO, MEDICARE, PRVHLTIN)

<u>ANYHLT2</u>	Len : 2	COVERED BY ANY HEALTH INSURANCE - RECODE		
			Freq	Pct
		1 = Yes.....	51074	87.11
		2 = No.....	5370	9.16
		94 = DON'T KNOW.....	408	0.70
		97 = REFUSED	113	0.19
		98 = OTHER MISSING.....	1668	2.84

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

- (1) Covered by Medicare (IRMEDICR=1)
- (2) Covered by Medicaid/CHIP (IRMCDCHP=1)
- (3) Covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=1)
- (4) Covered by private insurance (IRPRVHLT=1)
- (5) Covered by other health insurance (IROTHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions

- (1) Not covered by Medicare (IRMEDICR=2)
- (2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
- (3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (4) Not covered by private insurance (IRPRVHLT=2)
- (5) Not covered by other health insurance (IROTHHLT=2)

(IRCHMPUS, IRMCDCHP, IRMEDICR, IROTHHLT, IRPRVHLT)

<u>IRINSUR4</u>	Len : 1	RC-OVERALL HEALTH INSURANCE - IMPUTATION REVISED		
			Freq	Pct
		1 = Yes, respondent is covered by health insurance.....	52928	90.27
		2 = No, respondent is not covered by health insurance	5705	9.73

(IRCHMPUS, IRMCDCHP, IRMEDICR, IROTHHLT, IRPRVHLT)

<u>IIINSUR4</u>	Len : 1	RC-OVERALL HEALTH INSURANCE - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	56443	96.26
		3 = Statistically imputed data.....	2190	3.74

(IRCHMPUS, IRMEDICR, IROTHHLT)

<u>OTHINS</u>	Len : 1	RC-HEALTH INSURANCE OTHER THAN PRIVATE, MEDICAID/CHIP		
			Freq	Pct
		1 = Have Oth Hlth Insur (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1).....	10013	17.08
		2 = Does not have Other Health Insurance (Otherwise).....	48620	82.92

INCOME

INCOME

Do you or anyone at this address have a working cell phone?

(CELL2)

CELLWRKNG

Len : 2 WORKING CELL PHONE

	Freq	Pct
1 = Yes.....	55370	94.43
2 = No.....	1306	2.23
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	24	0.04
97 = REFUSED.....	95	0.16
98 = BLANK (NO ANSWER).....	1837	3.13

Is there at least one telephone at this address that is not a cell phone?

(CELL1)

CELLNOTCL

Len : 2 NOT A CELL PHONE

	Freq	Pct
1 = Yes.....	8107	13.83
2 = No.....	48578	82.85
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	44	0.08
97 = REFUSED.....	64	0.11
98 = BLANK (NO ANSWER).....	1839	3.14

IMPUTED INCOME

IMPUTED INCOME

<u>IRFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION REVISED		
	1 = Yes.....	Freq 10697	Pct 18.24
	2 = No.....	47936	81.76
<u>IIFAMSOC</u>	Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 56465	Pct 96.30
	3 = Statistically imputed data.....	2168	3.70
<u>IRFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION REVISED		
	1 = Yes.....	Freq 4252	Pct 7.25
	2 = No.....	54381	92.75
<u>IIFAMSSI</u>	Len : 1 FAM RECEIVE SSI - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 56440	Pct 96.26
	3 = Statistically imputed data.....	2193	3.74
<u>IRFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION REVISED		
	1 = Yes.....	Freq 11585	Pct 19.76
	2 = No.....	47048	80.24
<u>IIFSTAMP</u>	Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 56624	Pct 96.57
	3 = Statistically imputed data.....	2009	3.43
<u>IRFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION REVISED		
	1 = Yes.....	Freq 1154	Pct 1.97
	2 = No.....	57479	98.03
<u>IIFAMPMT</u>	Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 56458	Pct 96.29
	3 = Statistically imputed data.....	2175	3.71
<u>IRFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION REVISED		
	1 = Yes.....	Freq 1780	Pct 3.04
	2 = No.....	56853	96.96
<u>IIFAMSVC</u>	Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 56616	Pct 96.56
	3 = Statistically imputed data.....	2017	3.44
<u>(IRFAMPMT, IRFAMSVC)</u>			
<u>IRWELMOS</u>	Len : 2 NO OF MONTHS ON WELFARE - IMPUTATION REVISED		
	RANGE = 1 - 12.....	Freq 2603	Pct 4.44
	99 = LEGITIMATE SKIP.....	56030	95.56

IMPUTED INCOME

[IIWELMOS](#)

Len : 1 NO OF MONTHS ON WELFARE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2435	4.15
3 = Statistically imputed data	2347	4.00
9 = LEGITIMATE SKIP	53851	91.84

[IRPINC3](#)

Len : 2 RECODE -RESP TOT INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than \$10,000 (Including Loss)	21764	37.12
2 = \$10,000 - \$19,999	7857	13.40
3 = \$20,000 - \$29,999	5163	8.81
4 = \$30,000 - \$39,999	4829	8.24
5 = \$40,000 - \$49,999	4149	7.08
6 = \$50,000 - \$74,999	6120	10.44
7 = \$75,000 or more	8751	14.93

[IRFAMIN3](#)

Len : 1 RECODE - TOT FAM INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than \$10,000 (Including Loss)	4234	7.22
2 = \$10,000 - \$19,999	5209	8.88
3 = \$20,000 - \$29,999	4700	8.02
4 = \$30,000 - \$39,999	4878	8.32
5 = \$40,000 - \$49,999	5378	9.17
6 = \$50,000 - \$74,999	8829	15.06
7 = \$75,000 or more	25405	43.33

[IIPINC3](#)

Len : 1 RECODE - RESP TOT INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55153	94.06
3 = Statistically imputed data	3480	5.94

[IIFAMIN3](#)

Len : 1 RECODE - TOT FAM INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	52418	89.40
3 = Statistically imputed data	6215	10.60

RECODED INCOME

RECODED INCOME

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSV).C).

(IRFAMPMT, IRFAMSSI, IRFAMSV, IRFSTAMP)

GOVTPROG

Len : 1 RC-PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS

	Freq	Pct
1 = Yes (Any source variable=1)	13957	23.80
2 = No (All source variables=2).....	44676	76.20

INCOME

Len : 1 RC-TOTAL FAMILY INCOME RECODE

	Freq	Pct
1 = Less than \$20,000	9443	16.11
2 = \$20,000 - \$49,999	14956	25.51
3 = \$50,000 - \$74,999	8829	15.06
4 = \$75,000 or More	25405	43.33

The following variable, POVERTY3, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold. The previously created variable POVERTY2, was created using the recoded version of family income that had a top-coded level of \$100,000 or more. Starting in 2015, the finer income questions were revised to expand the top level to include the responses \$100,000 - \$149,999 and \$150,000 or more. The variable POVERTY3 account for these additional income levels through the use of the finer family income variable. Despite these changes, POVERTY3 is considered comparable with POVERTY2.

POVERTY3 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. The highest level of income, \$150,000 or more, was assigned a value of \$180,000. Prior to the questionnaire change in 2015 that expanded the top level of income categories, the highest level of income was \$100,000 or more and the assigned family income was \$120,000. Family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to system missing and do not have a valid value for this variable.

POVERTY3

Len : 1 RC-POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)

	Freq	Pct
. = Persons Aged 18-22 in a College Dorm (See comment above).....	136	0.23
1 = Living in Poverty (See comment above).....	11945	20.37
2 = Income Up to 2X Fed Pov Thresh (See comment above)	11974	20.42
3 = Income More Than 2X Fed Pov Thresh (See comment above).....	34578	58.97

SPECIAL TOPICS

SPECIAL TOPICS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

(SP01)

BOOKED¹

Len : 2 EVER ARRESTED AND BOOKED FOR BREAKING THE LAW

	Freq	Pct
1 = Yes.....	6346	10.82
2 = No	51309	87.51
3 = Yes LOGICALLY ASSIGNED.....	264	0.45
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	61	0.10
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	553	0.94

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

(SP02, SP03S)

NOBOOKY2¹

Len : 3 # TIMES ARRESTED AND BOOKED PAST 12 MONTHS

	Freq	Pct
0 = None	5380	9.18
1 = One time	685	1.17
2 = Two times	134	0.23
3 = Three or more times.....	107	0.18
985 = BAD DATA Logically assigned	6	0.01
994 = DON'T KNOW	22	0.04
997 = REFUSED	112	0.19
998 = BLANK (NO ANSWER).....	878	1.50
999 = LEGITIMATE SKIP (BOOKED=2).....	51309	87.51

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

(SP03A)

BKMVTHFT¹

Len : 2 ARRTSD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No	910	1.55
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	202	0.34
97 = REFUSED	98	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP	56487	96.34

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

(SP03B)

BKLARCNY¹

Len : 2 ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	88	0.15
2 = No.....	865	1.48
3 = Yes LOGICALLY ASSIGNED.....	4	0.01
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	98	0.17
98 = BLANK (NO ANSWER).....	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

(SP03C)

BKBURGL¹

Len : 2 ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS

	Freq	Pct
1 = Yes.....	48	0.08
2 = No.....	908	1.55
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED.....	98	0.17
98 = BLANK (NO ANSWER).....	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

NOTE: BKS RVOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

(SP03D, SP03G, SP03H)

BKSRVIOL¹

Len : 2 ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS

	Freq	Pct
1 = Yes.....	103	0.18
2 = No.....	850	1.45
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	98	0.17
98 = BLANK (NO ANSWER).....	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

(SP03E)

BKSMASLT¹

Len : 2 ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	154	0.26
2 = No.....	779	1.33
3 = Yes LOGICALLY ASSIGNED.....	24	0.04
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	98	0.17
98 = BLANK (NO ANSWER).....	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for robbery?

(SP03F)
BKROB¹

Len : 2 ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	36	0.06
2 = No.....	922	1.57
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED	98	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

In the past 12 months, were you arrested and booked for arson?

(SP03J)
BKARSON¹

Len : 2 ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	12	0.02
2 = No.....	947	1.62
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

(SP03J)
BKDRVIN¹

Len : 2 ARRSTD & BOOKED FOR DUI PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	161	0.27
2 = No.....	790	1.35
3 = Yes LOGICALLY ASSIGNED.....	8	0.01
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

(SP03K)
BKDRUNK¹

Len : 2 ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	82	0.14
2 = No.....	872	1.49
3 = Yes LOGICALLY ASSIGNED.....	5	0.01
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

In the past 12 months, were you arrested and booked for possession of tobacco?

(SP03L)
BKPOSTOB¹

Len : 2 ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS

	Freq	Pct
1 = Yes.....	18	0.03
2 = No.....	97	0.17
85 = BAD DATA Logically assigned.....	3	0.01
89 = LEGITIMATE SKIP Logically assigned.....	10	0.02
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	142	0.24
99 = LEGITIMATE SKIP.....	58343	99.51

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

(SP03M)
BKDRUG¹

Len : 2 ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS

	Freq	Pct
1 = Yes.....	158	0.27
2 = No.....	787	1.34
3 = Yes LOGICALLY ASSIGNED.....	14	0.02
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

(SP03N, SP03O)
BKSEXNR¹

Len : 2 ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS

	Freq	Pct
1 = Yes.....	19	0.03
2 = No.....	940	1.60
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

(SP03P)
BKFRAUD¹

Len : 2 ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS

	Freq	Pct
1 = Yes.....	39	0.07
2 = No.....	906	1.55
3 = Yes LOGICALLY ASSIGNED.....	12	0.02
85 = BAD DATA Logically assigned.....	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	98	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

(SP03Q)
BKOTH¹

Len : 2 ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS

	Freq	Pct
1 = Yes.....	206	0.35
2 = No.....	600	1.02
3 = Yes LOGICALLY ASSIGNED.....	83	0.14
5 = Offense unknown.....	70	0.12
85 = BAD DATA Logically assigned.....	9	0.02
89 = LEGITIMATE SKIP Logically assigned.....	202	0.34
97 = REFUSED	98	0.17
98 = BLANK (NO ANSWER)	878	1.50
99 = LEGITIMATE SKIP.....	56487	96.34

SPECIAL TOPICS

(SP03QSC, SP03RSC, SP03SSC)

BKOTHOF2¹

Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY

	Freq	Pct
1 = Motor vehicle theft	2	0.00
2 = Larceny or theft	4	0.01
3 = Burglary or breaking and entering	2	0.00
4 = Serious violent offense.....	4	0.01
5 = Other assault, such as simple assault or battery.....	27	0.05
10 = Driving under the influence of alcohol or drugs.....	8	0.01
11 = Drunkenness or other liquor law violation	7	0.01
13 = Possession, manufacture, or sale of drugs	17	0.03
16 = Fraud, possessing stolen goods, vandalism	12	0.02
17 = Some other offense	14	0.02
18 = Weapons law violations	21	0.04
20 = Viol of court order/probation/parole, perjury	44	0.08
21 = Disorderly conduct.....	16	0.03
23 = All oth offns: crimes agnst persons/prprty/society	6	0.01
24 = Traffic violations	30	0.05
27 = Trespass of real property.....	17	0.03
29 = Family offenses, nonviolent.....	7	0.01
31 = Intimidation	8	0.01
36 = Possession of drug paraphernalia	3	0.01
38 = Evading/hindering/obstructing police	20	0.03
85 = BAD DATA Logically assigned	65	0.11
94 = DON'T KNOW	11	0.02
97 = REFUSED	118	0.20
98 = BLANK (NO ANSWER)	881	1.50
99 = LEGITIMATE SKIP.....	57289	97.71

Were you on probation at any time during the past 12 months?

(SP04)

PROBATON¹

Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	894	1.52
2 = No.....	57007	97.23
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	98	0.17
97 = REFUSED	72	0.12
98 = BLANK (NO ANSWER)	556	0.95

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

(SP05)

PAROLREL¹

Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	397	0.68
2 = No.....	57527	98.11
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	73	0.12
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	559	0.95

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?

(SP06A)

DRVINALCO

Len : 2 DROVE UNDER INFLUENCE OF ALCOHOL PST 12 MOS

	Freq	Pct
1 = Yes.....	2826	4.82
2 = No	30555	52.11
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	7674	13.09
94 = DON'T KNOW	17	0.03
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	574	0.98

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of marijuana?

(SP06B)

DRVINMARJ

Len : 2 DROVE UNDER INFLUENCE OF MARIJUANA PST 12 MOS

	Freq	Pct
1 = Yes.....	2759	4.71
2 = No.....	11503	19.62
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW	16	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	359	0.61

During the past 12 months, have you driven a vehicle while you were under the influence of [COKEFILL]?

(SP06C)

DRVINCOCN

Len : 2 DROVE UNDER INFLU OF COCAINE PST 12 MOS

	Freq	Pct
1 = Yes.....	201	0.34
2 = No.....	759	1.29
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	5673	9.68
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	110	0.19

During the past 12 months, have you driven a vehicle while you were under the influence of heroin?

(SP06D)

DRVINHERN

Len : 2 DROVE UNDER INFLUENCE OF HEROIN PAST 12 MOS

	Freq	Pct
1 = Yes.....	48	0.08
2 = No.....	101	0.17
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS.....	1014	1.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	53	0.09

During the past 12 months, have you driven a vehicle while you were under the influence of [LSFILL]?

(SP06E)

DRVINHALL

Len : 2 DROVE UNDER INFLU OF HALLUCINOGENS PAST 12 MOS

	Freq	Pct
1 = Yes.....	106	0.18
2 = No.....	2383	4.06
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	6956	11.86
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	541	0.92

SPECIAL TOPICS

During the past 12 months, have you driven a vehicle while you were under the influence of any inhalant?

(SP06F)

[DRVININHL](#)

Len : 2 DROVE UNDER INFLUENCE OF INHALANTS PAST 12 MOS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	938	1.60
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS.....	5582	9.52
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER).....	389	0.66

During the past 12 months, have you driven a vehicle while you were under the influence of methamphetamine?

(SP06G)

[DRVINMETH](#)

Len : 2 DROVE UNDER INFLU OF METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
1 = Yes.....	231	0.39
2 = No.....	310	0.53
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	2051	3.50
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	113	0.19

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?

(SP06H)

[DRVINALON](#)

Len : 2 DROVE UNDER INFLUENCE OF ONLY ALCOHOL PST 12 MOS

	Freq	Pct
1 = Yes.....	862	1.47
2 = No.....	99	0.17
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	7674	13.09
98 = BLANK (NO ANSWER).....	413	0.70
99 = LEGITIMATE SKIP.....	32633	55.66

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

(SP07)

[MXMJPNLT¹](#)

Len : 2 MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE

	Freq	Pct
1 = A fine.....	14610	24.92
2 = Probation.....	5905	10.07
3 = Community service.....	2767	4.72
4 = Possible prison sentence.....	9178	15.65
5 = Mandatory prison sentence.....	1777	3.03
6 = No penalty.....	13837	23.60
85 = BAD DATA Logically assigned.....	99	0.17
94 = DON'T KNOW.....	9566	16.32
97 = REFUSED.....	316	0.54
98 = BLANK (NO ANSWER).....	578	0.99

RECODED SPECIAL TOPICS

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Selection of Variables for Analysis: Variable Naming Conventions and Hierarchy section in the Data Users' Guide (DUG).

(DRVINALCO)

<u>DRVINALCO2</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF ALCOHOL IN PAST YEAR		
			Freq	Pct
.	= Unknown (Otherwise).....		626	1.07
0	= No (DRVINALCO=2,91,93,99)		55181	94.11
1	= Yes (DRVINALCO=1).....		2826	4.82

(DRVINMARJ)

<u>DRVINMARJ2</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF MARIJUANA IN PAST YEAR		
			Freq	Pct
.	= Unknown (Otherwise).....		398	0.68
0	= No (DRVINMARJ=2,91,93,99).....		55476	94.62
1	= Yes (DRVINMARJ=1).....		2759	4.71

The following variable, DRVINDRG, was created by examination of this driving under the influence list of selected drugs: marijuana (DRVINMARJ), cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

(DRVINCOCN, DRVINHALL, DRVINHERN, DRVININHL, DRVINMARJ, DRVINMETH)

<u>DRVINDRG</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRUGS IN PAST YR		
			Freq	Pct
.	= Unknown (Otherwise).....		1242	2.12
0	= No (All source variables=2,91,93,99).....		54426	92.82
1	= Yes (Any source variable=1)		2965	5.06

The following variable, DRVINDROTMJ, was created by examination of this driving under the influence list of selected drugs: cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

(DRVINCOCN, DRVINHALL, DRVINHERN, DRVININHL, DRVINMETH)

<u>DRVINDROTMJ</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRG OTH MRJ IN PY		
			Freq	Pct
.	= Unknown (Otherwise).....		990	1.69
0	= No (All source variables=2,91,93,99).....		57163	97.49
1	= Yes (Any source variable=1)		480	0.82

(DRVINALCO2, DRVINDRG)

<u>DRVINALDRG</u>	Len : 1	RC-DROVE UNDER INFLUENCE OF ALC OR SELECTED ILL DRG IN PY		
			Freq	Pct
.	= Unknown (Otherwise).....		1635	2.79
0	= No (DRVINDRG=0 and DRVINALCO2=0).....		52168	88.97
1	= Yes (DRVINDRG=1 or DRVINALCO2=1).....		4830	8.24

(PAROLREL)

<u>PAROL</u>	Len : 1	RC-PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
			Freq	Pct
.	= Unknown Parole/Supervised Rel Status (Otherwise).....		709	1.21
1	= On Parole/Supervised Release (PAROLREL=1)		397	0.68
2	= Not on Parole/Supervised Release (PAROLREL=2)		57527	98.11

RECODED SPECIAL TOPICS

(PROBATON)
PROB

Len : 1 RC-PROBATION STATUS IN THE PAST YEAR

	Freq	Pct
. = Unknown Probation Status (Otherwise).....	732	1.25
1 = On Probation (PROBATON=1).....	894	1.52
2 = Not on Probation (PROBATON=2).....	57007	97.23

NICOTINE

SUBSTANCE USE

NICOTINE

These questions are about cigarette smoking.

Have you ever smoked part or all of a cigarette?

(CG01, CGREF1)

CIGEVER

Len : 1 EVER SMOKED A CIGARETTE

	Freq	Pct
1 = Yes.....	25069	42.76
2 = No.....	33564	57.24

How old were you the first time you smoked part or all of a cigarette?

(CG04)

CIGTRY

Len : 3 AGE WHEN FIRST SMOKED A CIGARETTE

	Freq	Pct
RANGE = 1 - 68.....	24865	42.41
985 = BAD DATA Logically assigned.....	91	0.16
991 = NEVER USED CIGARETTES.....	33564	57.24
994 = DON'T KNOW.....	79	0.13
997 = REFUSED.....	34	0.06

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

(CG04A, CG04B, CG04C)

CIGYFU

Len : 4 YEAR OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	834	1.42
9985 = BAD DATA Logically assigned.....	114	0.19
9989 = LEGITIMATE SKIP Logically assigned.....	67	0.11
9991 = NEVER USED CIGARETTES.....	33564	57.24
9994 = DON'T KNOW.....	85	0.14
9997 = REFUSED.....	36	0.06
9998 = BLANK (NO ANSWER).....	55	0.09
9999 = LEGITIMATE SKIP.....	23878	40.72

NICOTINE

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

(CG04C, CG04D)

[CIGMFU](#)

Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	65	0.11
2 = February.....	44	0.08
3 = March.....	64	0.11
4 = April	58	0.10
5 = May.....	64	0.11
6 = June.....	89	0.15
7 = July	81	0.14
8 = August	58	0.10
9 = September	51	0.09
10 = October	83	0.14
11 = November	75	0.13
12 = December.....	53	0.09
85 = BAD DATA Logically assigned.....	113	0.19
89 = LEGITIMATE SKIP Logically assigned.....	67	0.11
91 = NEVER USED CIGARETTES.....	33564	57.24
94 = DON'T KNOW.....	131	0.22
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	56	0.10
99 = LEGITIMATE SKIP.....	23878	40.72

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette? How long has it been since you last smoked part or all of a cigarette?

(CG05, CG06, CG06DK, CG06RE)

[CIGREC](#)

Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	Freq	Pct
1 = Within the past 30 days.....	6721	11.46
2 = More than 30 days ago but within the past 12 mos	2393	4.08
3 = More than 12 months ago but within the past 3 yrs.....	2649	4.52
4 = More than 3 years ago.....	13125	22.39
8 = Used at some point in the past 12 mos LOG ASSN.....	5	0.01
9 = Used at some point in the lifetime LOG ASSN.....	16	0.03
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
14 = Used more than 12 months ago LOG ASSN.....	76	0.13
19 = Used more than 30 days ago LOG ASSN	35	0.06
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	48	0.08
91 = NEVER USED CIGARETTES.....	33564	57.24

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

(CG07)

[CIG30USE](#)

Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	6683	11.40
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	24	0.04
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	22	0.04

NICOTINE

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

(CG07DKRE)

[CIG30EST](#)

Len : 2 BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	8	0.01
2 = 3 to 5 days.....	3	0.01
3 = 6 to 9 days.....	8	0.01
4 = 10 to 19 days.....	2	0.00
6 = All 30 days.....	9	0.02
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP.....	6683	11.40

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

(CG08, CG10)

[CIG30AV](#)

Len : 2 AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	Freq	Pct
1 = Less than one cigarette per day	894	1.52
2 = 1 cigarette per day.....	960	1.64
3 = 2 to 5 cigarettes per day	1784	3.04
4 = 6 to 15 cigarettes per day (about 1/2 pack).....	1751	2.99
5 = 16 to 25 cigarettes per day (about 1 pack).....	964	1.64
6 = 26 to 35 cigarettes per day (about 1 1/2 packs).....	233	0.40
7 = More than 35 cigs per day (abt 2 packs or more)	120	0.20
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	5	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	26	0.04

Note: Beginning in 2022, edited variables CIGMENTH30 and CIGROLL30 replace variables CIG30MEN and CIG30ROL due to questionnaire changes and associated changes in skip logic in 2022.

Were the cigarettes you smoked most often during the past 30 days menthol?

(CGMENTH1)

[CIGMENTH30](#)

Len : 2 MENTHOL CIGARETTES SMOKED MOST OFTEN IN PAST 30 DAYS

	Freq	Pct
1 = Yes.....	2790	4.76
2 = No.....	3895	6.64
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	32	0.05
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	22	0.04

During the past 30 days, that is since [DATEFILL], have you smoked part or all of a roll-your-own tobacco cigarette?

(CG14)

[CIGROLL30](#)

Len : 2 SMOKED A ROLL-YOUR-OWN CIGARETTE IN THE PAST 30 DAYS

	Freq	Pct
1 = Yes.....	1283	2.19
2 = No.....	5430	9.26
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	2	0.00
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	22	0.04

NICOTINE

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

(CG15)

CIGDLYMO

Len : 2 EVER SMOKED CIG EVERY DAY FOR 30 DAYS

	Freq	Pct
1 = Yes.....	9031	15.40
2 = No.....	12620	21.52
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	3402	5.80
91 = NEVER USED CIGARETTES.....	33564	57.24
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	10	0.02

How old were you when you first started smoking cigarettes every day?

(CG16)

CIGAGE

Len : 3 AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY

	Freq	Pct
RANGE = 1 - 60.....	12373	21.10
985 = BAD DATA Logically assigned	11	0.02
991 = NEVER USED CIGARETTES.....	33564	57.24
994 = DON'T KNOW	43	0.07
997 = REFUSED	16	0.03
998 = BLANK (NO ANSWER).....	6	0.01
999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY)	12620	21.52

Did you first start smoking cigarettes every day in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

(CG16M1, CG16Y1, CG16Y2)

CIGDLYFU

Len : 4 YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2022 - 2024	129	0.22
9985 = BAD DATA Logically assigned	7	0.01
9989 = LEGITIMATE SKIP Logically assigned	16	0.03
9991 = NEVER USED CIGARETTES.....	33564	57.24
9994 = DON'T KNOW	43	0.07
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER).....	15	0.03
9999 = LEGITIMATE SKIP.....	24843	42.37

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

(CG16M1, CG16M2)

CIGDLMFU

Len : 2 MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January.....	18	0.03
2 = February.....	11	0.02
3 = March.....	5	0.01
4 = April	8	0.01
5 = May.....	8	0.01
6 = June.....	15	0.03
7 = July	8	0.01
8 = August	13	0.02
9 = September	12	0.02
10 = October	5	0.01
11 = November	13	0.02
12 = December.....	9	0.02
85 = BAD DATA Logically assigned.....	8	0.01
89 = LEGITIMATE SKIP Logically assigned	16	0.03
91 = NEVER USED CIGARETTES.....	33564	57.24
94 = DON'T KNOW.....	45	0.08
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	15	0.03
99 = LEGITIMATE SKIP.....	24843	42.37

NICOTINE

Have you smoked at least 100 cigarettes in your entire life?

(CG16A)

CIG100LF

Len : 2 HAVE YOU SMOKED 100 CIGS IN YOUR LIFE

	Freq	Pct
1 = Yes.....	10931	18.64
2 = No.....	11259	19.20
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2816	4.80
91 = NEVER USED CIGARETTES.....	33564	57.24
94 = DON'T KNOW	55	0.09
97 = REFUSED	7	0.01

The next questions are about vaping nicotine with e-cigarettes or other vaping devices. These devices might also be called vapes, vape pens, or mods. When answering, please include any device that heats a liquid containing nicotine into a vapor.

Have you ever, even once, vaped nicotine with an e-cigarette or other vaping device?

(VPLIF, VPLIFREF)

NICVAPEVER

Len : 2 EVER VAPED NICOTINE WITH E-CIGARETTE OR OTHER VAPING DEVICE

	Freq	Pct
1 = Yes.....	18566	31.66
2 = No.....	40049	68.30
94 = DON'T KNOW	14	0.02
97 = REFUSED	4	0.01

How old were you the first time you vaped nicotine with an e-cigarette or other vaping device?

(VPFT)

NICVAPAGE

Len : 3 AGE WHEN FIRST VAPED NICOTINE WITH E-CIG OR VAPING DEVICE

	Freq	Pct
RANGE = 1 - 87.....	18151	30.96
985 = BAD DATA Logically assigned	291	0.50
991 = NEVER VAPED NICOTINE	40049	68.30
994 = DON'T KNOW	97	0.17
997 = REFUSED	27	0.05
998 = BLANK (NO ANSWER).....	18	0.03

Did you first vape nicotine with an e-cigarette or other vaping device in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first vape nicotine with an e-cigarette or other vaping device in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

(VPFTYRA, VPFTYRB)

NICVAPYFU

Len : 4 YEAR FIRST VAPED NICOTINE W/ E-CIG OR VAPE DEVICE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	2073	3.54
9985 = BAD DATA Logically assigned	596	1.02
9989 = LEGITIMATE SKIP Logically assn.....	228	0.39
9991 = NEVER VAPED NICOTINE	40049	68.30
9994 = DON'T KNOW	107	0.18
9997 = REFUSED	28	0.05
9998 = BLANK (NO ANSWER).....	203	0.35
9999 = LEGITIMATE SKIP.....	15349	26.18

NICOTINE

In what month in [CURRENT YEAR] did you first vape nicotine with an e-cigarette or other vaping device?

In what month in [YEAR FROM VPFTYRa or VPFTYRb] did you first vape nicotine with an e-cigarette or other vaping device?

(VPFTMOA, VPFTMOB)

NICVAPMFU

Len : 2 MONTH FIRST VAPED NICOTINE W/ E-CIG OR VAPE DEVICE - RECODE

	Freq	Pct
1 = January.....	163	0.28
2 = February.....	135	0.23
3 = March.....	149	0.25
4 = April.....	148	0.25
5 = May.....	145	0.25
6 = June.....	216	0.37
7 = July.....	168	0.29
8 = August.....	173	0.30
9 = September.....	167	0.28
10 = October.....	197	0.34
11 = November.....	148	0.25
12 = December.....	101	0.17
85 = BAD DATA Logically assigned.....	594	1.01
89 = LEGITIMATE SKIP Logically assn.....	228	0.39
91 = NEVER VAPED NICOTINE.....	40049	68.30
94 = DON'T KNOW.....	259	0.44
97 = REFUSED.....	39	0.07
98 = BLANK (NO ANSWER).....	205	0.35
99 = LEGITIMATE SKIP.....	15349	26.18

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you vaped nicotine with an e-cigarette or other vaping device?

How long has it been since you last vaped nicotine with an e-cigarette or other vaping device?

(VPPM, VPREC, VPRECDK, VPRECREP)

NICVAPREC

Len : 2 TIME SINCE LAST VAPED NICOTINE WITH E-CIG OR VAPING DEVICE

	Freq	Pct
1 = Within the past 30 days.....	7520	12.83
2 = More than 30 days ago but within the past 12 mos.....	3068	5.23
3 = More than 12 months ago but within the past 3 yrs.....	2935	5.01
4 = More than 3 years ago.....	4344	7.41
9 = Used at some point in the lifetime LOG ASSN.....	10	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	17	0.03
14 = Used more than 12 months ago LOG ASSN.....	205	0.35
19 = Used more than 30 days ago LOG ASSN.....	85	0.14
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	376	0.64
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	6	0.01
91 = NEVER VAPED NICOTINE.....	40049	68.30
98 = BLANK (NO ANSWER).....	18	0.03

During the past 30 days, that is since [DATEFILL], on how many days did you vape nicotine with an e-cigarette or other vaping device?

(VPPMNUM)

NICVAP30N

Len : 2 # DAYS VAPED NICOTINE W/ E-CIG OR VAP DEVICE IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	7458	12.72
91 = NEVER VAPED NICOTINE.....	40049	68.30
93 = DID NOT VAPE NICOTINE IN THE PAST 30 DAYS.....	11013	18.78
94 = DON'T KNOW.....	49	0.08
97 = REFUSED.....	13	0.02
98 = BLANK (NO ANSWER).....	51	0.09

NICOTINE

The next questions are about your use of smokeless tobacco such as snuff, dip, chewing tobacco, or snus.

Have you ever, even once, used smokeless tobacco?

(CG25, CGREF3)

SMKLSSEVR

Len : 2 EVER USED SMOKELESS TOBACCO

	Freq	Pct
1 = Yes.....	6836	11.66
2 = No.....	51763	88.28
94 = DON'T KNOW	31	0.05
97 = REFUSED	3	0.01

How old were you the first time you used smokeless tobacco?

(CG26)

SMKLSSTRY

Len : 3 AGE WHEN FIRST USED SMOKELESS TOBACCO

	Freq	Pct
RANGE = 1 - 73	6743	11.50
985 = BAD DATA Logically assigned	41	0.07
991 = NEVER USED SMOKELESS TOBACCO	51763	88.28
994 = DON'T KNOW	42	0.07
997 = REFUSED	13	0.02
998 = BLANK (NO ANSWER).....	31	0.05

Did you first use smokeless tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use smokeless tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use smokeless tobacco?

(CG26A, CG26B, CG26C)

SMKLSSYFU

Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	478	0.82
9985 = BAD DATA Logically assigned	44	0.08
9989 = LEGITIMATE SKIP Logically assigned	50	0.09
9991 = NEVER USED SMOKELESS TOBACCO	51763	88.28
9994 = DON'T KNOW	47	0.08
9997 = REFUSED	14	0.02
9998 = BLANK (NO ANSWER).....	56	0.10
9999 = LEGITIMATE SKIP	6181	10.54

NICOTINE

In what month in [CURRENT YEAR] did you first use smokeless tobacco?

In what month in [YEAR FROM CG26a or CG26b] did you first use smokeless tobacco?

(CG26C, CG26D)

[SMKLSSMFU](#)

Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January.....	49	0.08
2 = February.....	37	0.06
3 = March.....	51	0.09
4 = April.....	32	0.05
5 = May.....	25	0.04
6 = June.....	46	0.08
7 = July.....	36	0.06
8 = August.....	36	0.06
9 = September.....	43	0.07
10 = October.....	41	0.07
11 = November.....	27	0.05
12 = December.....	36	0.06
85 = BAD DATA Logically assigned.....	44	0.08
89 = LEGITIMATE SKIP Logically assigned.....	50	0.09
91 = NEVER USED "smokeless" tobacco.....	51763	88.28
94 = DON'T KNOW.....	66	0.11
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	56	0.10
99 = LEGITIMATE SKIP.....	6181	10.54

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used smokeless tobacco, even once?

How long has it been since you last used smokeless tobacco?

(CG27, CG28, CG28DK, CG28RE)

[SMKLSSREC](#)

Len : 2 TIME SINCE LAST USED SMOKELESS TOBACCO

	Freq	Pct
1 = Within the past 30 days.....	1455	2.48
2 = More than 30 days ago but within the past 12 mos.....	649	1.11
3 = More than 12 months ago but within the past 3 yrs.....	620	1.06
4 = More than 3 years ago.....	4040	6.89
8 = Used at some point in the past 12 mos LOG ASSN.....	6	0.01
9 = Used at some point in the lifetime LOG ASSN.....	6	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
14 = Used more than 12 months ago LOG ASSN.....	30	0.05
19 = Used more than 30 days ago LOG ASSN.....	14	0.02
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....	14	0.02
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	51763	88.28
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	31	0.05

During the past 30 days, that is since [DATEFILL], on how many days did you use smokeless tobacco?

(CG29)

[SMKLSS30N](#)

Len : 2 HOW MANY DAYS USED SMOKELESS TOBACCO PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	1441	2.46
91 = NEVER USED SMOKELESS TOBACCO.....	51763	88.28
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	5367	9.15
94 = DON'T KNOW.....	11	0.02
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	45	0.08

NICOTINE

What is your best estimate of the number of days you used smokeless tobacco during the past 30 days?

(CG29DKRE)

[SMKLSS30E](#)

Len : 2 BEST EST. HOW MANY DAYS USED SMKLSS TOB PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	5	0.01
3 = 6 to 9 days.....	3	0.01
4 = 10 to 19 days.....	2	0.00
6 = All 30 days.....	1	0.00
91 = NEVER USED SMOKELESS TOBACCO.....	51763	88.28
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	5367	9.15
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	45	0.08
99 = LEGITIMATE SKIP.....	1441	2.46

The next questions are about smoking cigars made only of tobacco, such as cigarillos, big cigars, and little cigars that look like cigarettes.

Have you ever, even once, smoked part or all of a cigar or cigarillo?

(CG34, CGREF4)

[CIGAREVR](#)

Len : 2 EVER SMOKED PART OR ALL OF CIGAR

	Freq	Pct
1 = Yes.....	14719	25.10
2 = No.....	43901	74.87
94 = DON'T KNOW	11	0.02
97 = REFUSED	2	0.00

How old were you the first time you smoked part or all of a cigar or cigarillo?

(CG35)

[CIGARTRY](#)

Len : 3 AGE WHEN FIRST SMOKED CIGAR

	Freq	Pct
RANGE = 1 - 79	14512	24.75
985 = BAD DATA Logically assigned	90	0.15
991 = NEVER USED CIGARS	43901	74.87
994 = DON'T KNOW	110	0.19
997 = REFUSED	9	0.02
998 = BLANK (NO ANSWER).....	11	0.02

Did you first smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar or cigarillo?

(CG35A, CG35B, CG35C)

[CIGARYFU](#)

Len : 4 YEAR OF FIRST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	793	1.35
9985 = BAD DATA Logically assigned	95	0.16
9989 = LEGITIMATE SKIP Logically assigned	55	0.09
9991 = NEVER USED CIGARS	43901	74.87
9994 = DON'T KNOW	116	0.20
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	65	0.11
9999 = LEGITIMATE SKIP.....	13599	23.19

NICOTINE

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar or cigarillo?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar or cigarillo?

(CG35C, CG35D)

[CIGARMFU](#)

Len : 2 MONTH OF FIRST CIGAR USE - RECODE

	Freq	Pct
1 = January.....	54	0.09
2 = February.....	34	0.06
3 = March.....	49	0.08
4 = April	45	0.08
5 = May.....	76	0.13
6 = June.....	114	0.19
7 = July	106	0.18
8 = August	60	0.10
9 = September.....	42	0.07
10 = October.....	56	0.10
11 = November.....	58	0.10
12 = December.....	69	0.12
85 = BAD DATA Logically assigned.....	94	0.16
89 = LEGITIMATE SKIP Logically assigned.....	55	0.09
91 = NEVER USED CIGARS	43901	74.87
94 = DON'T KNOW.....	143	0.24
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	66	0.11
99 = LEGITIMATE SKIP.....	13599	23.19

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigar or cigarillo?

How long has it been since you last smoked part or all of a cigar or cigarillo?

(CG36, CG37, CG37DK, CG37RE)

[CIGARREC](#)

Len : 2 TIME SINCE LAST SMOKED CIGAR

	Freq	Pct
1 = Within the past 30 days.....	1969	3.36
2 = More than 30 days ago but within the past 12 mos	1921	3.28
3 = More than 12 months ago but within the past 3 yrs.....	2210	3.77
4 = More than 3 years ago.....	8465	14.44
8 = Used at some point in the past 12 mos LOG ASSN.....	3	0.01
9 = Used at some point in the lifetime LOG ASSN.....	5	0.01
14 = Used more than 12 months ago LOG ASSN.....	66	0.11
19 = Used more than 30 days ago LOG ASSN	35	0.06
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	43	0.07
39 = Used within the past 3 years LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED CIGARS	43901	74.87
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	11	0.02

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar or cigarillo?

(CG38)

[CGR30USE](#)

Len : 2 HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	1959	3.34
91 = NEVER USED CIGARS	43901	74.87
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	12740	21.73
94 = DON'T KNOW	8	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	21	0.04

NICOTINE

What is your best estimate of the number of days you smoked part or all of a cigar or cigarillo during the past 30 days?

(CG38DKRE)

[CI30EST](#)

Len : 2 BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	3	0.01
2 = 3 to 5 days.....	1	0.00
4 = 10 to 19 days.....	1	0.00
5 = 20 to 29 days.....	2	0.00
6 = All 30 days.....	1	0.00
91 = NEVER USED CIGARS	43901	74.87
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12740	21.73
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	21	0.04
99 = LEGITIMATE SKIP.....	1959	3.34

These last questions on tobacco products are about using a pipe to smoke tobacco.

Have you ever, even onced, smoked tobacco in a pipe?

(CG42, CGREF5)

[PIPEVER](#)

Len : 2 EVER SMOKED PIPE TOBACCO

	Freq	Pct
1 = Yes.....	4095	6.98
2 = No.....	54527	93.00
94 = DON'T KNOW	10	0.02
97 = REFUSED	1	0.00

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

(CG43)

[PIPE30DY](#)

Len : 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS

	Freq	Pct
1 = Yes.....	389	0.66
2 = No.....	3703	6.32
91 = NEVER USED PIPE TOBACCO	54527	93.00
94 = DON'T KNOW	3	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	10	0.02

NICOTINE DEPENDENCE

NICOTINE DEPENDENCE

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

(DRCGE01)

CIGIRTLB¹

Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE

	Freq	Pct
1 = Not at all true	1912	3.26
2 = Somewhat true	1508	2.57
3 = Moderately true	1238	2.11
4 = Very true	1157	1.97
5 = Extremely true	803	1.37
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	14	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	96	0.16

When you don't smoke for a few hours, you start to crave cigarettes.

(DRCGE02)

CIGCRAVE¹

Len : 2 START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS

	Freq	Pct
1 = Not at all true	2038	3.48
2 = Somewhat true	1425	2.43
3 = Moderately true	966	1.65
4 = Very true	1315	2.24
5 = Extremely true	884	1.51
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	9	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	96	0.16

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

(DRCGE03)

CIGCRAGP¹

Len : 2 CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL

	Freq	Pct
1 = Not at all true	2840	4.84
2 = Somewhat true	1310	2.23
3 = Moderately true	1005	1.71
4 = Very true	851	1.45
5 = Extremely true	620	1.06
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	11	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	96	0.16

NICOTINE DEPENDENCE

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

(DRCGE04)
CIGINCTL¹

Len : 2 FEEL A SENSE OF CONTROL OVER YOUR SMOKING

	Freq	Pct
1 = Not at all true	1820	3.10
2 = Somewhat true	1757	3.00
3 = Moderately true	1103	1.88
4 = Very true	974	1.66
5 = Extremely true	964	1.64
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	14	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	98	0.17

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

(DRCGE05)
CIGAVOID¹

Len : 2 TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING

	Freq	Pct
1 = Not at all true	4353	7.42
2 = Somewhat true	995	1.70
3 = Moderately true	633	1.08
4 = Very true	390	0.67
5 = Extremely true	245	0.42
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	14	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	100	0.17

Do you have any friends who do not smoke cigarettes?

(DRCGE06A)
CIGFNSMK¹

Len : 2 HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES

	Freq	Pct
1 = Yes	6043	10.31
2 = No	587	1.00
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	7	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	100	0.17

Think about your use of cigarettes during the past 30 days as you answer these next questions.

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

(DRCGE06B)
CIGFNLKE¹

Len : 2 CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE

	Freq	Pct
1 = Not at all true	4677	7.98
2 = Somewhat true	672	1.15
3 = Moderately true	369	0.63
4 = Very true	195	0.33
5 = Extremely true	115	0.20
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	5	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	111	0.19
99 = LEGITIMATE SKIP	587	1.00

NICOTINE DEPENDENCE

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

(DRCGE07)

[CIGPLANE](#)¹

Len : 2 RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING

	Freq	Pct
1 = Not at all true	5247	8.95
2 = Somewhat true	598	1.02
3 = Moderately true	336	0.57
4 = Very true	222	0.38
5 = Extremely true	205	0.35
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	18	0.03
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	105	0.18

You sometimes worry that you will run out of cigarettes.

(DRCGE08)

[CIGRNOUT](#)¹

Len : 2 SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS

	Freq	Pct
1 = Not at all true	3648	6.22
2 = Somewhat true	1382	2.36
3 = Moderately true	637	1.09
4 = Very true	538	0.92
5 = Extremely true	412	0.70
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	10	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	107	0.18

You smoke cigarettes fairly regularly throughout the day.

(DRCGE09)

[CIGREGDY](#)¹

Len : 2 SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY

	Freq	Pct
1 = Not at all true	2416	4.12
2 = Somewhat true	1188	2.03
3 = Moderately true	837	1.43
4 = Very true	1218	2.08
5 = Extremely true	957	1.63
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	8	0.01
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	108	0.18

You smoke about the same amount on weekends as on weekdays.

(DRCGE10)

[CIGREGWK](#)¹

Len : 2 SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS

	Freq	Pct
1 = Not at all true	2033	3.47
2 = Somewhat true	1131	1.93
3 = Moderately true	914	1.56
4 = Very true	1455	2.48
5 = Extremely true	1070	1.82
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	18	0.03
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	108	0.18

NICOTINE DEPENDENCE

You smoke just about the same number of cigarettes from day to day.

(DRCGE11)
CIGREGNM¹

Len : 2 SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY

	Freq	Pct
1 = Not at all true	1969	3.36
2 = Somewhat true	1115	1.90
3 = Moderately true	911	1.55
4 = Very true	1550	2.64
5 = Extremely true	1060	1.81
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	17	0.03
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	108	0.18

It's hard to say how many cigarettes you smoke per day because the number often changes.

(DRCGE12)
CIGNMCHG¹

Len : 2 NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES

	Freq	Pct
1 = Not at all true	2718	4.64
2 = Somewhat true	1556	2.65
3 = Moderately true	864	1.47
4 = Very true	842	1.44
5 = Extremely true	626	1.07
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	13	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	108	0.18

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

(DRCGE13)
CIGSVLHR¹

Len : 2 HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER

	Freq	Pct
1 = Not at all true	3518	6.00
2 = Somewhat true	1274	2.17
3 = Moderately true	839	1.43
4 = Very true	614	1.05
5 = Extremely true	354	0.60
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	21	0.04
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	108	0.18

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

(DRCGE14)
CIGINFLU¹

Len : 2 # OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	1540	2.63
2 = Somewhat true	1420	2.42
3 = Moderately true	1262	2.15
4 = Very true	1362	2.32
5 = Extremely true	1018	1.74
91 = NEVER USED CIGARETTES	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	18326	31.26
94 = DON'T KNOW	14	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	110	0.19

NICOTINE DEPENDENCE

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

(DRCGE15)
CIGNOINF¹

Len : 2 SMOKING NOT AFFECTED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	2264	3.86
2 = Somewhat true	1645	2.81
3 = Moderately true.....	1253	2.14
4 = Very true.....	898	1.53
5 = Extremely true	535	0.91
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	26	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	111	0.19

Since you started smoking, the amount you smoke has increased.

(DRCGE16)
CIGINCRS¹

Len : 2 AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING

	Freq	Pct
1 = Not at all true	2580	4.40
2 = Somewhat true	1374	2.34
3 = Moderately true.....	975	1.66
4 = Very true.....	935	1.59
5 = Extremely true	742	1.27
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	16	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	113	0.19

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

(DRCGE17)
CIGSATIS¹

Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED

	Freq	Pct
1 = Not at all true	3534	6.03
2 = Somewhat true	1164	1.99
3 = Moderately true.....	821	1.40
4 = Very true.....	619	1.06
5 = Extremely true	461	0.79
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	19	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	114	0.19

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

(DRCGE18)
CIGLOTMR¹

Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING

	Freq	Pct
1 = Not at all true	3627	6.19
2 = Somewhat true	1244	2.12
3 = Moderately true.....	837	1.43
4 = Very true.....	517	0.88
5 = Extremely true	361	0.62
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	30	0.05
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	115	0.20

NICOTINE DEPENDENCE

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

(DRCGE19A, DRCGE19B)

CIGWAKE¹

Len : 2 HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG

	Freq	Pct
1 = Within the first 5 minutes after you wake up	1378	2.35
2 = Between 6 and 30 minutes after you wake up	1758	3.00
3 = Between 31 and 60 minutes after you wake up	1031	1.76
4 = More than 60 minutes after you wake up	2292	3.91
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	18326	31.26
94 = DON'T KNOW	76	0.13
97 = REFUSED	85	0.14
98 = BLANK (NO ANSWER)	123	0.21

NOTE: The following dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who smoked cigarettes in the past month (i.e., CIGMON=1). The NDSS criteria for dependence was based on 17 questions pertaining to five aspects of dependence. Based on the NDSS, a respondent was defined as having nicotine dependence, NDSSDEPND=1, if the sum of the valid responses (based on actual reporting) was greater than or equal to 46.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDEPND=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent smoked cigarettes in the past month (CIGMON=1). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence, PMNICDEP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details are provided in the Nicotine Dependence and Substance Use Disorder appendix.

(CIGAVOID, CIGCRAGP, CIGCRAVE, CIGINCRS, CIGINCTL, CIGINFLU, CIGIRTBL, CIGLOTMR, CIGMON, CIGNMCHG, CIGNOINF, CIGPLANE, CIGREGDY, CIGREGNM, CIGREGWK, CIGRNOUT, CIGSATIS, CIGSVLHR)

NDSSDEPND¹

Len : 1 NICOTINE DEPENDENCE BASED ON NDSS SCORE

	Freq	Pct
. = Unknown (Otherwise).....	136	0.23
0 = No	4132	7.05
1 = Yes.....	2460	4.20
9 = DID NOT USE CIGARETTES IN THE PAST MONTH.....	51905	88.53

(CIGMON, CIGWAKE)

FTNDDEPND¹

Len : 1 NICOTINE DEPENDENCE BASED ON FTND SCALE

	Freq	Pct
. = Unknown (Otherwise).....	269	0.46
0 = No	3323	5.67
1 = Yes.....	3136	5.35
9 = DID NOT USE CIGARETTES IN THE PAST MONTH.....	51905	88.53

(FTNDDEP, NDSSDEP)

PMNICDEP¹

Len : 1 NICOTINE DEPENDENCE IN PAST MONTH

	Freq	Pct
. = Unknown (Otherwise).....	270	0.46
0 = No	2748	4.69
1 = Yes.....	3710	6.33
9 = DID NOT USE CIGARETTES IN THE PAST MONTH.....	51905	88.53

IMPUTED NICOTINE DEPENDENCE

IMPUTED NICOTINE DEPENDENCE

NOTE: The following variable, IRPMNICDEP, is the imputation-revised version of the nicotine dependence variable (PMNICDEP) derived from the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence if they met either the NDSS or the FTND criteria for dependence. Specific details are provide in the Nicotine Dependence and Substance Use Disorder appendix.

(PMNICDEP)

[IRPMNICDEP](#)

Len : 1 NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION REVISED

	Freq	Pct
0 = No.....	54797	93.46
1 = Yes.....	3836	6.54

(CIGREC, IRPMNICDEP)

[IIPMNICDEP](#)

Len : 1 NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58189	99.24
2 = Logically assigned data.....	159	0.27
3 = Statistically imputed data.....	285	0.49

ALCOHOL

ALCOHOL

The next questions are about alcoholic beverages. For these questions, a "drink" means a can or bottle of beer or hard seltzer, a glass of wine or a wine cooler, a shot of liquor, or a drink with liquor in it.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

(AL01, ALREF)

ALCEVER

Len : 2 EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Yes.....	41658	71.05
2 = No.....	16952	28.91
94 = DON'T KNOW.....	18	0.03
97 = REFUSED	5	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

(AL02)

ALCTRY

Len : 3 AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
RANGE = 1 - 77	41305	70.45
985 = BAD DATA Logically assigned	73	0.12
991 = NEVER USED ALCOHOL.....	16952	28.91
994 = DON'T KNOW	226	0.39
997 = REFUSED	59	0.10
998 = BLANK (NO ANSWER).....	18	0.03

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

(AL02A, AL02B, AL02C)

ALCYFU

Len : 4 YEAR OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	2513	4.29
9985 = BAD DATA Logically assigned	210	0.36
9989 = LEGITIMATE SKIP Logically assigned	132	0.23
9991 = NEVER USED ALCOHOL.....	16952	28.91
9994 = DON'T KNOW	244	0.42
9997 = REFUSED	61	0.10
9998 = BLANK (NO ANSWER).....	24	0.04
9999 = LEGITIMATE SKIP.....	38497	65.66

ALCOHOL

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

(AL02C, AL02D)

ALCMFU

Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	212	0.36
2 = February.....	125	0.21
3 = March.....	149	0.25
4 = April.....	145	0.25
5 = May.....	211	0.36
6 = June.....	277	0.47
7 = July.....	291	0.50
8 = August.....	189	0.32
9 = September.....	164	0.28
10 = October.....	200	0.34
11 = November.....	167	0.28
12 = December.....	268	0.46
85 = BAD DATA Logically assigned.....	210	0.36
89 = LEGITIMATE SKIP Logically assigned.....	132	0.23
91 = NEVER USED ALCOHOL.....	16952	28.91
94 = DON'T KNOW.....	352	0.60
97 = REFUSED.....	68	0.12
98 = BLANK (NO ANSWER).....	24	0.04
99 = LEGITIMATE SKIP.....	38497	65.66

How long has it been since you last drank an alcoholic beverage?

(ALLAST3, ALRECDK, ALRECRE)

ALCREC

Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Within the past 30 days.....	24751	42.21
2 = More than 30 days ago but within the past 12 mos.....	8988	15.33
3 = More than 12 months ago.....	7674	13.09
8 = Used at some point in the past 12 mos LOG ASSN.....	57	0.10
9 = Used at some point in the lifetime LOG ASSN.....	180	0.31
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	8	0.01
91 = NEVER USED ALCOHOL.....	16952	28.91
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	18	0.03

(TOTDRINK)

ALCYRTOT

Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365.....	33518	57.17
985 = BAD DATA Logically assigned.....	95	0.16
991 = NEVER USED ALCOHOL.....	16952	28.91
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	7674	13.09
994 = DON'T KNOW.....	149	0.25
997 = REFUSED.....	47	0.08
998 = BLANK (NO ANSWER).....	198	0.34

ALTOTFG

Len : 2 TRIMMING INDICATOR FOR ALCYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	4	0.01
2 = Trimmed relative to the 30-day freq.....	276	0.47
3 = Trimmed relative to estimated 30-day freq.....	2	0.00
98 = BLANK (NO ANSWER).....	58351	99.52

ALFQFLG

Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	461	0.79
98 = BLANK (NO ANSWER).....	58172	99.21

ALCOHOL

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

(ALFRAME3)

ALBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL

	Freq	Pct
1 = Prefer to answer in days per week.....	10762	18.35
2 = Prefer to answer in days per month.....	12176	20.77
3 = Prefer to answer in days per year.....	10300	17.57
11 = Prefer to ans in days per wk LOG ASSN.....	48	0.08
12 = Prefer to ans in days per mo LOG ASSN.....	51	0.09
13 = Prefer to ans in days per yr LOG ASSN.....	289	0.49
85 = BAD DATA Logically assigned.....	95	0.16
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	7674	13.09
94 = DON'T KNOW.....	63	0.11
97 = REFUSED.....	25	0.04
98 = BLANK (NO ANSWER).....	198	0.34

On how many days in the past 12 months did you drink an alcoholic beverage?

(ALYRAVE)

ALDAYPYR

Len : 3 NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 366.....	10566	18.02
985 = BAD DATA Logically assigned.....	48	0.08
989 = LEGITIMATE SKIP Logically assigned.....	108	0.18
991 = NEVER USED ALCOHOL.....	16952	28.91
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	7674	13.09
994 = DON'T KNOW.....	88	0.15
997 = REFUSED.....	25	0.04
998 = BLANK (NO ANSWER).....	244	0.42
999 = LEGITIMATE SKIP.....	22928	39.10

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

(ALMONAVE)

ALDAYPMO

Len : 2 # DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	12194	20.80
85 = BAD DATA Logically assigned.....	21	0.04
89 = LEGITIMATE SKIP Logically assigned.....	51	0.09
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	7674	13.09
94 = DON'T KNOW.....	114	0.19
97 = REFUSED.....	29	0.05
98 = BLANK (NO ANSWER).....	273	0.47
99 = LEGITIMATE SKIP.....	21325	36.37

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

(ALWKAVE)

ALDAYPWK

Len : 2 # DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	10758	18.35
85 = BAD DATA Logically assigned.....	29	0.05
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	7674	13.09
94 = DON'T KNOW.....	148	0.25
97 = REFUSED.....	47	0.08
98 = BLANK (NO ANSWER).....	265	0.45
99 = LEGITIMATE SKIP.....	22760	38.82

ALCOHOL

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

(AL06)

ALCDAYS

Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	24438	41.68
85 = BAD DATA Logically assigned	164	0.28
91 = NEVER USED ALCOHOL	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	16662	28.42
94 = DON'T KNOW	117	0.20
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	260	0.44

What is your best estimate of the number of days you drank alcohol during the past 30 days?

(AL06DKRE)

AL30EST

Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS

	Freq	Pct
1 = 1 or 2 days	52	0.09
2 = 3 to 5 days	24	0.04
3 = 6 to 9 days	20	0.03
4 = 10 to 19 days	21	0.04
5 = 20 to 29 days	4	0.01
6 = All 30 days	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	16662	28.42
94 = DON'T KNOW	17	0.03
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	428	0.73
99 = LEGITIMATE SKIP	24430	41.67

ALDYSFG

Len : 2 REVISION INDICATOR FOR ALCDAYS

	Freq	Pct
1 = Edited for consistency with ALCYRTOT or ALCBNG30D	23	0.04
98 = BLANK (NO ANSWER)	58610	99.96

On the days that you drank during the past 30 days, how many drinks did you usually have each day? Count as a drink a can or bottle of beer or hard seltzer, a glass of wine or a wine cooler, a shot of liquor, or drink with liquor in it.

(AL07)

ALCUS30D

Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 88	23212	39.59
975 = AT LEAST 4 OR 5 Logically assigned	1203	2.05
985 = BAD DATA Logically assigned	197	0.34
991 = NEVER USED ALCOHOL	16952	28.91
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	16662	28.42
994 = DON'T KNOW	111	0.19
997 = REFUSED	36	0.06
998 = BLANK (NO ANSWER)	260	0.44

ALCOHOL

NOTE: Beginning in 2015, female respondents were asked ALCBNG30D to report the number of days that they had 4 or more drinks on the same occasion in the past 30 days. As in prior years, male respondents in 2015 were asked for ALCBNG30D to report the number of days that they had 5 or more drinks on the same occasion in the past 30 days.

During the past 30 days, that is since [DATEFILL], on how many days did you have [4 or more]/[5 or more] drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

(AL08)

[ALCBNG30D](#)

Len : 2 # DAYS HAD FOUR/FIVE OR MORE DRINKS PAST 30 DYS

	Freq	Pct
RANGE = 0 - 30	24312	41.46
80 = NO OCCAS OF 4+ or 5+ DRINKS PST 30 DAYS Log assn.....	37	0.06
85 = BAD DATA Logically assigned	198	0.34
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW.....	155	0.26
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	260	0.44

CONSUMPTION OF ALCOHOL

CONSUMPTION OF ALCOHOL

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Next, we return to the topic of alcohol. Remember that by a “drink,” we mean a can or bottle of beer or hard seltzer, a glass of wine or a wine cooler, a shot of liquor, or a drink with liquor in it.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

(CA01)

CADRLAST¹

Len : 3 # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90	23871	40.71
985 = BAD DATA Logically assigned	7	0.01
991 = NEVER USED ALCOHOL	16952	28.91
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	16662	28.42
994 = DON'T KNOW	114	0.19
997 = REFUSED	103	0.18
998 = BLANK (NO ANSWER)	924	1.58

This last time you drank, were you alone or were you with one or more other people?

(CA02A)

CADRPEOP¹

Len : 2 ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK

	Freq	Pct
1 = I was alone the last time I drank	248	0.42
2 = I was with one other person the last time I drank	428	0.73
3 = I was with >one other person the last time I drank	1359	2.32
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	16662	28.42
94 = DON'T KNOW	12	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	193	0.33
99 = LEGITIMATE SKIP	22760	38.82

Where did you drink alcoholic beverages this last time you drank?

(CA02B1)

CADRCAR¹

Len : 2 I DRANK IN A CAR OR OTHER VEHICLE

	Freq	Pct
1 = Response entered	86	0.15
6 = Response not entered	1928	3.29
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	16662	28.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	195	0.33
99 = LEGITIMATE SKIP	22760	38.82

(CA02B2)

CADRHOME¹

Len : 2 I DRANK AT MY HOME

	Freq	Pct
1 = Response entered	916	1.56
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	1095	1.87
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	16662	28.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	194	0.33
99 = LEGITIMATE SKIP	22760	38.82

CONSUMPTION OF ALCOHOL

(CA02B3)
CADROTHM¹

Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	Freq	Pct
1 = Response entered	784	1.34
3 = Response entered LOGICALLY ASSIGNED	14	0.02
6 = Response not entered	1216	2.07
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	196	0.33
99 = LEGITIMATE SKIP.....	22760	38.82

(CA02B4)
CADRPUBL¹

Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	Freq	Pct
1 = Response entered	96	0.16
3 = Response entered LOGICALLY ASSIGNED	6	0.01
6 = Response not entered	1912	3.26
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	196	0.33
99 = LEGITIMATE SKIP.....	22760	38.82

(CA02B5)
CADRBAR¹

Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	Freq	Pct
1 = Response entered	166	0.28
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	1845	3.15
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	196	0.33
99 = LEGITIMATE SKIP.....	22760	38.82

(CA02B6)
CADREVNT¹

Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	Freq	Pct
1 = Response entered	54	0.09
6 = Response not entered	1960	3.34
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	196	0.33
99 = LEGITIMATE SKIP.....	22760	38.82

(CA02B7)
CADRSCHL¹

Len : 2 I DRANK AT SCHOOL

	Freq	Pct
1 = Response entered	31	0.05
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	1981	3.38
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	196	0.33
99 = LEGITIMATE SKIP.....	22760	38.82

CONSUMPTION OF ALCOHOL

(CA02B8)
CADROTH¹

Len : 2 I DRANK AT SOME OTHER PLACE

	Freq	Pct
1 = Response entered	185	0.32
6 = Response not entered	1829	3.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW.....	18	0.03
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	196	0.33
99 = LEGITIMATE SKIP.....	22760	38.82

(CA02SC)
CADROTS2¹

Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL

	Freq	Pct
1 = I drank in a car or other vehicle	1	0.00
2 = I drank at my home	4	0.01
3 = I drank at someone else's home.....	16	0.03
4 = I drank at a park, on a beach, or in a parking lot	8	0.01
5 = I drank in a restaurant, bar or club	5	0.01
7 = I drank at school.....	3	0.01
8 = I drank at some other place	12	0.02
11 = In a boat, ship, water vessel	3	0.01
14 = At a cabin, cottage, vacation home/vacation condo.....	6	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec	15	0.03
17 = At a house/apt/garage; no other information	7	0.01
20 = River/lake/waterfront/harbor; park/beach unspfd.....	5	0.01
22 = Camping/hunting/fishing; no other information	7	0.01
24 = Outside; park, beach, parkng lot, water unspcfd	10	0.02
26 = Place of entertainment; club/sports/concert unspec.....	3	0.01
33 = Inside a building; home/school/business unspcfd.....	8	0.01
35 = At a party/wedding/celebration/event; no othr info	35	0.06
70 = City/State/Country/vacation, location unspecified	5	0.01
85 = BAD DATA Logically assigned.....	12	0.02
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW.....	12	0.02
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	214	0.36
99 = LEGITIMATE SKIP.....	24589	41.94

Did you pay for the last alcoholic beverage that you drank?

(CA03)
CABUYFRE¹

Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK

	Freq	Pct
1 = Yes.....	542	0.92
2 = No.....	1486	2.53
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	194	0.33
99 = LEGITIMATE SKIP.....	22760	38.82

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

(CA04)
CAGVMONY¹

Len : 2 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it myself.....	249	0.42
2 = I gave money to someone else who bought it for me	287	0.49
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW.....	3	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	227	0.39
99 = LEGITIMATE SKIP.....	24246	41.35

CONSUMPTION OF ALCOHOL

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

(CA05)

[CABUYWHO](#)¹

Len : 2 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL

	Freq	Pct
1 = I bought it at a store/restaurant/bar/club/event	216	0.37
2 = I bought it from another person.....	33	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	233	0.40
99 = LEGITIMATE SKIP.....	24533	41.84

At which of these places did you buy the last alcoholic beverage that you drank?

(CA05A)

[CABPLACE](#)¹

Len : 2 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it at a liquor/convenience/grocery store	150	0.26
2 = I bought it at a restaurant, bar or club	58	0.10
3 = I bought it at a concert, sports or other event	5	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	233	0.40
99 = LEGITIMATE SKIP.....	24566	41.90

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

(CA05B)

[CABUNDAG](#)¹

Len : 2 BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+

	Freq	Pct
1 = Under age 21.....	9	0.02
2 = Age 21 or older.....	24	0.04
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	234	0.40
99 = LEGITIMATE SKIP.....	24749	42.21

Who bought the alcoholic beverage for you?

(CA06)

[CAGVWHO](#)¹

Len : 2 WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU

	Freq	Pct
1 = My parent or guardian.....	17	0.03
2 = Another family member who is 21 or older	43	0.07
3 = Someone not related to me who is 21 or older	183	0.31
4 = Someone under age 21	36	0.06
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	235	0.40
99 = LEGITIMATE SKIP.....	24495	41.78

CONSUMPTION OF ALCOHOL

How did you get the last alcoholic beverage that you drank?

(CA07)

CAFREWHO¹

Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK

	Freq	Pct
1 = My parent or guardian.....	222	0.38
2 = Another family member who is 21 or older.....	233	0.40
3 = Someone not related to me who is 21 or older.....	388	0.66
4 = Someone under age 21.....	213	0.36
5 = I took it from home.....	151	0.26
6 = I took it from someone else's home.....	31	0.05
7 = I got it some other way.....	191	0.33
13 = Non-relative who is 21 or older LOGICALLY ASSIGNED.....	3	0.01
14 = Someone under age 21 LOGICALLY ASSIGNED.....	2	0.00
15 = I took it from home LOGICALLY ASSIGNED.....	3	0.01
16 = I took it from someone else's home LOGICALLY ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	38	0.06
98 = BLANK (NO ANSWER).....	226	0.39
99 = LEGITIMATE SKIP.....	23302	39.74

(CA07SC)

CAFRESP2¹

Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE

	Freq	Pct
3 = Someone not related & 21 y-o or older gave to me.....	3	0.01
4 = Someone under age 21 gave it to me.....	2	0.00
5 = I took it from home.....	3	0.01
6 = I took it from someone else's home.....	2	0.00
7 = I got it some other way.....	20	0.03
12 = I bought/ordered it; how unspecified.....	3	0.01
13 = Got/bought it in a store/liquor store; how unspcfd.....	7	0.01
14 = Got frm bartender/at bar/restaurant;age/how unspc.....	3	0.01
16 = Got it at party/celebration; no other info.....	12	0.02
19 = I took/got/stole it; location unspcfd or unclear.....	15	0.03
21 = Given by/got from relative; age unspecified.....	4	0.01
22 = Given by/got fr friend/acquaint; age/how unspc.....	52	0.09
24 = Given by/got from person; age/relationship unspc.....	7	0.01
28 = Bought by someone else; age/relationship unspc.....	3	0.01
31 = Just got it/had it; no other information.....	4	0.01
33 = Found it; person's home unspecified.....	4	0.01
36 = I stole it from the store/club/bar;otherwise unspfd.....	4	0.01
85 = BAD DATA Logically assigned.....	19	0.03
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	16662	28.42
94 = DON'T KNOW.....	21	0.04
97 = REFUSED.....	50	0.09
98 = BLANK (NO ANSWER).....	241	0.41
99 = LEGITIMATE SKIP.....	24540	41.85

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

(CA08)

CADRKDRUG¹

Len : 2 ALSO USED DRUGS WHILE YOU WERE DRINKING

	Freq	Pct
1 = Yes.....	3512	5.99
2 = No.....	3225	5.50
85 = BAD DATA Logically assigned.....	7	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24610	41.97
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26584	45.34
94 = DON'T KNOW.....	21	0.04
97 = REFUSED.....	37	0.06
98 = BLANK (NO ANSWER).....	637	1.09

CONSUMPTION OF ALCOHOL

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

(CA091)

[CADRKMARJ](#)¹

Len : 2 USED MARIJUANA OR CANNABIS WHILE YOU WERE DRINKING

	Freq	Pct
1 = Response entered	429	0.73
5 = Response entered LOG ASSN (from skip pattern).....	2992	5.10
6 = Response not entered	35	0.06
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24610	41.97
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26584	45.34
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	395	0.67
99 = LEGITIMATE SKIP.....	3587	6.12

(CA092)

[CADRKCOCN](#)¹

Len : 2 USED COCAINE OR 'CRACK' WHILE YOU WERE DRINKING

	Freq	Pct
1 = Response entered	61	0.10
5 = Response entered LOG ASSN (from skip pattern).....	16	0.03
6 = Response not entered	92	0.16
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24610	41.97
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26584	45.34
98 = BLANK (NO ANSWER)	50	0.09
99 = LEGITIMATE SKIP.....	7220	12.31

(CA093)

[CADRKHERN](#)¹

Len : 2 USED HEROIN WHILE YOU WERE DRINKING

	Freq	Pct
1 = Response entered	7	0.01
6 = Response not entered	7	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24610	41.97
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26584	45.34
98 = BLANK (NO ANSWER)	13	0.02
99 = LEGITIMATE SKIP.....	7412	12.64

(CA094)

[CADRKHALL](#)¹

Len : 2 USED HALLUCINOGENS WHILE YOU WERE DRINKING

	Freq	Pct
1 = Response entered	42	0.07
5 = Response entered LOG ASSN (from skip pattern).....	5	0.01
6 = Response not entered	229	0.39
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24610	41.97
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26584	45.34
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	158	0.27
99 = LEGITIMATE SKIP.....	7004	11.95

(CA095)

[CADRKINHL](#)¹

Len : 2 USED INHALANTS WHILE YOU WERE DRINKING

	Freq	Pct
1 = Response entered	18	0.03
5 = Response entered LOG ASSN (from skip pattern).....	3	0.01
6 = Response not entered	63	0.11
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24610	41.97
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26584	45.34
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP.....	7289	12.43

CONSUMPTION OF ALCOHOL

(CA096)

CADRMETH¹

Len : 2 USED METHAMPHETAMINE WHILE YOU WERE DRINKING

	Freq	Pct
1 = Response entered	54	0.09
5 = Response entered LOG ASSN (from skip pattern).....	22	0.04
6 = Response not entered	31	0.05
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24610	41.97
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS.....	26584	45.34
98 = BLANK (NO ANSWER)	28	0.05
99 = LEGITIMATE SKIP	7304	12.46

NOTE: Female respondents were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 4 or more drinks on the same occasion. Male respondents were asked for the same variables listed above to report about consumption of 5 or more drinks on the same occasion. Variables pertaining to consumption of 5 or more drinks or 4 or more drinks on the same occasion have been edited with respect to ALCUS30D and ALCBNG30D.

CABINGFLG takes into account the editing of the variables ALCUS30D and ALCBNG30D in the Alcohol questionnaire section.

CABINGFLG¹

Len : 2 ANY REPORT OF 4+ OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
0 = No report of 4+/5+ drinks or not applicable.....	46962	80.09
1 = Binge alcohol use on 1+ days (ALCBNG30D=1-30).....	11379	19.41
11 = Report of 4+/5+ drinks in ALCUS30D	95	0.16
85 = BAD DATA Logically assigned	197	0.34

Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime. Have you ever had [4 or more]/[5 or more] drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

(CA10)

CABINGEVR¹

Len : 2 EVER HAD 4/5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
1 = Yes.....	12983	22.14
2 = No	16007	27.30
3 = Yes LOGICALLY ASSIGNED	18	0.03
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	11752	20.04
91 = NEVER USED ALCOHOL.....	16952	28.91
94 = DON'T KNOW	87	0.15
97 = REFUSED	115	0.20
98 = BLANK (NO ANSWER)	719	1.23

Earlier the computer recorded that you had [4 or more]/[5 or more] drinks on the same occasion in the past 30 days. How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

(CA11)

CABINGAGE¹

Len : 3 AGE 1ST TIME HAD 4 OR 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 81	23374	39.86
985 = BAD DATA Logically assigned	457	0.78
991 = NEVER USED ALCOHOL.....	16952	28.91
994 = DON'T KNOW	453	0.77
997 = REFUSED	100	0.17
998 = BLANK (NO ANSWER).....	1290	2.20
999 = LEGITIMATE SKIP	16007	27.30

CONSUMPTION OF ALCOHOL

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

(CA11A, CA11B, CA11C)

[CABINGYFU](#)¹

Len : 4 YEAR OF FIRST 4 OR 5 + DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2022 - 2024	2589	4.42
9985 = BAD DATA Logically assigned	53	0.09
9989 = LEGITIMATE SKIP Logically assigned	81	0.14
9991 = NEVER USED ALCOHOL	16952	28.91
9994 = DON'T KNOW	466	0.79
9997 = REFUSED	103	0.18
9998 = BLANK (NO ANSWER)	1750	2.98
9999 = LEGITIMATE SKIP	36639	62.49

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have [4 or more]/[5 or more] drinks on the same occasion?

(CA11C, CA11D)

[CABINGMFU](#)¹

Len : 2 MONTH OF 4 OR 5+ DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
1 = January	295	0.50
2 = February	154	0.26
3 = March	177	0.30
4 = April	180	0.31
5 = May	206	0.35
6 = June	228	0.39
7 = July	277	0.47
8 = August	206	0.35
9 = September	153	0.26
10 = October	214	0.36
11 = November	145	0.25
12 = December	218	0.37
85 = BAD DATA Logically assigned	85	0.14
89 = LEGITIMATE SKIP Logically assigned	81	0.14
91 = NEVER USED ALCOHOL	16952	28.91
94 = DON'T KNOW	550	0.94
97 = REFUSED	109	0.19
98 = BLANK (NO ANSWER)	1764	3.01
99 = LEGITIMATE SKIP	36639	62.49

NOTE: EIBINGAGE is an "editing indicator" for the variable CABINGAGE. The default value of EIBINGAGE is 1, when no editing has been done to CABINGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGAGE has values of 2 when values in CABINGAGE have logically been replaced with other values as part of the data editing procedures.

[EIBINGAGE](#)¹

Len : 1 EDITING INDICATOR FOR CABINGAGE

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip)	58587	99.92
2 = Logically assigned data	46	0.08

NOTE: EIBINGYFU is an "editing indicator" for the variable CABINGYFU. The default value of EIBINGYFU is 1, when no editing has been done to CABINGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGYFU has values of 2 when values in CABINGYFU have logically been replaced with other values as part of the data editing procedures.

[EIBINGYFU](#)¹

Len : 1 EDITING INDICATOR FOR CABINGYFU

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip)	58600	99.94
2 = Logically assigned data	33	0.06

CONSUMPTION OF ALCOHOL

NOTE: EIBINGMFU is an "editing indicator" for the variable CABINGMFU. The default value of EIBINGMFU is 1, when no editing has been done to CABINGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGMFU has values of 2 when values in CABINGMFU have logically been replaced with other values as part of the data editing procedures.

[EIBINGMFU](#)¹

Len : 1 EDITING INDICATOR FOR CABINGMFU

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....	58609	99.96
2 = Logically assigned data.....	24	0.04

RECODED CONSUMPTION OF ALCOHOL

RECODED CONSUMPTION OF ALCOHOL

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Selection of Variables for Analysis: Variable Naming Conventions and Hierarchy section in the Data Users' Guide (DUG).

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

(CADRPEOP)

UADPEOP

Len : 1 RC-SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	224	0.38
1 = Drank Alone (CADRPEOP=1)	248	0.42
2 = Drank with One Other Person (CADRPEOP=2).....	428	0.73
3 = Drank with More Than One Person (CADRPEOP=3)	1359	2.32
4 = No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99).....	56374	96.15

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

(CADRCAR)

UADCAR

Len : 1 RC-MOST RECENT ALCOHOL USE IN A CAR

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	56619	96.57
1 = Yes (CADRCAR=1,3).....	86	0.15
2 = No (CADRCAR=6).....	1928	3.29

(CADRHOME)

UADHOME

Len : 1 RC-MOST RECENT ALCOHOL USE AT HOME

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	56619	96.57
1 = Yes (CADRHOME=1,3)	919	1.57
2 = No (CADRHOME=6).....	1095	1.87

(CADROTHM)

UADOTHM

Len : 1 RC-MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	56619	96.57
1 = Yes (CADROTHM=1,3)	798	1.36
2 = No (CADROTHM=6).....	1216	2.07

(CADRPUBL)

UADPUBL

Len : 1 RC-MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	56619	96.57
1 = Yes (CADRPUBL=1,3).....	102	0.17
2 = No (CADRPUBL=6)	1912	3.26

(CADRBAR)

UADBAR

Len : 1 RC-MOST RECENT ALCOHOL USE AT RESTAURANT, BAR, OR CLUB

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	56619	96.57
1 = Yes (CADRBAR=1,3).....	169	0.29
2 = No (CADRBAR=6)	1845	3.15

(CADREVNT)

UADVNT

Len : 1 RC-MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise).....	56619	96.57
1 = Yes (CADREVNT=1,3).....	54	0.09
2 = No (CADREVNT=6).....	1960	3.34

RECODED CONSUMPTION OF ALCOHOL

(CADRSCHL)

UADSCHL

Len : 1 RC-MOST RECENT ALCOHOL USE AT SCHOOL

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	56619	96.57
1 = Yes (CADRSCHL=1,3)	33	0.06
2 = No (CADRSCHL=6)	1981	3.38

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTS2=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTS2=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

(CADROTH, CADROTS2)

UADROTH

Len : 1 RC-MOST RECENT ALCOHOL USE AT SOME OTHER PLACE

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (See comment above).....	56656	96.63
1 = Yes (CADROTH=1 and CADROTS2=8-41).....	111	0.19
2 = No (See comment above).....	1866	3.18

(CADROTS2)

UADOTSP2

Len : 1 RC-OTHER LOCATIONS OF MOST RECENT ALCOHOL USE

	Freq	Pct
. = Unknown (CADROTS2=70,85,94,97,98).....	282	0.48
1 = Party, Wedding, or Celebration (CADROTS2=35).....	35	0.06
2 = Outside; Location Not Specified (CADROTS2=24).....	10	0.02
3 = Hotel, Motel, or Resort (CADROTS2=15)	15	0.03
4 = Camping, Hunting, or Fishing (CADROTS2=22).....	7	0.01
5 = Cabin, Cottage, Vacation Home, Etc. (CADROTS2=14).....	6	0.01
7 = Other Location, Nonuser, or Aged 21+ (Otherwise).....	58278	99.39

(CABUYFRE)

UADPAID

Len : 1 RC-UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	231	0.39
1 = Yes (CABUYFRE=1).....	542	0.92
2 = No (CABUYFRE=2)	1486	2.53
3 = No Past Mon Alc/Aged 21+ (CABUYFRE=89,91,93,99)	56374	96.15

A respondent was assigned a value of UADMONEY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONEY=89, 91, 93, 99).

(CAGVMONEY)

UADMONEY

Len : 1 RC-UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	237	0.40
1 = Bought Myself (CAGVMONEY=1)	249	0.42
2 = Gave Money to Someone Else to Buy (CAGVMONEY=2).....	287	0.49
3 = No Pst Mon Alc/Aged 21+/No Pay (See comment above).....	57860	98.68

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89, 91, 93, 99).

(CABUYWHO)

UADBWHO

Len : 1 RC-HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	237	0.40
1 = Bought at a Store/Restaurant/Etc. (CABUYWHO=1)	216	0.37
2 = Bought From Another Person (CABUYWHO=2)	33	0.06
3 = No PM Alc/Aged 21+/No Pay, Buy (See comment above).....	58147	99.17

RECODED CONSUMPTION OF ALCOHOL

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89, 91, 93, 99).

(CABPLACE)

UADPLACE

Len : 1 RC-WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	240	0.41
1 = Bought at Liquor/Grocery Store (CABPLACE=1)	150	0.26
2 = Bought at a Restaurant/Bar/Club (CABPLACE=2)	58	0.10
3 = Bought at a Concert/Sports/Event (CABPLACE=3).....	5	0.01
4 = No PM Alc/21+/Prsn/No Pay, Buy (See comment above).....	58180	99.23

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89, 91, 93, 99).

(CABUNDAG)

UADBUND

Len : 1 RC-AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER

	Freq	Pct
. = Unknown (Otherwise).....	237	0.40
1 = Under Age 21 (CABUNDAG=1).....	9	0.02
2 = Aged 21 or Older (CABUNDAG=2)	24	0.04
3 = No PM Alc/21+/Pce/No Pay, Buy (See comment above).....	58363	99.54

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89, 91, 93, 99).

(CAGVWHO)

UADCAG

Len : 1 RC-WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise).....	245	0.42
1 = Parent or Guardian (CAGVWHO=1).....	17	0.03
2 = Another Family Member Aged 21 or Older (CAGVWHO=2).....	43	0.07
3 = Someone Not Related Aged 21 or Older (CAGVWHO=3).....	183	0.31
4 = Someone Under the Age of 21 (CAGVWHO=4).....	36	0.06
5 = No PM Alc/21+/No Pay/Buy Self (See comment above).....	58109	99.11

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

(CAFRESP2, CAFREWHO)

UADFWHO

Len : 1 RC-WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (See comment above).....	331	0.56
1 = Parent or Guardian (CAFREWHO=1,11)	222	0.38
2 = Another Family Member, 21 or Older (CAFREWHO=2,12).....	233	0.40
3 = Someone Not Related, 21 or Older (CAFREWHO=3,13).....	391	0.67
4 = Someone Under the Age of 21 (CAFREWHO=4,14)	215	0.37
5 = Took From My Home (CAFREWHO=5,15)	154	0.26
6 = Took From Someone Else's Home (CAFREWHO=6,16).....	33	0.06
7 = Some Other Way (CAFREWHO=7 & CAFRESP2=7-47)	138	0.24
8 = No PM Alc/Aged 21+/Pay (See comment above).....	56916	97.07

RECODED CONSUMPTION OF ALCOHOL

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7, 8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

(CAFRESP2, CAFREWHO)

UADFRD

Len : 1 RC-MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD

	Freq	Pct
. = Unknown (See comment above).....	331	0.56
1 = Got From a Friend (CAFREWHO=7 & CAFRESP2=22,43).....	52	0.09
2 = Not From a Friend (See comment above).....	1334	2.28
3 = No PM Alc/Aged 21+/Pay (See comment above).....	56916	97.07

NOTE: The following six variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

(CADRKMARJ)

CADRKMARJ2

Len : 1 RC-USED MARIJUANA WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	396	0.68
0 = No (CADRKMARJ=6,81,83,89,91,93,99).....	54816	93.49
1 = Yes (CADRKMARJ=1,5).....	3421	5.83

(CADRKCOCN)

CADRKCOCN2

Len : 1 RC-USED COCAINE WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	50	0.09
0 = No (CADRKCOCN=6,81,83,89,91,93,99).....	58506	99.78
1 = Yes (CADRKCOCN=1,5).....	77	0.13

(CADRKHERN)

CADRKHERN2

Len : 1 RC-USED HEROIN WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	13	0.02
0 = No (CADRKHERN=6,81,83,89,91,93,99).....	58613	99.97
1 = Yes (CADRKHERN=1,5).....	7	0.01

(CADRKHALL)

CADRKHALL2

Len : 1 RC-USED HALLUCINOGENS WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	159	0.27
0 = No (CADRKHALL=6,81,83,89,91,93,99).....	58427	99.65
1 = Yes (CADRKHALL=1,5).....	47	0.08

(CADRKINHL)

CADRKINHL2

Len : 1 RC-USED INHALANTS WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	66	0.11
0 = No (CADRKINHL=6,81,83,89,91,93,99).....	58546	99.85
1 = Yes (CADRKINHL=1,5).....	21	0.04

(CADRKMETH)

CADRKMETH2

Len : 1 RC-USED METHAMPHETAMINE WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise).....	28	0.05
0 = No (CADRKMETH=6,81,83,89,91,93,99).....	58529	99.82
1 = Yes (CADRKMETH=1,5).....	76	0.13

MARIJUANA

MARIJUANA

The next questions are about CBD or hemp products made from hemp plants. CBD and hemp products have no or small amounts of THC and are not intended to cause a "high." They come in many forms including oils, lotions, edibles, and isolate. People sometimes use them to relieve pain, to reduce anxiety, or to help them sleep.

Have you ever, even once, used any CBD or hemp products?

(CDDLIF)

CBDHMPPEVR

Len : 2 EVER USED CBD OR HEMP PRODUCTS

	Freq	Pct
1 = Yes.....	18844	32.14
2 = No.....	39295	67.02
94 = DON'T KNOW.....	460	0.78
97 = REFUSED.....	34	0.06

How long has it been since you last used any form of CBD or hemp product?

(CBDLAST)

CBDHMPREC

Len : 2 TIME SINCE LAST USED CBD OR HEMP PRODUCT

	Freq	Pct
1 = Within the past 30 days.....	5694	9.71
2 = More than 30 days ago but within the past 12 mos.....	4634	7.90
3 = More than 12 months ago but within the past 3 yrs.....	4887	8.33
4 = More than 3 years ago.....	3578	6.10
9 = Used at some point in the lifetime LOG ASSN.....	51	0.09
91 = NEVER USED CBD OR HEMP PRODUCT.....	39295	67.02
98 = BLANK (NO ANSWER).....	494	0.84

The next questions are about marijuana and cannabis products, sometimes called pot, weed, hashish, or concentrates. Some of the ways these products can be used are smoking (such as in joints, pipes, bongs, blunts, or hookahs), vaping (using vape pens, dab pens, tabletop vaporizers, or portable vaporizers), dabbing, eating or drinking, or applying as a lotion.

Please exclude your use of CBD or hemp products when answering these questions.

Have you ever, even once, used marijuana or any cannabis product?

(MJ01, MJREF)

MJEVER

Len : 2 EVER USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Yes.....	26532	45.25
2 = No.....	32064	54.69
94 = DON'T KNOW.....	25	0.04
97 = REFUSED.....	12	0.02

How old were you the first time you used marijuana or any cannabis product?

(MJ02)

MJAGE

Len : 3 AGE WHEN FIRST USED MARIJUANA/CANNABIS

	Freq	Pct
RANGE = 1 - 94.....	26366	44.97
985 = BAD DATA Logically assigned.....	48	0.08
991 = NEVER USED MARIJUANA.....	32064	54.69
994 = DON'T KNOW.....	88	0.15
997 = REFUSED.....	42	0.07
998 = BLANK (NO ANSWER).....	25	0.04

MARIJUANA

Did you first use marijuana or any cannabis product in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or any cannabis product in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or any cannabis product?

(MJ03A, MJ03B, MJ03C)

MJYFU

Len : 4 YEAR OF FIRST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	1571	2.68
9985 = BAD DATA Logically assigned	135	0.23
9989 = LEGITIMATE SKIP Logically assigned	105	0.18
9991 = NEVER USED MARIJUANA	32064	54.69
9994 = DON'T KNOW	100	0.17
9997 = REFUSED	44	0.08
9998 = BLANK (NO ANSWER)	25	0.04
9999 = LEGITIMATE SKIP	24589	41.94

In what month in [CURRENT YEAR] did you first use marijuana or any cannabis product?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or any cannabis product?

(MJ03C, MJ03D)

MJMFU

Len : 2 MONTH OF FIRST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
1 = January	145	0.25
2 = February	102	0.17
3 = March	132	0.23
4 = April	116	0.20
5 = May	100	0.17
6 = June	154	0.26
7 = July	127	0.22
8 = August	113	0.19
9 = September	122	0.21
10 = October	148	0.25
11 = November	108	0.18
12 = December	101	0.17
85 = BAD DATA Logically assigned	132	0.23
89 = LEGITIMATE SKIP Logically assigned	105	0.18
91 = NEVER USED MARIJUANA	32064	54.69
94 = DON'T KNOW	194	0.33
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	28	0.05
99 = LEGITIMATE SKIP	24589	41.94

How long has it been since you last used marijuana or any cannabis product?

(MJLAST3, MJRECDK, MJRECRE)

MJREC

Len : 2 TIME SINCE LAST USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Within the past 30 days	9826	16.76
2 = More than 30 days ago but within the past 12 mos	4553	7.77
3 = More than 12 months ago	11909	20.31
8 = Used at some point in the past 12 mos LOG ASSN	106	0.18
9 = Used at some point in the lifetime LOG ASSN	134	0.23
11 = Used in the past 30 days LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	32064	54.69
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	25	0.04

MARIJUANA

(TOTMJ)
MJYRTOT

Len : 3 TOTAL # OF DAYS USED MARIJUANA/CANNABIS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	14267	24.33
985 = BAD DATA Logically assigned	123	0.21
991 = NEVER USED MARIJUANA	32064	54.69
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
994 = DON'T KNOW	72	0.12
997 = REFUSED	39	0.07
998 = BLANK (NO ANSWER).....	159	0.27

MRTOTFG

Len : 2 TRIMMING INDICATOR FOR MJYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	19	0.03
2 = Trimmed relative to the 30-day freq	553	0.94
98 = BLANK (NO ANSWER)	58061	99.02

MJQFLG

Len : 2 TRIMMED MJYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	354	0.60
98 = BLANK (NO ANSWER)	58279	99.40

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or any cannabis product during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(MJFRAME3)
MRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Prefer to answer in days per week.....	6340	10.81
2 = Prefer to answer in days per month.....	3227	5.50
3 = Prefer to answer in days per year	4648	7.93
11 = Prefer to ans in days per wk LOG ASSN	18	0.03
12 = Prefer to ans in days per mo LOG ASSN.....	24	0.04
13 = Prefer to ans in days per yr LOG ASSN	68	0.12
85 = BAD DATA Logically assigned	122	0.21
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW	31	0.05
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	159	0.27

On how many days in the past 12 months did you use marijuana or any cannabis product?

(MJYRAVE)
MRDAYPYR

Len : 3 # DAYS USED MARIJUANA/CANNABIS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 366	4704	8.02
985 = BAD DATA Logically assigned	18	0.03
989 = LEGITIMATE SKIP Logically assigned	53	0.09
991 = NEVER USED MARIJUANA	32064	54.69
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
994 = DON'T KNOW	43	0.07
997 = REFUSED	23	0.04
998 = BLANK (NO ANSWER).....	263	0.45
999 = LEGITIMATE SKIP	9556	16.30

MARIJUANA

On average, how many days did you use marijuana or any cannabis product each month during the past 12 months?

(MJMONAVE)
MRDAYPMO

Len : 2 # DAYS PER MO USED MARIJUANA/CANNABIS PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	3237	5.52
85 = BAD DATA Logically assigned	32	0.05
89 = LEGITIMATE SKIP Logically assigned	20	0.03
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW	52	0.09
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	250	0.43
99 = LEGITIMATE SKIP	11042	18.83

On average, how many days did you use marijuana or any cannabis product each week during the past 12 months?

(MJWKAVE)
MRDAYPWK

Len : 2 # DAYS PER WEEK USED MARIJUANA/CANNABIS PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	6326	10.79
85 = BAD DATA Logically assigned	74	0.13
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW	71	0.12
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	209	0.36
99 = LEGITIMATE SKIP	7941	13.54

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or any cannabis product?

(MJ06)
MJDAY30A

Len : 2 # DAYS USED MARIJUANA/CANNABIS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	9751	16.63
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW	52	0.09
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	269	0.46

What is your best estimate of the number of days you used marijuana or any cannabis product during the past 30 days?

(MJ06DKRE)
MR30EST

Len : 2 BEST EST. # DAYS USED MARIJUANA/CANNABIS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	14	0.02
2 = 3 to 5 days.....	11	0.02
3 = 6 to 9 days.....	4	0.01
4 = 10 to 19 days.....	17	0.03
5 = 20 to 29 days.....	5	0.01
6 = All 30 days.....	10	0.02
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW	8	0.01
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	269	0.46
99 = LEGITIMATE SKIP	9747	16.62

MARIJUANA

During the past 12 months, that is, since [DATEFILL], in which of the following ways did you use marijuana or any cannabis product?

To select more than one way from the list, press the space bar between each number you type. When you have finished, press [ENTER]

(MJMODEPY1)

MJYRSMOKE

Len : 2 MRJ USE - SMOKING - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	10955	18.68
2 = No (not entered).....	3379	5.76
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	8	0.01
5 = Yes LOGICALLY ASSIGNED (from MJMONSMOKE).....	122	0.21
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW	12	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	171	0.29

(MJMODEPY2)

MJYRVAPE

Len : 2 MRJ USE - VAPING - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	6365	10.86
2 = No (not entered).....	7780	13.27
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	9	0.02
4 = No (not entered) LOGICALLY ASSIGNED	101	0.17
5 = Yes LOGICALLY ASSIGNED (from MJMONVAPE or initiation).....	306	0.52
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW	4	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	87	0.15

(MJMODEPY3)

MJYRDAB

Len : 2 MRJ USE - DABBING WAXES, SHATTER, OR CONC - PAST 12 MOS

	Freq	Pct
1 = Yes.....	2625	4.48
2 = No (not entered).....	11730	20.01
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	3	0.01
4 = No (not entered) LOGICALLY ASSIGNED	2	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONDAB)	102	0.17
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW	12	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	171	0.29

(MJMODEPY4)

MJYREAT

Len : 2 MRJ USE - EATING OR DRINKING - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	7040	12.01
2 = No (not entered).....	7172	12.23
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	75	0.13
4 = No (not entered) LOGICALLY ASSIGNED	1	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONEAT).....	175	0.30
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW	11	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	171	0.29

MARIJUANA

(MJMODEPY5)
MJYRMOUTH

Len : 2 MRJ USE - DROPS/STRIPS/LOZENGES/SPRAYS IN MOUTH - PST 12 MOS

	Freq	Pct
1 = Yes.....	673	1.15
2 = No (not entered).....	13732	23.42
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	3	0.01
4 = No (not entered) LOGICALLY ASSIGNED.....	2	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONMOUTH).....	51	0.09
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	16	0.03
98 = BLANK (NO ANSWER).....	171	0.29

(MJMODEPY6)
MJYRSKIN

Len : 2 MRJ USE - LOTION/CREAM/PATCH TO SKIN - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	1091	1.86
2 = No (not entered).....	13331	22.74
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER).....	4	0.01
4 = No (not entered) LOGICALLY ASSIGNED.....	2	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONSKIN).....	33	0.06
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	16	0.03
98 = BLANK (NO ANSWER).....	171	0.29

(MJMODEPY7)
MJYRPILL

Len : 2 MRJ USE - PILLS - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	330	0.56
2 = No (not entered).....	14111	24.07
4 = No (not entered) LOGICALLY ASSIGNED.....	2	0.00
5 = Yes LOGICALLY ASSIGNED (from MJMONPILL).....	18	0.03
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	16	0.03
98 = BLANK (NO ANSWER).....	171	0.29

(MJMODEPY8)
MJYROTHER

Len : 2 MRJ USE - SOME OTHER WAY - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	276	0.47
2 = No (not entered).....	14156	24.14
4 = No (not entered) LOGICALLY ASSIGNED.....	2	0.00
5 = Yes LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11909	20.31
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	16	0.03
98 = BLANK (NO ANSWER).....	171	0.29

MARIJUANA

During the past 30 days, that is, since [DATEFILL], in which of the following ways did you use marijuana or any cannabis product?

To select more than one way from the list, press the space bar between each number you type. When you have finished, press [ENTER]

(MJMODEPM1)

MJMONSMOKE

Len : 2 MRJ USE - SMOKING - PAST 30 DAYS

	Freq	Pct
1 = Yes.....	7471	12.74
2 = No (not entered).....	2318	3.95
3 = Yes LOGICALLY ASSIGNED.....	7	0.01
4 = No (not entered) LOGICALLY ASSIGNED.....	4	0.01
5 = Yes LOGICALLY ASSIGNED (from MJYRSMOKE).....	10	0.02
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW.....	8	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	279	0.48

(MJMODEPM2)

MJMONVAPE

Len : 2 MRJ USE - VAPING - PAST 30 DAYS

	Freq	Pct
1 = Yes.....	4234	7.22
2 = No (not entered).....	5545	9.46
3 = Yes LOGICALLY ASSIGNED.....	5	0.01
4 = No (not entered) LOGICALLY ASSIGNED.....	112	0.19
5 = Yes LOGICALLY ASSIGNED (from MJYRVAPE or initiation).....	19	0.03
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	178	0.30

(MJMODEPM3)

MJMONDAB

Len : 2 MRJ USE - DABBING WAXES, SHATTER, OR CONC - PAST 30 DAYS

	Freq	Pct
1 = Yes.....	1679	2.86
2 = No (not entered).....	8119	13.85
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
4 = No (not entered) LOGICALLY ASSIGNED.....	14	0.02
5 = Yes LOGICALLY ASSIGNED (from MJYRDAB).....	3	0.01
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	278	0.47

(MJMODEPM4)

MJMONEAT

Len : 2 MRJ USE - EATING OR DRINKING - PAST 30 DAYS

	Freq	Pct
1 = Yes.....	3786	6.46
2 = No (not entered).....	5978	10.20
3 = Yes LOGICALLY ASSIGNED.....	31	0.05
4 = No (not entered) LOGICALLY ASSIGNED.....	8	0.01
5 = Yes LOGICALLY ASSIGNED (from MJYREAT).....	10	0.02
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	278	0.47

MARIJUANA

(MJMODEPM5)
MJMONMOUTH

Len : 2 MRJ USE - DROPS/STRIPS/LOZENGES/SPRAYS IN MOUTH - PST 30 DAY

	Freq	Pct
1 = Yes.....	344	0.59
2 = No (not entered).....	9458	16.13
4 = No (not entered) LOGICALLY ASSIGNED	15	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYRMOUTH).....	1	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW	4	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	278	0.47

(MJMODEPM6)
MJMONSKIN

Len : 2 MRJ USE - LOTION/CREAM/PATCH TO SKIN - PAST 30 DAYS

	Freq	Pct
1 = Yes.....	519	0.89
2 = No (not entered).....	9276	15.82
3 = Yes LOGICALLY ASSIGNED	1	0.00
4 = No (not entered) LOGICALLY ASSIGNED	17	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYRSKIN)	7	0.01
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW	4	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	277	0.47

(MJMODEPM7)
MJMONPILL

Len : 2 MRJ USE - PILLS - PAST 30 DAYS

	Freq	Pct
1 = Yes.....	145	0.25
2 = No (not entered).....	9653	16.46
4 = No (not entered) LOGICALLY ASSIGNED	18	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYRPILL).....	2	0.00
85 = BAD DATA Logically Assigned	3	0.01
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	16462	28.08
94 = DON'T KNOW	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	277	0.47

This question is about vaping marijuana with e-cigarettes or other vaping devices. These devices might also be called vapes, vape pens, or mods. When answering, please include any device that heats a liquid containing marijuana into a vapor.

Have you ever, even once, vaped marijuana with a vaping device?

(VPMJLIF)
MJEVERVAPE

Len : 2 EVER VAPED MARIJUANA

	Freq	Pct
1 = Yes.....	6990	11.92
2 = No	12952	22.09
3 = Yes LOGICALLY ASSIGNED	4	0.01
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	6569	11.20
91 = NEVER USED MARIJUANA	32064	54.69
94 = DON'T KNOW	9	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	37	0.06

MARIJUANA

NOTE: Beginning in 2022, edited variables MJANYMEDYR and MJALLMEDYR replace variables MEDMJYR and MEDMJALL. Questions MJMM01 and MJMM02 were moved from the blunts section of the questionnaire to the marijuana section. This change may have affected how respondents answered these questions.

NOTE: Past year marijuana users could answer MJANYMEDYR and MJALLMEDYR as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use.

Earlier, you reported using marijuana or any cannabis product in the past year. Was any of your marijuana or cannabis product use in the past 12 months recommended by a doctor or other health care professional?

(MJMM01)

<u>MJANYMEDYR</u>	Len : 2	ANY MARIJUANA USE IN PAST 12 MONTHS RECOMMENDED BY DR	Freq	Pct
1 = Yes.....			2326	3.97
2 = No.....			12124	20.68
91 = NEVER USED MARIJUANA			32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....			11909	20.31
94 = DON'T KNOW			12	0.02
97 = REFUSED			27	0.05
98 = BLANK (NO ANSWER)			171	0.29

Was all of your marijuana or cannabis use in the past 12 months recommended by a doctor or other health care professional?

(MJMM02)

<u>MJALLMEDYR</u>	Len : 2	ALL MARIJUANA USE IN PAST 12 MONTHS RECOMMENDED BY DR	Freq	Pct
1 = Yes.....			1421	2.42
2 = No.....			901	1.54
91 = NEVER USED MARIJUANA			32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			11909	20.31
94 = DON'T KNOW			2	0.00
97 = REFUSED			29	0.05
98 = BLANK (NO ANSWER)			183	0.31
99 = LEGITIMATE SKIP.....			12124	20.68

NOTE: MEDMJPA2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons had been passed at the time of the interview. The entire sample was classified into one of the following two categories: MEDMJPA2 was coded as 1 if the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed on or before the interview date; MEDMJPA2 was coded as 2 if (a) the respondent was in a State in which a law or initiative allowing the use of marijuana for medical reasons had not been passed at any time during the survey year; or (b) the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed during the survey year but after the interview date.

<u>MEDMJPA2</u>	Len : 1	STATE MEDICAL MJ LAW PASSED AT TIME OF INTERVIEW	Freq	Pct
1 = In State where medical MJ law passed before intvw.....			45805	78.12
2 = Not In State where med MJ law existed at time of intw.....			12828	21.88

MARKET INFORMATION FOR MARIJUANA

MARKET INFORMATION FOR MARIJUANA

NOTE: The Market Information for Marijuana section underwent extensive questionnaire changes for the 2022 survey. Therefore, all variables in this section were given new variable names beginning in 2022.

Now we return to the topic of marijuana and cannabis products.
Please do not include CBD or hemp products when answering these questions.

During the past 12 months, how did you get marijuana or cannabis products?

(MJE01A)

MKMBGHTYR

Len : 2 PAID FOR OR BOUGHT MARIJUANA - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	9158	15.62
2 = No.....	4791	8.17
3 = Yes LOGICALLY ASSIGNED.....	27	0.05
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	28	0.05
97 = REFUSED.....	77	0.13
98 = BLANK (NO ANSWER).....	577	0.98

(MJE01B)

MKMTRADEYR

Len : 2 TRADED SOMETHING FOR MARIJUANA - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	691	1.18
2 = No.....	13284	22.66
3 = Yes LOGICALLY ASSIGNED.....	9	0.02
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	70	0.12
98 = BLANK (NO ANSWER).....	578	0.99

(MJE01C)

MKMFREYR

Len : 2 GOT FOR FREE OR SHARED SOMEONE ELSE'S MARIJUANA - PST 12 MOS

	Freq	Pct
1 = Yes.....	7330	12.50
2 = No.....	6611	11.28
3 = Yes LOGICALLY ASSIGNED.....	38	0.06
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	30	0.05
97 = REFUSED.....	73	0.12
98 = BLANK (NO ANSWER).....	576	0.98

(MJE01D)

MKMGREWYR

Len : 2 GREW OWN MARIJUANA - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	546	0.93
2 = No.....	13429	22.90
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	77	0.13
98 = BLANK (NO ANSWER).....	577	0.98

MARKET INFORMATION FOR MARIJUANA

NOTE: MKMOTHWAYYR was coded as 5 (Source unknown) if respondents used marijuana in the past 12 months, but they did not report at least one way in which they got marijuana in that period.

(MJE01E)

MKMOTHWAYYR Len : 2 GOT MARIJUANA IN SOME OTHER WAY - PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	834	1.42
2 = No.....	11165	19.04
5 = Source unknown.....	2058	3.51
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	577	0.98

How long has it been since you last paid for or bought marijuana or cannabis products?

(MJE02)

MKMBGHTREC Len : 2 TIME SINCE LAST PAID FOR OR BOUGHT MARIJUANA

	Freq	Pct
1 = Within the past 30 days.....	4995	8.52
2 = More than 30 days ago but within the past 12 months.....	4096	6.99
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	49	0.08
97 = REFUSED.....	17	0.03
98 = BLANK (NO ANSWER).....	710	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

During the past 30 days, that is, since [DATEFILL], on how many days did you pay for or buy marijuana or cannabis products?

(MJE03)

MKMBGHT30N2 Len : 2 # OF DAYS PAID FOR OR BOUGHT MARIJUANA - PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 5.....	4067	6.94
6 = 6 or more.....	875	1.49
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	42	0.07
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	776	1.32
99 = LEGITIMATE SKIP.....	8887	15.16

MKMAMTPDCOM2 Len : 2 AMT PAID FOR LAST MRJ BOUGHT - CAT - PST 12 MOS (COMBINED)

	Freq	Pct
1 = Less than \$25.00.....	1691	2.88
2 = \$25.00 to \$49.99.....	2790	4.76
3 = \$50.00 to \$99.99.....	2409	4.11
4 = \$100.00 to \$149.99.....	1245	2.12
5 = \$150.00 to \$199.99.....	312	0.53
6 = \$200 to \$299.99.....	382	0.65
7 = \$300 to \$399.99.....	122	0.21
8 = \$400 to \$499.99.....	49	0.08
9 = \$500 or more.....	93	0.16
91 = NEVER USED MARIJUANA.....	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	15	0.03
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	739	1.26
99 = LEGITIMATE SKIP.....	4791	8.17

MARKET INFORMATION FOR MARIJUANA

The last time you bought marijuana or cannabis products, did you buy it from either a store or dispensary?

(MJE06)

MKMBGHTDISP

Len : 2 BGHT LAST MARIJUANA FROM STORE OR DISPENSARY - PST 12 MOS

	Freq	Pct
1 = Yes.....	6672	11.38
2 = No.....	2446	4.17
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW	15	0.03
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	710	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

The last time you paid for or bought marijuana or cannabis products, how well did you know the person you got it from?

(MJE07)

MKMBGHTKNW

Len : 2 HOW WELL KNOW PERSON BOUGHT LAST MRJ FROM - PST 12 MOS

	Freq	Pct
1 = Very well	1643	2.80
2 = Somewhat well	577	0.98
3 = Not at all well	228	0.39
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW	12	0.02
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	713	1.22
99 = LEGITIMATE SKIP.....	11463	19.55

The last time you paid for or bought marijuana, what forms of marijuana or cannabis products did you buy?

(MJE05A)

MKMBGHTJNT

Len : 2 LAST BOUGHT MRJ IN PRE-ROLLED JOINTS - PST 12 MOS

	Freq	Pct
1 = Yes.....	2528	4.31
2 = No.....	6605	11.26
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW	7	0.01
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

(MJE05B)

MKMBGHTLOO

Len : 2 LAST BOUGHT MRJ IN LOOSE FORM - PST 12 MOS

	Freq	Pct
1 = Yes.....	4919	8.39
2 = No.....	4215	7.19
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW	7	0.01
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

MARKET INFORMATION FOR MARIJUANA

(MJE05C)

[MKMBGHTVAPE](#)

Len : 2 LAST BOUGHT MRJ IN VAPING CATRIDGE/OIL/PEN - PST 12 MOS

	Freq	Pct
1 = Yes.....	3341	5.70
2 = No.....	5788	9.87
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	8	0.01
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

(MJE05D)

[MKMBGHTDAB](#)

Len : 2 LAST BOUGHT MRJ IN WAXES/SHATTER/CONCENTRATE - PST 12 MOS

	Freq	Pct
1 = Yes.....	993	1.69
2 = No.....	8136	13.88
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

(MJE05E)

[MKMBGHTEDBLE](#)

Len : 2 LAST BOUGHT MRJ IN EDIBLES FOR EAT OR DRINK - PST 12 MOS

	Freq	Pct
1 = Yes.....	3951	6.74
2 = No.....	5174	8.82
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	8	0.01
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

(MJE05F)

[MKMBGHTDRPS](#)

Len : 2 LAST BOUGHT MRJ IN DROP/STRIP/LOZENGE/SPRAY - PST 12 MOS

	Freq	Pct
1 = Yes.....	239	0.41
2 = No.....	8887	15.16
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

MARKET INFORMATION FOR MARIJUANA

(MJE05G)
MKMBGHTLTN

Len : 2 LAST BOUGHT MRJ IN LOTION/CREAM/PATCH - PST 12 MOS

	Freq	Pct
1 = Yes.....	369	0.63
2 = No.....	8758	14.94
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

(MJE05H)
MKMBGHTPILL

Len : 2 LAST BOUGHT MRJ IN PILLS - PST 12 MOS

	Freq	Pct
1 = Yes.....	140	0.24
2 = No.....	8990	15.33
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

NOTE: MKMBGHTOTH was coded as 5 (Form bought unknown) if respondents reported buying marijuana or cannabis products in the past 12 months, but they did not report at least one form of marijuana or cannabis product bought in that period.

(MJE05I)
MKMBGHTOTH

Len : 2 LAST BOUGHT MRJ IN OTHER FORM - PST 12 MOS

	Freq	Pct
1 = Yes.....	123	0.21
2 = No.....	8888	15.16
5 = Form bought unknown.....	134	0.23
85 = BAD DATA Logically Assigned.....	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	712	1.21
99 = LEGITIMATE SKIP.....	4791	8.17

MKMLOOGMCOM2 Len : 2 EST AMT OF LOOSE MRJ BGHT LAST TIME IN GRAMS-CAT (COMBINED)

	Freq	Pct
1 = At least 1 but less than 3 grams.....	607	1.04
2 = At least 3 but less than 5 grams.....	744	1.27
3 = At least 5 but less than 7 grams.....	165	0.28
4 = At least 7 but less than 10 grams.....	386	0.66
5 = At least 10 but less than 15 grams.....	256	0.44
6 = 15 grams or more.....	208	0.35
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	837	1.43
99 = LEGITIMATE SKIP.....	11442	19.51

MARKET INFORMATION FOR MARIJUANA

The last time you bought marijuana in loose form, how many ounces did you buy?

(MJE17)

[MKMLOOOUNCE](#) Len : 2 AMT OF LOOSE MARIJUANA BOUGHT LAST TIME IN OUNCES - CAT

	Freq	Pct
1 = At least 1/8 but less than 1/4 of an ounce (an "eighth").....	819	1.40
2 = At least 1/4 but less than 1/3 of an ounce (a "quarter")	419	0.71
3 = At least 1/3 but less than 1/2 of an ounce.....	93	0.16
4 = At least 1/2 but less than 1 ounce ("half-an-ounce")	368	0.63
5 = At least 1 but less than 2 ounces	506	0.86
6 = At least 2 but less than 3 ounces	89	0.15
7 = 3 ounces or more.....	83	0.14
85 = BAD DATA Logically Assigned	1	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW	9	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	835	1.42
99 = LEGITIMATE SKIP.....	11437	19.51

During the past 12 months, did you sell any marijuana or cannabis products?

(MJE21)

[MKMSELLMRJ](#) Len : 2 SOLD MARIJUANA IN THE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	375	0.64
2 = No.....	13609	23.21
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS.....	11909	20.31
94 = DON'T KNOW	26	0.04
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	589	1.00

BLUNTS

BLUNTS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a cigar with marijuana in it?

(BL01)

BLNTEVER¹

Len : 2 EVER SMOKED CIGAR WITH MARIJUANA IN IT

	Freq	Pct
1 = Yes.....	13135	22.40
2 = No.....	44545	75.97
4 = No LOGICALLY ASSIGNED	22	0.04
11 = Yes (see note)	457	0.78
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	87	0.15
97 = REFUSED	61	0.10
98 = BLANK (NO ANSWER)	323	0.55

How old were you the first time you smoked part or all of a cigar with marijuana in it?

(BL08)

BLNTAGE¹

Len : 3 AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
RANGE = 1 - 75	13446	22.93
981 = NEVER USED BLUNTS Logically assigned.....	22	0.04
985 = BAD DATA Logically assigned	9	0.02
991 = NEVER USED BLUNTS	44545	75.97
994 = DON'T KNOW	101	0.17
997 = REFUSED	98	0.17
998 = BLANK (NO ANSWER).....	412	0.70

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

(BL08A, BL08B, BL08C)

BLNTYFU¹

Len : 4 YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE

	Freq	Pct
RANGE = 2022 - 2024	988	1.69
9981 = NEVER USED BLUNTS Logically assigned.....	22	0.04
9985 = BAD DATA Logically assigned	17	0.03
9989 = LEGITIMATE SKIP Logically assigned	65	0.11
9991 = NEVER USED BLUNTS	44545	75.97
9994 = DON'T KNOW	106	0.18
9997 = REFUSED	98	0.17
9998 = BLANK (NO ANSWER).....	425	0.72
9999 = LEGITIMATE SKIP.....	12367	21.09

BLUNTS

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

(BL08C, BL08D)

[BLNTMFU](#)¹

Len : 2 MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE

	Freq	Pct
1 = January.....	95	0.16
2 = February.....	77	0.13
3 = March.....	77	0.13
4 = April.....	74	0.13
5 = May.....	78	0.13
6 = June.....	85	0.14
7 = July.....	83	0.14
8 = August.....	72	0.12
9 = September.....	72	0.12
10 = October.....	70	0.12
11 = November.....	74	0.13
12 = December.....	74	0.13
81 = NEVER USED BLUNTS Logically assigned.....	22	0.04
85 = BAD DATA Logically assigned.....	17	0.03
89 = LEGITIMATE SKIP Logically assigned.....	65	0.11
91 = NEVER USED BLUNTS.....	44545	75.97
94 = DON'T KNOW.....	155	0.26
97 = REFUSED.....	101	0.17
98 = BLANK (NO ANSWER).....	430	0.73
99 = LEGITIMATE SKIP.....	12367	21.09

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

(BL02)

[BLNTREC](#)¹

Len : 2 TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
1 = Within the past 30 days.....	2712	4.63
2 = More than 30 days ago but within the past 12 mos.....	2379	4.06
3 = More than 12 months ago.....	8297	14.15
9 = Used at some point in lifetime LOG ASSN.....	75	0.13
12 = More than 30 dys ago but in pst 12 mos (see note).....	82	0.14
19 = More than 30 days ago LOGICALLY ASSIGNED.....	42	0.07
81 = NEVER USED BLUNTS Logically assigned.....	22	0.04
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED BLUNTS.....	44545	75.97
97 = REFUSED.....	61	0.10
98 = BLANK (NO ANSWER).....	415	0.71

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

[BLRECFL2](#)¹

Len : 2 INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA

	Freq	Pct
1 = Incidence data suggest more recent use.....	74	0.13
98 = BLANK (NO ANSWER).....	58559	99.87

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

(BL02A, BL03A, BL04A)

[BLNT30DY](#)¹

Len : 2 # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30.....	2693	4.59
91 = NEVER USED BLUNTS.....	44567	76.01
93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS.....	10800	18.42
94 = DON'T KNOW.....	13	0.02
97 = REFUSED.....	64	0.11
98 = BLANK (NO ANSWER).....	496	0.85

BLUNTS

The answer to the last question and an earlier question disagree. Which is correct?

(BL03)

[BLNT30C1](#)¹

Len : 2 BL02/MJ01 DISAGREE, WHICH IS CORRECT

	Freq	Pct
1 = I have never used marijuana or any cannabis product.....	22	0.04
2 = I smoked cigar w/mj in it during the past 30 days.....	40	0.07
85 = BAD DATA Logically assigned.....	3	0.01
98 = BLANK (NO ANSWER)	295	0.50
99 = LEGITIMATE SKIP.....	58273	99.39

The answer to the last question and an earlier question disagree. Which answer is correct?

(BL04)

[BLNT30C2](#)¹

Len : 2 BL02 AND MJ RECENCY DISAGREE, WHICH IS CORRECT

	Freq	Pct
1 = I last used marijuana or any cannabis product [MJREC FILL]	45	0.08
2 = I smoked cigar w/mj in it during the past 30 days.....	64	0.11
89 = LEGITIMATE SKIP Logically assigned	1	0.00
98 = BLANK (NO ANSWER)	455	0.78
99 = LEGITIMATE SKIP.....	58068	99.04

Why did you report earlier that you had never used marijuana or any cannabis product?

(BL05)

[RSNOMRJ](#)¹

Len : 2 WHY REPORT EARLIER THAT NEVER USED MJ/CANNABIS

	Freq	Pct
1 = I didn't consider a "blunt" to be mj or any cannabis product	7	0.01
2 = I made mistake answering earlier question about mj.....	28	0.05
3 = Some other reason.....	5	0.01
98 = BLANK (NO ANSWER)	298	0.51
99 = LEGITIMATE SKIP.....	58295	99.42

Why did you report earlier that you did not use marijuana or any cannabis product during the past 30 days?

(BL06)

[RSNMRJMO](#)¹

Len : 2 WHY REPT EARLIER NOT USE MJ/CANNABIS PAST 30 DAYS

	Freq	Pct
1 = I didn't consider a "blunt" to be mj or any cannabis product	14	0.02
2 = I made mistake answering earlier question about mj.....	42	0.07
3 = Some other reason.....	8	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
98 = BLANK (NO ANSWER)	455	0.78
99 = LEGITIMATE SKIP.....	58113	99.11

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

(BL07)

[BLNTNOMJ](#)¹

Len : 2 SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS

	Freq	Pct
1 = Yes.....	245	0.42
2 = No.....	437	0.75
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1263	2.15
14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY	756	1.29
24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS	1264	2.16
91 = NEVER USED CIGARS/BLUNTS.....	37094	63.26
93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS.....	16955	28.92
98 = BLANK (NO ANSWER)	619	1.06

COCAINE

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

(CC01, CCREF)

COCEVER

Len : 2 EVER USED COCAINE

	Freq	Pct
1 = Yes.....	6718	11.46
2 = No.....	51888	88.50
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	16	0.03
97 = REFUSED.....	9	0.02

How old were you the first time you used any form of cocaine?

(CC02)

COCEAGE

Len : 3 AGE WHEN FIRST USED COCAINE

	Freq	Pct
RANGE = 1 - 68.....	6682	11.40
985 = BAD DATA Logically assigned.....	9	0.02
991 = NEVER USED COCAINE.....	51888	88.50
994 = DON'T KNOW.....	23	0.04
997 = REFUSED.....	15	0.03
998 = BLANK (NO ANSWER).....	16	0.03

Did you first use any form of cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any form of cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any form of cocaine?

(CC03A, CC03B, CC03C)

COCYFU

Len : 4 YEAR OF FIRST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	224	0.38
9985 = BAD DATA Logically assigned.....	23	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	19	0.03
9991 = NEVER USED COCAINE.....	51888	88.50
9994 = DON'T KNOW.....	27	0.05
9997 = REFUSED.....	15	0.03
9998 = BLANK (NO ANSWER).....	19	0.03
9999 = LEGITIMATE SKIP.....	6418	10.95

COCAINE

In what month in [CURRENT YEAR] did you first use any form of cocaine?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

(CC03C, CC03D)

[COCMFU](#)

Len : 2 MONTH OF FIRST COCAINE USE - RECODE

	Freq	Pct
1 = January.....	21	0.04
2 = February.....	19	0.03
3 = March.....	14	0.02
4 = April.....	22	0.04
5 = May.....	14	0.02
6 = June.....	24	0.04
7 = July.....	18	0.03
8 = August.....	14	0.02
9 = September.....	17	0.03
10 = October.....	21	0.04
11 = November.....	14	0.02
12 = December.....	14	0.02
85 = BAD DATA Logically assigned.....	23	0.04
89 = LEGITIMATE SKIP Logically assigned.....	19	0.03
91 = NEVER USED COCAINE.....	51888	88.50
94 = DON'T KNOW.....	37	0.06
97 = REFUSED.....	17	0.03
98 = BLANK (NO ANSWER).....	19	0.03
99 = LEGITIMATE SKIP.....	6418	10.95

How long has it been since you last used cocaine?

(CCLAST3, CCRECDK, CCRECRE)

[COCREC](#)

Len : 2 TIME SINCE LAST USED COCAINE

	Freq	Pct
1 = Within the past 30 days.....	327	0.56
2 = More than 30 days ago but within the past 12 mos.....	610	1.04
3 = More than 12 months ago.....	5710	9.74
8 = Used at some point in the past 12 mos LOG ASSN.....	7	0.01
9 = Used at some point in the lifetime LOG ASSN.....	28	0.05
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	18	0.03
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	18	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COCAINE.....	51888	88.50
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	16	0.03

(TOTCOKE)

[COCYRTOT](#)

Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	944	1.61
985 = BAD DATA Logically assigned.....	9	0.02
991 = NEVER USED COCAINE.....	51888	88.50
993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5710	9.74
994 = DON'T KNOW.....	2	0.00
997 = REFUSED.....	11	0.02
998 = BLANK (NO ANSWER).....	69	0.12

[CCTOTFG](#)

Len : 2 TRIMMING INDICATOR FOR COCYRTOT

	Freq	Pct
2 = Trimmed relative to the 30-day freq.....	3	0.01
98 = BLANK (NO ANSWER).....	58630	99.99

[CCFQFLG](#)

Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	33	0.06
98 = BLANK (NO ANSWER).....	58600	99.94

COCAINE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(CCFRAME3)

CCBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE

	Freq	Pct
1 = Prefer to answer in days per week.....	134	0.23
2 = Prefer to answer in days per month.....	201	0.34
3 = Prefer to answer in days per year.....	569	0.97
11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	4	0.01
21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	13	0.02
22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....	12	0.02
23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	10	0.02
85 = BAD DATA Logically assigned.....	9	0.02
91 = NEVER USED COCAINE.....	51888	88.50
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5710	9.74
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.02
98 = BLANK (NO ANSWER).....	69	0.12

On how many days in the past 12 months did you use cocaine?

(CCYRAVE)

CCDAYPYR

Len : 3 # DAYS USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	583	0.99
985 = BAD DATA Logically assigned.....	2	0.00
989 = LEGITIMATE SKIP Logically assigned.....	11	0.02
991 = NEVER USED COCAINE.....	51888	88.50
993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5710	9.74
994 = DON'T KNOW.....	1	0.00
997 = REFUSED.....	12	0.02
998 = BLANK (NO ANSWER).....	76	0.13
999 = LEGITIMATE SKIP.....	350	0.60

On average, how many days did you use cocaine each month during the past 12 months?

(CCMONAVE)

CCDAYPMO

Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 25.....	213	0.36
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED COCAINE.....	51888	88.50
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5710	9.74
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	76	0.13
99 = LEGITIMATE SKIP.....	729	1.24

On average, how many days did you use cocaine each week during the past 12 months?

(CCWKAVE)

CCDAYPWK

Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	148	0.25
85 = BAD DATA Logically assigned.....	5	0.01
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED COCAINE.....	51888	88.50
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5710	9.74
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	73	0.12
99 = LEGITIMATE SKIP.....	795	1.36

COCAINE

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

(CC06)

COCUS30A

Len : 2 # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	324	0.55
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED COCAINE	51888	88.50
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	6338	10.81
94 = DON'T KNOW	1	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	70	0.12

What is your best estimate of the number of days you used cocaine during the past 30 days?

(CC06DKRE)

CC30EST

Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
91 = NEVER USED COCAINE	51888	88.50
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	6338	10.81
94 = DON'T KNOW	1	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	71	0.12
99 = LEGITIMATE SKIP	324	0.55

CRACK

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

(CK01, CKREF)

CRKEVER

Len : 2 EVER USED CRACK

	Freq	Pct
1 = Yes.....	1612	2.75
2 = No.....	5103	8.70
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COCAINE (COCEVER=2).....	51888	88.50
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	16	0.03

How old were you the first time you used 'crack'?

(CK02)

CRKAGE

Len : 3 AGE WHEN FIRST USED CRACK

	Freq	Pct
RANGE = 1 - 60.....	1601	2.73
985 = BAD DATA Logically assigned.....	3	0.01
991 = NEVER USED CRACK.....	56991	97.20
994 = DON'T KNOW.....	9	0.02
997 = REFUSED.....	10	0.02
998 = BLANK (NO ANSWER).....	19	0.03

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

(CK03A, CK03B, CK03C)

CRKYFU

Len : 4 YEAR OF FIRST CRACK USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	28	0.05
9985 = BAD DATA Logically assigned.....	1	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	4	0.01
9991 = NEVER USED CRACK.....	56991	97.20
9994 = DON'T KNOW.....	9	0.02
9997 = REFUSED.....	10	0.02
9998 = BLANK (NO ANSWER).....	21	0.04
9999 = LEGITIMATE SKIP.....	1569	2.68

CRACK

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

(CK03C, CK03D)

[CRKMFU](#)

Len : 2 MONTH OF FIRST CRACK USE - RECODE

	Freq	Pct
1 = January.....	2	0.00
2 = February.....	1	0.00
3 = March.....	1	0.00
4 = April.....	2	0.00
5 = May.....	4	0.01
6 = June.....	2	0.00
7 = July.....	2	0.00
8 = August.....	2	0.00
9 = September.....	3	0.01
10 = October.....	3	0.01
11 = November.....	1	0.00
12 = December.....	5	0.01
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
91 = NEVER USED CRACK.....	56991	97.20
94 = DON'T KNOW.....	9	0.02
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	21	0.04
99 = LEGITIMATE SKIP.....	1569	2.68

How long has it been since you last used 'crack'?

(CKLAST3, CKRECDK, CKRECRE)

[CRAKREC](#)

Len : 2 TIME SINCE LAST USED CRACK

	Freq	Pct
1 = Within the past 30 days.....	62	0.11
2 = More than 30 days ago but within the past 12 mos.....	88	0.15
3 = More than 12 months ago.....	1456	2.48
8 = Used at some point in the past 12 mos LOG ASSN.....	5	0.01
9 = Used at some point in the lifetime LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED CRACK.....	56991	97.20
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	19	0.03

(TOTCRACK)

[CRKYRTOT](#)

Len : 3 TOTAL # DAYS USED CRACK IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 364.....	149	0.25
985 = BAD DATA Logically assigned.....	7	0.01
991 = NEVER USED CRACK.....	56991	97.20
993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1456	2.48
994 = DON'T KNOW.....	1	0.00
997 = REFUSED.....	9	0.02
998 = BLANK (NO ANSWER).....	20	0.03

[CRTOTFG](#)

Len : 2 TRIMMING INDICATOR FOR CRKYRTOT

	Freq	Pct
2 = Trimmed relative to the 30-day freq.....	3	0.01
98 = BLANK (NO ANSWER).....	58630	99.99

[CRFQFLG](#)

Len : 2 TRIMMED CRKYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	6	0.01
98 = BLANK (NO ANSWER).....	58627	99.99

CRACK

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(CKFRAME3)

[CRBSTWAY](#)

Len : 2 EASIEST WAY TO TELL US # DAYS USED CRACK

	Freq	Pct
1 = Prefer to answer in days per week.....	42	0.07
2 = Prefer to answer in days per month.....	41	0.07
3 = Prefer to answer in days per year.....	66	0.11
12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
85 = BAD DATA Logically assigned.....	7	0.01
91 = NEVER USED CRACK.....	56991	97.20
93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1456	2.48
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	20	0.03

On how many days in the past 12 months did you use 'crack'?

(CKYRAVE)

[CRDAYPYR](#)

Len : 3 # DAYS USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 250.....	65	0.11
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED CRACK.....	56991	97.20
993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1456	2.48
994 = DON'T KNOW.....	1	0.00
997 = REFUSED.....	9	0.02
998 = BLANK (NO ANSWER).....	27	0.05
999 = LEGITIMATE SKIP.....	83	0.14

On average, how many days did you use 'crack' each month during the past 12 months?

(CKMONAVE)

[CRDAYPMO](#)

Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	42	0.07
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED CRACK.....	56991	97.20
93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1456	2.48
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	25	0.04
99 = LEGITIMATE SKIP.....	107	0.18

On average, how many days did you use 'crack' each week during the past 12 months?

(CKWKAVE)

[CRDAYPWK](#)

Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	42	0.07
85 = BAD DATA Logically assigned.....	5	0.01
91 = NEVER USED CRACK.....	56991	97.20
93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1456	2.48
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	22	0.04
99 = LEGITIMATE SKIP.....	107	0.18

CRACK

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

(CK06)

[CRKUS30A](#)

Len : 2 # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	62	0.11
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED CRACK	56991	97.20
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	1544	2.63
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	25	0.04

What is your best estimate of the number of days you used 'crack' during the past 30 days?

(CK06DKRE)

[CR30EST](#)

Len : 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
91 = NEVER USED CRACK	56991	97.20
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	1544	2.63
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	27	0.05
99 = LEGITIMATE SKIP	62	0.11

HEROIN

HEROIN

These next questions are about any form of heroin, such as powder or tar. Heroin can be smoked, snorted, or injected.

Have you ever, even once, used heroin?

(HE01, HEREF)

HEREVER

Len : 2 EVER USED HEROIN

	Freq	Pct
1 = Yes.....	1191	2.03
2 = No.....	57419	97.93
85 = BAD DATA Logically assigned.....	3	0.01
94 = DON'T KNOW.....	19	0.03
97 = REFUSED.....	1	0.00

How old were you the first time you used heroin?

(HE02)

HERAGE

Len : 3 AGE WHEN FIRST USED HEROIN

	Freq	Pct
RANGE = 1 - 60.....	1182	2.02
985 = BAD DATA Logically assigned.....	3	0.01
991 = NEVER USED HEROIN.....	57419	97.93
994 = DON'T KNOW.....	7	0.01
997 = REFUSED.....	3	0.01
998 = BLANK (NO ANSWER).....	19	0.03

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

(HE03A, HE03B, HE03C)

HERYFU

Len : 4 YEAR OF FIRST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	19	0.03
9985 = BAD DATA Logically assigned.....	4	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	7	0.01
9991 = NEVER USED HEROIN.....	57419	97.93
9994 = DON'T KNOW.....	7	0.01
9997 = REFUSED.....	3	0.01
9998 = BLANK (NO ANSWER).....	22	0.04
9999 = LEGITIMATE SKIP.....	1152	1.96

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

(HE03C, HE03D)

HERMFU

Len : 2 MONTH OF FIRST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	3	0.01
2 = February.....	1	0.00
3 = March.....	2	0.00
4 = April.....	1	0.00
5 = May.....	2	0.00
6 = June.....	6	0.01
7 = July.....	1	0.00
11 = November.....	1	0.00
85 = BAD DATA Logically assigned.....	4	0.01
89 = LEGITIMATE SKIP Logically assigned.....	7	0.01
91 = NEVER USED HEROIN.....	57419	97.93
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	22	0.04
99 = LEGITIMATE SKIP.....	1152	1.96

HEROIN

How long has it been since you last used heroin?

(HELAST3, HERECDK, HERECRE)

HERREC

Len : 2 TIME SINCE LAST USED HEROIN

	Freq	Pct
1 = Within the past 30 days.....	72	0.12
2 = More than 30 days ago but within the past 12 mos	61	0.10
3 = More than 12 months ago	1049	1.79
8 = Used at some point in the past 12 mos LOG ASSN.....	4	0.01
9 = Used at some point in the lifetime LOG ASSN.....	5	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED HEROIN.....	57419	97.93
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	19	0.03

(TOTHERO)

HERYRTOT

Len : 3 TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	129	0.22
985 = BAD DATA Logically assigned	7	0.01
991 = NEVER USED HEROIN.....	57419	97.93
993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1049	1.79
994 = DON'T KNOW	3	0.01
997 = REFUSED	1	0.00
998 = BLANK (NO ANSWER).....	25	0.04

HRTOTFG

Len : 2 TRIMMING INDICATOR FOR HERYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	1	0.00
2 = Trimmed relative to the 30-day freq	4	0.01
98 = BLANK (NO ANSWER)	58628	99.99

HRFQFLG

Len : 2 TRIMMED HERYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	6	0.01
98 = BLANK (NO ANSWER)	58627	99.99

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(HEFRAME3)

HRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED HEROIN

	Freq	Pct
1 = Prefer to answer in days per week.....	58	0.10
2 = Prefer to answer in days per month.....	35	0.06
3 = Prefer to answer in days per year.....	39	0.07
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED HEROIN.....	57419	97.93
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1049	1.79
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	25	0.04

On how many days in the past 12 months did you use heroin?

(HEYRAVE)

HRDAYPYR

Len : 3 # DAYS USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 366	38	0.06
985 = BAD DATA Logically assigned	1	0.00
991 = NEVER USED HEROIN.....	57419	97.93
993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1049	1.79
994 = DON'T KNOW	1	0.00
997 = REFUSED	1	0.00
998 = BLANK (NO ANSWER).....	31	0.05
999 = LEGITIMATE SKIP.....	93	0.16

HEROIN

On average, how many days did you use heroin each month during the past 12 months?

(HEMONAVE)
HRDAYPMO

Len : 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	33	0.06
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HEROIN	57419	97.93
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	1049	1.79
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	30	0.05
99 = LEGITIMATE SKIP	96	0.16

On average, how many days did you use heroin each week during the past 12 months?

(HEWKAVE)
HRDAYPWK

Len : 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	58	0.10
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED HEROIN	57419	97.93
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	1049	1.79
94 = DON'T KNOW	3	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	28	0.05
99 = LEGITIMATE SKIP	71	0.12

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

(HE06)
HER30USE

Len : 2 # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	71	0.12
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HEROIN	57419	97.93
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	1110	1.89
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	29	0.05

What is your best estimate of the number of days you used heroin during the past 30 days?

(HE06DKRE)
HR30EST

Len : 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
5 = 20 to 29 days	1	0.00
91 = NEVER USED HEROIN	57419	97.93
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	1110	1.89
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	31	0.05
99 = LEGITIMATE SKIP	71	0.12

HALLUCINOGENS

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to have rapid, intense emotional swings or to see images, hear sounds, and feel sensations that seem real but are not.

Have you ever, even once, used LSD, also called 'acid'?

(LS01A, LSREF1)

LSD

Len : 2 EVER USED LSD ("ACID")

	Freq	Pct
1 = Yes.....	5239	8.94
2 = No.....	4676	7.98
3 = Yes LOGICALLY ASSIGNED.....	5	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
94 = DON'T KNOW.....	65	0.11
97 = REFUSED	8	0.01

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

(LS01B, LSREF2)

PCP

Len : 2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)

	Freq	Pct
1 = Yes.....	815	1.39
2 = No.....	9100	15.52
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
94 = DON'T KNOW.....	75	0.13
97 = REFUSED	3	0.01

Have you ever, even once, used peyote?

(LS01C)

PEYOTE

Len : 2 EVER USED PEYOTE

	Freq	Pct
1 = Yes.....	672	1.15
2 = No.....	9189	15.67
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
94 = DON'T KNOW.....	128	0.22
97 = REFUSED	4	0.01

Have you ever, even once, used mescaline?

(LS01D)

MESC

Len : 2 EVER USED Mescaline

	Freq	Pct
1 = Yes.....	842	1.44
2 = No.....	9004	15.36
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
94 = DON'T KNOW.....	142	0.24
97 = REFUSED	3	0.01

Have you ever, even once, used psilocybin, found in mushrooms?

(LS01E)

PSILCY

Len : 2 EVER USED PSILOCYBIN (MUSHROOMS)

	Freq	Pct
1 = Yes.....	6843	11.67
2 = No.....	2970	5.07
3 = Yes LOGICALLY ASSIGNED.....	45	0.08
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
94 = DON'T KNOW.....	124	0.21
97 = REFUSED	11	0.02

HALLUCINOGENS

Have you ever, even once, used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS01F, LSREF3)
ECSTMOLLY

Len : 2 EVER USED 'ECSTASY' OR 'MOLLY' (MDMA)

	Freq	Pct
1 = Yes.....	4538	7.74
2 = No.....	5356	9.13
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
94 = DON'T KNOW	94	0.16
97 = REFUSED	3	0.01

Have you ever, even once, used Ketamine, also called 'Special K' or 'Super K'?

(LS01I)
KETMINESK

Len : 2 EVER USED KETAMINE

	Freq	Pct
1 = Yes.....	1220	2.08
2 = No.....	8651	14.75
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED KETAMINE	48639	82.95
94 = DON'T KNOW	114	0.19
97 = REFUSED	7	0.01

Have you ever, even once, used any of the following:

DMT, also called dimethyltryptamine,
AMT, also called alpha-methyltryptamine, or
Foxy, also called 5-MeO-DIPT?

(LS01J)
DMTAMTFXY

Len : 2 EVER USED DMT, AMT, FOXY

	Freq	Pct
1 = Yes.....	913	1.56
2 = No.....	8932	15.23
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED DMT, AMT, FOXY.....	48639	82.95
94 = DON'T KNOW	139	0.24
97 = REFUSED	7	0.01

Have you ever, even once, used Salvia divinorum?

(LS01K)
SALVIADIV

Len : 2 EVER USED SALVIA DIVINORUM

	Freq	Pct
1 = Yes.....	1119	1.91
2 = No.....	8710	14.86
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED SALVIA DIVINORUM	48639	82.95
94 = DON'T KNOW	158	0.27
97 = REFUSED	6	0.01

HALLUCINOGENS

NOTE: HALLUCOTH was assigned a code of 5 (specific hallucinogen unknown) when either of the following occurred: (a) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, psilocybin, Ecstasy, ketamine, DMT/AMT/Foxy, or Salvia divinorum but the respondent reported more recent use of any hallucinogen than was reported for these seven hallucinogens; or (b) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy but the respondent reported earlier initiation of any hallucinogen than was reported for these three hallucinogens.

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

(LS01H)

[HALLUCOTH](#)

Len : 2 EVER USED OTHER HALLUCINOGEN

	Freq	Pct
1 = Yes.....	669	1.14
2 = No.....	9083	15.49
5 = Yes (specific hallucinogen unknown) LOG ASSN.....	122	0.21
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
94 = DON'T KNOW	109	0.19
97 = REFUSED	10	0.02

HALLUCINOGENS

(LS01SC1)
HALLUCOT1

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
116 = Methaqualone, Sopor, Quaalude	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
130 = Promethazine	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	1	0.00
320 = Dextroamphetamine	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	8	0.01
344 = Bennies	1	0.00
348 = Crystal	3	0.01
355 = Crystal meth, crystal methamphetamine	2	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	1	0.00
465 = Fentanyl	2	0.00
501 = Gasoline or lighter fluids	4	0.01
502 = Spray paints	2	0.00
503 = Other aerosol sprays	1	0.00
504 = Shoeshine liquid, glue, or toluene	5	0.01
505 = Lacquer thinner or other paint solvents	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	8	0.01
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.00
519 = Helium	1	0.00
592 = Computer air duster, computer cleaner, dust-off	4	0.01
601 = LSD ("acid")	73	0.12
602 = Peyote	1	0.00
603 = Mescaline	5	0.01
604 = Psilocybin (mushrooms), sclerotia, shrooms	71	0.12
605 = PCP ("angel dust," phencyclidine)	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	7	0.01
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	73	0.12
609 = Jimson weed	5	0.01
612 = Happy stick, sherm, sherman, shermstick	1	0.00
614 = MDA, Methylenedioxy amphetamine	5	0.01
616 = DET, Dimethyltryptamine, DMT	6	0.01
617 = Morning glory seeds, morning glory tendrils, ricea	5	0.01
618 = Acid paper, blotter (acid)	2	0.00
622 = Microdot(s), green microdot, purple microdot	4	0.01
624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
625 = Window, window pane, 4-way pane, 4-way	3	0.01
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.01
633 = Mr. Natural	1	0.00
639 = Nutmeg, Mace	6	0.01
650 = Datura stramonium, daytura, thorn apple	4	0.01
658 = Special K, Ketamine	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	42	0.07
703 = Opium, otherwise unspecified	6	0.01
802 = THC, cannabinol, marinol, tetrahydrocannabinol	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.01
804 = Hashish	1	0.00
829 = Robitussin DM <OTC>	2	0.00
876 = Glass	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	15	0.03
1001 = Benadryl, Diphenhydramine <OTC>	11	0.02
1504 = Triazolam	1	0.00
3047 = Sudafed <OTC>	1	0.00
3052 = Speed, otherwise unspecified	1	0.00
4120 = Opana	1	0.00
4175 = Opioids; type unspecified	1	0.00
5077 = Resistol	1	0.00
5083 = Ethyl chloride	1	0.00
6005 = Sassafras, sassafras tea	8	0.01
6029 = DXM	14	0.02
6043 = Diviner's sage, Salvia divinorum	1	0.00
6051 = Tryptamine, not otherwise specified	1	0.00
6054 = Spiny apples	1	0.00
6056 = Wet	2	0.00
6061 = 5-MeO-DMT	3	0.01
6062 = Madderwort, wormwood	2	0.00
6074 = LSA	14	0.02
6077 = San Pedro	5	0.01
6083 = CCC, "Triple C," C3 <OTC>	3	0.01
6086 = Flakes	1	0.00
6087 = Ibogaine	2	0.00
6100 = 2C-T-7, T7, blue mystic	1	0.00

HALLUCINOGENS

6103 = Ayahuasca, Yahe	31	0.05
6112 = 2C-T-2	2	0.00
6114 = Molly, not otherwise specified	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	21	0.04
6131 = Mandrakes	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol.....	7	0.01
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	7	0.01
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	7	0.01
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly.....	1	0.00
6179 = 4-HO-HIPT, 4-Hydroxy-MiPT, 4-HO-MiPT	1	0.00
6181 = 4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine.....	3	0.01
6182 = 2C-P, 4-Propyl-2,5-dimethoxyphenethylamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	8	0.01
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	5	0.01
6187 = Mugwort	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD.....	1	0.00
6202 = 4-Acetoxy-MET, 4-AcO-MET, Metacetin	1	0.00
6203 = NBOMe; otherwise unspecified	1	0.00
6206 = Blue Egyptian lotus, blue lotus	2	0.00
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine.....	1	0.00
6209 = 1P-LSD	1	0.00
6213 = Synthetic LSD/acid; otherwise unspecified.....	1	0.00
6215 = Synthetic mushrooms; otherwise unspecified	1	0.00
6219 = Hallucinogenic honey; type unspecified	2	0.00
6227 = 4-Acetoxy-N,N-Diethyltryptamine, 4-AcO-DET.....	1	0.00
6253 = 5-acetoxy-N,N-dimethyltryptamine, 5-AcO-DMT.....	1	0.00
6254 = N-ethyl-pentylone, NEP.....	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8012 = Coriciden <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	6	0.01
8100 = Kava Kava <OTC>	2	0.00
8137 = 5-HTP, 5-hydroxytryptophan <OTC>.....	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	1	0.00
8237 = Kratom.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	14	0.02
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	2	0.00
8315 = Synthetic cannabis/cannabinoid, otherwise unspcfd	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	2	0.00
8381 = Vapor/vaping/vape juice; contents/route unspcfd.....	1	0.00
8455 = Delta-8	1	0.00
8459 = Delta-9.....	1	0.00
8505 = Quetiapine, Seroquel.....	1	0.00
8529 = Marezine	1	0.00
8530 = Sertraline hydrochloride, Zoloft.....	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	7	0.01
8553 = Bupropion, Wellbutrin, Zyban	1	0.00
8564 = Ketamine from a healthcare provider.....	1	0.00
9985 = BAD DATA Logically assigned	15	0.03
9991 = NEVER USED HALLUCINOGENS	48639	82.95
9997 = REFUSED	22	0.04
9998 = BLANK (NO ANSWER).....	233	0.40
9999 = LEGITIMATE SKIP.....	9083	15.49

HALLUCINOGENS

(LS01SC2)
HALLUCOT2

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
142 = Belladonna	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
355 = Crystal meth, crystal methamphetamine	2	0.00
504 = Shoeshine liquid, glue, or toluene	2	0.00
508 = Nitrous oxide, "whippits," dentist gas	3	0.01
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
512 = Incense	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off.....	2	0.00
601 = LSD ("acid")	12	0.02
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	7	0.01
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	20	0.03
614 = MDA, Methylenedioxy amphetamine	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	3	0.01
617 = Morning glory seeds, morning glory tendrils, ricea.....	1	0.00
618 = Acid paper, blotter (acid)	2	0.00
622 = Microdot(s), green microdot, purple microdot	1	0.00
625 = Window, window pane, 4-way pane, 4-way	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	2	0.00
636 = DOM, STP	1	0.00
639 = Nutmeg, Mace.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus.....	7	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
829 = Robitussin DM <OTC>	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
883 = Dextromethorphan hydrobromide <OTC>.....	3	0.01
1001 = Benadryl, Diphenhydramine <OTC>	4	0.01
3132 = 4-FA, 4-Fluoroamphetamine.....	1	0.00
4109 = Suboxone	1	0.00
6029 = DXM.....	2	0.00
6044 = Gel caps, gel tabs	1	0.00
6061 = 5-MeO-DMT.....	1	0.00
6073 = Rolls.....	1	0.00
6074 = LSA	2	0.00
6102 = Absinthe.....	1	0.00
6103 = Ayahuasca, Yahe	4	0.01
6112 = 2C-T-2	2	0.00
6114 = Molly, not otherwise specified	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	7	0.01
6132 = Amanita mushrooms, fly agaric, muscimol.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	6	0.01
6141 = DPT, Dipropyltryptamine, N,N-Dipropyltryptamine	1	0.00
6167 = 4-HO-DMT, Psilocin	1	0.00
6181 = 4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine.....	3	0.01
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	5	0.01
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	2	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6201 = 4-HO-DET, CZ-74, Ethocin.....	1	0.00
6203 = NBOMe; otherwise unspecified.....	3	0.01
6225 = DCK, Deschloroketamine	1	0.00
6254 = N-ethyl-pentylone, NEP.....	1	0.00
8007 = Gabapentin, Neurontin.....	1	0.00
8012 = Coriciden <OTC>	1	0.00
8058 = Cough medicine/syrup, type unspecified	7	0.01
8231 = Tussin medication, no other information.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	4	0.01
8309 = Mucinex <OTC>.....	1	0.00
8315 = Synthetic cannabis/cannabinoid, otherwise unspecfd	1	0.00
8459 = Delta-9	1	0.00
8546 = Scopolamine	1	0.00
9985 = BAD DATA Logically assigned	18	0.03
9991 = NEVER USED HALLUCINOGENS	48639	82.95
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	730	1.25
9999 = LEGITIMATE SKIP.....	9083	15.49

HALLUCINOGENS

(LS01SC3)
HALLUCOT3

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
142 = Belladonna	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	2	0.00
355 = Crystal meth, crystal methamphetamine	1	0.00
504 = Shoeshine liquid, glue, or toluene	1	0.00
528 = Whipped-cream can	1	0.00
601 = LSD ("acid")	3	0.01
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	3	0.01
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	10	0.02
614 = MDA, Methylenedioxy amphetamine	1	0.00
618 = Acid paper, blotter (acid)	1	0.00
658 = Special K, Ketamine	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	2	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
6029 = DXM.....	2	0.00
6061 = 5-MeO-DMT.....	1	0.00
6112 = 2C-T-2	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	3	0.01
6135 = 5-MeO-AMT.....	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	2	0.00
6147 = Phenethylamines, otherwise unspecified	1	0.00
6174 = bk-MDMA, Methylone	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	2	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD.....	1	0.00
6209 = 1P-LSD	1	0.00
6214 = Synthetic mescaline; otherwise unspecified.....	1	0.00
6249 = 2'-Oxo-PCE, Eticyclidone, O-PCE.....	1	0.00
6250 = Ephedrine	1	0.00
6252 = Methoxpropamine, MXPr	1	0.00
8223 = Chocolate	1	0.00
8315 = Synthetic cannabis/cannabinoid, otherwise unspecfd	2	0.00
8351 = 6-APB, Benzo Fury.....	1	0.00
8446 = Edibles, not otherwise specified.....	1	0.00
9985 = BAD DATA Logically assigned	5	0.01
9991 = NEVER USED HALLUCINOGENS	48639	82.95
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	840	1.43
9999 = LEGITIMATE SKIP.....	9083	15.49

(LS01SC4)
HALLUCOT4

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
355 = Crystal meth, crystal methamphetamine	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
601 = LSD ("acid")	2	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms.....	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	3	0.01
698 = 2C-B, Bromo mescaline, Nexus	3	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
6005 = Sassafras, sassafras tea.....	1	0.00
6073 = Rolls.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	3	0.01
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine	1	0.00
6225 = DCK, Deschloroketamine	1	0.00
8118 = Smoke/smoking, not otherwise specified.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8381 = Vapor/vaping/vape juice; contents/route unspecfd.....	1	0.00
9991 = NEVER USED HALLUCINOGENS	48639	82.95
9997 = REFUSED	12	0.02
9998 = BLANK (NO ANSWER).....	874	1.49
9999 = LEGITIMATE SKIP.....	9083	15.49

HALLUCINOGENS

(LS01SC5)
HALLUCOT5

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
605 = PCP ("angel dust," phencyclidine)	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
6029 = DXM.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	1	0.00
6200 = AL-LAD, 6-allyl-6-nor-LSD.....	1	0.00
6209 = 1P-LSD	1	0.00
6223 = 3-HO-PCP, 3-Hydroxyphencyclidine.....	1	0.00
6251 = 3-MeO-PCE, 3-Methoxyeticyclidine	1	0.00
8546 = Scopolamine	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED HALLUCINOGENS	48639	82.95
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	887	1.51
9999 = LEGITIMATE SKIP.....	9083	15.49

(DMTAMTFXY, ECSTMOLLY, HALLUCOTH, KETMINESK, LSD, MESC, PCP, PEYOTE, PSILCY, SALVIADIV)
HALLUCEVR

Len : 2 EVER USED HALLUCINOGENS

	Freq	Pct
1 = Yes.....	9649	16.46
91 = NEVER USED HALLUCINOGENS	48639	82.95
98 = BLANK (NO ANSWER)	345	0.59

How old were you the first time you used [LSFILL]?

(LS02)
HALLUCAGE

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 76.....	9521	16.24
985 = BAD DATA Logically assigned	20	0.03
991 = NEVER USED HALLUCINOGENS	48639	82.95
994 = DON'T KNOW	76	0.13
997 = REFUSED	33	0.06
998 = BLANK (NO ANSWER).....	344	0.59

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

(LS03A, LS03B, LS03C)
HALLUCYFU

Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	765	1.30
9985 = BAD DATA Logically assigned	58	0.10
9989 = LEGITIMATE SKIP Logically assigned	110	0.19
9991 = NEVER USED HALLUCINOGENS	48639	82.95
9994 = DON'T KNOW	78	0.13
9997 = REFUSED	34	0.06
9998 = BLANK (NO ANSWER).....	347	0.59
9999 = LEGITIMATE SKIP.....	8602	14.67

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

(LS03C, LS03D)

[HALLUCMFU](#)

Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January.....	52	0.09
2 = February.....	69	0.12
3 = March.....	65	0.11
4 = April.....	55	0.09
5 = May.....	58	0.10
6 = June.....	86	0.15
7 = July.....	83	0.14
8 = August.....	71	0.12
9 = September.....	36	0.06
10 = October.....	57	0.10
11 = November.....	36	0.06
12 = December.....	57	0.10
85 = BAD DATA Logically assigned.....	58	0.10
89 = LEGITIMATE SKIP Logically assigned.....	110	0.19
91 = NEVER USED HALLUCINOGENS.....	48639	82.95
94 = DON'T KNOW.....	114	0.19
97 = REFUSED.....	38	0.06
98 = BLANK (NO ANSWER).....	347	0.59
99 = LEGITIMATE SKIP.....	8602	14.67

How long has it been since you last used [LSFILL]?

(LSLAST, LSRECDK, LSRECRE)

[HALLUCREC](#)

Len : 2 TIME SINCE LAST USED HALLUCINOGENS

	Freq	Pct
1 = Within the past 30 days.....	625	1.07
2 = More than 30 days ago but within the past 12 mos.....	1802	3.07
3 = More than 12 months ago.....	6953	11.86
8 = Used at some point in the past 12 mos LOG ASSN.....	45	0.08
9 = Used at some point in lifetime LOG ASSN.....	158	0.27
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	40	0.07
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	23	0.04
13 = More than 12 months ago LOGICALLY ASSIGNED.....	3	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HALLUCINOGENS.....	48639	82.95
98 = BLANK (NO ANSWER).....	344	0.59

(TOTALL)

[HALLUCYFQ](#)

Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365.....	2319	3.96
985 = BAD DATA Logically assigned.....	16	0.03
991 = NEVER USED HALLUCINOGENS.....	48639	82.95
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
994 = DON'T KNOW.....	6	0.01
997 = REFUSED.....	3	0.01
998 = BLANK (NO ANSWER).....	694	1.18

[HALTOTFG](#)

Len : 2 TRIMMING INDICATOR FOR HALLUCYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq.....	4	0.01
98 = BLANK (NO ANSWER).....	58629	99.99

[HALFQFLG](#)

Len : 2 TRIMMED HALLUCYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	69	0.12
98 = BLANK (NO ANSWER).....	58564	99.88

HALLUCINOGENS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(LSFRAME3, LSFRAME4, LSFRAME5, LSFRAME6)

HALLEASWY

Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
1 = Prefer to answer in days per week.....	182	0.31
2 = Prefer to answer in days per month.....	300	0.51
3 = Prefer to answer in days per year.....	1826	3.11
11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	14	0.02
85 = BAD DATA Logically assigned.....	16	0.03
91 = NEVER USED HALLUCINOGENS.....	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW.....	4	0.01
98 = BLANK (NO ANSWER).....	694	1.18

On how many days in the past 12 months did you use [LSFILL]?

(LSYRAV2, LSYRAV3, LSYRAV4, LSYRAVE)

HALLDYSYR

Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	1842	3.14
985 = BAD DATA Logically assigned.....	13	0.02
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED HALLUCINOGENS.....	48639	82.95
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
994 = DON'T KNOW.....	5	0.01
998 = BLANK (NO ANSWER).....	694	1.18
999 = LEGITIMATE SKIP.....	482	0.82

On average, how many days did you use [LSFILL] each month during the past 12 months?

(LSMONAV2, LSMONAV3, LSMONAV4, LSMONAVE)

HALLDYPMO

Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	298	0.51
85 = BAD DATA Logically assigned.....	2	0.00
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED HALLUCINOGENS.....	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW.....	7	0.01
98 = BLANK (NO ANSWER).....	708	1.21
99 = LEGITIMATE SKIP.....	2021	3.45

On average, how many days did you use [LSFILL] each week during the past 12 months?

(LSWKAV2, LSWKAV3, LSWKAV4, LSWKAVE)

HALLDYPWK

Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	182	0.31
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED HALLUCINOGENS.....	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	708	1.21
99 = LEGITIMATE SKIP.....	2137	3.64

HALLUCINOGENS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

(LS04, LS30, LS31, LS32)

[HALLUC30N](#)

Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	593	1.01
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	8781	14.98
94 = DON'T KNOW	3	0.01
98 = BLANK (NO ANSWER)	617	1.05

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

(LS04DKRE, LS30DKRE, LS31DKRE, LS32DKRE)

[HALLUC30N](#)

Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	8781	14.98
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	618	1.05
99 = LEGITIMATE SKIP	592	1.01

Now think only about LSD. How old were you the first time you used LSD?

(LS05)

[LSDAGE](#)

Len : 3 AGE WHEN FIRST USED LSD

	Freq	Pct
RANGE = 1 - 66	5165	8.81
985 = BAD DATA Logically assigned	8	0.01
991 = NEVER USED LSD	53315	90.93
994 = DON'T KNOW	42	0.07
997 = REFUSED	30	0.05
998 = BLANK (NO ANSWER)	73	0.12

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

(LS06, LS07, LS08)

[LSDYFU](#)

Len : 4 YEAR OF FIRST LSD USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	154	0.26
9985 = BAD DATA Logically assigned	21	0.04
9989 = LEGITIMATE SKIP Logically assigned	17	0.03
9991 = NEVER USED LSD	53315	90.93
9994 = DON'T KNOW	43	0.07
9997 = REFUSED	31	0.05
9998 = BLANK (NO ANSWER)	79	0.13
9999 = LEGITIMATE SKIP	4973	8.48

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

(LS08, LS09)

[LSDMFU](#)

Len : 2 MONTH OF FIRST LSD USE - RECODE

	Freq	Pct
1 = January.....	9	0.02
2 = February.....	7	0.01
3 = March.....	20	0.03
4 = April.....	18	0.03
5 = May.....	13	0.02
6 = June.....	15	0.03
7 = July.....	15	0.03
8 = August.....	13	0.02
9 = September.....	8	0.01
10 = October.....	5	0.01
11 = November.....	8	0.01
12 = December.....	11	0.02
85 = BAD DATA Logically assigned.....	22	0.04
89 = LEGITIMATE SKIP Logically assigned.....	17	0.03
91 = NEVER USED LSD.....	53315	90.93
94 = DON'T KNOW.....	52	0.09
97 = REFUSED.....	32	0.05
98 = BLANK (NO ANSWER).....	80	0.14
99 = LEGITIMATE SKIP.....	4973	8.48

How long has it been since you last used LSD?

(LS10)

[LSDREC](#)

Len : 2 TIME SINCE LAST USED LSD

	Freq	Pct
1 = Within the past 30 days.....	71	0.12
2 = More than 30 days ago but within the past 12 mos.....	325	0.55
3 = More than 12 months ago.....	4789	8.17
8 = Used at some point in the past 12 mos LOG ASSN.....	9	0.02
9 = Used at some point in the lifetime LOG ASSN.....	49	0.08
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED LSD.....	53315	90.93
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	65	0.11

Now think only about PCP. How old were you the first time you used PCP?

(LS11)

[PCPAGE](#)

Len : 3 AGE WHEN FIRST USED PCP

	Freq	Pct
RANGE = 1 - 55.....	792	1.35
985 = BAD DATA Logically assigned.....	2	0.00
991 = NEVER USED PCP.....	57739	98.48
994 = DON'T KNOW.....	11	0.02
997 = REFUSED.....	14	0.02
998 = BLANK (NO ANSWER).....	75	0.13

HALLUCINOGENS

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

(LS12, LS13, LS14)

[PCPYFU](#)

Len : 4 YEAR OF FIRST PCP USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	12	0.02
9985 = BAD DATA Logically assigned	3	0.01
9989 = LEGITIMATE SKIP Logically assigned	2	0.00
9991 = NEVER USED PCP	57739	98.48
9994 = DON'T KNOW	11	0.02
9997 = REFUSED	14	0.02
9998 = BLANK (NO ANSWER)	76	0.13
9999 = LEGITIMATE SKIP	776	1.32

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

(LS14, LS15)

[PCPMFU](#)

Len : 2 MONTH OF FIRST PCP USE - RECODE

	Freq	Pct
2 = February	2	0.00
3 = March	2	0.00
5 = May	3	0.01
6 = June	1	0.00
7 = July	1	0.00
9 = September	2	0.00
85 = BAD DATA Logically assigned	3	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED PCP	57739	98.48
94 = DON'T KNOW	12	0.02
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP	776	1.32

How long has it been since you last used PCP?

(LS16)

[PCPREC](#)

Len : 2 TIME SINCE LAST USED PCP

	Freq	Pct
1 = Within the past 30 days	7	0.01
2 = More than 30 days ago but within the past 12 mos	22	0.04
3 = More than 12 months ago	770	1.31
8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
9 = Used at some point in the lifetime LOG ASSN	14	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED PCP	57739	98.48
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	75	0.13

HALLUCINOGENS

How long has it been since you last used psilocybin?

(LS36)

[PSILCYREC](#)

Len : 2 TIME SINCE LAST USED PSILOCYBIN

	Freq	Pct
1 = Within the past 30 days.....	422	0.72
2 = More than 30 days ago but within the past 12 mos	1505	2.57
3 = More than 12 months ago	4835	8.25
8 = Used at some point in the past 12 mos LOG ASSN.....	8	0.01
9 = Used at some point in the lifetime LOG ASSN.....	114	0.19
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	3	0.01
91 = NEVER USED PSILOCYBIN	51609	88.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	125	0.21

Now think only about 'Ecstasy' or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS17)

[ECSTMOAGE](#)

Len : 3 AGE WHEN FIRST USED ECSTASY OR MOLLY

	Freq	Pct
RANGE = 1 - 63	4499	7.67
985 = BAD DATA Logically assigned	5	0.01
991 = NEVER USED ECSTASY OR MOLLY	53995	92.09
994 = DON'T KNOW	26	0.04
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER).....	101	0.17

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

(LS18, LS19, LS20)

[ECSTMOYFU](#)

Len : 4 YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	167	0.28
9985 = BAD DATA Logically assigned	22	0.04
9989 = LEGITIMATE SKIP Logically assigned	5	0.01
9991 = NEVER USED ECSTASY OR MOLLY	53995	92.09
9994 = DON'T KNOW	27	0.05
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER).....	102	0.17
9999 = LEGITIMATE SKIP.....	4307	7.35

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

(LS20, LS21)

ECSTMOMFU

Len : 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January.....	15	0.03
2 = February.....	11	0.02
3 = March.....	15	0.03
4 = April.....	9	0.02
5 = May.....	15	0.03
6 = June.....	22	0.04
7 = July.....	11	0.02
8 = August.....	19	0.03
9 = September.....	11	0.02
10 = October.....	12	0.02
11 = November.....	7	0.01
12 = December.....	13	0.02
85 = BAD DATA Logically assigned.....	22	0.04
89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
91 = NEVER USED ECSTASY OR MOLLY.....	53995	92.09
94 = DON'T KNOW.....	34	0.06
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	102	0.17
99 = LEGITIMATE SKIP.....	4307	7.35

How long has it been since you last used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS22)

ECSTMOREC

Len : 2 TIME SINCE LAST USED ECSTASY OR MOLLY

	Freq	Pct
1 = Within the past 30 days.....	110	0.19
2 = More than 30 days ago but within the past 12 mos.....	357	0.61
3 = More than 12 months ago.....	4042	6.89
8 = Used at some point in the past 12 mos LOG ASSN.....	2	0.00
9 = Used at some point in the lifetime LOG ASSN.....	27	0.05
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED ECSTASY OR MOLLY.....	53995	92.09
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	95	0.16

How long has it been since you last used Ketamine?

(LS33)

KETMINREC

Len : 2 TIME SINCE LAST USED KETAMINE

	Freq	Pct
1 = Within the past 30 days.....	67	0.11
2 = More than 30 days ago but within the past 12 mos.....	188	0.32
3 = More than 12 months ago.....	956	1.63
8 = Used at some point in the past 12 mos LOG ASSN.....	2	0.00
9 = Used at some point in the lifetime LOG ASSN.....	6	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED KETAMINE.....	57290	97.71
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	115	0.20

HALLUCINOGENS

How long has it been since you last used DMT, AMT or Foxy?

(LS34)

[DAMTFXREC](#)

Len : 2 TIME SINCE LAST USED DMT/AMT/FOXY

	Freq	Pct
1 = Within the past 30 days.....	23	0.04
2 = More than 30 days ago but within the past 12 mos	101	0.17
3 = More than 12 months ago	782	1.33
8 = Used at some point in the past 12 mos LOG ASSN.....	2	0.00
9 = Used at some point in the lifetime LOG ASSN.....	6	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED DMT/AMT/FOXY	57571	98.19
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	140	0.24

How long has it been since you last used Salvia divinorum?

(LS35)

[SALVIAREC](#)

Len : 2 TIME SINCE LAST USED SALVIA DIVINORUM

	Freq	Pct
1 = Within the past 30 days.....	7	0.01
2 = More than 30 days ago but within the past 12 mos	11	0.02
3 = More than 12 months ago	1092	1.86
8 = Used at some point in the past 12 mos LOG ASSN.....	1	0.00
9 = Used at some point in the lifetime LOG ASSN.....	5	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	1	0.00
91 = NEVER USED SALVIA DIVINORUM	57349	97.81
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	159	0.27

INHALANTS

INHALANTS

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

These next questions are about inhalants. Inhalants are liquids, sprays, and gases that people sniff, huff, or inhale for fun or to get high.

We are not interested in times when you inhaled a substance accidentally — such as when painting, cleaning an oven, or filling a car with gasoline.

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for fun or to get high?

(IN01A)

[AMYLNIT3](#)

Len : 2 EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.

	Freq	Pct
1 = Yes.....	1596	2.72
2 = No.....	5250	8.95
3 = Yes LOGICALLY ASSIGNED.....	7	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	62	0.11
97 = REFUSED.....	11	0.02

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for fun or to get high?

(IN01B)

[CLEFLU3](#)

Len : 2 EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
1 = Yes.....	443	0.76
2 = No.....	6433	10.97
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	40	0.07
97 = REFUSED.....	9	0.02

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled gasoline or lighter fluid for fun or to get high?

(IN01C)

[GAS3](#)

Len : 2 EVER INHALED GASOLINE OR LIGHTER FLUID

	Freq	Pct
1 = Yes.....	982	1.67
2 = No.....	5905	10.07
3 = Yes LOGICALLY ASSIGNED.....	4	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	28	0.05
97 = REFUSED.....	7	0.01

INHALANTS

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled glue, shoe polish, or toluene for fun or to get high?

(IN01D)

GLUE3

Len : 2 EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

	Freq	Pct
1 = Yes.....	982	1.67
2 = No.....	5909	10.08
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	29	0.05
97 = REFUSED.....	5	0.01

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled halothane, ether, or other anesthetics for fun or to get high?

(IN01E)

ETHER3

Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

	Freq	Pct
1 = Yes.....	217	0.37
2 = No.....	6669	11.37
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	36	0.06
97 = REFUSED.....	3	0.01

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled lacquer thinner or other paint solvents for fun or to get high?

(IN01F)

SOLVENT3

Len : 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

	Freq	Pct
1 = Yes.....	355	0.61
2 = No.....	6532	11.14
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	35	0.06
97 = REFUSED.....	4	0.01

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled lighter gases, such as butane or propane for fun or to get high?

(IN01G)

LGAS3

Len : 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

	Freq	Pct
1 = Yes.....	263	0.45
2 = No.....	6627	11.30
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	30	0.05
97 = REFUSED.....	6	0.01

INHALANTS

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled nitrous oxide or 'whippits' for fun or to get high?

(IN01H)

[NITOXID3](#)

Len : 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'

	Freq	Pct
1 = Yes.....	2547	4.34
2 = No.....	4328	7.38
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	43	0.07
97 = REFUSED.....	6	0.01

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for fun or to get high?

(IN01H1)

[FELTMARKR3](#)

Len : 2 EVER INHALED FELT-TIP PENS/MARKERS

	Freq	Pct
1 = Yes.....	2823	4.81
2 = No.....	4001	6.82
3 = Yes LOGICALLY ASSIGNED.....	9	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	82	0.14
97 = REFUSED.....	11	0.02

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled spray paints for fun or to get high?

(IN01I)

[SPPAINT3](#)

Len : 2 EVER INHALED SPRAY PAINTS

	Freq	Pct
1 = Yes.....	685	1.17
2 = No.....	6214	10.60
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	21	0.04
97 = REFUSED.....	6	0.01

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled computer keyboard cleaner, also known as air duster, for fun or to get high?

(IN01II)

[AIRDUSTER3](#)

Len : 2 EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER

	Freq	Pct
1 = Yes.....	752	1.28
2 = No.....	6148	10.49
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	22	0.04
97 = REFUSED.....	4	0.01

INHALANTS

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once, inhaled some other aerosol spray for fun or to get high?

(IN01J)

OTHAEROS3

Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
1 = Yes.....	385	0.66
2 = No.....	6498	11.08
3 = Yes LOGICALLY ASSIGNED.....	3	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	32	0.05
97 = REFUSED.....	8	0.01

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Have you ever, even once used any other inhalants for fun or to get high besides the ones that have been listed?

(IN01L)

INHALOTH2

Len : 2 EVER USED OTHER INHALANTS

	Freq	Pct
1 = Yes.....	237	0.40
2 = No.....	6638	11.32
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	42	0.07
97 = REFUSED.....	9	0.02

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

NOTE: INHALEVER2 was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT3, CLEFLU3, GAS3, GLUE3, ETHER3, SOLVENT3, LGAS3, NITOXID3, FELTMARKR3, SPPAINT3, AIRDUSTER3, OTHAEROS3, or INHALOTH2. INHALEVER2 was coded as 91 if all of the above variables were coded as 91. Respondents who refused to answer all of the questions regarding specific inhalant use were asked in question INREF whether they ever used any type of inhalants for fun or to get high. INHALEVER2 also was coded as 1 if respondents answered yes to INREF and 91 if respondents answered no to INREF.

(AIRDUSTER3, AMYLNIT3, CLEFLU3, ETHER3, FELTMARKR3, GAS3, GLUE3, INHALOTH2, INREF, LGAS3, NITOXID3, OTHAEROS3, SOLVENT3, SPPAINT3)

INHALEVER2

Len : 2 EVER USED INHALANTS

	Freq	Pct
1 = Yes.....	6740	11.50
91 = NEVER USED INHALANTS.....	51705	88.18
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	187	0.32

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

How old were you the first time you used any inhalant for fun or to get high?

(IN02)

INHALAGE2

Len : 3 AGE WHEN FIRST USED INHALANTS

	Freq	Pct
RANGE = 1 - 69.....	6174	10.53
985 = BAD DATA Logically assigned.....	33	0.06
991 = NEVER USED INHALANTS.....	51705	88.18
994 = DON'T KNOW.....	424	0.72
997 = REFUSED.....	112	0.19
998 = BLANK (NO ANSWER).....	185	0.32

INHALANTS

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Did you first use an inhalant of any kind for fun or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for fun or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for fun or to get high?

(IN03A, IN03B, IN03C)

[INHALYFU2](#)

Len : 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	376	0.64
9985 = BAD DATA Logically assigned	72	0.12
9989 = LEGITIMATE SKIP Logically assigned	30	0.05
9991 = NEVER USED INHALANTS	51705	88.18
9994 = DON'T KNOW	427	0.73
9997 = REFUSED	112	0.19
9998 = BLANK (NO ANSWER).....	191	0.33
9999 = LEGITIMATE SKIP.....	5720	9.76

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for fun or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for fun or to get high?

(IN03C, IN03D)

[INHALMFU2](#)

Len : 2 MONTH OF FIRST INHALANT USE - RECODE

	Freq	Pct
1 = January.....	35	0.06
2 = February.....	40	0.07
3 = March.....	27	0.05
4 = April	29	0.05
5 = May.....	29	0.05
6 = June.....	34	0.06
7 = July	34	0.06
8 = August	21	0.04
9 = September.....	23	0.04
10 = October.....	24	0.04
11 = November	19	0.03
12 = December.....	23	0.04
85 = BAD DATA Logically assigned	71	0.12
89 = LEGITIMATE SKIP Logically assigned	30	0.05
91 = NEVER USED INHALANTS	51705	88.18
94 = DON'T KNOW	463	0.79
97 = REFUSED	114	0.19
98 = BLANK (NO ANSWER)	192	0.33
99 = LEGITIMATE SKIP.....	5720	9.76

INHALANTS

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

How long has it been since you last used any inhalant for fun or to get high?

(INLAST, INRECDK, INRECRE)

INHALREC2

Len : 2 TIME SINCE LAST USED INHALANTS

	Freq	Pct
1 = Within the past 30 days.....	349	0.60
2 = More than 30 days ago but within the past 12 mos	611	1.04
3 = More than 12 months ago	5582	9.52
8 = Used at some point in the past 12 mos LOG ASSN.....	3	0.01
9 = Used at some point in lifetime LOG ASSN	193	0.33
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED INHALANTS	51705	88.18
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	185	0.32

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(TOTINHAL)

INHALYFQ2

Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	926	1.58
985 = BAD DATA Logically assigned	11	0.02
991 = NEVER USED INHALANTS	51705	88.18
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
994 = DON'T KNOW	22	0.04
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER).....	379	0.65

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

INH TOTFG2

Len : 2 TRIMMING INDICATOR FOR INHALYFQ

	Freq	Pct
1 = Trimmed to 365 days (no further editing).....	1	0.00
2 = Trimmed relative to the 30-day freq	2	0.00
98 = BLANK (NO ANSWER)	58630	99.99

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

INH FQFLG2

Len : 2 TRIMMED INHALYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	66	0.11
98 = BLANK (NO ANSWER)	58567	99.89

INHALANTS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for fun or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

(INFRAME3)
INHEASWY2

Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
1 = Prefer to answer in days per week.....	160	0.27
2 = Prefer to answer in days per month.....	221	0.38
3 = Prefer to answer in days per year.....	528	0.90
11 = Prefer to ans in days per wk LOG ASSN.....	4	0.01
12 = Prefer to ans in days per mo LOG ASSN.....	6	0.01
13 = Prefer to ans in days per yr LOG ASSN.....	25	0.04
85 = BAD DATA Logically assigned.....	9	0.02
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	379	0.65

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

On how many days in the past 12 months did you use an inhalant of any kind for fun or to get high?

(INYRAVE)
INHDSYR2

Len : 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	547	0.93
985 = BAD DATA Logically assigned.....	6	0.01
989 = LEGITIMATE SKIP Logically assigned.....	9	0.02
991 = NEVER USED INHALANTS.....	51705	88.18
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
994 = DON'T KNOW.....	18	0.03
997 = REFUSED.....	2	0.00
998 = BLANK (NO ANSWER).....	382	0.65
999 = LEGITIMATE SKIP.....	382	0.65

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

On average, how many days did you use an inhalant of any kind for fun or to get high each month during the past 12 months?

(INMONAVE)
INHDPMO2

Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 31.....	220	0.38
85 = BAD DATA Logically assigned.....	1	0.00
89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	22	0.04
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	387	0.66
99 = LEGITIMATE SKIP.....	707	1.21

INHALANTS

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

On average, how many days did you use an inhalant of any kind for fun or to get high each week during the past 12 months?

(INWKAVE)

[INHDPWK2](#)

Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	161	0.27
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	22	0.04
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	386	0.66
99 = LEGITIMATE SKIP	767	1.31

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for fun or to get high?

(IN06)

[INHAL30N2](#)

Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	335	0.57
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	6193	10.56
94 = DON'T KNOW	9	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	384	0.65

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

What is your best estimate of the number of days you used any inhalant for fun or to get high during the past 30 days?

(IN06DKRE)

[INHAL30ES2](#)

Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	6	0.01
2 = 3 to 5 days	2	0.00
3 = 6 to 9 days	2	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	6193	10.56
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	385	0.66
99 = LEGITIMATE SKIP	335	0.57

METHAMPHETAMINE

METHAMPHETAMINE

These questions are about methamphetamine, also known as meth, crank, ice, crystal meth, or glass. It can be smoked, snorted, swallowed or injected.

Have you ever, even once, used methamphetamine?

(ME01, MEREf)

METHAMEVR

Len : 2 EVER USED METHAMPHETAMINE

	Freq	Pct
1 = Yes.....	2629	4.48
2 = No.....	55927	95.38
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW.....	69	0.12
97 = REFUSED	7	0.01

How old were you the first time you used methamphetamine?

(ME02)

METHAMAGE

Len : 3 AGE 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2 - 71	2608	4.45
985 = BAD DATA Logically assigned	5	0.01
991 = NEVER USED METHAMPHETAMINE	55927	95.38
994 = DON'T KNOW	16	0.03
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER).....	70	0.12

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

(ME03A, ME03B, ME03C)

METHAMYFU

Len : 4 YEAR 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2022 - 2024	53	0.09
9985 = BAD DATA Logically assigned	11	0.02
9989 = LEGITIMATE SKIP Logically assigned	7	0.01
9991 = NEVER USED METHAMPHETAMINE.....	55927	95.38
9994 = DON'T KNOW	16	0.03
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	70	0.12
9999 = LEGITIMATE SKIP.....	2542	4.34

METHAMPHETAMINE

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

(ME03C, ME03D)

METHAMMFU

Len : 2 MONTH 1ST USED METHAMPHETAMINE

	Freq	Pct
1 = January.....	2	0.00
2 = February.....	3	0.01
3 = March.....	4	0.01
4 = April.....	3	0.01
5 = May.....	5	0.01
6 = June.....	7	0.01
7 = July.....	4	0.01
8 = August.....	4	0.01
9 = September.....	5	0.01
10 = October.....	2	0.00
11 = November.....	4	0.01
12 = December.....	7	0.01
85 = BAD DATA Logically assigned.....	11	0.02
89 = LEGITIMATE SKIP Logically assigned.....	7	0.01
91 = NEVER USED METHAMPHETAMINE.....	55927	95.38
94 = DON'T KNOW.....	19	0.03
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	70	0.12
99 = LEGITIMATE SKIP.....	2542	4.34

How long has it been since you last used methamphetamine?

(MELAST3, MERECDK, MERECRE)

METHAMREC

Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
1 = Within the past 30 days.....	318	0.54
2 = More than 30 days ago but within the past 12 mos.....	213	0.36
3 = More than 12 months ago.....	2069	3.53
8 = Used at some point in the past 12 mos LOG ASSN.....	15	0.03
9 = Used at some point in lifetime LOG ASSN.....	13	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	55927	95.38
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	69	0.12

(TOTME)

METHAMYFQ

Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	525	0.90
985 = BAD DATA Logically assigned.....	18	0.03
991 = NEVER USED METHAMPHETAMINE.....	55927	95.38
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2069	3.53
994 = DON'T KNOW.....	2	0.00
997 = REFUSED.....	10	0.02
998 = BLANK (NO ANSWER).....	82	0.14

METOTFG

Len : 2 TRIMMING INDICATOR FOR METHAMYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq.....	21	0.04
98 = BLANK (NO ANSWER).....	58612	99.96

MEFQFLG

Len : 2 TRIMMED METHAMYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	18	0.03
98 = BLANK (NO ANSWER).....	58615	99.97

METHAMPHETAMINE

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(MEFRAME3)
METHEASWY

Len : 2 EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE

	Freq	Pct
1 = Prefer to answer in days per week.....	226	0.39
2 = Prefer to answer in days per month.....	126	0.21
3 = Prefer to answer in days per year.....	173	0.30
12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
13 = Prefer to ans in days per yr LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	16	0.03
91 = NEVER USED METHAMPHETAMINE.....	55927	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2069	3.53
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	82	0.14

On how many days in the past 12 months did you use methamphetamine?

(MEYRAVE)
METHDYSYR

Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	174	0.30
985 = BAD DATA Logically assigned.....	1	0.00
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED METHAMPHETAMINE.....	55927	95.38
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2069	3.53
994 = DON'T KNOW.....	3	0.01
997 = REFUSED.....	9	0.02
998 = BLANK (NO ANSWER).....	97	0.17
999 = LEGITIMATE SKIP.....	351	0.60

On average, how many days did you use methamphetamine each month during the past 12 months?

(MEMONAVE)
METHDYPMO

Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	126	0.21
85 = BAD DATA Logically assigned.....	5	0.01
91 = NEVER USED METHAMPHETAMINE.....	55927	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2069	3.53
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	93	0.16
99 = LEGITIMATE SKIP.....	400	0.68

On average, how many days did you use methamphetamine each week during the past 12 months?

(MEWKAVE)
METHDYPWK

Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7.....	226	0.39
85 = BAD DATA Logically assigned.....	11	0.02
91 = NEVER USED METHAMPHETAMINE.....	55927	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2069	3.53
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	88	0.15
99 = LEGITIMATE SKIP.....	300	0.51

METHAMPHETAMINE

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

(ME06)

METHAM30N

Len : 2 # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	315	0.54
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	55927	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2282	3.89
94 = DON'T KNOW	2	0.00
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	98	0.17

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

(ME06DKRE)

METHAM30E

Len : 2 BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	Freq	Pct
3 = 6 to 9 days.....	1	0.00
4 = 10 to 19 days.....	1	0.00
5 = 20 to 29 days.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55927	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2282	3.89
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	99	0.17
99 = LEGITIMATE SKIP.....	315	0.54

PAIN RELIEVERS SCREENER

PAIN RELIEVERS SCREENER

Please look at the names and pictures of the pain relievers shown below.

In the **past 12 months**, which, if any, of these pain relievers have you used?

(PR021)

OXCNANYR2

Len : 2 ANY OXYCONTIN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	1371	2.34
2 = No (not entered).....	1093	1.86
3 = Yes LOGICALLY ASSIGNED (from any use of oth pain rlvr)	3	0.01
81 = NEVER USED PAIN RLVRs Logically assigned	186	0.32
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED PAIN RELIEVERS	30747	52.44
93 = DID NOT USE IN THE PAST 12 MONTHS.....	14638	24.97
94 = DON'T KNOW	178	0.30
95 = I have not used any of these Pain Relievers in the past 12 months.....	10356	17.66
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	28	0.05

Have you **ever**, even once, used **any prescription pain reliever**?

Remember, do **not** report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

(PRLANY)

PNRANYLIF2

Len : 2 ANY PAIN RELIEVER USE IN LIFETIME

	Freq	Pct
1 = Yes.....	14434	24.62
2 = No.....	30933	52.76
3 = Yes LOGICALLY ASSIGNED	31	0.05
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	11821	20.16
94 = DON'T KNOW	448	0.76
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	940	1.60

NOTE: PNRANYREC was created from responses of any use in the past 12 months for specific pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

PNRANYREC2

Len : 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	11821	20.16
2 = More than 12 months ago	14300	24.39
9 = Used at some point in the lifetime LOG ASSN.....	134	0.23
12 = More than 12 months ago LOGICALLY ASSIGNED.....	31	0.05
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	1210	2.06
91 = NEVER USED PAIN RELIEVERS	30933	52.76
98 = BLANK (NO ANSWER)	204	0.35

The following variable for any past year use of Fentanyl Products, FENTANYR, was assigned a positive response if a respondent indicated any past year use of Duragesic, Fentora, or generic fentanyl, or past year misuse of other pain relievers that contain fentanyl.

FENTANYR2

Len : 1 RC-FENTANYL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Missing.....	164	0.28
0 = No.....	57923	98.79
1 = Yes (See comment above)	546	0.93

PAIN RELIEVERS

PAIN RELIEVERS

The next question asks about using prescription pain relievers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

(PRL01, PRL02)

PNRNMLIF

Len : 2 EVER USED PAIN RELIEVER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	2877	4.91
2 = No.....	22370	38.15
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1651	2.82
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	30933	52.76
94 = DON'T KNOW	35	0.06
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	748	1.28

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

(PRY06)

OXCNNMYR

Len : 2 USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS

	Freq	Pct
1 = Yes.....	201	0.34
2 = No.....	274	0.47
81 = NEVER MISUSED PAIN RLVRs Logically assigned	2	0.00
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53301	90.91
93 = DID NOT USE IN THE PAST 12 MONTHS.....	4719	8.05
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	125	0.21

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

(PRY06A)

OXCNNMAGE

Len : 3 AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 8 - 68	195	0.33
981 = NEVER USED PAIN RLVRs Logically assigned	2	0.00
985 = BAD DATA Logically assigned	2	0.00
991 = NEVER USED/MISUSED PAIN RELIEVERS.....	53301	90.91
993 = DID NOT USE IN THE PAST 12 MONTHS.....	4993	8.52
994 = DON'T KNOW	5	0.01
998 = BLANK (NO ANSWER).....	135	0.23

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

(PRY06B, PRY06C, PRY06D)

OXCNNMYFU

Len : 4 YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 2022 - 2024	36	0.06
9981 = NEVER USED PAIN RLVRs Logically assigned	2	0.00
9985 = BAD DATA Logically assigned	1	0.00
9989 = LEGITIMATE SKIP Logically assigned	2	0.00
9991 = NEVER USED/MISUSED PAIN RELIEVERS.....	53301	90.91
9993 = DID NOT USE IN THE PAST 12 MONTHS.....	4993	8.52
9998 = BLANK (NO ANSWER).....	142	0.24
9999 = LEGITIMATE SKIP.....	156	0.27

PAIN RELIEVERS

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

(PRY06D)

OXCNNMMFU

Len : 2 MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
1 = January.....	3	0.01
2 = February.....	2	0.00
3 = March.....	7	0.01
4 = April	3	0.01
5 = May.....	3	0.01
7 = July	3	0.01
8 = August	4	0.01
10 = October.....	1	0.00
11 = November	6	0.01
12 = December.....	3	0.01
81 = NEVER USED PAIN RLVRs Logically assigned	2	0.00
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53301	90.91
93 = DID NOT USE IN THE PAST 12 MONTHS.....	4993	8.52
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER)	142	0.24
99 = LEGITIMATE SKIP.....	156	0.27

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables of specific pain relievers, and PNRLVNM30DY.

PNRNMREC

Len : 2 RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	446	0.76
2 = More than 30 days ago but within the past 12 mos	1184	2.02
3 = More than 12 months ago	2828	4.82
8 = Misused at some point in past 12 mos LOG ASSN.....	21	0.04
9 = Misused at some point in lifetime LOG ASSN	49	0.08
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	521	0.89
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
98 = BLANK (NO ANSWER)	281	0.48

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

(PRL03)

PNRNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE

	Freq	Pct
1 = Past year initiate.....	317	0.54
2 = Not a past year initiate	96	0.16
4 = Not past yr initiate LOG ASSN (from skip pattern).....	1224	2.09
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	521	0.89
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	2828	4.82
94 = DON'T KNOW	8	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	331	0.56

PAIN RELIEVERS

NOTE: The variables PNRNIMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

<u>PNRNIMAGE</u>	Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES		
		Freq	Pct
	RANGE = 12 - 85	232	0.40
	983 = NOT A PAST YEAR INITIATE Log assn.....	521	0.89
	991 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
	993 = NOT A PAST YEAR INITIATE.....	4148	7.07
	998 = BLANK (NO ANSWER).....	429	0.73

<u>PNRNMYFU</u>	Len : 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES		
		Freq	Pct
	RANGE = 2023 - 2024	227	0.39
	9983 = NOT A PAST YEAR INITIATE Logically assigned.....	521	0.89
	9991 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
	9993 = NOT A PAST YEAR INITIATE	4148	7.07
	9998 = BLANK (NO ANSWER).....	434	0.74

<u>PNRNMMFU</u>	Len : 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES		
		Freq	Pct
	1 = January.....	19	0.03
	2 = February.....	21	0.04
	3 = March.....	20	0.03
	4 = April	16	0.03
	5 = May.....	13	0.02
	6 = June.....	19	0.03
	7 = July	20	0.03
	8 = August	10	0.02
	9 = September.....	22	0.04
	10 = October	16	0.03
	11 = November	23	0.04
	12 = December.....	21	0.04
	83 = NOT A PAST YEAR INITIATE Logically assigned	521	0.89
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
	93 = NOT A PAST YEAR INITIATE	4148	7.07
	98 = BLANK (NO ANSWER)	441	0.75

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

(PRM01)			
<u>PNRNM30D</u>	Len : 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS		
		Freq	Pct
	1 = Yes.....	413	0.70
	2 = No	1184	2.02
	5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1)	33	0.06
	83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn.....	139	0.24
	85 = BAD DATA Logically assigned.....	6	0.01
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	3210	5.47
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER)	327	0.56

During the past 30 days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

(PRM02)			
<u>PNRNM30FQ</u>	Len : 2 # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS		
		Freq	Pct
	RANGE = 1 - 30	435	0.74
	83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn.....	43	0.07
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4490	7.66
	94 = DON'T KNOW.....	7	0.01
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	349	0.60

PAIN RELIEVERS

What is your best estimate of the number of days you used [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] during the past 30 days?

(PRM02DKRE)

PNRNM30ES

Len : 2 EST # DAYS USED PAIN RLVR NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	5	0.01
2 = 3 to 5 days.....	3	0.01
3 = 6 to 9 days.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4533	7.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	351	0.60
99 = LEGITIMATE SKIP.....	435	0.74

NOTE: Responses of "yes" in PNRNM30AL were assigned a code of 11 when respondents reported that they misused pain relievers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when PNRNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(PRM03)

PNRNM30AL

Len : 2 USED PAIN RLVR NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	98	0.17
2 = No.....	128	0.22
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	10	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4523	7.71
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP.....	216	0.37

Which of these statements describe your use of [PRNAMEFILL] at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

(PRYWAYS1)

PNRWYNORX

Len : 2 USED PAIN RLVR W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	910	1.55
2 = No (not entered).....	576	0.98
83 = DID NOT MISUSE PAIN RELIEVERS IN PST 30 days Log assn	86	0.15
85 = BAD DATA Logically assigned.....	4	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3263	5.57
94 = DON'T KNOW.....	100	0.17
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	329	0.56

(PRYWAYS2)

PNRWYGAMT

Len : 2 USED PAIN RLVR IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	285	0.49
2 = No (not entered).....	1202	2.05
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	25	0.04
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3324	5.67
94 = DON'T KNOW.....	100	0.17
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	329	0.56

PAIN RELIEVERS

(PRYWAYS3)
PNRWYOFTN

Len : 2 USED PAIN RLVR MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	242	0.41
2 = No (not entered).....	1245	2.12
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS logically assigned.....	27	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3322	5.67
94 = DON'T KNOW.....	100	0.17
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	331	0.56

(PRYWAYS4)
PNRWYLNGR

Len : 2 USED PAIN RLVR LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	209	0.36
2 = No (not entered).....	1278	2.18
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	28	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3321	5.66
94 = DON'T KNOW.....	100	0.17
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	331	0.56

(PRYWAYS5)
PNRWYOTWY

Len : 2 USED PAIN RLVR OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	381	0.65
2 = No (not entered).....	1105	1.88
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	50	0.09
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3299	5.63
94 = DON'T KNOW.....	100	0.17
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	331	0.56

PAIN RELIEVERS

Now think about the last time you used a prescription pain reliever in any way a doctor did not direct you to use it.

Which of these pain relievers did you use the last time? If you used more than one pain reliever the last time, please choose one pain reliever as your best answer.

(RPRYLAST)
PNRNMLAS1

Len : 2 LAST PAIN RLVR USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Vicodin	86	0.15
2 = Lortab	32	0.05
3 = Norco	57	0.10
4 = Zohydro ER	1	0.00
5 = Hydrocodone (generic)	281	0.48
6 = OxyContin	59	0.10
7 = Percocet	117	0.20
8 = Percodan	7	0.01
9 = Roxicodone	18	0.03
10 = Oxycodone (generic)	137	0.23
11 = Ultram	9	0.02
13 = Ultracet	1	0.00
14 = Tramadol (generic)	108	0.18
15 = Extended-release tramadol (generic)	6	0.01
16 = Tylenol with codeine 3 or 4 (NOT over-the-counter Tylenol)	319	0.54
17 = Codeine pills (generic)	14	0.02
18 = Avinza	1	0.00
19 = Kadian	1	0.00
21 = Morphine (generic)	18	0.03
22 = Extended-release morphine (generic)	5	0.01
23 = Duragesic	1	0.00
24 = Fentora	1	0.00
25 = Fentanyl (generic)	62	0.11
26 = Suboxone	66	0.11
27 = Buprenorphine (generic)	19	0.03
28 = Buprenorphine plus naloxone (generic)	11	0.02
32 = Extended-release oxymorphone (generic)	1	0.00
33 = Demerol	2	0.00
34 = Dilaudid or hydromorphone	6	0.01
35 = Exalgo or extended-release hydromorphone	1	0.00
36 = Methadone	15	0.03
37 = Some other pain reliever	165	0.28
83 = DID NOT MISUSE IN THE PST 12 MOS Logically assigned	143	0.24
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3206	5.47
94 = DON'T KNOW	9	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	327	0.56

Now think about the last time you used [PRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [PRLASTFILL2] the last time?

(PRYMOTV1)
PNRRSPAIN

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RLV PAIN

	Freq	Pct
1 = Yes	1184	2.02
2 = No (not entered)	405	0.69
3 = Yes LOGICALLY ASSIGNED	11	0.02
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	125	0.21
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3224	5.50
94 = DON'T KNOW	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	329	0.56

PAIN RELIEVERS

(PRYMOTV2)
PNRRSRELX

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	390	0.67
2 = No (not entered).....	1210	2.06
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	25	0.04
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3324	5.67
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	329	0.56

(PRYMOTV3)
PNRRSEXPT

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	86	0.15
2 = No (not entered).....	1515	2.58
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	10	0.02
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3339	5.69
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	330	0.56

(PRYMOTV4)
PNRRSHIGH

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	287	0.49
2 = No (not entered).....	1310	2.23
3 = Yes LOGICALLY ASSIGNED.....	4	0.01
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	12	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3337	5.69
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	331	0.56

(PRYMOTV5)
PNRRSSLEP

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	245	0.42
2 = No (not entered).....	1356	2.31
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	19	0.03
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3330	5.68
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	331	0.56

(PRYMOTV6)
PNRRSEMOT

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	217	0.37
2 = No (not entered).....	1384	2.36
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	13	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3336	5.69
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	331	0.56

PAIN RELIEVERS

(PRYMOTV7)
PNRRSDGFX

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	47	0.08
2 = No (not entered).....	1553	2.65
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	10	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3339	5.69
94 = DON'T KNOW	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	331	0.56

(PRYMOTV8)
PNRRSHOOK

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	80	0.14
2 = No (not entered).....	1520	2.59
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	10	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3339	5.69
94 = DON'T KNOW	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	331	0.56

(PRYMOTV9)
PNRRSSOR

Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	90	0.15
2 = No (not entered).....	1511	2.58
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	27	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3322	5.67
94 = DON'T KNOW	23	0.04
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	331	0.56

Please type in the other reason you used [PRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(PRMOTOTSC)
PNRRSOTRS2

Len : 3 REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	19	0.03
2 = To relax or relieve tension	1	0.00
4 = To feel good or get high.....	4	0.01
6 = To help me with my feelings or emotions.....	2	0.00
7 = To increase/decrease effects of some other drug.....	1	0.00
8 = Because I am "hooked" or I have to have it/them	1	0.00
13 = I used it/them for some other reason	11	0.02
14 = For cold/flu/fever/sick/illness; pain not specified.....	9	0.02
16 = Suicide attempt/suicidal thoughts	8	0.01
26 = To replace another/other drug(s)/alcohol I am addicted to.....	9	0.02
71 = They are prescribed to me; misuse not indicated.....	3	0.01
983 = DID NOT USE PAIN REL IN THE PAST 12 MOS Logically assigned.....	17	0.03
985 = BAD DATA (logically assigned).....	14	0.02
991 = NEVER USED PAIN RELIEVERS	53303	90.91
993 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	3332	5.68
994 = DON'T KNOW	5	0.01
997 = REFUSED	3	0.01
998 = BLANK (no answer).....	380	0.65
999 = LEGITIMATE SKIP.....	1511	2.58

PAIN RELIEVERS

Which was the main reason you used [PRLASTFILL2] the last time?

(RPRYMOT1)
PNRRSMAIN

Len : 2 MAIN REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	215	0.37
2 = To relax or relieve tension.....	63	0.11
3 = To experiment or to see what it was/they were like.....	13	0.02
4 = To feel good or get high.....	94	0.16
5 = To help with my sleep.....	31	0.05
6 = To help me with my feelings or emotions.....	46	0.08
7 = To increase or decrease the effect(s) of some other drug.....	5	0.01
8 = Because I am 'hooked' or I have to have it/them.....	32	0.05
9 = The other reason I reported.....	7	0.01
11 = To relieve physical pain LOGICALLY ASSIGNED.....	3	0.01
18 = Because 'hooked'/have to have it LOG ASSN.....	1	0.00
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn.....	17	0.03
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS.....	53303	90.91
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS.....	3332	5.68
98 = BLANK (NO ANSWER).....	379	0.65
99 = LEGITIMATE SKIP.....	1090	1.86

NOTE: PNRNORXFG is set to 1 when respondents reported that the only way they misused pain relievers in the past year was without a prescription. These respondents also reported that the last pain reliever they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

PNRNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST PNR

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	117	0.20
98 = BLANK (NO ANSWER).....	58516	99.80

The following variable for past year misuse of Fentanyl Products, FENTNMYR, was assigned a positive response if a respondent indicated past year misuse of Duragesic, Fentora, generic fentanyl, or other pain relievers that contain fentanyl.

(PNROTNSP1, PNROTNSP2, PNROTNSP3, PNROTNSP4, PNROTNSP5)
FENTNMYR

Len : 1 RC-FENTANYL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Missing.....	26	0.04
0 = No.....	58508	99.79
1 = Yes (See comment above).....	99	0.17

TRANQUILIZERS SCREENER

TRANQUILIZERS SCREENER

Have you **ever**, even once, used **any prescription tranquilizer**?

(TRLANY)

[TRQANYLIF](#)

Len : 2 ANY TRANQUILIZER USE IN LIFETIME

	Freq	Pct
1 = Yes.....	3935	6.71
2 = No.....	48820	83.26
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	5395	9.20
94 = DON'T KNOW	352	0.60
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	114	0.19

NOTE: TRQANYREC was created from responses of any use in the past 12 months for specific tranquilizers and from TRQANYLIF for any lifetime use of tranquilizers.

[TRQANYREC](#)

Len : 2 RC - MOST RECENT ANY TRANQUILIZER USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	5395	9.20
2 = More than 12 months ago	3909	6.67
9 = Used at some point in the lifetime LOG ASSN.....	26	0.04
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	235	0.40
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
98 = BLANK (NO ANSWER)	248	0.42

The following variable for any past year use of Any Benzodiazepines Tranquilizers, TRBZOANYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

[TRBZOANYR](#)

Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - ANY PAST YEAR USE

	Freq	Pct
. = Missing	206	0.35
0 = No	54436	92.84
1 = Yes.....	3991	6.81

TRANQUILIZERS

TRANQUILIZERS

The next question asks about using prescription tranquilizers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription tranquilizer in any way a doctor did not direct you to use it?

(TRL01, TRL02)

TRQNMLIF

Len : 2 EVER USED TRANQUILIZER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	1152	1.96
2 = No.....	7327	12.50
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	815	1.39
85 = BAD DATA Logically assigned.....	18	0.03
91 = NEVER USED/MISUSED TRANQUILIZERS	48820	83.26
94 = DON'T KNOW	11	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	486	0.83

NOTE: The variable TRQNMREC is a recoded variable that was created from TRQNMLIF, the 12-month misuse variables of specific tranquilizers, and TRANQNM30DY.

TRQNMREC

Len : 2 RC - MOST RECENT TRANQUILIZER MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	233	0.40
2 = More than 30 days ago but within the past 12 mos	580	0.99
3 = More than 12 months ago	1144	1.95
8 = Misused at some point in past 12 mos LOG ASSN.....	2	0.00
9 = Misused at some point in lifetime LOG ASSN	8	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	246	0.42
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
98 = BLANK (NO ANSWER)	273	0.47

NOTE: TRQNMINIT is "reverse coded" from the answers in TRL03. TRL03=1 (yes) was recoded to 2 in TRQNMINIT because this answer means that the respondent misused tranquilizers before the past 12 months (and therefore is not a past year initiate for misuse of tranquilizers). TRL03=2 (no) was recoded to 1 in TRQNMINIT because this answer means that the respondent did not misuse tranquilizers before the past 12 months (and therefore is a past year initiate for misuse of tranquilizers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription tranquilizer in a way a doctor did not direct you to use it?

(TRL03)

TRQNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY TRANQUILIZER MISUSE

	Freq	Pct
1 = Past year initiate.....	144	0.25
2 = Not a past year initiate	25	0.04
4 = Not past yr initiate LOG ASSN (from skip pattern).....	644	1.10
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	246	0.42
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	1144	1.95
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	281	0.48

NOTE: The variables TRQNMAGE, TRQNMIFU, and TRQNMIFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of tranquilizers in the 12 months prior to being interviewed (TRQNMINIT=1).

TRQNMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 12 - 78	128	0.22
983 = NOT A PAST YEAR INITIATE Log assn.....	246	0.42
991 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
993 = NOT A PAST YEAR INITIATE	1813	3.09
998 = BLANK (NO ANSWER).....	299	0.51

TRANQUILIZERS

[TRQNMVFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 2023 - 2024	127	0.22
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	246	0.42
9991 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
9993 = NOT A PAST YEAR INITIATE	1813	3.09
9998 = BLANK (NO ANSWER).....	300	0.51

[TRQNMMFU](#)

Len : 2 RC - MO 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
1 = January.....	7	0.01
2 = February.....	10	0.02
3 = March.....	14	0.02
4 = April	9	0.02
5 = May.....	6	0.01
6 = June.....	10	0.02
7 = July	15	0.03
8 = August	7	0.01
9 = September.....	10	0.02
10 = October.....	10	0.02
11 = November	12	0.02
12 = December.....	14	0.02
83 = NOT A PAST YEAR INITIATE Logically assigned	246	0.42
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = NOT A PAST YEAR INITIATE	1813	3.09
98 = BLANK (NO ANSWER)	303	0.52

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

(TRM01)

[TRQNM30D](#)

Len : 2 USED TRANQ NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes.....	220	0.38
2 = No.....	580	0.99
5 = Yes LOGICALLY ASSIGNED.....	13	0.02
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	4	0.01
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	1386	2.36
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	279	0.48

During the past 30 days, on how many days did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

(TRM02)

[TRQNM30EQ](#)

Len : 2 # DAYS USED TRANQ NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	230	0.39
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	1968	3.36
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	282	0.48

What is your best estimate of the number of days you used [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] during the past 30 days?

(TRM02DKRE)

[TRQNM30ES](#)

Len : 2 EST # DAYS USED TRANQ NOT DIRECTED PST 30 DYS

	Freq	Pct
2 = 3 to 5 days.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	1970	3.36
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	284	0.48
99 = LEGITIMATE SKIP.....	230	0.39

TRANQUILIZERS

NOTE: Responses of "yes" in TRQNM30AL were assigned a code of 11 when respondents reported that they misused tranquilizers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when TRQNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(TRM03)

TRQNM30AL

Len : 2 USED TRANQ NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	62	0.11
2 = No.....	97	0.17
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS.....	1970	3.36
98 = BLANK (NO ANSWER).....	281	0.48
99 = LEGITIMATE SKIP.....	74	0.13

Which of these statements describe your use of [TRNAMEFILL] at any time in the past 12 months?

(TRYWAYS1)

TRQWYNORX

Len : 2 USED TRANQ W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	525	0.90
2 = No (not entered).....	248	0.42
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	281	0.48

(TRYWAYS2)

TRQWYGAMT

Len : 2 USED TRANQ IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	147	0.25
2 = No (not entered).....	626	1.07
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1389	2.37
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	282	0.48

(TRYWAYS3)

TRQWYOFTN

Len : 2 USED TRANQ MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	106	0.18
2 = No (not entered).....	667	1.14
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	283	0.48

(TRYWAYS4)

TRQWYLNGR

Len : 2 USED TRANQ LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	48	0.08
2 = No (not entered).....	725	1.24
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	283	0.48

TRANQUILIZERS

(TRYWAYS)
TRQWYOTWY

Len : 2 USED TRANQ OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	171	0.29
2 = No (not entered).....	602	1.03
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	3	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1387	2.37
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	283	0.48

Now think about the last time you used a prescription tranquilizer in any way a doctor did not direct you to use it.

Which of these tranquilizers did you use the last time? If you used more than one tranquilizer the last time, please choose one tranquilizer as your best answer.

(RTRYLAST)
TRQNMLAS1

Len : 2 LAST TRANQ USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Xanax.....	343	0.58
2 = Xanax XR.....	11	0.02
3 = Alprazolam (generic).....	78	0.13
4 = Extended-release alprazolam (generic).....	6	0.01
5 = Ativan.....	19	0.03
6 = Klonopin.....	42	0.07
7 = Lorazepam (generic).....	59	0.10
8 = Clonazepam (generic).....	68	0.12
9 = Valium.....	29	0.05
10 = Diazepam (generic).....	33	0.06
11 = Cyclobenzaprine (generic), also known as Flexeril.....	89	0.15
12 = Soma.....	3	0.01
13 = Some other tranquilizer.....	32	0.05
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN.....	4	0.01
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1386	2.36
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	278	0.47

Now think about the last time you used [TRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [TRLASTFILL2] the last time?

(TRYMOTIV1)
TRQRSRELX

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	490	0.84
2 = No (not entered).....	307	0.52
3 = Yes LOGICALLY ASSIGNED.....	5	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	282	0.48

TRANQUILIZERS

(TRYMOTIV2)
[TRQRSEXP](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	57	0.10
2 = No (not entered).....	744	1.27
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1389	2.37
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	282	0.48

(TRYMOTIV3)
[TRQRSHIGH](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	154	0.26
2 = No (not entered).....	646	1.10
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	282	0.48

(TRYMOTIV4)
[TRQRSSLEP](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	306	0.52
2 = No (not entered).....	495	0.84
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1388	2.37
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	283	0.48

(TRYMOTIV5)
[TRQRSEMOT](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	263	0.45
2 = No (not entered).....	539	0.92
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1389	2.37
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	283	0.48

(TRYMOTIV6)
[TRQRSDGFX](#)

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	50	0.09
2 = No (not entered).....	752	1.28
91 = NEVER USED/MISUSED TRANQUILIZERS.....	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	283	0.48

TRANQUILIZERS

(TRYMOTIV7)
TRQRSHOOK

Len : 2 USED LAST TRANQ (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	20	0.03
2 = No (not entered).....	782	1.33
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW	5	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	283	0.48

(TRYMOTIV8)
TRQRSSOR

Len : 2 USED LAST TRANQ (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	71	0.12
2 = No (not entered).....	731	1.25
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
94 = DON'T KNOW	5	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	283	0.48

Please type in the other reason you used [TRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(TRMOTOT)
TRQRSOTRS2

Len : 3 REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	24	0.04
2 = To relax or relieve tension	10	0.02
3 = To experiment or to see what it's/they're like	1	0.00
4 = To feel good or get high.....	2	0.00
5 = To help with my sleep.....	4	0.01
6 = To help me with my feelings or emotions.....	3	0.01
7 = To increase/decrease effects of some other drug.....	1	0.00
13 = I used it/them for some other reason.....	8	0.01
16 = Suicide attempt/suicidal thoughts	3	0.01
22 = To prevent/treat anxiety/panic attacks.....	3	0.01
985 = BAD DATA (logically assigned).....	8	0.01
991 = NEVER USED TRANQUILIZERS.....	56147	95.76
993 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
994 = DON'T KNOW	2	0.00
997 = REFUSED	2	0.00
998 = BLANK (no answer).....	294	0.50
999 = LEGITIMATE SKIP.....	731	1.25

Which was the main reason you used [TRLASTFILL2] the last time?

(RTRYMOT1)
TRQRSMAN

Len : 2 MAIN REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension	116	0.20
2 = To experiment or to see what it was/they were like	5	0.01
3 = To feel good or get high.....	35	0.06
4 = To help with my sleep.....	68	0.12
5 = To help me with my feelings or emotions.....	94	0.16
6 = To increase or decrease the effect(s) of some other drug	9	0.02
7 = Because I am 'hooked' or I have to have it/them	3	0.01
8 = The other reason I reported	9	0.02
11 = To relax or relieve tension LOGICALLY ASSIGNED.....	2	0.00
14 = To help with my sleep LOGICALLY ASSIGNED	1	0.00
15 = To help with feelings/emotions LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	56147	95.76
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS.....	1390	2.37
98 = BLANK (NO ANSWER)	294	0.50
99 = LEGITIMATE SKIP.....	458	0.78

TRANQUILIZERS

NOTE: TRQNORXFG is set to 1 when respondents reported that the only way they misused tranquilizers in the past year was without a prescription. These respondents also reported that the last tranquilizer they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

<u>TRQNORXFG</u>	Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST TRANQ		
		Freq	Pct
	1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	30	0.05
	98 = BLANK (NO ANSWER)	58603	99.95

The following variable for any past year misuse of Any Benzodiazepines Tranquilizers, TRBZNMYSR, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

<u>TRBZNMYSR</u>	Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - PAST YEAR MISUSE		
		Freq	Pct
	. = Missing.....	207	0.35
	0 = No.....	57722	98.45
	1 = Yes.....	704	1.20

STIMULANTS SCREENER

STIMULANTS SCREENER

Have you **ever**, even once, used **any prescription stimulant**?

Remember, do not include "over-the-counter" stimulants such as Dexatrim, No-Doz, Hydroxycut, or 5-Hour Energy.

(*STLANY*)

[STMANYLIF](#)

Len : 2 ANY STIMULANT USE IN LIFETIME

	Freq	Pct
1 = Yes.....	2928	4.99
2 = No.....	50349	85.87
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	4938	8.42
94 = DON'T KNOW	228	0.39
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	167	0.28

NOTE: STMANYREC was created from responses of any use in the past 12 months for specific stimulants and from STMANYLIF for any lifetime use of stimulants.

[STMANYREC](#)

Len : 2 RC - MOST RECENT ANY STIMULANT USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	4938	8.42
2 = More than 12 months ago	2913	4.97
9 = Used at some point in the lifetime LOG ASSN.....	15	0.03
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	121	0.21
91 = NEVER USED STIMULANTS.....	50349	85.87
98 = BLANK (NO ANSWER)	297	0.51

STIMULANTS

STIMULANTS

The next question asks about using prescription stimulants in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription stimulant in any way a doctor did not direct you to use it?

(STL01, STL02)

STMNMLIF

Len : 2 EVER USED STIMULANT NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	1507	2.57
2 = No.....	5376	9.17
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	947	1.62
85 = BAD DATA Logically assigned.....	11	0.02
91 = NEVER USED/MISUSED STIMULANTS	50349	85.87
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	423	0.72

NOTE: The variable STMNMREC is a recoded variable that was created from STMNMLIF, the 12-month misuse variables of specific stimulants, and STIMNM30DY.

STMNMREC

Len : 2 RC - MOST RECENT STIMULANT MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	269	0.46
2 = More than 30 days ago but within the past 12 mos	676	1.15
3 = More than 12 months ago	1504	2.57
8 = Misused at some point in past 12 mos LOG ASSN.....	2	0.00
9 = Misused at some point in lifetime LOG ASSN	3	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	138	0.24
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
98 = BLANK (NO ANSWER)	316	0.54

NOTE: STMNMINIT is "reverse coded" from the answers in STL03. STL03=1 (yes) was recoded to 2 in STMNMINIT because this answer means that the respondent misused stimulants before the past 12 months (and therefore is not a past year initiate for misuse of stimulants). STL03=2 (no) was recoded to 1 in STMNMINIT because this answer means that the respondent did not misuse stimulants before the past 12 months (and therefore is a past year initiate for misuse of stimulants).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription stimulant in a way a doctor did not direct you to use it?

(STL03)

STMNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY STIMULANT MISUSE

	Freq	Pct
1 = Past year initiate.....	190	0.32
2 = Not a past year initiate	37	0.06
4 = Not past yr initiate LOG ASSN (from skip pattern).....	719	1.23
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	138	0.24
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	1504	2.57
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER)	319	0.54

NOTE: The variables STMNIMAGE, STMNMYFU, and STMNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of stimulants in the 12 months prior to being interviewed (STMNMINIT=1).

STMNIMAGE

Len : 3 RC - AGE 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 13 - 63	185	0.32
983 = NOT A PAST YEAR INITIATE Log assn.....	138	0.24
991 = NEVER USED/MISUSED STIMULANTS	55725	95.04
993 = NOT A PAST YEAR INITIATE	2260	3.85
998 = BLANK (NO ANSWER).....	325	0.55

STIMULANTS

[STMNMYFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 2023 - 2024	182	0.31
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	138	0.24
9991 = NEVER USED/MISUSED STIMULANTS	55725	95.04
9993 = NOT A PAST YEAR INITIATE	2260	3.85
9998 = BLANK (NO ANSWER).....	328	0.56

[STMNMMFU](#)

Len : 2 RC - MONTH 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
1 = January.....	16	0.03
2 = February.....	11	0.02
3 = March.....	14	0.02
4 = April	18	0.03
5 = May.....	16	0.03
6 = June.....	14	0.02
7 = July	9	0.02
8 = August	15	0.03
9 = September.....	15	0.03
10 = October.....	13	0.02
11 = November	16	0.03
12 = December.....	16	0.03
83 = NOT A PAST YEAR INITIATE Logically assigned	138	0.24
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = NOT A PAST YEAR INITIATE	2260	3.85
98 = BLANK (NO ANSWER)	337	0.57

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

(STM01)

[STMNM30D](#)

Len : 2 USED STIMULANT NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes.....	252	0.43
2 = No.....	676	1.15
5 = Yes LOGICALLY ASSIGNED.....	17	0.03
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	4	0.01
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	1638	2.79
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	316	0.54

During the past 30 days, on how many days did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

(STM02)

[STMNM30FQ](#)

Len : 2 # DAYS USED STIMULANT NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	265	0.45
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	2318	3.95
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	320	0.55

What is your best estimate of the number of days you used [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] during the past 30 days?

(STM02DKRE)

[STMNM30ES](#)

Len : 2 EST # DAYS USED STIMULANT NOT DIRECTED PST 30 DYS

	Freq	Pct
2 = 3 to 5 days.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	2318	3.95
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	322	0.55
99 = LEGITIMATE SKIP.....	265	0.45

STIMULANTS

During the past 30 days, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(STM03)

STMNM30AL

Len : 2 USED STIMULANT NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	97	0.17
2 = No.....	97	0.17
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS.....	2318	3.95
98 = BLANK (NO ANSWER)	322	0.55
99 = LEGITIMATE SKIP.....	73	0.12

Which of these statements describe your use of [STNAMEFILL] at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

(STYWAYS1)

STMWYNORX

Len : 2 USED STIMULANT W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	671	1.14
2 = No (not entered).....	249	0.42
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1640	2.80
94 = DON'T KNOW	15	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	320	0.55

(STYWAYS2)

STMWYGAMT

Len : 2 USED STIMULANT IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	170	0.29
2 = No (not entered).....	750	1.28
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW	15	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	318	0.54

(STYWAYS3)

STMWYOFTN

Len : 2 USED STIMULANT MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	104	0.18
2 = No (not entered).....	816	1.39
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1641	2.80
94 = DON'T KNOW	15	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	320	0.55

(STYWAYS4)

STMWYLNGR

Len : 2 USED STIMULANT LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No (not entered).....	874	1.49
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW	15	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	320	0.55

STIMULANTS

(STYWAYS5)
STMWYOTWY

Len : 2 USED STIMULANT OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	188	0.32
2 = No (not entered).....	732	1.25
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1641	2.80
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	319	0.54

At any time in the past 12 months, did you ever use a needle to inject [STNAMEFILL] ?

(STYNDL)
STMNDLYR

Len : 2 USED STIMULANT WITH A NEEDLE PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	20	0.03
2 = No	925	1.58
83 = DID NOT MISUSE STIM IN THE PST 12M LOG ASSN	4	0.01
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1638	2.79
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER)	317	0.54

(STNDL30)
STMNDLREC

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT

	Freq	Pct
1 = Within the past 30 days.....	8	0.01
2 = More than 30 days ago but within the past 12 months	6	0.01
8 = Misused at some point in past 12 mos LOG ASSN.....	1	0.00
12 = More than 30 dys ago but in pst 12 mo (STMNMREC=2)	5	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
98 = BLANK (NO ANSWER)	320	0.55
99 = LEGITIMATE SKIP.....	925	1.58

STIMULANTS

Now think about the last time you used a prescription stimulant in any way a doctor did not direct you to use it.

Which of these stimulants did you use the last time? If you used more than one stimulant the last time, please choose one stimulant as your best answer.

(RSTYLAST)
STMNMLAS1

Len : 2 LAST STIMULANT USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Adderall	496	0.85
2 = Adderall XR.....	146	0.25
3 = Dexedrine	1	0.00
4 = Dextroamphetamine (generic).....	23	0.04
5 = Mixed amphetamine-dextroamphetamine pills (generic).....	37	0.06
6 = Extend-rel amphet-dextroamp oth than Adderall XR (generic).....	20	0.03
7 = Ritalin	38	0.06
8 = Ritalin LA.....	3	0.01
9 = Concerta.....	15	0.03
10 = Daytrana	1	0.00
12 = Metadate ER	1	0.00
13 = Methylphenidate (generic)	11	0.02
14 = Extended-release methylphenidate (generic).....	6	0.01
15 = Focalin	7	0.01
16 = Focalin XR.....	3	0.01
17 = Dexmethylphenidate (generic).....	5	0.01
19 = Benzphetamine	3	0.01
22 = Phendimetrazine	1	0.00
23 = Phentermine	28	0.05
24 = Provigil	11	0.02
25 = Tenuate	2	0.00
26 = Vyvanse	61	0.10
27 = Some other stimulant	19	0.03
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	4	0.01
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1638	2.79
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	317	0.54

Now think about the last time you used [STLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [STLASTFILL2] the last time?

(STYMOTIV1)
STMRSWGHT

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO LOSE WEIGHT

	Freq	Pct
1 = Yes.....	97	0.17
2 = No (not entered).....	841	1.43
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW	5	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	320	0.55

(STYMOTIV2)
STMRSCONC

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO CONCENTRATE

	Freq	Pct
1 = Yes.....	507	0.86
2 = No (not entered).....	430	0.73
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1641	2.80
94 = DON'T KNOW	5	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	320	0.55

STIMULANTS

(STYMOTIV3)
STMRSALERT

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO BE ALERT

	Freq	Pct
1 = Yes.....	466	0.79
2 = No (not entered).....	472	0.81
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1640	2.80
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	321	0.55

(STYMOTIV4)
STMRSSSTDY

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO STUDY

	Freq	Pct
1 = Yes.....	222	0.38
2 = No (not entered).....	716	1.22
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	321	0.55

(STYMOTIV5)
STMRSEXPT

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	110	0.19
2 = No (not entered).....	827	1.41
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	321	0.55

(STYMOTIV6)
STMRSHIGH

Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	213	0.36
2 = No (not entered).....	724	1.23
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	321	0.55

(STYMOTIV7)
STMRSDGFX

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	29	0.05
2 = No (not entered).....	907	1.55
3 = Yes LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	321	0.55

STIMULANTS

(STYMOTIV8)
[STMRSHOOK](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	15	0.03
2 = No (not entered).....	923	1.57
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1641	2.80
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	321	0.55

(STYMOTIV9)
[STMRSOR](#)

Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	66	0.11
2 = No (not entered).....	872	1.49
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	320	0.55

Please type in the other reason you used [STLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(STMOTOT)
[STMRSOTRS2](#)

Len : 3 REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain.....	3	0.01
3 = To experiment or to see what it's/they're like.....	1	0.00
4 = To feel good or get high.....	1	0.00
6 = To help me with my feelings or emotions.....	5	0.01
7 = To increase/decrease effects of some other drug.....	2	0.00
10 = To help me concentrate.....	2	0.00
13 = I used it/them for some other reason.....	19	0.03
15 = To get work/chores done, not studying.....	9	0.02
20 = To try out for medical condition.....	6	0.01
38 = To replace another/other drug(s); otherwise unspd.....	4	0.01
985 = BAD DATA (logically assigned).....	8	0.01
991 = NEVER USED STIMULANTS.....	55725	95.04
993 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
994 = DON'T KNOW.....	5	0.01
997 = REFUSED.....	1	0.00
998 = BLANK (no answer).....	328	0.56
999 = LEGITIMATE SKIP.....	872	1.49

Which was the main reason you used [STLASTFILL2] the last time?

(RSTYMOTI)
[STMRSMAIN](#)

Len : 2 MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To help me lose weight.....	17	0.03
2 = To help me concentrate.....	180	0.31
3 = To help me be alert or stay awake.....	107	0.18
4 = To help me study.....	59	0.10
5 = To experiment or to see what it was/they were like.....	24	0.04
6 = To feel good or get high.....	72	0.12
7 = To increase or decrease the effect(s) of some other drug.....	1	0.00
8 = Because I am 'hooked' or I have to have it/them.....	3	0.01
9 = The other reason I reported.....	10	0.02
17 = To increase/ decrease the effect(s) of other drug LOG ASSN.....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED STIMULANTS.....	55725	95.04
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS.....	1642	2.80
98 = BLANK (NO ANSWER).....	328	0.56
99 = LEGITIMATE SKIP.....	462	0.79

STIMULANTS

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

[STMNORXFG](#)

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	21	0.04
98 = BLANK (NO ANSWER)	58612	99.96

SEDATIVES SCREENER

SEDATIVES SCREENER

Have you **ever**, even once, used **any prescription sedative**?

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl.

(SVLANY)

SEDANYLIF

Len : 2 ANY SEDATIVE USE IN LIFETIME

	Freq	Pct
1 = Yes.....	2991	5.10
2 = No.....	52891	90.21
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2226	3.80
94 = DON'T KNOW	294	0.50
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	200	0.34

NOTE: SEDANYREC was created from responses of any use in the past 12 months for specific sedatives and from SEDANYLIF for any lifetime use of sedatives.

SEDANYREC

Len : 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	2226	3.80
2 = More than 12 months ago	2975	5.07
9 = Used at some point in the lifetime LOG ASSN.....	16	0.03
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	177	0.30
91 = NEVER USED SEDATIVES	52891	90.21
98 = BLANK (NO ANSWER)	348	0.59

The following variable for any past year use of Any Benzodiazepines Sedatives, SVBZOANYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZOANYR

Len : 1 RC - BENZODIAZEPINES SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
. = Missing.....	293	0.50
0 = No.....	58068	99.04
1 = Yes.....	272	0.46

SEDATIVES

SEDATIVES

The next question asks about using prescription sedatives in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

(SVL01, SVL02)

SEDNMLIF

Len : 2 EVER USED SEDATIVE NOT DIRECTED BY DR

	Freq	Pct
1 = Yes.....	840	1.43
2 = No.....	4152	7.08
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	171	0.29
85 = BAD DATA Logically assigned.....	12	0.02
91 = NEVER USED/MISUSED SEDATIVES	52891	90.21
94 = DON'T KNOW	13	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	549	0.94

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables of specific sedatives, and SEDTVNM30DY.

SEDNMREC

Len : 2 RC - MOST RECENT SEDATIVE MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days.....	54	0.09
2 = More than 30 days ago but within the past 12 mos	115	0.20
3 = More than 12 months ago	836	1.43
8 = Misused at some point in past 12 mos LOG ASSN.....	2	0.00
9 = Misused at some point in lifetime LOG ASSN	4	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	218	0.37
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
98 = BLANK (NO ANSWER)	361	0.62

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

(SVL03)

SEDNMINIT

Len : 2 PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE

	Freq	Pct
1 = Past year initiate.....	37	0.06
2 = Not a past year initiate	11	0.02
4 = Not past yr initiate LOG ASSN (from skip pattern).....	122	0.21
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	218	0.37
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	836	1.43
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	365	0.62

NOTE: The variables SEDNMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

SEDNMAGE

Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 12 - 81	34	0.06
983 = NOT A PAST YEAR INITIATE Log assn.....	218	0.37
991 = NEVER USED/MISUSED SEDATIVES	57043	97.29
993 = NOT A PAST YEAR INITIATE	969	1.65
998 = BLANK (NO ANSWER).....	369	0.63

SEDATIVES

[SEDNMYFU](#)

Len : 4 RC - YR 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 2023 - 2024	34	0.06
9983 = NOT A PAST YEAR INITIATE Logically assigned.....	218	0.37
9991 = NEVER USED/MISUSED SEDATIVES	57043	97.29
9993 = NOT A PAST YEAR INITIATE	969	1.65
9998 = BLANK (NO ANSWER).....	369	0.63

[SEDNMMFU](#)

Len : 2 RC - MO 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
1 = January.....	3	0.01
2 = February.....	4	0.01
3 = March.....	2	0.00
4 = April	3	0.01
5 = May.....	3	0.01
7 = July	3	0.01
8 = August	3	0.01
9 = September.....	3	0.01
10 = October	3	0.01
11 = November	3	0.01
12 = December.....	2	0.00
83 = NOT A PAST YEAR INITIATE Logically assigned	218	0.37
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = NOT A PAST YEAR INITIATE	969	1.65
98 = BLANK (NO ANSWER)	371	0.63

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

(SVM01)

[SEDNM30D](#)

Len : 2 USED SEDATIVE NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes.....	49	0.08
2 = No	115	0.20
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	5	0.01
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	30	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1024	1.75
94 = DON'T KNOW.....	2	0.00
98 = BLANK (NO ANSWER)	364	0.62

During the past 30 days, on how many days did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

(SVM02)

[SEDNM30FQ](#)

Len : 2 # DAYS USED SEDATIVE NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	54	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	5	0.01
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1164	1.99
98 = BLANK (NO ANSWER)	367	0.63

What is your best estimate of the number of days you used [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] during the past 30 days?

(SVM02DKRE)

[SEDNM30ES](#)

Len : 2 EST # DAYS USED SEDATIVE NOT DIRECTED PST 30 DYS

	Freq	Pct
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1169	1.99
98 = BLANK (NO ANSWER)	367	0.63
99 = LEGITIMATE SKIP.....	54	0.09

SEDATIVES

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(SVM03)

[SEDNM30AL](#)

Len : 2 USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	13	0.02
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	3	0.01
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1166	1.99
98 = BLANK (NO ANSWER)	367	0.63
99 = LEGITIMATE SKIP.....	24	0.04

Which of these statements describe your use of [SVNAMEFILL] at any time in the past 12 months?

(SVYWAYS1)

[SEDWYNORX](#)

Len : 2 USED SEDATIVE W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	91	0.16
2 = No (not entered).....	72	0.12
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	23	0.04
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1031	1.76
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	364	0.62

(SVYWAYS2)

[SEDWYGAMT](#)

Len : 2 USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No (not entered).....	117	0.20
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	8	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1046	1.78
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	364	0.62

(SVYWAYS3)

[SEDWYOFTN](#)

Len : 2 USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	24	0.04
2 = No (not entered).....	139	0.24
83 = DID NOT MISUSE PAST 12 MOS Logically assigned.....	8	0.01
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1046	1.78
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	365	0.62

(SVYWAYS4)

[SEDWYLNGR](#)

Len : 2 USED SEDATIVE LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	10	0.02
2 = No (not entered).....	153	0.26
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	9	0.02
91 = NEVER USED/MISUSED SEDATIVES	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	1045	1.78
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	365	0.62

SEDATIVES

(SVYWAYS5)
SEDWYOTWY

Len : 2 USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes.....	36	0.06
2 = No (not entered).....	127	0.22
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	13	0.02
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1041	1.78
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	365	0.62

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

(RSVYLAST)
SEDNMLAST

Len : 2 LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Ambien.....	55	0.09
2 = Ambien CR.....	8	0.01
3 = Zolpidem (generic).....	24	0.04
4 = Extended-release zolpidem (generic).....	1	0.00
5 = Lunesta or eszopiclone.....	12	0.02
7 = Halcion.....	1	0.00
8 = Restoril.....	2	0.00
9 = Flurazepam (generic), also known as Dalmane.....	1	0.00
10 = Temazepam (generic).....	5	0.01
11 = Triazolam (generic).....	5	0.01
12 = Butisol.....	1	0.00
13 = Seconal.....	1	0.00
14 = Phenobarbital (generic).....	3	0.01
15 = Some other sedative.....	52	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	30	0.05
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1024	1.75
98 = BLANK (NO ANSWER).....	364	0.62

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

(SVYMOTV1)
SEDRSRELX

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes.....	63	0.11
2 = No (not entered).....	105	0.18
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	12	0.02
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1042	1.78
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	364	0.62

(SVYMOTV2)
SEDRSEXPT

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes.....	11	0.02
2 = No (not entered).....	157	0.27
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN.....	5	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1049	1.79
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	365	0.62

SEDATIVES

(SVYMOTV3)
SEDRSHIGH

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes.....	25	0.04
2 = No (not entered).....	143	0.24
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	6	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1048	1.79
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	365	0.62

(SVYMOTV4)
SEDRSSLEP

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes.....	112	0.19
2 = No (not entered).....	55	0.09
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	16	0.03
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1038	1.77
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	365	0.62

(SVYMOTV5)
SEDRSEMOT

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes.....	36	0.06
2 = No (not entered).....	132	0.23
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	8	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1046	1.78
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	365	0.62

(SVYMOTV6)
SEDRSDGFX

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes.....	5	0.01
2 = No (not entered).....	163	0.28
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	3	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1051	1.79
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	365	0.62

(SVYMOTV7)
SEDRSHOOK

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes.....	2	0.00
2 = No (not entered).....	166	0.28
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	3	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1051	1.79
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	365	0.62

SEDATIVES

(SVYMOTV8)
SEDRSSOR

Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes.....	15	0.03
2 = No (not entered).....	153	0.26
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	10	0.02
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1044	1.78
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	365	0.62

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(SVMOTOT)
SEDRSOTRS2

Len : 3 REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
5 = To help with my sleep.....	1	0.00
13 = I used it/them for some other reason.....	7	0.01
983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned.....	7	0.01
985 = BAD DATA (logically assigned).....	6	0.01
991 = NEVER USED SEDATIVES.....	57043	97.29
993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1047	1.79
997 = REFUSED.....	1	0.00
998 = BLANK (no answer).....	368	0.63
999 = LEGITIMATE SKIP.....	153	0.26

Which was the main reason you used [SVLASTFILL2] the last time?

(RSVYMOT1)
SEDRSMAIN

Len : 2 MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension.....	14	0.02
2 = To experiment or to see what it was/they were like.....	1	0.00
3 = To feel good or get high.....	4	0.01
4 = To help with my sleep.....	19	0.03
5 = To help me with my feelings or emotions.....	9	0.02
8 = The other reason I reported.....	1	0.00
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN.....	8	0.01
91 = NEVER USED/MISUSED SEDATIVES.....	57043	97.29
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS.....	1046	1.78
98 = BLANK (NO ANSWER).....	368	0.63
99 = LEGITIMATE SKIP.....	120	0.20

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

SEDNORXFG

Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx.....	10	0.02
98 = BLANK (NO ANSWER).....	58623	99.98

The following variable for past year misuse of Any Benzodiazepines Sedatives, SVBZONMYR, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZONMYR

Len : 1 RC - BENZODIAZEPINES SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
. = Missing.....	285	0.49
0 = No.....	58326	99.48
1 = Yes.....	22	0.04

RECENCY OF DRUG USE

IMPUTED SUBSTANCE USE

RECENCY OF DRUG USE

(CIGREC)

IRCIGRC

Len : 1 CIGARETTE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	6728	11.47
2 = More than 30 days ago but within the past 12 mos	2446	4.17
3 = More than 12 months ago but within the past 3 yrs.....	2713	4.63
4 = More than 3 years ago.....	13182	22.48
9 = NEVER SMOKED CIGARETTES	33564	57.24

(CIGREC)

IICIGRC

Len : 1 CIGARETTE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58452	99.69
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	180	0.31

(CIGREC)

I12CIGRC

Len : 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58452	99.69
2 = Logically assigned data.....	1	0.00
4 = Statistically imputed data - edited recency = 9.....	16	0.03
5 = Statistically imputed data - edited recency = 8.....	5	0.01
6 = Statistically imputed data - edited recency = 19.....	35	0.06
7 = Statistically imputed data - edited recency = 14.....	76	0.13
8 = Statistically imputed data - edited recency = 29.....	48	0.08

(CIGARREC)

IRCGRRC

Len : 1 CIGAR RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	1973	3.36
2 = More than 30 days ago but within the past 12 mos	1967	3.35
3 = More than 12 months ago but within the past 3 yrs.....	2258	3.85
4 = More than 3 years ago.....	8525	14.54
9 = NEVER SMOKED CIGARS	43910	74.89

(CIGARREC)

IICGRRC

Len : 1 CIGAR RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58466	99.72
3 = Statistically imputed data.....	167	0.28

(CIGARREC)

I12CGRRC

Len : 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58466	99.72
3 = Statistically imputed data - lifetime use imputed	13	0.02
4 = Statistically imputed data - edited recency = 9.....	5	0.01
5 = Statistically imputed data - edited recency = 8.....	3	0.01
6 = Statistically imputed data - edited recency = 19.....	35	0.06
7 = Statistically imputed data - edited recency = 14.....	66	0.11
8 = Statistically imputed data - edited recency = 29.....	43	0.07
9 = Statistically imputed data - edited recency = 39.....	2	0.00

(PIPEVER)

IRPIPLF

Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Ever used pipes.....	4095	6.98
9 = NEVER SMOKED PIPES	54538	93.02

RECENCY OF DRUG USE

(PIPEVER)

[IPIPLF](#)

Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58622	99.98
3 = Statistically imputed data	11	0.02

(PIPE30DY)

[IRIPMN](#)

Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	390	0.67
2 = More than 30 days ago but within lifetime.....	3705	6.32
9 = NEVER SMOKED PIPES.....	54538	93.02

(PIPE30DY)

[IIPMPN](#)

Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	4092	6.98
3 = Statistically imputed data	14	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	54527	93.00

(NICVAPEVER, NICVAPREC)

[IRNICVAPREC](#)

Len : 1 NICOTINE VAPING RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	7542	12.86
2 = More than 30 days ago but within the past 12 mos	3314	5.65
3 = More than 12 months ago but within the past 3 years	3233	5.51
4 = More than 3 years ago.....	4482	7.64
9 = NEVER VAPED NICOTINE	40062	68.33

(NICVAPEVER, NICVAPREC)

[IINICVAPREC](#)

Len : 1 NICOTINE VAPING RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57916	98.78
2 = Logically assigned data.....	17	0.03
3 = Statistically imputed data - lifetime use imputed	18	0.03
4 = Statistically imputed data - edited recency = 9.....	10	0.02
6 = Statistically imputed data - edited recency = 19.....	85	0.14
7 = Statistically imputed data - edited recency = 14.....	205	0.35
8 = Statistically imputed data - edited recency = 29.....	376	0.64
9 = Statistically imputed data - edited recency = 39.....	6	0.01

(SMKLSSREC)

[IRSMKLSSREC](#)

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	1464	2.50
2 = More than 30 days ago but within the past 12 mos	663	1.13
3 = More than 12 months ago but within the past 3 yrs.....	643	1.10
4 = More than 3 years ago.....	4068	6.94
9 = NEVER USED SMOKELESS TOBACCO.....	51795	88.34

(SMKLSSREC)

[IISMKLSSREC](#)

Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58527	99.82
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	34	0.06
4 = Statistically imputed data - edited recency = 9.....	6	0.01
5 = Statistically imputed data - edited recency = 8.....	6	0.01
6 = Statistically imputed data - edited recency = 19.....	14	0.02
7 = Statistically imputed data - edited recency = 14.....	30	0.05
8 = Statistically imputed data - edited recency = 29.....	14	0.02
9 = Statistically imputed data - edited recency = 39.....	1	0.00

RECENCY OF DRUG USE

(ALCREC)
I1ALCRC

Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	24850	42.38
2 = More than 30 days ago but within the past 12 mos	9089	15.50
3 = More than 12 months ago	7727	13.18
9 = NEVER USED ALCOHOL.....	16967	28.94

(ALCREC)
I1ALCRC

Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58365	99.54
2 = Logically assigned data.....	8	0.01
3 = Statistically imputed data.....	260	0.44

(ALCREC)
I12ALCRC

Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58365	99.54
2 = Logically assigned data.....	8	0.01
3 = Statistically imputed data - lifetime use imputed	23	0.04
4 = Statistically imputed data - edited recency = 9.....	180	0.31
5 = Statistically imputed data - edited recency = 8.....	57	0.10

(CBDHMPEVR, CBDHMPREC)

I1CBDMHMPREC

Len : 1 CBD OR HEMP RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	5733	9.78
2 = More than 30 days ago but within the past 12 mos	4662	7.95
3 = More than 12 months ago but within the past 3 yrs.....	4918	8.39
4 = More than 3 years ago.....	3597	6.13
9 = NEVER USED CBD OR HEMP	39723	67.75

(CBDHMPEVR, CBDHMPREC)

I1CBDMHMPREC

Len : 1 CBD OR HEMP RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58088	99.07
3 = Statistically imputed data - lifetime use imputed	494	0.84
4 = Statistically imputed data - edited recency = 9.....	51	0.09

(MJREC)
I1MJRC

Len : 1 MARIJUANA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	9955	16.98
2 = More than 30 days ago but within the past 12 mos	4634	7.90
3 = More than 12 months ago	11951	20.38
9 = NEVER USED MARIJUANA	32093	54.74

(MJREC)
I1MJRC

Len : 1 MARIJUANA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58352	99.52
2 = Logically assigned data.....	4	0.01
3 = Statistically imputed data.....	277	0.47

(MJREC)
I12MJRC

Len : 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58352	99.52
2 = Logically assigned data.....	4	0.01
3 = Statistically imputed data - lifetime use imputed	37	0.06
4 = Statistically imputed data - edited recency = 9.....	134	0.23
5 = Statistically imputed data - edited recency = 8.....	106	0.18

RECENCY OF DRUG USE

(MJEVERVAPE)
IRMJEVERVAPE

Len : 1 MARIJUANA VAPING LIFETIME - IMPUTATION REVISED

	Freq	Pct
1 = Ever vaped marijuana	13574	23.15
2 = Never vaped marijuana	12966	22.11
9 = Never used marijuana	32093	54.74

(MJEVERVAPE)
IIMJEVERVAPE

Len : 1 MARIJUANA VAPING LIFETIME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	19942	34.01
2 = Logically assigned data.....	6573	11.21
3 = Statistically imputed data.....	54	0.09
9 = LEGITIMATE SKIP - NOT A MARIJUANA USER	32064	54.69

(IRMJRC, MJYRSMOKE)
IRMJYRSMOKE

Len : 1 MARIJUANA SMOKING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	11183	19.07
2 = Did not smoke marijuana in the past 12 months	3406	5.81
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYRSMOKE)
IIMJYRSMOKE

Len : 1 MARIJUANA SMOKING PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14334	24.45
2 = Logically assigned data.....	130	0.22
3 = Statistically imputed data.....	196	0.33
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

(IRMJRC, MJEVERVAPE, MJYRVAPE)
IRMJYRVAPE

Len : 1 MARIJUANA VAPING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	6700	11.43
2 = Did not vape marijuana in the past 12 months	7889	13.45
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYRVAPE)
IIMJYRVAPE

Len : 1 MARIJUANA VAPING PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14145	24.12
2 = Logically assigned data.....	416	0.71
3 = Statistically imputed data.....	99	0.17
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

(IRMJRC, MJYRDAB)
IRMJYRDAB

Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST YEAR-IMP REV

	Freq	Pct
1 = Within the past 12 months	2747	4.69
2 = Did not dab marijuana in the past 12 months	11842	20.20
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYRDAB)
IIMJYRDAB

Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST YEAR-IMP IND

	Freq	Pct
1 = Questionnaire data	14355	24.48
2 = Logically assigned data.....	107	0.18
3 = Statistically imputed data.....	198	0.34
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

RECENCY OF DRUG USE

(IRMJRC, MJYREAT)

[IRMJYREAT](#)

Len : 1 MARIJUANA EATING OR DRINKING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	7332	12.50
2 = Did not eat marijuana in the past 12 months	7257	12.38
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYREAT)

[IRMJYREAT](#)

Len : 1 MARIJUANA EATING OR DRINKING PAST YR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14212	24.24
2 = Logically assigned data.....	251	0.43
3 = Statistically imputed data.....	197	0.34
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

(IRMJRC, MJYRMOUTH)

[IRMJYRMOUTH](#)

Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST YR - IMP REV

	Freq	Pct
1 = Within the past 12 months	730	1.25
2 = Did not dissolve marijuana in mouth in the past 12 months.....	13859	23.64
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYRMOUTH)

[IRMJYRMOUTH](#)

Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	14405	24.57
2 = Logically assigned data.....	56	0.10
3 = Statistically imputed data.....	199	0.34
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

(IRMJRC, MJYRSKIN)

[IRMJYRSKIN](#)

Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST YEAR - IMP REV

	Freq	Pct
1 = Within the past 12 months	1139	1.94
2 = Did not use marijuana lotion in the past 12 months	13450	22.94
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYRSKIN)

[IRMJYRSKIN](#)

Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	14422	24.60
2 = Logically assigned data.....	39	0.07
3 = Statistically imputed data.....	199	0.34
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

(IRMJRC, MJYRPILL)

[IRMJYRPILL](#)

Len : 1 MARIJUANA PILLS PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	350	0.60
2 = Did not take marijuana pills in the past 12 months	14239	24.28
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYRPILL)

[IRMJYRPILL](#)

Len : 1 MARIJUANA PILLS PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14441	24.63
2 = Logically assigned data.....	20	0.03
3 = Statistically imputed data.....	199	0.34
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

RECENCY OF DRUG USE

(IRMJRC, MJYROTHER)

IRMJYROTHER Len : 1 MARIJUANA OTHER WAY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	305	0.52
2 = Did not use marijuana in any other way in the past 12 months	14284	24.36
9 = Did not use marijuana in the past 12 months	44044	75.12

(IRMJRC, MJYROTHER)

IIMJYROTHER Len : 1 MARIJUANA OTHER WAY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14432	24.61
2 = Logically assigned data.....	29	0.05
3 = Statistically imputed data.....	199	0.34
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	43973	75.00

(IRMJRC, MJMONSMOKE)

IRMJMONSMOKE Len : 1 MARIJUANA SMOKING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	7609	12.98
2 = Did not smoke marijuana in the past 30 days.....	2346	4.00
9 = Did not use marijuana in the past 30 days.....	48678	83.02

(IRMJRC, MJMONSMOKE)

IIMJMONSMOKE Len : 1 MARIJUANA SMOKING PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9789	16.70
2 = Logically assigned data.....	21	0.04
3 = Statistically imputed data.....	297	0.51
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	48526	82.76

(IRMJRC, MJEVERVAPE, MJMONVAPE)

IRMJMONVAPE Len : 1 MARIJUANA VAPING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	4298	7.33
2 = Did not vape marijuana in the past 30 days.....	5657	9.65
9 = Did not use marijuana in the past 30 days.....	48678	83.02

(IRMJRC, MJMONVAPE)

IIMJMONVAPE Len : 1 MARIJUANA VAPING PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9779	16.68
2 = Logically assigned data.....	136	0.23
3 = Statistically imputed data.....	192	0.33
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	48526	82.76

(IRMJRC, MJMONDAB)

IRMJMONDAB Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST MONTH-IMP REV

	Freq	Pct
1 = Within the past 30 days.....	1697	2.89
2 = Did not dab marijuana in the past 30 days	8258	14.08
9 = Did not use marijuana in the past 30 days.....	48678	83.02

(IRMJRC, MJMONDAB)

IIMJMONDAB Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST MONTH-IMP IND

	Freq	Pct
1 = Questionnaire data	9798	16.71
2 = Logically assigned data.....	19	0.03
3 = Statistically imputed data.....	290	0.49
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	48526	82.76

RECENCY OF DRUG USE

(IRMJRC, MJMONEAT)

IRMJMONEAT Len : 1 MARIJUANA EATING OR DRINKING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	3856	6.58
2 = Did not eat marijuana in the past 30 days	6099	10.40
9 = Did not use marijuana in the past 30 days.....	48678	83.02

(IRMJRC, MJMONEAT)

IIMJMONEAT Len : 1 MARIJUANA EATING OR DRINKING PAST MONTH-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9764	16.65
2 = Logically assigned data.....	49	0.08
3 = Statistically imputed data.....	294	0.50
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	48526	82.76

(IRMJRC, MJMONMOUTH)

IRMJMONMOUTH Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST MONTH-IMP REV

	Freq	Pct
1 = Within the past 30 days.....	345	0.59
2 = Did not dissolve marijuana in mouth the past 30 days	9610	16.39
9 = Did not use marijuana in the past 30 days.....	48678	83.02

(IRMJRC, MJMONMOUTH)

IIMJMONMOUTH Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST MONTH-IMP IND

	Freq	Pct
1 = Questionnaire data	9802	16.72
2 = Logically assigned data.....	16	0.03
3 = Statistically imputed data.....	289	0.49
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	48526	82.76

(IRMJRC, MJMONSKIN)

IRMJMONSKIN Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST MONTH - IMP REV

	Freq	Pct
1 = Within the past 30 days.....	528	0.90
2 = Did not use marijuana lotion in the past 30 days.....	9427	16.08
9 = Did not use marijuana in the past 30 days.....	48678	83.02

(IRMJRC, MJMONSKIN)

IIMJMONSKIN Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	9795	16.71
2 = Logically assigned data.....	25	0.04
3 = Statistically imputed data.....	287	0.49
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	48526	82.76

(IRMJRC, MJMONPILL)

IRMJMONPILL Len : 1 MARIJUANA PILLS PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	151	0.26
2 = Did not take marijuana pills in the past 30 days.....	9804	16.72
9 = Did not use marijuana in the past 30 days.....	48678	83.02

(IRMJRC, MJMONPILL)

IIMJMONPILL Len : 1 MARIJUANA PILLS PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9798	16.71
2 = Logically assigned data.....	20	0.03
3 = Statistically imputed data.....	289	0.49
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	48526	82.76

RECENCY OF DRUG USE

(COCREC)
IICOCRC

Len : 1 COCAINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	353	0.60
2 = More than 30 days ago but within the past 12 mos	638	1.09
3 = More than 12 months ago	5731	9.77
9 = NEVER USED COCAINE	51911	88.54

(COCREC)
IICOCRC

Len : 1 COCAINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58535	99.83
2 = Logically assigned data.....	36	0.06
3 = Statistically imputed data.....	62	0.11

(COCREC)
I12COCRC

Len : 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58535	99.83
2 = Logically assigned data.....	36	0.06
3 = Statistically imputed data - lifetime use imputed	27	0.05
4 = Statistically imputed data - edited recency = 9.....	28	0.05
5 = Statistically imputed data - edited recency = 8.....	7	0.01

(CRAKREC)
IICRKRC

Len : 1 CRACK RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	63	0.11
2 = More than 30 days ago but within the past 12 mos	92	0.16
3 = More than 12 months ago	1458	2.49
9 = NEVER USED CRACK.....	57020	97.25

(CRAKREC)
IICRKRC

Len : 1 CRACK RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58597	99.94
3 = Statistically imputed data.....	36	0.06

(CRAKREC)
I12CRKRC

Len : 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58597	99.94
3 = Statistically imputed data - lifetime use imputed	30	0.05
4 = Statistically imputed data - edited recency = 9.....	1	0.00
5 = Statistically imputed data - edited recency = 8.....	5	0.01

(HERREC)
IRHERRC

Len : 1 HEROIN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	75	0.13
2 = More than 30 days ago but within the past 12 mos	62	0.11
3 = More than 12 months ago	1055	1.80
9 = NEVER USED HEROIN.....	57441	97.97

(HERREC)
IIHERRC

Len : 1 HEROIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58601	99.95
3 = Statistically imputed data.....	32	0.05

RECENCY OF DRUG USE

(HERREC)
I2HERRC

Len : 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58601	99.95
3 = Statistically imputed data - lifetime use imputed	23	0.04
4 = Statistically imputed data - edited recency = 9	5	0.01
5 = Statistically imputed data - edited recency = 8	4	0.01

(HALLUCREC)
IRHALLUCREC

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	690	1.18
2 = More than 30 days ago but within the past 12 mos	1894	3.23
3 = More than 12 months ago	7079	12.07
9 = NEVER USED HALLUCINOGENS	48970	83.52

(HALLUCREC)
I1HALLUCREC

Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58019	98.95
2 = Logically assigned data	66	0.11
3 = Statistically imputed data - lifetime use imputed	345	0.59
4 = Statistically imputed data - edited recency = 9	158	0.27
5 = Statistically imputed data - edited recency = 8	45	0.08

(LSDREC)
IRLSDRC

Len : 1 LSD RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	77	0.13
2 = More than 30 days ago but within the past 12 mos	344	0.59
3 = More than 12 months ago	4826	8.23
9 = NEVER USED LSD	53386	91.05

(LSDREC)
I1LSDRC

Len : 1 LSD RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58500	99.77
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	132	0.23

(LSDREC)
I2LSDRC

Len : 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58500	99.77
2 = Logically assigned data	1	0.00
3 = Statistically imputed data - lifetime use imputed	74	0.13
4 = Statistically imputed data - edited recency = 9	49	0.08
5 = Statistically imputed data - edited recency = 8	9	0.02

(PCPREC)
IRPCPRC

Len : 1 PCP RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	8	0.01
2 = More than 30 days ago but within the past 12 mos	24	0.04
3 = More than 12 months ago	785	1.34
9 = NEVER USED PCP	57816	98.61

(PCPREC)
I1PCPRC

Len : 1 PCP RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58538	99.84
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	94	0.16

RECENCY OF DRUG USE

(PCPREC)
I12PCPRC

Len : 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58538	99.84
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	79	0.13
4 = Statistically imputed data - edited recency = 9.....	14	0.02
5 = Statistically imputed data - edited recency = 8.....	1	0.00

(PSILCYREC)
IRPSILCYREC

Len : 1 PSILOCYBIN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	431	0.74
2 = More than 30 days ago but within the past 12 mos	1548	2.64
3 = More than 12 months ago	4918	8.39
9 = NEVER USED PSILOCYBIN	51736	88.24

(PSILCYREC)
IIPSYLCYREC

Len : 1 PSILOCYBIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58371	99.55
2 = Logically assigned data.....	4	0.01
3 = Statistically imputed data - lifetime use imputed	136	0.23
4 = Statistically imputed data - edited recency = 9.....	114	0.19
5 = Statistically imputed data - edited recency = 8.....	8	0.01

(ECSTMOREC)
IRECSTMOREC

Len : 1 ECSTASY RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	117	0.20
2 = More than 30 days ago but within the past 12 mos	365	0.62
3 = More than 12 months ago	4060	6.92
9 = NEVER USED ECSTASY	54091	92.25

(ECSTMOREC)
IIECSTMOREC

Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58504	99.78
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data - lifetime use imputed	98	0.17
4 = Statistically imputed data - edited recency = 9.....	27	0.05
5 = Statistically imputed data - edited recency = 8.....	2	0.00

(KETMINREC)
IRKETMINREC

Len : 1 KETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	70	0.12
2 = More than 30 days ago but within the past 12 mos	191	0.33
3 = More than 12 months ago	962	1.64
9 = NEVER USED KETAMINE	57410	97.91

(KETMINREC)
IIKETMINREC

Len : 1 KETAMINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58501	99.77
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data - lifetime use imputed	122	0.21
4 = Statistically imputed data - edited recency = 9.....	6	0.01
5 = Statistically imputed data - edited recency = 8.....	2	0.00

RECENCY OF DRUG USE

(DAMTFXREC)
IRDAMTFXREC

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	25	0.04
2 = More than 30 days ago but within the past 12 mos	103	0.18
3 = More than 12 months ago	789	1.35
9 = NEVER USED DMT/AMT/FOXY	57716	98.44

(DAMTFXREC)
IIDAMTFXREC

Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58477	99.73
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	147	0.25
4 = Statistically imputed data - edited recency = 9.....	6	0.01
5 = Statistically imputed data - edited recency = 8.....	2	0.00

(SALVIAREC)
IRSALVIAREC

Len : 1 SALVIA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	10	0.02
2 = More than 30 days ago but within the past 12 mos	14	0.02
3 = More than 12 months ago	1103	1.88
9 = NEVER USED SALVIA	57506	98.08

(SALVIAREC)
IISALVIAREC

Len : 1 SALVIA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58459	99.70
2 = Logically assigned data.....	3	0.01
3 = Statistically imputed data - lifetime use imputed	165	0.28
4 = Statistically imputed data - edited recency = 9.....	5	0.01
5 = Statistically imputed data - edited recency = 8.....	1	0.00

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(INHALREC2)
IRINHALREC2

Len : 1 INHALANT RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	367	0.63
2 = More than 30 days ago but within the past 12 mos	662	1.13
3 = More than 12 months ago	5737	9.78
9 = NEVER USED INHALANTS	51867	88.46

(INHALREC2)
IINHALREC2

Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58247	99.34
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data - lifetime use imputed	188	0.32
4 = Statistically imputed data - edited recency = 9.....	193	0.33
5 = Statistically imputed data - edited recency = 8.....	3	0.01

(METHAMREC)
IRMETHAMREC

Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	328	0.56
2 = More than 30 days ago but within the past 12 mos	223	0.38
3 = More than 12 months ago	2081	3.55
9 = NEVER USED METHAMPHETAMINE	56001	95.51

RECENCY OF DRUG USE

(METHAMREC)
IMETHAMREC

Len : 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58527	99.82
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	77	0.13
4 = Statistically imputed data - edited recency = 9.....	13	0.02
5 = Statistically imputed data - edited recency = 8.....	15	0.03

NOTE: The following 16 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER USED XXX' in analysis for the following variables: IRPNRANYREC2, IRTRQANYREC, IRSTMANYREC, and IRSEDANYREC.

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(PNRANYREC2)
IRPNRANYREC2

Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	11945	20.37
2 = More than 12 months ago	14709	25.09
9 = NEVER USED PAIN RELIEVERS	31979	54.54

(PNRANYREC2)
IIPNRANYREC2

Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57054	97.31
2 = Logically assigned data.....	31	0.05
3 = Statistically imputed data - lifetime use imputed	1414	2.41
4 = Statistically imputed data - edited recency = 9.....	134	0.23

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(OXCANYR2)
IROXCANYR2

Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	1392	2.37
9 = Did not use in the past 12 months	57241	97.63

(OXCANYR2)
IIOXCANYR2

Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58205	99.27
2 = Logically assigned data.....	189	0.32
3 = Statistically imputed data - any use imputed	239	0.41

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(FENTANYR2)
IRFENTANYR2

Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP REV

	Freq	Pct
0 = No	58077	99.05
1 = Yes.....	556	0.95

(FENTANYR2)
IIFENTANYR2

Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP IND

	Freq	Pct
1 = Questionnaire data	58231	99.31
2 = Logically assigned data.....	157	0.27
3 = Statistically imputed data.....	245	0.42

RECENCY OF DRUG USE

(IRFENTANYR2, IROXCNANYR2, PNRANYR2)

IIRXOPANYR

Len : 1 PRESCRIPTION OPIOIDS - ANY PAST YEAR USE - IMP REV

	Freq	Pct
0 = Did not use in the past 12 months	47815	81.55
1 = Within the past 12 months	10818	18.45

(IRFENTANYR2, IROXCNANYR2, PNRANYR2)

IIRXOPANYR

Len : 1 PRESCRIPTION OPIOIDS - ANY PAST YEAR USE - IMP IND

	Freq	Pct
1 = Questionnaire data	58280	99.40
3 = Statistically imputed data - any use imputed	353	0.60

(TRQANYREC)

IIRTRQANYREC

Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	5435	9.27
2 = More than 12 months ago	3947	6.73
9 = NEVER USED TRANQUILIZERS.....	49251	84.00

(TRQANYREC)

IIRTRQANYREC

Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58124	99.13
3 = Statistically imputed data - lifetime use imputed	483	0.82
4 = Statistically imputed data - edited recency = 9.....	26	0.04

(STMANYREC)

IIRSTMANYREC

Len : 1 ANY STIMULANTS RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	4971	8.48
2 = More than 12 months ago	2934	5.00
9 = NEVER USED STIMULANTS.....	50728	86.52

(STMANYREC)

IIRSTMANYREC

Len : 1 ANY STIMULANTS RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58200	99.26
3 = Statistically imputed data - lifetime use imputed	418	0.71
4 = Statistically imputed data - edited recency = 9.....	15	0.03

(SEDANYREC)

IIRSEDANYREC

Len : 1 ANY SEDATIVES RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	2255	3.85
2 = More than 12 months ago	3010	5.13
9 = NEVER USED SEDATIVES	53368	91.02

(SEDANYREC)

IIRSEDANYREC

Len : 1 ANY SEDATIVES RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58092	99.08
3 = Statistically imputed data - lifetime use imputed	525	0.90
4 = Statistically imputed data - edited recency = 9.....	16	0.03

(BZOANYR)

IIRBZOANYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION REVISED

	Freq	Pct
0 = No	54472	92.90
1 = Yes.....	4161	7.10

RECENCY OF DRUG USE

(BZOANYR)
IBZOANYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58292	99.42
3 = Statistically imputed data	341	0.58

NOTE: The following 16 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER MISUSED XXX' in analysis for the following variables: IRPNRMREC, IRTRQNMREC, IRSTMNMREC, and IRSEDNMREC.

(PNRNMREC)
IRPNRMREC

Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	452	0.77
2 = More than 30 days ago but within the past 12 mos	1221	2.08
3 = More than 12 months ago	2892	4.93
9 = NEVER MISUSED PAIN RELIEVERS	54068	92.21

(PNRNMREC)
IIPNRMREC

Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57761	98.51
3 = Statistically imputed data - any use rec imputed	203	0.35
4 = Stat imp data - any use rec known, misuse unknown	78	0.13
5 = Statistically imputed data - edited recency = 9	49	0.08
6 = Statistically imputed data - edited recency = 8	21	0.04
7 = Stat imp data - did not misuse py, life unknown	521	0.89

(OXCNNMYR)
IROXCNNMYR

Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Misused in the past 12 months	204	0.35
9 = Did not misuse in the past 12 months	58429	99.65

(OXCNNMYR)
IIOXCNNMYR

Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58495	99.76
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	136	0.23

(FENTNMYR)
IRFENTNMYR

Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP REV

	Freq	Pct
0 = No	58531	99.83
1 = Yes	102	0.17

(FENTNMYR)
IFENTNMYR

Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	58477	99.73
3 = Statistically imputed data	156	0.27

(IRRXOPANYR)
IRRXOPNMYR

Len : 1 PRESCRIPTION OPIOIDS - PAST YEAR MISUSE - IMP REV

	Freq	Pct
0 = Did not use in the past 12 months	57037	97.28
1 = Within the past 12 months	1596	2.72

RECENCY OF DRUG USE

(IRRXOPANYR)
IIRXOPNMYR

Len : 1 PRESCRIPTION OPIOIDS - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	58313	99.45
3 = Statistically imputed data - any use imputed	320	0.55

(TRQNMREC)
IIRTRQNMREC

Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	237	0.40
2 = More than 30 days ago but within the past 12 mos	587	1.00
3 = More than 12 months ago	1158	1.97
9 = NEVER MISUSED TRANQUILIZERS.....	56651	96.62

(TRQNMREC)
IIRTRQNMREC

Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58104	99.10
3 = Statistically imputed data - any use rec imputed	249	0.42
4 = Stat imp data - any use rec known, misuse unknown	24	0.04
5 = Statistically imputed data - edited recency = 9.....	8	0.01
6 = Statistically imputed data - edited recency = 8.....	2	0.00
7 = Stat imp data - did not misuse py, life unknown	246	0.42

(STMNMREC)
IIRSTNMREC

Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	272	0.46
2 = More than 30 days ago but within the past 12 mos	680	1.16
3 = More than 12 months ago	1519	2.59
9 = NEVER MISUSED STIMULANTS.....	56162	95.79

(STMNMREC)
IIRSTNMREC

Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58174	99.22
3 = Statistically imputed data - any use rec imputed	297	0.51
4 = Stat imp data - any use rec known, misuse unknown	19	0.03
5 = Statistically imputed data - edited recency = 9.....	3	0.01
6 = Statistically imputed data - edited recency = 8.....	2	0.00
7 = Stat imp data - did not misuse py, life unknown	138	0.24

(SEDNMREC)
IRSEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	56	0.10
2 = More than 30 days ago but within the past 12 mos	116	0.20
3 = More than 12 months ago	853	1.45
9 = NEVER MISUSED SEDATIVES	57608	98.25

(SEDNMREC)
IRSEDNMREC

Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58048	99.00
3 = Statistically imputed data - any use rec imputed	348	0.59
4 = Stat imp data - any use rec known, misuse unknown	13	0.02
5 = Statistically imputed data - edited recency = 9.....	4	0.01
6 = Statistically imputed data - edited recency = 8.....	2	0.00
7 = Stat imp data - did not misuse py, life unknown	218	0.37

(BZONMYR)
IRBZONMYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
0 = No.....	57906	98.76
1 = Yes.....	727	1.24

RECENCY OF DRUG USE

(BZONMYR)
IIBZONMYR

Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	58282	99.40
3 = Statistically imputed data.....	351	0.60

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

(ALCYRTOT)

[I1ALCFY](#)

Len : 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	33939	57.88
991 = NEVER USED ALCOHOL	16967	28.94
993 = DID NOT USE ALCOHOL PAST YEAR	7727	13.18

(ALCYRTOT)

[I1ALCFY](#)

Len : 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	32779	55.91
2 = Logically assigned data	739	1.26
3 = Statistically imputed data	489	0.83
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	24626	42.00

(ALCYRTOT)

[I12ALCFY](#)

Len : 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	32779	55.91
2 = Logically assigned data	739	1.26
3 = Statistically imputed data - lifetime use imputed	23	0.04
4 = Statistically imputed data - lifetime use known	466	0.79
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	24626	42.00

(MJYRTOT)

[I1MJFY](#)

Len : 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	14589	24.88
991 = NEVER USED MARIJUANA	32093	54.74
993 = DID NOT USE MARIJUANA PAST YEAR	11951	20.38

(MJYRTOT)

[I1MJFY](#)

Len : 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	13368	22.80
2 = Logically assigned data	899	1.53
3 = Statistically imputed data	393	0.67
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	43973	75.00

(MJYRTOT)

[I12MJFY](#)

Len : 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	13368	22.80
2 = Logically assigned data	899	1.53
3 = Statistically imputed data - lifetime use imputed	37	0.06
4 = Statistically imputed data - lifetime use known	356	0.61
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	43973	75.00

(COCYRTOT)

[I1COCFY](#)

Len : 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	991	1.69
991 = NEVER USED COCAINE	51911	88.54
993 = DID NOT USE COCAINE PAST YEAR	5731	9.77

(COCYRTOT)

[I1COCFY](#)

Len : 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	874	1.49
2 = Logically assigned data	70	0.12
3 = Statistically imputed data	91	0.16
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	57598	98.23

PAST YEAR FREQUENCY OF USE

(COCYRTOT)
[I12COCFY](#)

Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	874	1.49
2 = Logically assigned data.....	70	0.12
3 = Statistically imputed data - lifetime use imputed	27	0.05
4 = Statistically imputed data - lifetime use known.....	64	0.11
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	57598	98.23

(CRKYRTOT)
[IRCRKFY](#)

Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 364	155	0.26
991 = NEVER USED CRACK	57020	97.25
993 = DID NOT USE CRACK PAST YEAR.....	1458	2.49

(CRKYRTOT)
[I1CRKFY](#)

Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	140	0.24
2 = Logically assigned data.....	9	0.02
3 = Statistically imputed data.....	37	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	58447	99.68

(CRKYRTOT)
[I12CRKFY](#)

Len : 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	140	0.24
2 = Logically assigned data.....	9	0.02
3 = Statistically imputed data - lifetime use imputed	30	0.05
4 = Statistically imputed data - lifetime use known.....	7	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	58447	99.68

(HERYRTOT)
[IRHERFY](#)

Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	137	0.23
991 = NEVER USED HEROIN.....	57441	97.97
993 = DID NOT USE HEROIN PAST YEAR	1055	1.80

(HERYRTOT)
[I1HERFY](#)

Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	119	0.20
2 = Logically assigned data.....	10	0.02
3 = Statistically imputed data.....	36	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	58468	99.72

(HERYRTOT)
[I12HERFY](#)

Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	119	0.20
2 = Logically assigned data.....	10	0.02
3 = Statistically imputed data - lifetime use imputed	23	0.04
4 = Statistically imputed data - lifetime use known.....	13	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	58468	99.72

(HALLUCYFQ)
[I1HALLUCYFQ](#)

Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	2584	4.41
991 = NEVER USED HALLUCINOGENS	48970	83.52
993 = DID NOT USE HALLUCINOGENS PAST YEAR	7079	12.07

PAST YEAR FREQUENCY OF USE

(HALLUCYFQ)

IIHALLUCYFQ

Len : 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2246	3.83
2 = Logically assigned data.....	73	0.12
3 = Statistically imputed data - lifetime use imputed	345	0.59
4 = Statistically imputed data - lifetime use known.....	374	0.64
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	55595	94.82

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(INHALYFQ2)

IRINHALYFQ2

Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	1029	1.75
991 = NEVER USED INHALANTS	51867	88.46
993 = DID NOT USE INHALANTS PAST YEAR.....	5737	9.78

(INHALYFQ2)

IIINHALYFQ2

Len : 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	849	1.45
2 = Logically assigned data.....	77	0.13
3 = Statistically imputed data - lifetime use imputed	188	0.32
4 = Statistically imputed data - lifetime use known.....	232	0.40
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	57287	97.70

(METHAMYFQ)

IRMETHAMYFQ

Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	551	0.94
991 = NEVER USED METHAMPHETAMINE	56001	95.51
993 = DID NOT USE METHAMPHETAMINE PAST YEAR	2081	3.55

(METHAMYFQ)

IIMETHAMYFQ

Len : 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	487	0.83
2 = Logically assigned data.....	38	0.06
3 = Statistically imputed data - lifetime use imputed	77	0.13
4 = Statistically imputed data - lifetime use known.....	35	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	57996	98.91

PAST MONTH FREQUENCY OF USE

PAST MONTH FREQUENCY OF USE

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

(CG30EST, CIG30USE)

[IRCIGFM](#)

Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	6728	11.47
91 = NEVER USED CIGARETTES.....	33564	57.24
93 = DID NOT USE CIGARETTES PAST MONTH.....	18341	31.28

(CG30EST, CIG30USE)

[IICIGFM](#)

Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6683	11.40
2 = Logically assigned data.....	30	0.05
3 = Statistically imputed data.....	30	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	51890	88.50

(CG30EST, CIG30USE)

[I12CIGFM](#)

Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6683	11.40
2 = Logically assigned data.....	30	0.05
4 = Statistically imputed data - lifetime use known.....	30	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	51890	88.50

(CGR30USE, CI30EST)

[IRCGRFM](#)

Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	1973	3.36
91 = NEVER USED CIGARS	43910	74.89
93 = DID NOT USE CIGARS PAST MONTH.....	12750	21.75

(CGR30USE, CI30EST)

[IICGRFM](#)

Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1959	3.34
2 = Logically assigned data.....	8	0.01
3 = Statistically imputed data.....	25	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56641	96.60

(CGR30USE, CI30EST)

[I12CGRFM](#)

Len : 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1959	3.34
2 = Logically assigned data.....	8	0.01
3 = Statistically imputed data - lifetime use imputed	13	0.02
4 = Statistically imputed data - lifetime use known.....	12	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56641	96.60

(SMKLSS30E, SMKLSS30N)

[IRSMKLSS30N](#)

Len : 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	1464	2.50
91 = NEVER USED SMOKELESS TOBACCO	51795	88.34
93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH.....	5374	9.17

(SMKLSS30E, SMKLSS30N)

[IISMKLSS30N](#)

Len : 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1441	2.46
2 = Logically assigned data.....	11	0.02
3 = Statistically imputed data - lifetime use imputed	34	0.06
4 = Statistically imputed data - lifetime use known.....	17	0.03
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57130	97.44

PAST MONTH FREQUENCY OF USE

(NICVAP30N)
IRNICVAP30N

Len : 2 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	7542	12.86
91 = NEVER VAPED NICOTINE	40062	68.33
93 = DID NOT VAPE NICOTINE PAST MONTH	11029	18.81

(NICVAP30N)
IINICVAP30N

Len : 1 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	7458	12.72
2 = Logically assigned data	49	0.08
3 = Statistically imputed data - lifetime use imputed	18	0.03
4 = Statistically imputed data - lifetime use known	46	0.08
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	51062	87.09

(AL30EST, ALCDAYS)
IRALCFM

Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	24850	42.38
91 = NEVER USED ALCOHOL	16967	28.94
93 = DID NOT USE ALCOHOL PAST MONTH	16816	28.68

(AL30EST, ALCDAYS)
IIRALCFM

Len : 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	24412	41.64
2 = Logically assigned data	142	0.24
3 = Statistically imputed data	465	0.79
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	33614	57.33

(AL30EST, ALCDAYS)
IIRALCFM

Len : 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	24412	41.64
2 = Logically assigned data	142	0.24
3 = Statistically imputed data - lifetime use imputed	23	0.04
4 = Statistically imputed data - lifetime use known	442	0.75
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	33614	57.33

"Binge" Alcohol Frequency, IRALCBNG30D, is defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, "binge" alcohol frequency was defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, IRALCBNG30D is comparable to the version of this variable created from 2002-2014, IRALCD5, among males but not overall or among females.

(ALCBNG30D)
IRALCBNG30D

Len : 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 0 - 30	24850	42.38
91 = NEVER USED ALCOHOL	16967	28.94
93 = DID NOT USE ALCOHOL PAST MONTH	16816	28.68

(ALCBNG30D)
IIRALCBNG30D

Len : 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	24289	41.43
2 = Logically assigned data	60	0.10
3 = Statistically imputed data - recency of use imputed	268	0.46
4 = Statistically imputed data - recency of use known	402	0.69
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	33614	57.33

PAST MONTH FREQUENCY OF USE

(MJDAY30A, MR30EST)

IRMJFM

Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	9955	16.98
91 = NEVER USED MARIJUANA	32093	54.74
93 = DID NOT USE MARIJUANA PAST MONTH	16585	28.29

(MJDAY30A, MR30EST)

IIMJFM

Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9741	16.61
2 = Logically assigned data.....	68	0.12
3 = Statistically imputed data.....	298	0.51
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	48526	82.76

(MJDAY30A, MR30EST)

I12MJFM

Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9741	16.61
2 = Logically assigned data.....	68	0.12
3 = Statistically imputed data - lifetime use imputed	37	0.06
4 = Statistically imputed data - lifetime use known.....	261	0.45
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	48526	82.76

(CC30EST, COCUS30A)

IRCOCFM

Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	353	0.60
91 = NEVER USED COCAINE	51911	88.54
93 = DID NOT USE COCAINE PAST MONTH.....	6369	10.86

(CC30EST, COCUS30A)

IICOCFM

Len : 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	310	0.53
2 = Logically assigned data.....	14	0.02
3 = Statistically imputed data.....	83	0.14
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58226	99.31

(CC30EST, COCUS30A)

I12COCFM

Len : 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	310	0.53
2 = Logically assigned data.....	14	0.02
3 = Statistically imputed data - lifetime use imputed	27	0.05
4 = Statistically imputed data - lifetime use known.....	56	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58226	99.31

(CR30EST, CRKUS30A)

IRCRKFM

Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30.....	63	0.11
91 = NEVER USED CRACK.....	57020	97.25
93 = DID NOT USE CRACK PAST MONTH.....	1550	2.64

(CR30EST, CRKUS30A)

IICRKFM

Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	61	0.10
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	36	0.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58535	99.83

PAST MONTH FREQUENCY OF USE

(CR30EST, CRKUS30A)

[I2CRKFM](#)

Len : 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	61	0.10
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime use imputed	30	0.05
4 = Statistically imputed data - lifetime use known.....	6	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58535	99.83

(HER30USE, HR30EST)

[IRHERFM](#)

Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	75	0.13
91 = NEVER USED HEROIN.....	57441	97.97
93 = DID NOT USE HEROIN PAST MONTH.....	1117	1.91

(HER30USE, HR30EST)

[IIHERFM](#)

Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	70	0.12
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data.....	32	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58529	99.82

(HER30USE, HR30EST)

[I2HERFM](#)

Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	70	0.12
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data - lifetime use imputed	23	0.04
4 = Statistically imputed data - lifetime use known.....	9	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58529	99.82

(HALLUC30E, HALLUC30N)

[IRHALLUC30N](#)

Len : 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	690	1.18
91 = NEVER USED HALLUCINOGENS	48970	83.52
93 = DID NOT USE HALLUCINOGENS PAST MONTH	8973	15.30

(HALLUC30E, HALLUC30N)

[IIHALLUC30N](#)

Len : 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	590	1.01
2 = Logically assigned data.....	4	0.01
3 = Statistically imputed data - lifetime use imputed	345	0.59
4 = Statistically imputed data - lifetime use known.....	274	0.47
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57420	97.93

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(INHAL30ES2, INHAL30N2)

[IRINHAL30N2](#)

Len : 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	367	0.63
91 = NEVER USED INHALANTS	51867	88.46
93 = DID NOT USE INHALANTS PAST MONTH	6399	10.91

PAST MONTH FREQUENCY OF USE

(*INHAL30ES2, INHAL30N2*)

[IINHAL30N2](#)

Len : 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	335	0.57
2 = Logically assigned data.....	10	0.02
3 = Statistically imputed data - lifetime use imputed	188	0.32
4 = Statistically imputed data - lifetime use known.....	202	0.34
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57898	98.75

(*METHAM30E, METHAM30N*)

[IRMETHAM30N](#)

Len : 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	328	0.56
91 = NEVER USED METHAMPHETAMINE	56001	95.51
93 = DID NOT USE METHAMPHETAMINE PAST MONTH	2304	3.93

(*METHAM30E, METHAM30N*)

[IRMETHAM30N](#)

Len : 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	315	0.54
2 = Logically assigned data.....	3	0.01
3 = Statistically imputed data - lifetime use imputed	77	0.13
4 = Statistically imputed data - lifetime use known.....	29	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58209	99.28

(*PNRNM30ES, PNRNM30FQ*)

[IRPNRNM30FQ](#)

Len : 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	452	0.77
91 = NEVER MISUSED PAIN RELIEVERS	54068	92.21
93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH	4113	7.01

(*PNRNM30ES, PNRNM30FQ*)

[IRPNRNM30FQ](#)

Len : 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	432	0.74
2 = Logically assigned data.....	12	0.02
3 = Statistically imputed data - lifetime misuse imputed.....	281	0.48
4 = Statistically imputed data - lifetime misuse known.....	72	0.12
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	57836	98.64

(*TRQNM30ES, TRQNM30FQ*)

[IRTRQNM30FQ](#)

Len : 2 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	237	0.40
91 = NEVER MISUSED TRANQUILIZERS.....	56651	96.62
93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH.....	1745	2.98

(*TRQNM30ES, TRQNM30FQ*)

[IITRQNM30FQ](#)

Len : 1 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	227	0.39
2 = Logically assigned data.....	4	0.01
3 = Statistically imputed data - lifetime misuse imputed.....	273	0.47
4 = Statistically imputed data - lifetime misuse known.....	12	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	58117	99.12

(*STMNM30ES, STMNM30FQ*)

[IRSTNMNM30FQ](#)

Len : 2 STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	272	0.46
91 = NEVER MISUSED STIMULANTS.....	56162	95.79
93 = DID NOT MISUSE STIMULANTS PAST MONTH.....	2199	3.75

PAST MONTH FREQUENCY OF USE

(STMNM30ES, STMNM30FQ)

[IISTMNM30FQ](#)

Len : 1 STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	264	0.45
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data - lifetime misuse imputed.....	316	0.54
4 = Statistically imputed data - lifetime misuse known.....	8	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	58043	98.99

(SEDNM30ES, SEDNM30FQ)

[IRSEDNM30FQ](#)

Len : 2 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	56	0.10
91 = NEVER MISUSED SEDATIVES	57608	98.25
93 = DID NOT MISUSE SEDATIVES PAST MONTH.....	969	1.65

(SEDNM30ES, SEDNM30FQ)

[IIRSEDNM30FQ](#)

Len : 1 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	53	0.09
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data - lifetime misuse imputed.....	361	0.62
4 = Statistically imputed data - lifetime misuse known.....	6	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER.....	58212	99.28

AGE/DATE OF FIRST DRUG USE

AGE/DATE OF FIRST DRUG USE

(CIGTRY)
IRCIGAGE

Len : 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 68	25069	42.76
991 = NEVER USED.....	33564	57.24

(CIGTRY)
IICIGAGE

Len : 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	24855	42.39
2 = Logically assigned data.....	10	0.02
3 = Statistically imputed data.....	204	0.35
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	33564	57.24

(CIGYFU, IRCIGAGE)
IRCIGYFU

Len : 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1933 - 2024	25069	42.76
9999 = NEVER USED.....	33564	57.24

(CIGYFU, IRCIGAGE)
IICIGYFU

Len : 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	833	1.42
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	24235	41.33
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	33564	57.24

(CIGAGE)
IRCDUAGE

Len : 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 60	12439	21.22
991 = NEVER USED.....	33564	57.24
993 = NEVER A DAILY USER.....	12630	21.54

(CIGAGE)
IICDUAGE

Len : 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	12373	21.10
3 = Statistically imputed data.....	76	0.13
9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	46184	78.77

(CIGDLYFU, IRCDUAGE)
IRCD2YFU

Len : 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED

	Freq	Pct
RANGE = 1942 - 2024	12439	21.22
9993 = NEVER A DAILY USER.....	12630	21.54
9999 = NEVER USED.....	33564	57.24

(CIGDLYFU, IRCDUAGE)
IICD2YFU

Len : 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	128	0.22
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	12320	21.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	46184	78.77

(CIGARTRY)
IRCGRAGE

Len : 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 79	14723	25.11
991 = NEVER USED.....	43910	74.89

AGE/DATE OF FIRST DRUG USE

(CIGARTRY)
IICGRAGE

Len : 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14512	24.75
3 = Statistically imputed data.....	220	0.38
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	43901	74.87

(CIGARYFU, IRCGRAGE)
IRCGRYFU

Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1943 - 2024	14723	25.11
9999 = NEVER USED.....	43910	74.89

(CIGARYFU, IRCGRAGE)
IRCGRYFU

Len : 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	793	1.35
3 = Statistically imputed data.....	13939	23.77
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	43901	74.87

(SMKLSSTRY)
IRSMKLSSTRY

Len : 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 73	6838	11.66
991 = NEVER USED.....	51795	88.34

(SMKLSSTRY)
IISMKLSSTRY

Len : 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6743	11.50
3 = Statistically imputed data.....	127	0.22
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51763	88.28

(IRSMKLSSTRY, SMKLSYFU)
IRSMKLSYFU

Len : 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1938 - 2024	6838	11.66
9999 = NEVER USED.....	51795	88.34

(IRSMKLSSTRY, SMKLSYFU)
IISMKLSYFU

Len : 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	478	0.82
3 = Statistically imputed data.....	6392	10.90
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51763	88.28

(NICVAPAGE)
IRNICVAPAGE

Len : 3 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 87	18571	31.67
991 = NEVER USED.....	40062	68.33

(NICVAPAGE)
IINICVAPAGE

Len : 1 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	18151	30.96
3 = Statistically imputed data.....	433	0.74
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	40049	68.30

(IRNICVAPAGE, NICVAPYFU)
IRNICVAPYFU

Len : 4 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1944 - 2024	18571	31.67
9999 = NEVER USED.....	40062	68.33

AGE/DATE OF FIRST DRUG USE

(IRNICVAPAGE, NICVAPYFU)

[IINICVAPYFU](#)

Len : 1 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2073	3.54
3 = Statistically imputed data	16511	28.16
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	40049	68.30

(ALCTRY)

[IRALCAGE](#)

Len : 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 77	41666	71.06
991 = NEVER USED.....	16967	28.94

(ALCTRY)

[IRALCYFU](#)

Len : 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	41305	70.45
3 = Statistically imputed data	376	0.64
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	16952	28.91

(ALCYFU, IRALCAGE)

[IRALCYFU](#)

Len : 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1940 - 2024	41666	71.06
9999 = NEVER USED.....	16967	28.94

(ALCYFU, IRALCAGE)

[IRALCYFU](#)

Len : 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2513	4.29
3 = Statistically imputed data	39168	66.80
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	16952	28.91

(MJAGE)

[IRMJAGE](#)

Len : 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 94	26540	45.26
991 = NEVER USED.....	32093	54.74

(MJAGE)

[IRMJAGE](#)

Len : 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	26366	44.97
3 = Statistically imputed data	203	0.35
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	32064	54.69

(IRMJAGE, MJYFU)

[IRMJYFU](#)

Len : 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1949 - 2024	26540	45.26
9999 = NEVER USED.....	32093	54.74

(IRMJAGE, MJYFU)

[IRMJYFU](#)

Len : 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1571	2.68
3 = Statistically imputed data	24998	42.63
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	32064	54.69

(COCAGE)

[IRCOAGE](#)

Len : 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 68	6722	11.46
991 = NEVER USED.....	51911	88.54

AGE/DATE OF FIRST DRUG USE

(COCAGE)
IICOCAGE

Len : 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6579	11.22
2 = Logically assigned data.....	103	0.18
3 = Statistically imputed data.....	63	0.11
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51888	88.50

*(COCYFU, IRCOCAGE)*IIRCOCYFU

Len : 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1963 - 2024	6722	11.46
9999 = NEVER USED.....	51911	88.54

*(COCYFU, IRCOCAGE)*IIRCOCYFU

Len : 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	224	0.38
3 = Statistically imputed data.....	6521	11.12
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51888	88.50

*(CRKAGE)*IRCRKAGE

Len : 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 60.....	1613	2.75
991 = NEVER USED.....	57020	97.25

*(CRKAGE)*IRCRKAGE

Len : 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1601	2.73
3 = Statistically imputed data.....	41	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	56991	97.20

*(CRKYFU, IRCRKAGE)*IRCRKYFU

Len : 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1969 - 2024	1613	2.75
9999 = NEVER USED.....	57020	97.25

*(CRKYFU, IRCRKAGE)*IRCRKYFU

Len : 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	28	0.05
3 = Statistically imputed data.....	1614	2.75
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	56991	97.20

*(HERAGE)*IRHERAGE

Len : 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 60.....	1192	2.03
991 = NEVER USED.....	57441	97.97

*(HERAGE)*IIHERAGE

Len : 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1182	2.02
3 = Statistically imputed data.....	32	0.05
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	57419	97.93

AGE/DATE OF FIRST DRUG USE

(HERYFU, IRHERAGE)

IRHERYFU

Len : 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1961 - 2024	1192	2.03
9999 = NEVER USED.....	57441	97.97

(HERYFU, IRHERAGE)

IIHERYFU

Len : 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	19	0.03
3 = Statistically imputed data.....	1195	2.04
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	57419	97.93

(HALLUCAGE)

IRHALLUCAGE

Len : 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 76.....	9663	16.48
991 = NEVER USED.....	48970	83.52

(HALLUCAGE)

IIHALLUCAGE

Len : 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9387	16.01
2 = Logically assigned data.....	134	0.23
3 = Statistically imputed data.....	473	0.81
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	48639	82.95

(HALLUCYFU, IRHALLUCAGE)

IRHALLUCYFU

Len : 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1947 - 2024	9663	16.48
9999 = NEVER USED.....	48970	83.52

(HALLUCYFU, IRHALLUCAGE)

IIHALLUCYFU

Len : 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	761	1.30
2 = Logically assigned data.....	4	0.01
3 = Statistically imputed data.....	9229	15.74
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	48639	82.95

(LSDAGE)

IRLSDAGE

Len : 3 LSD AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 66.....	5247	8.95
991 = NEVER USED.....	53386	91.05

(LSDAGE)

II LSDAGE

Len : 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	5163	8.81
2 = Logically assigned data.....	2	0.00
3 = Statistically imputed data.....	153	0.26
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53315	90.93

(IRLSDAGE, LSDYFU)

IRLSDYFU

Len : 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1950 - 2024	5247	8.95
9999 = NEVER USED.....	53386	91.05

AGE/DATE OF FIRST DRUG USE

(IRLSDAGE, LSDYFU)

[IILSDYFU](#)

Len : 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	152	0.26
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	5165	8.81
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53315	90.93

(PCPAGE)

[IRPCPAGE](#)

Len : 3 PCP AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 55	817	1.39
991 = NEVER USED.....	57816	98.61

(PCPAGE)

[IIPCAGE](#)

Len : 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	792	1.35
3 = Statistically imputed data.....	102	0.17
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	57739	98.48

(IRPCPAGE, PCPYFU)

[IRPCPYFU](#)

Len : 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1952 - 2024	817	1.39
9999 = NEVER USED.....	57816	98.61

(IRPCPAGE, PCPYFU)

[IIPCIFYFU](#)

Len : 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	12	0.02
3 = Statistically imputed data.....	882	1.50
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	57739	98.48

(ECSTMOAGE)

[IRECSTMOAGE](#)

Len : 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 63	4542	7.75
991 = NEVER USED.....	54091	92.25

(ECSTMOAGE)

[IRECSTMOAGE](#)

Len : 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	4499	7.67
3 = Statistically imputed data.....	139	0.24
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53995	92.09

(ECSTMOYFU, IRECSTMOAGE)

[IRECSTMOYFU](#)

Len : 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1952 - 2024	4542	7.75
9999 = NEVER USED.....	54091	92.25

(ECSTMOYFU, IRECSTMOAGE)

[IRECSTMOYFU](#)

Len : 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	167	0.28
3 = Statistically imputed data.....	4471	7.63
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53995	92.09

AGE/DATE OF FIRST DRUG USE

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*INHALAGE2*)
IRINHALAGE2

Len : 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 69	6766	11.54
991 = NEVER USED.....	51867	88.46

(*INHALAGE2*)
IINHALAGE2

Len : 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6174	10.53
3 = Statistically imputed data.....	754	1.29
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51705	88.18

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*INHALYFU2, IRINHALAGE2*)
IRINHALYFU2

Len : 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1948 - 2024	6766	11.54
9999 = NEVER USED.....	51867	88.46

(*INHALYFU2, IRINHALAGE2*)
IINHALYFU2

Len : 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	376	0.64
3 = Statistically imputed data.....	6552	11.17
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51705	88.18

(*METHAMAGE*)
IRMETHAMAGE

Len : 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2 - 71	2632	4.49
991 = NEVER USED.....	56001	95.51

(*METHAMAGE*)
IIMETHAMAGE

Len : 1 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2608	4.45
3 = Statistically imputed data.....	98	0.17
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	55927	95.38

(*IRMETHAMAGE, METHAMYFU*)
IRMETHAMYFU

Len : 4 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1953 - 2024	2632	4.49
9999 = NEVER USED.....	56001	95.51

(*IRMETHAMAGE, METHAMYFU*)
IIMETHAMYFU

Len : 1 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	53	0.09
3 = Statistically imputed data.....	2653	4.52
9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	55927	95.38

AGE/DATE OF FIRST DRUG USE

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

(PNRNMINIT)
IRPNRNMINIT

Len : 2 PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate.....	326	0.56
2 = Not a past year initiate	1347	2.30
91 = NEVER MISUSED.....	54068	92.21
93 = NO PAST YEAR MISUSE.....	2892	4.93

(PNRNMINIT)
IIPNRNMINIT

Len : 1 PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	58289	99.41
3 = Statistically imputed - recency known	3	0.01
4 = Statistically imputed - recency imputed	341	0.58

(TRQNMINIT)
IITRQNMINIT

Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate.....	146	0.25
2 = Not a past year initiate	678	1.16
91 = NEVER MISUSED.....	56651	96.62
93 = NO PAST YEAR MISUSE.....	1158	1.97

(TRQNMINIT)
IITRQNMINIT

Len : 1 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	58350	99.52
3 = Statistically imputed - recency known	1	0.00
4 = Statistically imputed - recency imputed	282	0.48

(STMNMINIT)
IIRSTMNMINIT

Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate.....	193	0.33
2 = Not a past year initiate	759	1.29
91 = NEVER MISUSED.....	56162	95.79
93 = NO PAST YEAR MISUSE.....	1519	2.59

(STMNMINIT)
IISTMNMINIT

Len : 1 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	58313	99.45
4 = Statistically imputed - recency imputed	320	0.55

(SEDNMINIT)
IRSEDNMINIT

Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate.....	37	0.06
2 = Not a past year initiate	135	0.23
91 = NEVER MISUSED.....	57608	98.25
93 = NO PAST YEAR MISUSE.....	853	1.45

(SEDNMINIT)
IISEDNMINIT

Len : 1 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	58267	99.38
4 = Statistically imputed - recency imputed	366	0.62

AGE/DATE OF FIRST DRUG USE

NOTE: The following four variables pertain to the age and date of first misuse of pain relievers. Respondents who were past year initiates (IRPNRNMINIT=1), that is respondents who misused pain relievers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRPNRNMINIT ne 1) receive an appropriate skip code.

(PNRNMAGE, PNRNMYFU)

IRPNRNMIFU Len : 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2023 - 2024	326	0.56
9993 = NOT A PAST YEAR INITIATE	4239	7.23
9999 = NEVER MISUSED.....	54068	92.21

(PNRNMAGE, PNRNMYFU)

IIPNRNMIFU Len : 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	227	0.39
3 = Statistically imputed data - Past year initiation imputed	344	0.59
4 = Statistically imputed data - Past year initiation known.....	90	0.15
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57972	98.87

(IRPNRNMIFU, PNRNMAGE)

IRPNRNMAGE Len : 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 92	326	0.56
993 = NOT A PAST YEAR INITIATE	4239	7.23
999 = NEVER MISUSED.....	54068	92.21

(IRPNRNMIFU, PNRNMAGE)

IIPNRNMAGE Len : 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	232	0.40
3 = Statistically imputed data - Past year initiation imputed	344	0.59
4 = Statistically imputed data - Past year initiation known.....	85	0.14
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	57972	98.87

NOTE: The following four variables pertain to the age and date of first misuse of tranquilizers. Respondents who were past year initiates (IRTRQNMINIT=1), that is respondents who misused tranquilizers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRTRQNMINIT ne 1) receive an appropriate skip code.

(TRQNMAGE, TRQNMIFU)

IRTRQNMIFU Len : 4 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2023 - 2024	146	0.25
9993 = NOT A PAST YEAR INITIATE	1836	3.13
9999 = NEVER MISUSED.....	56651	96.62

(TRQNMAGE, TRQNMIFU)

IITRQNMIFU Len : 1 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	127	0.22
3 = Statistically imputed data - Past year initiation imputed	283	0.48
4 = Statistically imputed data - Past year initiation known.....	17	0.03
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58206	99.27

(IRTRQNMIFU, TRQNMAGE)

IRTRQNMAGE Len : 3 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 12 - 81	146	0.25
993 = NOT A PAST YEAR INITIATE	1836	3.13
999 = NEVER MISUSED.....	56651	96.62

AGE/DATE OF FIRST DRUG USE

(*IRTRQNMIFU*, *TRQNMAGE*)

IRTRQNMAGE

Len : 1 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	128	0.22
3 = Statistically imputed data - Past year initiation imputed	283	0.48
4 = Statistically imputed data - Past year initiation known.....	16	0.03
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58206	99.27

NOTE: The following four variables pertain to the age and date of first misuse of stimulants. Respondents who were past year initiates (IRSTMNMNIT=1), that is respondents who misused stimulants for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSTMNMNIT ne 1) receive an appropriate skip code.

(*STMNMAGE*, *STMNMIFU*)

IRSTMNMIFU

Len : 4 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2023 - 2024	193	0.33
9993 = NOT A PAST YEAR INITIATE	2278	3.89
9999 = NEVER MISUSED.....	56162	95.79

(*STMNMAGE*, *STMNMIFU*)

IRSTMNMIFU

Len : 1 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	182	0.31
3 = Statistically imputed data - Past year initiation imputed	320	0.55
4 = Statistically imputed data - Past year initiation known.....	8	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58123	99.13

(*IRSTMNMIFU*, *STMNMAGE*)

IRSTMNMAGE

Len : 3 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 12 - 63	193	0.33
993 = NOT A PAST YEAR INITIATE	2278	3.89
999 = NEVER MISUSED.....	56162	95.79

(*IRSTMNMIFU*, *STMNMAGE*)

IRSTMNMAGE

Len : 1 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	185	0.32
3 = Statistically imputed data - Past year initiation imputed	320	0.55
4 = Statistically imputed data - Past year initiation known.....	5	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58123	99.13

NOTE: The following four variables pertain to the age and date of first misuse of sedatives. Respondents who were past year initiates (IRSEDNMNIT=1), that is respondents who misused sedatives for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSEDNMNIT ne 1) receive an appropriate skip code.

(*SEDNMAGE*, *SEDNMIFU*)

IRSEDNMIFU

Len : 4 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2023 - 2024	37	0.06
9993 = NOT A PAST YEAR INITIATE	988	1.69
9999 = NEVER MISUSED.....	57608	98.25

(*SEDNMAGE*, *SEDNMIFU*)

IRSEDNMIFU

Len : 1 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	34	0.06
3 = Statistically imputed data - Past year initiation imputed	366	0.62
4 = Statistically imputed data - Past year initiation known.....	3	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58230	99.31

AGE/DATE OF FIRST DRUG USE

(IRSEDNMYFU, SEDNMAGE)

[IRSEDNMYFU](#)

Len : 3 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 12 - 81	37	0.06
993 = NOT A PAST YEAR INITIATE.....	988	1.69
999 = NEVER MISUSED.....	57608	98.25

(IRSEDNMYFU, SEDNMAGE)

[IRSEDNMYFU](#)

Len : 1 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	34	0.06
3 = Statistically imputed data - Past year initiation imputed	366	0.62
4 = Statistically imputed data - Past year initiation known.....	3	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58230	99.31

RECODED DRUG USE

RECODED DRUG USE

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Selection of Variables for Analysis: Variable Naming Conventions and Hierarchy section in the Data Users' Guide (DUG).

(IRCIGRC)

CIGFLAG

Len : 1 RC-CIGARETTES - EVER USED

	Freq	Pct
0 = Never used (IRCIGRC = 9)	33564	57.24
1 = Ever used (IRCIGRC = 1-4)	25069	42.76

(IRCIGRC)

CIGYR

Len : 1 RC-CIGARETTES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCIGRC = 3,4,9)	49459	84.35
1 = Used within the past year (IRCIGRC = 1,2)	9174	15.65

(IRCIGRC)

CIGMON

Len : 1 RC-CIGARETTES - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCIGRC = 2-4,9)	51905	88.53
1 = Used within the past month (IRCIGRC = 1)	6728	11.47

(IRCGRRC)

CGRFLAG

Len : 1 RC-CIGARS - EVER USED

	Freq	Pct
0 = Never used (IRCGRRC = 9)	43910	74.89
1 = Ever used (IRCGRRC = 1-4)	14723	25.11

(IRCGRRC)

CGRYR

Len : 1 RC-CIGARS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCGRRC = 3,4,9)	54693	93.28
1 = Used within the past year (IRCGRRC = 1,2)	3940	6.72

(IRCGRRC)

CGRMON

Len : 1 RC-CIGARS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCGRRC = 2-4,9)	56660	96.64
1 = Used within the past month (IRCGRRC = 1)	1973	3.36

(IRPIPLF)

PIPFLAG

Len : 1 RC-PIPES - EVER USED

	Freq	Pct
0 = Never Used (IRPIPLF = 9)	54538	93.02
1 = Ever Used (IRPIPLF = 1)	4095	6.98

(IRPIPMN)

PIPMON

Len : 1 RC-PIPES - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRPIPMN = 2,9)	58243	99.33
1 = Used within the past month (IRPIPMN = 1)	390	0.67

(IRSMKLSSREC)

SMKLSSFLAG

Len : 1 RC-SMOKELESS TOBACCO - EVER USED

	Freq	Pct
0 = Never Used (IRSMKLSSREC = 9)	51795	88.34
1 = Ever Used (IRSMKLSSREC = 1-4)	6838	11.66

RECODED DRUG USE

(IRSMKLSSREC)

SMKLSSYR

Len : 1 RC-SMOKELESS TOBACCO - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSMKLSSREC = 3,4,9)	56506	96.37
1 = Used within the past year (IRSMKLSSREC = 1,2)	2127	3.63

(IRSMKLSSREC)

SMKLSSMON

Len : 1 RC-SMOKELESS TOBACCO - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSMKLSSREC= 2-4,9).....	57169	97.50
1 = Used within the past month (IRSMKLSSREC = 1).....	1464	2.50

Respondents were classified as having smoked cigarettes as the only form of tobacco used in the past month (TOBCIGONL=1) if they smoked cigarettes in the past month (CIGMON=1) and did not use cigars, pipes, or smokeless tobacco in the past month (CGRMON=0 and PIPMON=0 and SMKLSSMON=0). Respondents were classified as having used both cigarettes and another tobacco product in the past month (TOBCIGONL=2) if they smoked cigarettes in the past month (CIGMON=1) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1). Respondents were classified as having used a tobacco product but not cigarettes in the past month (TOBCIGONL=3) if they did not smoke cigarettes in the past month (CIGMON=0) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1).

(CGRMON, CIGMON, PIPMON, SMKLSSMON)

TOBCIGONL

Len : 1 RC-CIGARETTE/NONCIGARETTE TOBACCO ONLY - PAST MONTH USE

	Freq	Pct
1 = Smoked cigarettes as only form of tob (See comment above).....	5391	9.19
2 = Used both cigarettes and other tob prod (See comment above).....	1337	2.28
3 = Used tobacco product but not cigarettes (See comment above)	2034	3.47
4 = Did not use tobacco products in the past month (Otherwise)	49871	85.06

(CGRFLAG, CIGFLAG, PIPFLAG, SMKLSSFLAG)

TOBFLAG

Len : 1 RC-ANY TOBACCO - EVER USED

	Freq	Pct
0 = Never Used (All source variables = 0)	30328	51.73
1 = Ever Used (Any source variable = 1)	28305	48.27

(CGRYR, CIGYR, PIPMON, SMKLSSYR)

TOBYR

Len : 1 RC-ANY TOBACCO - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables = 0).....	46633	79.53
1 = Used within the past year (Any source variable = 1).....	12000	20.47

(CGRMON, CIGMON, PIPMON, SMKLSSMON)

TOBMON

Len : 1 RC-ANY TOBACCO - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables = 0)	49871	85.06
1 = Used within the past month (Any source variable = 1)	8762	14.94

(IRNICVAPREC)

NICVAPFLAG

Len : 1 RC-NICOTINE VAPING - EVER USED

	Freq	Pct
0 = Never used (IRNICVAPREC = 9)	40062	68.33
1 = Ever used (IRNICVAPREC = 1-4)	18571	31.67

(IRNICVAPREC)

NICVAPYR

Len : 1 RC-NICOTINE VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRNICVAPREC = 3,4,9)	47777	81.48
1 = Used within the past year (IRNICVAPREC = 1,2)	10856	18.52

(IRNICVAPREC)

NICVAPMON

Len : 1 RC-NICOTINE VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRNICVAPREC= 2-4,9)	51091	87.14
1 = Used within the past month (IRNICVAPREC = 1).....	7542	12.86

RECODED DRUG USE

(NICVAPFLAG, TOBFLAG)

TOBVNICFLAG

Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - EVER USED

	Freq	Pct
0 = Never Used (All source variables = 0).....	26148	44.60
1 = Ever Used (Any source variable = 1).....	32485	55.40

(NICVAPYR, TOBYR)

TOBVNICYR

Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables = 0).....	41580	70.92
1 = Used within the past year (Any source variable = 1).....	17053	29.08

(NICVAPMON, TOBMON)

TOBVNICMON

Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables = 0)	45386	77.41
1 = Used within the past month (Any source variable = 1)	13247	22.59

NOTE: Beginning in 2022, recoded variables TOBVAPONL2 and TOBCIGVAP2 replace variables TOBVAPONL and TOBCIGVAP. The new versions of the variables were created using the new nicotine vaping variables.

(NICVAPMON, TOBMON)

TOBVAPONL2

Len : 1 RC-NIC VAPING / TOBACCO PRODUCTS ONLY - PAST MONTH USE

	Freq	Pct
1 = Vaped nic but no use of tob prod (NICVAPMON=1 and TOBMON=0).....	4485	7.65
2 = Vaped nicotine and used tob prod (NICVAPMON=1 and TOBMON=1).....	3057	5.21
3 = Used tob prod but did not vape nic(NICVAPMON=0 and TOBMON=1)	5705	9.73
4 = Did not use tob prod or vape nic (NICVAPMON=0 and TOBMON=0).....	45386	77.41

(NICVAPMON, TOBCIGONL)

TOBCIGVAP2

Len : 1 RC-NIC VAPING AND CIG/NONCIG TOBACCO COMBINATIONS-PM USE

	Freq	Pct
1 = Vaped nic & used cigs as only tob: NICVAPMON=1 & TOBCIGONL=1	1749	2.98
2 = Vaped nic, used cigs, & other tob: NICVAPMON=1 & TOBCIGONL=2	713	1.22
3 = Vaped nic & used tob but not cigs: NICVAPMON=1 & TOBCIGONL=3	595	1.01
4 = Did not both vape nic & use tob: NICVAPMON=0 or TOBCIGONL=4	55576	94.79

(IRALCRC)

ALCFLAG

Len : 1 RC-ALCOHOL - EVER USED

	Freq	Pct
0 = Never used (IRALCRC = 9)	16967	28.94
1 = Ever used (IRALCRC = 1-3)	41666	71.06

(IRALCRC)

ALCYR

Len : 1 RC-ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRALCRC = 3,9)	24694	42.12
1 = Used within the past year (IRALCRC = 1,2)	33939	57.88

(IRALCRC)

ALCMON

Len : 1 RC-ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRALCRC = 2-3,9).....	33783	57.62
1 = Used within the past month (IRALCRC = 1).....	24850	42.38

(IRCBDHMPREC)

CBDHMPFLAG

Len : 1 RC-CBD OR HEMP - EVER USED

	Freq	Pct
0 = Never used (IRCBDHMPREC = 9)	39723	67.75
1 = Ever used (IRCBDHMPREC = 1-4)	18910	32.25

RECODED DRUG USE

(IRCBDHMPREC)
CBDHMPYR

Len : 1 RC-CBD OR HEMP - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCBDHMPREC = 3,4,9)	48238	82.27
1 = Used within the past year (IRCBDHMPREC = 1,2)	10395	17.73

(IRCBDHMPREC)
CBDHMPMON

Len : 1 RC-CBD OR HEMP - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCBDHMPREC = 2-4,9)	52900	90.22
1 = Used within the past month (IRCBDHMPREC = 1)	5733	9.78

(IRMJRC)
MRJFLAG

Len : 1 RC-MARIJUANA - EVER USED

	Freq	Pct
0 = Never used (IRMJRC = 9)	32093	54.74
1 = Ever used (IRMJRC = 1-3)	26540	45.26

(IRMJRC)
MRJYR

Len : 1 RC-MARIJUANA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJRC = 3,9)	44044	75.12
1 = Used within the past year (IRMJRC = 1,2)	14589	24.88

(IRMJRC)
MRJMON

Len : 1 RC-MARIJUANA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJRC = 2-3,9)	48678	83.02
1 = Used within the past month (IRMJRC = 1)	9955	16.98

(IRMJYRSMOKE)
MJSMKYR

Len : 1 RC-MARIJUANA SMOKING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRSMOKE = 2,9)	47450	80.93
1 = Used within the past year (IRMJYRSMOKE = 1)	11183	19.07

(IRMJEVERVAPE)
MJVAPFLAG

Len : 1 RC-MARIJUANA VAPING - EVER USED

	Freq	Pct
0 = Never used (IRMJEVERVAPE = 2, 9)	45059	76.85
1 = Ever used (IRMJEVERVAPE = 1)	13574	23.15

(IRMJYRVAPE)
MJVAPYR

Len : 1 RC-MARIJUANA VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRVAPE = 2,9)	51933	88.57
1 = Used within the past year (IRMJYRVAPE = 1)	6700	11.43

(IRMJYRDAB)
MJDABYR

Len : 1 RC-MARIJUANA DABBING WAXES, SHATTER, OR CONC - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRDAB = 2,9)	55886	95.31
1 = Used within the past year (IRMJYRDAB = 1)	2747	4.69

(IRMJYREAT)
MJEATYR

Len : 1 RC-MARIJUANA EATING OR DRINKING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYREAT = 2,9)	51301	87.50
1 = Used within the past year (IRMJYREAT = 1)	7332	12.50

RECODED DRUG USE

(IRMJYRMOUTH)

MJMTHYR

Len : 1 RC-MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRMOUTH = 2,9)	57903	98.75
1 = Used within the past year (IRMJYRMOUTH = 1)	730	1.25

(IRMJYRSKIN)

MJSKNYR

Len : 1 RC-MARIJUANA LOTION/CREAM/PATCH TO SKIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRSKIN = 2,9).....	57494	98.06
1 = Used within the past year (IRMJYRSKIN = 1).....	1139	1.94

(IRMJYRPILL)

MJPLLYR

Len : 1 RC-MARIJUANA PILLS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRPILL = 2,9)	58283	99.40
1 = Used within the past year (IRMJYRPILL = 1)	350	0.60

The following variable for used marijuana some other way in the past year, MJOTHYR, was assigned a positive response if a respondent indicated using marijuana some other way in the past year (IRMJYROTHER=1) and either entered write-in responses other than responses that match existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met any of these conditions:

1. Used marijuana some other way in the past year (IRMJYROTHER=1), and all the write-in variables have responses that matched existing categories.
2. Used marijuana some other way in the past year (IRMJYROTHER=1), and respondent had a mix of write-in values and blank (no answer) and at least one write-in variable had a response that matched existing categories.
3. Did not use marijuana some other way in the past year (IRMJYROTHER=2,9).

(IRMJYROTHER)

MJOTHYR

Len : 1 RC-MARIJUANA USE - SOME OTHER MODE - PAST YEAR

	Freq	Pct
0 = No (See comment above).....	58510	99.79
1 = Yes (See comment above)	123	0.21

(MJMTHYR, MJOTHYR, MJPLLYR, MJSKNYR)

MJCMOTHYR

Len : 1 RC-COMBINED OTHER MARIJUANA MODES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables = 0).....	56695	96.69
1 = Used within the past year (Any source variable = 1).....	1938	3.31

(IRMJMNSMOKE)

MJSMKMON

Len : 1 RC-MARIJUANA SMOKING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMNSMOKE = 2,9).....	51024	87.02
1 = Used within the past month (IRMJMNSMOKE = 1).....	7609	12.98

(IRMJMONVAPE)

MJVAPMON

Len : 1 RC-MARIJUANA VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONVAPE = 2,9).....	54335	92.67
1 = Used within the past month (IRMJMONVAPE = 1).....	4298	7.33

NOTE: Beginning in 2022, recoded variable MRJMONVAP2 replaces variable MRJMONVAP. The new version of the variable was created using the new marijuana vaping variables.

(MJVAPMON, MRJMON)

MRJMONVAP2

Len : 1 RC-MRJ VAPE, MRJ USE BUT NOT VAPE, OR NO MRJ USE - PAST MON

	Freq	Pct
1 = Vaped marijuana (MJVAPMON=1)	4298	7.33
2 = Used mrj but did not vape mrj (MRJMON=1 and MJVAPMON=0).....	5657	9.65
3 = Did not use marijuana (MRJMON=0)	48678	83.02

RECODED DRUG USE

(IRMJMONDAB)
MJDABMON

Len : 1 RC-MARIJUANA DABBING WAXES, SHATTER, OR CONC-PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONDAB = 2,9).....	56936	97.11
1 = Used within the past month (IRMJMONDAB = 1).....	1697	2.89

(IRMJMONEAT)
MJEATMON

Len : 1 RC-MARIJUANA EATING OR DRINKING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONEAT = 2,9)	54777	93.42
1 = Used within the past month (IRMJMONEAT = 1)	3856	6.58

(IRMJMONMOUTH)
MJMTHMON

Len : 1 RC-MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH-PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONMOUTH = 2,9)	58288	99.41
1 = Used within the past month (IRMJMONMOUTH = 1)	345	0.59

(IRMJMNSKIN)
MJSKNMON

Len : 1 RC-MARIJUANA LOTION/CREAM/PATCH TO SKIN - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMNSKIN = 2,9).....	58105	99.10
1 = Used within the past month (IRMJMNSKIN = 1).....	528	0.90

(IRMJMONPILL)
MJPLLMON

Len : 1 RC-MARIJUANA PILLS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONPILL = 2,9).....	58482	99.74
1 = Used within the past month (IRMJMONPILL = 1).....	151	0.26

(MJMTHMON, MJPLLMON, MJSKNMON)

MJCMOTHMON

Len : 1 RC-COMBINED OTHER MARIJUANA MODES - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables = 0)	57717	98.44
1 = Used within the past month (Any source variable = 1)	916	1.56

(IRCOCRC)
COCFLAG

Len : 1 RC-COCAINE - EVER USED

	Freq	Pct
0 = Never used (IRCOCRC = 9).....	51911	88.54
1 = Ever used (IRCOCRC = 1-3).....	6722	11.46

(IRCOCRC)
COCYR

Len : 1 RC-COCAINE - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCOCRC = 3,9).....	57642	98.31
1 = Used within the past year (IRCOCRC = 1,2).....	991	1.69

(IRCOCRC)
COCMON

Len : 1 RC-COCAINE - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCOCRC = 2-3,9)	58280	99.40
1 = Used within the past month (IRCOCRC = 1).....	353	0.60

(IRCRKRC)
CRKFLAG

Len : 1 RC-"CRACK" - EVER USED

	Freq	Pct
0 = Never used (IRCRKRC = 9).....	57020	97.25
1 = Ever used (IRCRKRC = 1-3).....	1613	2.75

RECODED DRUG USE

(IRCRKRC)
[CRKYR](#)

Len : 1 RC-"CRACK" - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCRKRC = 3,9).....	58478	99.74
1 = Used within the past year (IRCRKRC = 1,2).....	155	0.26

(IRCRKRC)
[CRKMON](#)

Len : 1 RC-"CRACK" - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCRKRC = 2-3,9)	58570	99.89
1 = Used within the past month (IRCRKRC = 1).....	63	0.11

(IRHERRC)
[HERFLAG](#)

Len : 1 RC-HEROIN - EVER USED

	Freq	Pct
0 = Never used (IRHERRC = 9)	57441	97.97
1 = Ever used (IRHERRC = 1-3)	1192	2.03

(IRHERRC)
[HERYR](#)

Len : 1 RC-HEROIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRHERRC = 3,9)	58496	99.77
1 = Used within the past year (IRHERRC = 1,2)	137	0.23

(IRHERRC)
[HERMON](#)

Len : 1 RC-HEROIN - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRHERRC = 2-3,9).....	58558	99.87
1 = Used within the past month (IRHERRC = 1).....	75	0.13

(IRHALLUCREC)
[HALLUCFLAG](#)

Len : 1 RC-HALLUCINOGENS - EVER USED

	Freq	Pct
0 = Never used (IRHALLUCREC = 9).....	48970	83.52
1 = Ever used (IRHALLUCREC = 1-3).....	9663	16.48

(IRHALLUCREC)
[HALLUCYR](#)

Len : 1 RC-HALLUCINOGENS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRHALLUCREC = 3,9).....	56049	95.59
1 = Used within the past year (IRHALLUCREC = 1,2).....	2584	4.41

(IRHALLUCREC)
[HALLUCMON](#)

Len : 1 RC-HALLUCINOGENS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRHALLUCREC= 2-3,9).....	57943	98.82
1 = Used within the past month (IRHALLUCREC = 1)	690	1.18

(IRLSDRC)
[LSDFLAG](#)

Len : 1 RC-LSD - EVER USED

	Freq	Pct
0 = Never used (IRLSDRC = 9).....	53386	91.05
1 = Ever used (IRLSDRC = 1-3).....	5247	8.95

(IRLSDRC)
[LSDYR](#)

Len : 1 RC-LSD - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRLSDRC = 3,9).....	58212	99.28
1 = Used within the past year (IRLSDRC = 1,2).....	421	0.72

RECODED DRUG USE

(IRLSDRC)
LSDMON

Len : 1 RC-LSD - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRLSDRC = 2-3,9)	58556	99.87
1 = Used within the past month (IRLSDRC = 1)	77	0.13

(IRPCPRC)
PCPFLAG

Len : 1 RC-PCP - EVER USED

	Freq	Pct
0 = Never used (IRPCPRC = 9)	57816	98.61
1 = Ever used (IRPCPRC = 1-3)	817	1.39

(IRPCPRC)
PCPYR

Len : 1 RC-PCP - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRPCPRC = 3,9)	58601	99.95
1 = Used within the past year (IRPCPRC = 1,2)	32	0.05

(IRPCPRC)
PCPMON

Len : 1 RC-PCP - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRPCPRC = 2-3,9)	58625	99.99
1 = Used within the past month (IRPCPRC = 1)	8	0.01

(IRPSILCYREC)
PSILCYFLAG

Len : 1 RC-PSILOCYBIN - EVER USED

	Freq	Pct
0 = Never used (IRPSILCYREC = 9)	51736	88.24
1 = Ever used (IRPSILCYREC = 1-3)	6897	11.76

(IRPSILCYREC)
PSILCYR

Len : 1 RC-PSILOCYBIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRPSILCYREC = 3,9)	56654	96.62
1 = Used within the past year (IRPSILCYREC = 1,2)	1979	3.38

(IRPSILCYREC)
PSILCYMON

Len : 1 RC-PSILOCYBIN - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRPSILCYREC= 2-3,9)	58202	99.26
1 = Used within the past month (IRPSILCYREC = 1)	431	0.74

(IRECSTMOREC)
ECSTMOFLAG

Len : 1 RC-ECSTASY - EVER USED

	Freq	Pct
0 = Never used (IRECSTMOREC = 9)	54091	92.25
1 = Ever used (IRECSTMOREC = 1-3)	4542	7.75

(IRECSTMOREC)
ECSTMOYR

Len : 1 RC-ECSTASY - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRECSTMOREC = 3,9)	58151	99.18
1 = Used within the past year (IRECSTMOREC = 1,2)	482	0.82

(IRECSTMOREC)
ECSTMOMON

Len : 1 RC-ECSTASY - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRECSTMOREC= 2-3,9)	58516	99.80
1 = Used within the past month (IRECSTMOREC = 1)	117	0.20

RECODED DRUG USE

(IRDAMTFXREC)

[DAMTFXFLAG](#)

Len : 1 RC-DMT/AMT/FOXY - EVER USED

	Freq	Pct
0 = Never used (IRDAMTFXREC = 9)	57716	98.44
1 = Ever used (IRDAMTFXREC = 1-3)	917	1.56

(IRDAMTFXREC)

[DAMTFXYR](#)

Len : 1 RC-DMT/AMT/FOXY - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRDAMTFXREC = 3,9)	58505	99.78
1 = Used within the past year (IRDAMTFXREC = 1,2)	128	0.22

(IRDAMTFXREC)

[DAMTFXMON](#)

Len : 1 RC-DMT/AMT/FOXY - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRDAMTFXREC= 2-3,9)	58608	99.96
1 = Used within the past month (IRDAMTFXREC = 1)	25	0.04

(IRKETMINREC)

[KETMINFLAG](#)

Len : 1 RC-KETAMINE - EVER USED

	Freq	Pct
0 = Never used (IRKETMINREC = 9)	57410	97.91
1 = Ever used (IRKETMINREC = 1-3)	1223	2.09

(IRKETMINREC)

[KETMINYR](#)

Len : 1 RC-KETAMINE - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRKETMINREC = 3,9)	58372	99.55
1 = Used within the past year (IRKETMINREC = 1,2)	261	0.45

(IRKETMINREC)

[KETMINMON](#)

Len : 1 RC-KETAMINE - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRKETMINREC= 2-3,9)	58563	99.88
1 = Used within the past month (IRKETMINREC = 1)	70	0.12

(IRSALVIAREC)

[SALVIAFLAG](#)

Len : 1 RC-SALVIA - EVER USED

	Freq	Pct
0 = Never used (IRSALVIAREC = 9)	57506	98.08
1 = Ever used (IRSALVIAREC = 1-3)	1127	1.92

(IRSALVIAREC)

[SALVIAYR](#)

Len : 1 RC-SALVIA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSALVIAREC = 3,9)	58609	99.96
1 = Used within the past year (IRSALVIAREC = 1,2)	24	0.04

(IRSALVIAREC)

[SALVIAMON](#)

Len : 1 RC-SALVIA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSALVIAREC= 2-3,9)	58623	99.98
1 = Used within the past month (IRSALVIAREC = 1)	10	0.02

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRINHALREC2)

[INHALFLAG2](#)

Len : 1 RC-INHALANTS - EVER USED

	Freq	Pct
0 = Never used (IRINHALREC2 = 9)	51867	88.46
1 = Ever used (IRINHALREC2 = 1-3)	6766	11.54

RECODED DRUG USE

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRINHALREC2)

INHALYR2

Len : 1 RC-INHALANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRINHALREC2 = 3,9)	57604	98.25
1 = Used within the past year (IRINHALREC2 = 1,2).....	1029	1.75

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRINHALREC2)

INHALMON2

Len : 1 RC-INHALANTS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRINHALREC2 = 2-3,9).....	58266	99.37
1 = Used within the past month (IRINHALREC2 = 1)	367	0.63

(IRMETHAMREC)

METHAMFLAG

Len : 1 RC-METHAMPHETAMINE - EVER USED

	Freq	Pct
0 = Never used (IRMETHAMREC = 9)	56001	95.51
1 = Ever used (IRMETHAMREC = 1-3)	2632	4.49

(IRMETHAMREC)

METHAMYR

Len : 1 RC-METHAMPHETAMINE - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMETHAMREC = 3,9)	58082	99.06
1 = Used within the past year (IRMETHAMREC = 1,2)	551	0.94

(IRMETHAMREC)

METHAMMON

Len : 1 RC-METHAMPHETAMINE - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMETHAMREC= 2-3,9).....	58305	99.44
1 = Used within the past month (IRMETHAMREC = 1).....	328	0.56

NOTE: The following 16 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription pain relievers (ever used/ever misused) in analysis.

The any pain reliever use variables broke trend in 2024 due to changes in how the term "any prescription pain reliever use" is defined. Starting in 2024, respondents were backed out of having used prescription pain relievers if they reported any prescription pain reliever use but their only reported use was for over-the-counter or non-prescription drugs. These measures are no longer considered comparable with similar measures from 2023 and earlier NSDUHs and therefore have been renamed. The pain reliever variables impacted include PNRANYFLAG2 (previously PNRANYFLAG) and PNRANYR2 (previously PNRANYR).

(IRPNRANYREC2)

PNRANYFLAG2

Len : 1 RC-ANY PAIN RELIEVER - EVER USED

	Freq	Pct
0 = Never used (IRPNRANYREC2 = 9).....	31979	54.54
1 = Ever used (IRPNRANYREC2 = 1-2).....	26654	45.46

(IRPNRANYREC2)

PNRANYR2

Len : 1 RC-ANY PAIN RELIEVER - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRPNRANYREC2 = 2,9).....	46688	79.63
1 = Used within the past year (IRPNRANYREC2 = 1).....	11945	20.37

RECODED DRUG USE

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(IROXCNANYR2)

OXYCNANYR2

Len : 1 RC-OXYCONTIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IROXCNANYR2 = 9)	57241	97.63
1 = Used within the past year (IROXCNANYR2 = 1)	1392	2.37

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription tranquilizers (ever used/ever misused) in analysis.

(IRTRQANYREC)

TRQANYFLAG

Len : 1 RC-ANY TRANQUILIZERS - EVER USED

	Freq	Pct
0 = Never used (IRTRQANYREC = 9)	49251	84.00
1 = Ever used (IRTRQANYREC = 1-2)	9382	16.00

(IRTRQANYREC)

TRQANYR

Len : 1 RC-ANY TRANQUILIZERS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRTRQANYREC = 2,9)	53198	90.73
1 = Used within the past year (IRTRQANYREC = 1)	5435	9.27

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription stimulants (ever used/ever misused) in analysis.

(IRSTMANYREC)

STMANYFLAG

Len : 1 RC-ANY STIMULANTS - EVER USED

	Freq	Pct
0 = Never used (IRSTMANYREC = 9)	50728	86.52
1 = Ever used (IRSTMANYREC = 1-2)	7905	13.48

(IRSTMANYREC)

STMANYR

Len : 1 RC-ANY STIMULANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSTMANYREC = 2,9)	53662	91.52
1 = Used within the past year (IRSTMANYREC = 1)	4971	8.48

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription sedatives (ever used/ever misused) in analysis.

(IRSEDANYREC)

SEDANYFLAG

Len : 1 RC-ANY SEDATIVES - EVER USED

	Freq	Pct
0 = Never used (IRSEDANYREC = 9)	53368	91.02
1 = Ever used (IRSEDANYREC = 1-2)	5265	8.98

(IRSEDANYREC)

SEDANYR

Len : 1 RC-ANY SEDATIVES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSEDANYREC = 2,9)	56378	96.15
1 = Used within the past year (IRSEDANYREC = 1)	2255	3.85

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime any use of tranquilizers or sedatives in analysis.

(SEDANYFLAG, TRQANYFLAG)

TQSDANYFLG

Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - EVER USED

	Freq	Pct
0 = Never used (Otherwise)	47073	80.28
1 = Ever used (TRQANYFLAG=1 or SEDANYFLAG=1)	11560	19.72

RECODED DRUG USE

(SEDANYR, TRQANYR)

TQSDANYR

Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (Otherwise)	51879	88.48
1 = Used in the past year (TRQANYR=1 or SEDANYR=1).....	6754	11.52

The following variable for any past year use of Any Benzodiazepines, BZOANYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers (TRBZOANYR=1), any past year use of Benzodiazepine Sedatives (SVBZOANYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year use of any Benzodiazepines imputation, IRBZOANYR.

(SEDANYR, SVBZOANYR, TRBZOANYR, TRQANYR)

BZOANYR

Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR USE

	Freq	Pct
. = Missing	65	0.11
0 = No	54441	92.85
1 = Yes.....	4127	7.04

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of any prescription psychotherapeutics (ever used/ever misused) in analysis.

The any prescription psychotherapeutics use variables broke trend in 2024 due to changes in how the term “any prescription pain reliever use” is defined. Starting in 2024, respondents were backed out of having used prescription pain relievers if they reported any prescription pain reliever use but their only reported use was for over-the-counter or non-prescription drugs. These measures are no longer considered comparable with similar measures from 2023 and earlier NSDUHs and therefore have been renamed. The prescription psychotherapeutics variables impacted include PSYANYFLAG2 (previously PSYANYFLAG) and PSYANYR2 (previously PSYANYR).

(PNRANYFLAG2, SEDANYFLAG, STMANYFLAG, TRQANYFLAG)

PSYANYFLAG2

Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER USED

	Freq	Pct
0 = Never used (All source variables = 0).....	28220	48.13
1 = Ever used (Any source variable = 1).....	30413	51.87

(PNRANYR2, SEDANYR, STMANYR, TRQANYR)

PSYANYR2

Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR USE

	Freq	Pct
0 = Did not use within pst year (All source variables =0)	40725	69.46
1 = Used in past year (Any source variable = 1)	17908	30.54

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(HERYR, IRRXOPANYR)

OPIANYR2

Len : 1 RC-ANY OPIOIDS (RX OPIOIDS OR HEROIN) - PAST YEAR USE

	Freq	Pct
0 = Did not use within past year (Otherwise).....	47787	81.50
1 = Used in past year (HERYR=1 or IRRXOPANYR=1).....	10846	18.50

(COCYR, METHAMYR, STMANYR)

CNSANYR

Len : 1 RC-ANY CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use within pst year (Otherwise).....	52730	89.93
1 = Used in past year (STMANYR, METHAMYR, or COCYR=1)	5903	10.07

NOTE: The following 25 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription pain relievers (ever misused) in analysis.

(IRPNRMREC)

PNRMFLAG

Len : 1 RC-PAIN RELIEVERS - EVER MISUSED

	Freq	Pct
0 = Never misused (IRPNRMREC = 9).....	54068	92.21
1 = Ever misused (IRPNRMREC = 1-3).....	4565	7.79

RECODED DRUG USE

(IRPNRNMREC)
PNRNMYS

Len : 1 RC-PAIN RELIEVERS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRPNRNMREC = 3,9).....	56960	97.15
1 = Misused within the past year (IRPNRNMREC = 1,2).....	1673	2.85

(IRPNRNMREC)
PNRNMMS

Len : 1 RC-PAIN RELIEVERS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRPNRNMREC = 2-3,9).....	58181	99.23
1 = Misused within the past month (IRPNRNMREC = 1).....	452	0.77

(IROXCNNMYR)
OXYCNNMYR

Len : 1 RC-OXYCONTIN - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IROXCNNMYR = 9).....	58429	99.65
1 = Misused within the past year (IROXCNNMYR = 1).....	204	0.35

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription tranquilizers (ever misused) in analysis.

(IRTRQNMREC)
TRQNMFLAG

Len : 1 RC-TRANQUILIZERS - EVER MISUSED

	Freq	Pct
0 = Never misused (IRTRQNMREC = 9).....	56651	96.62
1 = Ever misused (IRTRQNMREC = 1-3).....	1982	3.38

(IRTRQNMREC)
TRQNMYS

Len : 1 RC-TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRTRQNMREC = 3,9).....	57809	98.59
1 = Misused within the past year (IRTRQNMREC = 1,2).....	824	1.41

(IRTRQNMREC)
TRQNMMS

Len : 1 RC-TRANQUILIZERS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRTRQNMREC = 2-3,9).....	58396	99.60
1 = Misused within the past month (IRTRQNMREC = 1).....	237	0.40

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription stimulants (ever misused) in analysis.

(IRSTMNMREC)
STMNMFLAG

Len : 1 RC-STIMULANTS - EVER MISUSED

	Freq	Pct
0 = Never misused (IRSTMNMREC = 9).....	56162	95.79
1 = Ever misused (IRSTMNMREC = 1-3).....	2471	4.21

(IRSTMNMREC)
STMNMYS

Len : 1 RC-STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRSTMNMREC = 3,9).....	57681	98.38
1 = Misused within the past year (IRSTMNMREC = 1,2).....	952	1.62

(IRSTMNMREC)
STMNMMS

Len : 1 RC-STIMULANTS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRSTMNMREC = 2-3,9).....	58361	99.54
1 = Misused within the past month (IRSTMNMREC = 1).....	272	0.46

RECODED DRUG USE

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription sedatives (ever misused) in analysis.

(IRSEDNMREC)

SEDNMFLAG

Len : 1 RC-SEDATIVES - EVER MISUSED

	Freq	Pct
0 = Never misused (IRSEDNMREC = 9)	57608	98.25
1 = Ever misused (IRSEDNMREC = 1-3)	1025	1.75

(IRSEDNMREC)

SEDNMYR

Len : 1 RC-SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRSEDNMREC = 3,9)	58461	99.71
1 = Misused within the past year (IRSEDNMREC = 1,2)	172	0.29

(IRSEDNMREC)

SEDNMMON

Len : 1 RC-SEDATIVES - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRSEDNMREC = 2-3,9)	58577	99.90
1 = Misused within the past month (IRSEDNMREC = 1)	56	0.10

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of tranquilizers or sedatives (ever misused) in analysis.

(SEDNMFLAG, TRQNMFLAG)

TQSDNMFLAG

Len : 1 RC-TRANQUILIZERS OR SEDATIVES - EVER MISUSED

	Freq	Pct
0 = Never misused (Otherwise)	56243	95.92
1 = Ever misused (TRQNMFLAG=1 or SEDNMFLAG=1)	2390	4.08

(SEDNMYR, TRQNMYR)

TQSDNMYR

Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	57687	98.39
1 = Misused in the past year (TRQNMYR=1 or SEDNMYR=1)	946	1.61

(SEDNMMON, TRQNMMON)

TQSDNMMON

Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	58352	99.52
1 = Misused in the past month (TRQNMMON=1 or SEDNMMON=1)	281	0.48

The following variable for any past year misuse of Any Benzodiazepines, BZONMYR, was assigned a positive response if a respondent indicated past year misuse of Benzodiazepine Tranquilizers (TRBZONMYR=1), past year misuse of Benzodiazepine Sedatives (SVBZONMYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year misuse of any Benzodiazepines imputation, IRBZONMYR.

(SEDNMYR, SVBZONMYR, TRBZONMYR, TRQNMYR)

BZONMYR

Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR MISUSE

	Freq	Pct
. = Missing	11	0.02
0 = No	57904	98.76
1 = Yes	718	1.22

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of any prescription psychotherapeutics (ever misused) in analysis.

(PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)

PSYCHFLAG

Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER MISUSED

	Freq	Pct
0 = Never misused (All source variables = 0)	52290	89.18
1 = Ever misused (Any source variable = 1)	6343	10.82

RECODED DRUG USE

(PNRNMYR, SEDNMYR, STMNMYR, TRQNMYR)

[PSYCHYR](#)

Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse within pst year (All source variables = 0).....	55744	95.07
1 = Misused in past year (Any source variable = 1).....	2889	4.93

(PNRNMMON, SEDNMMON, STMNMMON, TRQNMMON)

[PSYCHMON](#)

Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in past month (All source variables = 0).....	57781	98.55
1 = Misused in past month (Any source variable = 1).....	852	1.45

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(HERYR, IRRXOPNMYR)

[OPINMYR2](#)

Len : 1 RC-OPIOIDS (RX OPIOIDS OR HEROIN) - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	56976	97.17
1 = Misused in the past year (HERYR=1 or IRRXOPNMYR=1).....	1657	2.83

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(HERMON, RXOPPRNMMON)

[OPINMMON2](#)

Len : 1 RC-OPIOIDS (RX OPIOIDS OR HEROIN) - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	58160	99.19
1 = Misused in the past month (HERMON=1 or RXOPPRNMMON=1)	473	0.81

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(HERYR, IRRXOPNMYR)

[HERRXOPYR](#)

Len : 1 RC-HEROIN USE AND/OR RX OPIOID MISUSE - PAST YEAR

	Freq	Pct
1 = Heroin use & no Rx opioid misuse (HERYR=1 & IRRXOPNMYR=0).....	61	0.10
2 = Rx opioid misuse & no heroin use (HERYR=0 & IRRXOPNMYR=1).....	1520	2.59
3 = Heroin use & Rx opioid misuse (HERYR=1 & IRRXOPNMYR=1).....	76	0.13
4 = No heroin use & no Rx opioid misuse (HERYR=0 & IRRXOPNMYR=0).....	56976	97.17

(COCYR, METHAMYR, STMNMYR)

[CNSNMYR](#)

Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	56556	96.46
1 = Misused in the past year (STMNMYR, METHAMYR, or COCYR=1)	2077	3.54

(COCMON, METHAMMON, STMNMMON)

[CNSNMMON](#)

Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	57775	98.54
1 = Misused in the past month (STMNMMON, METHAMMON, or COCMON=1)	858	1.46

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG2, METHAMFLAG, MRJFLAG, PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)

[ILLFLAG](#)

Len : 1 RC-ANY ILLICIT DRUG - EVER USED

	Freq	Pct
0 = Never used (All source variables = 0).....	28830	49.17
1 = Ever used (Any source variable = 1).....	29803	50.83

(COCYR, HALLUCYR, HERYR, INHALYR2, METHAMYR, MRJYR, PNRNMYR, SEDNMYR, STMNMYR, TRQNMYR)

[ILLYR](#)

Len : 1 RC-ANY ILLICIT DRUG - PAST YEAR USE

	Freq	Pct
0 = Did not use in past year (All source variables = 0).....	41961	71.57
1 = Used in past year (Any source variable = 1)	16672	28.43

RECODED DRUG USE

(COCMON, HALLUCMON, HERMON, INHALMON2, METHAMMON, MRJMON, PNRNMMON, SEDNMMON, STMNMMON, TRQNMMON)
[ILLMON](#) Len : 1 RC-ANY ILLICIT DRUG - PAST MONTH USE

	Freq	Pct
0 = Did not use in past month (All source variables = 0)	47749	81.44
1 = Used in past month (Any source variable = 1)	10884	18.56

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of marijuana only variable in analysis. This variable may overestimate lifetime users of only marijuana.

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG2, METHAMFLAG, MRJFLAG, PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)
[MJONLYFLAG2](#) Len : 1 RC-MARIJUANA ONLY - EVER USED

	Freq	Pct
0 = Never used MJ/has used both MJ & anothr illct drug	45622	77.81
1 = Marijuana is only (illicit) drug ever used	13011	22.19

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(COCYR, HALLUCYR, HERYR, INHALYR2, METHAMYR, MRJYR, PNRNMYR, SEDNMYR, STMNMYR, TRQNYR)
[MJONLYYR2](#) Len : 1 RC-MARIJUANA ONLY - PAST YEAR USE

	Freq	Pct
0 = MJ not used past yr/Used MJ & othr drug past yr.....	47958	81.79
1 = Marijuana is only (illicit) drug in past year	10675	18.21

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(COCMON, HALLUCMON, HERMON, INHALMON2, METHAMMON, MRJMON, PNRNMMON, SEDNMMON, STMNMMON, TRQNMMON)
[MJONLYMON2](#) Len : 1 RC-MARIJUANA ONLY - PAST MONTH USE

	Freq	Pct
0 = MJ not used past mnth/Used MJ & othr drug past mo	49915	85.13
1 = Marijuana only (illicit) drug in past month	8718	14.87

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of illicit drugs other than marijuana variable in analysis. This caution does not apply to lifetime use of any illicit drug variable given it is dominated by lifetime marijuana use.

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG2, METHAMFLAG, PSYCHFLAG)
[ILLEMFLAG2](#) Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED

	Freq	Pct
0 = Never used drug/used only marijuana.....	41841	71.36
1 = Ever used an Illicit drug except for marijuana	16792	28.64

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(COCYR, HALLUCYR, HERYR, INHALYR2, METHAMYR, PSYCHYR)
[ILEMYR2](#) Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR

	Freq	Pct
0 = Never used drug/used only marijuana past year.....	52636	89.77
1 = Illicit drug except for marijuana used past year	5997	10.23

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(COCMON, HALLUCMON, HERMON, INHALMON2, METHAMMON, PSYCHMON)
[ILLEMMON2](#) Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH

	Freq	Pct
0 = Never used drug/used only marijuana past month.....	56467	96.31
1 = Illicit drug except for marijuana used past month	2166	3.69

RECODED DRUG USE

(IRCDUAGE)

CDUFLAG

Len : 1 RC-CIGARETTES DAILY - EVER USED

	Freq	Pct
0 = Never Used/Never Used Daily (Otherwise).....	46194	78.78
1 = Ever Used (IRCDUAGE=1-90).....	12439	21.22

(IRCIGFM)

DCIGMON

Len : 1 RC-PAST MONTH DAILY CIGARETTE USE

	Freq	Pct
0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93).....	55227	94.19
1 = Used Daily in the Past Month (IRCIGFM=30).....	3406	5.81

(CDUFLAG, CIGMON)

CDCGMO

Len : 1 RC-EVER USED CIG DAILY AND PAST MONTH CIG USE

	Freq	Pct
0 = No (Otherwise).....	53348	90.99
1 = Yes (CDUFLAG=1 and CIGMON=1).....	5285	9.01

(CDUFLAG, CIGMON)

CDNOCGMO

Len : 1 RC-EVER USED CIG DAILY AND NO PAST MONTH CIG USE

	Freq	Pct
0 = No (Otherwise).....	51479	87.80
1 = Yes (CDUFLAG=1 and CIGMON=0).....	7154	12.20

"Binge" Alcohol Use, BNGDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on at least one day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

(IRALCBNG30D)

BNGDRKMON

Len : 1 RC-BINGE ALCOHOL USE PAST 30 DAYS

	Freq	Pct
0 = Never/No "Binge" alc use (IRALCBNG30D = 0,91,93).....	46935	80.05
1 = "Binge" alcohol use (IRALCBNG30D = 1-30).....	11698	19.95

Heavy Alcohol Use, HVYDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

(IRALCBNG30D)

HVYDRKMON

Len : 1 RC-HEAVY ALCOHOL USE PAST 30 DAYS

	Freq	Pct
0 = Never/No heavy alc use (IRALCBNG30D = 0-4,91,93).....	55683	94.97
1 = Heavy alcohol use (IRALCBNG30D = 5-30).....	2950	5.03

(ALCFLAG, ILLFLAG, TOBFLAG)

ILTOBALCFG

Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALCOHOL - EVER USED

	Freq	Pct
0 = No drug, tob, or alcohol lifetime use (Otherwise).....	13406	22.86
1 = Drg, tob or alc lifetime use (ILLFLAG, TOBFLAG or ALCFLAG=1).....	45227	77.14

(ALCYR, ILLYR, TOBYR)

ILTOBALCYR

Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = No drug, tob, or alcohol past yr use (Otherwise).....	20171	34.40
1 = Drug, tob, or alcohol past yr use (ILLYR, TOBYR or ALCYR=1).....	38462	65.60

(ALCMON, ILLMON, TOBMON)

ILTOBALCMN

Len : 1 RC-ILLCIT DRUG, TOBACCO PRD, OR ALC - PAST MONTH USE

	Freq	Pct
0 = No drug, tob, or alc past mon use (Otherwise).....	28013	47.78
1 = Drug, tob, or alc past mon use (ILLMON, TOBMON or ALCMON=1).....	30620	52.22

RECODED DRUG USE

(ILTOBALCMN, NICVAPMON)

ILTOBVAPALC

Len : 1 RC-TOBACCO, NICOTINE VAPING, ALCOHOL, ILLICIT DRUG - PST MON

	Freq	Pct
0 = No (ILTOBALCMN=0 and NICVAPMON=0).....	26844	45.78
1 = Yes (ILTOBALCMN=1 or NICVAPMON=1).....	31789	54.22

(ALCMON, ILLMON)

ILLALCMON

Len : 1 RC-ILLICIT DRUG OR ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = No drug or alc past mon use (Otherwise).....	30151	51.42
1 = Drug or alc past mon use (ILLMON=1 or ALCMON=1).....	28482	48.58

(ALCFLAG, TOBFLAG)

TOBALCFLG

Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - EVER USED

	Freq	Pct
0 = No tobacco or alcohol lifetime use (Otherwise).....	15533	26.49
1 = Tobacco or alcohol lifetime use (TOBFLAG=1 or ALCFLAG=1).....	43100	73.51

(ALCYR, TOBYR)

TOBALCYR

Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = No tobacco or alcohol past yr use (Otherwise).....	22284	38.01
1 = Tobacco or alcohol past yr use (TOBYR=1 or ALCYR=1).....	36349	61.99

(ALCMON, TOBMON)

TOBALCMN

Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = No tob or alc past mon use (Otherwise).....	30411	51.87
1 = Tob or alc past mon use (TOBMON=1 or ALCMON=1).....	28222	48.13

(ALCYR, ILLYR)

ILLANDALC

Len : 1 RC-ILLICIT DRUG AND ALCOHOL USE - PAST YEAR USE

	Freq	Pct
0 = No drug or alc past year use (Otherwise).....	45072	76.87
1 = Drug and alc past year use (ILLYR=1 and ALCYR=1).....	13561	23.13

(ALCYR, ILLYR)

ILLORALC

Len : 1 RC-ILLICIT DRUG OR ALCOHOL USE - PAST YEAR USE

	Freq	Pct
0 = No drug and alc past year use (Otherwise).....	21583	36.81
1 = Drug or alc past year use (ILLYR=1 or ALCYR=1).....	37050	63.19

(ALCFLAG, ILLFLAG)

ILLALCFLG

Len : 1 RC-ILLICIT DRUG OR ALCOHOL - EVER USED

	Freq	Pct
0 = No drug or alc lifetime use (Otherwise).....	14297	24.38
1 = Drug or alc lifetime use (ILLFLAG=1 or ALCFLAG=1).....	44336	75.62

NOTE: The following 14 variables pertain to the use of specific hallucinogens and inhalants. These variables were revised starting with the 2021 NSDUH so that respondents with unknown lifetime use of the indicated hallucinogen or inhalant were coded as a system missing.

(HALLUCFLAG, PEYOTE)

PEYOTEEVER

Len : 1 RC-EVER USED PEYOTE

	Freq	Pct
. = Unknown (Otherwise).....	13	0.02
0 = No (PEYOTE=2,91 or HALLUCFLAG=0).....	57948	98.83
1 = Yes (PEYOTE=1,3).....	672	1.15

(HALLUCFLAG, MESC)

MESCEVER

Len : 1 RC-EVER USED Mescaline

	Freq	Pct
. = Unknown (Otherwise).....	20	0.03
0 = No (MESC=2,91 or HALLUCFLAG=0).....	57769	98.53
1 = Yes (MESC=1,3).....	844	1.44

RECODED DRUG USE

(AMYLNIT3, INHALFLAG2)

[AMYLNEVER2](#)

Len : 1 RC-EVER INHALED AMYL NITRITE, "POPPERS", RUSH, ETC.

	Freq	Pct
. = Unknown (Otherwise).....	30	0.05
0 = No (AMYLNIT3=2,91 or INHALFLAG2=0)	57000	97.21
1 = Yes (AMYLNIT3=1,3).....	1603	2.73

(CLEFLU3, INHALFLAG2)

[CLEFLUEVER2](#)

Len : 1 RC-EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
. = Unknown (Otherwise).....	16	0.03
0 = No (CLEFLU3=2,91 or INHALFLAG2=0).....	58173	99.22
1 = Yes (CLEFLU3=1,3).....	444	0.76

(GAS3, INHALFLAG2)

[GASEVER2](#)

Len : 1 RC-EVER INHALED GASOLINE OR LIGHTER FLUID

	Freq	Pct
. = Unknown (Otherwise).....	9	0.02
0 = No (GAS3=2,91 or INHALFLAG2=0).....	57638	98.30
1 = Yes (GAS3=1,3).....	986	1.68

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(GLUE3, INHALFLAG2)

[GLUEEVER2](#)

Len : 1 RC-EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

	Freq	Pct
. = Unknown (Otherwise).....	14	0.02
0 = No (GLUE3=2,91 or INHALFLAG2=0).....	57636	98.30
1 = Yes (GLUE3=1,3).....	983	1.68

(ETHER3, INHALFLAG2)

[ETHEREVER2](#)

Len : 1 RC-EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

	Freq	Pct
. = Unknown (Otherwise).....	15	0.03
0 = No (ETHER3=2,91 or INHALFLAG2=0).....	58400	99.60
1 = Yes (ETHER3=1,3).....	218	0.37

(INHALFLAG2, SOLVENT3)

[SOLVENEVER2](#)

Len : 1 RC-EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

	Freq	Pct
. = Unknown (Otherwise).....	14	0.02
0 = No (SOLVENT3=2,91 or INHALFLAG2=0).....	58264	99.37
1 = Yes (SOLVENT3=1,3).....	355	0.61

(INHALFLAG2, LGAS3)

[LGASEVER2](#)

Len : 1 RC-EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

	Freq	Pct
. = Unknown (Otherwise).....	17	0.03
0 = No (LGAS3=2,91 or INHALFLAG2=0).....	58353	99.52
1 = Yes (LGAS3=1,3).....	263	0.45

(INHALFLAG2, NITOXID3)

[NITOXIEVER2](#)

Len : 1 RC-EVER INHALED NITROUS OXIDE OR "WHIPPITS"

	Freq	Pct
. = Unknown (Otherwise).....	20	0.03
0 = No (NITOXID3=2,91 or INHALFLAG2=0).....	56064	95.62
1 = Yes (NITOXID3=1,3).....	2549	4.35

RECODED DRUG USE

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(FELTMARKR3, INHALFLAG2)

FLTMRKEVER2 Len : 1 RC-EVER USED FELT-TIP PENS/MARKERS TO GET HIGH

	Freq	Pct
. = Unknown (Otherwise).....	17	0.03
0 = No (FELTMARKR3=2,91 or INHALFLAG2=0).....	55784	95.14
1 = Yes (FELTMARKR3=1,3).....	2832	4.83

(INHALFLAG2, SPPAINT3)

SPAINTEVER2 Len : 1 RC-EVER INHALED SPRAY PAINTS

	Freq	Pct
. = Unknown (Otherwise).....	7	0.01
0 = No (SPPAINT3=2,91 or INHALFLAG2=0).....	57941	98.82
1 = Yes (SPPAINT3=1,3).....	685	1.17

(AIRDUSTER3, INHALFLAG2)

AIRDUSEVER2 Len : 1 RC-EVER USED COMPUTER CLEANER/AIR DUSTER TO GET HIGH

	Freq	Pct
. = Unknown (Otherwise).....	4	0.01
0 = No (AIRDUSTER3=2,91 or INHALFLAG2=0).....	57877	98.71
1 = Yes (AIRDUSTER3=1,3).....	752	1.28

(INHALFLAG2, OTHAEROS3)

OTHAEREVER2 Len : 1 RC-EVER USED OTHER AEROSOL SPRAY

	Freq	Pct
. = Unknown (Otherwise).....	15	0.03
0 = No (OTHAEROS3=2,91 or INHALFLAG2=0).....	58230	99.31
1 = Yes (OTHAEROS3=1,3).....	388	0.66

NOTE: The following 11 variables pertain to prescription opioid subtype use. These variables were revised starting with the 2024 NSDUH to use new any use other-specify responses. However, these revised variables are considered comparable to the versions of these variables created prior to 2024 (RXHYDCANY, RXZOHYANY, ..., RXMTDANY, respectively).

The following variable for any past year use of Hydrocodone Products, RXHYDCANY2, was assigned a positive response if a respondent indicated any past year use of Vicodin, Norco, Zohydro ER, generic hydrocodone, or past year any use of other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

(IRRXPANYR)

RXHYDCANY2 Len : 1 RC-HYDROCODONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	170	0.29
0 = No (See comment above).....	53103	90.57
1 = Yes (See comment above).....	5360	9.14

(IRRXPANYR)

RXZOHYANY2 Len : 1 RC-ZOHYDRO ER - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	171	0.29
0 = No.....	58366	99.54
1 = Yes.....	96	0.16

RECODED DRUG USE

The following variable for any past year use of Oxycodone Products, RXOXCOANY2, was assigned a positive response if a respondent indicated any past year use of OxyContin (OXYCNANYR2=1), Percocet, Percodan, Roxicodone, generic oxycodone, or past year any use of other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of OxyContin (OXYCNANYR2=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

(IRRXPANYR, OXYCNANYR2)

RXOXCOANY2 Len : 1 RC-OXYCODONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	153	0.26
0 = No (See comment above).....	54801	93.46
1 = Yes (See comment above)	3679	6.27

The following variable for any past year use of Tramadol Products, RXTRAMANY2, was assigned a positive response if a respondent indicated any past year use of Ultram, Ultram ER, Ultracet, generic tramadol, generic extended-release tramadol, or past year any use of other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

(IRRXPANYR)

RXTRAMANY2 Len : 1 RC-TRAMADOL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	176	0.30
0 = No (See comment above).....	56136	95.74
1 = Yes (See comment above)	2321	3.96

The following variable for any past year use of Codeine Products, RXCODEANY2, was assigned a positive response if a respondent indicated any past year use of Codeine, Tylenol with Codeine 3 or 4, or past year any use of other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Codeine and Tylenol with Codeine 3 or 4.

(IRRXPANYR)

RXCODEANY2 Len : 1 RC-CODEINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	161	0.27
0 = No (See comment above).....	55067	93.92
1 = Yes (See comment above)	3405	5.81

The following variable for any past year use of Morphine Products, RXMORPANY2, was assigned a positive response if a respondent indicated any past year use of Avinza, Kadian, MS Contin, generic morphine, generic extended-release morphine, or past year any use of other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

(IRRXPANYR)

RXMORPANY2 Len : 1 RC-MORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	171	0.29
0 = No (See comment above).....	57474	98.02
1 = Yes (See comment above)	988	1.69

The following variable for any past year use of Buprenorphine Products, RXBUPRANY2, was assigned a positive response if a respondent indicated any past year use of Suboxone, generic buprenorphine, buprenorphine plus naloxone, or past year any use of other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Suboxone, generic buprenorphine, and buprenorphine plus naloxone.

(IRRXPANYR)

RXBUPRANY2 Len : 1 RC-BUPRENORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	152	0.26
0 = No (See comment above).....	57783	98.55
1 = Yes (See comment above)	698	1.19

RECODED DRUG USE

The following variable for any past year use of Oxymorphone Products, RXOXYMANY2, was assigned a positive response if a respondent indicated any past year use of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or past year any use of other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

(IRRXPANYR)

RXOXYMANY2

Len : 1 RC-OXYMORPHONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	156	0.27
0 = No (See comment above).....	58274	99.39
1 = Yes (See comment above)	203	0.35

The following variable for any past year use of Demerol Products, RXDEMEANY2, was assigned a positive response if a respondent indicated any past year use of Demerol or past year any use of other pain relievers that contain Demerol. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Demerol.

(IRRXPANYR)

RXDEMEANY2

Len : 1 RC-DEMEROL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	160	0.27
0 = No (See comment above).....	58374	99.56
1 = Yes (See comment above)	99	0.17

The following variable for any past year use of Hydromorphone Products, RXHYDMANY2, was assigned a positive response if a respondent indicated any past year use of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or past year any use of other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.

(IRRXPANYR)

RXHYDMANY2

Len : 1 RC-HYDROMORPHONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	160	0.27
0 = No (See comment above).....	58175	99.22
1 = Yes (See comment above)	298	0.51

The following variable for any past year use of Methadone Products, RXMTDNANY2, was assigned a positive response if a respondent indicated any past year use of Methadone, or past year any use of other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year user of prescription opioids (IRRXPANYR=0) or if a respondent indicated no past year use of Methadone.

(IRRXPANYR)

RXMTDNANY2

Len : 1 RC-METHADONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	160	0.27
0 = No (See comment above).....	58213	99.28
1 = Yes (See comment above)	260	0.44

RECODED DRUG USE

The following variable for the past year any use of any other pain relievers, OTHRPNRANY2, was assigned a positive response if a respondent indicated past year use of any other pain relievers and the respondent did not report their only use of any other pain relievers in their write-in responses as one or more of the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or non-prescription drugs including over-the-counter (OTC) products (at least one of the any use other-specify variables has a valid value not equal to hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, non-prescription drugs including OTC products). Codes for bad data, don't know, refused and blank are not considered valid values. OTHRPNRANY2 was assigned a negative response if a respondent was not a past year user of prescription pain relievers (PNRANYR2=0), if a respondent did not indicate past year any use of any other pain relievers, or a respondent indicated their only use of any other pain relievers in their write-in responses as one or more of the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or non-prescription drugs including over-the-counter products (all of the any use other-specify variables equal hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, non-prescription drugs including OTC products). If a respondent had a least one valid write-in value from the list above, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(PNRANYR2)

OTHRPNRANY2

Len : 1 RC-OTHER PAIN RELIEVER PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	726	1.24
0 = No (See comment above).....	55913	95.36
1 = Yes (See comment above).....	1994	3.40

NOTE: The following nine variables pertain to prescription tranquilizer subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific tranquilizer subtype were coded as a system missing.

The following variable for any past year use of Benzodiazepine Tranquilizers, RXBZOTANY, was assigned a positive response if a respondent indicated any past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products, generic lorazepam), clonazepam products, generic clonazepam), diazepam products, or generic diazepam), or past year misuse of other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam), lorazepam products (Ativan, generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

(IRBZOANYR, TRQANYR)

RXBZOTANY

Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	30	0.05
0 = No (See comment above).....	54612	93.14
1 = Yes (See comment above).....	3991	6.81

The following variable for any past year use of Alprazolam Products, RXALPRANY, was assigned a positive response if a respondent indicated any past year use of Xanax, Xanax XR, generic alprazolam, or generic extended-release alprazolam, or past year misuse of other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

(IRBZOANYR, TRQANYR)

RXALPRANY

Len : 1 RC-ALPRAZOLEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	41	0.07
0 = No (See comment above).....	56409	96.21
1 = Yes (See comment above).....	2183	3.72

RECODED DRUG USE

The following variable for any past year use of Lorazepam Products, RXLORAANY, was assigned a positive response if a respondent indicated any past year use of Ativan, or generic lorazepam, or past year misuse of other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Ativan and generic lorazepam.

(IRBZOANYR, TRQANYR)

RXLORAANY

Len : 1 RC-LORAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	46	0.08
0 = No (See comment above).....	57409	97.91
1 = Yes (See comment above).....	1178	2.01

The following variable for any past year use of Clonazepam Products, RXCLONANY, was assigned a positive response if a respondent indicated any past year use of Klonopin, or generic clonazepam, or past year misuse of other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Klonopin and generic clonazepam.

(IRBZOANYR, TRQANYR)

RXCLONANY

Len : 1 RC-CLONAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	46	0.08
0 = No (See comment above).....	57568	98.18
1 = Yes (See comment above).....	1019	1.74

The following variable for any past year use of Diazepam Products, RXDIAZANY, was assigned a positive response if a respondent indicated any past year use of Valium, or generic diazepam, or past year misuse of other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

(IRBZOANYR, TRQANYR)

RXDIAZANY

Len : 1 RC-DIAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	46	0.08
0 = No (See comment above).....	57793	98.57
1 = Yes (See comment above).....	794	1.35

The following variable for any past year use of Muscle Relaxants, RXMRLXANY, was assigned a positive response if a respondent indicated any past year use of cyclobenzaprine [also known as Flexeril], Soma, or past year misuse of other muscle relaxants. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0) or if a respondent indicated no past year use of cyclobenzaprine [also known as Flexeril] and Soma.

(TRQANYR)

RXMRLXANY

Len : 1 RC-MUSCLE RELAXANTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	52	0.09
0 = No (See comment above).....	57225	97.60
1 = Yes (See comment above).....	1356	2.31

The following variable for any past year use of Cyclobenzaprine Products, RXCYCLANY, was assigned a positive response if a respondent indicated any past year use of Flexeril, or past year misuse of other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0) or if a respondent indicated no past year use of Flexeril.

(TRQANYR)

RXCYCLANY

Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	52	0.09
0 = No (See comment above).....	57306	97.74
1 = Yes (See comment above).....	1275	2.17

RECODED DRUG USE

The following variable for any past year use of Carisoprodol Products, RXSOMAANY, was assigned a positive response if a respondent indicated any past year use of Soma, or past year misuse of other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYR=0) or if a respondent indicated no past year use of Soma.

(TRQANYR)

RXSOMAANY

Len : 1 RC-SOMA PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	52	0.09
0 = No (See comment above).....	58486	99.75
1 = Yes (See comment above)	95	0.16

(TRQANYR)

OTHRTRQANY

Len : 1 RC-OTHER TRANQUILIZER- ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	56	0.10
0 = No.....	57777	98.54
1 = Yes.....	800	1.36

NOTE: The following six variables pertain to prescription stimulant subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific stimulant subtype were coded as a system missing.

The following variable for any past year use of Amphetamine or Methylphenidate Products, RXAMMEANY, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMANYR)

RXAMMEANY

Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	26	0.04
0 = No (See comment above).....	54460	92.88
1 = Yes (See comment above)	4147	7.07

The following variable for any past year use of Amphetamine Products, RXAMPHANY, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, or generic extended-release amphetamine-dextroamphetamine combinations, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMANYR)

RXAMPHANY

Len : 1 RC-AMPHETAMINE - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	33	0.06
0 = No (See comment above).....	55111	93.99
1 = Yes (See comment above)	3489	5.95

RECODED DRUG USE

The following variable for any past year use of Methylphenidate Products, RXMTHPANY, was assigned a positive response if a respondent indicated any past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexamethylphenidate, or generic extended-release dexamethylphenidate, or past year misuse of other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexamethylphenidate, and generic extended-release dexamethylphenidate.

(STMANYYR)

RXMTHPANY

Len : 1 RC-METHYLPHENIDATE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	44	0.08
0 = No (See comment above).....	57366	97.84
1 = Yes (See comment above)	1223	2.09

The following variable for any past year use of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, or phentermine, or past year misuse of other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

(STMANYYR)

RXANORANY

Len : 1 RC-ANORECTIC STIMULANTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	50	0.09
0 = No (See comment above).....	58010	98.94
1 = Yes (See comment above)	573	0.98

The following variable for any past year use of Provigil Products, RXPROVANY, was assigned a positive response if a respondent indicated any past year use of Provigil, or past year misuse of other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Provigil.

(STMANYYR)

RXPROVANY

Len : 1 RC-PROVIGIL PRODUCTS- ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	45	0.08
0 = No (See comment above).....	58505	99.78
1 = Yes (See comment above)	83	0.14

(STMANYYR)

OTHRSTMAN

Len : 1 RC-OTHER STIMULANT - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	57	0.10
0 = No	58018	98.95
1 = Yes.....	558	0.95

NOTE: The following nine variables pertain to prescription sedative subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific sedative subtype were coded as a system missing.

The following variable for any past year use of Zolpidem Products, RXZOLPANY, was assigned a positive response if a respondent indicated any past year use of Ambien, Ambien CR, generic zolpidem, or extended-release generic zolpidem, or past year misuse of other sedatives that contain zolpidem. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

(SEDANYYR)

RXZOLPANY

Len : 1 RC-ZOLPIDEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	29	0.05
0 = No (See comment above).....	57728	98.46
1 = Yes (See comment above)	876	1.49

RECODED DRUG USE

The following variable for any past year use of Eszopiclone Products, RXESZOANY, was assigned a positive response if a respondent indicated any past year use of Lunesta or generic eszopiclone, or past year misuse of other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0) or if a respondent indicated no past year use of Lunesta or generic eszopiclone.

(SEDANYR)
RXESZOANY

Len : 1 RC-ESZOPICLONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	32	0.05
0 = No (See comment above).....	58407	99.61
1 = Yes (See comment above).....	194	0.33

The following variable for any past year use of Zaleplon Products, RXZALEANY, was assigned a positive response if a respondent indicated any past year use of Sonata or generic zaleplon, or past year misuse of other sedatives that contain zaleplon. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0) or if a respondent indicated no past year use of Sonata or generic zaleplon.

(SEDANYR)
RXZALEANY

Len : 1 RC-ZALEPLON PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	32	0.05
0 = No (See comment above).....	58550	99.86
1 = Yes (See comment above).....	51	0.09

The following variable for any past year use of Benzodiazepine Sedatives, RXBZOSANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, or generic temazepam], or triazolam [Halcion or generic triazolam], or past year misuse of other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, and generic temazepam], and triazolam [Halcion and generic triazolam].

(IRBZOANYR, SEDANYR)
RXBZOSANY

Len : 1 RC-BENZODIAZEPINE SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	19	0.03
0 = No (See comment above).....	58342	99.50
1 = Yes (See comment above).....	272	0.46

The following variable for any past year use of Triazolam Products, RXTRIAANY, was assigned a positive response if a respondent indicated any past year use of Halcion, or generic triazolam, or past year misuse of other sedatives that contain triazolam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Halcion and generic triazolam.

(IRBZOANYR, SEDANYR)
RXTRIAANY

Len : 1 RC-TRIAZOLAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	19	0.03
0 = No (See comment above).....	58473	99.73
1 = Yes (See comment above).....	141	0.24

The following variable for any past year use of Temazepam Products, RXTEMAANY, was assigned a positive response if a respondent indicated any past year use of Restoril, or generic temazepam, or past year misuse of other sedatives that contain temazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of Restoril and generic temazepam.

(IRBZOANYR, SEDANYR)
RXTEMAANY

Len : 1 RC-TEMAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	19	0.03
0 = No (See comment above).....	58485	99.75
1 = Yes (See comment above).....	129	0.22

RECODED DRUG USE

The following variable for any past year use of Flurazepam, RXFLURANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], or past year misuse of other sedatives that contain flurazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane].

(IRBZOANYR, SEDANYR)

RXFLURANY

Len : 1 RC-FLURAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	19	0.03
0 = No (See comment above).....	58600	99.94
1 = Yes (See comment above).....	14	0.02

The following variable for any past year use of Barbiturates, RXBARBANY, was assigned a positive response if a respondent indicated any past year use of Butisol, Seconal, or phenobarbital, or past year misuse of other barbiturates. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYR=0) or if a respondent indicated no past year use of Butisol, Seconal, and phenobarbital.

(SEDANYR)

RXBARBANY

Len : 1 RC-BARBITUATES - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	34	0.06
0 = No (See comment above).....	58493	99.76
1 = Yes (See comment above).....	106	0.18

(SEDANYR)

OTHRSEDANY

Len : 1 RC-OTHER SEDATIVE - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise).....	35	0.06
0 = No.....	57454	97.99
1 = Yes.....	1144	1.95

NOTE: The following 12 variables pertain to prescription pain reliever subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific pain reliever subtype were coded as a system missing.

The following variable for past year misuse of Hydrocodone Products, RXHYDCMIS, was assigned a positive response if a respondent indicated past year misuse of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

(IRRXOPNMYR)

RXHYDCMIS

Len : 1 RC-HYDROCODONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	21	0.04
0 = No (See comment above).....	57941	98.82
1 = Yes (See comment above).....	671	1.14

(IRRXOPNMYR)

RXZOHYCMIS

Len : 1 RC-ZOHYDRO ER - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	19	0.03
0 = No.....	58606	99.95
1 = Yes.....	8	0.01

The following variable for past year misuse of Oxycodone Products, RXOXCOMIS, was assigned a positive response if a respondent indicated past year misuse of OxyContin (OXYCNNMYR=1), Percocet, Percodan, Roxicodone, generic oxycodone, or other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of OxyContin (OXYCNNMYR=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

(IRRXOPNMYR, OXYCNNMYR)

RXOXCOMIS

Len : 1 RC-OXYCODONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	26	0.04
0 = No (See comment above).....	58088	99.07
1 = Yes (See comment above).....	519	0.89

RECODED DRUG USE

The following variable for past year misuse of Tramadol Products, RXTRAMMIS, was assigned a positive response if a respondent indicated past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, generic extended-release tramadol, or other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

(IRRXOPNMYR)

RXTRAMMIS

Len : 1 RC-TRAMADOL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	30	0.05
0 = No (See comment above).....	58387	99.58
1 = Yes (See comment above).....	216	0.37

The following variable for past year misuse of Codeine Products, RXCODEMIS, was assigned a positive response if a respondent indicated past year misuse of Codeine, Tylenol with Codeine 3 or 4, or other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Codeine and Tylenol with Codeine 3 or 4.

(IRRXOPNMYR)

RXCODEMIS

Len : 1 RC-CODEINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	28	0.05
0 = No (See comment above).....	58146	99.17
1 = Yes (See comment above).....	459	0.78

The following variable for past year misuse of Morphine Products, RXMORPMIS, was assigned a positive response if a respondent indicated past year misuse of Avinza, Kadian, MS Contin, generic morphine, generic extended-release morphine, or other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

(IRRXOPNMYR)

RXMORPMIS

Len : 1 RC-MORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	22	0.04
0 = No (See comment above).....	58526	99.82
1 = Yes (See comment above).....	85	0.14

The following variable for past year misuse of Buprenorphine Products, RXBUPRMIS, was assigned a positive response if a respondent indicated past year misuse of Suboxone, generic buprenorphine, or buprenorphine plus naloxone, or other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Suboxone, or generic buprenorphine, and buprenorphine plus naloxone.

(IRRXOPNMYR)

RXBUPRMIS

Len : 1 RC-BUPRENORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	22	0.04
0 = No (See comment above).....	58455	99.70
1 = Yes (See comment above).....	156	0.27

The following variable for past year misuse of Oxymorphone Products, RXOXYMMIS, was assigned a positive response if a respondent indicated past year misuse of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

(IRRXOPNMYR)

RXOXYMMIS

Len : 1 RC-OXYMORPHONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	19	0.03
0 = No (See comment above).....	58581	99.91
1 = Yes (See comment above).....	33	0.06

RECODED DRUG USE

The following variable for past year misuse of Demerol Products, RXDEMEMIS, was assigned a positive response if a respondent indicated past year misuse of Demerol, or other pain relievers that contain demerol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Demerol.

(IRRXOPNMYR)

RXDEMEMIS

Len : 1 RC-DEMEROL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	18	0.03
0 = No (See comment above).....	58606	99.95
1 = Yes (See comment above)	9	0.02

The following variable for past year misuse of Hydromorphone Products, RXHYDMMIS, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.ble for past year misuse of Hydromorphone Products, HYDMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone.

(IRRXOPNMYR)

RXHYDMMIS

Len : 1 RC-HYDROMORPHONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	19	0.03
0 = No (See comment above).....	58583	99.91
1 = Yes (See comment above)	31	0.05

The following variable for past year misuse of Methadone Products, RXMTDNMIS, was assigned a positive response if a respondent indicated past year misuse of Methadone, or other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Methadone.

(IRRXOPNMYR)

RXMTDNMIS

Len : 1 RC-METHADONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	20	0.03
0 = No (See comment above).....	58572	99.90
1 = Yes (See comment above)	41	0.07

The following variable for the past year misuse of any other pain relievers, OTHRPNRMIS, was assigned a positive response if a respondent indicated past year misuse of any other pain relievers and the respondent did not report their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRPNRMIS was assigned a negative response if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0), if a respondent did not indicate past year misuse of any other pain relievers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(PNRNMYR)

OTHRPNRMIS

Len : 1 RC-OTHER PAIN RELIEVER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	92	0.16
0 = No (See comment above).....	58432	99.66
1 = Yes (See comment above)	109	0.19

RECODED DRUG USE

NOTE: The following nine variables pertain to prescription tranquilizer subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific tranquilizer subtype were coded as a system missing.

The following variable for past year misuse of Benzodiazepine Tranquilizers, RXBZOTMIS, was assigned a positive response if a respondent indicated past year misuse of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products or generic lorazepam), clonazepam products, generic clonazepam), or diazepam products, generic diazepam), or other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of alprazolam products (Xanax and Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products (Ativan and generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

(IRBZONMYR, TRQNMYR)

RXBZOTMIS

Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	7	0.01
0 = No (See comment above).....	57922	98.79
1 = Yes (See comment above)	704	1.20

The following variable for past year misuse of Alprazolam Products, RXALPRMIS, was assigned a positive response if a respondent indicated past year misuse of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

(IRBZONMYR, TRQNMYR)

RXALPRMIS

Len : 1 RC-ALPRAZOLEM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	7	0.01
0 = No (See comment above).....	58122	99.13
1 = Yes (See comment above)	504	0.86

The following variable for past year misuse of Lorazepam Products, RXLORAMIS, was assigned a positive response if a respondent indicated past year misuse of Ativan, generic lorazepam, or other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Ativan and generic lorazepam.

(IRBZONMYR, TRQNMYR)

RXLORAMIS

Len : 1 RC-LORAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	8	0.01
0 = No (See comment above).....	58501	99.77
1 = Yes (See comment above)	124	0.21

The following variable for past year misuse of Clonazepam Products, RXCLONMIS, was assigned a positive response if a respondent indicated past year misuse of Klonopin, generic clonazepam, or other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Klonopin and generic clonazepam.

(IRBZONMYR, TRQNMYR)

RXCLONMIS

Len : 1 RC-CLONAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	8	0.01
0 = No (See comment above).....	58438	99.67
1 = Yes (See comment above)	187	0.32

RECODED DRUG USE

The following variable for past year misuse of Diazepam Products, RXDIAZMIS, was assigned a positive response if a respondent indicated past year misuse of Valium, generic diazepam, or other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

(IRBZONMYR, TRQNMYR)

RXDIAZMIS

Len : 1 RC-DIAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	7	0.01
0 = No (See comment above).....	58504	99.78
1 = Yes (See comment above)	122	0.21

The following variable for past year misuse of Muscle Relaxants, RXMRLXMIS, was assigned a positive response if a respondent indicated past year misuse of cyclobenzaprine [also known as Flexeril], Soma, or other muscle relaxants. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of cyclobenzaprine [also known as Flexeril] and Soma.

(TRQNMYR)

RXMRLXMIS

Len : 1 RC-MUSCLE RELAXANTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	11	0.02
0 = No (See comment above).....	58493	99.76
1 = Yes (See comment above)	129	0.22

The following variable for past year misuse of Cyclobenzaprine Products, RXCYCLMIS, was assigned a positive response if a respondent indicated past year misuse of Flexeril, or other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of Flexeril.

(TRQNMYR)

RXCCLMIS

Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	9	0.02
0 = No (See comment above).....	58508	99.79
1 = Yes (See comment above)	116	0.20

The following variable for past year misuse of Carisoprodol Products, RXSOMAMIS, was assigned a positive response if a respondent indicated past year misuse of Soma, or other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of Soma.

(TRQNMYR)

RXSOMAMIS

Len : 1 RC-SOMA PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	8	0.01
0 = No (See comment above).....	58613	99.97
1 = Yes (See comment above)	12	0.02

The following variable for the past year misuse of any other tranquilizers, OTHRTRQMIS, was assigned a positive response if a respondent indicated past year misuse of any other tranquilizers and the respondent did not report their only misuse of any other tranquilizers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRTRQMIS was assigned a negative response if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent did not indicate past year misuse of any other tranquilizers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(TRQNMYR)

OTHRTRQMIS

Len : 1 RC-OTHER TRANQUILIZER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	26	0.04
0 = No (See comment above).....	58584	99.92
1 = Yes (See comment above)	23	0.04

RECODED DRUG USE

NOTE: The following six variables pertain to prescription stimulant subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific stimulant subtype were coded as a system missing.

The following variable for past year misuse of Amphetamine or Methylphenidate Products, RXAMMEMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMNMYR)

RXAMMEMIS

Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	4	0.01
0 = No (See comment above).....	57729	98.46
1 = Yes (See comment above)	900	1.53

The following variable for past year misuse of Amphetamine Products, RXAMPHMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, or other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMNMYR)

RXAMPHMIS

Len : 1 RC-AMPHETAMINE - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	6	0.01
0 = No (See comment above).....	57795	98.57
1 = Yes (See comment above)	832	1.42

The following variable for past year misuse of Methylphenidate Products, RXMTHPMIS, was assigned a positive response if a respondent indicated past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, generic extended-release dexmethylphenidate, or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate.

(STMNMYR)

RXMTHPMIS

Len : 1 RC-METHYLPHENIDATE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	2	0.00
0 = No (See comment above).....	58474	99.73
1 = Yes (See comment above)	157	0.27

The following variable for past year misuse of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, phentermine, or other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

(STMNMYR)

RXANORMIS

Len : 1 RC-ANORECTIC STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	3	0.01
0 = No (See comment above).....	58585	99.92
1 = Yes (See comment above)	45	0.08

RECODED DRUG USE

The following variable for past year misuse of Provigil Products, RXPROVMIS, was assigned a positive response if a respondent indicated past year misuse of Provigil, or other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Provigil.

(STMNMYR)

RXPROVMIS

Len : 1 RC-PROVIGIL PRODUCTS- PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	1	0.00
0 = No (See comment above).....	58620	99.98
1 = Yes (See comment above)	12	0.02

The following variable for the past year misuse of any other stimulants, OTHRSTMMIS, was assigned a positive response if a respondent indicated past year misuse of any other stimulants and the respondent did not report their only misuse of any other stimulants in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRSTMMIS was assigned a negative response if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0), if a respondent did not indicate past year misuse of any other stimulants, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(STMNMYR)

OTHRSTMMIS

Len : 1 RC-OTHER STIMULANT PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	16	0.03
0 = No (See comment above).....	58608	99.96
1 = Yes (See comment above)	9	0.02

NOTE: The following nine variables pertain to prescription sedative subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific sedative subtype were coded as a system missing.

The following variable for past year misuse of Zolpidem Products, RXZOLPMIS, was assigned a positive response if a respondent indicated past year misuse of Ambien, Ambien CR, generic zolpidem, extended-release generic zolpidem, or other sedatives that contain. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

(SEDNMYR)

RXZOLPMIS

Len : 1 RC-ZOLPIDEM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	1	0.00
0 = No (See comment above).....	58538	99.84
1 = Yes (See comment above)	94	0.16

The following variable for past year misuse of Eszopiclone Products, RXESZOMIS, was assigned a positive response if a respondent indicated past year misuse of Lunesta or generic eszopiclone, or other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Lunesta or generic eszopiclone.

(SEDNMYR)

RXESZOMIS

Len : 1 RC-ESZOPICLONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	1	0.00
0 = No (See comment above).....	58615	99.97
1 = Yes (See comment above)	17	0.03

RECODED DRUG USE

Note: The following variable for the past year misuse of any other sedatives, OTHRSEDMIS2, is based on the edited variable for the misuse of any other sedatives as well as the write-in data for the specific other sedatives that respondents specified that they misused in the past year. OTHRSEDMIS2 was assigned a positive response if a respondent indicated past year misuse of any other sedatives and the respondent did not report their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, benzodiazepine sedatives, barbiturates, or over-the-counter products. OTHRSEDMIS2 was assigned a negative response if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0), if a respondent did not indicate past year misuse of any other sedatives, or a respondent indicated their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, benzodiazepine sedatives, barbiturates, or over-the-counter products.

(SEDNMYR)

OTHRSEDMIS2

Len : 1 RC-OTHER SEDATIVE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	20	0.03
0 = No (See comment above).....	58576	99.90
1 = Yes (See comment above)	37	0.06

The following variable for past year misuse of Benzodiazepine Sedatives, RXBZOSMIS, was assigned a positive response if a respondent indicated past year misuse of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion, generic triazolam], or other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDNMYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane], temazepam products [Restoril and generic temazepam], and triazolam [Halcion and generic triazolam].

(IRBZONMYR, SEDNMYR)

RXBZOSMIS

Len : 1 RC-BENZODIAZEPINE SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	2	0.00
0 = No (See comment above).....	58609	99.96
1 = Yes (See comment above)	22	0.04

The following variable for past year misuse of Barbiturates, RXBARBMIS, was assigned a positive response if a respondent indicated past year misuse of Butisol, Seconal, phenobarbital, or other specific write-in barbiturates. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Butisol, Seconal, and phenobarbital.

(SEDNMYR)

RXBARBMIS

Len : 1 RC-BARBITURATES - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise).....	3	0.01
0 = No (See comment above).....	58609	99.98
1 = Yes (See comment above)	9	0.02

(IRALCFY)

ALCYDAYS

Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRALCFY=1-11).....	8680	14.80
2 = 12-49 Days (IRALCFY=12-49).....	10014	17.08
3 = 50-99 Days (IRALCFY=50-99).....	5055	8.62
4 = 100-299 Days (IRALCFY=100-299).....	8605	14.68
5 = 300-365 Days (IRALCFY=300-365).....	1585	2.70
6 = Non User or No Past Year Use (IRALCFY=991,993)	24694	42.12

(IRMJFY)

MRJYDAYS

Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRMJFY=1-11).....	3606	6.15
2 = 12-49 Days (IRMJFY=12-49).....	2287	3.90
3 = 50-99 Days (IRMJFY=50-99).....	1251	2.13
4 = 100-299 Days (IRMJFY=100-299).....	3579	6.10
5 = 300-365 Days (IRMJFY=300-365).....	3866	6.59
6 = Non User or No Past Year Use (IRMJFY=991,993).....	44044	75.12

RECODED DRUG USE

(*IRCOCFY*)
COCYDAYS

Len : 1 RC-# OF DAYS USED COCAINE IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRCOCFY=1-11).....	537	0.92
2 = 12-49 Days (IRCOCFY=12-49).....	209	0.36
3 = 50-99 Days (IRCOCFY=50-99).....	105	0.18
4 = 100-299 Days (IRCOCFY=100-299).....	117	0.20
5 = 300-365 Days (IRCOCFY=300-365).....	23	0.04
6 = Non User or No Past Year Use (IRCOCFY=991,993).....	57642	98.31

(*IRCRKFY*)
CRKYDAYS

Len : 1 RC-# OF DAYS USED CRACK IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRCRKFY=1-11).....	52	0.09
2 = 12-49 Days (IRCRKFY=12-49).....	35	0.06
3 = 50-99 Days (IRCRKFY=50-99).....	24	0.04
4 = 100-299 Days (IRCRKFY=100-299).....	30	0.05
5 = 300-365 Days (IRCRKFY=300-365).....	14	0.02
6 = Non User or No Past Year Use (IRCRKFY=991,993).....	58478	99.74

(*IRHERFY*)
HERYDAYS

Len : 1 RC-# OF DAYS USED HEROIN IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHERFY=1-11).....	20	0.03
2 = 12-49 Days (IRHERFY=12-49).....	21	0.04
3 = 50-99 Days (IRHERFY=50-99).....	16	0.03
4 = 100-299 Days (IRHERFY=100-299).....	36	0.06
5 = 300-365 Days (IRHERFY=300-365).....	44	0.08
6 = Non User or No Past Year Use (IRHERFY=991,993).....	58496	99.77

(*IRHALLUCYFQ*)
HALLNDAYYR

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHALLUCYFQ=1-11).....	1989	3.39
2 = 12-49 Days (IRHALLUCYFQ=12-49).....	357	0.61
3 = 50-99 Days (IRHALLUCYFQ=50-99).....	146	0.25
4 = 100-299 Days (IRHALLUCYFQ=100-299).....	76	0.13
5 = 300-365 Days (IRHALLUCYFQ=300-365).....	16	0.03
6 = Non User or No Past Year Use (IRHALLUCYFQ=991,993).....	56049	95.59

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*IRINHALYFQ2*)
INHNDAYYR2

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRINHALYFQ2=1-11).....	573	0.98
2 = 12-49 Days (IRINHALYFQ2=12-49).....	234	0.40
3 = 50-99 Days (IRINHALYFQ2=50-99).....	118	0.20
4 = 100-299 Days (IRINHALYFQ2=100-299).....	92	0.16
5 = 300-365 Days (IRINHALYFQ2=300-365).....	12	0.02
6 = Non User or No Past Year Use (IRINHALYFQ2=991,993).....	57604	98.25

(*IRMETHAMYFQ*)
METHNDAYYR

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRMETHAMYFQ=1-11).....	91	0.16
2 = 12-49 Days (IRMETHAMYFQ=12-49).....	73	0.12
3 = 50-99 Days (IRMETHAMYFQ=50-99).....	59	0.10
4 = 100-299 Days (IRMETHAMYFQ=100-299).....	192	0.33
5 = 300-365 Days (IRMETHAMYFQ=300-365).....	136	0.23
6 = Non User or No Past Year Use (IRMETHAMYFQ=991,993).....	58082	99.06

RECODED DRUG USE

(IRCIGFM)
CIGMDAYS

Len : 1 RC-# OF DAYS USED CIGARETTES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCIGFM=1-2).....	1115	1.90
2 = 3-5 Days (IRCIGFM=3-5).....	709	1.21
3 = 6-19 Days (IRCIGFM=6-19).....	859	1.47
4 = 20-29 Days (IRCIGFM=20-29).....	639	1.09
5 = 30 Days (IRCIGFM=30).....	3406	5.81
6 = Non User or No Past Month Use (IRCIGFM=91,93).....	51905	88.53

(IRCGRFM)
CGRMDAYS

Len : 1 RC-# OF DAYS USED CIGARS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCGRFM=1-2).....	809	1.38
2 = 3-5 Days (IRCGRFM=3-5).....	335	0.57
3 = 6-19 Days (IRCGRFM=6-19).....	385	0.66
4 = 20-30 Days (IRCGRFM=20-30).....	444	0.76
5 = Non User or No Past Month Use (IRCGRFM=91,93).....	56660	96.64

(IRSMKLSS30N)
SMKLSMDAYS

Len : 1 RC-# OF DAYS USED SMOKELESS TOBACCO IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSMKLSS30N=1-2).....	253	0.43
2 = 3-5 Days (IRSMKLSS30N=3-5).....	192	0.33
3 = 6-19 Days (IRSMKLSS30N=6-19).....	264	0.45
4 = 20-30 Days (IRSMKLSS30N=20-30).....	755	1.29
5 = Non User or No Past Month Use (IRSMKLSS30N=91,93).....	57169	97.50

(IRNICVAP30N)
NICVPMDDAYS

Len : 1 RC-# OF DAYS VAPED NICOTINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRNICVAP30N=1-2).....	970	1.65
2 = 3-5 Days (IRNICVAP30N=3-5).....	852	1.45
3 = 6-19 Days (IRNICVAP30N=6-19).....	1226	2.09
4 = 20-30 Days (IRNICVAP30N=20-30).....	4494	7.66
5 = Non User or No Past Month Use (IRNICVAP30N=91,93).....	51091	87.14

(IRALCFM)
ALCMDAYS

Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCFM=1-2).....	8350	14.24
2 = 3-5 Days (IRALCFM=3-5).....	6780	11.56
3 = 6-19 Days (IRALCFM=6-19).....	6800	11.60
4 = 20-30 Days (IRALCFM=20-30).....	2920	4.98
5 = Non User or No Past Month Use (IRALCFM=91,93).....	33783	57.62

(IRMJFM)
MRJMDAYS

Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMJFM=1-2).....	1760	3.00
2 = 3-5 Days (IRMJFM=3-5).....	1361	2.32
3 = 6-19 Days (IRMJFM=6-19).....	1954	3.33
4 = 20-30 Days (IRMJFM=20-30).....	4880	8.32
5 = Non User or No Past Month Use (IRMJFM=91,93).....	48678	83.02

(IRCOCFM)
COCMDAYS

Len : 1 RC-# OF DAYS USED COCAINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCOCFM=1-2).....	171	0.29
2 = 3-5 Days (IRCOCFM=3-5).....	74	0.13
3 = 6-19 Days (IRCOCFM=6-19).....	68	0.12
4 = 20-30 Days (IRCOCFM=20-30).....	40	0.07
5 = Non User or No Past Month Use (IRCOCFM=91,93).....	58280	99.40

RECODED DRUG USE

(IRCRKFM)
CRKMDAYS

Len : 1 RC-# OF DAYS USED CRACK IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCRKFM=1-2).....	21	0.04
2 = 3-5 Days (IRCRKFM=3-5).....	10	0.02
3 = 6-19 Days (IRCRKFM=6-19).....	12	0.02
4 = 20-30 Days (IRCRKFM=20-30).....	20	0.03
5 = Non User or No Past Month Use (IRCRKFM=91,93).....	58570	99.89

(IRHERFM)
HERMDAYS

Len : 1 RC-# OF DAYS USED HEROIN IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHERFM=1-2).....	7	0.01
2 = 3-5 Days (IRHERFM=3-5).....	9	0.02
3 = 6-19 Days (IRHERFM=6-19).....	11	0.02
4 = 20-30 Days (IRHERFM=20-30).....	48	0.08
5 = Non User or No Past Month Use (IRHERFM=91,93).....	58558	99.87

(IRHALLUC30N)
HALLNDAYPM

Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHALLUC30N=1-2).....	503	0.86
2 = 3-5 Days (IRHALLUC30N=3-5).....	113	0.19
3 = 6-19 Days (IRHALLUC30N=6-19).....	53	0.09
4 = 20-30 Days (IRHALLUC30N=20-30).....	21	0.04
5 = Non User or No Past Month Use (IRHALLUC30N=91,93).....	57943	98.82

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRINHAL30N2)
INHNDAYPM2

Len : 1 RC-# OF DAYS USED INHALANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRINHAL30N2=1-2).....	214	0.36
2 = 3-5 Days (IRINHAL30N2=3-5).....	76	0.13
3 = 6-19 Days (IRINHAL30N2=6-19).....	53	0.09
4 = 20-30 Days (IRINHAL30N2=20-30).....	24	0.04
5 = Non User or No Past Month Use (IRINHAL30N2=91,93).....	58266	99.37

(IRMETHAM30N)
METHNDAYPM

Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMETHAM30N=1-2).....	30	0.05
2 = 3-5 Days (IRMETHAM30N=3-5).....	34	0.06
3 = 6-19 Days (IRMETHAM30N=6-19).....	73	0.12
4 = 20-30 Days (IRMETHAM30N=20-30).....	191	0.33
5 = Non User or No Past Month Use (IRMETHAM30N=91,93).....	58305	99.44

(IRPNRNM30FQ)
PNRNDAYPM

Len : 1 RC-# OF DAYS MISUSED PAIN RELIEVERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRPNRNM30FQ=1-2).....	171	0.29
2 = 3-5 Days (IRPNRNM30FQ=3-5).....	110	0.19
3 = 6-19 Days (IRPNRNM30FQ=6-19).....	92	0.16
4 = 20-30 Days (IRPNRNM30FQ=20-30).....	79	0.13
5 = Non User or No Past Month Misuse (IRPNRNM30FQ=91,93).....	58181	99.23

(IRTRQNM30FQ)
TRQNDAYPM

Len : 1 RC-# OF DAYS MISUSED TRANQUILIZERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRTRQNM30FQ=1-2).....	99	0.17
2 = 3-5 Days (IRTRQNM30FQ=3-5).....	61	0.10
3 = 6-19 Days (IRTRQNM30FQ=6-19).....	57	0.10
4 = 20-30 Days (IRTRQNM30FQ=20-30).....	20	0.03
5 = Non User or No Past Month Misuse (IRTRQNM30FQ=91,93).....	58396	99.60

RECODED DRUG USE

(IRSTMNM30FQ)
STMNDAYPM

Len : 1 RC-# OF DAYS MISUSED STIMULANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSTMNM30FQ=1-2)	125	0.21
2 = 3-5 Days (IRSTMNM30FQ=3-5)	61	0.10
3 = 6-19 Days (IRSTMNM30FQ=6-19)	60	0.10
4 = 20-30 Days (IRSTMNM30FQ=20-30)	26	0.04
5 = Non User or No Past Month Misuse (IRSTMNM30FQ=91,93)	58361	99.54

(IRSEDNM30FQ)
SEDNDAYPM

Len : 1 RC-# OF DAYS MISUSED SEDATIVES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSEDNM30FQ=1-2)	17	0.03
2 = 3-5 Days (IRSEDNM30FQ=3-5)	12	0.02
3 = 6-19 Days (IRSEDNM30FQ=6-19)	22	0.04
4 = 20-30 Days (IRSEDNM30FQ=20-30)	5	0.01
5 = Non User or No Past Month Misuse (IRSEDNM30FQ=91,93)	58577	99.90

(IRALCBNG30D)
BNGDRMDAYS

Len : 1 RC-# OF DAYS BINGE USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCBNG30D=1-2)	6610	11.27
2 = 3-5 Days (IRALCBNG30D=3-5)	2971	5.07
3 = 6-19 Days (IRALCBNG30D=6-19)	1582	2.70
4 = 20-30 Days (IRALCBNG30D=20-30)	535	0.91
5 = Non User or No Past Month Use (IRALCBNG30D=91,93)	46935	80.05

(CIG30AV, IRCIGFM)
CIGPDAY

Len : 1 RC-# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS

	Freq	Pct
1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30)	858	1.46
2 = 6-15 (CIG30AV=4 and IRCIGFM=30)	1386	2.36
3 = 16-25 (CIG30AV=5 and IRCIGFM=30)	871	1.49
4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30)	286	0.49
5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30)	5	0.01
6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93)	55227	94.19

(CIGPDAY)
CIG1PACK

Len : 1 RC-SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)

	Freq	Pct
. = No daily use/not reported (CIGPDAY=5,6)	55232	94.20
0 = Smoked <1 pack per day (CIGPDAY=1,2)	2244	3.83
1 = Smoked 1+ pack per day (CIGPDAY=3,4)	1157	1.97

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

(CIG30AV)
CIGAVGD

Len : 4 RC-AVG NUMBER OF CIGARETTES SMOKED PER DAY

	Freq	Pct
. = Not Used/Unknown (Otherwise)	51927	88.56
0.5 = Less than 1 cigarette (CIG30AV=1)	894	1.52
1 = 1 cigarette (CIG30AV=2)	960	1.64
3.5 = 2 to 5 cigarettes (CIG30AV=3)	1784	3.04
10.5 = 6 to 15 cigarettes (CIG30AV=4)	1751	2.99
20.5 = 16 to 25 cigarettes (CIG30AV=5)	964	1.64
30.5 = 26 to 35 cigarettes (CIG30AV=6)	233	0.40
50 = More than 35 cigarettes (CIG30AV=7)	120	0.20

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

(CIGAVGD, IRCIGFM)
CIGAVGM

Len : 6 RC-NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH

	Freq	Pct
RANGE = 0.5 - 1500	6706	11.44
. = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93)	51927	88.56

RECODED DRUG USE

The following variable, ALCNUMDKPM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (ALCUS30D). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or ALCUS30D=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (ALCUS30D=985, 994, 997, 998) or logically assigned to 5 or more (ALCUS30D=975).

(ALCUS30D, IRALCFM)

ALCNUMDKPM Len : 4 RC-NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH

	Freq	Pct
RANGE = 1 - 2040	23212	39.59
. = Not Used/Unknown (See comment above)	35421	60.41

(IRCIGAGE)

FUCIG18 Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCIGAGE<18)	16059	27.39
2 = No (IRCIGAGE>=18)	42574	72.61

(IRCIGAGE)

FUCIG21 Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCIGAGE<21)	22124	37.73
2 = No (IRCIGAGE>=21)	36509	62.27

(IRCDUAGE)

FUCD218 Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCDUAGE<18)	5788	9.87
2 = No (IRCDUAGE>=18)	52845	90.13

(IRCDUAGE)

FUCD221 Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCDUAGE<21)	9934	16.94
2 = No (IRCDUAGE>=21)	48699	83.06

(IRCGRAGE)

FUCGR18 Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCGRAGE<18)	4091	6.98
2 = No (IRCGRAGE>=18)	54542	93.02

(IRCGRAGE)

FUCGR21 Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCGRAGE<21)	8872	15.13
2 = No (IRCGRAGE>=21)	49761	84.87

(IRSMKLSSTRY)

FUSMKLS18 Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRSMKLSSTRY<18)	3269	5.58
2 = No (IRSMKLSSTRY>=18)	55364	94.42

(IRSMKLSSTRY)

FUSMKLS21 Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRSMKLSSTRY<21)	5124	8.74
2 = No (IRSMKLSSTRY>=21)	53509	91.26

RECODED DRUG USE

(IRNICVAPAGE)
FUNICVAP18

Len : 1 RC-FIRST VAPED NICOTINE PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRNICVAPAGE<18)	6548	11.17
2 = No (IRNICVAPAGE>=18)	52085	88.83

(IRNICVAPAGE)
FUNICVAP21

Len : 1 RC-FIRST VAPED NICOTINE PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRNICVAPAGE<21)	9915	16.91
2 = No (IRNICVAPAGE>=21)	48718	83.09

(IRALCAGE)
FUALC18

Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRALCAGE<18)	22805	38.89
2 = No (IRALCAGE>=18)	35828	61.11

(IRALCAGE)
FUALC21

Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRALCAGE<21)	33204	56.63
2 = No (IRALCAGE>=21)	25429	43.37

(IRMJAGE)
FUMJ18

Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRMJAGE<18)	14785	25.22
2 = No (IRMJAGE>=18)	43848	74.78

(IRMJAGE)
FUMJ21

Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRMJAGE<21)	21161	36.09
2 = No (IRMJAGE>=21)	37472	63.91

(IRCOCAGE)
FUCOC18

Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCOCAGE<18)	1457	2.48
2 = No (IRCOCAGE>=18)	57176	97.52

(IRCOCAGE)
FUCOC21

Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCOCAGE<21)	3485	5.94
2 = No (IRCOCAGE>=21)	55148	94.06

(IRCRKAGE)
FUCRK18

Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCRKAGE<18)	301	0.51
2 = No (IRCRKAGE>=18)	58332	99.49

(IRCRKAGE)
FUCRK21

Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCRKAGE<21)	651	1.11
2 = No (IRCRKAGE>=21)	57982	98.89

RECODED DRUG USE

(IRHERAGE)
FUHER18

Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRHERAGE<18).....	216	0.37
2 = No (IRHERAGE>=18).....	58417	99.63

(IRHERAGE)
FUHER21

Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRHERAGE<21).....	477	0.81
2 = No (IRHERAGE>=21).....	58156	99.19

(IRHALLUCAGE)
FUHALLUC18

Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRHALLUCAGE<18).....	3262	5.56
2 = No (IRHALLUCAGE>=18).....	55371	94.44

(IRHALLUCAGE)
FUHALLUC21

Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRHALLUCAGE<21).....	6244	10.65
2 = No (IRHALLUCAGE>=21).....	52389	89.35

(IRLSDAGE)
FULSD18

Len : 1 RC-FIRST USED LSD PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRLSDAGE<18).....	1963	3.35
2 = No (IRLSDAGE>=18).....	56670	96.65

(IRLSDAGE)
FULSD21

Len : 1 RC-FIRST USED LSD PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRLSDAGE<21).....	3612	6.16
2 = No (IRLSDAGE>=21).....	55021	93.84

(IRPCPAGE)
FUPCP18

Len : 1 RC-FIRST USED PCP PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRPCPAGE<18).....	321	0.55
2 = No (IRPCPAGE>=18).....	58312	99.45

(IRPCPAGE)
FUPCP21

Len : 1 RC-FIRST USED PCP PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRPCPAGE<21).....	556	0.95
2 = No (IRPCPAGE>=21).....	58077	99.05

(IRECSTMOAGE)
FUECSTMO18

Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRECSTMOAGE<18).....	947	1.62
2 = No (IRECSTMOAGE>=18).....	57686	98.38

(IRECSTMOAGE)
FUECSTMO21

Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRECSTMOAGE<21).....	2323	3.96
2 = No (IRECSTMOAGE>=21).....	56310	96.04

RECODED DRUG USE

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRINHALAGE2)

[FUINHAL182](#)

Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRINHALAGE2<18).....	4508	7.69
2 = No (IRINHALAGE2>=18).....	54125	92.31

Questions for inhalant use were revised for the 2024 NSDUH. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRINHALAGE2)

[FUINHAL212](#)

Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRINHALAGE2<21).....	5593	9.54
2 = No (IRINHALAGE2>=21).....	53040	90.46

(IRMETHAMAGE)

[FUMETHAM18](#)

Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRMETHAMAGE<18).....	695	1.19
2 = No (IRMETHAMAGE>=18).....	57938	98.81

(IRMETHAMAGE)

[FUMETHAM21](#)

Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRMETHAMAGE<21).....	1319	2.25
2 = No (IRMETHAMAGE>=21).....	57314	97.75

(IRPNRNMAGE)

[FUPNRNM18](#)

Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRPNRNMAGE<18).....	79	0.13
2 = No (IRPNRNMAGE>=18).....	58554	99.87

(IRPNRNMAGE)

[FUPNRNM21](#)

Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRPNRNMAGE<21).....	113	0.19
2 = No (IRPNRNMAGE>=21).....	58520	99.81

(IRTRQNMAGE)

[FUTRQNM18](#)

Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRTRQNMAGE<18).....	24	0.04
2 = No (IRTRQNMAGE>=18).....	58609	99.96

(IRTRQNMAGE)

[FUTRQNM21](#)

Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRTRQNMAGE<21).....	38	0.06
2 = No (IRTRQNMAGE>=21).....	58595	99.94

(IRSTMNMAGE)

[FUSTMNM18](#)

Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRSTMNMAGE<18).....	46	0.08
2 = No (IRSTMNMAGE>=18).....	58587	99.92

RECODED DRUG USE

(IRSTMNAGE)
FUSTMNM21

Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRSTMNAGE<21).....	75	0.13
2 = No (IRSTMNAGE>=21).....	58558	99.87

(IRSEDNAGE)
FUSEDNM18

Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRSEDNAGE<18).....	4	0.01
2 = No (IRSEDNAGE>=18).....	58629	99.99

(IRSEDNAGE)
FUSEDNM21

Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRSEDNAGE<21).....	6	0.01
2 = No (IRSEDNAGE>=21).....	58627	99.99

RECODED DRUG USE

The following main reason for misusing pain relievers, PNRRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing pain relievers for their last misuse. Respondents could report more than one reason for misusing pain relievers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in PNRRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to relieve physical pain (PNRRSMAIN=1,11), reported only one reason which was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=1), or reported some other reason as their only reason but specified that this other reason was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=3).
2. Main reason is to relax or relieve tension (PNRRSMAIN=2,12), reported only one reason which was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=3).
3. Main reason is to experiment or see what it's like (PNRRSMAIN=3,13), reported only one reason which was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=3).
4. Main reason is to feel good or get high (PNRRSMAIN=4,14), reported only one reason which was to feel good or get high (PNRRSMAIN=99 and PNRRHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (PNRRSMAIN=99 and PNRRSHIGH=3).
5. Main reason is to help with sleep (PNRRSMAIN=5,15), reported only one reason which was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=3).
6. Main reason is to help with feelings or emotions (PNRRSMAIN=6,16), reported only one reason which was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=3).
7. Main reason is to increase/decrease effects of other drugs (PNRRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=3).
8. Main reason is because hooked or have to have drug (PNRRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=3).
9. Main reason is some other reason (PNRRSMAIN=9), or reported only one reason which was a valid other reason listed for pain relievers other than those defined above based on the write in data (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=9-71). Values of 1-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for pain relievers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (PNRRSMAIN=85,94,98) or reported only one reason and the other pain reliever reason was not a valid reason (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=985,994,997).

(PNRRSDGFX, PNRRSEMOT, PNRRSEXPT, PNRRSHIGH, PNRRSHOOK, PNRRSMAIN, PNRRSOTRS2, PNRRSPAIN, PNRRSRELX, PNRRSSLEP, PNRRSSOR)

PNRRMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING PAIN RELIEVERS LAST EPISODE

	Freq	Pct
. = Unknown (See comment above).....	400	0.68
1 = Relieve physical pain (see comment above)	1040	1.77
2 = Relax or relieve tension (see comment above).....	114	0.19
3 = Experiment/see what like (see comment above)	35	0.06
4 = Feel good/get high (see comment above).....	159	0.27
5 = Help with sleep (see comment above).....	62	0.11
6 = Help with feelings or emotions (see comment above).....	66	0.11
7 = Inc/dec effects oth drg (see comment above)	15	0.03
8 = Hooked or have to have drug (see comment above).....	57	0.10
9 = Some other reason (see comment above).....	33	0.06
10 = Did not misuse in pst 12 mos (PNRRSMAIN=83,91,93).....	56652	96.62

RECODED DRUG USE

The following main reason for misusing tranquilizers, TRQMAINRSN, is defined based on answers to questions about respondents' reasons for misusing tranquilizers for their last misuse. Respondents could report more than one reason for misusing tranquilizers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in TRQRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (TRQRSMAIN=1,11), reported only one reason which was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=3).
2. Main reason is to experiment or see what it's like (TRQRSMAIN=2,12), reported only one reason which was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXP=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXP=3).
3. Main reason is to feel good or get high (TRQRSMAIN=3,13), reported only one reason which was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=3).
4. Main reason is to help with sleep (TRQRSMAIN=4,14), reported only one reason which was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=3).
5. Main reason is to help with feelings or emotions (TRQRSMAIN=5,15), reported only one reason which was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMO=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMO=3).
6. Main reason is to increase/decrease effects of other drugs (TRQRSMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=3).
7. Main reason is because hooked or have to have drug (TRQRSMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=3).
8. Main reason is some other reason (TRQRSMAIN=8), or reported only one reason which was a valid other reason listed for tranquilizer other than those defined above based on the write in data (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=1, 9-72). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for tranquilizers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (TRQRSMAIN=85,94,98) or reported only one reason and the other tranquilizer reason was not a valid reason (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=985,994,997).

(TRQRSDGFX, TRQRSEMO, TRQRSEXP, TRQRSHIGH, TRQRSHOOK, TRQRSMAIN, TRQRSOTRS2, TRQRSRELX, TRQRSSLEP, TRQRSSOR)

TRQMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING TRANQUILIZERS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	303	0.52
1 = Relax or relieve tension (see comment above).....	303	0.52
2 = Experiment/see what like (see comment above)	23	0.04
3 = Feel good/get high (see comment above).....	83	0.14
4 = Help with sleep (see comment above).....	168	0.29
5 = Help with feelings or emotions (see comment above).....	151	0.26
6 = Inc/dec effects oth drg (see comment above)	18	0.03
7 = Hooked or have to have drug (see comment above).....	8	0.01
8 = Some other reason (see comment above)	39	0.07
9 = Did not misuse in pst 12 mos (TRQRSMAIN=83,91,93)	57537	98.13

RECODED DRUG USE

The following main reason for misusing stimulants, STMMAINRSN, is defined based on answers to questions about respondents' reasons for misusing stimulants for their last misuse. Respondents could report more than one reason for misusing stimulants the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in STMRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to help lose weight (STMRSMAIN=1,11), reported only one reason which was to help lose weight (STMRSMAIN=99 and STMRSWGHT=1), or reported some other reason as their only reason but specified that this other reason was to help lose weight (STMRSMAIN=99 and STMRSWGHT=3).
2. Main reason is to help concentrate (STMRSMAIN=2,12), reported only one reason which was to help concentrate (STMRSMAIN=99 and STMRSCONC=1), or reported some other reason as their only reason but specified that this other reason was to help concentrate (STMRSMAIN=99 and STMRSCONC=3).
3. Main reason is to help be alert or stay awake (STMRSMAIN=3,13), reported only one reason which was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=1), or reported some other reason as their only reason but specified that this other reason was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=3).
4. Main reason is to help study (STMRSMAIN=4,14), reported only one reason which was to help study (STMRSMAIN=99 and STMRSSTDY=1), or reported some other reason as their only reason but specified that this other reason was to help study (STMRSMAIN=99 and STMRSSTDY=3).
5. Main reason is to experiment or see what it's like (STMRSMAIN=5,15), reported only one reason which was to experiment or see what it's like (STMRSMAIN=99 and STMRSXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (STMRSMAIN=99 and STMRSXPT=3).
6. Main reason is to feel good or get high (STMRSMAIN=6,16), reported only one reason which was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=3).
7. Main reason is to increase/decrease effects of other drugs (STMRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDGFX=3).
8. Main reason is because hooked or have to have the drug (STMRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=3).
9. Main reason is some other reason (STMRSMAIN=9), or reported only one reason which was a valid other reason listed for stimulant other than those defined above based on the write in data (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS2=1,2,6,14-35). Values of 3,4, and 7-12 that are in the specific other reason level are write in responses that do not correspond to reasons listed for stimulants but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (STMRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (STMRSMAIN=99 and STMRSOR=1 and STMRSOTRS2= 985,994,997).

(STMRSALRT, STMRSCONC, STMRSDGFX, STMRSXPT, STMRSHIGH, STMRSHOOK, STMRSMAIN, STMRSOTRS2, STMRSOR, STMRSSTDY, STMRSWGHT)

STMMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING STIMULANTS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	339	0.58
1 = Help lose weight (see comment above).....	54	0.09
2 = Help concentrate (see comment above).....	322	0.55
3 = Help be alert or stay awake (see comment above)	247	0.42
4 = Help study (see comment above)	81	0.14
5 = Experiment/see what like (see comment above)	53	0.09
6 = Feel good/get high (see comment above).....	127	0.22
7 = Inc/dec effects oth drg (see comment above)	6	0.01
8 = Hooked or have to have drug (see comment above).....	6	0.01
9 = Some other reason (see comment above).....	31	0.05
10 = Did not misuse in pst 12 mos (STMRSMAIN=83,91,93)	57367	97.84

RECODED DRUG USE

The following main reason for misusing sedatives, SEDMAINRSN, is defined based on answers to questions about respondents' reasons for misusing sedatives for their last misuse. Respondents could report more than one reason for misusing sedatives the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in SEDRSMAN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (SEDRSMAN=1,11), reported only one reason which was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (SEDRSMAN=99 and SEDRSRELX=3).
2. Main reason is to experiment or see what it's like (SEDRSMAN=2,12), reported only one reason which was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (SEDRSMAN=99 and SEDRSEXPT=3).
3. Main reason is to feel good or get high (SEDRSMAN=3,13), reported only one reason which was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (SEDRSMAN=99 and SEDRSHIGH=3).
4. Main reason is to help with sleep (SEDRSMAN=4,14), reported only one reason which was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (SEDRSMAN=99 and SEDRSSLEP=3).
5. Main reason is to help with feelings or emotions (SEDRSMAN=5,15), reported only one reason which was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (SEDRSMAN=99 and SEDRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (SEDRSMAN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (SEDRSMAN=99 and SEDRSDGFX=3).
7. Main reason is because hooked or have to have the drug (SEDRSMAN=7,17), reported only one reason which was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (SEDRSMAN=99 and SEDRSHOOK=3).
8. Main reason is some other reason (SEDRSMAN=8), or reported only one reason which was a valid other reason listed for sedative other than those defined above based on the write in data (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS2=1, 9-33). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for sedatives but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (SEDRSMAN=85,94,98) or reported only one reason and the other reason was not a valid reason (SEDRSMAN=99 and SEDRSSOR=1 and SEDRSOTRS2=985,994,997).

(SEDRSDGFX, SEDRSEMOT, SEDRSEXPT, SEDRSHIGH, SEDRSHOOK, SEDRSMAN, SEDRSOTRS2, SEDRSRELX, SEDRSSLEP, SEDRSSOR)

SEDMAINRSN

Len : 1 RC-MAIN REASON FOR MISUSING SEDATIVES LAST EPISODE

	Freq	Pct
. = Unknown (see comment above).....	373	0.64
1 = Relax or relieve tension (see comment above).....	37	0.06
2 = Experiment/see what like (see comment above)	2	0.00
3 = Feel good/get high (see comment above).....	13	0.02
4 = Help with sleep (see comment above).....	91	0.16
5 = Help with feelings or emotions (see comment above).....	12	0.02
7 = Hooked or have to have drug (see comment above).....	1	0.00
8 = Some other reason (see comment above).....	7	0.01
9 = Did not misuse in pst 12 mos (SEDRSMAN=83,91,93).....	58097	99.09

RECODED DRUG USE

NOTE: The following four variables pertain to the source of a respondent's most recent misuse of prescription pain relievers (SRCPNRM2), prescription tranquilizers (SRCTRQNM2), prescription stimulants (SRCSTMNM2), and prescription sedatives (SRCSEDNM2) within the past year.

For each variable there are eight mutually exclusive categories for specific sources, and a missing category for respondents with no past year misuse or unknown responses to the source questions. The categories for the specific sources take into account responses from a single question asking about a single, most recent source of misuse among respondents who misused in the past year.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug misuse in the past year for the variables, SRCPNRM2, SRCTRQNM2, SRCSTMNM2, and SRCSEDNM2:

1. Got From One Doctor
2. Got From More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing) No Past Year Misuse/Unknown/Invalid Source

SRCPNRM2

Len : 2 RC-SOURCE OF PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	57112	97.41
1 = Got From One Doctor	588	1.00
2 = Got From More Than One Doctor	38	0.06
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	21	0.04
4 = Got From Friend or Relative for Free	470	0.80
5 = Bought from Friend or Relative	126	0.21
6 = Took from Friend or Relative without Asking	69	0.12
7 = Bought from Drug Dealer or Other Stranger	136	0.23
8 = Got Some Other Way	73	0.12

SRCTRQNM2

Len : 2 RC-SOURCE OF TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	57851	98.67
1 = Got From One Doctor	203	0.35
2 = Got From More Than One Doctor	14	0.02
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	9	0.02
4 = Got From Friend or Relative for Free	334	0.57
5 = Bought from Friend or Relative	76	0.13
6 = Took from Friend or Relative without Asking	29	0.05
7 = Bought from Drug Dealer or Other Stranger	81	0.14
8 = Got Some Other Way	36	0.06

SRCSTMNM2

Len : 2 RC-SOURCE OF STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	57713	98.43
1 = Got From One Doctor	192	0.33
2 = Got From More Than One Doctor	17	0.03
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	5	0.01
4 = Got From Friend or Relative for Free	486	0.83
5 = Bought from Friend or Relative	113	0.19
6 = Took from Friend or Relative without Asking	37	0.06
7 = Bought from Drug Dealer or Other Stranger	44	0.08
8 = Got Some Other Way	26	0.04

SRCSEDNM2

Len : 2 RC-SOURCE OF SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	58474	99.73
1 = Got From One Doctor	61	0.10
2 = Got From More Than One Doctor	5	0.01
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	3	0.01
4 = Got From Friend or Relative for Free	59	0.10
5 = Bought from Friend or Relative	10	0.02
6 = Took from Friend or Relative without Asking	10	0.02
7 = Bought from Drug Dealer or Other Stranger	7	0.01
8 = Got Some Other Way	4	0.01

RECODED DRUG USE

NOTE: A respondent who misused prescription drugs in the past year was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following four variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (SRCFRPNRNM), prescription tranquilizers (SRCFRTRQNM), prescription stimulants (SRCFRSTMNM), and prescription sedatives (SRCFRSEDNM) within the past year.

For each of the following four variables, there are eight mutually exclusive categories for specific sources that the friend/relative obtained the drug from and a missing category for respondents who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free and respondents with unknown or invalid values.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug use in the past year for the variables, SRCFRPNRNM, SRCFRTRQNM, SRCFRSTMNM, and SRCFRSEDNM:

1. Got Prescription(s) from One Doctor (XXXGOTLAS=4 and XXXFFGOT=1, 11)
2. Got Prescription(s) from More Than One Doctor (XXXGOTLAS=4 and XXXFFGOT=2, 12)
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy (XXXGOTLAS=4 and XXXFFGOT=3, 13)
4. Got From Friend or Relative for Free (XXXGOTLAS=4 and XXXFFGOT=4, 14)
5. Bought from Friend or Relative (XXXGOTLAS=4 and XXXFFGOT=5, 15)
6. Took from Friend or Relative without Asking (XXXGOTLAS=4 and XXXFFGOT=6, 16)
7. Bought from Drug Dealer or Other Stranger (XXXGOTLAS=4 and XXXFFGOT=7, 17)
8. Got Some Other Way (XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=valid "other" response, levels 9-38, 71)

(System Missing): No Past Year Misuse or Valid Source of Most Recent Misuse Not from Friend or Relative for Free /Unknown/Invalid Source (XXXGOTLAS not=4 or [XXXGOTLAS=4 and XXXFFGOT=94, 97, 98]) or [XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=70, 72-75, 85, 94, 97, 98])

SRCFRPNRNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	58186	99.24
1 = Got Prescription(s) from One Doctor.....	349	0.60
2 = Got Prescription(s) from More Than One Doctor	5	0.01
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	4	0.01
4 = Got from Friend or Relative for Free	40	0.07
5 = Bought from Friend or Relative	15	0.03
6 = Took from Friend or Relative without Asking	5	0.01
7 = Bought from Drug Dealer or Other Stranger.....	17	0.03
8 = Got Some Other Way.....	12	0.02

SRCFRTRQNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	58320	99.47
1 = Got Prescription(s) from One Doctor.....	245	0.42
2 = Got Prescription(s) from More Than One Doctor	9	0.02
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	1	0.00
4 = Got from Friend or Relative for Free	21	0.04
5 = Bought from Friend or Relative	17	0.03
6 = Took from Friend or Relative without Asking	3	0.01
7 = Bought from Drug Dealer or Other Stranger.....	11	0.02
8 = Got Some Other Way.....	6	0.01

SRCFRSTMNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	58171	99.21
1 = Got Prescription(s) from One Doctor.....	399	0.68
2 = Got Prescription(s) from More Than One Doctor	5	0.01
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	1	0.00
4 = Got from Friend or Relative for Free	26	0.04
5 = Bought from Friend or Relative	15	0.03
7 = Bought from Drug Dealer or Other Stranger.....	11	0.02
8 = Got Some Other Way.....	5	0.01

SRCFRSEDNM

Len : 1 RC-SOURCE OF FRIEND/RELATIVE SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	58576	99.90
1 = Got Prescription(s) from One Doctor.....	52	0.09
4 = Got from Friend or Relative for Free	3	0.01
6 = Took from Friend or Relative without Asking	2	0.00

RECODED DRUG USE

NOTE: The following four variables show collapsed levels for the source of friend or relative's most recent misuse of prescription pain relievers (SRCCLFRPNR), prescription tranquilizers (SRCCLFRTRQ), prescription stimulants (SRCCLFRSTM), and prescription sedatives (SRCCLFRSED) within the past year.

(SRCFRPNRNM)

SRCCLFRPNR

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL PAIN RLVRs FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	58186	99.24
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRPNRNM=1,2,3)	358	0.61
2 = Got From Friend/Relative (SRCFRPNRNM=4,5,6)	60	0.10
3 = Got From Another Source (SRCFRPNRNM=7,8)	29	0.05

(SRCFRTRQNM)

SRCCLFRTRQ

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL TRANQLZRS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	58320	99.47
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRTRQNM=1,2,3)	255	0.43
2 = Got From Friend/Relative (SRCFRTRQNM=4,5,6)	41	0.07
3 = Got From Another Source (SRCFRTRQNM=7,8)	17	0.03

(SRCFRSTMNM)

SRCCLFRSTM

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	58171	99.21
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSTMNM=1,2,3)	405	0.69
2 = Got From Friend/Relative (SRCFRSTMNM=4,5,6)	41	0.07
3 = Got From Another Source (SRCFRSTMNM=7,8)	16	0.03

(SRCFRSEDNM)

SRCCLFRSED

Len : 1 RC-COLLAPSED SOURCE OF FRND/REL SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	58576	99.90
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSEDNM=1,2,3)	52	0.09
2 = Got From Friend/Relative (SRCFRSEDNM=4,5,6)	5	0.01

(IRRXOPNMYR, PNRNMMON)

RXOPPRNMMON

Len : 1 RC-PRESCRIPTION OPIOIDS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not use within pst mon (Otherwise)	58213	99.28
1 = Used in past mon (IRRXOPNMYR=1 and PNRNMMON=1)	420	0.72

(IRRXOPANYR, PNRANYR2)

NOOPPRANYR

Len : 1 RC-NONOPIOID PRESCRIPTION PNR - ANY PAST YEAR USE

	Freq	Pct
0 = Did not use within pst year (Otherwise)	57506	98.08
1 = Used in past year (PNRANYR2=1 and IRRXOPANYR=0)	1127	1.92

(IRRXOPNMYR, PNRNMYR)

NOOPPRNMYR

Len : 1 RC-NONOPIOID PRESCRIPTION PNR - PAST YEAR MISUSE

	Freq	Pct
0 = Did not use within pst year (Otherwise)	58556	99.87
1 = Used in past year (PNRNMYR=1 and IRRXOPNMYR=0)	77	0.13

OTHER SUBSTANCE TOPICS**SPECIAL DRUGS**

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The last questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

(SD01)

COLDMEDS¹

Len : 2 TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH

	Freq	Pct
1 = Yes.....	2326	3.97
2 = No.....	55979	95.47
94 = DON'T KNOW.....	75	0.13
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	216	0.37

How long has it been since you last took one of these cough or cold medicines to get high?

(SD02)

COLDREC¹

Len : 2 TIME SINCE LAST USED COUGH/COLD MED

	Freq	Pct
1 = Within the past 30 days.....	195	0.33
2 = More than 30 days ago but within the past 12 mos	409	0.70
3 = More than 12 months ago	1662	2.83
9 = At some point in the lifetime LOG ASSN.....	60	0.10
91 = NEVER USED COUGH/COLD MED	55979	95.47
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	291	0.50

SPECIAL DRUGS

(SD02SC1)
COLDYR1¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	Freq	Pct
130.0 = Phenergan, Promethazine.....	3	0.01
171.0 = NyQuil, no other information <OTC>	125	0.21
344.0 = Bennies	1	0.00
377.0 = Albuterol, Proventil, Ventolin.....	1	0.00
415.0 = Codeine.....	8	0.01
422.0 = Motrin, no other information <OTC>	2	0.00
425.0 = Advil, no other information <OTC>	4	0.01
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	22	0.04
442.0 = Ibuprofen	3	0.01
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	9	0.02
468.0 = Excedrin; no other information <OTC>	1	0.00
499.0 = Aleve <OTC>	1	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	36	0.06
829.1 = Robitussin DM <OTC>.....	2	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	9	0.02
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	11	0.02
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	9	0.02
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	16	0.03
3007.0 = Nasal inhalant	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	39	0.07
3047.0 = Sudafed, no other information <OTC>	5	0.01
4031.0 = Cough medicine with Codeine <OTC>	1	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	2	0.00
5056.0 = Eucalyptus oil	1	0.00
6029.0 = DXM <OTC>.....	2	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	1	0.00
8012.0 = Coriciden, no other information <OTC>	2	0.00
8012.4 = Coricidin HBP Cough & Cold <OTC>	1	0.00
8012.5 = Coricidin HBP, no other information<OTC>.....	1	0.00
8014.0 = Throat spray; type unspecified <OTC>	1	0.00
8019.0 = Azithromycin, Z-pack, Zithromax.....	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	4	0.01
8042.0 = Alka Seltzer, no other information <OTC>.....	2	0.00
8042.4 = Alka-Seltzer Plus; no other information.....	2	0.00
8042.6 = Alka-Seltzer Plus Cold and Flu <OTC>.....	1	0.00
8056.0 = Vicks, no other information <OTC>	2	0.00
8056.8 = Vicks cold medication, no other information <OTC>.....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	3	0.01
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	18	0.03
8136.0 = Montekulast, Singulair	1	0.00
8146.0 = Tabcin <OTC>.....	1	0.00
8147.0 = Tylenol Flu medication, no other info <OTC>.....	1	0.00
8169.0 = TheraFlu <OTC>	7	0.01
8192.0 = Delsym <OTC>	7	0.01
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	1	0.00
8201.2 = Tylenol Cough and Cold medication; no other info	1	0.00
8202.0 = Tussin, no other information	3	0.01
8202.6 = Tussin DM, no other information <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>.....	1	0.00
8205.0 = Mucinex, no other information <OTC>	32	0.05
8205.1 = Mucinex DM <OTC>	2	0.00
8205.5 = Mucinex Max, no other information <OTC>	1	0.00
8206.2 = Advil Sinus, no other information <OTC>.....	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	1	0.00
8212.0 = Zicam medication, no other information <OTC>.....	1	0.00
8217.0 = Broncolin <OTC>	2	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	4	0.01
8249.0 = XL-3	2	0.00
8253.0 = Tamiflu	1	0.00
8258.0 = Tukol <OTC>	2	0.00
8261.0 = Rompe Pecho <OTC>.....	1	0.00
8283.0 = Zarbee's; no other information <OTC>	1	0.00
8291.0 = Ambroxol.....	2	0.00
8296.1 = Umcka Cold and Flu <OTC>	1	0.00
8302.0 = SanaTos; no other information.....	1	0.00
8304.0 = Tylenol Severe medication; no other information	1	0.00
8306.0 = RoboCough <OTC>.....	4	0.01
8315.0 = Robitussin Cough+Chest Congestion DM <OTC>	1	0.00

SPECIAL DRUGS

8316.0 = Clorace.....	1	0.00
8317.0 = Camphor	1	0.00
8318.0 = Cheston Cold	1	0.00
8321.0 = Sudagrip <OTC>.....	1	0.00
8324.1 = Dimetapp Cold & Allergy	1	0.00
9985.0 = BAD DATA Logically assigned	85	0.14
9991.0 = NEVER USED COUGH/COLD MED	55979	95.47
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1662	2.83
9994.0 = DON'T KNOW	50	0.09
9997.0 = REFUSED	54	0.09
9998.0 = BLANK (NO ANSWER).....	355	0.61

(SD02SC2)
COLDYR2¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
130.0 = Phenergan, Promethazine.....	1	0.00
171.0 = NyQuil, no other information <OTC>	26	0.04
415.0 = Codeine.....	3	0.01
425.0 = Advil, no other information <OTC>	3	0.01
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	5	0.01
438.0 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
442.0 = Ibuprofen	3	0.01
445.0 = Dolex, Norgesic Forte.....	1	0.00
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	2	0.00
499.0 = Aleve <OTC>	2	0.00
829.0 = Robitussin, no other information <OTC>	8	0.01
840.0 = Cough med, generic/unspec, contents unspec <OTC>	4	0.01
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	3	0.01
883.0 = Dextromethorphan Hydrobromide <OTC>.....	1	0.00
900.0 = Not a drug.....	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	6	0.01
3017.0 = Dayquil medication, no other information <OTC>	13	0.02
3047.0 = Sudafed, no other information <OTC>	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8004.0 = Guaifenesin	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	1	0.00
8012.0 = Coriciden, no other information <OTC>.....	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>.....	1	0.00
8042.4 = Alka-Seltzer Plus; no other information.....	1	0.00
8056.0 = Vicks, no other information <OTC>	2	0.00
8056.5 = Vicks cough medication, no other info <OTC>	1	0.00
8058.0 = Cough medicine/syrup; type unspecified	1	0.00
8065.1 = Tylenol Cold Relief Nighttime <OTC>	1	0.00
8094.0 = Pepto Bismol <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	3	0.01
8169.0 = TheraFlu <OTC>	8	0.01
8192.0 = Delsym <OTC>	3	0.01
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	1	0.00
8201.0 = Tylenol Cough medication, no othr info <OTC>	1	0.00
8202.2 = Wal-Tussin, no other information <OTC>	1	0.00
8203.0 = Sinus medication, no other information <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>.....	3	0.01
8204.1 = Night flu medication; brand unspecified <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	8	0.01
8205.2 = Mucinex expectorant, extended-release <OTC>	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8249.0 = XL-3	2	0.00
8258.0 = Tukul <OTC>	3	0.01
8283.0 = Zarbee's; no other information <OTC>	1	0.00
8319.0 = Sudagrip <OTC>.....	1	0.00
8322.0 = Sinarest	1	0.00
8323.0 = Ludens; contents unspecified <OTC>.....	1	0.00
9985.0 = BAD DATA Logically assigned	49	0.08
9991.0 = NEVER USED COUGH/COLD MED	55979	95.47
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1662	2.83
9994.0 = DON'T KNOW	7	0.01
9997.0 = REFUSED	38	0.06
9998.0 = BLANK (NO ANSWER).....	760	1.30

SPECIAL DRUGS

(SD02SC3)
COLDYR3¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	9	0.02
425.0 = Advil, no other information <OTC>	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	3	0.01
829.0 = Robitussin, no other information <OTC>	3	0.01
840.0 = Cough med, generic/unspec, contents unspec <OTC>	1	0.00
843.1 = Nighttime cold medication; brand unspecified <OTC>	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	5	0.01
3047.0 = Sudafed, no other information <OTC>	1	0.00
3104.0 = Phenylephrine	1	0.00
6029.0 = DXM <OTC>	1	0.00
8012.0 = Coriciden, no other information <OTC>	1	0.00
8038.0 = Coldact	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	3	0.01
8169.0 = TheraFlu <OTC>	4	0.01
8192.0 = Delsym <OTC>	3	0.01
8201.2 = Tylenol Cough and Cold medication; no other info	1	0.00
8204.0 = Flu medication, no other information <OTC>	2	0.00
8205.0 = Mucinex, no other information <OTC>	4	0.01
8216.0 = Advil Cold, no other information <OTC>	1	0.00
8258.0 = Tukol <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	38	0.06
9991.0 = NEVER USED COUGH/COLD MED	55979	95.47
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1662	2.83
9994.0 = DON'T KNOW	2	0.00
9997.0 = REFUSED	38	0.06
9998.0 = BLANK (NO ANSWER)	866	1.48

(SD02SC4)
COLDYR4¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	5	0.01
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	2	0.00
803.0 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	2	0.00
6044.0 = Gel caps, gel tabs	1	0.00
8169.0 = TheraFlu <OTC>	2	0.00
8192.0 = Delsym <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	2	0.00
8261.0 = Rompe Pecho <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	24	0.04
9991.0 = NEVER USED COUGH/COLD MED	55979	95.47
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1662	2.83
9997.0 = REFUSED	37	0.06
9998.0 = BLANK (NO ANSWER)	914	1.56

(SD02SC5)
COLDYR5¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
130.0 = Phenergan, Promethazine	1	0.00
171.0 = NyQuil, no other information <OTC>	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	3	0.01
803.0 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
829.0 = Robitussin, no other information <OTC>	1	0.00
843.1 = Nighttime cold medication; brand unspecified <OTC>	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information	1	0.00
9985.0 = BAD DATA Logically assigned	15	0.03
9991.0 = NEVER USED COUGH/COLD MED	55979	95.47
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1662	2.83
9997.0 = REFUSED	37	0.06
9998.0 = BLANK (NO ANSWER)	929	1.58

SPECIAL DRUGS

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription- type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG¹

Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
1 = Specified use only of prescrip-type drugs, past yr.....	23	0.04
2 = Bad data or blank in COLDYR1-COLDYR5.....	75	0.13
98 = BLANK (OTHERWISE).....	58535	99.83

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

(SD03)

GHB¹

Len : 2 EVER USED GHB

	Freq	Pct
1 = Yes.....	271	0.46
2 = No.....	57963	98.86
94 = DON'T KNOW.....	132	0.23
97 = REFUSED.....	40	0.07
98 = BLANK (NO ANSWER).....	227	0.39

How long has it been since you last used GHB?

(SD04)

GHBREC¹

Len : 2 TIME SINCE LAST USED GHB

	Freq	Pct
1 = Within the past 30 days.....	23	0.04
2 = More than 30 days ago but within the past 12 mos.....	17	0.03
3 = More than 12 months ago.....	229	0.39
9 = At some point in the lifetime LOG ASSN.....	2	0.00
91 = NEVER USED GHB.....	57963	98.86
97 = REFUSED.....	40	0.07
98 = BLANK (NO ANSWER).....	359	0.61

The next questions are about the different ways that certain drugs can be used.

Have you ever, even once, used a needle to inject cocaine?

(SD05)

COCNEEDL¹

Len : 2 EVER USED NEEDLE TO INJECT COCAINE

	Freq	Pct
1 = Yes.....	452	0.77
2 = No.....	6222	10.61
3 = Yes LOGICALLY ASSIGNED.....	6	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED COCAINE.....	51886	88.49
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	54	0.09

How long has it been since you last used a needle to inject cocaine?

(SD06)

CONDLREC¹

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT COCAINE

	Freq	Pct
1 = Within the past 30 days.....	12	0.02
2 = More than 30 days ago but within the past 12 mos.....	22	0.04
3 = More than 12 months ago.....	418	0.71
13 = More than 12 months ago LOGICALLY ASSIGNED.....	6	0.01
91 = NEVER USED COCAINE.....	51886	88.49
93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	6222	10.61
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	58	0.10

SPECIAL DRUGS

Have you ever, even once, smoked heroin?

(HEOTSMK, SD07)

[HERSMOKE](#)¹

Len : 2 EVER SMOKED HEROIN

	Freq	Pct
1 = Yes.....	612	1.04
2 = No.....	560	0.96
3 = Yes LOGICALLY ASSIGNED.....	9	0.02
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED HEROIN.....	57413	97.92
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	33	0.06

How long has it been since you last smoked heroin?

(SD08, SDHEUSE6)

[HRSMKREC](#)¹

Len : 2 TIME SINCE LAST SMOKED HEROIN

	Freq	Pct
1 = Within the past 30 days.....	31	0.05
2 = More than 30 days ago but within the past 12 mos.....	51	0.09
3 = More than 12 months ago.....	539	0.92
91 = NEVER USED HEROIN.....	57413	97.92
93 = USED HEROIN BUT NEVER SMOKED IT.....	560	0.96
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	37	0.06

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

(HEOTSNF, SD09)

[HERSNIFF](#)¹

Len : 2 EVER SNIFFED HEROIN

	Freq	Pct
1 = Yes.....	830	1.42
2 = No.....	330	0.56
3 = Yes LOGICALLY ASSIGNED.....	21	0.04
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED HEROIN.....	57413	97.92
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	33	0.06

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

(SD10, SDHEUSE7)

[HRSNFREC](#)¹

Len : 2 TIME SINCE LAST SNIFFED HEROIN

	Freq	Pct
1 = Within the past 30 days.....	42	0.07
2 = More than 30 days ago but within the past 12 mos.....	48	0.08
3 = More than 12 months ago.....	759	1.29
9 = At some point in the lifetime LOG ASSN.....	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = USED HEROIN BUT NEVER SNIFFED IT.....	330	0.56
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	36	0.06

Have you ever, even once, used a needle to inject heroin?

(HEOTNDL, SD11)

[HERNEEDL](#)¹

Len : 2 EVER USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Yes.....	586	1.00
2 = No.....	588	1.00
3 = Yes LOGICALLY ASSIGNED.....	14	0.02
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED HEROIN.....	57413	97.92
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	27	0.05

SPECIAL DRUGS

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

(SDHEUSE)
HEOTSMK¹

Len : 2 HOW USED HEROIN: SMOKED IT

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered	44	0.08
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HEROIN	57413	97.92
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	35	0.06
99 = LEGITIMATE SKIP	1123	1.92

(SDHEUSE)
HEOTSNE¹

Len : 2 HOW USED HEROIN: SNIFFED IT

	Freq	Pct
1 = Response entered	21	0.04
6 = Response not entered	32	0.05
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HEROIN	57413	97.92
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	34	0.06
99 = LEGITIMATE SKIP	1123	1.92

(SDHEUSE)
HEOTNDL¹

Len : 2 HOW USED HEROIN: INJECTED IT WITH A NEEDLE

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered	48	0.08
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HEROIN	57413	97.92
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	35	0.06
99 = LEGITIMATE SKIP	1123	1.92

(SDHEUSE)
HEOTOTH¹

Len : 2 HOW USED HEROIN: SOME OTHER WAY

	Freq	Pct
1 = Response entered	19	0.03
6 = Response not entered	34	0.06
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HEROIN	57413	97.92
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	34	0.06
99 = LEGITIMATE SKIP	1123	1.92

(SDHUSESC)
HEOTSP¹

Len : 2 HOW USED HEROIN: SPECIFY

	Freq	Pct
5 = You took it orally/by mouth/in pill form.....	9	0.02
6 = You sniffed or "snorted" in liquid/melted form.....	5	0.01
10 = You combined it w/Ecstasy (no othr drug mentioned).....	1	0.00
16 = You sniffed/snorted/huffed it; pwdr/liquid unspfd.....	1	0.00
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED HEROIN	57413	97.92
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	38	0.06
99 = LEGITIMATE SKIP	1157	1.97

SPECIAL DRUGS

How long has it been since you last used a needle to inject heroin?

(SD12)

[HRNDLREC](#)¹

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Within the past 30 days.....	32	0.05
2 = More than 30 days ago but within the past 12 mos	38	0.06
3 = More than 12 months ago	519	0.89
11 = Within the past 30 days LOGICALLY ASSIGNED.....	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	10	0.02
91 = NEVER USED HEROIN.....	57413	97.92
93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	588	1.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	30	0.05

Have you ever, even once, used a needle to inject Methamphetamine?

(SD13)

[METHNEEDL](#)¹

Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
1 = Yes.....	599	1.02
2 = No	2013	3.43
3 = Yes LOGICALLY ASSIGNED.....	5	0.01
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	84	0.14

How long has it been since you last used a needle to inject Methamphetamine?

(SD14)

[METHNDLRC](#)¹

Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METH

	Freq	Pct
1 = Within the past 30 days.....	66	0.11
2 = More than 30 days ago but within the past 12 mos	69	0.12
3 = More than 12 months ago	463	0.79
9 = At some point in the lifetime LOG ASSN.....	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	5	0.01
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	2013	3.43
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	86	0.15

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you?

(SD15)

[OTDGNEDL](#)¹

Len : 2 EVER USED NEEDLE TO INJECT ANY OTHER DRUG

	Freq	Pct
1 = Yes.....	428	0.73
2 = No.....	57904	98.76
94 = DON'T KNOW.....	43	0.07
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	231	0.39

SPECIAL DRUGS

(SD15SC1)
OTDGNDLA¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	Freq	Pct
105 = Placidyl, Ethchlorvynol.....	1	0.00
108 = Nembutal	1	0.00
109 = Seconal	1	0.00
142 = Belladonna.....	1	0.00
174 = Ambien	3	0.01
201 = Valium	5	0.01
209 = Xanax.....	10	0.02
318 = Ritalin	6	0.01
321 = Methedrine.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	34	0.06
407 = Demerol	4	0.01
408 = Dilaudid, Hydromorphone	29	0.05
417 = Morphine	27	0.05
418 = Methadone	6	0.01
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED.....	2	0.00
423 = Percocet	10	0.02
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin	1	0.00
465 = Fentanyl.....	13	0.02
490 = Nalbuphine, Nubain.....	1	0.00
601 = LSD ("acid").....	3	0.01
605 = PCP ("angel dust," phencyclidine).....	3	0.01
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
614 = MDA, Methylenedioxy amphetamine.....	2	0.00
658 = Special K, Ketamine	9	0.02
702 = Heroin.....	42	0.07
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	15	0.03
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	19	0.03
806 = Crack, rock.....	4	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
824 = Steroids	10	0.02
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
2504 = Clonazepam	1	0.00
3023 = Adderall	6	0.01
3052 = Speed, otherwise unspecified	2	0.00
3191 = Extended-release methylphenidate, not otherwise specified	1	0.00
4037 = MS Contin.....	1	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	11	0.02
4065 = Roxicodone	3	0.01
4067 = OxyContin	16	0.03
4091 = K4	1	0.00
4109 = Suboxone	13	0.02
4119 = Buprenorphine	1	0.00
4120 = Opana.....	4	0.01
4137 = Nucynta, Tapentadol.....	1	0.00
4150 = Subutex	2	0.00
4172 = Cold water extraction of Hydrocodone	1	0.00
4501 = Lortab	1	0.00
4502 = Norco	1	0.00
4505 = Oxycodone product, unspecified.....	8	0.01
6048 = Dex	1	0.00
6114 = Molly, not otherwise specified.....	4	0.01
8009 = Allergy pills/shot/antihistamine, type unspcfd	1	0.00
8067 = Testosterone.....	9	0.02
8083 = Testosterone cyprionate	2	0.00
8191 = L-Dopa.....	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	2	0.00
8245 = Human growth hormone (HGH)	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	1	0.00
8342 = Nalone, Naloxone, Narcan	1	0.00
8426 = TriMix.....	2	0.00
8458 = Estradiol valerate	1	0.00
8481 = Ozempic, Semaglutide injection	7	0.01
8510 = Desyrel, Trazodone hydrochloride.....	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	1	0.00
8570 = Estradiol; otherwise unspecified	1	0.00
8575 = Ceftrisol, Rocephin	1	0.00

SPECIAL DRUGS

8579 = Blood thinner; type unspecified	1	0.00
8580 = Alprostadil, Caverject	1	0.00
8588 = Mounjaro, Tirzepatide Injection, Zepbound.....	1	0.00
9985 = BAD DATA Logically assigned	17	0.03
9994 = DON'T KNOW	15	0.03
9997 = REFUSED	37	0.06
9998 = BLANK (NO ANSWER).....	274	0.47
9999 = LEGITIMATE SKIP.....	57904	98.76

(SD15SC2)
OTDGNDLB¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
109 = Seconal	1	0.00
110 = Tuinal.....	1	0.00
201 = Valium	2	0.00
207 = Ativan	1	0.00
209 = Xanax.....	2	0.00
306 = Desoxyn.....	1	0.00
318 = Ritalin	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	11	0.02
326 = White cross	1	0.00
332 = Ephedrine.....	1	0.00
407 = Demerol.....	1	0.00
408 = Dilaudid, Hydromorphone	7	0.01
417 = Morphine	10	0.02
418 = Methadone	2	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED.....	2	0.00
423 = Percocet	3	0.01
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
465 = Fentanyl.....	5	0.01
601 = LSD ("acid").....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	2	0.00
658 = Special K, Ketamine	2	0.00
702 = Heroin.....	19	0.03
706 = Smack	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	12	0.02
805 = Cocaine, coca, cocaina, coke, perico.....	11	0.02
806 = Crack, rock.....	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
814 = Caffeine <OTC>	1	0.00
3023 = Adderall	3	0.01
3052 = Speed, otherwise unspecified	1	0.00
4044 = Hydrocodone.....	1	0.00
4046 = Oxycodone.....	7	0.01
4065 = Roxicodone	1	0.00
4067 = OxyContin	3	0.01
4109 = Suboxone	8	0.01
4120 = Opana.....	4	0.01
4150 = Subutex	1	0.00
4501 = Lortab	2	0.00
4502 = Norco	1	0.00
4505 = Oxycodone product, unspecified.....	3	0.01
4510 = Oxymorphone	1	0.00
6114 = Molly, not otherwise specified	1	0.00
8067 = Testosterone.....	1	0.00
8112 = hCG, Human Chorionic Gonadotropin.....	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8481 = Ozempic, Semaglutide injection	1	0.00
8491 = Metacycline, Methacycline	1	0.00
9985 = BAD DATA Logically assigned	8	0.01
9994 = DON'T KNOW	5	0.01
9997 = REFUSED	34	0.06
9998 = BLANK (NO ANSWER).....	535	0.91
9999 = LEGITIMATE SKIP.....	57904	98.76

SPECIAL DRUGS

(SD15SC3)
OTDGNLDC¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
201 = Valium	1	0.00
207 = Ativan	1	0.00
209 = Xanax	3	0.01
318 = Ritalin	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	5	0.01
326 = White cross	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
417 = Morphine	1	0.00
418 = Methadone	1	0.00
423 = Percocet	2	0.00
465 = Fentanyl	7	0.01
601 = LSD ("acid")	1	0.00
658 = Special K, Ketamine	1	0.00
702 = Heroin	5	0.01
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	6	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	10	0.02
806 = Crack, rock	1	0.00
824 = Steroids	1	0.00
3023 = Adderall	2	0.00
4047 = Roxicet	1	0.00
4065 = Roxicodone	1	0.00
4067 = OxyContin	1	0.00
4109 = Suboxone	5	0.01
4120 = Opana	4	0.01
4502 = Norco	1	0.00
4505 = Oxycodone product, unspecified	2	0.00
4506 = Codeine, not in pill form	1	0.00
4510 = Oxymorphone	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	1	0.00
8342 = Nalone, Naloxone, Narcan	1	0.00
8367 = Peptides; otherwise unspecified	1	0.00
9985 = BAD DATA Logically assigned	4	0.01
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	28	0.05
9998 = BLANK (NO ANSWER)	624	1.06
9999 = LEGITIMATE SKIP	57904	98.76

(SD15SC4)
OTDGNLDD¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
209 = Xanax	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	3	0.01
408 = Dilaudid, Hydromorphone	5	0.01
417 = Morphine	2	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	1	0.00
465 = Fentanyl	2	0.00
702 = Heroin	2	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
3023 = Adderall	1	0.00
4067 = OxyContin	1	0.00
4109 = Suboxone	3	0.01
4150 = Subutex	2	0.00
4502 = Norco	1	0.00
9985 = BAD DATA Logically assigned	4	0.01
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	27	0.05
9998 = BLANK (NO ANSWER)	672	1.15
9999 = LEGITIMATE SKIP	57904	98.76

SPECIAL DRUGS

(SD15SC5)
OTDGNLRC¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
417 = Morphine	3	0.01
465 = Fentanyl.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico.....	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
3502 = Methylphenidate	1	0.00
4119 = Buprenorphine	2	0.00
4120 = Opana.....	2	0.00
9985 = BAD DATA Logically assigned	2	0.00
9997 = REFUSED	27	0.05
9998 = BLANK (NO ANSWER).....	688	1.17
9999 = LEGITIMATE SKIP.....	57904	98.76

How long has it been since you last used a needle to inject [any other drug / any drug] that was not prescribed for you?

(SD16)
OTDGNLRC¹

Len : 2 TIME SINCE LAST USED A NEEDLE TO INJECT OTHER DRUG

	Freq	Pct
1 = Within the past 30 days.....	47	0.08
2 = More than 30 days ago but within the past 12 months	38	0.06
3 = More than 12 months ago	333	0.57
9 = At some point in the lifetime LOG ASSN.....	3	0.01
11 = Within the past 30 days LOGICALLY ASSIGNED.....	3	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	4	0.01
91 = NEVER USED ANY (OTHER) DRUG	57904	98.76
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	274	0.47

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

(SD17)
GNNDREUS¹

Len : 2 LAST TIME REUSED NEEDLE USED BEFORE

	Freq	Pct
1 = Yes.....	394	0.67
2 = No	660	1.13
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	3	0.01
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	275	0.47
99 = LEGITIMATE SKIP.....	57272	97.68

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

(SD18)
GNNDLSH1¹

Len : 2 LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE

	Freq	Pct
1 = Yes.....	197	0.34
2 = No	856	1.46
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	3	0.01
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	275	0.47
99 = LEGITIMATE SKIP.....	57272	97.68

SPECIAL DRUGS

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

(SD19)

GNNDCLEN¹

Len : 2 USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE

	Freq	Pct
1 = Yes.....	191	0.33
2 = No.....	865	1.48
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	28	0.05
98 = BLANK (NO ANSWER).....	275	0.47
99 = LEGITIMATE SKIP.....	57272	97.68

The last time you used a needle for injecting drugs, did someone else use the needle after you?

(SD20)

GNNDLSH2¹

Len : 2 SOMEONE ELSE USED LAST NEEDLE AFTER YOU

	Freq	Pct
1 = Yes.....	188	0.32
2 = No.....	865	1.48
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	28	0.05
98 = BLANK (NO ANSWER).....	275	0.47
99 = LEGITIMATE SKIP.....	57272	97.68

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

(SD21, SD21SC)

GNNDGET2¹

Len : 2 HOW DID YOU GET THE NEEDLE LAST TIME

	Freq	Pct
1 = Bought the needle from a pharmacy.....	544	0.93
2 = Got the needle from a needle exchange.....	126	0.21
3 = Bought the needle on the street.....	75	0.13
4 = Got the needle in a shooting gallery.....	7	0.01
5 = Got the needle some other way.....	42	0.07
41 = Given by/stole frm friend/acquaint of frnd/nonrel.....	130	0.22
42 = Given by, stolen from a relative.....	19	0.03
43 = Given by, stolen from someone, relation unspecifd.....	35	0.06
44 = From drug dealer/came with drugs.....	12	0.02
45 = Found it/got from a waste can/trash.....	4	0.01
46 = Given by, stolen frm med facility/professionl/lab.....	4	0.01
47 = Given by, stolen from work.....	4	0.01
48 = Given by, stolen from a pharmacy or store.....	6	0.01
49 = Bought, given, stolen from place/location unspecfd.....	14	0.02
54 = Shared needle with friends/other acquaintances.....	4	0.01
59 = Bought it online/on the Internet.....	18	0.03
85 = BAD DATA Logically assigned.....	1	0.00
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	36	0.06
98 = BLANK (NO ANSWER).....	276	0.47
99 = LEGITIMATE SKIP.....	57272	97.68

IMPUTED SPECIAL DRUGS

IMPUTED SPECIAL DRUGS

(COLDMEDS, OTCFLAG)

[IRNPCOLDREC](#)

Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION REV

	Freq	Pct
1 = Within the past 30 days.....	169	0.29
2 = More than 30 days ago but within the past 12 mos	354	0.60
3 = More than 12 months ago	1730	2.95
9 = Never used nonprescription cough and cold medicines.....	56380	96.16

(COLDMEDS, OTCFLAG)

[IINPCOLDREC](#)

Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION IND

	Freq	Pct
1 = Questionnaire data	58147	99.17
3 = Statistically imputed data.....	426	0.73
4 = Statistically imputed data - edited recency = 9.....	60	0.10

(GHBREC)

[IRGHBREC](#)

Len : 1 GHB RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	24	0.04
2 = More than 30 days ago but within the past 12 mos	17	0.03
3 = More than 12 months ago	232	0.40
9 = NEVER USED GHB	58360	99.53

(GHBREC)

[IIGHBREC](#)

Len : 1 GHB RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	58232	99.32
3 = Statistically imputed data.....	399	0.68
4 = Statistically imputed data - edited recency = 9.....	2	0.00

RECODED SPECIAL DRUGS

RECODED SPECIAL DRUGS

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Special Drugs, and Imputed Special Drugs.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Selection of Variables for Analysis: Variable Naming Conventions and Hierarchy section in the Data Users' Guide (DUG).

(CONDLREC, HRNDLREC, METHNDLRC, OTDGNDLRC)

ANYNDLREC

Len : 2 RC-MOST RECENT USE OF ANY DRUG WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days.....	115	0.20
2 = More than 30 days ago but within the past 12 mos	97	0.17
3 = More than 12 months ago	834	1.42
9 = At some point in the lifetime LOG ASSN.....	7	0.01
91 = NEVER USED ANY DRUG WITH A NEEDLE.....	57269	97.67
97 = REFUSED	40	0.07
98 = MISSING (BUT NOT REFUSED).....	271	0.46

(CONDLREC, HRNDLREC, METHNDLRC)

CHMNDLREC

Len : 2 RC-MOST RECENT USE OF COC/HER/METH WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days.....	90	0.15
2 = More than 30 days ago but within the past 12 mos	84	0.14
3 = More than 12 months ago	776	1.32
9 = At some point in the lifetime LOG ASSN.....	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED.....	10	0.02
91 = NEVER USED COC/HER/STM WITH A NEEDLE	57513	98.09
97 = REFUSED	16	0.03
98 = MISSING (BUT NOT REFUSED).....	143	0.24

NOTE: The following ten recoded variables pertain to specific needle and heroin use. The ever used a needle to inject drugs recode was revised starting with the 2022 NSDUH to include data from the new questions in the Emerging Issues section about the use of a needle to inject illegally made fentanyl. Thus, ANYNEDEFLAG (ever used a needle to inject heroin, cocaine, methamphetamine, illegally made fentanyl, or some other drug) in the Recoded Emerging Issues section replaces ANYNEDEVER (ever used a needle to inject heroin, cocaine, methamphetamine, or some other drug) that appeared in the Recoded Special Drugs section in 2021. A past year version of the any needle use recode which includes illegally made fentanyl needle use, ANYNEDYR, also appears in the Recoded Emerging Issues section starting with the 2022 NSDUH.

(HERFLAG, HERNEEDL)

HERNEDEVER

Len : 1 RC-EVER USED A NEEDLE TO INJECT HEROIN

	Freq	Pct
. = Unknown (Otherwise).....	10	0.02
0 = No (HERNEEDL=2,91 or (HERNEEDL^=1,3 & HERFLAG=0)).....	58023	98.96
1 = Yes (HERNEEDL=1,3)	600	1.02

(COCFLAG, COCNEEDL)

COCNEDEVER

Len : 1 RC-EVER USED A NEEDLE TO INJECT COCAINE

	Freq	Pct
. = Unknown (Otherwise).....	44	0.08
0 = No (COCNEEDL=2,91 or (COCNEEDL^=1,3 & COCFLAG=0))	58131	99.14
1 = Yes (COCNEEDL=1,3)	458	0.78

(METHAMFLAG, METHNEEDL)

MTHNEDEVER

Len : 1 RC-EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
. = Unknown (Otherwise).....	20	0.03
0 = No (METHNEEDL=2,91 or (METHNEEDL^=1,3 & METHAMFLAG=0)).....	58009	98.94
1 = Yes (METHNEEDL=1,3).....	604	1.03

RECODED SPECIAL DRUGS

(HERFLAG, HERSMOKE)

[HERSMOEVER](#)

Len : 1 RC-EVER SMOKED HEROIN

	Freq	Pct
. = Unknown (Otherwise).....	11	0.02
0 = No (HERSMOKE=2,91 or HERFLAG=0)	58001	98.92
1 = Yes (HERSMOKE=1,3)	621	1.06

(HERFLAG, HERSNIFF)

[HERSNIEVER](#)

Len : 1 RC-EVER SNIFFED HEROIN

	Freq	Pct
. = Unknown (Otherwise).....	11	0.02
0 = No (HERSNIFF =2,91 or HERFLAG=0)	57771	98.53
1 = Yes (HERSNIFF=1,3)	851	1.45

(IRNPCOLDREC)

[NPCOLDFLAG](#)

Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - EVER USED

	Freq	Pct
0 = Never used (IRNPCOLDREC = 9)	56380	96.16
1 = Ever used (IRNPCOLDREC = 1-3)	2253	3.84

(IRNPCOLDREC)

[NPCOLDYR](#)

Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRNPCOLDREC = 3,9)	58110	99.11
1 = Used within the past year (IRNPCOLDREC = 1,2)	523	0.89

(IRNPCOLDREC)

[NPCOLDMON](#)

Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRNPCOLDREC= 2-3,9)	58464	99.71
1 = Used within the past month (IRNPCOLDREC = 1)	169	0.29

(IRGHBREC)

[GHBFLAG](#)

Len : 1 RC-GHB - EVER USED

	Freq	Pct
0 = Never used (IRGHBREC = 9)	58360	99.53
1 = Ever used (IRGHBREC = 1-3)	273	0.47

(IRGHBREC)

[GHBYSR](#)

Len : 1 RC-GHB - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRGHBREC = 3,9)	58592	99.93
1 = Used within the past year (IRGHBREC = 1,2)	41	0.07

(IRGHBREC)

[GHBMON](#)

Len : 1 RC-GHB - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRGHBREC= 2-3,9)	58609	99.96
1 = Used within the past month (IRGHBREC = 1)	24	0.04

SUBSTANCE USE DISORDER

SUBSTANCE USE DISORDER

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time drinking alcohol, feeling its effects, or getting over the effects of drinking?

(DPALFEEL)

UDALTIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF ALCOHOL PST 12MOS

	Freq	Pct
1 = Yes.....	3517	6.00
2 = No.....	24159	41.20
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	31	0.05
98 = BLANK (NO ANSWER).....	424	0.72

During the past 12 months, did you spend a great deal of your time getting or trying to get alcohol?

(DPALGET)

UDALTIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING ALC IN PST 12 MOS

	Freq	Pct
1 = Yes.....	194	0.33
2 = No.....	23984	40.91
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	9	0.02
97 = REFUSED.....	26	0.04
98 = BLANK (NO ANSWER).....	428	0.73
99 = LEGITIMATE SKIP.....	3517	6.00

During the past 12 months, were there many times when you ended up drinking alcohol in larger amounts or for a longer time than you meant to?

(DPALLRGR)

UDALLRGAMTS

Len : 2 DRANK ALC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12MOS

	Freq	Pct
1 = Yes.....	4674	7.97
2 = No.....	23015	39.25
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	24	0.04
98 = BLANK (NO ANSWER).....	433	0.74

During the past 12 months, were there times when you wanted to drink alcohol so badly that you couldn't think of anything else?

(DPALBDLY)

UDALWANTBAD

Len : 2 WANTED TO USE ALCOHOL SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	1268	2.16
2 = No.....	26416	45.05
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	27	0.05
98 = BLANK (NO ANSWER).....	435	0.74

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to drink alcohol?

(DPALURGE)

UDALSTRURGE

Len : 2 STRONG URGE TO DRINK ALCOHOL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	4599	7.84
2 = No.....	21817	37.21
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	29	0.05
98 = BLANK (NO ANSWER).....	437	0.75
99 = LEGITIMATE SKIP.....	1268	2.16

Do you need to drink a lot more alcohol than you used to in order to get the feeling you want?

(DPALMORE)

UDALNEEDMOR

Len : 2 NEEDED A LOT MORE ALCOHOL TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	1981	3.38
2 = No.....	25688	43.81
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	21	0.04
97 = REFUSED.....	28	0.05
98 = BLANK (NO ANSWER).....	440	0.75

Does drinking the same amount of alcohol have much less effect on you than it used to?

(DPALLESS)

UDALLESSEFF

Len : 2 SAME AMT ALCOHOL HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	2254	3.84
2 = No.....	23332	39.79
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	109	0.19
97 = REFUSED.....	39	0.07
98 = BLANK (NO ANSWER).....	443	0.76
99 = LEGITIMATE SKIP.....	1981	3.38

During the past 12 months, did you try to cut down or try to stop drinking alcohol?

(DPALSTOP)

UDALTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP ALCOHOL USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	8654	14.76
2 = No.....	18949	32.32
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	53	0.09
97 = REFUSED.....	56	0.10
98 = BLANK (NO ANSWER).....	446	0.76

SUBSTANCE USE DISORDER

Some people who drink alcohol try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop drinking alcohol?

(DPALCANT)

UDALNOTSTOP

Len : 2 UNABLE TO CUT/STOP ALC USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	1690	2.88
2 = No.....	6950	11.85
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	61	0.10
98 = BLANK (NO ANSWER).....	500	0.85
99 = LEGITIMATE SKIP.....	18949	32.32

In the past 12 months, did you often wish that you could cut down or stop drinking alcohol?

(DPALWISH)

UDALWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	577	0.98
2 = No.....	18372	31.33
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	48	0.08
97 = REFUSED.....	60	0.10
98 = BLANK (NO ANSWER).....	447	0.76
99 = LEGITIMATE SKIP.....	8654	14.76

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by drinking alcohol?

(DPALPHYS)

UDALHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS

	Freq	Pct
1 = Yes.....	958	1.63
2 = No.....	26681	45.51
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	32	0.05
97 = REFUSED.....	39	0.07
98 = BLANK (NO ANSWER).....	448	0.76

Did you continue to drink alcohol even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPALPCNT)

UDALHLTHCTD

Len : 2 CONTD TO USE ALCOHOL DESPITE ALCOHOL CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	586	1.00
2 = No.....	370	0.63
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	39	0.07
98 = BLANK (NO ANSWER).....	480	0.82
99 = LEGITIMATE SKIP.....	26681	45.51

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by drinking alcohol?

(DPALMNTL)

UDALMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY ALCOHOL PAST 12 MOS

	Freq	Pct
1 = Yes.....	1427	2.43
2 = No.....	25617	43.69
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	41	0.07
97 = REFUSED.....	35	0.06
98 = BLANK (NO ANSWER).....	452	0.77
99 = LEGITIMATE SKIP.....	586	1.00

Did you continue to drink alcohol even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPALMCNT)

UDALMNTLCTD

Len : 2 CONTD ALCOHOL USE DESPITE ALC CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	866	1.48
2 = No.....	558	0.95
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	37	0.06
98 = BLANK (NO ANSWER).....	493	0.84
99 = LEGITIMATE SKIP.....	26203	44.69

A blackout is lack of memory. That is, you were awake, but you have no recall of the things you did or that were done to you.

During the past 12 months, did you repeatedly have blackouts while drinking or after drinking alcohol?

(DPALBLCK)

UDALBLCKOUT

Len : 2 REPEATED BLACKOUTS WHILE OR AFTER DRINKING ALC PAST 12 MOS

	Freq	Pct
1 = Yes.....	858	1.46
2 = No.....	25344	43.22
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	14	0.02
97 = REFUSED.....	36	0.06
98 = BLANK (NO ANSWER).....	454	0.77
99 = LEGITIMATE SKIP.....	1452	2.48

Did you continue to drink alcohol even though drinking gave you repeated blackouts?

(DPALBCNT)

UDALBLCKCTD

Len : 2 CONTINUE DRINKING ALCOHOL EVEN AFTER BLACKOUTS

	Freq	Pct
1 = Yes.....	597	1.02
2 = No.....	258	0.44
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	37	0.06
98 = BLANK (NO ANSWER).....	468	0.80
99 = LEGITIMATE SKIP.....	26796	45.70

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your alcohol use?

(DPALACTV)

UDALSTOPACT

Len : 2 LESS ACTIVITIES B/C OF ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	988	1.69
2 = No.....	26663	45.47
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	20	0.03
97 = REFUSED.....	30	0.05
98 = BLANK (NO ANSWER).....	457	0.78

Sometimes people who drink alcohol have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your alcohol use?

(DPALSERI)

UDALWORKPRB

Len : 2 ALCOHOL CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	586	1.00
2 = No.....	27066	46.16
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	14	0.02
97 = REFUSED.....	34	0.06
98 = BLANK (NO ANSWER).....	458	0.78

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your alcohol use?

(DPALARGU)

UDALFMLYPRB

Len : 2 ALCOHOL CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	1341	2.29
2 = No.....	26316	44.88
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	13	0.02
97 = REFUSED.....	29	0.05
98 = BLANK (NO ANSWER).....	459	0.78

SUBSTANCE USE DISORDER

Did you continue to drink alcohol even though it often caused arguments or problems with family or friends?

(DPALACNT)

UDALFMYLYCTD

Len : 2 CONTD ALCOHOL USE DESPITE ALC CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	990	1.69
2 = No.....	350	0.60
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	472	0.81
99 = LEGITIMATE SKIP.....	26316	44.88

During the past 12 months, did you repeatedly get into situations where drinking alcohol increased your chances of getting physically hurt?

(DPALHURT)

UDALGETHURT

Len : 2 ALCOHOL USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	984	1.68
2 = No.....	26660	45.47
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW	15	0.03
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	465	0.79

People may experience withdrawal symptoms when they drink less or stop drinking alcohol. Withdrawal symptoms are stronger and last longer than a hangover.

During the past 12 months, did you have the following withdrawal symptoms after you drank less or stopped drinking alcohol for a while?

Sweating or feeling that your heart was beating fast

(DPALWD_1)

UDALWDSWEAT

Len : 2 SWEATING/RAPID HEARTBEAT - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1108	1.89
2 = No.....	26482	45.17
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW	48	0.08
97 = REFUSED	48	0.08
98 = BLANK (NO ANSWER)	472	0.81

Having your hands tremble

(DPALWD_2)

UDALWDTRMBL

Len : 2 HANDS TREMBLE - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	937	1.60
2 = No.....	26677	45.50
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW	32	0.05
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	472	0.81

SUBSTANCE USE DISORDER

Having trouble sleeping

(DPALWD_3)

UDALWDSLEEP

Len : 2 TROUBLE SLEEPING - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	2095	3.57
2 = No.....	25526	43.54
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	38	0.06
98 = BLANK (NO ANSWER).....	472	0.81

Vomiting or having an upset stomach

(DPALWD_4)

UDALWDVOMIT

Len : 2 VOMITING/UPSET STOMACH - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1511	2.58
2 = No.....	26113	44.54
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	36	0.06
98 = BLANK (NO ANSWER).....	472	0.81

Seeing, hearing, or feeling things that weren't really there

(DPALWD_5)

UDALWDHALUC

Len : 2 SEE/HEAR/FEEL THINGS - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	437	0.75
2 = No.....	27180	46.36
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	28	0.05
97 = REFUSED.....	41	0.07
98 = BLANK (NO ANSWER).....	472	0.81

Feeling like you couldn't sit still

(DPALWD_6)

UDALWDSITST

Len : 2 COULD NOT SIT STILL - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1036	1.77
2 = No.....	26586	45.34
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	37	0.06
98 = BLANK (NO ANSWER).....	472	0.81

Feeling anxious

(DPALWD_7)

UDALWDFLANX

Len : 2 FEELING ANXIOUS - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	2223	3.79
2 = No.....	25396	43.31
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	28	0.05
97 = REFUSED.....	39	0.07
98 = BLANK (NO ANSWER).....	472	0.81

SUBSTANCE USE DISORDER

During the past 12 months, did you use alcohol or another drug to get over or avoid having alcohol withdrawal symptoms?

(DPALOVER)

UDALAVOIDWD

Len : 2 USE ALC/DRG TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	618	1.05
2 = No.....	27030	46.10
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	16	0.03
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	472	0.81

Which of the following did you use to get over or avoid having alcohol withdrawal symptoms during the past 12 months?

Alcohol

(DPALUSE_1)

UDALAVWALCO

Len : 2 USED ALCOHOL TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	440	0.75
2 = No.....	177	0.30
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	488	0.83
99 = LEGITIMATE SKIP.....	27030	46.10

Prescription sedatives, tranquilizers, sleeping pills, or downers

(DPALUSE_2)

UDALAVWSVTR

Len : 2 USED SED/TRQ/SLP PILLS/DWNRS TO AVOID ALC WDRWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	122	0.21
2 = No.....	492	0.84
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	488	0.83
99 = LEGITIMATE SKIP.....	27030	46.10

Something else

(DPALUSE_3)

UDALAVWOTHR

Len : 2 USED SOMETHING ELSE TO GET OVR/AVD ALC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	281	0.48
2 = No.....	335	0.57
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn.....	73	0.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS.....	13450	22.94
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	488	0.83
99 = LEGITIMATE SKIP.....	27030	46.10

SUBSTANCE USE DISORDER

Think about your use of marijuana or any cannabis product during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using marijuana or any cannabis product, feeling its effects, or getting over the effects of marijuana or any cannabis product?

(DPMJFEEL)

UDMJTIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF MJ PST 12 MOS

	Freq	Pct
1 = Yes.....	4847	8.27
2 = No.....	6743	11.50
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	275	0.47

During the past 12 months, did you spend a great deal of your time getting or trying to get marijuana or any cannabis product?

(DPMJGET)

UDMJTIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING MJ IN PST 12 MOS

	Freq	Pct
1 = Yes.....	133	0.23
2 = No.....	6623	11.30
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	275	0.47
99 = LEGITIMATE SKIP.....	4847	8.27

During the past 12 months, were there many times when you ended up using marijuana or any cannabis product in larger amounts or for a longer time than you meant to?

(DPMJLRGR)

UDMJLRGAMTS

Len : 2 USED MJ LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	2619	4.47
2 = No.....	8978	15.31
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	277	0.47

During the past 12 months, were there times when you wanted to use marijuana or any cannabis product so badly that you couldn't think of anything else?

(DPMJBDLY)

UDMJWANTBAD

Len : 2 WANTED TO USE MARIJUANA SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	1638	2.79
2 = No.....	9962	16.99
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	12	0.02
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	277	0.47

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you had a strong urge to use marijuana or any cannabis product?

(DPMJURGE)

UDMJSTRURGE

Len : 2 STRONG URGE TO USE MARIJUANA IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	3152	5.38
2 = No.....	6812	11.62
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	278	0.47
99 = LEGITIMATE SKIP.....	1638	2.79

Do you need to use a lot more marijuana or any cannabis product than you used to in order to get the feeling you want?

(DPMJMORE)

UDMJNEEDMOR

Len : 2 NEEDED A LOT MORE MARIJUANA TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	2474	4.22
2 = No.....	9123	15.56
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	12	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	279	0.48

Does using the same amount of marijuana or any cannabis product have much less effect on you than it used to?

(DPMJLESS)

UDMJLESSEFF

Len : 2 SAME AMT MARIJUANA HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	1060	1.81
2 = No.....	8046	13.72
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	28	0.05
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	279	0.48
99 = LEGITIMATE SKIP.....	2474	4.22

During the past 12 months, did you try to cut down or try to stop using marijuana or any cannabis product?

(DPMJSTOP)

UDMJTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP MARIJUANA USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	3874	6.61
2 = No.....	7716	13.16
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	14	0.02
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	281	0.48

SUBSTANCE USE DISORDER

Some people who use marijuana or any cannabis product try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using marijuana or any cannabis product?

(DPMJCANT)

UDMJNOTSTOP

Len : 2 UNABLE TO CUT/STOP MJ USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	1228	2.09
2 = No.....	2641	4.50
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	296	0.50
99 = LEGITIMATE SKIP.....	7716	13.16

In the past 12 months, did you often wish that you could cut down or stop using marijuana or any cannabis product?

(DPMJWISH)

UDMJWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP MJ USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	441	0.75
2 = No.....	7277	12.41
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	12	0.02
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	283	0.48
99 = LEGITIMATE SKIP.....	3874	6.61

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using marijuana or any cannabis product?

(DPMJPHYS)

UDMJHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS

	Freq	Pct
1 = Yes.....	529	0.90
2 = No.....	11057	18.86
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	13	0.02
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	284	0.48

Did you continue to use marijuana or any cannabis product even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPMJPCNT)

UDMJHLTHCTD

Len : 2 CONTD TO USE MARIJUANA DESPITE MJ CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	396	0.68
2 = No.....	129	0.22
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	297	0.51
99 = LEGITIMATE SKIP.....	11057	18.86

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using marijuana or any cannabis product?

(DPMJMNTL)

UDMJMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY MJ PAST 12 MOS

	Freq	Pct
1 = Yes.....	623	1.06
2 = No.....	10554	18.00
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	22	0.04
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	286	0.49
99 = LEGITIMATE SKIP.....	396	0.68

Did you continue to use marijuana or any cannabis product even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPMJMCNT)

UDMJMNTLCTD

Len : 2 CONTD MARIJUANA USE DESPITE MJ CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	421	0.72
2 = No.....	202	0.34
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	308	0.53
99 = LEGITIMATE SKIP.....	10950	18.68

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of marijuana or any cannabis product?

(DPMJACTV)

UDMJSTOPACT

Len : 2 LESS ACTIVITIES B/C OF MARIJUANA USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	894	1.52
2 = No.....	10688	18.23
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	16	0.03
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	288	0.49

SUBSTANCE USE DISORDER

Sometimes people who use marijuana or any cannabis product have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of marijuana or any cannabis product?

(DPMJSERI)

UDMJWORKPRB

Len : 2 MARIJUANA CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	538	0.92
2 = No.....	11047	18.84
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	13	0.02
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	288	0.49

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of marijuana or any cannabis product?

(DPMJARGU)

UDMJFMLYPRB

Len : 2 MARIJUANA CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	602	1.03
2 = No.....	10983	18.73
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	32	0.05
98 = BLANK (NO ANSWER)	288	0.49

Did you continue to use marijuana or any cannabis product even though it often caused arguments or problems with family or friends?

(DPMJACNT)

UDMJFMLYCTD

Len : 2 CONTD MARIJUANA USE DESPITE MJ CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	491	0.84
2 = No.....	110	0.19
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	32	0.05
98 = BLANK (NO ANSWER)	299	0.51
99 = LEGITIMATE SKIP.....	10983	18.73

During the past 12 months, did you repeatedly get into situations where using marijuana or any cannabis product increased your chances of getting physically hurt?

(DPMJHURT)

UDMJGETHURT

Len : 2 MARIJUANA USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	301	0.51
2 = No.....	11286	19.25
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	288	0.49

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using marijuana or any cannabis product.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or any cannabis product for a while?

Feeling irritable or angry

(DPMJWD1)

UDMJWDANGRY Len : 2 FEELING IRRITABLE OR ANGRY-MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	2290	3.91
2 = No.....	9293	15.85
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	14607	24.91
94 = DON'T KNOW.....	14	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	291	0.50

Feeling anxious or nervous

(DPMJWD2)

UDMJWDFLANX Len : 2 FEELING ANXIOUS/NERVOUS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	2599	4.43
2 = No.....	8983	15.32
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	14607	24.91
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	291	0.50

Having trouble sleeping

(DPMJWD3)

UDMJWDSLEEP Len : 2 HAVING TROUBLE SLEEPING - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	2906	4.96
2 = No.....	8672	14.79
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	14607	24.91
94 = DON'T KNOW.....	21	0.04
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	291	0.50

Losing your appetite or losing weight without trying to

(DPMJWD4)

UDMJWDAPPET Len : 2 LOSING APPETITE OR WEIGHT - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1922	3.28
2 = No.....	9659	16.47
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	14607	24.91
94 = DON'T KNOW.....	17	0.03
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	291	0.50

SUBSTANCE USE DISORDER

Feeling like you couldn't sit still

(DPMJWD5)

UDMJWDSITST

Len : 2 COULDN'T SIT STILL - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1302	2.22
2 = No.....	10280	17.53
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	18	0.03
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	291	0.50

Feeling depressed

(DPMJWD6)

UDMJWDDEPRS

Len : 2 FEELING DEPRESSED - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1937	3.30
2 = No.....	9642	16.44
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	20	0.03
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	291	0.50

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or any cannabis product for a while?

Stomach ache

(DPMJWD7)

UDMJWDSTMCH

Len : 2 STOMACH ACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	914	1.56
2 = No.....	10668	18.19
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	15	0.03
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	292	0.50

Shaking or tremors

(DPMJWD8)

UDMJWDSHAKE

Len : 2 SHAKING OR TREMORS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	454	0.77
2 = No.....	11128	18.98
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	14	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	292	0.50

SUBSTANCE USE DISORDER

Sweating

(DPMJWD9)

[UDMJWDSWEAT](#)

Len : 2 SWEATING - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	656	1.12
2 = No.....	10928	18.64
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	13	0.02
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	292	0.50

Fever

(DPMJWD10)

[UDMJWDFEVER](#)

Len : 2 FEVER - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	216	0.37
2 = No.....	11367	19.39
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	15	0.03
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	292	0.50

Chills

(DPMJWD11)

[UDMJWDCHILL](#)

Len : 2 CHILLS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	449	0.77
2 = No.....	11133	18.99
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	14	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	292	0.50

Headache

(DPMJWD12)

[UDMJWDHEDAC](#)

Len : 2 HEADACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1258	2.15
2 = No.....	10320	17.60
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW	17	0.03
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	292	0.50

SUBSTANCE USE DISORDER

During the past 12 months, did you use marijuana, any cannabis product, or another drug to get over or avoid having marijuana or any cannabis product withdrawal symptoms?

(DPMJOVER)

UDMJAVOIDWD Len : 2 USE MJ/DRG TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	772	1.32
2 = No.....	10815	18.45
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	293	0.50

Which of the following did you use to get over or avoid having marijuana or any cannabis product withdrawal symptoms during the past 12 months?

Marijuana or any cannabis product

(DPMJUSE_1)

UDMJAVWMARJ Len : 2 USED MARIJUANA TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	649	1.11
2 = No.....	123	0.21
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	10815	18.45

Something else

(DPMJUSE_2)

UDMJAVWOTHRE Len : 2 USED SOMETHING ELSE TO GET OVR/AVD MJ WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	189	0.32
2 = No.....	577	0.98
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn.....	46	0.08
91 = NEVER USED MARIJUANA	32064	54.69
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS.....	14607	24.91
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	303	0.52
99 = LEGITIMATE SKIP.....	10815	18.45

Think about your use of cocaine, including the form of cocaine called 'crack,' during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using cocaine, feeling its effects, or getting over the effects of cocaine?

(DPCCFEEL)

UDCCTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF COCAINE PST 12MOS

	Freq	Pct
1 = Yes.....	144	0.25
2 = No.....	827	1.41
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	58	0.10

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get cocaine?

(DPCCGET)

UDCCTIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING COCAINE PST 12 MOS

	Freq	Pct
1 = Yes.....	9	0.02
2 = No.....	818	1.40
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5706	9.73
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	58	0.10
99 = LEGITIMATE SKIP.....	144	0.25

During the past 12 months, were there many times when you ended up using cocaine in larger amounts or for a longer time than you meant to?

(DPCCLRGR)

UDCCLRGAMTS

Len : 2 USED COC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	208	0.35
2 = No.....	761	1.30
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	59	0.10

During the past 12 months, were there times when you wanted to use cocaine so badly that you couldn't think of anything else?

(DPCCBDLY)

UDCCWANTBAD

Len : 2 WANTED TO USE COCAINE SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	118	0.20
2 = No.....	852	1.45
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	59	0.10

During the past 12 months, were there times when you had a strong urge to use cocaine?

(DPCCURGE)

UDCCSTRURGE

Len : 2 STRONG URGE TO USE COCAINE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	137	0.23
2 = No.....	714	1.22
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	59	0.10
99 = LEGITIMATE SKIP.....	118	0.20

SUBSTANCE USE DISORDER

Do you need to use a lot more cocaine than you used to in order to get the feeling you want?

(DPCCMORE)

UDCCNEEDMOR

Len : 2 NEEDED A LOT MORE COCAINE TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	111	0.19
2 = No.....	856	1.46
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	60	0.10

Does using the same amount of cocaine have much less effect on you than it used to?

(DPCCLESS)

UDCCLESSEFF

Len : 2 SAME AMT COCAINE HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	54	0.09
2 = No.....	796	1.36
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
94 = DON'T KNOW.....	9	0.02
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	60	0.10
99 = LEGITIMATE SKIP.....	111	0.19

During the past 12 months, did you try to cut down or try to stop using cocaine?

(DPCCSTOP)

UDCCTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP COCAINE USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	325	0.55
2 = No.....	643	1.10
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	60	0.10

Some people who use cocaine try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using cocaine?

(DPCCCANT)

UDCCNOTSTOP

Len : 2 UNABLE TO CUT/STOP COCAINE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	109	0.19
2 = No.....	215	0.37
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5706	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	62	0.11
99 = LEGITIMATE SKIP.....	643	1.10

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using cocaine?

(DPCCWISH)

UDCCWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP COCAINE USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	34	0.06
2 = No.....	610	1.04
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	60	0.10
99 = LEGITIMATE SKIP.....	325	0.55

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using cocaine?

(DPCCPHYS)

UDCCHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS

	Freq	Pct
1 = Yes.....	79	0.13
2 = No.....	890	1.52
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	60	0.10

Did you continue to use cocaine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPCCPCNT)

UDCCHLTHCTD

Len : 2 CONTD TO USE COCAINE DESPITE COCAINE CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	54	0.09
2 = No.....	25	0.04
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	62	0.11
99 = LEGITIMATE SKIP.....	890	1.52

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using cocaine?

(DPCCMNTL)

UDCCMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY COCAINE PAST 12 MOS

	Freq	Pct
1 = Yes.....	81	0.14
2 = No.....	834	1.42
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5706	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	60	0.10
99 = LEGITIMATE SKIP.....	54	0.09

SUBSTANCE USE DISORDER

Did you continue to use cocaine even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPCCMCNT)

UDCCMNTLCTD

Len : 2 CONTD COCAINE USE DESPITE COC CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	49	0.08
2 = No.....	32	0.05
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5706	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	62	0.11
99 = LEGITIMATE SKIP.....	888	1.51

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of cocaine?

(DPCCACTV)

UDCCSTOPACT

Len : 2 LESS ACTIVITIES B/C OF COCAINE USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	117	0.20
2 = No.....	852	1.45
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	60	0.10

Sometimes people who use cocaine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of cocaine?

(DPCCSERI)

UDCCWORKPRB

Len : 2 COCAINE CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	98	0.17
2 = No.....	872	1.49
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	60	0.10

SUBSTANCE USE DISORDER

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of cocaine?

(DPCCARGU)

UDCCFMYPRB

Len : 2 COCAINE CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	106	0.18
2 = No.....	863	1.47
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	61	0.10

Did you continue to use cocaine even though it often caused arguments or problems with family or friends?

(DPCCACNT)

UDCCFMYCTD

Len : 2 CONTD COCAINE USE DESPITE COC CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	76	0.13
2 = No.....	30	0.05
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5706	9.73
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	62	0.11
99 = LEGITIMATE SKIP.....	863	1.47

During the past 12 months, did you repeatedly get into situations where using cocaine increased your chances of getting physically hurt?

(DPCCHURT)

UDCCGETHURT

Len : 2 COCAINE USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	79	0.13
2 = No.....	889	1.52
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	61	0.10

People may experience withdrawal symptoms when they use less or stop using cocaine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using cocaine for a while?

(DPCCBLUE)

UDCCWDFBLU

Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING COCAINE

	Freq	Pct
1 = Yes.....	141	0.24
2 = No.....	827	1.41
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE.....	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	61	0.10

SUBSTANCE USE DISORDER

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using cocaine for a while?

Feeling tired or exhausted

(DPCCWD_1)

[UDCCWDTIRED](#)

Len : 2 FEELING TIRED/EXHAUSTED - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	101	0.17
2 = No.....	40	0.07
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP.....	827	1.41

Having bad dreams

(DPCCWD_2)

[UDCCWDDREAM](#)

Len : 2 HAVING BAD DREAMS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	65	0.11
2 = No.....	76	0.13
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP.....	827	1.41

Having trouble sleeping or sleeping more than you normally do

(DPCCWD_3)

[UDCCWDSLEEP](#)

Len : 2 TROUBLE/MORE SLEEPING - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	108	0.18
2 = No.....	33	0.06
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP.....	827	1.41

Feeling hungry more often

(DPCCWD_4)

[UDCCWDHNGRY](#)

Len : 2 FEELING HUNGRY - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	68	0.12
2 = No.....	73	0.12
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP.....	827	1.41

SUBSTANCE USE DISORDER

Feeling either very slowed down or like you couldn't sit still

(DPCCWD_5)

UDCCWDSITST

Len : 2 SLOWED DOWN/RESTLESS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	82	0.14
2 = No.....	59	0.10
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP.....	827	1.41

During the past 12 months, did you use cocaine or another drug to get over or avoid having cocaine withdrawal symptoms?

(DPCCOVER)

UDCCAVOIDWD

Len : 2 USE COC/OTH DRUG TO GET OVER/AVOID COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	69	0.12
2 = No.....	897	1.53
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	61	0.10

Which of the following did you use to get over or avoid having cocaine withdrawal symptoms during the past 12 months?

Cocaine

(DPCCUSE_1)

UDCCAVWCOCN

Len : 2 USED COCAINE TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	40	0.07
2 = No.....	27	0.05
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP.....	897	1.53

Methamphetamine

(DPCCUSE_2)

UDCCAVWMETH

Len : 2 USED METH TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	22	0.04
2 = No.....	45	0.08
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP.....	897	1.53

SUBSTANCE USE DISORDER

Prescription stimulants or uppers

(DPCCUSE_3)

UDCCAVWSTIM

Len : 2 USED STM TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	18	0.03
2 = No.....	49	0.08
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP.....	897	1.53

Something else

(DPCCUSE_4)

UDCCAVWOTHR

Len : 2 USED SOMETHING ELSE TO GET OVR/AVD COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	41	0.07
2 = No.....	26	0.04
83 = DID NOT USE COCAINE PST 12 MOS Log assn.....	1	0.00
91 = NEVER USED COCAINE	51886	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5705	9.73
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP.....	897	1.53

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using heroin, feeling its effects, or getting over the effects of heroin?

(DPHEFEEL)

UDHETIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HEROIN PST 12 MOS

	Freq	Pct
1 = Yes.....	85	0.14
2 = No.....	70	0.12
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06

During the past 12 months, did you spend a great deal of your time getting or trying to get heroin?

(DPHEGET)

UDHETIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING HEROIN PST 12 MOS

	Freq	Pct
1 = Yes.....	8	0.01
2 = No.....	61	0.10
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	39	0.07
99 = LEGITIMATE SKIP.....	85	0.14

SUBSTANCE USE DISORDER

During the past 12 months, were there many times when you ended up using heroin in larger amounts or for a longer time than you meant to?

(DPHELGR)

UDHELRGAMTS

Len : 2 USED HER LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	85	0.14
2 = No.....	70	0.12
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06

During the past 12 months, were there times when you wanted to use heroin so badly that you couldn't think of anything else?

(DPHEBDLY)

UDHEWANTBAD

Len : 2 WANTED TO USE HEROIN SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	93	0.16
2 = No.....	62	0.11
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06

During the past 12 months, were there times when you had a strong urge to use heroin?

(DPHEURGE)

UDHESTRURGE

Len : 2 STRONG URGE TO USE HEROIN IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	14	0.02
2 = No.....	47	0.08
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06
99 = LEGITIMATE SKIP.....	93	0.16

Do you need to use a lot more heroin than you used to in order to get the feeling you want?

(DPHEMORE)

UDHENEEDMOR

Len : 2 NEEDED A LOT MORE HEROIN TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	83	0.14
2 = No.....	71	0.12
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06

Does using the same amount of heroin have much less effect on you than it used to?

(DPHELESS)

UDHELESSEFF

Len : 2 SAME AMT HEROIN HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	16	0.03
2 = No.....	56	0.10
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06
99 = LEGITIMATE SKIP.....	83	0.14

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using heroin?

(DPHESTOP)

UDHETRYSTOP

Len : 2 TRY TO CUT DOWN/STOP HEROIN USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	95	0.16
2 = No.....	60	0.10
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06

Some people who use heroin try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using heroin?

(DPHECANT)

UDHENOTSTOP

Len : 2 UNABLE TO CUT/STOP HEROIN USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	74	0.13
2 = No.....	21	0.04
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	39	0.07
99 = LEGITIMATE SKIP.....	60	0.10

In the past 12 months, did you often wish that you could cut down or stop using heroin?

(DPHEWISH)

UDHEWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP HEROIN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	43	0.07
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	39	0.07
99 = LEGITIMATE SKIP.....	95	0.16

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using heroin?

(DPHEPHYSS)

UDHEHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HEROIN PST 12MOS

	Freq	Pct
1 = Yes.....	59	0.10
2 = No.....	96	0.16
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	38	0.06

Did you continue to use heroin even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPHEPCNT)

UDHEHLTHCTD

Len : 2 CONTD TO USE HEROIN DESPITE HEROIN CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	53	0.09
2 = No.....	6	0.01
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	40	0.07
99 = LEGITIMATE SKIP.....	96	0.16

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using heroin?

(DPHEMNTL)

UDHEMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HEROIN PAST 12 MOS

	Freq	Pct
1 = Yes.....	23	0.04
2 = No.....	78	0.13
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	39	0.07
99 = LEGITIMATE SKIP.....	53	0.09

Did you continue to use heroin even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPHEMCNT)

UDHEMNTLCTD

Len : 2 CONTD HEROIN USE DESPITE HEROIN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	16	0.03
2 = No.....	7	0.01
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	41	0.07
99 = LEGITIMATE SKIP.....	131	0.22

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of heroin?

(DPHEACTV)

UDHESTOPACT

Len : 2 LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	85	0.14
2 = No.....	69	0.12
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	39	0.07

SUBSTANCE USE DISORDER

Sometimes people who use heroin have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of heroin?

(DPHESERI)

UDHEWORKPRB Len : 2 HEROIN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	75	0.13
2 = No.....	79	0.13
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of heroin?

(DPHEARGU)

UDHEFMLYPRB Len : 2 HEROIN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	79	0.13
2 = No.....	75	0.13
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

Did you continue to use heroin even though it often caused arguments or problems with family or friends?

(DPHEACNT)

UDHEFMLYCTD Len : 2 CONTD HEROIN DESPITE HEROIN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	73	0.12
2 = No.....	6	0.01
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	41	0.07
99 = LEGITIMATE SKIP.....	75	0.13

During the past 12 months, did you repeatedly get into situations where using heroin increased your chances of getting physically hurt?

(DPHEHURT)

UDHEGETHURT Len : 2 HEROIN INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	69	0.12
2 = No.....	85	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using heroin.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using heroin for a while?

Feeling kind of blue or down

(DPHEWD_1)

[UDHEWDFLBU](#)

Len : 2 FEELING BLUE/DOWN - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	109	0.19
2 = No.....	44	0.08
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	39	0.07

Vomiting or feeling nauseous

(DPHEWD_2)

[UDHEWDVOMIT](#)

Len : 2 VOMITING/NAUSEOUS - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	90	0.15
2 = No.....	63	0.11
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	39	0.07

Having cramps or muscle aches

(DPHEWD_3)

[UDHEWDCRAMP](#)

Len : 2 HAVING MUSCLE CRAMPS/ACHES-HER WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	103	0.18
2 = No.....	51	0.09
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	39	0.07

Having teary eyes or a runny nose

(DPHEWD_4)

[UDHEWDRUNNY](#)

Len : 2 TEARY EYES/RUNNY NOSE - HER WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	102	0.17
2 = No.....	51	0.09
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	39	0.07

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

(DPHEWD_5)

[UDHEWDSWEAT](#)

Len : 2 SWEATY/LRG PUPILS/HAIR STNDING UP-HER W/DRWAL SYM PST 12 MOS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	47	0.08
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	39	0.07

SUBSTANCE USE DISORDER

Having diarrhea

(DPHEWD_6)
UDHEWDDIARR

Len : 2 HAVING DIARRHEA - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	89	0.15
2 = No.....	64	0.11
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

Yawning

(DPHEWD_7)
UDHEWDYAWNS

Len : 2 YAWNING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	102	0.17
2 = No.....	52	0.09
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

Having a fever

(DPHEWD_8)
UDHEWDFEVER

Len : 2 HAVING FEVER - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	68	0.12
2 = No.....	84	0.14
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

Having trouble sleeping

(DPHEWD_9)
UDHEWDSLEEP

Len : 2 HAVING TRBL SLEEPING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	104	0.18
2 = No.....	49	0.08
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

During the past 12 months, did you use heroin or another drug to get over or avoid having heroin withdrawal symptoms?

(DPHEOVER)
UDHEAVOIDWD

Len : 2 USE HEROIN TO GET OVER/AVOID HEROIN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	84	0.14
2 = No.....	70	0.12
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	39	0.07

SUBSTANCE USE DISORDER

Which of the following did you use to get over or avoid having heroin withdrawal symptoms during the past 12 months?

Heroin

(DPHEUSE_1)

UDHEAVWHERE

Len : 2 USED HEROIN TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	71	0.12
2 = No.....	13	0.02
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	41	0.07
99 = LEGITIMATE SKIP.....	70	0.12

Prescription pain relievers

(DPHEUSE_2)

UDHEAVWPRL

Len : 2 USED PN RLVR TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	48	0.08
2 = No.....	23	0.04
3 = Yes LOGICALLY ASSIGNED.....	12	0.02
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	41	0.07
99 = LEGITIMATE SKIP.....	70	0.12

Something else

(DPHEUSE_3)

UDHEAVWOTHR

Len : 2 USED SOMETHING ELSE TO GET OVR/AVD HER WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	52	0.09
2 = No.....	31	0.05
91 = NEVER USED HEROIN.....	57413	97.92
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	1024	1.75
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	41	0.07
99 = LEGITIMATE SKIP.....	70	0.12

Think about your use of hallucinogens, such as LSD, 'acid,' PCP, 'Ecstasy' or 'Molly,' psilocybin or mushrooms, mescaline, or peyote, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using hallucinogens, feeling their effects, or getting over the effects of hallucinogens?

(DPHAFEEL)

UDHATIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HAL PST 12 MOS

	Freq	Pct
1 = Yes.....	73	0.12
2 = No.....	2425	4.14
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS.....	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	532	0.91

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get hallucinogens?

(DPHAGET)

UDHATIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING HAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	2408	4.11
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	532	0.91
99 = LEGITIMATE SKIP.....	73	0.12

During the past 12 months, were there many times when you ended up using hallucinogens in larger amounts or for a longer time than you meant to?

(DPHALRGR)

UDHALRGAMTS

Len : 2 USED HAL LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	88	0.15
2 = No.....	2411	4.11
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	532	0.91

During the past 12 months, were there times when you wanted to use hallucinogens so badly that you couldn't think of anything else?

(DPHABDLY)

UDHAWANTBAD

Len : 2 WANTED TO USE HALLUC SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	66	0.11
2 = No.....	2433	4.15
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	532	0.91

During the past 12 months, were there times when you had a strong urge to use hallucinogens?

(DPHAURGE)

UDHASTRURGE

Len : 2 STRONG URGE TO USE HALLUC IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	180	0.31
2 = No.....	2252	3.84
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	532	0.91
99 = LEGITIMATE SKIP.....	66	0.11

SUBSTANCE USE DISORDER

Do you need to use a lot more hallucinogens than you used to in order to get the feeling you want?

(DPHAMORE)

UDHANEEDMOR Len : 2 NEEDED A LOT MORE HALLUC TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	61	0.10
2 = No.....	2436	4.15
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	4	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	532	0.91

Does using the same amount of hallucinogens have much less effect on you than it used to?

(DPHALESS)

UDHALESSEFF Len : 2 SAME AMT HALLUC HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	60	0.10
2 = No.....	2373	4.05
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	7	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	532	0.91
99 = LEGITIMATE SKIP.....	61	0.10

During the past 12 months, did you try to cut down or try to stop using hallucinogens?

(DPHASTOP)

UDHATRYSTOP Len : 2 TRY TO CUT DOWN/STOP HALLUC USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	221	0.38
2 = No.....	2272	3.87
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	4	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	533	0.91

Some people who use hallucinogens try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using hallucinogens?

(DPHACANT)

UDHANOTSTOP Len : 2 UNABLE TO CUT/STOP HALLUC MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	25	0.04
2 = No.....	196	0.33
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	539	0.92
99 = LEGITIMATE SKIP.....	2272	3.87

SUBSTANCE USE DISORDER

In the past 12 months, did you often wish that you could cut down or stop using hallucinogens?

(DPHAWISH)

UDHAWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP HALLUC PAST 12 MOS

	Freq	Pct
1 = Yes.....	16	0.03
2 = No.....	2254	3.84
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	3	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	534	0.91
99 = LEGITIMATE SKIP.....	221	0.38

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using hallucinogens?

(DPHAPHYS)

UDHAHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HAL PST 12 MOS

	Freq	Pct
1 = Yes.....	26	0.04
2 = No.....	2471	4.21
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	534	0.91

Did you continue to use hallucinogens even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPHAPCNT)

UDHAHLTHCTD

Len : 2 CONTD TO USE HALLUC DESPITE HALLUC CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	9	0.02
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	537	0.92
99 = LEGITIMATE SKIP.....	2471	4.21

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using hallucinogens?

(DPHAMNTL)

UDHAMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HALLUC PAST 12 MOS

	Freq	Pct
1 = Yes.....	49	0.08
2 = No.....	2427	4.14
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	534	0.91
99 = LEGITIMATE SKIP.....	17	0.03

SUBSTANCE USE DISORDER

Did you continue to use hallucinogens even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPHAMCNT)

UDHAMNTLCTD

Len : 2 CONTD HALLUC USE DESPITE HAL CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	19	0.03
2 = No.....	30	0.05
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	540	0.92
99 = LEGITIMATE SKIP.....	2444	4.17

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of hallucinogens?

(DPHAACTV)

UDHASTOPACT

Len : 2 LESS ACTIVITIES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	45	0.08
2 = No.....	2451	4.18
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	534	0.91

Sometimes people who use hallucinogens have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of hallucinogens?

(DPHASERI)

UDHAWORKPRB

Len : 2 HALLUC CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	36	0.06
2 = No.....	2461	4.20
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	534	0.91

SUBSTANCE USE DISORDER

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of hallucinogens?

(DPHAARGU)

UDHAFMLYPRB

Len : 2 HALLUC CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	41	0.07
2 = No.....	2456	4.19
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	534	0.91

Did you continue to use hallucinogens even though they often caused arguments or problems with family or friends?

(DPHAACNT)

UDHAFMLYCTD

Len : 2 CONTD HALLUC USE DESPITE HAL CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	29	0.05
2 = No.....	12	0.02
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	537	0.92
99 = LEGITIMATE SKIP.....	2456	4.19

During the past 12 months, did you repeatedly get into situations where using hallucinogens increased your chances of getting physically hurt?

(DPHAHURT)

UDHAGETHURT

Len : 2 HALLUC USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	48	0.08
2 = No.....	2447	4.17
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED HALLUCINOGENS	48639	82.95
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6956	11.86
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	534	0.91

Think about your use of inhalants, such as amyl nitrite, 'poppers,' nitrous oxide, gasoline or lighter fluids, glue, spray paints, or correction fluids, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using inhalants, feeling their effects, or getting over the effects of inhalants?

(DPINFEEL)

UDINTIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF INH PST 12 MOS

	Freq	Pct
1 = Yes.....	40	0.07
2 = No.....	910	1.55
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	385	0.66

SUBSTANCE USE DISORDER

During the past 12 months, did you spend a great deal of your time getting or trying to get inhalants?

(DPINGET)

UDINTIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING INH IN PST 12 MOS

	Freq	Pct
1 = Yes.....	6	0.01
2 = No.....	905	1.54
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	386	0.66
99 = LEGITIMATE SKIP	40	0.07

During the past 12 months, were there many times when you ended up using inhalants in larger amounts or for a longer time than you meant to?

(DPINLRGR)

UDINLRGAMTS

Len : 2 USED INH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	64	0.11
2 = No.....	887	1.51
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	385	0.66

During the past 12 months, were there times when you wanted to use inhalants so badly that you couldn't think of anything else?

(DPINBDLY)

UDINWANTBAD

Len : 2 WANTED TO USE INHALANTS SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	35	0.06
2 = No.....	917	1.56
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	385	0.66

During the past 12 months, were there times when you had a strong urge to use inhalants?

(DPINURGE)

UDINSTRURGE

Len : 2 STRONG URGE TO USE INHALANTS IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	77	0.13
2 = No.....	839	1.43
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	386	0.66
99 = LEGITIMATE SKIP	35	0.06

Do you need to use a lot more inhalants than you used to in order to get the feeling you want?

(DPINMORE)

UDINNEEDMOR

Len : 2 NEEDED A LOT MORE INHALANTS TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	53	0.09
2 = No.....	895	1.53
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	385	0.66

SUBSTANCE USE DISORDER

Does using the same amount of inhalants have much less effect on you than it used to?

(DPINLESS)

UDINLESSEFF

Len : 2 SAME AMT INHALANTS HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	38	0.06
2 = No.....	834	1.42
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	26	0.04
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	386	0.66
99 = LEGITIMATE SKIP.....	53	0.09

During the past 12 months, did you try to cut down or try to stop using inhalants?

(DPINSTOP)

UDINTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP INHALANT USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	200	0.34
2 = No.....	717	1.22
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	31	0.05
97 = REFUSED.....	12	0.02
98 = BLANK (NO ANSWER).....	385	0.66

Some people who use inhalants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using inhalants?

(DPINCANT)

UDINNOTSTOP

Len : 2 UNABLE TO CUT/STOP INH USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	34	0.06
2 = No.....	160	0.27
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	13	0.02
98 = BLANK (NO ANSWER).....	416	0.71
99 = LEGITIMATE SKIP.....	717	1.22

In the past 12 months, did you often wish that you could cut down or stop using inhalants?

(DPINWISH)

UDINWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP INH USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	29	0.05
2 = No.....	689	1.18
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	29	0.05
97 = REFUSED.....	13	0.02
98 = BLANK (NO ANSWER).....	386	0.66
99 = LEGITIMATE SKIP.....	200	0.34

SUBSTANCE USE DISORDER

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using inhalants?

(DPINPHYS)

UDINHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS

	Freq	Pct
1 = Yes.....	33	0.06
2 = No.....	916	1.56
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	7	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	385	0.66

Did you continue to use inhalants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPINPCNT)

UDINHLTHCTD

Len : 2 CONTD TO USE INHALANTS DESPITE INH CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	23	0.04
2 = No.....	10	0.02
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	392	0.67
99 = LEGITIMATE SKIP.....	916	1.56

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using inhalants?

(DPINMNTL)

UDINMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY INH PAST 12 MOS

	Freq	Pct
1 = Yes.....	12	0.02
2 = No.....	909	1.55
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	9	0.02
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	386	0.66
99 = LEGITIMATE SKIP.....	23	0.04

Did you continue to use inhalants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPINMCNT)

UDINMNTLCTD

Len : 2 CONTD INH USE DESPITE INH CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	7	0.01
2 = No.....	5	0.01
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	395	0.67
99 = LEGITIMATE SKIP.....	932	1.59

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of inhalants?

(DPINACTV)

UDINSTOPACT

Len : 2 LESS ACTIVITIES B/C OF INHALANT USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	31	0.05
2 = No.....	919	1.57
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	5	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	385	0.66

Sometimes people who use inhalants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of inhalants?

(DPINSERI)

UDINWORKPRB

Len : 2 INHALANTS CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	22	0.04
2 = No.....	927	1.58
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	6	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	385	0.66

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of inhalants?

(DPINARGU)

UDINFMLYPRB

Len : 2 INHALANTS CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	25	0.04
2 = No.....	924	1.58
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	5582	9.52
94 = DON'T KNOW	3	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	385	0.66

SUBSTANCE USE DISORDER

Did you continue to use inhalants even though they often caused arguments or problems with family or friends?

(DPINACNT)

UDINFMLYCTD

Len : 2 CONTD INHALANT USE DESPITE INH CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	16	0.03
2 = No.....	9	0.02
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	389	0.66
99 = LEGITIMATE SKIP.....	924	1.58

During the past 12 months, did you repeatedly get into situations where using inhalants increased your chances of getting physically hurt?

(DPINHURT)

UDINGETHURT

Len : 2 INHALANT USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	23	0.04
2 = No.....	925	1.58
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED INHALANTS.....	51705	88.18
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5582	9.52
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	385	0.66

Think about your use of methamphetamine during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using methamphetamine, feeling its effects, or getting over the effects of methamphetamine?

(DPMEFEEL)

UDMETIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF METH PST 12 MOS

	Freq	Pct
1 = Yes.....	279	0.48
2 = No.....	267	0.46
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	89	0.15

During the past 12 months, did you spend a great deal of your time getting or trying to get methamphetamine?

(DPMEGET)

UDMETIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING METH IN PST 12 MOS

	Freq	Pct
1 = Yes.....	14	0.02
2 = No.....	252	0.43
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	89	0.15
99 = LEGITIMATE SKIP.....	279	0.48

SUBSTANCE USE DISORDER

During the past 12 months, were there many times when you ended up using methamphetamine in larger amounts or for a longer time than you meant to?

(DPMELRGR)

UDMELRGAMTS

Len : 2 USED METH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MO

	Freq	Pct
1 = Yes.....	264	0.45
2 = No.....	283	0.48
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	89	0.15

During the past 12 months, were there times when you wanted to use methamphetamine so badly that you couldn't think of anything else?

(DPMEBDLY)

UDMEWANTBAD

Len : 2 WANTED TO USE METH SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	213	0.36
2 = No.....	334	0.57
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	89	0.15

During the past 12 months, were there times when you had a strong urge to use methamphetamine?

(DPMEURGE)

UDMESTRURGE

Len : 2 STRONG URGE TO USE METH IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	108	0.18
2 = No.....	227	0.39
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	89	0.15
99 = LEGITIMATE SKIP.....	213	0.36

Do you need to use a lot more methamphetamine than you used to in order to get the feeling you want?

(DPMEMORE)

UDMENEEDMOR

Len : 2 NEEDED A LOT MORE METH TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	216	0.37
2 = No.....	331	0.56
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	89	0.15

Does using the same amount of methamphetamine have much less effect on you than it used to?

(DPMELESS)

UDMELESSEFF

Len : 2 SAME AMT METH HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	52	0.09
2 = No.....	279	0.48
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	89	0.15
99 = LEGITIMATE SKIP.....	216	0.37

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using methamphetamine?

(DPMESTOP)

UDMETRYSTOP

Len : 2 TRY TO CUT DOWN/STOP METH USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	303	0.52
2 = No.....	244	0.42
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	89	0.15

Some people who use methamphetamine try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using methamphetamine?

(DPMECANT)

UDMENOTSTOP

Len : 2 UNABLE TO CUT/STOP METH MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	180	0.31
2 = No.....	121	0.21
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	90	0.15
99 = LEGITIMATE SKIP.....	244	0.42

In the past 12 months, did you often wish that you could cut down or stop using methamphetamine?

(DPMEWISH)

UDMEWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP METH USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	57	0.10
2 = No.....	185	0.32
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	90	0.15
99 = LEGITIMATE SKIP.....	303	0.52

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using methamphetamine?

(DPMEPHYS)

UDMEHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY METH PST 12 MOS

	Freq	Pct
1 = Yes.....	152	0.26
2 = No.....	394	0.67
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	90	0.15

SUBSTANCE USE DISORDER

Did you continue to use methamphetamine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPMEPCNT)

UDMEHLTHCTD

Len : 2 CONTD TO USE METH DESPITE METH CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	129	0.22
2 = No.....	23	0.04
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	91	0.16
99 = LEGITIMATE SKIP.....	394	0.67

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using methamphetamine?

(DPMEMNTL)

UDMEMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY METH PAST 12 MOS

	Freq	Pct
1 = Yes.....	82	0.14
2 = No.....	335	0.57
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	90	0.15
99 = LEGITIMATE SKIP.....	129	0.22

Did you continue to use methamphetamine even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPMEMCNT)

UDMEMNTLCTD

Len : 2 CONTD METH USE DESPITE METH CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	66	0.11
2 = No.....	15	0.03
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	464	0.79

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of methamphetamine?

(DPMEACTV)

UDMESTOPACT

Len : 2 LESS ACTIVITIES B/C OF METH USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	230	0.39
2 = No.....	316	0.54
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	90	0.15

SUBSTANCE USE DISORDER

Sometimes people who use methamphetamine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of methamphetamine?

(DPMESERI)

UDMEWORKPRB Len : 2 METH CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	190	0.32
2 = No.....	355	0.61
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	90	0.15

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of methamphetamine?

(DPMEARGU)

UDMEFMLYPRB Len : 2 METH CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	205	0.35
2 = No.....	340	0.58
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	90	0.15

Did you continue to use methamphetamine even though it often caused arguments or problems with family or friends?

(DPMEACNT)

UDMEFMLYCTD Len : 2 CONTD METH USE DESPITE METH CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	190	0.32
2 = No.....	15	0.03
91 = NEVER USED METHAMPHETAMINE.....	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	91	0.16
99 = LEGITIMATE SKIP.....	340	0.58

During the past 12 months, did you repeatedly get into situations where using methamphetamine increased your chances of getting physically hurt?

(DPMEHURT)

UDMEGETHURT Len : 2 METH INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	148	0.25
2 = No.....	397	0.68
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE.....	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	90	0.15

SUBSTANCE USE DISORDER

People may experience withdrawal symptoms when they use less or stop using methamphetamine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using methamphetamine for a while?

(DPMEBLUE)

UDMEWDFLBU

Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING METH

	Freq	Pct
1 = Yes.....	254	0.43
2 = No.....	291	0.50
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	90	0.15

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using methamphetamine for a while?

Feeling tired or exhausted

(DPMEWD_1)

UDMEWDTIRED

Len : 2 FEELING TIRED/EXHAUSTED - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	246	0.42
2 = No.....	7	0.01
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	291	0.50

Having bad dreams

(DPMEWD_2)

UDMEWDDREAM

Len : 2 HAVING BAD DREAMS - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	155	0.26
2 = No.....	98	0.17
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	291	0.50

Having trouble sleeping or sleeping more than you normally do

(DPMEWD_3)

UDMEWDSLEEP

Len : 2 TROUBLE/MORE SLEEP - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	230	0.39
2 = No.....	23	0.04
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	291	0.50

Feeling hungry more often

(DPMEWD_4)

UDMEWDHNGRY

Len : 2 FEELING HUNGRY - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	192	0.33
2 = No.....	61	0.10
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	291	0.50

SUBSTANCE USE DISORDER

Feeling either very slowed down or like you couldn't sit still

(DPMEWD_5)

UDMEWDSITST

Len : 2 FEELING SLOWED DOWN/RESTLESS -MTH W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	207	0.35
2 = No.....	46	0.08
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	291	0.50

During the past 12 months, did you use methamphetamine or another drug to get over or avoid having methamphetamine withdrawal symptoms?

(DPMEOVER)

UDMEAVOIDWD

Len : 2 USE METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	151	0.26
2 = No.....	393	0.67
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	91	0.16

Which of the following did you use to get over or avoid having methamphetamine withdrawal symptoms during the past 12 months?

Methamphetamine

(DPMEUSE_1)

UDMEAVWMETH

Len : 2 USED METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	126	0.21
2 = No.....	25	0.04
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	393	0.67

Cocaine or crack

(DPMEUSE_2)

UDMEAVWCOCN

Len : 2 USED COC/CRK TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	26	0.04
2 = No.....	125	0.21
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	393	0.67

Prescription stimulants or uppers

(DPMEUSE_3)

UDMEAVWSTIM

Len : 2 USED STM TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	31	0.05
2 = No.....	119	0.20
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
94 = DON'T KNOW	1	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	393	0.67

SUBSTANCE USE DISORDER

Something else

(DPMEUSE_4)

UDMEAVWOTHR Len : 2 USED SOMTHING ELSE TO GET OVR/AVD METH WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	60	0.10
2 = No.....	90	0.15
91 = NEVER USED METHAMPHETAMINE	55922	95.38
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	2064	3.52
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP.....	393	0.67

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription pain relievers, feeling their effects, or getting over the effects of any prescription pain relievers?

(DPPRFEEL)

UDPRTIMEUSE2 Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF PN RLVR PST 12 MO

	Freq	Pct
1 = Yes.....	783	1.34
2 = No.....	10797	18.41
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14300	24.39
94 = DON'T KNOW.....	73	0.12
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	455	0.78

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription pain relievers?

(DPPRGET)

UDPRTIMEGET2 Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING PR IN PST 12 MOS

	Freq	Pct
1 = Yes.....	83	0.14
2 = No.....	10754	18.34
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	24	0.04
91 = NEVER USED PAIN RELIEVERS	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14300	24.39
94 = DON'T KNOW.....	38	0.06
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	459	0.78
99 = LEGITIMATE SKIP.....	783	1.34

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, were there many times when you ended up using any prescription pain relievers in larger amounts or for a longer time than you meant to?

(DPPRLRGR)

UDPRLRGAMTS2 Len : 2 USED PR LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	365	0.62
2 = No.....	11249	19.19
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	39	0.07
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	457	0.78

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, were there times when you wanted to use any prescription pain relievers so badly that you couldn't think of anything else?

(DPPRBDLY)

UDPRWANTBAD2 Len : 2 WANTED TO USE PN RLVR SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	349	0.60
2 = No.....	11262	19.21
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	43	0.07
97 = REFUSED.....	19	0.03
98 = BLANK (NO ANSWER).....	459	0.78

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, were there times when you had a strong urge to use any prescription pain relievers?

(DPPRURGE)

UDPRSTRURGE2 Len : 2 STRONG URGE TO USE PN RLVR IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	532	0.91
2 = No.....	10736	18.31
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1240	2.11
85 = BAD DATA LOGICALLY ASSIGNED.....	24	0.04
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14301	24.39
94 = DON'T KNOW.....	34	0.06
97 = REFUSED.....	20	0.03
98 = BLANK (NO ANSWER).....	464	0.79
99 = LEGITIMATE SKIP.....	349	0.60

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Do you need to use a lot more of any prescription pain relievers than you used to in order to get the feeling you want?

(DPPRMORE)

UDPRNEEDMOR2 Len : 2 NEEDED A LOT MORE PN RLVR TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	351	0.60
2 = No.....	11264	19.21
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	34	0.06
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	461	0.79

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Does using the same amount of any prescription pain relievers have much less effect on you than it used to?

(DPPRLESS)

UDPRLESSEFF2 Len : 2 SAME AMT PN RLVR HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	441	0.75
2 = No.....	10750	18.33
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	26	0.04
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	106	0.18
97 = REFUSED.....	23	0.04
98 = BLANK (NO ANSWER).....	462	0.79
99 = LEGITIMATE SKIP.....	351	0.60

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, did you try to cut down or try to stop using any prescription pain relievers?

(DPPRSTOP)

UDPRTRYSTOP2 Len : 2 TRY TO CUT DOWN/STOP PN RLVR IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	1858	3.17
2 = No.....	9637	16.44
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	123	0.21
97 = REFUSED.....	53	0.09
98 = BLANK (NO ANSWER).....	461	0.79

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Some people who use prescription pain relievers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription pain relievers?

(DPPRCANT)

UDPRNOTSTOP2

Len : 2 UNABLE TO CUT/STOP PN RLVR MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	321	0.55
2 = No.....	1528	2.61
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1213	2.07
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14328	24.44
94 = DON'T KNOW.....	7	0.01
97 = REFUSED.....	55	0.09
98 = BLANK (NO ANSWER).....	609	1.04
99 = LEGITIMATE SKIP.....	9637	16.44

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

In the past 12 months, did you often wish that you could cut down or stop using any prescription pain relievers?

(DPPRWISH)

UDPRWSHSTOP2

Len : 2 OFTEN WISH CUT DOWN OR STOP PN RLVR PAST 12 MOS

	Freq	Pct
1 = Yes.....	409	0.70
2 = No.....	9231	15.74
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1238	2.11
85 = BAD DATA LOGICALLY ASSIGNED.....	25	0.04
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14303	24.39
94 = DON'T KNOW.....	109	0.19
97 = REFUSED.....	64	0.11
98 = BLANK (NO ANSWER).....	463	0.79
99 = LEGITIMATE SKIP.....	1858	3.17

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription pain reliever?

(DPPRPHYS)

UDPRHLTHPRB2

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY PR PST 12 MOS

	Freq	Pct
1 = Yes.....	230	0.39
2 = No.....	11348	19.35
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	62	0.11
97 = REFUSED.....	31	0.05
98 = BLANK (NO ANSWER).....	461	0.79

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPPRPCNT)

UDPRHLTHCTD2 Len : 2 CONTD TO USE PN RLVR DESPITE PN RLVR CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	118	0.20
2 = No.....	110	0.19
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1210	2.06
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14331	24.44
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	32	0.05
98 = BLANK (NO ANSWER).....	549	0.94
99 = LEGITIMATE SKIP.....	11348	19.35

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription pain reliever?

(DPPRMNTL)

UDPRMNTLPRB2 Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY PN RLVR PAST 12 MOS

	Freq	Pct
1 = Yes.....	155	0.26
2 = No.....	11316	19.30
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	26	0.04
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	51	0.09
97 = REFUSED.....	29	0.05
98 = BLANK (NO ANSWER).....	464	0.79
99 = LEGITIMATE SKIP.....	118	0.20

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPPRMCNT)

UDPRMNTLCTD2 Len : 2 CONTD PN RLVR USE DESPITE PR CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	65	0.11
2 = No.....	86	0.15
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1210	2.06
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14331	24.44
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	31	0.05
98 = BLANK (NO ANSWER).....	540	0.92
99 = LEGITIMATE SKIP.....	11434	19.50

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription pain relievers?

(DPPRACTV)

[UDPRSTOPACT2](#) Len : 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	360	0.61
2 = No.....	11231	19.15
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	40	0.07
97 = REFUSED.....	36	0.06
98 = BLANK (NO ANSWER).....	465	0.79

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Sometimes people who use prescription pain relievers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription pain relievers?

(DPPRSERI)

[UDPRWORKPRB2](#) Len : 2 PN RLVR CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	209	0.36
2 = No.....	11382	19.41
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	42	0.07
97 = REFUSED.....	33	0.06
98 = BLANK (NO ANSWER).....	466	0.79

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription pain reliever?

(DPPRARGU)

UDPRFMLYPRB2 Len : 2 PN RLVR CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	199	0.34
2 = No.....	11390	19.43
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	43	0.07
97 = REFUSED.....	32	0.05
98 = BLANK (NO ANSWER).....	468	0.80

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Did you continue to use any prescription pain relievers even though they often caused arguments or problems with family or friends?

(DPPRACNT)

UDPRFMLYCTD2 Len : 2 CONTD PN RLVR USE DESPITE PR CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	129	0.22
2 = No.....	69	0.12
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1210	2.06
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14331	24.44
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	32	0.05
98 = BLANK (NO ANSWER).....	537	0.92
99 = LEGITIMATE SKIP.....	11390	19.43

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, did you repeatedly get into situations where using a prescription pain reliever increased your chances of getting physically hurt?

(DPPRHURT)

UDPRGETHURT2 Len : 2 PN RLVR INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	132	0.23
2 = No.....	11463	19.55
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	36	0.06
97 = REFUSED.....	32	0.05
98 = BLANK (NO ANSWER).....	469	0.80

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

People may experience withdrawal symptoms when they use less or stop using prescription pain relievers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription pain relievers for a while?

Feeling kind of blue or down

(DPPRWD_1)

UDPRWDFLBU2 Len : 2 FEELING BLUE/DOWN - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	651	1.11
2 = No.....	10897	18.59
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	63	0.11
97 = REFUSED.....	48	0.08
98 = BLANK (NO ANSWER).....	473	0.81

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Vomiting or feeling nauseous

(DPPRWD_2)

UDPRWDVOMIT2 Len : 2 VOMITING/NAUSEOUS - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	527	0.90
2 = No.....	11042	18.83
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	46	0.08
97 = REFUSED.....	44	0.08
98 = BLANK (NO ANSWER).....	473	0.81

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Having cramps or muscle aches

(DPPRWD_3)

UDPRWDCRAMP2 Len : 2 MUSCLE CRAMPS/ACHES - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	837	1.43
2 = No.....	10735	18.31
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	42	0.07
97 = REFUSED.....	45	0.08
98 = BLANK (NO ANSWER).....	473	0.81

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Having teary eyes or a runny nose

(DPPRWD_4)

UDPRWDRUNNY2 Len : 2 TEARY EYES/RUNNY NOSE - PR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	649	1.11
2 = No.....	10922	18.63
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	45	0.08
97 = REFUSED.....	43	0.07
98 = BLANK (NO ANSWER).....	473	0.81

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

(DPPRWD_5)

UDPRWDSWEAT2 Len : 2 SWEATY/LRG PUPILS/HAIR STNDING UP-PR W/DRAWL SYMP PST 12 MOS

	Freq	Pct
1 = Yes.....	490	0.84
2 = No.....	11078	18.89
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	41	0.07
97 = REFUSED.....	50	0.09
98 = BLANK (NO ANSWER).....	473	0.81

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Having diarrhea

(DPPRWD_6)

UDPRWDDIARR2 Len : 2 HAVING DIARRHEA - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	597	1.02
2 = No.....	10972	18.71
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	45	0.08
97 = REFUSED.....	45	0.08
98 = BLANK (NO ANSWER).....	473	0.81

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Yawning

(DPPRWD_7)

UDPRWDYAWNS2 Len : 2 YAWNING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	938	1.60
2 = No.....	10632	18.13
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	49	0.08
97 = REFUSED.....	40	0.07
98 = BLANK (NO ANSWER).....	473	0.81

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Having a fever

(DPPRWD_8)

UDPRWDFEVER2 Len : 2 HAVING FEVER - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	363	0.62
2 = No.....	11210	19.12
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	40	0.07
97 = REFUSED.....	46	0.08
98 = BLANK (NO ANSWER).....	473	0.81

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Having trouble sleeping

(DPPRWD_9)

UDPRWDSLEEP2 Len : 2 HAVING TRBL SLEEPING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	1029	1.75
2 = No.....	10545	17.98
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	45	0.08
97 = REFUSED.....	40	0.07
98 = BLANK (NO ANSWER).....	473	0.81

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

During the past 12 months, did you use any prescription pain relievers or other drugs to get over or avoid having prescription pain reliever withdrawal symptoms?

(DPPROVER)

UDPRAVOIDWD2 Len : 2 USE PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	273	0.47
2 = No.....	11337	19.34
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1241	2.12
85 = BAD DATA LOGICALLY ASSIGNED.....	27	0.05
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14300	24.39
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	18	0.03
98 = BLANK (NO ANSWER).....	477	0.81

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Which of the following did you use to get over or avoid having prescription pain reliever withdrawal symptoms during the past 12 months?

Prescription pain relievers

(DPPRUSE_1)

UDPRAVWP NRL2 Len : 2 USED PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	176	0.30
2 = No.....	75	0.13
3 = Yes LOGICALLY ASSIGNED.....	19	0.03
13 = Yes LOG ASSN (not applicable to criterion 11b).....	2	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1210	2.06
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14331	24.44
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	18	0.03
98 = BLANK (NO ANSWER).....	529	0.90
99 = LEGITIMATE SKIP.....	11337	19.34

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Heroin

(DPPRUSE_2)

UDPRAVWHERN2 Len : 2 USED HEROIN TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	45	0.08
2 = No.....	227	0.39
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....	1210	2.06
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	14331	24.44
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	18	0.03
98 = BLANK (NO ANSWER).....	529	0.90
99 = LEGITIMATE SKIP.....	11337	19.34

SUBSTANCE USE DISORDER

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

Something else

(DP~~PR~~USE_3)

UDPRAVWOTHR2 Len : 2 USED SOMETHING ELSE TO GET OVR/AVD PR WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	126	0.21
2 = No.....	145	0.25
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	1210	2.06
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED PAIN RELIEVERS.....	30933	52.76
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14331	24.44
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	529	0.90
99 = LEGITIMATE SKIP.....	11337	19.34

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription tranquilizers, feeling their effects, or getting over the effects of any prescription tranquilizers?

(DP~~TR~~FEEL)

UDTRTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF TRN PST 12 MOS

	Freq	Pct
1 = Yes.....	255	0.43
2 = No.....	5050	8.61
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	321	0.55

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription tranquilizers?

(DP~~TR~~GET)

UDTRTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING TRN IN PST 12 MOS

	Freq	Pct
1 = Yes.....	30	0.05
2 = No.....	5025	8.57
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	19	0.03
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	323	0.55
99 = LEGITIMATE SKIP.....	255	0.43

During the past 12 months, were there many times when you ended up using any prescription tranquilizers in larger amounts or for a longer time than you meant to?

(DP~~TRL~~RGR)

UDTRLRGAMTS Len : 2 USED TRN LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	154	0.26
2 = No.....	5157	8.80
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	322	0.55

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you wanted to use any prescription tranquilizers so badly that you couldn't think of anything else?

(DPTRBDLY)

UDTRWANTBAD Len : 2 WANTED TO USE TRN SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	125	0.21
2 = No.....	5189	8.85
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	322	0.55

During the past 12 months, were there times when you had a strong urge to use any prescription tranquilizers?

(DPTRURGE)

UDTRSTRURGE Len : 2 STRONG URGE TO USE TRN IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	249	0.42
2 = No.....	4938	8.42
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	19	0.03
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	324	0.55
99 = LEGITIMATE SKIP.....	125	0.21

Do you need to use a lot more of any prescription tranquilizers than you used to in order to get the feeling you want?

(DPTRMORE)

UDTRNEEDMOR Len : 2 NEEDED A LOT MORE TRN TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	128	0.22
2 = No.....	5180	8.83
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	324	0.55

Does using the same amount of any prescription tranquilizers have much less effect on you than it used to?

(DPTRLESS)

UDTRLESSEFF Len : 2 SAME AMT TRN HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	163	0.28
2 = No.....	4998	8.52
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	18	0.03
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	27	0.05
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	327	0.56
99 = LEGITIMATE SKIP.....	128	0.22

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using any prescription tranquilizers?

(DPTRSTOP)

UDTRTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP TRN USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	659	1.12
2 = No.....	4618	7.88
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	27	0.05
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	324	0.55

Some people who use prescription tranquilizers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription tranquilizers?

(DPTRCANT)

UDTRNOTSTOP

Len : 2 UNABLE TO CUT/STOP TRN MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	120	0.20
2 = No.....	539	0.92
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	4	0.01
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	368	0.63
99 = LEGITIMATE SKIP.....	4618	7.88

In the past 12 months, did you often wish that you could cut down or stop using any prescription tranquilizers?

(DPTRWISH)

UDTRWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP TRN PAST 12 MOS

	Freq	Pct
1 = Yes.....	190	0.32
2 = No.....	4432	7.56
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	17	0.03
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	20	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	329	0.56
99 = LEGITIMATE SKIP.....	659	1.12

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription tranquilizer?

(DPTRPHYS)

UDTRHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY TRN PST 12 MO

	Freq	Pct
1 = Yes.....	83	0.14
2 = No.....	5214	8.89
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	13	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	325	0.55

SUBSTANCE USE DISORDER

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPTRPCNT)

UDTRHLTHCTD

Len : 2 CONTD TO USE TRN DESPITE TRN CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	50	0.09
2 = No.....	31	0.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	357	0.61
99 = LEGITIMATE SKIP.....	5214	8.89

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription tranquilizer?

(DPTRMNTL)

UDTRMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY TRN PAST 12 MOS

	Freq	Pct
1 = Yes.....	97	0.17
2 = No.....	5154	8.79
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	19	0.03
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	327	0.56
99 = LEGITIMATE SKIP.....	50	0.09

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPTRMCNT)

UDTRMNTLCTD

Len : 2 CONTD TRN DESPITE TRN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	53	0.09
2 = No.....	44	0.08
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	353	0.60
99 = LEGITIMATE SKIP.....	5204	8.88

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription tranquilizers?

(DPTRACTV)

UDTRSTOPACT

Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	131	0.22
2 = No.....	5173	8.82
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	325	0.55

Sometimes people who use prescription tranquilizers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription tranquilizers?

(DPTRSERI)

UDTRWORKPRB

Len : 2 TRN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	123	0.21
2 = No.....	5177	8.83
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	327	0.56

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription tranquilizer?

(DPTRARGU)

UDTRFMLYPRB

Len : 2 TRN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	108	0.18
2 = No.....	5192	8.86
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	328	0.56

SUBSTANCE USE DISORDER

Did you continue to use any prescription tranquilizers even though they often caused arguments or problems with family or friends?

(DPTRACNT)

UDTRFMLYCTD

Len : 2 CONTD TRN USE DESPITE TRN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	78	0.13
2 = No.....	29	0.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP.....	5192	8.86

During the past 12 months, did you repeatedly get into situations where using a prescription tranquilizer increased your chances of getting physically hurt?

(DPTRHURT)

UDTRGETHURT

Len : 2 TRN USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	70	0.12
2 = No.....	5229	8.92
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	328	0.56

People may experience withdrawal symptoms when they use less or stop using prescription tranquilizers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription tranquilizers for a while?

Sweating or feeling that your heart was beating fast

(DPTRWD_1)

UDTRWDSWEAT

Len : 2 SWEATY/FAST HEARTBEAT - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes.....	265	0.45
2 = No.....	5028	8.58
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	12	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	328	0.56

Having your hands tremble

(DPTRWD_2)

UDTRWDTRMBL

Len : 2 HANDS TREMBLE -TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	252	0.43
2 = No.....	5042	8.60
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	12	0.02
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	328	0.56

SUBSTANCE USE DISORDER

Having trouble sleeping

(DPTRWD_3)

UDTRWDSLEEP

Len : 2 TROUBLE SLEEPING - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	555	0.95
2 = No.....	4740	8.08
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	328	0.56

Vomiting or having an upset stomach

(DPTRWD_4)

UDTRWDVOMIT

Len : 2 VOMITING/UPSET STOMACH - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes.....	172	0.29
2 = No.....	5122	8.74
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	328	0.56

Seeing, hearing, or feeling things that weren't really there

(DPTRWD_5)

UDTRWDHALUC

Len : 2 SEE/HEAR/FEEL THINGS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	128	0.22
2 = No.....	5164	8.81
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	328	0.56

Feeling like you couldn't sit still

(DPTRWD_6)

UDTRWDSITST

Len : 2 COULDN'T SIT STILL - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	304	0.52
2 = No.....	4991	8.51
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	328	0.56

SUBSTANCE USE DISORDER

Feeling anxious

(DPTRWD_7)

UDTRWDFLANX

Len : 2 FEELING ANXIOUS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	572	0.98
2 = No.....	4721	8.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	328	0.56

During the past 12 months, did you use any prescription tranquilizers or other drugs to get over or avoid having prescription tranquilizer withdrawal symptoms?

(DPTROVER)

UDTRAVOIDWD

Len : 2 USE TRN TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	76	0.13
2 = No.....	5226	8.91
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	21	0.04
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	328	0.56

Which of the following did you use to get over or avoid having prescription tranquilizer withdrawal symptoms during the past 12 months?

Prescription tranquilizers, sedatives, downers, or sleeping pills

(DPTRUSE_1)

UDTRAVWSVTR

Len : 2 USED TRN/SED TO GET OVER/AVOID TRN WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No.....	30	0.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	350	0.60
99 = LEGITIMATE SKIP.....	5226	8.91

Alcohol

(DPTRUSE_2)

UDTRAVWALCO

Len : 2 USED ALC TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	20	0.03
2 = No.....	56	0.10
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	350	0.60
99 = LEGITIMATE SKIP.....	5226	8.91

SUBSTANCE USE DISORDER

Something else

(DPTRUSE_3)

UDTRAVWOTH Len : 2 USED SOMETHING ELSE TO GET OVR/AVD TRN WTHDRWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	34	0.06
2 = No.....	42	0.07
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	235	0.40
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED TRANQUILIZERS.....	48820	83.26
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3909	6.67
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	350	0.60
99 = LEGITIMATE SKIP.....	5226	8.91

Think about your use of prescription stimulants during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription stimulants, feeling their effects, or getting over the effects of any prescription stimulants?

(DPSTFEEL)

UDSTTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF STM PST 12 MOS

	Freq	Pct
1 = Yes.....	834	1.42
2 = No.....	4010	6.84
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	37	0.06
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	345	0.59

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription stimulants?

(DPSTGET)

UDSTTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING STM IN PST 12 MOS

	Freq	Pct
1 = Yes.....	69	0.12
2 = No.....	3964	6.76
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	11	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	14	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	347	0.59
99 = LEGITIMATE SKIP.....	834	1.42

During the past 12 months, were there many times when you ended up using any prescription stimulants in larger amounts or for a longer time than you meant to?

(DPSTLRGR)

UDSTLRGAMTS Len : 2 USE STM LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	179	0.31
2 = No.....	4694	8.01
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	345	0.59

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you wanted to use any prescription stimulants so badly that you couldn't think of anything else?

(DPSTBDLY)

UDSTWANTBAD Len : 2 WANTED TO USE STM SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	147	0.25
2 = No.....	4728	8.06
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	345	0.59

During the past 12 months, were there times when you had a strong urge to use any prescription stimulants?

(DPSTURGE)

UDSTSTRURGE Len : 2 STRONG URGE TO USE STM IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	225	0.38
2 = No.....	4505	7.68
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	11	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	347	0.59
99 = LEGITIMATE SKIP.....	147	0.25

Do you need to use a lot more of any prescription stimulants than you used to in order to get the feeling you want?

(DPSTMORE)

UDSTNEEDMOR Len : 2 NEEDED A LOT MORE STM TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	208	0.35
2 = No.....	4660	7.95
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	345	0.59

Does using the same amount of any prescription stimulants have much less effect on you than it used to?

(DPSTLESS)

UDSTLESSEFF Len : 2 SAME AMT STM HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	303	0.52
2 = No.....	4326	7.38
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	12	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	46	0.08
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	347	0.59
99 = LEGITIMATE SKIP.....	208	0.35

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using any prescription stimulants?

(DPSTSTOP)

UDSTTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP STM USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	617	1.05
2 = No.....	4225	7.21
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	346	0.59

Some people who use prescription stimulants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription stimulants?

(DPSTCANT)

UDSTNOTSTOP

Len : 2 UNABLE TO CUT/STOP STM USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	118	0.20
2 = No.....	498	0.85
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	392	0.67
99 = LEGITIMATE SKIP.....	4225	7.21

In the past 12 months, did you often wish that you could cut down or stop using any prescription stimulants?

(DPSTWISH)

UDSTWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP STM USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	187	0.32
2 = No.....	4038	6.89
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	12	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	28	0.05
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	347	0.59
99 = LEGITIMATE SKIP.....	617	1.05

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription stimulant?

(DPSTPHYS)

UDSTHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	Freq	Pct
1 = Yes.....	182	0.31
2 = No.....	4672	7.97
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	24	0.04
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	346	0.59

SUBSTANCE USE DISORDER

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPSTPCNT)

UDSTHLTHCTD

Len : 2 CONTD TO USE STM DESPITE STM CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	75	0.13
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	382	0.65
99 = LEGITIMATE SKIP.....	4672	7.97

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription stimulant?

(DPSTMNTL)

UDSTMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY STM PAST 12 MOS

	Freq	Pct
1 = Yes.....	187	0.32
2 = No.....	4555	7.77
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	12	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	27	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	349	0.60
99 = LEGITIMATE SKIP.....	107	0.18

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPSTMCNT)

UDSTMNTLCTD

Len : 2 CONTD STM USE DESPITE STM CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	96	0.16
2 = No.....	91	0.16
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	388	0.66
99 = LEGITIMATE SKIP.....	4662	7.95

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription stimulants?

(DPSTACTV)

UDSTSTOPACT

Len : 2 LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	142	0.24
2 = No.....	4722	8.05
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	12	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	348	0.59

Sometimes people who use prescription stimulants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription stimulants?

(DPSTSERI)

UDSTWORKPRB

Len : 2 STM CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	113	0.19
2 = No.....	4749	8.10
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	13	0.02
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	348	0.59

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription stimulant?

(DPSTARGU)

UDSTFMLYPRB

Len : 2 STM CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	152	0.26
2 = No.....	4703	8.02
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	16	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	351	0.60

SUBSTANCE USE DISORDER

Did you continue to use any prescription stimulants even though they often caused arguments or problems with family or friends?

(DPSTACNT)

UDSTFMLYCTD

Len : 2 CONTD STM DESPITE STM CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	106	0.18
2 = No.....	46	0.08
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	378	0.64
99 = LEGITIMATE SKIP.....	4703	8.02

During the past 12 months, did you repeatedly get into situations where using a prescription stimulant increased your chances of getting physically hurt?

(DPSTHURT)

UDSTGETHURT

Len : 2 STM INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	69	0.12
2 = No.....	4796	8.18
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW	8	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	352	0.60

People may experience withdrawal symptoms when they use less or stop using prescription stimulants.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using any prescription stimulants for a while?

(DPSTBLUE)

UDSTWDFLBU

Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING STM

	Freq	Pct
1 = Yes.....	500	0.85
2 = No.....	4353	7.42
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW	16	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	353	0.60

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using prescription stimulants for a while?

Feeling tired or exhausted

(DPSTWD_1)

UDSTWDTIRED

Len : 2 FEELING TIRED/EXHAUSTED - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	445	0.76
2 = No.....	54	0.09
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW	1	0.00
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	380	0.65
99 = LEGITIMATE SKIP.....	4353	7.42

SUBSTANCE USE DISORDER

Having bad dreams

(DPSTWD_2)

UDSTWDDREAM

Len : 2 HAVING BAD DREAMS - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	166	0.28
2 = No.....	333	0.57
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	380	0.65
99 = LEGITIMATE SKIP.....	4353	7.42

Having trouble sleeping or sleeping more than you normally do

(DPSTWD_3)

UDSTWDSLEEP

Len : 2 TROUBLE/MORE SLEEPING - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	358	0.61
2 = No.....	140	0.24
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	380	0.65
99 = LEGITIMATE SKIP.....	4353	7.42

Feeling hungry more often

(DPSTWD_4)

UDSTWDHNGRY

Len : 2 FEELING HUNGRY - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	274	0.47
2 = No.....	224	0.38
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	380	0.65
99 = LEGITIMATE SKIP.....	4353	7.42

Feeling either very slowed down or like you couldn't sit still

(DPSTWD_5)

UDSTWDSITST

Len : 2 FEELING SLOWED DOWN/- STM W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	358	0.61
2 = No.....	140	0.24
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	380	0.65
99 = LEGITIMATE SKIP.....	4353	7.42

SUBSTANCE USE DISORDER

During the past 12 months, did you use any prescription stimulants or other drugs to get over or avoid having prescription stimulant withdrawal symptoms?

(DPSTOVER)

UDSTAVOIDWD

Len : 2 USE STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	4753	8.11
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
94 = DON'T KNOW	9	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	353	0.60

Which of the following did you use to get over or avoid having prescription stimulant withdrawal symptoms during the past 12 months?

Prescription stimulants or uppers

(DPSTUSE_1)

UDSTAVWSTIM

Len : 2 USED STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	61	0.10
2 = No.....	44	0.08
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	374	0.64
99 = LEGITIMATE SKIP.....	4753	8.11

Cocaine or crack

(DPSTUSE_2)

UDSTAVWCOCN

Len : 2 USED COC/CRK TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	16	0.03
2 = No.....	90	0.15
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	374	0.64
99 = LEGITIMATE SKIP.....	4753	8.11

Methamphetamine

(DPSTUSE_3)

UDSTAVWMETH

Len : 2 USED METH TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	12	0.02
2 = No.....	94	0.16
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	374	0.64
99 = LEGITIMATE SKIP.....	4753	8.11

SUBSTANCE USE DISORDER

Something else

(DPSTUSE 4)

UDSTAVWOTH

Len : 2 USED SOMETHING ELSE TO GET OVR/AVD STM WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	47	0.08
2 = No.....	59	0.10
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	121	0.21
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED STIMULANTS.....	50349	85.87
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2913	4.97
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	374	0.64
99 = LEGITIMATE SKIP.....	4753	8.11

Think about your use of prescription sedatives during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription sedatives, feeling their effects, or getting over the effects of any prescription sedatives?

(DPSVFEEL)

UDSVTIMEUSE

Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF SED PST 12 MOS

	Freq	Pct
1 = Yes.....	130	0.22
2 = No.....	2051	3.50
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW	6	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	378	0.64

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription sedatives?

(DPSVGET)

UDSVTIMEGET

Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING SED IN PST 12 MOS

	Freq	Pct
1 = Yes.....	15	0.03
2 = No.....	2038	3.48
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED	12	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW	2	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	379	0.65
99 = LEGITIMATE SKIP.....	130	0.22

During the past 12 months, were there many times when you ended up using any prescription sedatives in larger amounts or for a longer time than you meant to?

(DPSVLRGR)

UDSVLRGAMTS

Len : 2 USED SED LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes.....	66	0.11
2 = No.....	2113	3.60
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW	3	0.01
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	380	0.65

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you wanted to use any prescription sedatives so badly that you couldn't think of anything else?

(DPSVBDLY)

UDSVWANTBAD Len : 2 WANTED TO USE SED SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	44	0.08
2 = No.....	2139	3.65
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	380	0.65

During the past 12 months, were there times when you had a strong urge to use any prescription sedatives?

(DPSVURGE)

UDSVSTRURGE Len : 2 STRONG URGE TO USE SED IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	81	0.14
2 = No.....	2058	3.51
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	11	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	382	0.65
99 = LEGITIMATE SKIP.....	44	0.08

Do you need to use a lot more of any prescription sedatives than you used to in order to get the feeling you want?

(DPSVMORE)

UDSVNEEDMOR Len : 2 NEEDED A LOT MORE SED TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes.....	73	0.12
2 = No.....	2109	3.60
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	3	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	380	0.65

Does using the same amount of any prescription sedatives have much less effect on you than it used to?

(DPSVLESS)

UDSVLESSEFF Len : 2 SAME AMT SED HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes.....	90	0.15
2 = No.....	2006	3.42
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	10	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	13	0.02
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	384	0.65
99 = LEGITIMATE SKIP.....	73	0.12

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using any prescription sedatives?

(DPSVSTOP)

UDSVTRYSTOP

Len : 2 TRY TO CUT DOWN/STOP SED USE IN PAST 12 MOS

	Freq	Pct
1 = Yes.....	257	0.44
2 = No.....	1916	3.27
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	381	0.65

Some people who use prescription sedatives try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription sedatives?

(DPSVCANT)

UDSVNOTSTOP

Len : 2 UNABLE TO CUT/STOP SED MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes.....	69	0.12
2 = No.....	188	0.32
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	399	0.68
99 = LEGITIMATE SKIP.....	1916	3.27

In the past 12 months, did you often wish that you could cut down or stop using any prescription sedatives?

(DPSVWISH)

UDSVWSHSTOP

Len : 2 OFTEN WISH CUT DOWN OR STOP SED USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	104	0.18
2 = No.....	1807	3.08
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	11	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	8	0.01
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	383	0.65
99 = LEGITIMATE SKIP.....	257	0.44

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription sedative?

(DPSVPHYS)

UDSVHLTHPRB

Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY SED PST 12 MO

	Freq	Pct
1 = Yes.....	38	0.06
2 = No.....	2137	3.64
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	381	0.65

SUBSTANCE USE DISORDER

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPSVPCNT)

UDSVHLTHCTD

Len : 2 CONTD TO USE SED DESPITE SED CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes.....	24	0.04
2 = No.....	14	0.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	2	0.00
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	398	0.68
99 = LEGITIMATE SKIP.....	2137	3.64

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription sedative?

(DPSVMNTL)

UDSVMNTLPRB

Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY SED PAST 12 MOS

	Freq	Pct
1 = Yes.....	45	0.08
2 = No.....	2107	3.59
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	11	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	383	0.65
99 = LEGITIMATE SKIP.....	24	0.04

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPSVMCNT)

UDSVMNTLCTD

Len : 2 CONTD SED USE DESPITE SED CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes.....	20	0.03
2 = No.....	25	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	398	0.68
99 = LEGITIMATE SKIP.....	2131	3.63

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription sedatives?

(DPSVACTV)

UDSVSTOPACT

Len : 2 LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	Freq	Pct
1 = Yes.....	78	0.13
2 = No.....	2099	3.58
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	381	0.65

Sometimes people who use prescription sedatives have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription sedatives?

(DPSVSERI)

UDSVWORKPRB

Len : 2 SED CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes.....	62	0.11
2 = No.....	2115	3.61
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	382	0.65

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription sedative?

(DPSVARGU)

UDSVFMLYPRB

Len : 2 SED CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes.....	51	0.09
2 = No.....	2125	3.62
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	382	0.65

SUBSTANCE USE DISORDER

Did you continue to use any prescription sedatives even though they often caused arguments or problems with family or friends?

(DPSVACNT)

UDSVFMLYCTD

Len : 2 CONTD SED DESPITE SED CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes.....	34	0.06
2 = No.....	17	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	398	0.68
99 = LEGITIMATE SKIP.....	2125	3.62

During the past 12 months, did you repeatedly get into situations where using a prescription sedative increased your chances of getting physically hurt?

(DPSVHURT)

UDSVGETHURT

Len : 2 SED INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes.....	31	0.05
2 = No.....	2147	3.66
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	382	0.65

People may experience withdrawal symptoms when they use less or stop using prescription sedatives.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription sedatives for a while?

Sweating or feeling that your heart was beating fast

(DPSVWD_1)

UDSVWDSWEAT

Len : 2 SWEATY/FAST HEARTBEAT - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	104	0.18
2 = No.....	2065	3.52
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	382	0.65

Having your hands tremble

(DPSVWD_2)

UDSVWDTRMBL

Len : 2 HANDS TREMBLE - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	101	0.17
2 = No.....	2068	3.53
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	382	0.65

SUBSTANCE USE DISORDER

Having trouble sleeping

(DPSVWD_3)

UDSVWDSLEEP

Len : 2 TROUBLE SLEEPING - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	363	0.62
2 = No.....	1805	3.08
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	382	0.65

Vomiting or having an upset stomach

(DPSVWD_4)

UDSVWDVOMIT

Len : 2 VOMITING/UPSET STOMACH - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	86	0.15
2 = No.....	2081	3.55
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	382	0.65

Seeing, hearing, or feeling things that weren't really there

(DPSVWD_5)

UDSVWDHALUC

Len : 2 SEE/HEAR/FEEL THINGS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	81	0.14
2 = No.....	2088	3.56
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	382	0.65

Feeling like you couldn't sit still

(DPSVWD_6)

UDSVWDSITST

Len : 2 COULDN'T SIT STILL - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	132	0.23
2 = No.....	2039	3.48
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	382	0.65

SUBSTANCE USE DISORDER

Feeling anxious

(DPSVWD_7)

UDSVWDFLANX

Len : 2 FEELING ANXIOUS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes.....	225	0.38
2 = No.....	1944	3.32
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	382	0.65

During the past 12 months, did you use any prescription sedatives or other drugs to get over or avoid having prescription sedative withdrawal symptoms?

(DPSVOVER)

UDSVAVOIDWD

Len : 2 USE SED TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	46	0.08
2 = No.....	2133	3.64
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	13	0.02
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	382	0.65

Which of the following did you use to get over or avoid having prescription sedative withdrawal symptoms during the past 12 months?

Prescription sedatives, tranquilizers, sleeping pills, or downers

(DPSVUSE_1)

UDSVAVWSVTR

Len : 2 USED SED/TR TO GET OVER/AVOID SED WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	27	0.05
2 = No.....	18	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	396	0.68
99 = LEGITIMATE SKIP.....	2133	3.64

Alcohol

(DPSVUSE_2)

UDSVAVWALCO

Len : 2 USED ALC TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes.....	19	0.03
2 = No.....	26	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED SEDATIVES	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2975	5.07
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	396	0.68
99 = LEGITIMATE SKIP.....	2133	3.64

SUBSTANCE USE DISORDER

Something else

(DPSVUSE 3)

UDSVAVWOTH Len : 2 USED SOMETHING ELSE TO GET OVR/AVD SED WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes.....	17	0.03
2 = No.....	28	0.05
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn.....	177	0.30
85 = BAD DATA LOGICALLY ASSIGNED.....	3	0.01
91 = NEVER USED SEDATIVES.....	52891	90.21
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	2975	5.07
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	12	0.02
98 = BLANK (NO ANSWER).....	396	0.68
99 = LEGITIMATE SKIP.....	2133	3.64

The next set of variables are substance use disorder (SUD) measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Use Disorder" section. The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(ALCYR, UDALAVWALCO, UDALAVWOTH, UDALAVWSVTR, UDALBLCKCTD, UDALFMLYCTD, UDALFMLYPRB, UDALGETHURT, UDALHLTHCTD, UDALLESSEFF, UDALLRGAMTS, UDALMNTLCTD, UDALNEEDMOR, UDALNOTSTOP, UDALSTOPACT, UDALSTRURGE, UDALTIMEGET, UDALTIMEUSE, UDALWANTBAD, UDALWDFLANX, UDALWDHALUC, UDALWDSITST, UDALWDSLEEP, UDALWDSWEAT, UDALWDTRMBL, UDALWDVOMIT, UDALWORKPRB, UDALWSHSTOP)

PYUD5ALC

Len : 2 ALCOHOL USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	528	0.90
0 = No.....	21607	36.85
1 = Yes.....	5955	10.16
91 = NEVER USED ALCOHOL.....	16967	28.94
93 = DID NOT USE ALCOHOL PAST 12 MONTHS OR USED <6 DAYS.....	13576	23.15

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(MRJYR, UDMJAVWMARJ, UDMJAVWOTH, UDMJFMLYCTD, UDMJFMLYPRB, UDMJGETHURT, UDMJHLTHCTD, UDMJLESSEFF, UDMJLRGAMTS, UDMJMNTLCTD, UDMJNEEDMOR, UDMJNOTSTOP, UDMJSTOPACT, UDMJSTRURGE, UDMJTIMEGET, UDMJTIMEUSE, UDMJWANTBAD, UDMJWDANGRY, UDMJWDAPPET, UDMJWDCHILL, UDMJWDDEPRS", UDMJWDFEVER, UDMJWDFLANX, UDMJWDHEDAC, UDMJWDHSHAKE, UDMJWDSITST, UDMJWDSLEEP, UDMJWDSTMCH, UDMJWDSWEAT, UDMJWORKPRB, UDMJWSHSTOP)

PYUD5MRJ

Len : 2 MARIJUANA USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	285	0.49
0 = No.....	6315	10.77
1 = Yes.....	5245	8.95
91 = NEVER USED MARIJUANA.....	32093	54.74
93 = DID NOT USE MARIJUANA PAST 12 MONTHS OR USED <6 DAYS.....	14695	25.06

SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(COCYR, CONDLREC, UDCCAVWCOCN, UDCCAVWMETH, UDCCAVWOTH, UDCCAVWSTIM, UDCCFMYLCTD, UDCCFMYLPRB, UDCCGETHURT, UDCCHLTHCTD, UDCCLESSEFF, UDCCLRGAMTS, UDCCMNTLCTD, UDCCNEEDMOR, UDCCNOTSTOP, UDCCSTOPACT, UDCCSTRURGE, UDCCTIMEGET, UDCCTIMEUSE, UDCCWANTBAD, UDCCWDDREAM, UDCCWDFLBU, UDCCWDHNGRY, UDCCWDSITST, UDCCWDSLEEP, UDCCWDTIRED, UDCCWORKPRB, UDCCWSHSTOP)

[PYUD5COC](#)

Len : 2 COCAINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	36	0.06
0 = No.....	692	1.18
1 = Yes.....	269	0.46
91 = NEVER USED COCAINE.....	51909	88.53
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS.....	5727	9.77

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(HERYR, HRNDLREC, HRSMKREC, HRSNFREC, UDHEAVWHERN, UDHEAVWOTH, UDHEAVWPRL, UDHEFMYLCTD, UDHEFMYLPRB, UDHEGETHURT, UDHEHLTHCTD, UDHELESSEFF, UDHELARGAMTS, UDHENMNTLCTD, UDHEEDMOR, UDHENOTSTOP, UDHESTOPACT, UDHESTRURGE, UDHETIMEGET, UDHETIMEUSE, UDHEWANTBAD, UDHEWDCRAMP, UDHEWDDIARR, UDHEWDFEVER, UDHEWDFLBU, UDHEWDRUNNY, UDHEWDSLEEP, UDHEWDSWEAT, UDHEWDVOMIT, UDHEWDYAWNS, UDHEWORKPRB, UDHEWSHSTOP)

[PYUD5HER](#)

Len : 2 HEROIN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	9	0.02
0 = No.....	35	0.06
1 = Yes.....	119	0.20
91 = NEVER USED HEROIN.....	57435	97.96
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS.....	1035	1.77

(HALLUCYR, UDHAFLMYLCTD, UDHAFLMYLPRB, UDHAGETHURT, UDHAHLTHCTD, UDHALESSEFF, UDHALARGAMTS, UDHAMNTLCTD, UDHANEDMOR, UDHANOTSTOP, UDHASTOPACT, UDHASTRURGE, UDHATIMEGET, UDHATIMEUSE, UDHAWANTBAD, UDHAWORKPRB, UDHAWSHSTOP)

[PYUD5HAL](#)

Len : 2 HALLUCINOGEN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	93	0.16
0 = No.....	2353	4.01
1 = Yes.....	138	0.24
91 = NEVER USED HALLUCINOGENS.....	48970	83.52
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS.....	7079	12.07

(INHALYR2, UDINFMYLCTD, UDINFMYLPRB, UDINGETHURT, UDINHLTHCTD, UDINLESSEFF, UDINLRGAMTS, UDINMNTLCTD, UDINNEEDMOR, UDINNOTSTOP, UDINSTOPACT, UDINSTRURGE, UDINTIMEGET, UDINTIMEUSE, UDINWANTBAD, UDINWORKPRB, UDINWSHSTOP)

[PYUD5INH](#)

Len : 2 INHALANT USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	110	0.19
0 = No.....	816	1.39
1 = Yes.....	103	0.18
91 = NEVER USED INHALANTS.....	51867	88.46
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS.....	5737	9.78

SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(METHAMYR, METHNDLRC, UDMEAVWCOCN, UDMEAVWMETH, UDMEAVWOTH, UDMEAVWSTIM, UDMEFMYLCTD, UDMEFMYLPRB, UDMEGETHURT, UDMEHLTHCTD, UDMELESSEFF, UDMEELRGAMTS, UDMEMNTLCTD, UDMENEDMOR, UDMENOTSTOP, UDMESTOPACT, UDMESTRURGE, UDMETIMEGET, UDMETIMEUSE, UDMEWANTBAD, UDMEWDDREAM, UDMEWDFLBU, UDMEWDHNGRY, UDMEWDSITST, UDMEWDSLEEP, UDMEWDTIRED, UDMEWORKPRB, UDMEWSHSTOP)
PYUD5MTH Len : 2 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed.....	17	0.03
0 = No.....	183	0.31
1 = Yes.....	362	0.62
91 = NEVER USED METHAMPHETAMINE	55996	95.50
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS.....	2075	3.54

NOTE: EDUD5PNRMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(PNRNMYR, UDPRVWHERN, UDPRVWOTH, UDPRVWPRL, UDPRFMYLCTD, UDPRFMYLPRB, UDPRGETHURT, UDPRHLTHCTD, UDPRLESSEFF, UDPRLRGAMTS, UDPRMNTLCTD, UDPRNEEDMOR, UDPRNOTSTOP, UDPRSTOPACT, UDPRSTRURGE, UDPRTIMEGET, UDPRTIMEUSE, UDPRWANTBAD, UDPRWDCRAMP, UDPRWDDIARR, UDPRWDFEVER, UDPRWDFLBU, UDPRWDRUNNY, UDPRWDSLEEP, UDPRWDSWEAT, UDPRWDVOMIT, UDPRWDYAWNS, UDPRWORKPRB, UDPRWSHSTOP)
EDUD5PNRMIS Len : 2 PAIN RELIEVER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	76	0.13
0 = No.....	1176	2.01
1 = Yes.....	421	0.72
91 = NEVER MISUSED PAIN RELIEVERS	54068	92.21
93 = DID NOT MISUSE PAIN RELIEVER IN THE PAST 12 MOS.....	2892	4.93

NOTE: EDUD5PNRUNM2 was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(PNRANYR2, PNRNMYR, UDPRFMYLCTD2, UDPRFMYLPRB2, UDPRGETHURT2, UDPRHLTHCTD2, UDPRLRGAMTS2, UDPRMNTLCTD2, UDPRNOTSTOP2, UDPRSTOPACT2, UDPRSTRURGE2, UDPRTIMEGET2, UDPRTIMEUSE2, UDPRWANTBAD2, UDPRWORKPRB2, UDPRWSHSTOP2)
EDUD5PNRUNM2 Len : 2 PAIN RELIEVER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	366	0.62
0 = No.....	9455	16.13
1 = Yes.....	451	0.77
91 = NEVER USED PAIN RELIEVERS	31979	54.54
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	16382	27.94

NOTE: EDUD5TRQMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(TRQNMYR, UDTRAVWALCO, UDTRAVWOTH, UDTRAVWSVTR, UDTRFMYLCTD, UDTRFMYLPRB, UDTRGETHURT, UDTRHLTHCTD, UDTRLESSEFF, UDTRLRGAMTS, UDTRMNTLCTD, UDTRNEEDMOR, UDTRNOTSTOP, UDTRSTOPACT, UDTRSTRURGE, UDTRTIMEGET, UDTRTIMEUSE, UDTRWANTBAD, UDTRWDFLANX, UDTRWDHALUC, UDTRWDSITST, UDTRWDSLEEP, UDTRWDSWEAT, UDTRWDTRMBL, UDTRWDVOMIT, UDTRWORKPRB, UDTRWSHSTOP)
EDUD5TRQMIS Len : 2 TRANQUILIZER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	30	0.05
0 = No.....	625	1.07
1 = Yes.....	169	0.29
91 = NEVER MISUSED TRANQUILIZERS.....	56651	96.62
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS.....	1158	1.97

SUBSTANCE USE DISORDER

NOTE: EDUD5TRQUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(TRQANYR, TRQNYR, UDTRFMYCTD, UDTRFMYPRB, UDTRGETHURT, UDTRHLTHCTD, UDTRLRGAMTS, UDTRMNTLCTD, UDTRNOTSTOP, UDTRSTOPACT, UDTRSTRURGE, UDTRTIMEGET, UDTRTIMEUSE, UDTRWANTBAD, UDTRWORKPRB, UDTRWSHSTOP)

EDUD5TRQUNM Len : 2 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	118	0.20
0 = No.....	4310	7.35
1 = Yes.....	183	0.31
91 = NEVER USED TRANQUILIZERS.....	49251	84.00
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	4771	8.14

NOTE: EDUD5STMMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(STMNMYR, UDSTAVWCOCN, UDSTAVWMETH, UDSTAVWOTH, UDSTAVWSTIM, UDSTFMYLCTD, UDSTFMYLPRB, UDSTGETHURT, UDSTHLTHCTD, UDSTLESSEFF, UDSTLRGAMTS, UDSTMNTLCTD, UDSTNEEDMOR, UDSTNOTSTOP, UDSTSTOPACT, UDSTSTRURGE, UDSTTIMEGET, UDSTTIMEUSE, UDSTWANTBAD, UDSTWDDREAM, UDSTWDFLBU, UDSTWDHNGRY, UDSTWDSITST, UDSTWDSLEEP, UDSTWDTIRED, UDSTWORKPRB, UDSTWSHSTOP)

EDUD5STMMIS Len : 2 STIMULANT USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	25	0.04
0 = No.....	737	1.26
1 = Yes.....	190	0.32
91 = NEVER MISUSED STIMULANTS.....	56162	95.79
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS.....	1519	2.59

NOTE: EDUD5STMUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(STMANYR, STMNMYR, UDSTFMLYCTD, UDSTFMLYPRB, UDSTGETHURT, UDSTHLTHCTD, UDSTLRGAMTS, UDSTMNTLCTD, UDSTNOTSTOP, UDSTSTOPACT, UDSTSTRURGE, UDSTTIMEGET, UDSTTIMEUSE, UDSTWANTBAD, UDSTWORKPRB, UDSTWSHSTOP)

EDUD5STMUNM Len : 2 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	113	0.19
0 = No.....	3589	6.12
1 = Yes.....	317	0.54
91 = NEVER USED STIMULANTS.....	50728	86.52
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	3886	6.63

NOTE: EDUD5SEDMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

(*SEDNMYR, UDSVAVWALCO, UDSVAVWOTHR, UDSVAVWSVTR, UDSVFMLYCTD, UDSVFMLYPRB, UDSVGETHURT, UDSVHLTHCTD, UDSVLESSEFF, UDSVLRGAMTS, UDSVMNTLCTD, UDSVNEEDMOR, UDSVNOTSTOP, UDSVSTOPACT, UDSVSTRURGE, UDSVTIMEGET, UDSVTIMEUSE, UDSVWANTBAD, UDSVWDFLANX, UDSVWDHALUC, UDSVWDSITST, UDSVWDSLEEP, UDSVWDSWEAT, UDSVWDTRMBL, UDSVWDVOMIT, UDSVWORKPRB, UDSVWSHSTOP*)

EDUD5SEDMIS Len:2 SEDATIVE USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	10	0.02
0 = No.....	112	0.19
1 = Yes.....	50	0.09
91 = NEVER MISUSED SEDATIVES	57608	98.25
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	853	1.43

NOTE: EDUD5SEDUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

(SEDANYR, SEDNMYR, UDSVFMLYCTD, UDSVFMLYPRB, UDSVGETHURT, UDSVHLTHCTD, UDSVLRGAMTS, UDSVMNTLCTD, UDSVNOTSTOP, UDSVSTOPACT, UDSVSTRURGE, UDSVTIMEGET, UDSVTIMEUSE, UDSVWANTBAD, UDSVWORKPRB, UDSVWSHSTOP)

EDUD5SEDUNM Len : 2 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed.....	76	0.13
0 = No.....	1888	3.22
1 = Yes.....	119	0.20
91 = NEVER USED SEDATIVES.....	53368	91.02
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	3182	5.43

IMPUTED SUBSTANCE USE DISORDER

IMPUTED SUBSTANCE USE DISORDER

The next set of variables are imputation-revised substance use disorder measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(PYUD5ALC)
IRPYUD5ALC

Len : 1 ALCOHOL USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No.....	52564	89.65
1 = Yes.....	6069	10.35

(PYUD5ALC)
IIPYUD5ALC

Len : 1 ALCOHOL USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	27562	47.01
3 = Statistically imputed data.....	528	0.90
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	30543	52.09

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(PYUD5MRJ)
IRPYUD5MRJ

Len : 1 MARIJUANA USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No.....	53241	90.80
1 = Yes.....	5392	9.20

(PYUD5MRJ)
IIPYUD5MRJ

Len : 1 MARIJUANA USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	11560	19.72
3 = Statistically imputed data.....	285	0.49
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	46788	79.80

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(PYUD5COC)
IRPYUD5COC

Len : 1 COCAINE USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No.....	58347	99.51
1 = Yes.....	286	0.49

(PYUD5COC)
IIPYUD5COC

Len : 1 COCAINE USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	961	1.64
3 = Statistically imputed data.....	36	0.06
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	57636	98.30

IMPUTED SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(PYUD5HER)
IRPYUD5HER

Len : 1 HEROIN USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No.....	58511	99.79
1 = Yes.....	122	0.21

(PYUD5HER)
IIPYUD5HER

Len : 1 HEROIN USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	154	0.26
3 = Statistically imputed data.....	9	0.02
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	58470	99.72

(PYUD5HAL)
IRPYUD5HAL

Len : 1 HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No.....	58487	99.75
1 = Yes.....	146	0.25

(PYUD5HAL)
IIPYUD5HAL

Len : 1 HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	2491	4.25
3 = Statistically imputed data.....	93	0.16
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	56049	95.59

(PYUD5INH)
IRPYUD5INH

Len : 1 INHALANT USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No.....	58521	99.81
1 = Yes.....	112	0.19

(PYUD5INH)
IIPYUD5INH

Len : 1 INHALANT USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	919	1.57
3 = Statistically imputed data.....	110	0.19
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	57604	98.25

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(PYUD5MTH)
IRPYUD5MTH

Len : 1 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No.....	58260	99.36
1 = Yes.....	373	0.64

IMPUTED SUBSTANCE USE DISORDER

(PYUD5MTH)

[IIPYUD5MTH](#)

Len : 1 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	545	0.93
3 = Statistically imputed data	17	0.03
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	58071	99.04

NOTE: IRUD5PNRMIS and IIUD5PNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(EDUD5PNRMIS)

[IRUD5PNRMIS](#)

Len : 1 PAIN RELIEVER USE DISORDER, PY MISUERS - IMP REV

	Freq	Pct
0 = No	58192	99.25
1 = Yes	441	0.75

(EDUD5PNRMIS)

[IIUD5PNRMIS](#)

Len : 1 PAIN RELIEVER USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	1597	2.72
3 = Statistically imputed data	76	0.13
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR	56960	97.15

NOTE: IRUD5PNRUNM2 and IIUD5PNRUNM2 were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(EDUD5PNRUNM2)

[IRUD5PNRUNM2](#)

Len : 1 PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
0 = No	58143	99.16
1 = Yes	490	0.84

(EDUD5PNRUNM2)

[IIUD5PNRUNM2](#)

Len : 1 PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	9906	16.89
3 = Statistically imputed data	366	0.62
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	48361	82.48

NOTE: IRUD5TRQMIS and IIUD5TRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(EDUD5TRQMIS)

[IRUD5TRQMIS](#)

Len : 1 TRANQUILIZER USE DISORDER, PY MISUSERS - IMP REV

	Freq	Pct
0 = No	58458	99.70
1 = Yes	175	0.30

(EDUD5TRQMIS)

[IIUD5TRQMIS](#)

Len : 1 TRANQUILIZER USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	794	1.35
3 = Statistically imputed data	30	0.05
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR	57809	98.59

IMPUTED SUBSTANCE USE DISORDER

NOTE: IRUD5TRQUNM and IIUD5TRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(EDUD5TRQUNM)

[IRUD5TRQUNM](#)

Len : 1 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
0 = No.....	58441	99.67
1 = Yes.....	192	0.33

(EDUD5TRQUNM)

[IIUD5TRQUNM](#)

Len : 1 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	4493	7.66
3 = Statistically imputed data.....	118	0.20
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	54022	92.14

NOTE: IRUD5STMMIS and IIUD5STMMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(EDUD5STMMIS)

[IRUD5STMMIS](#)

Len : 1 STIMULANT USE DISORDER, PY MISUSERS - IMP REV

	Freq	Pct
0 = No.....	58432	99.66
1 = Yes.....	201	0.34

(EDUD5STMMIS)

[IIUD5STMMIS](#)

Len : 1 STIMULANT USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	927	1.58
3 = Statistically imputed data.....	25	0.04
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	57681	98.38

NOTE: IRUD5STMUNM and IIUD5STMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(EDUD5STMUNM)

[IRUD5STMUNM](#)

Len : 1 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
0 = No.....	58299	99.43
1 = Yes.....	334	0.57

(EDUD5STMUNM)

[IIUD5STMUNM](#)

Len : 1 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	3906	6.66
3 = Statistically imputed data.....	113	0.19
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	54614	93.15

NOTE: IRUD5SEDMIS and IIUD5SEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

(EDUD5SEDMIS)

[IRUD5SEDMIS](#)

Len : 1 SEDATIVE USE DISORDER, PY MISUSERS - IMP REV

	Freq	Pct
0 = No.....	58579	99.91
1 = Yes.....	54	0.09

(EDUD5SEDMIS)

[IIUD5SEDMIS](#)

Len : 1 SEDATIVE USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	162	0.28
3 = Statistically imputed data.....	10	0.02
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR.....	58461	99.71

IMPUTED SUBSTANCE USE DISORDER

NOTE: IRUD5SEDUNM and IUD5SEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

(EDUD5SEDUNM)

IRUD5SEDUNM

Len : 1 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
0 = No.....	58504	99.78
1 = Yes.....	129	0.22

(EDUD5SEDUNM)

IUD5SEDUNM

Len : 1 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	2007	3.42
3 = Statistically imputed data.....	76	0.13
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	56550	96.45

The next set of variables are imputation-revised measures of substance use disorder severity for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. The severity of an SUD according to DSM-5 criteria is determined by the number of individual criteria recorded as positive for a particular substance. Respondents were classified as having an SUD of mild severity if they met two or three SUD criteria for that substance, an SUD of moderate severity if they met four or five SUD criteria for that substance, and a severe SUD if they met six or more SUD criteria for that substance. The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(IRPYUD5ALC)

IRPYSEV5ALC

Len : 1 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	3452	5.89
2 = Moderate disorder.....	1310	2.23
3 = Severe disorder.....	1307	2.23
9 = NO PAST YEAR USE DISORDER.....	52564	89.65

IIPYSEV5ALC

Len : 1 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	5913	10.08
3 = Statistically imputed data.....	570	0.97
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	52150	88.94

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(IRPYUD5MRJ)

IRPYSEV5MRJ

Len : 1 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	2691	4.59
2 = Moderate disorder.....	1568	2.67
3 = Severe disorder	1133	1.93
9 = NO PAST YEAR USE DISORDER.....	53241	90.80

IIPYSEV5MRJ

Len : 1 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	5216	8.90
3 = Statistically imputed data.....	314	0.54
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	53103	90.57

IMPUTED SUBSTANCE USE DISORDER

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(IRPYUD5COC)

IRPYSEV5COC

Len : 1 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	116	0.20
2 = Moderate disorder.....	59	0.10
3 = Severe disorder	111	0.19
9 = NO PAST YEAR USE DISORDER.....	58347	99.51

IIPYSEV5COC

Len : 1 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	269	0.46
3 = Statistically imputed data.....	36	0.06
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58328	99.48

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(IRPYUD5HER)

IRPYSEV5HER

Len : 1 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	16	0.03
2 = Moderate disorder.....	13	0.02
3 = Severe disorder	93	0.16
9 = NO PAST YEAR USE DISORDER.....	58511	99.79

IIPYSEV5HER

Len : 1 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	118	0.20
3 = Statistically imputed data.....	10	0.02
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58505	99.78

(IRPYUD5HAL)

IRPYSEV5HAL

Len : 1 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP REV

	Freq	Pct
1 = Mild disorder	90	0.15
2 = Moderate disorder.....	35	0.06
3 = Severe disorder	21	0.04
9 = NO PAST YEAR USE DISORDER.....	58487	99.75

IIPYSEV5HAL

Len : 1 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	138	0.24
3 = Statistically imputed data.....	93	0.16
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58402	99.61

(IRPYUD5INH)

IRPYSEV5INH

Len : 1 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	67	0.11
2 = Moderate disorder.....	24	0.04
3 = Severe disorder	21	0.04
9 = NO PAST YEAR USE DISORDER.....	58521	99.81

IMPUTED SUBSTANCE USE DISORDER

[IIPYSEV5INH](#)

Len : 1 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	100	0.17
3 = Statistically imputed data	113	0.19
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58420	99.64

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(IRPYUD5MTH)

[IRPYSEV5MTH](#)

Len : 1 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP REV

	Freq	Pct
1 = Mild disorder	61	0.10
2 = Moderate disorder	70	0.12
3 = Severe disorder	242	0.41
9 = NO PAST YEAR USE DISORDER	58260	99.36

[IIPYSEV5MTH](#)

Len : 1 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	362	0.62
3 = Statistically imputed data	17	0.03
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58254	99.35

NOTE: IRSEVPNRMIS and IISEVPNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(IRUD5PNRMIS)

[IRSEVPNRMIS](#)

Len : 1 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	206	0.35
2 = Moderate disorder	95	0.16
3 = Severe disorder	140	0.24
9 = Legitimate Skip	58192	99.25

[IISEVPNRMIS](#)

Len : 1 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	412	0.70
3 = Statistically imputed data	85	0.14
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58136	99.15

NOTE: IRSEVPNRUNM2 and IISEVPNRUNM2 were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(IRUD5PNRUNM2)

[IRSEVPNRUNM2](#)

Len : 1 PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
1 = Mild disorder	409	0.70
2 = Moderate disorder	60	0.10
3 = Severe disorder	21	0.04
9 = Legitimate Skip	58143	99.16

[IISEVPNRUNM2](#)

Len : 1 PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	445	0.76
3 = Statistically imputed data	372	0.63
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	57816	98.61

IMPUTED SUBSTANCE USE DISORDER

NOTE: IRSEVTRQMIS and IISEVTRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(IRUD5TRQMIS)

IRSEVTRQMIS

Len : 1 TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	68	0.12
2 = Moderate disorder.....	39	0.07
3 = Severe disorder	68	0.12
9 = Legitimate Skip.....	58458	99.70

IISEVTRQMIS

Len : 1 TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	165	0.28
3 = Statistically imputed data.....	34	0.06
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58434	99.66

NOTE: IRSEVTRQUNM and IISEVTRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(IRUD5TRQUNM)

IRSEVTRQUNM

Len : 1 TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
1 = Mild disorder	143	0.24
2 = Moderate disorder.....	33	0.06
3 = Severe disorder	16	0.03
9 = Legitimate Skip.....	58441	99.67

IISEVTRQUNM

Len : 1 TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	183	0.31
3 = Statistically imputed data.....	118	0.20
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58332	99.49

NOTE: IRSEVSTMMIS and IISEVSTMMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(IRUD5STMMIS)

IRSEVSTMMIS

Len : 1 STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	81	0.14
2 = Moderate disorder.....	57	0.10
3 = Severe disorder	63	0.11
9 = Legitimate Skip.....	58432	99.66

IISEVSTMMIS

Len : 1 STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	188	0.32
3 = Statistically imputed data.....	27	0.05
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58418	99.63

NOTE: IRSEVSTMUNM and IISEVSTMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(IRUD5STMUNM)

IRSEVSTMUNM

Len : 1 STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	272	0.46
2 = Moderate disorder.....	37	0.06
3 = Severe disorder	25	0.04
9 = Legitimate Skip.....	58299	99.43

IMPUTED SUBSTANCE USE DISORDER

<u>IIEVSTMUNM</u>	Len : 1	STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	309	0.53
		3 = Statistically imputed data	121	0.21
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58203	99.27

NOTE: IRSEVSEDMIS and IIEVSEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

<i>(IRUD5SEDMIS)</i>				
<u>IRSEVSEDMIS</u>	Len : 1	SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP REV		
			Freq	Pct
		1 = Mild disorder	20	0.03
		2 = Moderate disorder.....	11	0.02
		3 = Severe disorder	23	0.04
		9 = Legitimate Skip.....	58579	99.91

<u>IIEVSEDMIS</u>	Len : 1	SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	50	0.09
		3 = Statistically imputed data	10	0.02
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58573	99.90

NOTE: IRSEVSEDUNM and IIEVSEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

<i>(IRUD5SEDUNM)</i>				
<u>IRSEVSEDUNM</u>	Len : 1	SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV		
			Freq	Pct
		1 = Mild disorder	90	0.15
		2 = Moderate disorder.....	28	0.05
		3 = Severe disorder	11	0.02
		9 = Legitimate Skip.....	58504	99.78

<u>IIEVSEDUNM</u>	Len : 1	SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND		
			Freq	Pct
		1 = Questionnaire data	119	0.20
		3 = Statistically imputed data	76	0.13
		9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	58438	99.67

RECODED SUBSTANCE USE DISORDER

RECODED SUBSTANCE USE DISORDER

NOTE: UD5TRQSDANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription tranquilizers or sedatives.

(UDYR5SEDANY, UDYR5TRQANY)

UD5TRQSDANY Len : 1 RC-TRANQUILIZER OR SEDATIVE USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	58142	99.16
1 = Yes (any source variable = 1)	491	0.84

NOTE: UD5PSYANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)

UD5PSYANY Len : 1 RC-PSYCHOTHERAPEUTIC USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	57003	97.22
1 = Yes (any source variable = 1)	1630	2.78

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(IRPYUD5HER, UDYR5OPPRANY)

UD5OPIANY2 Len : 1 RC-OPIOID (RX OPI OR HEROIN) USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	57690	98.39
1 = Yes (any source variable = 1)	943	1.61

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(IRPYUD5HER, UDYR5OPPRANY)

UD5HROPANY Len : 1 RC-HEROIN/RX OPIOID USE DISORDER - PAST YEAR USERS

	Freq	Pct
1 = PST YR HEROIN USE DIS (IRPYUD5HER=1 and UDYR5OPPRANY=0).....	62	0.11
2 = PST YR RX OP USE DIS (IRPYUD5HER=0 and UDYR5OPPRANY=1)	821	1.40
3 = PST YR HER & RX OP USE DIS (IRPYUD5HER=1 and UDYR5OPPRANY=1)....	60	0.10
4 = NO PST YR HER OR RX OP UD (IRPYUD5HER=0 and UDYR5OPPRANY=0)....	57690	98.39

NOTE: UD5CNSANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription stimulants.

(IRPYUD5COC, IRPYUD5MTH, UDYR5STMANY)

UD5CNSANY Len : 1 RC-CNS STIMULANT USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	57542	98.14
1 = Yes (any source variable = 1)	1091	1.86

NOTE: UD5ILLANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5INH, IRPYUD5MRJ, IRPYUD5MTH, UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)

UD5ILLANY Len : 1 RC-DRUG USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0).....	51700	88.18
1 = Yes (any source variable = 1)	6933	11.82

RECODED SUBSTANCE USE DISORDER

NOTE: UD5IEMANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5INH, IRPYUD5MTH, UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)

<u>UD5IEMANY</u>	Len : 1	RC-DRUG OTHER THAN MRJ USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0).....		56397	96.19
	1 = Yes (any source variable = 1)		2236	3.81

NOTE: UD5ILALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

<u>UD5ILALANY</u>	Len : 1	RC-DRUG OR ALCOHOL USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (all source variables = 0).....		47681	81.32
	1 = Yes (any source variable = 1)		10952	18.68

NOTE: UD5ILAALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

<u>UD5ILAALANY</u>	Len : 1	RC-DRUG AND ALCOHOL USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (IRPYUD5ALC=0 or UD5ILLANY=0).....		56583	96.50
	1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=1)		2050	3.50

NOTE: UD5ILNALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

<u>UD5ILNALANY</u>	Len : 1	RC-DRUG USE DISORDER, NO ALC USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (IRPYUD5ALC=1 or UD5ILLANY=0).....		53750	91.67
	1 = Yes (IRPYUD5ALC=0 and UD5ILLANY=1)		4883	8.33

NOTE: UD5ALNILANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

<u>UD5ALNILANY</u>	Len : 1	RC-ALC USE DISORDER, NO DRUG USE DISORDER - PAST YEAR USERS		
			Freq	Pct
	0 = No (IRPYUD5ALC=0 or UD5ILLANY=1).....		54614	93.15
	1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=0)		4019	6.85

(IRRXOPANYR, UDYR5PNRANY2)

<u>UDYR5OPPRANY</u>	Len : 1	RC-RX OPIOID USE DISORDER, PY USERS		
			Freq	Pct
	0 = No (any source variable = 0).....		57752	98.50
	1 = Yes (all source variables = 1).....		881	1.50

RECODED SUBSTANCE USE DISORDER

NOTE: UDYR5PNRANY2 was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(IRUD5PNRMIS, IRUD5PNRUNM2)

UDYR5PNRANY2 Len : 1 RC-PAIN RELIEVER USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	57702	98.41
1 = Yes (any source variable = 1)	931	1.59

NOTE: UDYR5SEDANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription sedatives.

(IRUD5SEDMIS, IRUD5SEDUNM)

UDYR5SEDANY Len : 1 RC-SEDATIVE USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	58450	99.69
1 = Yes (any source variable = 1)	183	0.31

NOTE: UDYR5STMANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription stimulants.

(IRUD5STMMIS, IRUD5STMUNM)

UDYR5STMANY Len : 1 RC-STIMULANT USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	58098	99.09
1 = Yes (any source variable = 1)	535	0.91

NOTE: UDYR5TRQANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription tranquilizers.

(IRUD5TRQMIS, IRUD5TRQUNM)

UDYR5TRQANY Len : 1 RC-TRANQUILIZER USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0).....	58266	99.37
1 = Yes (any source variable = 1)	367	0.63

NOTE: UD5CNSGRP was created using the DSM-5 based SUD variables that include use disorder data from past year users and past year misusers of prescription stimulants. A respondent was defined as having CNS Stimulant Use Disorder – Past Year Misuse if they had a cocaine use disorder (IRPYUD5COC=1), a methamphetamine use disorder (IRPYUD5MTH=1), or a prescription stimulant use disorder as a past year misuser (IRUD5STMMIS=1). A respondent was defined as having a CNS Stimulant Use Disorder – Past Year Prescription Stimulant Use but Not Misuse Only if they did not have a cocaine use disorder (IRPYUD5COC=0) or a methamphetamine use disorder (IRPYUD5MTH=0) but had a prescription stimulant use disorder as a past year user but not misuser (IRUD5STMUNM=1). A respondent was defined as having no CNS stimulant use disorder if they did not have a cocaine use disorder (IRPYUD5COC=0), a methamphetamine use disorder (IRPYUD5MTH=0), or a prescription stimulant use disorder as a user or a misuser (IRUD5STMMIS=0 and IRUD5STMUNM=0).

(IRPYUD5COC, IRPYUD5MTH, IRUD5STMMIS, IRUD5STMUNM)

UD5CNSGRP Len : 1 RC-CNS STM USE DISORDER - PY USE, MISUSE, USE/NOT MISUSE

	Freq	Pct
1 = CNS Stimulant Use Disorder - Past Year Rx Stm Misuse.....	775	1.32
2 = CNS Stimulant Use Disorder - PY Rx Stm Use/Not Misuse Only.....	316	0.54
3 = No CNS Stimulant Use Disorder (all source variables = 0)	57542	98.14

RECODED SUBSTANCE USE DISORDER

NOTE: UD5OPIGRP was created using the DSM-5 based SUD variables that include use disorder data from past year users and past year misusers of prescription pain relievers. A respondent was defined as having an Opioid Use Disorder – Past Year Misuse if they had a heroin use disorder (IRPYUD5HER=1) or a prescription opioid use disorder as a past year misuser (UDYR5OPPRANY=1 and IRRXOPNMYR=1). A respondent was defined as having an Opioid Use Disorder – Past Year Opioid Use but Not Misuse Only if they did not have a heroin use disorder (IRPYUD5HER=0) but had a prescription opioid use disorder as a past year user but not misuser (UDYR5OPPRANY=1 and IRRXOPNMYR=0). A respondent was defined as having no opioid use disorder if they did not have a heroin use disorder (IRPYUD5HER=0) or a prescription opioid use disorder (UDYR5OPPRANY=0).

(IRPYUD5HER, IRRXOPNMYR, UDYR5OPPRANY)

UD5OPIGRP

Len : 1 RC-OPIOID USE DISORDER - PY USE, MISUSE, USE/NOT MISUSE

	Freq	Pct
1 = Opioid Use Disorder - Past Year Rx Opioid Misuse.....	500	0.85
2 = Opioid Use Disorder - PY Rx Opioid Use/Not Misuse Only	443	0.76
3 = No Opioid Use Disorder	57690	98.39

NOTE: UD5TRQSDGRP was created using the DSM-5 based SUD variables that include use disorder data from past year users and past year misusers of prescription tranquilizers or sedatives. A respondent was defined as having a Prescription Tranquilizer or Sedative Use Disorder – Past Year Misuse if they had a tranquilizer use disorder as a past year tranquilizer misuser (IRUD5TRQMIS=1) or if they had a sedative use disorder as a past year sedative misuser (IRUD5SEDMIS=1). A respondent was defined as having a Prescription Tranquilizer or Sedative Use Disorder – Past Year Prescription Tranquilizer or Sedative Use but Not Misuse Only if they had a tranquilizer or sedative use disorder as a past year user (UD5TRQSDANY=1) but did not have a tranquilizer use disorder as a past year misuser (IRUD5TRQMIS=0) or have a sedative use disorder as a past year misuser (IRUD5SEDMIS=0).

(IRUD5SEDMIS, IRUD5TRQMIS, UD5TRQSDANY)

UD5TRQSDGRP

Len : 1 RC-TRQ/STM USE DISORDER - PY USE, MISUSE, USE/NOT MISUSE

	Freq	Pct
1 = Rx Tranq / Sed Use Disorder - Past Year Rx Tranq/Sed Misuse.....	208	0.35
2 = Rx Trq/Sed Use Disorder - PY Rx Trq/Sed Use/Not Misuse Only	283	0.48
3 = No Tranquilizer or Sedative Use Disorder (UD5TRQSDANY=0)	58142	99.16

NOTE: SEVYRPNRANY2 was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(IRSEVPNRMIS, IRSEVPNRUNM2)

SEVYRPNRANY2

Len : 1 RC-PAIN RELIEVER USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	615	1.05
2 = Moderate disorder.....	155	0.26
3 = Severe disorder	161	0.27
9 = Legitimate Skip.....	57702	98.41

(IRRXOPANYR, SEVYRPNRANY2)

SEVYROPPRANY

Len : 1 RC-RX OPIOID USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (IRRXOPANYR=1 and SEVYRPNRANY2=1)	574	0.98
2 = Moderate disorder (IRRXOPANYR=1 and SEVYRPNRANY2=2)	148	0.25
3 = Severe disorder (IRRXOPANYR=1 and SEVYRPNRANY2=3)	159	0.27
4 = No Past Year Use Disorder (Otherwise)	57752	98.50

NOTE: SEVYRTRQANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription tranquilizers.

(IRSEVTRQMIS, IRSEVTRQUNM)

SEVYRTRQANY

Len : 1 RC-TRANQUILIZER USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	211	0.36
2 = Moderate disorder.....	72	0.12
3 = Severe disorder	84	0.14
9 = Legitimate Skip.....	58266	99.37

RECODED SUBSTANCE USE DISORDER

NOTE: SEVYRSTMAN was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription stimulants.

(IRSEVSTMMIS, IRSEVSTMUNM)

SEVYRSTMAN Len : 1 RC-STIMULANT USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	353	0.60
2 = Moderate disorder	94	0.16
3 = Severe disorder	88	0.15
9 = Legitimate Skip	58098	99.09

NOTE: SEVYRSEDANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription sedatives.

(IRSEVSEDMIS, IRSEVSEDUNM)

SEVYRSEDANY Len : 1 RC-SEDATIVE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	110	0.19
2 = Moderate disorder	39	0.07
3 = Severe disorder	34	0.06
9 = Legitimate Skip	58450	99.69

NOTE: The following six substance use disorder (SUD) severity recoded variables were created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs. These SUD severity recoded variables are defined as the maximum disorder severity level across multiple substances (each of the source variables represent a substance). When any of the source variables indicated a disorder (mild, moderate, or severe), these recoded variables are assigned the maximum severity level.

(SEVYRSEDANY, SEVYRTRQANY)

SVYRTQSDANY Len : 1 RC-TRANQUILIZER OR SEDATIVE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above)	296	0.50
2 = Moderate disorder (See comment above)	94	0.16
3 = Severe disorder (See comment above)	101	0.17
4 = No Past Year Use Disorder (all source variables=9)	58142	99.16

(SEVYRPNRANY2, SEVYRSEDANY, SEVYRSTMAN, SEVYRTRQANY)

SVYRPSYANY Len : 1 RC-PSYCHOTHERAPEUTIC USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	1074	1.83
2 = Moderate disorder (See comment above SVYRTQSDANY)	281	0.48
3 = Severe disorder (See comment above SVYRTQSDANY)	275	0.47
4 = No Past Year Use Disorder (all source variables=9)	57003	97.22

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(IRPYSEV5HER, SEVYROPPRANY)

SVYROPIANY2 Len : 1 RC-OPIOID (RX OPIOIDS OR HEROIN) USE DISORDER SEV, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	571	0.97
2 = Moderate disorder (See comment above SVYRTQSDANY)	151	0.26
3 = Severe disorder (See comment above SVYRTQSDANY)	221	0.38
4 = No Past Year Use Disorder (IRPYSEV5HER=9 and SEVYROPPRANY=4)	57690	98.39

(IRPYSEV5COC, IRPYSEV5MTH, SEVYRSTMAN)

SVYRCNSANY Len : 1 RC-CNS STIMULANT USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	486	0.83
2 = Moderate disorder (See comment above SVYRTQSDANY)	197	0.34
3 = Severe disorder (See comment above SVYRTQSDANY)	408	0.70
4 = No Past Year Use Disorder (all source variables=9)	57542	98.14

RECODED SUBSTANCE USE DISORDER

(IRPYSEV5COC, IRPYSEV5HAL, IRPYSEV5HER, IRPYSEV5INH, IRPYSEV5MRJ, IRPYSEV5MTH, SEVYRPNRANY2, SEVYRSEDANY, SEVYRSTMAN, SEVYRTRQANY)

SVYRDUDANY Len : 1 RC-DRUG USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	3517	6.00
2 = Moderate disorder (See comment above SVYRTQSDANY).....	1785	3.04
3 = Severe disorder (See comment above SVYRTQSDANY).....	1631	2.78
4 = No Past Year Use Disorder (all source variables=9).....	51700	88.18

(IRPYSEV5ALC, IRPYSEV5COC, IRPYSEV5HAL, IRPYSEV5HER, IRPYSEV5INH, IRPYSEV5MRJ, IRPYSEV5MTH, SEVYRPNRANY2, SEVYRSEDANY, SEVYRSTMAN, SEVYRTRQANY)

SVYRSUDANY Len : 1 RC-SUBSTANCE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	5667	9.67
2 = Moderate disorder (See comment above SVYRTQSDANY).....	2637	4.50
3 = Severe disorder (See comment above SVYRTQSDANY).....	2648	4.52
4 = No Past Year Use Disorder (all source variables=9).....	47681	81.32

NOTE: The following three substance use disorder (SUD) severity recoded variables were created using the DSM-5 based SUD variables that include use disorder data from past year misusers of prescription drugs. These SUD severity recoded variables are defined as the maximum disorder severity level across multiple substances (each of the source variables represent a substance). When any of the source variables indicated a disorder (mild, moderate, or severe), these recoded variables are assigned the maximum severity level.

(IRUD5SEDMIS, IRUD5TRQMIS, UD5TRQSDGRP)

SVYRTQSDMIS Len : 1 RC-TRANQUILIZER/SEDATIVE USE DISORDER SEVERITY, PY MISUSERS

	Freq	Pct
1 = Mild disorder (See comment above)	81	0.14
2 = Moderate disorder (See comment above).....	47	0.08
3 = Severe disorder (See comment above)	80	0.14
4 = No PY Use Disorder / No PY Misuse of Trq/Sed (UD5TRQSDG=2,3)	58425	99.65

NOTE: The source variable of severity level of prescription opioid use disorder among misusers is based on the severity level of prescription opioid use disorder among users (SEVYROPPRANY), but is subset to prescription opioid misusers (IRRXPONMYR=1)

(IRPYSEV5HER, IRRXPONMYR, SEVYROPPRANY, UD5OPIGRP)

SVYROPIMIS Len : 1 RC-OPIOID USE DISORDER SEVERITY, PY MISUSERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDMIS)	199	0.34
2 = Moderate disorder (See comment above SVYRTQSDMIS)	98	0.17
3 = Severe disorder (See comment above SVYRTQSDMIS)	203	0.35
4 = No PY Use Disorder / No PY Misuse of Rx Opi (UD5OPIGRP=2,3)	58133	99.15

(IRPYSEV5COC, IRPYSEV5MTH, IRSEVSTMMIS, UD5CNSGRP)

SVYRCNSMIS Len : 1 RC-CNS STIMULANT USE DISORDER SEVERITY, PY MISUSERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDMIS)	228	0.39
2 = Moderate disorder (See comment above SVYRTQSDMIS)	162	0.28
3 = Severe disorder (See comment above SVYRTQSDMIS)	385	0.66
4 = No PY Use Disorder / No PY Misuse of Stm (UD5CNSGRP=2,3).....	57858	98.68

NOTE: The following three substance use disorder (SUD) severity recoded variables were created using the DSM-5 based SUD variables that include use disorder data from past year users but not misusers of prescription drugs. These SUD severity recoded variables are defined as the maximum disorder severity level of the prescription drug component when the respondent used but did not misuse the prescription drug and did not use any of the other components. For example, the severity of CNS Stimulant Use Disorder among Past Year Stimulant Users but not Misusers Only is based on the severity of stimulant use disorder among users but not misusers of stimulants who also did not have a user disorder for cocaine or methamphetamine.

(IRUD5SEDUNM, IRUD5TRQUNM, UD5TRQSDGRP)

SVYRTQSDUNM Len : 1 RC-TRANQ/SED USE DIS SEV, PY USERS/NOT MISUSERS ONLY

	Freq	Pct
1 = Mild dis (UD5TRQSDGRP=2 & max(IRSEVSEDUNM,IRSEVTRQUNM)=1).....	216	0.37
2 = Moderate dis (UD5TRQSDGRP=2 & max(IRSEVSEDUNM,IRSEVTRQUNM)=2...)	47	0.08
3 = Severe dis (UD5TRQSDGRP=2 & max(IRSEVSEDUNM,IRSEVTRQUNM)=3).....	20	0.03
4 = No PY Use Disorder / PY Misuse of Trq/Sed (UD5TRQSDGRP=1,3)	58350	99.52

RECODED SUBSTANCE USE DISORDER

(SEVYROPPRANY, UD5OPIGRP)

SVYROIUNM

Len : 1 RC-OPIOID USE DIS SEV, PY RX OPIOID USERS/NOT MISUSERS ONLY

	Freq	Pct
1 = Mild disorder (UD5OPIGRP=2 & SEVYROPPRANY=1).....	373	0.64
2 = Moderate disorder (UD5OPIGRP=2 & SEVYROPPRANY=2)	52	0.09
3 = Severe disorder (UD5OPIGRP=2 & SEVYROPPRANY=3).....	18	0.03
4 = No PY Use Disorder / PY Misuse of Rx Opi (UD5OPIGRP=1,3).....	58190	99.24

(IRSEVSTMUNM, UD5CNSGRP)

SVYRCNSUNM

Len : 1 RC-CNS STIM USE DIS SEV, PY STM USERS/ NOT MISUSERS ONLY

	Freq	Pct
1 = Mild disorder (UD5CNSGRP=2 & IRSEVSTMUNM=1).....	259	0.44
2 = Moderate disorder (UD5CNSGRP=2 & IRSEVSTMUNM=2)	35	0.06
3 = Severe disorder (UD5CNSGRP=2 & IRSEVSTMUNM=3).....	22	0.04
4 = No PY Use Disorder / PY Misuse of Trq/Sed (UD5CNSGRP=1,3)	58317	99.46

PRIOR SUBSTANCE USE

PRIOR SUBSTANCE USE

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or any cannabis product, even once?

(LU01)

MRJYRBFR¹

Len : 2 USE MJ/CANNABIS EVEN ONCE YR BEFORE LAST

	Freq	Pct
1 = Yes.....	13048	22.25
2 = No.....	12940	22.07
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED MARIJUANA	32064	54.69
94 = DON'T KNOW	157	0.27
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	359	0.61

The computer recorded that you last used marijuana or any cannabis product [MJREC FILL]. How old were you the last time you used marijuana or any cannabis product?

(LU02)

MRJAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED MARIJUANA/CANNABIS

	Freq	Pct
RANGE = 2 - 94.....	15716	26.80
985 = BAD DATA Logically assigned	352	0.60
989 = LEGITIMATE SKIP Logically assigned	3	0.01
991 = NEVER USED MARIJUANA	32064	54.69
994 = DON'T KNOW	272	0.46
997 = REFUSED	89	0.15
998 = BLANK (NO ANSWER).....	310	0.53
999 = LEGITIMATE SKIP.....	9827	16.76

Did you last use marijuana or any cannabis prodcut in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or any cannabis product in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or cannabis product?

(LU02A, LU02B, LU02C)

MRJYLU¹

Len : 4 YEAR OF LAST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024	5400	9.21
9985 = BAD DATA Logically assigned	70	0.12
9989 = LEGITIMATE SKIP Logically assigned	189	0.32
9991 = NEVER USED MARIJUANA.....	32064	54.69
9994 = DON'T KNOW	296	0.50
9997 = REFUSED	97	0.17
9998 = BLANK (NO ANSWER).....	665	1.13
9999 = LEGITIMATE SKIP.....	19852	33.86

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use marijuana or any cannabis product?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or any cannabis product?

(LU02C, LU02D)

MRJMLU¹

Len : 2 MONTH OF LAST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
1 = January.....	473	0.81
2 = February.....	418	0.71
3 = March.....	427	0.73
4 = April.....	355	0.61
5 = May.....	369	0.63
6 = June.....	500	0.85
7 = July.....	546	0.93
8 = August.....	412	0.70
9 = September.....	380	0.65
10 = October.....	398	0.68
11 = November.....	356	0.61
12 = December.....	468	0.80
85 = BAD DATA Logically assigned.....	108	0.18
89 = LEGITIMATE SKIP Logically assigned.....	189	0.32
91 = NEVER USED MARIJUANA.....	32064	54.69
94 = DON'T KNOW.....	536	0.91
97 = REFUSED.....	111	0.19
98 = BLANK (NO ANSWER).....	671	1.14
99 = LEGITIMATE SKIP.....	19852	33.86

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

(LU03)

CIGAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

	Freq	Pct
RANGE = 2 - 88.....	17325	29.55
985 = BAD DATA Logically assigned.....	474	0.81
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED CIGARETTES.....	33564	57.24
994 = DON'T KNOW.....	257	0.44
997 = REFUSED.....	52	0.09
998 = BLANK (NO ANSWER).....	239	0.41
999 = LEGITIMATE SKIP.....	6721	11.46

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

(LU03A, LU03B, LU03C)

CIGYLU¹

Len : 4 YEAR OF LAST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	2909	4.96
9985 = BAD DATA Logically assigned.....	65	0.11
9989 = LEGITIMATE SKIP Logically assigned.....	94	0.16
9991 = NEVER USED CIGARETTES.....	33564	57.24
9994 = DON'T KNOW.....	274	0.47
9997 = REFUSED.....	55	0.09
9998 = BLANK (NO ANSWER).....	729	1.24
9999 = LEGITIMATE SKIP.....	20943	35.72

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

(LU03C, LU03D)

[CIGMLU](#)¹

Len : 2 MONTH OF LAST CIGARETTE USE - RECODE

	Freq	Pct
1 = January.....	247	0.42
2 = February.....	200	0.34
3 = March.....	231	0.39
4 = April.....	181	0.31
5 = May.....	202	0.34
6 = June.....	226	0.39
7 = July.....	258	0.44
8 = August.....	226	0.39
9 = September.....	193	0.33
10 = October.....	250	0.43
11 = November.....	233	0.40
12 = December.....	273	0.47
85 = BAD DATA Logically assigned.....	115	0.20
89 = LEGITIMATE SKIP Logically assigned.....	94	0.16
91 = NEVER USED CIGARETTES.....	33564	57.24
94 = DON'T KNOW.....	399	0.68
97 = REFUSED.....	59	0.10
98 = BLANK (NO ANSWER).....	739	1.26
99 = LEGITIMATE SKIP.....	20943	35.72

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

(LU04)

[CIGDLST](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

	Freq	Pct
RANGE = 2 - 88.....	8639	14.73
985 = BAD DATA Logically assigned.....	157	0.27
991 = NEVER USED CIGARETTES.....	33564	57.24
994 = DON'T KNOW.....	86	0.15
997 = REFUSED.....	36	0.06
998 = BLANK (NO ANSWER).....	129	0.22
999 = LEGITIMATE SKIP.....	16022	27.33

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

(LU04A, LU04B, LU04C)

[CIGDLYLU](#)¹

Len : 4 YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	1208	2.06
9985 = BAD DATA Logically assigned.....	26	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	47	0.08
9991 = NEVER USED CIGARETTES.....	33564	57.24
9994 = DON'T KNOW.....	92	0.16
9997 = REFUSED.....	37	0.06
9998 = BLANK (NO ANSWER).....	287	0.49
9999 = LEGITIMATE SKIP.....	23372	39.86

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

(LU04C, LU04D)

CIGDMLU¹

Len : 2 MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January.....	124	0.21
2 = February.....	94	0.16
3 = March.....	80	0.14
4 = April.....	100	0.17
5 = May.....	75	0.13
6 = June.....	105	0.18
7 = July.....	104	0.18
8 = August.....	87	0.15
9 = September.....	74	0.13
10 = October.....	94	0.16
11 = November.....	86	0.15
12 = December.....	153	0.26
85 = BAD DATA Logically assigned.....	34	0.06
89 = LEGITIMATE SKIP Logically assigned.....	47	0.08
91 = NEVER USED CIGARETTES.....	33564	57.24
94 = DON'T KNOW.....	113	0.19
97 = REFUSED.....	39	0.07
98 = BLANK (NO ANSWER).....	288	0.49
99 = LEGITIMATE SKIP.....	23372	39.86

The computer recorded that you last used smokeless tobacco [CGSNREC FILL]. How old were you the last time you used smokeless tobacco?

(LU05)

SMKAGLAST¹

Len : 3 HOW OLD WERE YOU LAST THE TIME USED SMOKELESS TOB

	Freq	Pct
RANGE = 2 - 80.....	4839	8.25
985 = BAD DATA Logically assigned.....	310	0.53
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED SMOKELESS TOBACCO.....	51763	88.28
994 = DON'T KNOW.....	129	0.22
997 = REFUSED.....	30	0.05
998 = BLANK (NO ANSWER).....	106	0.18
999 = LEGITIMATE SKIP.....	1455	2.48

Did you last use smokeless tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use smokeless tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use smokeless tobacco?

(LU05A, LU05B, LU05C)

SMKYRLAST¹

Len : 4 YEAR OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	842	1.44
9985 = BAD DATA Logically assigned.....	17	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	21	0.04
9991 = NEVER USED SMOKELESS TOBACCO.....	51763	88.28
9994 = DON'T KNOW.....	132	0.23
9997 = REFUSED.....	31	0.05
9998 = BLANK (NO ANSWER).....	409	0.70
9999 = LEGITIMATE SKIP.....	5418	9.24

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use smokeless tobacco?

In what month in [YEAR FROM LU05a or LU05b] did you last use smokeless tobacco?

(LU05C, LU05D)

SMKMOLAST¹

Len : 2 MONTH OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January.....	63	0.11
2 = February.....	75	0.13
3 = March.....	69	0.12
4 = April.....	54	0.09
5 = May.....	56	0.10
6 = June.....	77	0.13
7 = July.....	85	0.14
8 = August.....	70	0.12
9 = September.....	63	0.11
10 = October.....	58	0.10
11 = November.....	54	0.09
12 = December.....	69	0.12
85 = BAD DATA Logically assigned.....	38	0.06
89 = LEGITIMATE SKIP Logically assigned.....	21	0.04
91 = NEVER USED SMOKELESS TOBACCO.....	51763	88.28
94 = DON'T KNOW.....	156	0.27
97 = REFUSED.....	32	0.05
98 = BLANK (NO ANSWER).....	412	0.70
99 = LEGITIMATE SKIP.....	5418	9.24

The computer recorded that you last smoked part or all of a cigar or cigarillo [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar or cigarillo?

(LU07)

CGRAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR/CIGARILLO

	Freq	Pct
RANGE = 3 - 87.....	11512	19.63
985 = BAD DATA Logically assigned.....	724	1.23
991 = NEVER USED CIGARS.....	43901	74.87
994 = DON'T KNOW.....	314	0.54
997 = REFUSED.....	35	0.06
998 = BLANK (NO ANSWER).....	178	0.30
999 = LEGITIMATE SKIP.....	1969	3.36

Did you last smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar or cigarillo?

(LU07A, LU07B, LU07C)

CIGARYLU¹

Len : 4 YEAR OF LAST CIGAR/CIGARILLO USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	2405	4.10
9985 = BAD DATA Logically assigned.....	33	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	82	0.14
9991 = NEVER USED CIGARS.....	43901	74.87
9994 = DON'T KNOW.....	323	0.55
9997 = REFUSED.....	37	0.06
9998 = BLANK (NO ANSWER).....	901	1.54
9999 = LEGITIMATE SKIP.....	10951	18.68

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar or cigarillo?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar or cigarillo?

(LU07C, LU07D)

CIGARMLU¹

Len : 2 MONTH OF LAST CIGAR/CIGARILLO USE - RECODE

	Freq	Pct
1 = January.....	178	0.30
2 = February.....	151	0.26
3 = March.....	177	0.30
4 = April.....	138	0.24
5 = May.....	182	0.31
6 = June.....	264	0.45
7 = July.....	287	0.49
8 = August.....	208	0.35
9 = September.....	157	0.27
10 = October.....	175	0.30
11 = November.....	169	0.29
12 = December.....	199	0.34
85 = BAD DATA Logically assigned.....	67	0.11
89 = LEGITIMATE SKIP Logically assigned.....	82	0.14
91 = NEVER USED CIGARS.....	43901	74.87
94 = DON'T KNOW.....	397	0.68
97 = REFUSED.....	40	0.07
98 = BLANK (NO ANSWER).....	910	1.55
99 = LEGITIMATE SKIP.....	10951	18.68

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

(LU08)

ALCAGLST¹

Len : 3 HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE

	Freq	Pct
RANGE = 2 - 98.....	16167	27.57
985 = BAD DATA Logically assigned.....	188	0.32
989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
991 = NEVER USED ALCOHOL.....	16952	28.91
994 = DON'T KNOW.....	257	0.44
997 = REFUSED.....	68	0.12
998 = BLANK (NO ANSWER).....	242	0.41
999 = LEGITIMATE SKIP.....	24751	42.21

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

(LU08A, LU08B, LU08C)

ALCYLU¹

Len : 4 YEAR OF LAST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	10062	17.16
9985 = BAD DATA Logically assigned.....	137	0.23
9989 = LEGITIMATE SKIP Logically assigned.....	161	0.27
9991 = NEVER USED ALCOHOL.....	16952	28.91
9994 = DON'T KNOW.....	277	0.47
9997 = REFUSED.....	72	0.12
9998 = BLANK (NO ANSWER).....	435	0.74
9999 = LEGITIMATE SKIP.....	30537	52.08

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

(LU08C, LU08D)

ALCMLU¹

Len : 2 MONTH OF LAST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	1154	1.97
2 = February.....	760	1.30
3 = March.....	765	1.30
4 = April.....	624	1.06
5 = May.....	692	1.18
6 = June.....	821	1.40
7 = July.....	1007	1.72
8 = August.....	677	1.15
9 = September.....	619	1.06
10 = October.....	618	1.05
11 = November.....	537	0.92
12 = December.....	1449	2.47
85 = BAD DATA Logically assigned.....	197	0.34
89 = LEGITIMATE SKIP Logically assigned.....	161	0.27
91 = NEVER USED ALCOHOL.....	16952	28.91
94 = DON'T KNOW.....	532	0.91
97 = REFUSED.....	90	0.15
98 = BLANK (NO ANSWER).....	441	0.75
99 = LEGITIMATE SKIP.....	30537	52.08

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

(LU09)

COCAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE

	Freq	Pct
RANGE = 1 - 77.....	5766	9.83
985 = BAD DATA Logically assigned.....	368	0.63
989 = LEGITIMATE SKIP Logically assigned.....	17	0.03
991 = NEVER USED COCAINE.....	51888	88.50
994 = DON'T KNOW.....	108	0.18
997 = REFUSED.....	38	0.06
998 = BLANK (NO ANSWER).....	120	0.20
999 = LEGITIMATE SKIP.....	328	0.56

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

(LU09A, LU09B, LU09C)

COCYLU¹

Len : 4 YEAR OF LAST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	836	1.43
9985 = BAD DATA Logically assigned.....	18	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	52	0.09
9991 = NEVER USED COCAINE.....	51888	88.50
9994 = DON'T KNOW.....	112	0.19
9997 = REFUSED.....	39	0.07
9998 = BLANK (NO ANSWER).....	500	0.85
9999 = LEGITIMATE SKIP.....	5188	8.85

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

(LU09C, LU09D)

COCMLU¹

Len : 2 MONTH OF LAST COCAINE USE - RECODE

	Freq	Pct
1 = January.....	75	0.13
2 = February.....	71	0.12
3 = March.....	62	0.11
4 = April.....	62	0.11
5 = May.....	62	0.11
6 = June.....	67	0.11
7 = July.....	65	0.11
8 = August.....	67	0.11
9 = September.....	48	0.08
10 = October.....	60	0.10
11 = November.....	61	0.10
12 = December.....	84	0.14
85 = BAD DATA Logically assigned.....	29	0.05
89 = LEGITIMATE SKIP Logically assigned.....	52	0.09
91 = NEVER USED COCAINE.....	51888	88.50
94 = DON'T KNOW.....	148	0.25
97 = REFUSED.....	43	0.07
98 = BLANK (NO ANSWER).....	501	0.85
99 = LEGITIMATE SKIP.....	5188	8.85

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack?"

(LU10)

CRKAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED CRACK

	Freq	Pct
RANGE = 12 - 77.....	1332	2.27
985 = BAD DATA Logically assigned.....	139	0.24
991 = NEVER USED CRACK.....	56991	97.20
994 = DON'T KNOW.....	43	0.07
997 = REFUSED.....	20	0.03
998 = BLANK (NO ANSWER).....	46	0.08
999 = LEGITIMATE SKIP.....	62	0.11

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

(LU10A, LU10B, LU10C)

CRKYLU¹

Len : 4 YEAR OF LAST CRACK USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	111	0.19
9985 = BAD DATA Logically assigned.....	2	0.00
9989 = LEGITIMATE SKIP Logically assigned.....	5	0.01
9991 = NEVER USED CRACK.....	56991	97.20
9994 = DON'T KNOW.....	43	0.07
9997 = REFUSED.....	20	0.03
9998 = BLANK (NO ANSWER).....	186	0.32
9999 = LEGITIMATE SKIP.....	1275	2.17

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "crack"?

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

(LU10C, LU10D)

CRKMLU¹

Len : 2 MONTH OF LAST CRACK USE - RECODE

	Freq	Pct
1 = January.....	11	0.02
2 = February.....	11	0.02
3 = March.....	8	0.01
4 = April.....	7	0.01
5 = May.....	10	0.02
6 = June.....	8	0.01
7 = July.....	6	0.01
8 = August.....	9	0.02
9 = September.....	7	0.01
10 = October.....	13	0.02
11 = November.....	5	0.01
12 = December.....	12	0.02
85 = BAD DATA Logically assigned.....	3	0.01
89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
91 = NEVER USED CRACK.....	56991	97.20
94 = DON'T KNOW.....	45	0.08
97 = REFUSED.....	20	0.03
98 = BLANK (NO ANSWER).....	187	0.32
99 = LEGITIMATE SKIP.....	1275	2.17

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

(LU11)

HERAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HEROIN

	Freq	Pct
RANGE = 9 - 70.....	947	1.62
985 = BAD DATA Logically assigned.....	114	0.19
991 = NEVER USED HEROIN.....	57419	97.93
994 = DON'T KNOW.....	25	0.04
997 = REFUSED.....	11	0.02
998 = BLANK (NO ANSWER).....	45	0.08
999 = LEGITIMATE SKIP.....	72	0.12

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

(LU11A, LU11B, LU11C)

HERYLU¹

Len : 4 YEAR OF LAST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	88	0.15
9985 = BAD DATA Logically assigned.....	3	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	6	0.01
9991 = NEVER USED HEROIN.....	57419	97.93
9994 = DON'T KNOW.....	25	0.04
9997 = REFUSED.....	11	0.02
9998 = BLANK (NO ANSWER).....	158	0.27
9999 = LEGITIMATE SKIP.....	923	1.57

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

(LU11C, LU11D)

HERMLU¹

Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	14	0.02
2 = February.....	5	0.01
3 = March.....	9	0.02
4 = April.....	4	0.01
5 = May.....	3	0.01
6 = June.....	7	0.01
7 = July.....	4	0.01
8 = August.....	6	0.01
9 = September.....	6	0.01
10 = October.....	7	0.01
11 = November.....	6	0.01
12 = December.....	13	0.02
85 = BAD DATA Logically assigned.....	4	0.01
89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
91 = NEVER USED HEROIN.....	57419	97.93
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	159	0.27
99 = LEGITIMATE SKIP.....	923	1.57

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

(LU12)

HALLAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 84.....	8158	13.91
985 = BAD DATA Logically assigned.....	449	0.77
989 = LEGITIMATE SKIP Logically assigned.....	39	0.07
991 = NEVER USED HALLUCINOGENS.....	48639	82.95
994 = DON'T KNOW.....	175	0.30
997 = REFUSED.....	50	0.09
998 = BLANK (NO ANSWER).....	497	0.85
999 = LEGITIMATE SKIP.....	626	1.07

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

(LU12A, LU12B, LU12C)

HALLYRLST¹

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	2147	3.66
9985 = BAD DATA Logically assigned.....	33	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	98	0.17
9991 = NEVER USED HALLUCINOGENS.....	48639	82.95
9994 = DON'T KNOW.....	181	0.31
9997 = REFUSED.....	51	0.09
9998 = BLANK (NO ANSWER).....	1019	1.74
9999 = LEGITIMATE SKIP.....	6465	11.03

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

(LU12C, LU12D)

HALLMOLST¹

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January.....	140	0.24
2 = February.....	160	0.27
3 = March.....	175	0.30
4 = April.....	127	0.22
5 = May.....	173	0.30
6 = June.....	201	0.34
7 = July.....	198	0.34
8 = August.....	221	0.38
9 = September.....	147	0.25
10 = October.....	171	0.29
11 = November.....	140	0.24
12 = December.....	157	0.27
85 = BAD DATA Logically assigned.....	84	0.14
89 = LEGITIMATE SKIP Logically assigned.....	97	0.17
91 = NEVER USED HALLUCINOGENS.....	48639	82.95
94 = DON'T KNOW.....	253	0.43
97 = REFUSED.....	62	0.11
98 = BLANK (NO ANSWER).....	1023	1.74
99 = LEGITIMATE SKIP.....	6465	11.03

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

(LU13)

LSDAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 1 - 84.....	4618	7.88
985 = BAD DATA Logically assigned.....	236	0.40
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED LSD.....	53315	90.93
994 = DON'T KNOW.....	94	0.16
997 = REFUSED.....	39	0.07
998 = BLANK (NO ANSWER).....	259	0.44
999 = LEGITIMATE SKIP.....	71	0.12

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

(LU13A, LU13B, LU13C)

LSDYLU¹

Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	479	0.82
9985 = BAD DATA Logically assigned.....	9	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	28	0.05
9991 = NEVER USED LSD.....	53315	90.93
9994 = DON'T KNOW.....	96	0.16
9997 = REFUSED.....	41	0.07
9998 = BLANK (NO ANSWER).....	499	0.85
9999 = LEGITIMATE SKIP.....	4166	7.11

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

(LU13C, LU13D)

[LSDMLU¹](#)

Len : 2 MONTH OF LAST LSD USE - RECODE

	Freq	Pct
1 = January.....	31	0.05
2 = February.....	36	0.06
3 = March.....	42	0.07
4 = April.....	28	0.05
5 = May.....	36	0.06
6 = June.....	51	0.09
7 = July.....	38	0.06
8 = August.....	52	0.09
9 = September.....	29	0.05
10 = October.....	42	0.07
11 = November.....	30	0.05
12 = December.....	32	0.05
85 = BAD DATA Logically assigned.....	15	0.03
89 = LEGITIMATE SKIP Logically assigned.....	28	0.05
91 = NEVER USED LSD.....	53315	90.93
94 = DON'T KNOW.....	117	0.20
97 = REFUSED.....	43	0.07
98 = BLANK (NO ANSWER).....	502	0.86
99 = LEGITIMATE SKIP.....	4166	7.11

The computer recorded that you last used PCP [PCPPREC FILL]. How old were you the last time you used PCP?

(LU14)

[PCPAGLST¹](#)

Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP

	Freq	Pct
RANGE = 8 - 57.....	663	1.13
985 = BAD DATA Logically assigned.....	79	0.13
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED PCP.....	57739	98.48
994 = DON'T KNOW.....	21	0.04
997 = REFUSED.....	12	0.02
998 = BLANK (NO ANSWER).....	111	0.19
999 = LEGITIMATE SKIP.....	7	0.01

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

(LU14A, LU14B, LU14C)

[PCPYLU¹](#)

Len : 4 YEAR OF LAST PCP USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	26	0.04
9985 = BAD DATA Logically assigned.....	3	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
9991 = NEVER USED PCP.....	57739	98.48
9994 = DON'T KNOW.....	21	0.04
9997 = REFUSED.....	12	0.02
9998 = BLANK (NO ANSWER).....	190	0.32
9999 = LEGITIMATE SKIP.....	641	1.09

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

(LU14C, LU14D)

[PCPMLU](#)¹

Len : 2 MONTH OF LAST PCP USE - RECODE

	Freq	Pct
1 = January.....	4	0.01
2 = February.....	1	0.00
4 = April.....	1	0.00
5 = May.....	3	0.01
6 = June.....	1	0.00
7 = July.....	2	0.00
8 = August.....	5	0.01
9 = September.....	1	0.00
10 = October.....	2	0.00
11 = November.....	1	0.00
12 = December.....	2	0.00
85 = BAD DATA Logically assigned.....	4	0.01
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED PCP.....	57739	98.48
94 = DON'T KNOW.....	22	0.04
97 = REFUSED.....	12	0.02
98 = BLANK (NO ANSWER).....	191	0.33
99 = LEGITIMATE SKIP.....	641	1.09

The computer recorded that you last used "Ecstasy" or "Molly" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy" or "Molly" ?

(LU15)

[ECSTMOAGLU](#)¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY/MOLLY

	Freq	Pct
RANGE = 11 - 63.....	3918	6.68
985 = BAD DATA Logically assigned.....	248	0.42
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED ECSTASY.....	53995	92.09
994 = DON'T KNOW.....	73	0.12
997 = REFUSED.....	25	0.04
998 = BLANK (NO ANSWER).....	262	0.45
999 = LEGITIMATE SKIP.....	111	0.19

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

(LU15A, LU15B, LU15C)

[ECSTMOYLU](#)¹

Len : 4 YEAR OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	505	0.86
9985 = BAD DATA Logically assigned.....	8	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	17	0.03
9991 = NEVER USED ECSTASY OR MOLLY.....	53995	92.09
9994 = DON'T KNOW.....	76	0.13
9997 = REFUSED.....	26	0.04
9998 = BLANK (NO ANSWER).....	514	0.88
9999 = LEGITIMATE SKIP.....	3492	5.96

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy" or "Molly"?

(LU15C, LU15D)

ECSTMOMLU¹

Len : 2 MONTH OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January.....	43	0.07
2 = February.....	37	0.06
3 = March.....	39	0.07
4 = April.....	26	0.04
5 = May.....	39	0.07
6 = June.....	53	0.09
7 = July.....	39	0.07
8 = August.....	51	0.09
9 = September.....	33	0.06
10 = October.....	38	0.06
11 = November.....	34	0.06
12 = December.....	48	0.08
85 = BAD DATA Logically assigned.....	14	0.02
89 = LEGITIMATE SKIP Logically assigned.....	17	0.03
91 = NEVER USED ECSTASY OR MOLLY.....	53995	92.09
94 = DON'T KNOW.....	89	0.15
97 = REFUSED.....	27	0.05
98 = BLANK (NO ANSWER).....	519	0.89
99 = LEGITIMATE SKIP.....	3492	5.96

The computer recorded that you last used any inhalants for fun or to get high [INREC FILL]. How old were you the last time you used any inhalants for fun or to get high?

(LU16)

INHLAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 75.....	5229	8.92
985 = BAD DATA Logically assigned.....	467	0.80
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED INHALANTS.....	51705	88.18
994 = DON'T KNOW.....	385	0.66
997 = REFUSED.....	102	0.17
998 = BLANK (NO ANSWER).....	394	0.67
999 = LEGITIMATE SKIP.....	349	0.60

Did you last use an inhalant for fun or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for fun or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for fun or to get high?

(LU16A, LU16B, LU16C)

INHLYLRLST¹

Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	788	1.34
9985 = BAD DATA Logically assigned.....	30	0.05
9989 = LEGITIMATE SKIP Logically assigned.....	33	0.06
9991 = NEVER USED INHALANTS.....	51705	88.18
9994 = DON'T KNOW.....	388	0.66
9997 = REFUSED.....	104	0.18
9998 = BLANK (NO ANSWER).....	850	1.45
9999 = LEGITIMATE SKIP.....	4735	8.08

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for fun or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for fun or to get high?

(LU16C, LU16D)

INHLMOLST¹

Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
1 = January.....	63	0.11
2 = February.....	71	0.12
3 = March.....	61	0.10
4 = April.....	39	0.07
5 = May.....	56	0.10
6 = June.....	55	0.09
7 = July.....	63	0.11
8 = August.....	41	0.07
9 = September.....	54	0.09
10 = October.....	75	0.13
11 = November.....	57	0.10
12 = December.....	57	0.10
85 = BAD DATA Logically assigned.....	48	0.08
89 = LEGITIMATE SKIP Logically assigned.....	33	0.06
91 = NEVER USED INHALANTS.....	51705	88.18
94 = DON'T KNOW.....	457	0.78
97 = REFUSED.....	108	0.18
98 = BLANK (NO ANSWER).....	855	1.46
99 = LEGITIMATE SKIP.....	4735	8.08

The computer recorded that you last used methamphetamine [MEREC FILL]. How old were you the last time you used methamphetamine?

(LU17)

METHAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 5 - 77.....	2032	3.47
985 = BAD DATA Logically assigned.....	159	0.27
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED METHAMPHETAMINE.....	55927	95.38
994 = DON'T KNOW.....	50	0.09
997 = REFUSED.....	24	0.04
998 = BLANK (NO ANSWER).....	122	0.21
999 = LEGITIMATE SKIP.....	318	0.54

Did you last use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use methamphetamine?

(LU17A, LU17B, LU17C)

METHYRLST¹

Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2022 - 2024.....	279	0.48
9985 = BAD DATA Logically assigned.....	13	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	14	0.02
9991 = NEVER USED METHAMPHETAMINE.....	55927	95.38
9994 = DON'T KNOW.....	53	0.09
9997 = REFUSED.....	24	0.04
9998 = BLANK (NO ANSWER).....	283	0.48
9999 = LEGITIMATE SKIP.....	2040	3.48

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use methamphetamine?

In what month in [YEAR FROM LU17a or LU17b] did you last use methamphetamine?

(LU17C, LU17D)

METHMOLST¹

Len : 2 MONTH OF LAST METH USE - RECODE

	Freq	Pct
1 = January.....	28	0.05
2 = February.....	18	0.03
3 = March.....	25	0.04
4 = April.....	18	0.03
5 = May.....	21	0.04
6 = June.....	32	0.05
7 = July.....	22	0.04
8 = August.....	21	0.04
9 = September.....	16	0.03
10 = October.....	12	0.02
11 = November.....	25	0.04
12 = December.....	25	0.04
85 = BAD DATA Logically assigned.....	17	0.03
89 = LEGITIMATE SKIP Logically assigned.....	14	0.02
91 = NEVER USED METHAMPHETAMINE.....	55927	95.38
94 = DON'T KNOW.....	62	0.11
97 = REFUSED.....	27	0.05
98 = BLANK (NO ANSWER).....	283	0.48
99 = LEGITIMATE SKIP.....	2040	3.48

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

(LU37)

CIGYRBFR¹

Len : 2 SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	Freq	Pct
1 = Yes.....	8118	13.85
2 = No.....	3341	5.70
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED CIGARETTES.....	33564	57.24
94 = DON'T KNOW.....	127	0.22
97 = REFUSED.....	64	0.11
98 = BLANK (NO ANSWER).....	293	0.50
99 = LEGITIMATE SKIP.....	13125	22.39

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

(LU38)

ALCYRBFR¹

Len : 2 HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes.....	30088	51.32
2 = No.....	10686	18.23
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL.....	16952	28.91
94 = DON'T KNOW.....	249	0.42
97 = REFUSED.....	106	0.18
98 = BLANK (NO ANSWER).....	551	0.94

PRIOR SUBSTANCE USE

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

(LU39)

[COCYRBFR](#)¹

Len : 2 HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes.....	1095	1.87
2 = No.....	5458	9.31
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED COCAINE	51888	88.50
94 = DON'T KNOW	36	0.06
97 = REFUSED	26	0.04
98 = BLANK (NO ANSWER)	127	0.22

ALCOHOL AND DRUG TREATMENT

ALCOHOL AND DRUG TREATMENT

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

When you received the following help in the past 12 months, was it for your alcohol use only, your drug use only, or for both your alcohol and drug use?

Support groups

(TXSBHELA)

SUTSUPADB¹

Len : 2 SUBSTANCE TYPE (ALC/DRGS/BOTH) PRTCPTD IN SUPP GRP FOR

	Freq	Pct
1 = For alcohol use only.....	417	0.71
2 = For drug use only	313	0.53
3 = For both alcohol and drug use.....	321	0.55
4 = For alcohol use only LOGICALLY ASSIGNED.....	54	0.09
5 = For drug use only LOGICALLY ASSIGNED	86	0.15
85 = BAD DATA Logically Assigned	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	17	0.03
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	1512	2.58
99 = LEGITIMATE SKIP.....	45670	77.89

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

For which of the following substances did you receive outpatient treatment in the past 12 months?

Alcohol?

(TXSBSUOA)

SUTOPALC2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR ALCOHOL USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	453	0.77
2 = No.....	885	1.51
7 = Yes LOGICALLY ASSIGNED.....	50	0.09
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
93 = USED DRUGS BUT NOT ALCOHOL.....	5997	10.23
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1472	2.51
99 = LEGITIMATE SKIP.....	39544	67.44

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Marijuana or cannabis products?

(TXSBSUOB)

SUTOPMRJ2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR MARIJUANA USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	258	0.44
2 = No.....	964	1.64
7 = Yes LOGICALLY ASSIGNED.....	7	0.01
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	3	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT MARIJUANA	21111	36.01
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1221	2.08
99 = LEGITIMATE SKIP.....	24839	42.36

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Inhalants such as [INFILL2]?

(TXSBSUOC)
SUTOPINHL2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR INHALANT USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	37	0.06
2 = No.....	472	0.81
7 = Yes LOGICALLY ASSIGNED.....	23	0.04
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT INHALANTS.....	40846	69.66
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	873	1.49
99 = LEGITIMATE SKIP.....	6153	10.49

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Hallucinogens such as [HALLFILL2]?

(TXSBSUOD)
SUTOPHALL2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR HALLUCINOGEN USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	49	0.08
2 = No.....	723	1.23
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	1	0.00
7 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT HALLUCINOGENS.....	37841	64.54
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	952	1.62
99 = LEGITIMATE SKIP.....	8833	15.06

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Cocaine or "crack"?

(TXSBSUOE)
SUTOPCOC2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR COCAINE USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	89	0.15
2 = No.....	575	0.98
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	2	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS.....	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT COCAINE.....	40932	69.81
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	889	1.52
99 = LEGITIMATE SKIP.....	5917	10.09

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Heroin?

(TXSBSUOF)
SUTOPHER2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR HEROIN USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	153	0.26
2 = No.....	149	0.25
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT HEROIN	46466	79.25
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	779	1.33
99 = LEGITIMATE SKIP	859	1.47

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Methamphetamine also known as crank, ice, crystal meth, speed, or glass?

(TXSBSUOG)
SUTOPMETH2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR METHAMPHETAMINE USE-PST 12 MOS

	Freq	Pct
1 = Yes.....	172	0.29
2 = No.....	280	0.48
7 = Yes LOGICALLY ASSIGNED.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT METHAMPHETAMINE	45002	76.75
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	812	1.38
99 = LEGITIMATE SKIP	2141	3.65

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Prescription pain relievers such as [PRFILL2]?

(TXSBSUOH)
SUTOPPNR2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR PAIN RELIEVER USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	271	0.46
2 = No.....	792	1.35
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	13	0.02
7 = Yes LOGICALLY ASSIGNED.....	30	0.05
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	3	0.01
85 = BAD DATA Logically assigned	33	0.06
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT PAIN RELIEVERS.....	20402	34.80
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1251	2.13
99 = LEGITIMATE SKIP.....	25610	43.68

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Prescription stimulants such as [STFILL2]?

(TXSBSUOI)
SUTOPSTM2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR STIMULANT USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	93	0.16
2 = No.....	467	0.80
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	1	0.00
7 = Yes LOGICALLY ASSIGNED.....	3	0.01
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT STIMULANTS.....	39485	67.34
94 = DON'T KNOW.....	1	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1027	1.75
99 = LEGITIMATE SKIP.....	7327	12.50

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Prescription tranquilizers such as [TRFILL2]?

(TXSBSUOJ)
SUTOPTRQ2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR TRANQUILIZER USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	529	0.90
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify).....	2	0.00
7 = Yes LOGICALLY ASSIGNED.....	4	0.01
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use).....	3	0.01
85 = BAD DATA Logically assigned.....	10	0.02
91 = NEVER USED ALCOHOL OR DRUGS.....	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT TRANQUILIZERS.....	37990	64.79
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1006	1.72
99 = LEGITIMATE SKIP.....	8757	14.94

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Prescription sedatives such as [SVFILL2]?

(TXSBSUOK)
SUTOPSED2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR SEDATIVE USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	37	0.06
2 = No.....	386	0.66
7 = Yes LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS.....	10224	17.44
93 = USED ALCOHOL OR DRUGS BUT NOT SEDATIVES.....	42052	71.72
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1018	1.74
99 = LEGITIMATE SKIP.....	4910	8.37

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Some other drug?

(TXSBSUOL)
SUTOPODG2¹

Len : 2 RCVD OUTPATIENT TREATMENT FOR OTHER DRUG USE - PST 12 MOS

	Freq	Pct
1 = Yes.....	118	0.20
2 = No.....	1089	1.86
17 = Received treatment for unspecified drug.....	40	0.07
19 = Substance not specified.....	357	0.61
85 = BAD DATA Logically assigned.....	9	0.02
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1603	2.73
99 = LEGITIMATE SKIP.....	45187	77.07

When you received the following treatment services in the past 12 months, was it for your alcohol use only, your drug use only, or both your alcohol and drug use?

Professional treatment over the phone, or through video

(TXSBSRVA)
SUTPHVIADB¹

Len : 2 SUBSTANCE TYPE (ALC/DRGS/BOTH) RCVD PHONE/VIDEO SRVCS FOR

	Freq	Pct
1 = For alcohol use only.....	259	0.44
2 = For drug use only	305	0.52
3 = For both alcohol and drug use.....	134	0.23
4 = For alcohol use only LOGICALLY ASSIGNED.....	19	0.03
5 = For drug use only LOGICALLY ASSIGNED	52	0.09
85 = BAD DATA Logically assigned.....	3	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1562	2.66
99 = LEGITIMATE SKIP.....	46055	78.55

Peer support specialist or recovery coach

(TXSBSRVD)
SUTPEERADB¹

Len : 2 SUB TYPE (ALC/DRG/BOTH) RCVD HELP FROM PEER SUPP SPCLST FOR

	Freq	Pct
1 = For alcohol use only.....	127	0.22
2 = For drug use only.....	194	0.33
3 = For both alcohol and drug use.....	102	0.17
4 = For alcohol use only LOGICALLY ASSIGNED.....	10	0.02
5 = For drug use only LOGICALLY ASSIGNED	41	0.07
85 = BAD DATA Logically assigned.....	3	0.01
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1587	2.71
99 = LEGITIMATE SKIP.....	46333	79.02

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

There may be many reasons you did not get treatments during the past 12 months.

For each statement, please mark whether or not it was one of the reasons why you did not get [additional] professional counseling, medication, or other treatment for your alcohol or drug use.

You thought it would cost too much.

(TXSBNOA)

SUTUNCOST2¹

Len : 2 UNMET SUB TRMT NEED: TREATMENT COST TOO MUCH

	Freq	Pct
1 = Yes.....	232	0.40
2 = No.....	303	0.52
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	5	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You did not have health insurance coverage for alcohol or drug use treatment.

(TXSBNOB)

SUTUNINSCV2¹

Len : 2 UNMET SUB TRMT NEED: NO HEALTH INSURANCE COVERAGE FOR TRMT

	Freq	Pct
1 = Yes.....	161	0.27
2 = No.....	343	0.58
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	31	0.05
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Your health insurance would not pay enough of the costs for treatment.

(TXSBNOC)

SUTUNENFCV2¹

Len : 2 UNMET SUB TRMT NEED: HEALTH INSURANCE DID NOT COVER ENOUGH

	Freq	Pct
1 = Yes.....	135	0.23
2 = No.....	359	0.61
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	46	0.08
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You did not know how or where to get treatment.

(TXSBNOD)

SUTUNWHER2¹

Len : 2 UNMET SUB TRMT NEED: DID NOT KNOW HOW/WHERE TO GET TREATMENT

	Freq	Pct
1 = Yes.....	230	0.39
2 = No.....	307	0.52
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You could not find a treatment program or health care professional you wanted to go to.

(TXSBNOE)

SUTUNNOFND2¹

Len : 2 UNMET SUB TRMT NEED: COULD NOT FIND PREFERRED PROVIDER

	Freq	Pct
1 = Yes.....	188	0.32
2 = No.....	330	0.56
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	19	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

There were no openings in the treatment program or with the health care professional you wanted to go to.

(TXSBNOF)

SUTUNNOOPN2¹

Len : 2 UNMET SUB TRMT NEED: NO OPENINGS WITH PREFERRED PROVIDER

	Freq	Pct
1 = Yes.....	71	0.12
2 = No.....	435	0.74
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	32	0.05
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You had problems with things like transportation, childcare, or getting appointments at times that worked for you.

(TXSBNOG)

SUTUNPROBS2¹

Len : 2 UNMET SUB TRMT NEED: PROB W/TRANS, CHILD CARE, APPT TIMES

	Freq	Pct
1 = Yes.....	158	0.27
2 = No.....	371	0.63
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	10	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You didn't have enough time for treatment.

(TXSBNOH)

SUTUNTIME2¹

Len : 2 UNMET SUB TRMT NEED: NOT ENOUGH TIME FOR TREATMENT

	Freq	Pct
1 = Yes.....	215	0.37
2 = No.....	315	0.54
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	10	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were worried that your information would not be kept private.

(TXSBNOI)

SUTUNPRIV2¹

Len : 2 UNMET SUB TRMT NEED: WORRIED THAT INFO NOT KEPT PRIVATE

	Freq	Pct
1 = Yes.....	204	0.35
2 = No.....	325	0.55
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	12	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were worried about what people would think or say if you got treatment.

(TXSBNQJ)

SUTUNPTHNK2¹ Len : 2 UNMET SUB TRMT NEED: WORRIED WHAT PEOPLE WOULD THINK OR SAY

	Freq	Pct
1 = Yes.....	246	0.42
2 = No.....	293	0.50
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought that if people knew you were in treatment bad things would happen, like losing your job, home, or children.

(TXSBNOK)

SUTUNCONSQ2¹ Len : 2 UNMET SUB TRMT NEED: WORRIED LOSS OF JOB, HOME, CHLDRN, ETC

	Freq	Pct
1 = Yes.....	189	0.32
2 = No.....	342	0.58
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	8	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were not ready to start treatment.

(TXSBNOL)

SUTUNSTART2¹ Len : 2 UNMET SUB TRMT NEED: NOT READY TO START TREATMENT

	Freq	Pct
1 = Yes.....	304	0.52
2 = No.....	226	0.39
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	10	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were not ready to stop or cut back using alcohol or drugs.

(TXSBNOM)
SUTUNQUIT2¹

Len : 2 UNMET SUB TRMT NEED: NOT RDY TO STOP/CUT BCK ON ALC/DRUG USE

	Freq	Pct
1 = Yes.....	278	0.47
2 = No.....	252	0.43
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	11	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought you should have been able to handle your alcohol or drug use on your own.

(TXSBNON)
SUTUNHNDL2¹

Len : 2 UNMET SUB TRMT NEED: THGHT COULD HANDLE ALC/DRUG USE ON OWN

	Freq	Pct
1 = Yes.....	387	0.66
2 = No.....	144	0.25
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	8	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought your family, friends, or religious group wouldn't like it if you got treatment.

(TXSBNOO)
SUTUNFFLKE2¹

Len : 2 UNMET SUB TRMT NEED: FAMILY/FRIENDS/RELIG GROUP WOULDNT LIKE

	Freq	Pct
1 = Yes.....	107	0.18
2 = No.....	425	0.72
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	8	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought you would be forced to stay in rehab or treatment against your will.

(TXSBNOP)

SUTUNFORCE2¹

Len : 2 UNMET SUB TRMT NEED: WORRIED ABOUT BEING FORCED AGAINST WILL

	Freq	Pct
1 = Yes.....	139	0.24
2 = No.....	389	0.66
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	10	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1636	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You didn't think treatment would help you.

(TXSBNOQ)

SUTUNNOHLP2¹

Len : 2 UNMET SUB TRMT NEED: DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
1 = Yes.....	173	0.30
2 = No.....	346	0.59
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	17	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	1637	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought no one would care if you got better.

(TXSBNOR)

SUTUNCARE2¹

Len : 2 UNMET SUB TRMT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
1 = Yes.....	128	0.22
2 = No.....	397	0.68
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10224	17.44
94 = DON'T KNOW	13	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1637	2.79
99 = LEGITIMATE SKIP.....	46226	78.84

IMPUTED ALCOHOL AND DRUG TREATMENT

IMPUTED ALCOHOL AND DRUG TREATMENT

<u>IRSUTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR SUBSTANCE USE - PY - IMP REV		
		Freq	Pct
	0 = No.....	57372	97.85
	1 = Yes.....	1261	2.15

<u>IISUTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR SUBSTANCE USE - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	46895	79.98
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data.....	836	1.43
	9 = LEGITIMATE SKIP.....	10900	18.59

<u>IRSUTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR SUBSTANCE USE - PY - IMP REV		
		Freq	Pct
	0 = No.....	58209	99.28
	1 = Yes.....	424	0.72

<u>IISUTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR SUBSTANCE USE - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	46918	80.02
	3 = Statistically imputed data.....	815	1.39
	9 = LEGITIMATE SKIP.....	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRSUTINHOSP2</u>	Len : 1 RCVD SUB TRMT AT HOSPITAL AS INPATIENT - PY - IMP REV		
		Freq	Pct
	0 = No.....	58241	99.33
	1 = Yes.....	392	0.67

<u>IISUTINHOSP2</u>	Len : 1 RCVD SUB TRMT AT HOSPITAL AS INPATIENT - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	46811	79.84
	2 = Logically assigned data.....	10	0.02
	3 = Statistically imputed data.....	912	1.56
	9 = LEGITIMATE SKIP.....	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRSUTINRHAB2</u>	Len : 1 RCVD SUB TRMT AT RSDNTL SUB REHAB/TRMT CTR - PY - IMP REV		
		Freq	Pct
	0 = No.....	58265	99.37
	1 = Yes.....	368	0.63

<u>IISUTINRHAB2</u>	Len : 1 RCVD SUB TRMT AT RSDNTL SUB REHAB/TRMT CTR - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	46837	79.88
	3 = Statistically imputed data.....	896	1.53
	9 = LEGITIMATE SKIP.....	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRSUTINRSMH2</u>	Len : 1 RCVD SUB TRMT AT RSDNTL MNTL HLTH TRMT CTR - PY - IMP REV		
		Freq	Pct
	0 = No.....	58286	99.41
	1 = Yes.....	347	0.59

IMPUTED ALCOHOL AND DRUG TREATMENT

[IISUTINRSMH2](#)

Len : 1 RCVD SUB TRMT AT RSDNTL MNTL HLTH TRMT CTR - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	46832	79.87
3 = Statistically imputed data.....	901	1.54
9 = LEGITIMATE SKIP.....	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

[IRSUTINOPL2](#)

Len : 1 RCVD SUB TRMT AT OTHER PLACE AS INPATIENT - PY - IMP REV

	Freq	Pct
0 = No.....	58388	99.58
1 = Yes.....	245	0.42

[IISUTINOPL2](#)

Len : 1 RCVD SUB TRMT AT OTHER PLACE AS INPATIENT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	46832	79.87
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	900	1.53
9 = LEGITIMATE SKIP.....	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

[IRSUTOPRHAB2](#)

Len : 1 RCVD SUB TRMT AT OUTPTNT SUB REHAB/TRMT CTR - PY - IMP REV

	Freq	Pct
0 = No.....	58131	99.14
1 = Yes.....	502	0.86

[IISUTOPRHAB2](#)

Len : 1 RCVD SUB TRMT AT OUTPTNT SUB REHAB/TRMT CTR - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	46826	79.86
3 = Statistically imputed data.....	907	1.55
9 = LEGITIMATE SKIP.....	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

[IRSUTOPMHCR2](#)

Len : 1 RCVD SUB TRMT AT OUTPTNT MNTL HLTH TRMT CTR - PY - IMP REV

	Freq	Pct
0 = No.....	58116	99.12
1 = Yes.....	517	0.88

[IISUTOPMHCR2](#)

Len : 1 RCVD SUB TRMT AT OUTPTNT MNTL HLTH TRMT CTR - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	46819	79.85
3 = Statistically imputed data.....	914	1.56
9 = LEGITIMATE SKIP.....	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

[IRSUTOPTHRP2](#)

Len : 1 RCVD SUB TRMT AT THERAPIST OFFICE - PY - IMP REV

	Freq	Pct
0 = No.....	57669	98.36
1 = Yes.....	964	1.64

IMPUTED ALCOHOL AND DRUG TREATMENT

IISUTOPTHRP2	Len : 1 RCVD SUB TRMT AT THERAPIST OFFICE - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	46820	79.85
	3 = Statistically imputed data	913	1.56
	9 = LEGITIMATE SKIP	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

IRSUTOPDOC2	Len : 1 RCVD SUB TRMT AT GENERAL MEDICAL OFFICE - PY - IMP REV		
		Freq	Pct
	0 = No	57884	98.72
	1 = Yes	749	1.28

IISUTOPDOC2	Len : 1 RCVD SUB TRMT AT GENERAL MEDICAL OFFICE - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	46825	79.86
	2 = Logically assigned data	1	0.00
	3 = Statistically imputed data	907	1.55
	9 = LEGITIMATE SKIP	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

IRSUTOPHOSP2	Len : 1 RCVD SUB TRMT AT HOSPITAL AS OUTPATIENT - PY - IMP REV		
		Freq	Pct
	0 = No	58359	99.53
	1 = Yes	274	0.47

IISUTOPHOSP2	Len : 1 RCVD SUB TRMT AT HOSPITAL AS OUTPATIENT - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	46826	79.86
	3 = Statistically imputed data	907	1.55
	9 = LEGITIMATE SKIP	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

IRSUTOPSCHL2	Len : 1 RCVD SUB TRMT AT SCHOOL HEALTH/COUNSELING - PY - IMP REV		
		Freq	Pct
	0 = No	58384	99.58
	1 = Yes	249	0.42

IISUTOPSCHL2	Len : 1 RCVD SUB TRMT AT SCHOOL HEALTH/COUNSELING - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	46824	79.86
	3 = Statistically imputed data	909	1.55
	9 = LEGITIMATE SKIP	10900	18.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

IISUTOPOPL2	Len : 1 RCVD SUB TRMT AT OTHER PLACE AS OUTPATIENT - PY - IMP REV		
		Freq	Pct
	0 = No	58382	99.57
	1 = Yes	251	0.43

IMPUTED ALCOHOL AND DRUG TREATMENT

<u>IISUTOPPL2</u>	Len : 1 RCVD SUB TRMT AT OTHER PLACE AS OUTPATIENT - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	46818	79.85
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	914	1.56
	9 = LEGITIMATE SKIP.....	10900	18.59
<u>IRSUTRXALC</u>	Len : 1 USED RX MED TO HELP CUT BACK OR STOP ALCOHOL USE - IMP REV		
		Freq	Pct
	0 = No.....	58360	99.53
	1 = Yes.....	273	0.47
<u>IISUTRXALC</u>	Len : 1 USED RX MED TO HELP CUT BACK OR STOP ALCOHOL USE - IMP IND		
		Freq	Pct
	1 = Questionnaire data	40956	69.85
	3 = Statistically imputed data.....	710	1.21
	9 = LEGITIMATE SKIP.....	16967	28.94
<u>IRSUTRXDRG</u>	Len : 1 USED RX MED TO HELP CUT BACK/STOP HER/PNR USE - IMP REV		
		Freq	Pct
	0 = No.....	58167	99.21
	1 = Yes.....	466	0.79
<u>IISUTRXDRG</u>	Len : 1 USED RX MED TO HELP CUT BACK/STOP HER/PNR USE - IMP IND		
		Freq	Pct
	1 = Questionnaire data	25985	44.32
	3 = Statistically imputed data.....	819	1.40
	9 = LEGITIMATE SKIP.....	31829	54.29
<u>IRSUTODRVMED</u>	Len : 1 TREATED WITH OVERDOSE REVERSAL MEDICATION - PY - IMP REV		
		Freq	Pct
	0 = No.....	58293	99.42
	1 = Yes.....	340	0.58
<u>IISUTODRVMED</u>	Len : 1 TREATED WITH OVERDOSE REVERSAL MEDICATION - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	39200	66.86
	3 = Statistically imputed data.....	830	1.42
	9 = LEGITIMATE SKIP.....	18603	31.73
<u>IRSUTPHVID</u>	Len : 1 RCVD PHONE/VIDEO SVCS FOR SUB USE - PY - IMP REV		
		Freq	Pct
	0 = No.....	57814	98.60
	1 = Yes.....	819	1.40
<u>IISUTPHVID</u>	Len : 1 RCVD PHONE/VIDEO SVCS FOR SUB USE - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	46844	79.89
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	888	1.51
	9 = LEGITIMATE SKIP.....	10900	18.59
<u>IRSUTDETOX</u>	Len : 1 RCVD DETOX SRVCS FOR SUB USE WITHDRAWAL SYMPT - PY - IMP REV		
		Freq	Pct
	0 = No.....	58399	99.60
	1 = Yes.....	234	0.40
<u>IISUTDETOX</u>	Len : 1 RCVD DETOX SRVCS FOR SUB USE WITHDRAWAL SYMPT - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data	37163	63.38
	3 = Statistically imputed data.....	1003	1.71
	9 = LEGITIMATE SKIP.....	20467	34.91

IMPUTED ALCOHOL AND DRUG TREATMENT

[IRSUTPEERSPC](#)

Len : 1 RCVD SUB USE HELP FM PEER SUPP SPCLST/RCVY COACH-PY-IMP REV

	Freq	Pct
0 = No.....	58131	99.14
1 = Yes.....	502	0.86

[IISUTPEERSPC](#)

Len : 1 RCVD SUB USE HELP FM PEER SUPP SPCLST/RCVY COACH-PY-IMP IND

	Freq	Pct
1 = Questionnaire data.....	46819	79.85
3 = Statistically imputed data.....	914	1.56
9 = LEGITIMATE SKIP.....	10900	18.59

RECODED ALCOHOL AND DRUG TREATMENT

RECODED ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*IRSUTINHOSP2, IRSUTINRHAB2, IRSUTINRSMH2*)

SUTINPPY2

Len : 1 RC-RCVD SUB USE TREATMENT AS AN INPATIENT - PAST YEAR

	Freq	Pct
0 = No.....	57907	98.76
1 = Yes.....	726	1.24

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*IRSUTOPDOC2, IRSUTOPHOSP2, IRSUTOPMHCR2, IRSUTOPRHAB2, IRSUTOPSCHL2, IRSUTOPTHRP2*)

SUTOPY2

Len : 1 RC-RCVD SUB USE TREATMENT AS AN OUTPATIENT - PAST YEAR

	Freq	Pct
0 = No.....	56991	97.20
1 = Yes.....	1642	2.80

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*IRSUTOPHOSP2, IRSUTOPMHCR2, IRSUTOPRHAB2, IRSUTOPSCHL2, IRSUTOPTHRP2*)

SUTOPNDOC2

Len : 1 RC-RCVD SUB TRMT AS AN OUTPATIENT OTHER THAN GEN MED-PY

	Freq	Pct
0 = No.....	57200	97.56
1 = Yes.....	1433	2.44

NOTE: This section includes recodes for the receipt of treatment as an outpatient for the following substances: alcohol (ALC), marijuana (MRJ), cocaine (COC), heroin (HER), hallucinogens (HAL), inhalants (INH), methamphetamine (MTH), pain relievers (PNR), stimulants (STM), tranquilizers (TRQ), sedatives (SED), tranquilizers or sedatives (TQSD), psychotherapeutics (PSY), opioids (OPI), central nervous system stimulants (CNS), drugs (DRG), alcohol and drugs (DRAL), and substance unspecified (UNSP).

Because respondents can specify more than one drug for which they received treatment, there is a different variable for every drug (SUTOUTXXXPY). XXX in the variable name refers to the drug abbreviations in parentheses provided above. Because there is a relatively large number of respondents that did not indicate a substance for which they received outpatient treatment (respondents either answered no to or had missing data for all the substances they were asked about), it is important to consider the substance unspecified numbers (SUTOPUNSPY2) when analyzing any of the specific substances or aggregate substance categories.

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*SUTOPALC2, SUTOPPY2*)

SUTOPALCPY2

Len : 1 RC- RCVD SUB USE TRMT AS AN OUTPATIENT FOR ALCOHOL USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise).....	58135	99.15
1 = Yes (SUTOPPY2=1 and SUTOPALC2=1,3,5,7,13,15).....	498	0.85

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*SUTOPMRJ2, SUTOPPY2*)

SUTOPMRJPY2

Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR MARIJUANA USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise).....	58369	99.55
1 = Yes (SUTOPPY2=1 and SUTOPMRJ2=1,3,5,7,13,15).....	264	0.45

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*SUTOPCOC2, SUTOPPY2*)

SUTOPCOCPY2

Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR COCAINE USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise).....	58545	99.85
1 = Yes (SUTOPPY2=1 and SUTOPCOC2=1,3,5,7,13,15).....	88	0.15

RECODED ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPHER2, SUTOPPY2)

SUTOPHERPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR HEROIN USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58485	99.75
1 = Yes (SUTOPPY2=1 and SUTOPHER2=1,3,5,7,13,15).....	148	0.25

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPHALL2, SUTOPPY2)

SUTOPHALPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR HALLUC USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58585	99.92
1 = Yes (SUTOPPY2=1 and SUTOPHALL2=1,3,5,7,13,15).....	48	0.08

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPINHL2, SUTOPPY2)

SUTOPINHPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR INHALANT USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58575	99.90
1 = Yes (SUTOPPY2=1 and SUTOPINHL2=1,3,5,7,13,15)	58	0.10

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPMETH2, SUTOPPY2)

SUTOPMTHPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR METHAM USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58461	99.71
1 = Yes (SUTOPPY2=1 and SUTOPMETH2=1,3,5,7,13,15).....	172	0.29

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPPNR2, SUTOPPY2)

SUTOPPNRPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR PAIN REL USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58321	99.47
1 = Yes (SUTOPPY2=1 and SUTOPPNR2=1,3,5,7,13,15).....	312	0.53

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPPY2, SUTOPSTM2)

SUTOPSTMPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR STIM USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58536	99.83
1 = Yes (SUTOPPY2=1 and SUTOPSTM2=1,3,5,7,13,15).....	97	0.17

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPPY2, SUTOPTRQ2)

SUTOPTRQPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR TRANQ USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58517	99.80
1 = Yes (SUTOPPY2=1 and SUTOPTRQ2=1,3,5,7,13,15).....	116	0.20

RECODED ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPPY2, SUTOPSED2)

SUTOPSEDPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR SEDATIVE USE-PY

	Freq	Pct
0 = No/unspecified (Otherwise)	58595	99.94
1 = Yes (SUTOPPY2=1 and SUTOPSED2=1,3,5,7,13,15)	38	0.06

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPSEDPY2, SUTOPTRQPY2)

SUTOPTQSDPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR TRQ OR SED USE-PY

	Freq	Pct
0 = No/unspecified (SUTOPSEDPY2=0 and SUTOPTRQPY2=0)	58495	99.76
1 = Yes (SUTOPSEDPY2=1 or SUTOPTRQPY2=1)	138	0.24

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPPNRPY2, SUTOPSEDPY2, SUTOPSTMPY2)

SUTOPPSYPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR PSYCHO USE - PY

	Freq	Pct
0 = No/unspecified (All source variables=0)	58203	99.27
1 = Yes (Any source variable=1)	430	0.73

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPHERPY2, SUTOPPNRPY2)

SUTOPPIPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR OPIOID USE - PY

	Freq	Pct
0 = No/unspecified (SUTOPHERPY2=0 and SUTOPPNRPY2=0)	58254	99.35
1 = Yes (SUTOPHERPY2=1 or SUTOPPNRPY2=1)	379	0.65

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPCOCYPY2, SUTOPMTHPY2, SUTOPSTMPY2)

SUTOPCNSPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR CNS USE - PY

	Freq	Pct
0 = No/unspecified (All source variables=0)	58335	99.49
1 = Yes (Any source variable=1)	298	0.51

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPCOCYPY2, SUTOPHALPY2, SUTOPHERPY2, SUTOPINHPY2, SUTOPMRJPY2, SUTOPMTHPY2, SUTOPPNRPY2, SUTOPSEDPY2, SUTOPSTMPY2, SUTOPTRQPY2)

SUTOPDRGPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR DRUG USE - PY

	Freq	Pct
0 = No/unspecified (All source variables=0)	57789	98.56
1 = Yes (Any source variable=1)	844	1.44

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTOPALCPY2, SUTOPDRGPY2)

SUTOPDRALPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR DRUGS AND ALC - PY

	Freq	Pct
0 = No/unspecified (SUTOPALCPY2=0 or SUTOPDRGPY2=0)	58460	99.70
1 = Yes (SUTOPALCPY2=1 and SUTOPDRGPY2=1)	173	0.30

RECODED ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*SUTOPALCPY2, SUTOPDRGPY2, SUTOPPY2*)

SUTOPUNSPPY2 Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT - SUB UNSPECIFIED - PY

	Freq	Pct
0 = No (Otherwise)	58161	99.19
1 = Yes (SUTOPPY2=1 and (SUTOPALCPY2=0 and SUTOPDRGPY2=0)).....	472	0.81

The following variable for receipt of phone or video services for drug use in the past year, SUTPHVIDRG, was assigned a positive response if a respondent met either of these conditions:

1. Received phone or video services in the past year (IRSUTPHVID=1) and that service was for drug use only OR drug and alcohol use (SUTPHVIADB=2,3,5).
2. Received phone or video services in the past year (IRSUTPHVID=1) and had used drugs but not alcohol in their lifetime [(ILLFLAG=1 or PSYANYFLAG2=1) and ALCFLAG=0].

(*ALCFLAG, ILLFLAG, IRSUTPHVID, PSYANYFLAG2, SUTPHVIADB*)

SUTPHVIDRG Len : 1 RC-RCVD PHONE/VIDEO SERVICES FOR DRUG USE - PAST YEAR

	Freq	Pct
. = Unknown (Otherwise).....	46	0.08
0 = No(IRSUTPHVID=0 or SUTPHVIADB=1,4 or(ILLFLAG&PSYANYFLAG2=0)) ...	58094	99.08
1 = Yes (See comment above)	493	0.84

The following variable for receipt of phone or video services for alcohol use in the past year, SUTPHVIALC, was assigned a positive response if a respondent met either of these conditions:

1. Received phone or video services in the past year (IRSUTPHVID=1) and that service was for alcohol use only OR drug and alcohol use (SUTPHVIADB=1,3,4).
2. Received phone or video services in the past year (IRSUTPHVID=1) and had used alcohol but not drugs in their lifetime [(ILLFLAG=0 and PSYANYFLAG2=0) and ALCFLAG=1].

(*ALCFLAG, ILLFLAG, IRSUTPHVID, PSYANYFLAG2, SUTPHVIADB*)

SUTPHVIALC Len : 1 RC-RCVD PHONE/VIDEO SERVICES FOR ALCOHOL USE - PAST YEAR

	Freq	Pct
. = Unknown (Otherwise).....	46	0.08
0 = No (IRSUTPHVID=0 or SUTPHVIADB=2,5 or ALCFLAG=0)	58173	99.22
1 = Yes (See comment above)	414	0.71

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*IRSUTPHVID, IRSUTRXALC, IRSUTRXDRG, SUTINPPY2, SUTOPPY2*)

SUTRTPY2 Len : 1 RC-RCVD SUBSTANCE USE TREATMENT - PAST YEAR

	Freq	Pct
0 = No	56264	95.96
1 = Yes.....	2369	4.04

The following variable for receipt of substance use treatment for drug use in the past year, SUTRTDRGPY2, was assigned a positive response if a respondent indicated receiving substance use treatment (SUTRTPY2=1) and that treatment was for drug use.

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(*ALCFLAG, ILLFLAG, IRSUTRXDRG, PSYANYFLAG2, SUTOPDRGPY2, SUTPHVIDRG, SUTRTPY2*)

SUTRTDRGPY2 Len : 1 RC-RCVD SUB USE TREATMENT FOR DRUG USE - PAST YEAR

	Freq	Pct
0 = No/unspecified (Otherwise)	57296	97.72
1 = Yes (See comment above)	1337	2.28

RECODED ALCOHOL AND DRUG TREATMENT

The following variable for receipt of substance use treatment for alcohol use in the past year, SUTRTALCPY2, was assigned a positive response if a respondent indicated receiving substance use treatment (SUTRTPY2=1) and that treatment was for alcohol use.

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(ALCFLAG, ILLFLAG, IRSUTRXALC, PSYANYFLAG2, SUTOPALCPY2, SUTPHVIALC, SUTRTPY2)

SUTRTALCPY2 Len : 1 RC-RCVD SUB USE TREATMENT FOR ALCOHOL USE - PAST YEAR

	Freq	Pct
0 = No/unspecified (Otherwise).....	57699	98.41
1 = Yes (See comment above)	934	1.59

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTRTALCPY2, SUTRTDRGPY2)

SUTRTDRALPY2 Len : 1 RC-RCVD SUB USE TREATMENT FOR DRUG AND ALCOHOL USE - PST YR

	Freq	Pct
0 = No/unspecified (SUTRTALCPY2=0 or SUTRTDRGPY2=0).....	58242	99.33
1 = Yes (SUTRTALCPY2=1 and SUTRTDRGPY2=1)	391	0.67

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTRTALCPY2, SUTRTDRGPY2, SUTRTPY2)

SUTRTUNSPY2 Len : 1 RC-RCVD SUB USE TREATMENT - SUB UNSPECIFIED - PAST YEAR

	Freq	Pct
0 = No (Otherwise).....	58144	99.17
1 = Yes (SUTRTPY2=1 and (SUTRTALCPY2=0 and SUTRTDRGPY2=0)).....	489	0.83

Starting with the 2024 NSDUH, other substance use treatment services include treatment for drug or alcohol use through support group services; peer support specialist or recovery coach services; treatment received in an emergency room/department; withdrawal management services; or overdose reversal medicine. A similar measure existed in the 2022-2023 NSDUHs (SUTRTOTHPY). However, overdose reversal medicine (IRSUTODRVMED) was excluded from this previous measure as it was not yet collected by the survey.

(IRSUTDETOX, IRSUTERED, IRSUTODRVMED, IRSUTPEERSPC, IRSUTSUPGRP, SUTRTPY2)

SUTRTOSVPY2 Len : 1 RC-RCVD SUB USE TREATMENT OR OTHER SERVICES - PAST YEAR

	Freq	Pct
0 = No (All source variables=0).....	55433	94.54
1 = Yes (Any source variable=1)	3200	5.46

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTRTPY2, UD5ILALANY)

SUTNEEDPY2 Len : 1 RC-CLASSIFIED AS NEEDING SUBSTANCE USE TREATMENT - PAST YEAR

	Freq	Pct
0 = No (SUTRTPY2=0 and UD5ILALANY=0).....	46739	79.71
1 = Yes (SUTRTPY2=1 or UD5ILALANY=1).....	11894	20.29

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRPYUD5ALC, SUTRTALCPY2)

SUTNEDALCPY2 Len : 1 RC-CLASSIFIED AS NEEDING SUB USE TRMT FOR ALC USE - PST YR

	Freq	Pct
0 = No (SUTRTALCPY2=0 and IRPYUD5ALC=0).....	52134	88.92
1 = Yes (SUTRTALCPY2=1 or IRPYUD5ALC=1).....	6499	11.08

RECODED ALCOHOL AND DRUG TREATMENT

The following variable for sought or thought should get substance use treatment but did not receive substance use treatment in the past year, SUTSKTHPY2, was assigned a positive response if a respondent met either of these conditions:

1. Did not receive substance use treatment (SUTRTPY2=0) and sought treatment
2. Did not receive substance use treatment (SUTRTPY2=0), did not indicate they sought treatment, but thought they should get treatment

A negative response was assigned if a respondent did not receive substance use treatment (SUTRTPY2=0), did not seek treatment, and did not think they should get treatment. Additionally, a negative response was assigned if respondent never used alcohol or drugs (ALCFLAG=0, ILLFLAG=0, and PSYANYFLAG2=0).

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(ALCFLAG, ILLFLAG, PSYANYFLAG2, SUTRTPY2)

SUTSKTHPY2

Len : 1 RC-SOUGHT OR THGHT SHLD GET SUB USE TRT, DIDNT RCV TRT - PY

	Freq	Pct
. = Unknown/received sub use treatment (Otherwise).....	3265	5.57
1 = Sought or thght shld get trt, not recvd (See comment above).....	544	0.93
2 = Didnt seek or thnk shld get trt, not recvd(See comment above).....	54824	93.50

NOTE: The following 18 variables describe reasons the respondent did not receive substance use treatment. These variables are defined for respondents who did not receive substance use treatment in the past year and who either sought treatment or did not indicate they sought treatment but thought they should get treatment in the past year.

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNCOST2)

SUNTUCOST2

Len : 1 RC-UNMET PY SUB USE TRT NEED: THOUGHT COST TOO MUCH

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58099	99.09
0 = No (SUTSKTHPY2=1 and SUTUNCOST2=2).....	302	0.52
1 = Yes (SUTSKTHPY2=1 and SUTUNCOST2=1)	232	0.40

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNINSCV2)

SUNTINSCV2

Len : 1 RC-UNMET PY SUB USE TRT NEED: NO HEALTH INSUR COVERAGE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58130	99.14
0 = No (SUTSKTHPY2=1 and SUTUNINSCV2=2).....	342	0.58
1 = Yes (SUTSKTHPY2=1 and SUTUNINSCV2=1).....	161	0.27

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNENFCV2)

SUNTENCV2

Len : 1 RC-UNMET PY SUB USE TRT NEED: HLTH INSUR DIDNT COVER ENOUGH

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58140	99.16
0 = No (SUTSKTHPY2=1 and SUTUNENFCV2=2).....	358	0.61
1 = Yes (SUTSKTHPY2=1 and SUTUNENFCV2=1).....	135	0.23

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNWHER2)

SUNTWHER2

Len : 1 RC-UNMET PY SUB USE TRT NEED: DIDNT KNOW WHERE TO GET TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58097	99.09
0 = No (SUTSKTHPY2=1 and SUTUNWHER2=2).....	307	0.52
1 = Yes (SUTSKTHPY2=1 and SUTUNWHER2=1).....	229	0.39

RECODED ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNNOFND2)

SUNTNOFND2 Len : 1 RC-UNMET PY SUB USE TRT NEED: COULDN'T FIND PREFERRED PROVIDR

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58116	99.12
0 = No (SUTSKTHPY2=1 and SUTUNNOFND2=2)	330	0.56
1 = Yes (SUTSKTHPY2=1 and SUTUNNOFND2=1)	187	0.32

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNNOOPN2)

SUNTNOOPN2 Len : 1 RC-UNMET PY SUB USE TRT NEED: NO OPENING W/ PREFERRED PROVID

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58128	99.14
0 = No (SUTSKTHPY2=1 and SUTUNNOOPN2=2)	435	0.74
1 = Yes (SUTSKTHPY2=1 and SUTUNNOOPN2=1)	70	0.12

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNPROBS2)

SUNTPROBS2 Len : 1 RC-UNMET PY SUB USE TRT NEED: PROB W/TRAN, CHLDCARE, APPT TM

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58105	99.10
0 = No (SUTSKTHPY2=1 and SUTUNPROBS2=2)	370	0.63
1 = Yes (SUTSKTHPY2=1 and SUTUNPROBS2=1)	158	0.27

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNTIME2)

SUNTTIME2 Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT ENOUGH TIME FOR TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58104	99.10
0 = No (SUTSKTHPY2=1 and SUTUNTIME2=2)	314	0.54
1 = Yes (SUTSKTHPY2=1 and SUTUNTIME2=1)	215	0.37

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNPRIV2)

SUNTPRIV2 Len : 1 RC-UNMET PY SUB USE TRT NEED: WORRIED INFO NOT KEPT PRIVATE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58105	99.10
0 = No (SUTSKTHPY2=1 and SUTUNPRIV2=2)	324	0.55
1 = Yes (SUTSKTHPY2=1 and SUTUNPRIV2=1)	204	0.35

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNPTHNK2)

SUNTPTHNK2 Len : 1 RC-UNMET PY SUB USE TRT NEED: WORRIED WHAT PEOPLE THNK/SAY

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58095	99.08
0 = No (SUTSKTHPY2=1 and SUTUNPTHNK2=2)	292	0.50
1 = Yes (SUTSKTHPY2=1 and SUTUNPTHNK2=1)	246	0.42

RECODED ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNCONSQ2)

SUNTCONSQ2 Len : 1 RC-UNMET PY SUB USE TRT NEED: THGHT WOULD LOSE JOB/HOME/CHLD

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58103	99.10
0 = No (SUTSKTHPY2=1 and SUTUNCONSQ2=2)	341	0.58
1 = Yes (SUTSKTHPY2=1 and SUTUNCONSQ2=1)	189	0.32

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNSTART2)

SUNTSTART2 Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT READY TO START TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58104	99.10
0 = No (SUTSKTHPY2=1 and SUTUNSTART2=2)	225	0.38
1 = Yes (SUTSKTHPY2=1 and SUTUNSTART2=1)	304	0.52

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNQUIT2)

SUNTQUIT2 Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT RDY TO STOP/CUT SUB USE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58104	99.10
0 = No (SUTSKTHPY2=1 and SUTUNQUIT2=2)	251	0.43
1 = Yes (SUTSKTHPY2=1 and SUTUNQUIT2=1)	278	0.47

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNHNDL2)

SUNTNDL2 Len : 1 RC-UNMET PY SUB USE TRT NEED: THOUGHT COULD HANDLE ON OWN

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58103	99.10
0 = No (SUTSKTHPY2=1 and SUTUNHNDL2=2)	143	0.24
1 = Yes (SUTSKTHPY2=1 and SUTUNHNDL2=1)	387	0.66

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNFFLKE2)

SUNTFFLKE2 Len : 1 RC-UNMET PY SUB USE TRT NEED: FAM/FRIENDS/RELIG WOULDNT LIKE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58102	99.09
0 = No (SUTSKTHPY2=1 and SUTUNFFLKE2=2)	424	0.72
1 = Yes (SUTSKTHPY2=1 and SUTUNFFLKE2=1)	107	0.18

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNFORCE2)

SUNTFORCE2 Len : 1 RC-UNMET PY SUB USE TRT NEED: AFRAID TO BE FORCD AGNST WILL

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58106	99.10
0 = No (SUTSKTHPY2=1 and SUTUNFORCE2=2)	388	0.66
1 = Yes (SUTSKTHPY2=1 and SUTUNFORCE2=1)	139	0.24

RECODED ALCOHOL AND DRUG TREATMENT

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNNOHLP2)

SUNTNOHLP2

Len : 1 RC-UNMET PY SUB USE TRT NEED: DIDN'T THINK TRT WOULD HELP

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58115	99.12
0 = No (SUTSKTHPY2=1 and SUTUNNOHLP2=2).....	345	0.59
1 = Yes (SUTSKTHPY2=1 and SUTUNNOHLP2=1)	173	0.30

Changes were made to the inpatient and outpatient substance use treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(SUTSKTHPY2, SUTUNCARE2)

SUNTUNCARE2

Len : 1 RC-UNMET PY SUB USE TRT NEED: NO ONE CARE IF YOU GOT BETTER

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	58109	99.11
0 = No (SUTSKTHPY2=1 and SUTUNCARE2=2).....	396	0.68
1 = Yes (SUTSKTHPY2=1 and SUTUNCARE2=1).....	128	0.22

RISK/AVAILABILITY

RISK/AVAILABILITY

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

(RK01A)

[RSKCIGPKD](#)¹

Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	Freq	Pct
1 = No risk	3158	5.39
2 = Slight risk	4015	6.85
3 = Moderate risk	13200	22.51
4 = Great risk	37464	63.90
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	471	0.80
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	246	0.42

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

(RK01B)

[RSKMRJMON](#)¹

Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH

	Freq	Pct
1 = No risk	15560	26.54
2 = Slight risk	20087	34.26
3 = Moderate risk	11535	19.67
4 = Great risk	10464	17.85
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	656	1.12
97 = REFUSED	77	0.13
98 = BLANK (NO ANSWER)	250	0.43

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

(RK01C)

[RSKMRJWK](#)¹

Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	12159	20.74
2 = Slight risk	17827	30.40
3 = Moderate risk	14203	24.22
4 = Great risk	13438	22.92
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	664	1.13
97 = REFUSED	80	0.14
98 = BLANK (NO ANSWER)	258	0.44

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

(RK01D)

[RSKLSDRY](#)¹

Len : 2 RISK TRYING LSD ONCE OR TWICE

	Freq	Pct
1 = No risk	3988	6.80
2 = Slight risk	11570	19.73
3 = Moderate risk	13318	22.71
4 = Great risk	27777	47.37
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	1611	2.75
97 = REFUSED	105	0.18
98 = BLANK (NO ANSWER)	260	0.44

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

(RK01E)

[RSKLSDWK](#)¹

Len : 2 RISK USING LSD ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	1839	3.14
2 = Slight risk	4241	7.23
3 = Moderate risk	12607	21.50
4 = Great risk	37951	64.73
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	1612	2.75
97 = REFUSED	114	0.19
98 = BLANK (NO ANSWER)	265	0.45

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

(RK01F)

[RSKHERTRY](#)¹

Len : 2 RISK TRYING HEROIN ONCE OR TWICE

	Freq	Pct
1 = No risk	1528	2.61
2 = Slight risk	3568	6.09
3 = Moderate risk	8522	14.53
4 = Great risk	43692	74.52
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	960	1.64
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	268	0.46

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

(RK01G)

[RSKHERWK](#)¹

Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	1227	2.09
2 = Slight risk	971	1.66
3 = Moderate risk	4037	6.89
4 = Great risk	51121	87.19
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	915	1.56
97 = REFUSED	89	0.15
98 = BLANK (NO ANSWER)	269	0.46

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

(RK01H)

[RSKCOCMON](#)¹

Len : 2 RISK USING COCAINE ONCE A MONTH

	Freq	Pct
1 = No risk	1859	3.17
2 = Slight risk	6768	11.54
3 = Moderate risk	13519	23.06
4 = Great risk	35272	60.16
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	853	1.45
97 = REFUSED	86	0.15
98 = BLANK (NO ANSWER)	272	0.46

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

(RK01I)

[RSKCOCWK](#)¹

Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	1290	2.20
2 = Slight risk	1851	3.16
3 = Moderate risk	7496	12.78
4 = Great risk	46821	79.85
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	804	1.37
97 = REFUSED	89	0.15
98 = BLANK (NO ANSWER)	278	0.47

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

(RK01J)

[RSKBNGDLY¹](#)

Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
1 = No risk	1394	2.38
2 = Slight risk	3801	6.48
3 = Moderate risk	12938	22.07
4 = Great risk	39660	67.64
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	474	0.81
97 = REFUSED	82	0.14
98 = BLANK (NO ANSWER)	280	0.48

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

(RK01K)

[RSKBNGWK¹](#)

Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	2071	3.53
2 = Slight risk	8914	15.20
3 = Moderate risk	20655	35.23
4 = Great risk	26130	44.57
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	500	0.85
97 = REFUSED	77	0.13
98 = BLANK (NO ANSWER)	282	0.48

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

(RK02A)

[DIFGETMRJ¹](#)

Len : 2 HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
1 = Probably impossible.....	8110	13.83
2 = Very difficult	5261	8.97
3 = Fairly difficult.....	6238	10.64
4 = Fairly easy	14187	24.20
5 = Very easy	23389	39.89
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	966	1.65
97 = REFUSED	178	0.30
98 = BLANK (NO ANSWER)	300	0.51

How difficult or easy would it be for you to get some LSD, if you wanted some?

(RK02B)

[DIFGETLSD¹](#)

Len : 2 HOW DIFFICULT TO GET LSD

	Freq	Pct
1 = Probably impossible.....	22441	38.27
2 = Very difficult	14527	24.78
3 = Fairly difficult.....	11675	19.91
4 = Fairly easy	5421	9.25
5 = Very easy	2035	3.47
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	2033	3.47
97 = REFUSED	193	0.33
98 = BLANK (NO ANSWER)	304	0.52

RISK/AVAILABILITY

How difficult or easy would it be for you to get some cocaine, if you wanted some?

(RK02C)

[DIFGETCOC](#)¹

Len : 2 HOW DIFFICULT TO GET COCAINE

	Freq	Pct
1 = Probably impossible.....	22279	38.00
2 = Very difficult	13962	23.81
3 = Fairly difficult.....	9913	16.91
4 = Fairly easy	6960	11.87
5 = Very easy	3417	5.83
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	1604	2.74
97 = REFUSED	188	0.32
98 = BLANK (NO ANSWER)	306	0.52

How difficult or easy would it be for you to get some 'crack', if you wanted some?

(RK02D)

[DIFGETCRK](#)¹

Len : 2 HOW DIFFICULT TO GET "CRACK"

	Freq	Pct
1 = Probably impossible.....	25378	43.28
2 = Very difficult	15008	25.60
3 = Fairly difficult.....	8420	14.36
4 = Fairly easy	4890	8.34
5 = Very easy	2780	4.74
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	1657	2.83
97 = REFUSED	189	0.32
98 = BLANK (NO ANSWER)	307	0.52

How difficult or easy would it be for you to get some heroin, if you wanted some?

(RK02E)

[DIFGETHER](#)¹

Len : 2 HOW DIFFICULT TO GET HEROIN

	Freq	Pct
1 = Probably impossible.....	27071	46.17
2 = Very difficult	14989	25.56
3 = Fairly difficult.....	7672	13.08
4 = Fairly easy	4186	7.14
5 = Very easy	2515	4.29
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	1694	2.89
97 = REFUSED	190	0.32
98 = BLANK (NO ANSWER)	312	0.53

In the past 30 days, has anyone approached you to sell you an illegal drug?

(RK03)

[APPDRGMON](#)¹

Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	Freq	Pct
1 = Yes.....	2700	4.60
2 = No	55502	94.66
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	71	0.12
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	315	0.54

RISK/AVAILABILITY

How often do you get a real kick out of doing things that are a little dangerous?

(RK04A)

[RSKYFQDGR](#)¹

Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	Freq	Pct
1 = Never	28194	48.09
2 = Seldom.....	17500	29.85
3 = Sometimes	10196	17.39
4 = Always.....	1823	3.11
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW	467	0.80
97 = REFUSED	134	0.23
98 = BLANK (NO ANSWER)	315	0.54

How often do you like to test yourself by doing something a little risky?

(RK04B)

[RSKYFQTES](#)¹

Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	Freq	Pct
1 = Never	29308	49.99
2 = Seldom.....	19399	33.09
3 = Sometimes	8214	14.01
4 = Always.....	1095	1.87
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW	206	0.35
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	316	0.54

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

(RK04C)

[RKFPBLT](#)¹

Len : 2 WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR

	Freq	Pct
1 = Never	2286	3.90
2 = Seldom.....	1536	2.62
3 = Sometimes	4328	7.38
4 = Always.....	50059	85.38
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW	57	0.10
97 = REFUSED	43	0.07
98 = BLANK (NO ANSWER)	320	0.55

How often do you wear a seatbelt when you drive a car?

(RK04D)

[RKFDDBLT](#)¹

Len : 2 WEAR A SEATBELT WHEN YOU DRIVE A CAR

	Freq	Pct
1 = Never	1494	2.55
2 = Seldom.....	939	1.60
3 = Sometimes	2405	4.10
4 = Always.....	42214	72.00
5 = I don't drive.....	11143	19.00
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW	63	0.11
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	322	0.55

RECODED RISK/AVAILABILITY

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

(RSKCIGPKD)

GRSKCIGPKD

Len : 1 RC-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY

	Freq	Pct
. = Unknown (Otherwise).....	796	1.36
0 = Otherwise (RSKCIGPKD=1,2,3).....	20373	34.75
1 = Great Risk (RSKCIGPKD=4).....	37464	63.90

(RSKMRJMON)

GRSKMRJMON

Len : 1 RC-GREAT RISK: USE MARIJUANA ONCE A MONTH

	Freq	Pct
. = Unknown (Otherwise).....	987	1.68
0 = Otherwise (RSKMRJMON=1,2,3).....	47182	80.47
1 = Great Risk (RSKMRJMON=4).....	10464	17.85

(RSKMRJWK)

GRSKMRJWK

Len : 1 RC-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise).....	1006	1.72
0 = Otherwise (RSKMRJWK=1,2,3).....	44189	75.37
1 = Great Risk (RSKMRJWK=4).....	13438	22.92

(RSKCOCMON)

GRSKCOCMON

Len : 1 RC-GREAT RISK: USE COCAINE ONCE A MONTH

	Freq	Pct
. = Unknown (Otherwise).....	1215	2.07
0 = Otherwise (RSKCOCMON=1,2,3).....	22146	37.77
1 = Great Risk (RSKCOCMON=4).....	35272	60.16

(RSKCOCWK)

GRSKCOCWK

Len : 1 RC-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise).....	1175	2.00
0 = Otherwise (RSKCOCWK=1,2,3).....	10637	18.14
1 = Great Risk (RSKCOCWK=4).....	46821	79.85

(RSKHERTRY)

GRSKHERTRY

Len : 1 RC-GREAT RISK: TRYING HEROIN ONCE OR TWICE

	Freq	Pct
. = Unknown (Otherwise).....	1323	2.26
0 = Otherwise (RSKHERTRY=1,2,3).....	13618	23.23
1 = Great Risk (RSKHERTRY=4).....	43692	74.52

(RSKHERWK)

GRSKHERWK

Len : 1 RC-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise).....	1277	2.18
0 = Otherwise (RSKHERWK=1,2,3).....	6235	10.63
1 = Great Risk (RSKHERWK=4).....	51121	87.19

(RSKLSDTRY)

GRSKLSDTRY

Len : 1 RC-GREAT RISK: TRYING LSD ONCE OR TWICE

	Freq	Pct
. = Unknown (Otherwise).....	1980	3.38
0 = Otherwise (RSKLSDTRY=1,2,3).....	28876	49.25
1 = Great Risk (RSKLSDTRY=4).....	27777	47.37

RECODED RISK/AVAILABILITY

([RSKLSDWK](#))
[GRSKLSDWK](#)

Len : 1 RC-GREAT RISK: USE LSD 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise).....	1995	3.40
0 = Otherwise (RSKLSDWK=1,2,3)	18687	31.87
1 = Great Risk (RSKLSDWK=4).....	37951	64.73

([RSKBNGDLY](#))
[GRSKBNGDLY](#)

Len : 1 RC-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY

	Freq	Pct
. = Unknown (Otherwise).....	840	1.43
0 = Otherwise (RSKBNGDLY=1,2,3)	18133	30.93
1 = Great Risk (RSKBNGDLY=4)	39660	67.64

([RSKBNGWK](#))
[GRSKBNGWK](#)

Len : 1 RC-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise).....	863	1.47
0 = Otherwise (RSKBNGWK=1,2,3).....	31640	53.96
1 = Great Risk (RSKBNGWK=4).....	26130	44.57

([DIFGETMRJ](#))
[DIFOBTRMJ](#)

Len : 1 RC-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	1448	2.47
0 = Otherwise (DIFGETMRJ=1,2,3)	19609	33.44
1 = Fairly or Very Easy (DIFGETMRJ=4,5)	37576	64.09

([DIFGETCOC](#))
[DIFOBTCCOC](#)

Len : 1 RC-COCAINE FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	2102	3.59
0 = Otherwise (DIFGETCOC=1,2,3)	46154	78.72
1 = Fairly or Very Easy (DIFGETCOC=4,5)	10377	17.70

([DIFGETCRK](#))
[DIFOBTCCRK](#)

Len : 1 RC-CRACK FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	2157	3.68
0 = Otherwise (DIFGETCRK=1,2,3)	48806	83.24
1 = Fairly or Very Easy (DIFGETCRK=4,5)	7670	13.08

([DIFGETHER](#))
[DIFOBTHER](#)

Len : 1 RC-HEROIN FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	2200	3.75
0 = Otherwise (DIFGETHER=1,2,3)	49732	84.82
1 = Fairly or Very Easy (DIFGETHER=4,5)	6701	11.43

([DIFGETLSD](#))
[DIFOBTLSLSD](#)

Len : 1 RC-LSD FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise).....	2534	4.32
0 = Otherwise (DIFGETLSD=1,2,3).....	48643	82.96
1 = Fairly or Very Easy (DIFGETLSD=4,5)	7456	12.72

([APPDRGMON](#))
[APPDRGMON2](#)

Len : 1 RC-APPROACHED BY SOMEONE SELLING DRUGS

	Freq	Pct
. = Unknown (Otherwise).....	431	0.74
0 = No (APPDRGMON=2).....	55502	94.66
1 = Yes (APPDRGMON=1,3)	2700	4.60

SOCIAL ENVIRONMENT

SOCIAL ENVIRONMENT

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about things you might or might not have done recently.

During the past 12 months, how many times have you sold illegal drugs?

(SEN12A)

[SNYSELL](#)¹

Len : 2 SOLD ILLEGAL DRUGS

	Freq	Pct
1 = 0 times	45404	77.44
2 = 1 or 2 times	493	0.84
3 = 3 to 5 times	85	0.14
4 = 6 to 9 times	46	0.08
5 = 10 or more times	183	0.31
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	51	0.09
97 = REFUSED	90	0.15
98 = BLANK (NO ANSWER)	928	1.58
99 = LEGITIMATE SKIP	11334	19.33

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

(SEN12B)

[SNYSTOLE](#)¹

Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50

	Freq	Pct
1 = 0 times	45566	77.71
2 = 1 or 2 times	438	0.75
3 = 3 to 5 times	88	0.15
4 = 6 to 9 times	33	0.06
5 = 10 or more times	91	0.16
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	46	0.08
97 = REFUSED	85	0.14
98 = BLANK (NO ANSWER)	933	1.59
99 = LEGITIMATE SKIP	11334	19.33

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

(SEN12C)

[SNYATTAK](#)¹

Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM

	Freq	Pct
1 = 0 times	45697	77.94
2 = 1 or 2 times	419	0.71
3 = 3 to 5 times	54	0.09
4 = 6 to 9 times	17	0.03
5 = 10 or more times	27	0.05
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	49	0.08
97 = REFUSED	81	0.14
98 = BLANK (NO ANSWER)	936	1.60
99 = LEGITIMATE SKIP	11334	19.33

SOCIAL ENVIRONMENT

How do you feel about adults trying marijuana or any cannabis product once or twice?

(SEN13B)

[SNAFLMJTRY¹](#)

Len : 2 HOW YOU FEEL ABOUT ADULTS TRYING MJ/CANNABIS

	Freq	Pct
1 = Strongly disapprove	10122	17.26
2 = Somewhat disapprove	3891	6.64
3 = Neither approve nor disapprove	20246	34.53
4 = Somewhat approve	4253	7.25
5 = Strongly approve	7368	12.57
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	288	0.49
97 = REFUSED	173	0.30
98 = BLANK (NO ANSWER)	939	1.60
99 = LEGITIMATE SKIP	11334	19.33

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

(SENREBE1)

[SNRLGIMP¹](#)

Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree	10867	18.53
2 = Disagree	7871	13.42
3 = Agree	14382	24.53
4 = Strongly Agree	12533	21.38
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	356	0.61
97 = REFUSED	322	0.55
98 = BLANK (NO ANSWER)	949	1.62
99 = LEGITIMATE SKIP	11334	19.33

Your religious beliefs influence how you make decisions in your life.

(SENREBE2)

[SNRLDCSN¹](#)

Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree	11055	18.85
2 = Disagree	8882	15.15
3 = Agree	14707	25.08
4 = Strongly Agree	11040	18.83
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	324	0.55
97 = REFUSED	319	0.54
98 = BLANK (NO ANSWER)	953	1.63
99 = LEGITIMATE SKIP	11334	19.33

It is important that your friends share your religious beliefs.

(SENREBE3)

[SNRLFRND¹](#)

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	16345	27.88
2 = Disagree	17684	30.16
3 = Agree	8317	14.18
4 = Strongly Agree	3326	5.67
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	343	0.58
97 = REFUSED	309	0.53
98 = BLANK (NO ANSWER)	956	1.63
99 = LEGITIMATE SKIP	11334	19.33

YOUTH EXPERIENCES

YOUTH EXPERIENCES

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about school. By "school," we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well.

Have you attended any type of school at any time during the past 12 months?

(YE09)

[YEATNDYR](#)¹

Len : 2 ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	10287	17.54
2 = No.....	914	1.56
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	73	0.12
97 = REFUSED.....	30	0.05
98 = BLANK (NO ANSWER).....	6	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

(YE09A)

[YEHMSLYR](#)¹

Len : 2 HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS

	Freq	Pct
1 = Yes.....	95	0.16
2 = No.....	854	1.46
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	39	0.07
97 = REFUSED.....	29	0.05
98 = BLANK (NO ANSWER).....	6	0.01
99 = LEGITIMATE SKIP.....	57586	98.21

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

(YE10)

[YESCHFLT](#)¹

Len : 2 HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS

	Freq	Pct
1 = You liked going to school a lot.....	2195	3.74
2 = You kind of liked going to school.....	5245	8.95
3 = You didn't like going to school very much.....	2124	3.62
4 = You hated going to school.....	804	1.37
94 = DON'T KNOW.....	7	0.01
97 = REFUSED.....	33	0.06
98 = BLANK (NO ANSWER).....	105	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

(YE11)

[YESCHWRK](#)¹

Len : 2 HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS

	Freq	Pct
1 = Always.....	1909	3.26
2 = Sometimes.....	5311	9.06
3 = Seldom.....	2230	3.80
4 = Never.....	881	1.50
94 = DON'T KNOW.....	44	0.08
97 = REFUSED.....	33	0.06
98 = BLANK (NO ANSWER).....	105	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

YOUTH EXPERIENCES

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

(YE12)

[YESCHIMP](#)¹

Len : 2 HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE

	Freq	Pct
1 = Very important.....	2389	4.07
2 = Somewhat important.....	5051	8.61
3 = Somewhat unimportant.....	2163	3.69
4 = Very unimportant.....	750	1.28
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	32	0.05
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

How interesting do you think most of your courses at school during the past 12 months have been?

(YE13)

[YESCHINT](#)¹

Len : 2 HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS

	Freq	Pct
1 = Very interesting	1941	3.31
2 = Somewhat interesting.....	5019	8.56
3 = Somewhat boring.....	2332	3.98
4 = Very boring.....	1052	1.79
94 = DON'T KNOW.....	28	0.05
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	105	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

(YE14)

[YETCGJOB](#)¹

Len : 2 HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS

	Freq	Pct
1 = Always.....	3096	5.28
2 = Sometimes	4687	7.99
3 = Seldom.....	1773	3.02
4 = Never	778	1.33
94 = DON'T KNOW.....	37	0.06
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

What were your grades for the last semester or grading period you completed?

(YE15)

[YELSTGRD](#)¹

Len : 2 GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED

	Freq	Pct
1 = An "A+", "A" or "A-minus" average	3977	6.78
2 = A "B+", "B" or "B-minus" average	3625	6.18
3 = A "C+", "C" or "C-minus" average	1573	2.68
4 = A "D" or less than a "D" average	547	0.93
5 = My school does not give these grades.....	483	0.82
94 = DON'T KNOW	132	0.23
97 = REFUSED	70	0.12
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

YOUTH EXPERIENCES

Note: Beginning in 2022, edited variables YECIGFRNDOF2 and YECIGNEXTYR2 replace variables CIGOFSRM and CIGWILYR. Questions CG02 and CG03 were moved from the Nicotine (formerly Tobacco) section to the Youth Experiences section in 2022.

If one of your best friends offered you a cigarette, would you smoke it?

(CG02)

YECIGFRNDOF2¹ Len : 2 IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIGARETTE

	Freq	Pct
1 = Yes.....	379	0.65
2 = No.....	10020	17.09
85 = BAD DATA Logically assigned.....	14	0.02
94 = DON'T KNOW.....	40	0.07
97 = REFUSED.....	25	0.04
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	48148	82.12

At any time during the next 12 months do you think you will smoke a cigarette?

(CG03)

YECIGNEXTYR2¹ Len : 2 DO YOU THINK YOU'LL SMOKE A CIGARETTE IN NEXT 12 MONTHS

	Freq	Pct
1 = Yes.....	159	0.27
2 = No.....	10244	17.47
85 = BAD DATA Logically assigned.....	14	0.02
94 = DON'T KNOW.....	39	0.07
97 = REFUSED.....	22	0.04
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	48148	82.12

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

(YE16A)

YESTSCIG¹ Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES

	Freq	Pct
1 = None of them.....	3273	5.58
2 = A few of them.....	5332	9.09
3 = Most of them.....	1237	2.11
4 = All of them.....	160	0.27
94 = DON'T KNOW.....	369	0.63
97 = REFUSED.....	36	0.06
98 = BLANK (NO ANSWER).....	106	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

How many of the students in your grade at school would you say use marijuana or any cannabis product?

(YE16B)

YESTSMJ¹ Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/CANNABIS

	Freq	Pct
1 = None of them.....	3241	5.53
2 = A few of them.....	4179	7.13
3 = Most of them.....	2299	3.92
4 = All of them.....	229	0.39
94 = DON'T KNOW.....	424	0.72
97 = REFUSED.....	35	0.06
98 = BLANK (NO ANSWER).....	106	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

YOUTH EXPERIENCES

How many of the students in your grade at school would you say drink alcoholic beverages?

(YE16C)

[YESTSALC](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL

	Freq	Pct
1 = None of them	3122	5.32
2 = A few of them	4265	7.27
3 = Most of them.....	2363	4.03
4 = All of them.....	210	0.36
94 = DON'T KNOW	410	0.70
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP	48120	82.07

How many of the students in your grade at school would you say get drunk at least once a week?

(YE16D)

[YESTSDNK](#)¹

Len : 2 HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY

	Freq	Pct
1 = None of them	4967	8.47
2 = A few of them	3861	6.59
3 = Most of them.....	881	1.50
4 = All of them.....	110	0.19
94 = DON'T KNOW	554	0.94
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP	48120	82.07

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents check on whether you had done your homework?

(YE06A)

[YEPCHKHW](#)¹

Len : 2 PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS

	Freq	Pct
1 = Always.....	4865	8.30
2 = Sometimes	3383	5.77
3 = Seldom.....	1150	1.96
4 = Never	902	1.54
94 = DON'T KNOW	54	0.09
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP	48120	82.07

During the past 12 months, how often did your parents provide help with your homework when you needed it?

(YE06B)

[YEPHLPHW](#)¹

Len : 2 PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS

	Freq	Pct
1 = Always.....	5626	9.60
2 = Sometimes	2387	4.07
3 = Seldom.....	1067	1.82
4 = Never	1198	2.04
94 = DON'T KNOW	73	0.12
97 = REFUSED	56	0.10
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP	48120	82.07

YOUTH EXPERIENCES

During the past 12 months, how often did your parents make you do chores around the house?

(YE06C)

YEPCHORE¹

Len : 2 PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS

	Freq	Pct
1 = Always.....	5010	8.54
2 = Sometimes	4727	8.06
3 = Seldom.....	938	1.60
4 = Never	529	0.90
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	62	0.11
97 = REFUSED	37	0.06
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months, how often did your parents limit your time with television, tablets, smartphones, computers, or video games?

(YE06D)

YEPLMTELEC¹

Len : 2 PRNTS LIMITED YOUR TIME WITH ELECTRONICS PST 12 MOS

	Freq	Pct
1 = Always.....	1771	3.02
2 = Sometimes	3500	5.97
3 = Seldom.....	2380	4.06
4 = Never	3525	6.01
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	83	0.14
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

(YE06E)

YEPLMTSN¹

Len : 2 PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS

	Freq	Pct
1 = Always.....	2921	4.98
2 = Sometimes	3058	5.22
3 = Seldom.....	1856	3.17
4 = Never	2277	3.88
94 = DON'T KNOW	218	0.37
97 = REFUSED	77	0.13
98 = BLANK (NO ANSWER)	106	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

During the past 12 months, how often did your parents let you know when you'd done a good job?

(YE06F)

YEPGDJOB¹

Len : 2 PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS

	Freq	Pct
1 = Always.....	5614	9.57
2 = Sometimes	3708	6.32
3 = Seldom.....	1200	2.05
4 = Never	662	1.13
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	81	0.14
97 = REFUSED	38	0.06
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

(YE06G)

YEYPROUD¹

Len : 2 TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE

	Freq	Pct
1 = Always.....	5679	9.69
2 = Sometimes.....	3508	5.98
3 = Seldom.....	1302	2.22
4 = Never.....	697	1.19
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	74	0.13
97 = REFUSED.....	43	0.07
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

(YE18A)

YEYARGUP¹

Len : 2 ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS

	Freq	Pct
1 = 0 times.....	2514	4.29
2 = 1 or 2 times.....	3165	5.40
3 = 3 to 5 times.....	2329	3.97
4 = 6 to 9 times.....	1150	1.96
5 = 10 or more times.....	1903	3.25
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	170	0.29
97 = REFUSED.....	72	0.12
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months, how many times have you gotten into a serious fight at school or work?

(YE18B)

YEYFGTSW¹

Len : 2 GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK

	Freq	Pct
1 = 0 times.....	9257	15.79
2 = 1 or 2 times.....	1470	2.51
3 = 3 to 5 times.....	298	0.51
4 = 6 to 9 times.....	77	0.13
5 = 10 or more times.....	79	0.13
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	66	0.11
97 = REFUSED.....	56	0.10
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

(YE18C)

YEYFGTGP¹

Len : 2 TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP

	Freq	Pct
1 = 0 times.....	10015	17.08
2 = 1 or 2 times.....	909	1.55
3 = 3 to 5 times.....	164	0.28
4 = 6 to 9 times.....	44	0.08
5 = 10 or more times.....	53	0.09
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	65	0.11
97 = REFUSED.....	53	0.09
98 = BLANK (NO ANSWER).....	7	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

During the past 12 months, how many times have you carried a handgun?

(YE18D)

YEYHGUN¹

Len : 2 CARRIED A HANDGUN

	Freq	Pct
1 = 0 times	10623	18.12
2 = 1 or 2 times	407	0.69
3 = 3 to 5 times	87	0.15
4 = 6 to 9 times	29	0.05
5 = 10 or more times	65	0.11
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	47	0.08
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

During the past 12 months, how many times have you sold illegal drugs?

(YE18E)

YEYSELL¹

Len : 2 SOLD ILLEGAL DRUGS

	Freq	Pct
1 = 0 times	11036	18.82
2 = 1 or 2 times	105	0.18
3 = 3 to 5 times	24	0.04
4 = 6 to 9 times	25	0.04
5 = 10 or more times	32	0.05
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	37	0.06
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

(YE18F)

YEYSTOLE¹

Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50

	Freq	Pct
1 = 0 times	10769	18.37
2 = 1 or 2 times	307	0.52
3 = 3 to 5 times	63	0.11
4 = 6 to 9 times	35	0.06
5 = 10 or more times	43	0.07
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	41	0.07
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

(YE18G)

YEYATTAK¹

Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM

	Freq	Pct
1 = 0 times	10617	18.11
2 = 1 or 2 times	486	0.83
3 = 3 to 5 times	70	0.12
4 = 6 to 9 times	23	0.04
5 = 10 or more times	23	0.04
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	41	0.07
97 = REFUSED	43	0.07
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

YOUTH EXPERIENCES

How do you think your parents would feel about you smoking cigarettes every day?

(YE07A)

YEPFLCIGDL¹

Len : 2 HOW PRNTS WOULD FEEL ABOUT YOU SMOKING CIGS EVERY DAY

	Freq	Pct
1 = Strongly disapprove	10557	18.01
2 = Somewhat disapprove	348	0.59
3 = Neither approve nor disapprove	158	0.27
4 = Somewhat approve	19	0.03
5 = Strongly approve	82	0.14
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	90	0.15
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

How do you think your parents would feel about you trying marijuana or any cannabis product once or twice?

(YE07B)

YEPFLMJTRY¹

Len : 2 HOW PRNTS WOULD FEEL ABOUT YOU TRYING MJ/CANNABIS

	Freq	Pct
1 = Strongly disapprove	9272	15.81
2 = Somewhat disapprove	994	1.70
3 = Neither approve nor disapprove	665	1.13
4 = Somewhat approve	131	0.22
5 = Strongly approve	84	0.14
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	105	0.18
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

How do you think your parents would feel about you using marijuana or any cannabis product once a month or more?

(YE07B1)

YEPFLMJMON¹

Len : 2 HOW PRNTS WOULD FEEL ABOUT YOU USING MJ/CANNABIS MONTHLY

	Freq	Pct
1 = Strongly disapprove	9554	16.29
2 = Somewhat disapprove	864	1.47
3 = Neither approve nor disapprove	519	0.89
4 = Somewhat approve	117	0.20
5 = Strongly approve	81	0.14
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	113	0.19
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

(YE07C)

YEPFLALCDL¹

Len : 2 HOW PRNTS WOULD FEEL ABOUT YOU DRINKING ALCOHOL DAILY

	Freq	Pct
1 = Strongly disapprove	10120	17.26
2 = Somewhat disapprove	666	1.14
3 = Neither approve nor disapprove	248	0.42
4 = Somewhat approve	47	0.08
5 = Strongly approve	69	0.12
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	98	0.17
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

YOUTH EXPERIENCES

The next questions are about how you feel about someone your age doing certain things.

How do you feel about someone your age smoking cigarettes every day?

(YE19A)

YEFCLCIGDL¹

Len : 2 HOW YOU FEEL ABOUT S/ONE YOUR AGE SMOKING CIGS DAILY

	Freq	Pct
1 = Strongly disapprove	8560	14.60
2 = Somewhat disapprove	1357	2.31
3 = Neither approve nor disapprove	1128	1.92
4 = Somewhat approve	41	0.07
5 = Strongly approve	65	0.11
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	95	0.16
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	47299	80.67

How do you feel about someone your age trying marijuana or any cannabis product once or twice?

(YE19B)

YEFMLJTRY¹

Len : 2 HOW YOU FEEL ABOUT S/ONE YOUR AGE TRYING MJ/CANNABIS

	Freq	Pct
1 = Strongly disapprove	6912	11.79
2 = Somewhat disapprove	1590	2.71
3 = Neither approve nor disapprove	2093	3.57
4 = Somewhat approve	366	0.62
5 = Strongly approve	179	0.31
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	105	0.18
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	47299	80.67

How do you feel about someone your age using marijuana once a month or more?

(YE19B1)

YEFMLJMON¹

Len : 2 HOW YOU FEEL ABOUT S/ONE YOUR AGE USING MJ/CANNABIS MONTHLY

	Freq	Pct
1 = Strongly disapprove	7135	12.17
2 = Somewhat disapprove	1512	2.58
3 = Neither approve nor disapprove	2025	3.45
4 = Somewhat approve	310	0.53
5 = Strongly approve	164	0.28
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	96	0.16
97 = REFUSED	60	0.10
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	47299	80.67

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

(YE19C)

YEFALCDL¹

Len : 2 HOW YOU FEEL ABOUT S/ONE YOUR AGE DRINKING ALCOHOL DAILY

	Freq	Pct
1 = Strongly disapprove	8380	14.29
2 = Somewhat disapprove	1345	2.29
3 = Neither approve nor disapprove	1286	2.19
4 = Somewhat approve	73	0.12
5 = Strongly approve	66	0.11
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	95	0.16
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	47299	80.67

YOUTH EXPERIENCES

NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

(YE221)

YETLKNON¹

Len : 2 THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS

	Freq	Pct
1 = Response entered	933	1.59
6 = Response not entered	9947	16.96
11 = Response entered (& other responses entered).....	221	0.38
94 = DON'T KNOW	130	0.22
97 = REFUSED	71	0.12
98 = BLANK (NO ANSWER)	32	0.05
99 = LEGITIMATE SKIP.....	47299	80.67

(YE222)

YETLKPAR¹

Len : 2 MY MOTHER/FATHER/GUARDIAN

	Freq	Pct
1 = Response entered	7898	13.47
6 = Response not entered	3095	5.28
11 = Response entered (YETLKNON=11)	108	0.18
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	130	0.22
97 = REFUSED	71	0.12
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

(YE223)

YETLKBGF¹

Len : 2 MY BOYFRIEND/GIRLFRIEND

	Freq	Pct
1 = Response entered	2155	3.68
6 = Response not entered	8888	15.16
11 = Response entered (YETLKNON=11)	58	0.10
94 = DON'T KNOW	130	0.22
97 = REFUSED	71	0.12
98 = BLANK (NO ANSWER)	32	0.05
99 = LEGITIMATE SKIP.....	47299	80.67

(YE224)

YETLKOTA¹

Len : 2 SOME OTHER ADULT

	Freq	Pct
1 = Response entered	2441	4.16
6 = Response not entered	8621	14.70
11 = Response entered (YETLKNON=11)	39	0.07
94 = DON'T KNOW	130	0.22
97 = REFUSED	71	0.12
98 = BLANK (NO ANSWER)	32	0.05
99 = LEGITIMATE SKIP.....	47299	80.67

(YE225)

YETLKSOP¹

Len : 2 SOME OTHER PERSON

	Freq	Pct
1 = Response entered	3351	5.72
6 = Response not entered	7651	13.05
11 = Response entered (YETLKNON=11)	99	0.17
94 = DON'T KNOW	130	0.22
97 = REFUSED	71	0.12
98 = BLANK (NO ANSWER)	32	0.05
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

(YE23B)

[YEPRBSLV](#)¹

Len : 2 PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	Freq	Pct
1 = Yes.....	2126	3.63
2 = No.....	8828	15.06
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	296	0.50
97 = REFUSED.....	52	0.09
98 = BLANK (NO ANSWER).....	8	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

(YE23C)

[YEVIOPRV](#)¹

Len : 2 VIOLENCE PREVENTION PROGRAMS

	Freq	Pct
1 = Yes.....	787	1.34
2 = No.....	10312	17.59
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	146	0.25
97 = REFUSED.....	57	0.10
98 = BLANK (NO ANSWER).....	8	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

(YE23G)

[YEDGPRGP](#)¹

Len : 2 ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL

	Freq	Pct
1 = Yes.....	751	1.28
2 = No.....	10382	17.71
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	116	0.20
97 = REFUSED.....	53	0.09
98 = BLANK (NO ANSWER).....	8	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

(YE23P)

[YESCHACT](#)¹

Len : 2 # OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None.....	2506	4.27
1 = One.....	2949	5.03
2 = Two.....	2864	4.88
3 = 3 or more.....	2828	4.82
85 = BAD DATA Logically assigned.....	24	0.04
94 = DON'T KNOW.....	105	0.18
97 = REFUSED.....	50	0.09
98 = BLANK (NO ANSWER).....	8	0.01
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

(YE23Q)

[YECOMACT](#)¹

Len : 2 # OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	3493	5.96
1 = One	2944	5.02
2 = Two	2290	3.91
3 = 3 or more	2358	4.02
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	154	0.26
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	47299	80.67

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

(YE23R)

[YEFAIACT](#)¹

Len : 2 # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	5469	9.33
1 = One	2290	3.91
2 = Two	1181	2.01
3 = 3 or more	2121	3.62
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	171	0.29
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	47299	80.67

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

(YE23S)

[YEOTHACT](#)¹

Len : 2 # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	7326	12.49
1 = One	2003	3.42
2 = Two	873	1.49
3 = 3 or more	908	1.55
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	129	0.22
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	47299	80.67

During the past 12 months have you had a special class about drugs or alcohol in school?

(YE24A)

[YEDECLAS](#)¹

Len : 2 A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL

	Freq	Pct
1 = Yes	3721	6.35
2 = No	6489	11.07
94 = DON'T KNOW	144	0.25
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	107	0.18
99 = LEGITIMATE SKIP	48120	82.07

YOUTH EXPERIENCES

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

(YE24B)

[YEDERGLR](#)¹

Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS

	Freq	Pct
1 = Yes.....	5900	10.06
2 = No.....	4292	7.32
94 = DON'T KNOW.....	160	0.27
97 = REFUSED.....	54	0.09
98 = BLANK (NO ANSWER).....	107	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

(YE24C)

[YEDESPCL](#)¹

Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS

	Freq	Pct
1 = Yes.....	3481	5.94
2 = No.....	6693	11.42
94 = DON'T KNOW.....	180	0.31
97 = REFUSED.....	52	0.09
98 = BLANK (NO ANSWER).....	107	0.18
99 = LEGITIMATE SKIP.....	48120	82.07

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

(YEREBEL1)

[YERLGIMP](#)¹

Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree.....	1972	3.36
2 = Disagree.....	1922	3.28
3 = Agree.....	4010	6.84
4 = Strongly Agree.....	3000	5.12
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	293	0.50
97 = REFUSED.....	103	0.18
98 = BLANK (NO ANSWER).....	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Your religious beliefs influence how you make decisions in your life.

(YEREBEL2)

[YERLDCSN](#)¹

Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree.....	2159	3.68
2 = Disagree.....	2384	4.07
3 = Agree.....	4015	6.85
4 = Strongly Agree.....	2347	4.00
85 = BAD DATA Logically assigned.....	25	0.04
94 = DON'T KNOW.....	300	0.51
97 = REFUSED.....	95	0.16
98 = BLANK (NO ANSWER).....	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

It is important that your friends share your religious beliefs.

(YEREBEL3)
YERLFRND¹

Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	3581	6.11
2 = Disagree	4086	6.97
3 = Agree	2330	3.97
4 = Strongly Agree.....	831	1.42
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	367	0.63
97 = REFUSED	105	0.18
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Over the last 2 weeks, how often have you been bothered by feeling nervous, anxious, or on edge?

(YGAD1)
YGADNRVANX

Len : 2 YTH: GAD-7 - NERVOUS, ANXIOUS, OR ON EDGE LAST 2 WKS

	Freq	Pct
1 = Not at all	4715	8.04
2 = Several days.....	3895	6.64
3 = More than half the days.....	1282	2.19
4 = Nearly every day.....	1164	1.99
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	176	0.30
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Over the last 2 weeks, how often have you been bothered by not being able to stop or control worrying?

(YGAD2)
YGADNTSTOP

Len : 2 YTH: GAD-7 - NOT ABLE TO STOP OR CONTROL WORRYING LAST 2 WKS

	Freq	Pct
1 = Not at all	6500	11.09
2 = Several days.....	2661	4.54
3 = More than half the days.....	1002	1.71
4 = Nearly every day.....	894	1.52
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	170	0.29
97 = REFUSED	73	0.12
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Over the last 2 weeks, how often have you been bothered by worrying too much about different things?

(YGAD3)
YGADWRYMCH

Len : 2 YTH: GAD-7 - WORRIED TOO MUCH ABOUT DIFF THINGS LAST 2 WKS

	Freq	Pct
1 = Not at all	5432	9.26
2 = Several days.....	3373	5.75
3 = More than half the days.....	1137	1.94
4 = Nearly every day.....	1127	1.92
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	155	0.26
97 = REFUSED	76	0.13
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

Over the last 2 weeks, how often have you been bothered by having trouble relaxing?

(YGAD4)

YGADTRBRLX

Len : 2 YTH: GAD-7 - HAD TROUBLE RELAXING LAST 2 WKS

	Freq	Pct
1 = Not at all	6502	11.09
2 = Several days.....	2743	4.68
3 = More than half the days.....	980	1.67
4 = Nearly every day.....	863	1.47
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	138	0.24
97 = REFUSED	74	0.13
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Over the last 2 weeks, how often have you been bothered by being so restless that it is hard to sit still?

(YGAD5)

YGADRSTLSS

Len : 2 YTH: GAD-7 - HARD TO SIT STILL BECAUSE RESTLESS LAST 2 WKS

	Freq	Pct
1 = Not at all	6975	11.90
2 = Several days.....	2339	3.99
3 = More than half the days.....	856	1.46
4 = Nearly every day.....	918	1.57
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	145	0.25
97 = REFUSED	67	0.11
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Over the last 2 weeks, how often have you been bothered by becoming easily annoyed or irritable?

(YGAD6)

YGADANNOY

Len : 2 YTH: GAD-7 - EASILY ANNOYED OR IRRITABLE LAST 2 WKS

	Freq	Pct
1 = Not at all	4810	8.20
2 = Several days.....	3550	6.05
3 = More than half the days.....	1378	2.35
4 = Nearly every day.....	1365	2.33
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	135	0.23
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Over the last 2 weeks, how often have you been bothered by feeling afraid as if something awful might happen?

(YGAD7)

YGADAWFUL

Len : 2 YTH: GAD-7 - AFRAID SOMETHING AWFUL MIGHT HAPPEN LAST 2 WKS

	Freq	Pct
1 = Not at all	6910	11.79
2 = Several days.....	2468	4.21
3 = More than half the days.....	850	1.45
4 = Nearly every day.....	872	1.49
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	130	0.22
97 = REFUSED	70	0.12
98 = BLANK (NO ANSWER)	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

(YGADANNOY, YGADAWFUL, YGADNRVANX, YGADNTSTOP, YGADRSTLSS, YGADTRBRLX, YGADWRYMCH)

YGADSCED

Len : 2 YOUTH GAD-7 TOTAL SCORE - LAST 2 WEEKS

	Freq	Pct
RANGE = 0 - 21	10899	18.59
. = Aged 18+ or missing.....	47734	81.41

YOUTH EXPERIENCES

Note: Beginning in 2022, questions YSUI01, YSUI02, YSUI03, YSUI04, and YSUI05 were moved from the youth mental health service utilization section to the youth experiences section.

The next few questions are about thoughts of suicide. You can answer "I'm not sure" or "I don't want to answer" to any question.

At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

(YSUI01)

[YUSUITHK](#)¹

Len : 2 YOUTH SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	Freq	Pct
1 = Yes.....	1220	2.08
2 = No.....	8490	14.48
3 = I'm not sure.....	708	1.21
4 = I don't want to answer.....	692	1.18
85 = BAD DATA Logically assigned.....	26	0.04
94 = DON'T KNOW.....	64	0.11
97 = REFUSED.....	125	0.21
98 = BLANK (NO ANSWER).....	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

During the past 12 months, did you make any plans to kill yourself?

(YSUI02)

[YUSUIPLN](#)¹

Len : 2 YOUTH MAKE PLANS TO KILL YOURSELF PST 12 MOS

	Freq	Pct
1 = Yes.....	596	1.02
2 = No.....	9709	16.56
3 = I'm not sure.....	258	0.44
4 = I don't want to answer.....	569	0.97
85 = BAD DATA Logically assigned.....	26	0.04
94 = DON'T KNOW.....	53	0.09
97 = REFUSED.....	114	0.19
98 = BLANK (NO ANSWER).....	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

(YGADNRVANX)

[IRYGADNRVANX](#)

Len : 2 NERVOUS, ANXIOUS, OR ON EDGE LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all.....	4835	8.25
2 = Several days.....	4007	6.83
3 = More than half the days.....	1305	2.23
4 = Nearly every day.....	1187	2.02
99 = LEGITIMATE SKIP.....	47299	80.67

(YGADNRVANX)

[IIRYGADNRVANX](#)

Len : 1 NERVOUS, ANXIOUS, OR ON EDGE LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	11056	18.86
3 = Statistically imputed data.....	278	0.47
9 = LEGITIMATE SKIP.....	47299	80.67

(YGADNTSTOP)

[IRYGADNTSTOP](#)

Len : 2 NOT ABLE TO STOP OR CONTROL WORRYING LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all.....	6647	11.34
2 = Several days.....	2748	4.69
3 = More than half the days.....	1027	1.75
4 = Nearly every day.....	912	1.56
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

(YGADNTSTOP)
IYGADNTSTOP

Len : 1 NOT ABLE TO STOP OR CONTROL WORRYING LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	11057	18.86
3 = Statistically imputed data.....	277	0.47
9 = LEGITIMATE SKIP.....	47299	80.67

(YGADWRYMCH)
IRYGADWRYMCH

Len : 2 WORRIED TOO MUCH ABOUT DIFF THINGS LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	5558	9.48
2 = Several days.....	3467	5.91
3 = More than half the days.....	1157	1.97
4 = Nearly every day.....	1152	1.96
99 = LEGITIMATE SKIP.....	47299	80.67

(YGADWRYMCH)
IYGADWRYMCH

Len : 1 WORRIED TOO MUCH ABOUT DIFF THINGS LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	11069	18.88
3 = Statistically imputed data.....	265	0.45
9 = LEGITIMATE SKIP.....	47299	80.67

(YGADTRBRLX)
IRYGADTRBRLX

Len : 2 HAD TROUBLE RELAXING LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	6652	11.35
2 = Several days.....	2808	4.79
3 = More than half the days.....	1000	1.71
4 = Nearly every day.....	874	1.49
99 = LEGITIMATE SKIP.....	47299	80.67

(YGADTRBRLX)
IYGADTRBRLX

Len : 1 HAD TROUBLE RELAXING LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	11088	18.91
3 = Statistically imputed data.....	246	0.42
9 = LEGITIMATE SKIP.....	47299	80.67

(YGADRSTLSS)
IRYGADRSTLSS

Len : 2 HARD TO SIT STILL BECAUSE RESTLESS LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	7126	12.15
2 = Several days.....	2396	4.09
3 = More than half the days.....	874	1.49
4 = Nearly every day.....	938	1.60
99 = LEGITIMATE SKIP.....	47299	80.67

(YGADRSTLSS)
IYGADRSTLSS

Len : 1 HARD TO SIT STILL BECAUSE RESTLESS LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	11088	18.91
3 = Statistically imputed data.....	246	0.42
9 = LEGITIMATE SKIP.....	47299	80.67

(YGADANNOY)
IRYGADANNOY

Len : 2 EASILY ANNOYED OR IRRITABLE LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	4901	8.36
2 = Several days.....	3632	6.19
3 = More than half the days.....	1402	2.39
4 = Nearly every day.....	1399	2.39
99 = LEGITIMATE SKIP.....	47299	80.67

YOUTH EXPERIENCES

(YGADANNOY)
IYGADANNOY

Len : 1 EASILY ANNOYED OR IRRITABLE LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	11103	18.94
3 = Statistically imputed data.....	231	0.39
9 = LEGITIMATE SKIP.....	47299	80.67

(YGADAWFUL)
IRYGADAWFUL

Len : 2 AFRAID SOMETHING AWFUL MIGHT HAPPEN LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	7044	12.01
2 = Several days.....	2533	4.32
3 = More than half the days.....	864	1.47
4 = Nearly every day.....	893	1.52
99 = LEGITIMATE SKIP.....	47299	80.67

(YGADAWFUL)
IYGADAWFUL

Len : 1 AFRAID SOMETHING AWFUL MIGHT HAPPEN LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	11100	18.93
3 = Statistically imputed data.....	234	0.40
9 = LEGITIMATE SKIP.....	47299	80.67

RECODED YOUTH EXPERIENCES

RECODED YOUTH EXPERIENCES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

(YESCHFLT)

SCHFELT

Len : 1 RC-HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48265	82.32
1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	7440	12.69
2 = Didn't Like Very Much/Hated (YESCHFLT=3,4).....	2928	4.99

(YETCGJOB)

TCHGJOB

Len : 1 RC-TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48299	82.38
1 = Always/Sometimes (YETCGJOB=1,2).....	7783	13.27
2 = Seldom/Never (YETCGJOB=3,4).....	2551	4.35

(YELSTGRD)

AVGGRADE

Len : 1 RC-GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48911	83.42
1 = D or Lower (YELSTGRD=4).....	547	0.93
2 = A, B, or C (YELSTGRD=1,2,3).....	9175	15.65

(YESTSCIG)

STNDSCIG

Len : 1 RC-STUDENTS IN YTH GRADE SMOKE CIGARETTES

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48631	82.94
1 = Most/All (YESTSCIG=3,4).....	1397	2.38
2 = None/Few (YESTSCIG=1,2).....	8605	14.68

(YESTSMJ)

STNDSMJ

Len : 1 RC-STUDENTS IN YTH GRADE USE MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48685	83.03
1 = Most/All (YESTSMJ=3,4).....	2528	4.31
2 = None/Few (YESTSMJ=1,2).....	7420	12.65

(YESTSALC)

STNDALC

Len : 1 RC-STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48673	83.01
1 = Most/All (YESTSALC=3,4).....	2573	4.39
2 = None/Few (YESTSALC=1,2).....	7387	12.60

(YESTSDNK)

STNDDNK

Len : 1 RC-STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48814	83.25
1 = Most/All (YESTSDNK=3,4).....	991	1.69
2 = None/Few (YESTSDNK=1,2).....	8828	15.06

(YEPCHKHW)

PARCHKW

Len : 1 RC-PARENTS CHECK IF HOMEWORK DONE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48333	82.43
1 = Always/Sometimes (YEPCHKHW=1,2).....	8248	14.07
2 = Seldom/Never (YEPCHKHW=3,4).....	2052	3.50

RECODED YOUTH EXPERIENCES

(YEPHLPWH)
PARHLPWH

Len : 1 RC-PARENTS HELP WITH HOMEWORK IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48355	82.47
1 = Always/Sometimes (YEPHLPWH=1,2)	8013	13.67
2 = Seldom/Never (YEPHLPWH=3,4)	2265	3.86

(YEPCHORE)
PRCHORE2

Len : 1 RC-PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47429	80.89
1 = Always/Sometimes (YEPCHORE=1,2).....	9737	16.61
2 = Seldom/Never (YEPCHORE=3,4).....	1467	2.50

(YEPLMTELEC)
PRLMTELEC

Len : 1 RC-PARENTS LIMIT AMOUNT TIME WITH ELECTRONICS IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47457	80.94
1 = Always/Sometimes (YEPLMTELEC=1,2).....	5271	8.99
2 = Seldom/Never (YEPLMTELEC=3,4).....	5905	10.07

(YEPLMTSN)
PARLMTSN

Len : 1 RC-PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48521	82.75
1 = Always/Sometimes (YEPLMTSN=1,2).....	5979	10.20
2 = Seldom/Never (YEPLMTSN=3,4).....	4133	7.05

(YEPGDJOB)
PRGDJOB2

Len : 1 RC-PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47449	80.93
1 = Always/Sometimes (YEPGDJOB=1,2).....	9322	15.90
2 = Seldom/Never (YEPGDJOB=3,4).....	1862	3.18

(YEPPROUD)
PRPROUD2

Len : 1 RC-PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47447	80.92
1 = Always/Sometimes (YEPPROUD=1,2).....	9187	15.67
2 = Seldom/Never (YEPPROUD=3,4).....	1999	3.41

(YEYARGUP)
ARGUPAR

Len : 1 RC-TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47572	81.14
1 = 9 or Fewer (YEYARGUP=1,2,3,4).....	9158	15.62
2 = 10 or More (YEYARGUP=5).....	1903	3.25

(YEYFGTSW)
YOFIGHT2

Len : 1 RC-YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47452	80.93
1 = One or More Times (YEYFGTSW=2,3,4,5).....	1924	3.28
2 = None (YEYFGTSW=1).....	9257	15.79

(YEYFGTGP)
YOGRPFT2

Len : 1 RC-YOUTH FOUGHT WITH GROUP VS OTHER GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47448	80.92
1 = One or More Times (YEYFGTGP=2,3,4,5).....	1170	2.00
2 = None (YEYFGTGP=1).....	10015	17.08

RECODED YOUTH EXPERIENCES

(YEYHGUN)
YOHGUN2

Len : 1 RC-YOUTH CARRIED A HANDGUN

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47422	80.88
1 = One or More Times (YEYHGUN=2,3,4,5).....	588	1.00
2 = None (YEYHGUN=1).....	10623	18.12

(YEYSELL)
YOSELL2

Len : 1 RC-YOUTH SOLD ILLEGAL DRUGS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47411	80.86
1 = One or More Times (YEYSELL=2,3,4,5).....	186	0.32
2 = None (YEYSELL=1).....	11036	18.82

(YEYSTOLE)
YOSTOLE2

Len : 1 RC-YOUTH STOLE/TRIED TO STEAL ITEM >\$50

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47416	80.87
1 = One or More Times (YEYSTOLE=2,3,4,5).....	448	0.76
2 = None (YEYSTOLE=1).....	10769	18.37

(YEYATTAK)
YOATTAK2

Len : 1 RC-YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47414	80.87
1 = One or More Times (YEYATTAK=2,3,4,5).....	602	1.03
2 = None (YEYATTAK=1).....	10617	18.11

(YEPFLCIGDL)
PRFLCLCIGDL

Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH SMOKE CIGS EVERY DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47469	80.96
0 = Somewhat Disapprove/Approve/Neither (YEPFLCIGDL=2,3,4,5).....	607	1.04
1 = Strongly Disapprove (YEPFLCIGDL=1).....	10557	18.01

(YEPFLMJTRY)
PRFLCLMJTRY

Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH TRY MARIJUANA/CANNABIS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47487	80.99
0 = Somewhat Disapprove/Approve/Neither (YEPFLMJTRY=2,3,4,5).....	1874	3.20
1 = Strongly Disapprove (YEPFLMJTRY=1).....	9272	15.81

(YEPFLMJMON)
PRFLCLMJMON

Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH USE MJ/CANNABIS MNTHLY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47498	81.01
0 = Somewhat Disapprove/Approve/Neither (YEPFLMJMON=2,3,4,5).....	1581	2.70
1 = Strongly Disapprove (YEPFLMJMON=1).....	9554	16.29

(YEPFLALCDL)
PRFLCLALCDL

Len : 1 RC-YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALCOHOL BEV/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47483	80.98
0 = Somewhat Disapprove/Approve/Neither (YEPFLALCDL=2,3,4,5).....	1030	1.76
1 = Strongly Disapprove (YEPFLALCDL=1).....	10120	17.26

(YEYFLCIGDL)
YFLCLCIGDL

Len : 1 RC-HOW YTH FEELS: PEERS SMOKE CIGARETTE DAILY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47482	80.98
0 = Approve/Neither (YEYFLCIGDL=3,4,5).....	1234	2.10
1 = Strongly/Somewhat Disapprove (YEYFLCIGDL=1,2).....	9917	16.91

RECODED YOUTH EXPERIENCES

(YEYFLMJTRY)
YFLCLMJTRY

Len : 1 RC-HOW YTH FEELS: PEERS TRY MARIJUANA/CANNABIS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47493	81.00
0 = Approve/Neither (YEYFLMJTRY=3,4,5).....	2638	4.50
1 = Strongly/Somewhat Disapprove (YEYFLMJTRY=1,2).....	8502	14.50

(YEYFLMJMON)
YFLCLMJMON

Len : 1 RC-HOW YTH FEELS: PEERS USING MARIJUANA/CANNABIS MONTHLY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47487	80.99
0 = Approve/Neither (YEYFLMJMON=3,4,5).....	2499	4.26
1 = Strongly/Somewhat Disapprove (YEYFLMJMON=1,2).....	8647	14.75

(YEYFLALCDL)
YFLCLALCDL

Len : 1 RC-HOW YTH FEELS: PEERS DRNK 1-2 ALCOHOL BEV/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47483	80.98
0 = Approve/Neither (YEYFLALCDL=3,4,5).....	1425	2.43
1 = Strongly/Somewhat Disapprove (YEYFLALCDL=1,2).....	9725	16.59

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as system missing.

(YETLKBGF, YETLKNON, YETLKOTA, YETLKPAR, YETLKSOP)
TALKPROB

Len : 1 RC-WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS

	Freq	Pct
. = Otherwise (See comment above).....	47753	81.44
1 = No One (YETLKNON=1).....	933	1.59
2 = Someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=1).....	9947	16.96

(YEPRBSLV)
PRBSOLV2

Len : 1 RC-PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47679	81.32
1 = Yes (YEPRBSLV=1).....	2126	3.63
2 = No (YEPRBSLV=2).....	8828	15.06

(YEVIOPRV)
PREVIOL2

Len : 1 RC-PARTICIPATED IN VIOLENCE PREVENTION PROGRAM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47534	81.07
1 = Yes (YEVIOPRV=1).....	787	1.34
2 = No (YEVIOPRV=2).....	10312	17.59

(YEDGPRGP)
PRVDRGO2

Len : 1 RC-PARTICIPATED IN SUBSTANCE PREV PROGRAM OUTSIDE SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47500	81.01
1 = Yes (YEDGPRGP=1).....	751	1.28
2 = No (YEDGPRGP=2).....	10382	17.71

RECODED YOUTH EXPERIENCES

The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "Two or more activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as system missing. To be included in the "None or one activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.

(YECOMACT, YEFAIACT, YEOTHACT, YESCHACT)

YTHACT2

Len : 1 RC-YTH PARTICIPATED IN YOUTH ACTIVITIES

	Freq	Pct
. = Otherwise/Aged 18+ (See comment above).....	47453	80.93
1 = None or one activity (See comment above)	2304	3.93
2 = Two or more activities (See comment above).....	8876	15.14

(YEDECLAS, YEDERGLR, YEDESPCL)

ANYEDUC3

Len : 1 RC-YTH HAD ANY DRUG OR ALCOHOL EDUCATION IN SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	48450	82.63
1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1).....	6928	11.82
2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2).....	3255	5.55

(YERLGIMP)

RLGIMPT

Len : 1 RC-RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47729	81.40
1 = Agree/Strongly Agree (YERLGIMP=3,4).....	7010	11.96
2 = Strongly Disagree/Disagree (YERLGIMP=1,2).....	3894	6.64

(YERLDCSN)

RLGDCSN

Len : 1 RC-RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47728	81.40
1 = Agree/Strongly Agree (YERLDCSN=3,4).....	6362	10.85
2 = Strongly Disagree/Disagree (YERLDCSN=1,2).....	4543	7.75

(YERLFRND)

RLGFRND

Len : 1 RC-IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47805	81.53
1 = Agree/Strongly Agree (YERLFRND=3,4).....	3161	5.39
2 = Strongly Disagree/Disagree (YERLFRND=1,2).....	7667	13.08

The following variable, YGADTOTSC, is a score created using imputation-revised data from the seven-item generalized anxiety disorder (GAD-7) scale. The GAD-7 is a validated self-report measure to screen for GAD and assess for symptoms of GAD in the past two weeks. The seven items of the GAD-7 assess symptoms including feeling nervous, inability to control worry, excessive worry about different things, trouble relaxing, restlessness, irritability, and feeling that something awful might happen. Respondents rated how often they experienced each item over the past two week and these responses were converted to a 0 to 3 scale (0 = "not at all"; 1 = "several days"; 2 = "more than half the days"; 3 = "nearly every day"). The converted responses were summed across all GAD-7 items to calculate a total score, YGADTOTSC, which ranges from 0 to 21, with higher scores indicating more severe anxiety symptoms.

(IRYGADANNOY, IRYGADAWFUL, IRYGADNRVANX, IRYGADNTSTOP, IRYGADRSTLSS, IRYGADTRBRLX, IRYGADWRYMCH)

YGADTOTSC

Len : 2 RC-YOUTH GAD-7 TOTAL SCORE - PAST 2 WEEKS

	Freq	Pct
RANGE = 0 - 21	11334	19.33
. = Aged 18+	47299	80.67

(YGADTOTSC)

YGADSEVSYMP

Len : 1 RC-YOUTH GAD-7 SEVERITY OF SYMPTOMS - PAST 2 WEEKS

	Freq	Pct
. = Aged 18+	47299	80.67
1 = No or Minimal (YGADTOTSC=0-4)	6417	10.94
2 = Mild (YGADTOTSC=5-9)	2697	4.60
3 = Moderate (YGADTOTSC=10-14)	1211	2.07
4 = Severe (YGADTOTSC=15-21)	1009	1.72

RECODED YOUTH EXPERIENCES

(YGADTOTSC)

YGADMODOSEV

Len : 1 RC-YOUTH GAD-7 MODERATE OR SEVERE SYMPTOMS - PAST 2 WEEKS

	Freq	Pct
. = Aged 18+	47299	80.67
1 = No or Minimal (YGADTOTSC=0-4)	6417	10.94
2 = Mild (YGADTOTSC=5-9)	2697	4.60
3 = Moderate or Severe (YGADTOTSC=10-21)	2220	3.79

NOTE: The following four variables present youth suicide information based on responses to the youth suicidal ideation screen.

(YUSUITHK)

YUSUITHKYR

Len : 1 RC-YOUTH SERIOUSLY THOUGHT ABOUT KILLING SELF PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47334	80.73
1 = Yes (YUSUITHK=1).....	1220	2.08
2 = No (YUSUITHK=2).....	8490	14.48
3 = I'm not sure/Don't know (YUSUITHK=3,94).....	772	1.32
4 = I don't want to answer/Refused (YUSUITHK=4,97)	817	1.39

(YUSUIPLN)

YUSUIPLNYR

Len : 1 RC-YOUTH MADE PLANS TO KILL SELF IN PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise).....	47334	80.73
1 = Yes (YUSUIPLN=1)	596	1.02
2 = No (YUSUIPLN=2).....	9709	16.56
3 = I'm not sure/Don't know (YUSUIPLN=3,94).....	311	0.53
4 = I don't want to answer/Refused (YUSUIPLN=4,97)	683	1.16

ADULT MENTAL HEALTH

MENTAL HEALTH

ADULT MENTAL HEALTH

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

(NERVE30)

DSTNRV30¹

Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS

	Freq	Pct
1 = All of the time.....	1830	3.12
2 = Most of the time.....	3625	6.18
3 = Some of the time.....	11343	19.35
4 = A little of the time.....	14056	23.97
5 = None of the time.....	15218	25.95
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	94	0.16
97 = REFUSED.....	147	0.25
98 = BLANK (NO ANSWER).....	981	1.67
99 = LEGITIMATE SKIP.....	11334	19.33

During the past 30 days, how often did you feel hopeless?

(HOPE30)

DSTHOP30¹

Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS

	Freq	Pct
1 = All of the time.....	1025	1.75
2 = Most of the time.....	1866	3.18
3 = Some of the time.....	5444	9.28
4 = A little of the time.....	9118	15.55
5 = None of the time.....	28600	48.78
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	109	0.19
97 = REFUSED.....	149	0.25
98 = BLANK (NO ANSWER).....	983	1.68
99 = LEGITIMATE SKIP.....	11334	19.33

During the past 30 days, how often did you feel restless or fidgety?

(FIDG30)

DSTRST30¹

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS

	Freq	Pct
1 = All of the time.....	1739	2.97
2 = Most of the time.....	3261	5.56
3 = Some of the time.....	8333	14.21
4 = A little of the time.....	11422	19.48
5 = None of the time.....	21298	36.32
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	114	0.19
97 = REFUSED.....	141	0.24
98 = BLANK (NO ANSWER).....	986	1.68
99 = LEGITIMATE SKIP.....	11334	19.33

ADULT MENTAL HEALTH

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

(NOCHR30)
DSTCHR30¹

Len : 2 HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = All of the time.....	926	1.58
2 = Most of the time.....	1830	3.12
3 = Some of the time.....	5166	8.81
4 = A little of the time.....	8928	15.23
5 = None of the time	29215	49.83
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	100	0.17
97 = REFUSED	141	0.24
98 = BLANK (NO ANSWER)	988	1.69
99 = LEGITIMATE SKIP	11334	19.33

During the past 30 days, how often did you feel that everything was an effort?

(EFFORT30)
DSTEFF30¹

Len : 2 HOW OFT FELT EVERYTHING EFFORT PST 30 DYS

	Freq	Pct
1 = All of the time.....	2398	4.09
2 = Most of the time.....	3900	6.65
3 = Some of the time.....	7663	13.07
4 = A little of the time.....	11156	19.03
5 = None of the time	20835	35.53
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	194	0.33
97 = REFUSED	159	0.27
98 = BLANK (NO ANSWER)	989	1.69
99 = LEGITIMATE SKIP	11334	19.33

During the past 30 days, how often did you feel down on yourself, no good or worthless?

(DOWN30)
DSTNGD30¹

Len : 2 HOW OFT FELT DOWN/WTLLSS/NO GOOD PST 30 DYS

	Freq	Pct
1 = All of the time.....	1239	2.11
2 = Most of the time.....	2291	3.91
3 = Some of the time.....	5377	9.17
4 = A little of the time.....	9176	15.65
5 = None of the time	27966	47.70
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	102	0.17
97 = REFUSED	150	0.26
98 = BLANK (NO ANSWER)	993	1.69
99 = LEGITIMATE SKIP	11334	19.33

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

(WORST30)
DSTWORST¹

Len : 2 MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS

	Freq	Pct
1 = Yes.....	15379	26.23
2 = No	30595	52.18
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW	181	0.31
97 = REFUSED	140	0.24
98 = BLANK (NO ANSWER)	999	1.70
99 = LEGITIMATE SKIP	11334	19.33

ADULT MENTAL HEALTH

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

(DSNERV1)

[DSTNRV12](#)¹

Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	Freq	Pct
1 = All of the time.....	2519	4.30
2 = Most of the time.....	4491	7.66
3 = Some of the time.....	5022	8.57
4 = A little of the time.....	2613	4.46
5 = None of the time.....	712	1.21
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	12	0.02
97 = REFUSED.....	148	0.25
98 = BLANK (NO ANSWER).....	1182	2.02
99 = LEGITIMATE SKIP.....	41929	71.51

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

(DSHOPE)

[DSTHOP12](#)¹

Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH

	Freq	Pct
1 = All of the time.....	2057	3.51
2 = Most of the time.....	3248	5.54
3 = Some of the time.....	4012	6.84
4 = A little of the time.....	3075	5.24
5 = None of the time.....	2968	5.06
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	147	0.25
98 = BLANK (NO ANSWER).....	1182	2.02
99 = LEGITIMATE SKIP.....	41929	71.51

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

(DSFIDG)

[DSTRST12](#)¹

Len : 2 HOW OFTEN FELT RESTLESS IN WORST MONTH

	Freq	Pct
1 = All of the time.....	1980	3.38
2 = Most of the time.....	3041	5.19
3 = Some of the time.....	4395	7.50
4 = A little of the time.....	3524	6.01
5 = None of the time.....	2412	4.11
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	16	0.03
97 = REFUSED.....	148	0.25
98 = BLANK (NO ANSWER).....	1183	2.02
99 = LEGITIMATE SKIP.....	41929	71.51

ADULT MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

(DSNOCHR)

DSTCHR12¹

Len : 2 HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	Freq	Pct
1 = All of the time.....	2029	3.46
2 = Most of the time.....	3121	5.32
3 = Some of the time.....	3861	6.59
4 = A little of the time.....	3357	5.73
5 = None of the time.....	2985	5.09
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	15	0.03
97 = REFUSED.....	148	0.25
98 = BLANK (NO ANSWER).....	1183	2.02
99 = LEGITIMATE SKIP.....	41929	71.51

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

(DSEFFORT)

DSTEFF12¹

Len : 2 HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	Freq	Pct
1 = All of the time.....	3049	5.20
2 = Most of the time.....	3614	6.16
3 = Some of the time.....	3827	6.53
4 = A little of the time.....	3061	5.22
5 = None of the time.....	1790	3.05
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	28	0.05
97 = REFUSED.....	147	0.25
98 = BLANK (NO ANSWER).....	1183	2.02
99 = LEGITIMATE SKIP.....	41929	71.51

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

(DSDOWN)

DSTNGD12¹

Len : 2 HOW OFTEN FELT NO GOOD IN WORST MONTH

	Freq	Pct
1 = All of the time.....	2255	3.85
2 = Most of the time.....	2982	5.09
3 = Some of the time.....	3516	6.00
4 = A little of the time.....	3103	5.29
5 = None of the time.....	3497	5.96
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	16	0.03
97 = REFUSED.....	146	0.25
98 = BLANK (NO ANSWER).....	1184	2.02
99 = LEGITIMATE SKIP.....	41929	71.51

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

(LIREMEM)

IMPREMEM¹

Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS

	Freq	Pct
1 = No difficulty.....	15879	27.08
2 = Mild difficulty.....	12033	20.52
3 = Moderate difficulty.....	5828	9.94
4 = Severe difficulty.....	1950	3.33
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW.....	109	0.19
97 = REFUSED.....	50	0.09
98 = BLANK (NO ANSWER).....	43	0.07
99 = LEGITIMATE SKIP.....	22736	38.78

ADULT MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

(LICONCEN)

IMPCONCN¹

Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS

	Freq	Pct
1 = No difficulty	13784	23.51
2 = Mild difficulty.....	12386	21.12
3 = Moderate difficulty	6830	11.65
4 = Severe difficulty.....	2694	4.59
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW	92	0.16
97 = REFUSED	54	0.09
98 = BLANK (NO ANSWER)	52	0.09
99 = LEGITIMATE SKIP.....	22736	38.78

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

(LIGOOUT1)

IMPGOUT¹

Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	21028	35.86
2 = Mild difficulty.....	6951	11.86
3 = Moderate difficulty	4432	7.56
4 = Severe difficulty.....	2079	3.55
5 = You didn't leave the house on your own	1209	2.06
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW	78	0.13
97 = REFUSED	56	0.10
98 = BLANK (NO ANSWER)	59	0.10
99 = LEGITIMATE SKIP.....	22736	38.78

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

(LIGOOUT2)

IMPGOUTM¹

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE

	Freq	Pct
1 = Yes.....	850	1.45
2 = No.....	354	0.60
94 = DON'T KNOW	2	0.00
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	142	0.24
99 = LEGITIMATE SKIP.....	57226	97.60

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

(LISTRANI)

IMPPEOP¹

Len : 2 DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M

	Freq	Pct
1 = No difficulty	17870	30.48
2 = Mild difficulty.....	8771	14.96
3 = Moderate difficulty	5083	8.67
4 = Severe difficulty.....	2477	4.22
5 = You didn't deal with people you did not know well.....	1505	2.57
85 = BAD DATA Logically assigned.....	5	0.01
94 = DON'T KNOW	72	0.12
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	61	0.10
99 = LEGITIMATE SKIP.....	22736	38.78

ADULT MENTAL HEALTH

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

(LISTRAN2)
IMPEOPM¹

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR

	Freq	Pct
1 = Yes.....	720	1.23
2 = No.....	771	1.31
94 = DON'T KNOW.....	13	0.02
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	139	0.24
99 = LEGITIMATE SKIP.....	56937	97.11

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

(LISOC1)
IMPSOC¹

Len : 2 DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO

	Freq	Pct
1 = No difficulty	16900	28.82
2 = Mild difficulty.....	8373	14.28
3 = Moderate difficulty	5336	9.10
4 = Severe difficulty.....	2910	4.96
5 = You didn't participate in social activities	2180	3.72
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW.....	76	0.13
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP.....	22736	38.78

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

(LISOC2)
IMPSOCM¹

Len : 2 EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL

	Freq	Pct
1 = Yes.....	1296	2.21
2 = No.....	876	1.49
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	55	0.09
98 = BLANK (NO ANSWER)	145	0.25
99 = LEGITIMATE SKIP.....	56255	95.94

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

(LIHHRES1)
IMPHHLD¹

Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	16917	28.85
2 = Mild difficulty.....	9121	15.56
3 = Moderate difficulty	5870	10.01
4 = Severe difficulty.....	3183	5.43
5 = You didn't take care of household responsibilities	622	1.06
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW.....	59	0.10
97 = REFUSED	56	0.10
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP.....	22736	38.78

ADULT MENTAL HEALTH

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

(LIHHRES2)
IMPHHLDM¹

Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS

	Freq	Pct
1 = Yes.....	435	0.74
2 = No.....	183	0.31
94 = DON'T KNOW.....	3	0.01
97 = REFUSED	57	0.10
98 = BLANK (NO ANSWER)	128	0.22
99 = LEGITIMATE SKIP.....	57827	98.63

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

(LIWKRES1)
IMPRES¹

Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	18205	31.05
2 = Mild difficulty.....	8545	14.57
3 = Moderate difficulty	4547	7.76
4 = Severe difficulty.....	2126	3.63
5 = You didn't work or go to school.....	2273	3.88
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW.....	64	0.11
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	67	0.11
99 = LEGITIMATE SKIP.....	22736	38.78

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

(LIWKRES2)
IMPRESM¹

Len : 2 DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL

	Freq	Pct
1 = Yes.....	534	0.91
2 = No.....	1719	2.93
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	72	0.12
98 = BLANK (NO ANSWER)	138	0.24
99 = LEGITIMATE SKIP.....	56159	95.78

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

(LIWKQUIC)
IMPWORK¹

Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	16398	27.97
2 = Mild difficulty.....	10165	17.34
3 = Moderate difficulty	4838	8.25
4 = Severe difficulty.....	2032	3.47
85 = BAD DATA Logically assigned	5	0.01
94 = DON'T KNOW.....	68	0.12
97 = REFUSED	50	0.09
98 = BLANK (NO ANSWER)	68	0.12
99 = LEGITIMATE SKIP.....	25009	42.65

ADULT MENTAL HEALTH

You mentioned having difficulty with or being unable to do such things as [FILL].

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

(IMWEEK1)
IMPWEEKS¹

Len : 2 NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH

	Freq	Pct
RANGE = 1 - 52	26596	45.36
94 = DON'T KNOW	727	1.24
97 = REFUSED	156	0.27
98 = BLANK (NO ANSWER)	194	0.33
99 = LEGITIMATE SKIP	30960	52.80

During that/those [IMWEEK1FILL] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

(IMDAYS)
IMPDYFRQ¹

Len : 2 HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES

	Freq	Pct
1 = Every day	1860	3.17
2 = Most days	9765	16.65
3 = Only one or two days a week	14890	25.40
94 = DON'T KNOW	56	0.10
97 = REFUSED	178	0.30
98 = BLANK (NO ANSWER)	924	1.58
99 = LEGITIMATE SKIP	30960	52.80

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

(LIAD68)
IMPYDAYS¹

Len : 3 HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK

	Freq	Pct
RANGE = 0 - 365	26898	45.88
985 = BAD DATA Logically assigned	1	0.00
994 = DON'T KNOW	425	0.72
997 = REFUSED	142	0.24
998 = BLANK (NO ANSWER)	207	0.35
999 = LEGITIMATE SKIP	30960	52.80

Over the last 2 weeks, how often have you been bothered by feeling nervous, anxious, or on edge?

(AGAD1)
AGADNRVANX

Len : 2 ADLT: GAD-7 - NERVOUS, ANXIOUS, OR ON EDGE LAST 2 WKS

	Freq	Pct
1 = Not at all	30653	52.28
2 = Several days	11018	18.79
3 = More than half the days	2437	4.16
4 = Nearly every day	1768	3.02
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	150	0.26
97 = REFUSED	183	0.31
98 = BLANK (NO ANSWER)	1084	1.85
99 = LEGITIMATE SKIP	11334	19.33

ADULT MENTAL HEALTH

Over the last 2 weeks, how often have you been bothered by not being able to stop or control worrying?

(AGAD2)

AGADNTSTOP

Len : 2 ADLT: GAD-7 -NOT ABLE TO STOP OR CONTROL WORRYING LAST 2 WKS

	Freq	Pct
1 = Not at all	32724	55.81
2 = Several days.....	8894	15.17
3 = More than half the days.....	2374	4.05
4 = Nearly every day.....	1869	3.19
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	151	0.26
97 = REFUSED	189	0.32
98 = BLANK (NO ANSWER)	1092	1.86
99 = LEGITIMATE SKIP.....	11334	19.33

Over the last 2 weeks, how often have you been bothered by worrying too much about different things?

(AGAD3)

AGADWRYMCH

Len : 2 ADLT: GAD-7 - WORRIED TOO MUCH ABOUT DIFF THINGS LAST 2 WKS

	Freq	Pct
1 = Not at all	29344	50.05
2 = Several days.....	11497	19.61
3 = More than half the days.....	2781	4.74
4 = Nearly every day.....	2241	3.82
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	161	0.27
97 = REFUSED	174	0.30
98 = BLANK (NO ANSWER)	1095	1.87
99 = LEGITIMATE SKIP.....	11334	19.33

Over the last 2 weeks, how often have you been bothered by having trouble relaxing?

(AGAD4)

AGADTRBRLX

Len : 2 ADLT: GAD-7 - HAD TROUBLE RELAXING LAST 2 WKS

	Freq	Pct
1 = Not at all	30661	52.29
2 = Several days.....	10165	17.34
3 = More than half the days.....	2868	4.89
4 = Nearly every day.....	2202	3.76
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	135	0.23
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	1098	1.87
99 = LEGITIMATE SKIP.....	11334	19.33

Over the last 2 weeks, how often have you been bothered by being so restless that it is hard to sit still?

(AGAD5)

AGADRSTLSS

Len : 2 ADLT: GAD-7 - HARD TO SIT STILL BECAUSE RESTLESS LAST 2 WKS

	Freq	Pct
1 = Not at all	35749	60.97
2 = Several days.....	6842	11.67
3 = More than half the days.....	1939	3.31
4 = Nearly every day.....	1357	2.31
85 = BAD DATA Logically assigned	6	0.01
94 = DON'T KNOW	141	0.24
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	1101	1.88
99 = LEGITIMATE SKIP.....	11334	19.33

ADULT MENTAL HEALTH

Over the last 2 weeks, how often have you been bothered by becoming easily annoyed or irritable?

(AGAD6)

AGADANNOY

Len : 2 ADLT: GAD-7 - EASILY ANNOYED OR IRRITABLE LAST 2 WKS

	Freq	Pct
1 = Not at all	28697	48.94
2 = Several days.....	11995	20.46
3 = More than half the days.....	3224	5.50
4 = Nearly every day.....	1966	3.35
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW	137	0.23
97 = REFUSED	169	0.29
98 = BLANK (NO ANSWER)	1105	1.88
99 = LEGITIMATE SKIP.....	11334	19.33

Over the last 2 weeks, how often have you been bothered by feeling afraid as if something awful might happen?

(AGAD7)

AGADAWFUL

Len : 2 ADLT: GAD-7 - AFRAID SOMETHING AWFUL MIGHT HAPPEN LAST 2 WKS

	Freq	Pct
1 = Not at all	34677	59.14
2 = Several days.....	7400	12.62
3 = More than half the days.....	2148	3.66
4 = Nearly every day.....	1655	2.82
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW	135	0.23
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	1114	1.90
99 = LEGITIMATE SKIP.....	11334	19.33

(AGADANNOY, AGADAWFUL, AGADNRVANX, AGADNTSTOP, AGADRSTLSS, AGADTRBRLX, AGADWRYMCH)

AGADSCED

Len : 2 ADULT GAD-7 TOTAL SCORE - LAST 2 WEEKS

	Freq	Pct
RANGE = 0 - 21	45658	77.87
. = Aged 12-17 or missing.....	12975	22.13

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

(SUI01)

SUICTHNK¹

Len : 2 SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	Freq	Pct
1 = Yes.....	3379	5.76
2 = No.....	42527	72.53
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW	78	0.13
97 = REFUSED	187	0.32
98 = BLANK (NO ANSWER)	1122	1.91
99 = LEGITIMATE SKIP.....	11334	19.33

During the past 12 months, did you make any plans to kill yourself?

(SUI02)

SUIPLANR¹

Len : 2 ADULT MAKE PLANS TO KILL SELF PST 12 MOS

	Freq	Pct
1 = Yes.....	1141	1.95
2 = No.....	44808	76.42
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW	62	0.11
97 = REFUSED	160	0.27
98 = BLANK (NO ANSWER)	1122	1.91
99 = LEGITIMATE SKIP.....	11334	19.33

ADULT MENTAL HEALTH

NOTE: The following variable, KSSLR6MONED, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MONED. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(DSTCHR30, DSTEFF30, DSTHOP30, DSTNGD30, DSTNRV30, DSTRST30)

KSSLR6MONED Len : 2 K6 TOTAL SCORE IN PAST MONTH

	Freq	Pct
RANGE = 0 - 24	45821	78.15
. = Aged 12-17 or missing.....	12812	21.85

NOTE: The following variable, KSSLR6YRED, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer them up (DSTCHR12), feeling that everything was an effort (DSTEFF12), and feeling down on themselves, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YRED. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YRED was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(DSTCHR12, DSTEFF12, DSTHOP12, DSTNGD12, DSTNRV12, DSTRST12, DSTWORST)

KSSLR6YRED Len : 2 K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24	15308	26.11
. = Aged 12-17, missing, or DSTWORST in (2,85,94,97,98)	43325	73.89

NOTE: The following two variables, WHODASSCED and WHODASDAED, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables KSSLR6MONED and KSSLR6YRED) at least "a little of the time" (i.e., KSSLR6MONED greater than 0 or KSSLR6YRED greater than 0) were asked about remembering to do things they needed to do (IMPREMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHHLD, IMPHHLDM), taking care of daily responsibilities at work or school (IMPRES, IMPRESM), and getting daily work done as quickly as needed (IMPWORK, IMPRESM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the WHODAS total score, WHODASSCED, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASSCED which ranges from 0 to 24. WHODASSCED was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDAED, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASDAED which ranges from 0 to 8. WHODASDAED was set equal to 0 for respondents with KSSLR6MAX=0.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

(IMPCONCN, IMPGOUT, IMPGOUTM, IMPHHLD, IMPHHLDM, IMPPEOP, IMPPEOPM, IMPREMEM, IMPRES, IMPRESM, IMPSOC, IMPSOCM, IMPWORK, KSSLR6MAX)

WHODASSCED Len : 2 WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 24	45939	78.35
. = Aged 12-17 or missing.....	12694	21.65

ADULT MENTAL HEALTH

(IMPCONCN, IMPGOUT, IMPGOUTM, IMPHHL, IMPHHLDM, IMPPEOP, IMPPEOPM, IMPREMEM, IMPRESP, IMPRESPM, IMPSOC, IMPSOCM, IMPWORK, KSSLR6MAX)

WHODASDAED

Len : 2 ALTERNATIVE WHODAS SCORE

	Freq	Pct
RANGE = 0 - 8	45939	78.35
. = Aged 12-17 or missing.....	12694	21.65

IMPUTED ADULT MENTAL HEALTH

IMPUTED ADULT MENTAL HEALTH

(DSTNRV30)
IRDSTNRV30

Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	1873	3.19
2 = Most of the time.....	3714	6.33
3 = Some of the time.....	11643	19.86
4 = A little of the time.....	14404	24.57
5 = None of the time.....	15665	26.72
99 = LEGITIMATE SKIP.....	11334	19.33

(DSTNRV30)
IIDSTNRV30

Len : 1 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	46072	78.58
3 = Statistically imputed data.....	1227	2.09
9 = LEGITIMATE SKIP.....	11334	19.33

(DSTHOP30)
IRDSTHOP30

Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	1059	1.81
2 = Most of the time.....	1909	3.26
3 = Some of the time.....	5569	9.50
4 = A little of the time.....	9383	16.00
5 = None of the time.....	29379	50.11
99 = LEGITIMATE SKIP.....	11334	19.33

(DSTHOP30)
IIDSTHOP30

Len : 1 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	46053	78.54
3 = Statistically imputed data.....	1246	2.13
9 = LEGITIMATE SKIP.....	11334	19.33

(DSTRST30)
IRDSTRST30

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	1784	3.04
2 = Most of the time.....	3329	5.68
3 = Some of the time.....	8551	14.58
4 = A little of the time.....	11756	20.05
5 = None of the time.....	21879	37.32
99 = LEGITIMATE SKIP.....	11334	19.33

(DSTRST30)
IIDSTRST30

Len : 1 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	46053	78.54
3 = Statistically imputed data.....	1246	2.13
9 = LEGITIMATE SKIP.....	11334	19.33

(DSTCHR30)
IRDSTCHR30

Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP REV

	Freq	Pct
1 = All of the time.....	951	1.62
2 = Most of the time.....	1874	3.20
3 = Some of the time.....	5294	9.03
4 = A little of the time.....	9164	15.63
5 = None of the time.....	30016	51.19
99 = LEGITIMATE SKIP.....	11334	19.33

IMPUTED ADULT MENTAL HEALTH

(DSTCHR30)
IIDSTCHR30

Len : 1 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP IND

	Freq	Pct
1 = Questionnaire data	46065	78.56
3 = Statistically imputed data.....	1234	2.10
9 = LEGITIMATE SKIP.....	11334	19.33

(DSTEFF30)
IRDSTEFF30

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	2467	4.21
2 = Most of the time.....	4008	6.84
3 = Some of the time.....	7869	13.42
4 = A little of the time.....	11491	19.60
5 = None of the time.....	21464	36.61
99 = LEGITIMATE SKIP.....	11334	19.33

(DSTEFF30)
IIDSTEFF30

Len : 1 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	45952	78.37
3 = Statistically imputed data.....	1347	2.30
9 = LEGITIMATE SKIP.....	11334	19.33

(DSTNGD30)
IRDSTNGD30

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time.....	1274	2.17
2 = Most of the time.....	2355	4.02
3 = Some of the time.....	5521	9.42
4 = A little of the time.....	9421	16.07
5 = None of the time.....	28728	49.00
99 = LEGITIMATE SKIP.....	11334	19.33

(DSTNGD30)
IRDSTNGD30

Len : 1 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	46049	78.54
3 = Statistically imputed data.....	1250	2.13
9 = LEGITIMATE SKIP.....	11334	19.33

(DSTWORST)
IRDSTWORST

Len : 2 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP REV

	Freq	Pct
1 = Yes.....	15813	26.97
2 = No.....	31486	53.70
99 = LEGITIMATE SKIP.....	11334	19.33

(DSTWORST)
IIDSTWORST

Len : 1 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	45974	78.41
3 = Statistically imputed data.....	1325	2.26
9 = LEGITIMATE SKIP.....	11334	19.33

(DSTNRV12)
IRDSTNRV12

Len : 2 HOW OFTEN FELT NERVOUS WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2576	4.39
2 = Most of the time.....	4633	7.90
3 = Some of the time.....	5171	8.82
4 = A little of the time.....	2696	4.60
5 = None of the time.....	737	1.26
99 = LEGITIMATE SKIP.....	42820	73.03

IMPUTED ADULT MENTAL HEALTH

(DSTNRV12)
IIDSTNRV12

Len : 1 HOW OFTEN FELT NERVOUS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15357	26.19
3 = Statistically imputed data.....	456	0.78
9 = LEGITIMATE SKIP.....	42820	73.03

(DSTHOP12)
IRDSTHOP12

Len : 2 HOW OFTEN FELT HOPELESS WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2102	3.59
2 = Most of the time.....	3334	5.69
3 = Some of the time.....	4149	7.08
4 = A little of the time.....	3181	5.43
5 = None of the time.....	3047	5.20
99 = LEGITIMATE SKIP.....	42820	73.03

(DSTHOP12)
IIDSTHOP12

Len : 1 HOW OFTEN FELT HOPELESS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15360	26.20
3 = Statistically imputed data.....	453	0.77
9 = LEGITIMATE SKIP.....	42820	73.03

(DSTRST12)
IRDSTRST12

Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2027	3.46
2 = Most of the time.....	3127	5.33
3 = Some of the time.....	4553	7.77
4 = A little of the time.....	3626	6.18
5 = None of the time.....	2480	4.23
99 = LEGITIMATE SKIP.....	42820	73.03

(DSTRST12)
IRDSTRST12

Len : 1 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15352	26.18
3 = Statistically imputed data.....	461	0.79
9 = LEGITIMATE SKIP.....	42820	73.03

(DSTCHR12)
IRDSTCHR12

Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2079	3.55
2 = Most of the time.....	3202	5.46
3 = Some of the time.....	3987	6.80
4 = A little of the time.....	3462	5.90
5 = None of the time.....	3083	5.26
99 = LEGITIMATE SKIP.....	42820	73.03

(DSTCHR12)
IRDSTCHR12

Len : 1 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15353	26.18
3 = Statistically imputed data.....	460	0.78
9 = LEGITIMATE SKIP.....	42820	73.03

IMPUTED ADULT MENTAL HEALTH

(DSTEFF12)
IRDSTEFF12

Len : 2 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	3128	5.33
2 = Most of the time.....	3737	6.37
3 = Some of the time.....	3944	6.73
4 = A little of the time.....	3162	5.39
5 = None of the time.....	1842	3.14
99 = LEGITIMATE SKIP.....	42820	73.03

(DSTEFF12)
IIDSTEFF12

Len : 1 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data.....	15341	26.16
3 = Statistically imputed data.....	472	0.81
9 = LEGITIMATE SKIP.....	42820	73.03

(DSTNGD12)
IIDSTNGD12

Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time.....	2320	3.96
2 = Most of the time.....	3058	5.22
3 = Some of the time.....	3639	6.21
4 = A little of the time.....	3199	5.46
5 = None of the time.....	3597	6.13
99 = LEGITIMATE SKIP.....	42820	73.03

(DSTNGD12)
IIDSTNGD12

Len : 1 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data.....	15353	26.18
3 = Statistically imputed data.....	460	0.78
9 = LEGITIMATE SKIP.....	42820	73.03

(IMPREMEM)
IIRIMPREMEM

Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty.....	16413	27.99
2 = Mild difficulty.....	12408	21.16
3 = Moderate difficulty.....	6009	10.25
4 = Severe difficulty.....	2011	3.43
99 = LEGITIMATE SKIP.....	21792	37.17

(IMPREMEM)
IIRIMPREMEM

Len : 1 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	35690	60.87
3 = Statistically imputed data.....	1151	1.96
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPCONCN)
IIRIMPCONCN

Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty.....	14268	24.33
2 = Mild difficulty.....	12782	21.80
3 = Moderate difficulty.....	7007	11.95
4 = Severe difficulty.....	2784	4.75
99 = LEGITIMATE SKIP.....	21792	37.17

(IMPCONCN)
IIRIMPCONCN

Len : 1 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	35694	60.88
3 = Statistically imputed data.....	1147	1.96
9 = LEGITIMATE SKIP.....	21792	37.17

IMPUTED ADULT MENTAL HEALTH

(IMPGOUT)
IRIMPGOUT

Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	21730	37.06
2 = Mild difficulty.....	7157	12.21
3 = Moderate difficulty	4550	7.76
4 = Severe difficulty.....	2148	3.66
5 = You didn't leave the house on your own	1256	2.14
99 = LEGITIMATE SKIP.....	21792	37.17

(IMPGOUT)
IIMPGOUT

Len : 1 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	35699	60.89
3 = Statistically imputed data.....	1142	1.95
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPGOUTM)
IRIMPGOUTM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP REV

	Freq	Pct
1 = Yes.....	888	1.51
2 = No.....	368	0.63
99 = LEGITIMATE SKIP.....	57377	97.86

(IMPGOUTM)
IIMPGOUTM

Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	35694	60.88
3 = Statistically imputed data.....	1147	1.96
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPPEOP)
IRIMPPEOP

Len : 2 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	18458	31.48
2 = Mild difficulty.....	9025	15.39
3 = Moderate difficulty	5239	8.94
4 = Severe difficulty.....	2560	4.37
5 = You didn't deal with people you did not know well.....	1559	2.66
99 = LEGITIMATE SKIP.....	21792	37.17

(IMPPEOP)
IIMPPEOP

Len : 1 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	35706	60.90
3 = Statistically imputed data.....	1135	1.94
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPPEOPM)
IRIMPPEOPM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRNGRS - IMP REV

	Freq	Pct
1 = Yes.....	751	1.28
2 = No.....	808	1.38
99 = LEGITIMATE SKIP.....	57074	97.34

(IMPPEOPM)
IIMPPEOPM

Len : 1 EMOTIONAL PRBLMS KEEP YOU FROM DEALING W STRNGRS - IMP IND

	Freq	Pct
1 = Questionnaire data	35692	60.87
3 = Statistically imputed data.....	1149	1.96
9 = LEGITIMATE SKIP.....	21792	37.17

IMPUTED ADULT MENTAL HEALTH

(IMPSOC)
IRIMPSOC

Len : 2 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	17475	29.80
2 = Mild difficulty.....	8617	14.70
3 = Moderate difficulty	5487	9.36
4 = Severe difficulty.....	3001	5.12
5 = You didn't participate in social activities	2261	3.86
99 = LEGITIMATE SKIP.....	21792	37.17

(IMPSOC)
IIMPSOC

Len : 1 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	35699	60.89
3 = Statistically imputed data.....	1142	1.95
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPSOCM)
IRIMPSOCM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP REV

	Freq	Pct
1 = Yes.....	1352	2.31
2 = No.....	909	1.55
99 = LEGITIMATE SKIP.....	56372	96.14

(IMPSOCM)
IIMPSOCM

Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP IND

	Freq	Pct
1 = Questionnaire data	35691	60.87
3 = Statistically imputed data.....	1150	1.96
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPHHLD)
IRIMPHHLD

Len : 2 DIFFICULTY HHLD RESPONS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	17492	29.83
2 = Mild difficulty.....	9386	16.01
3 = Moderate difficulty	6038	10.30
4 = Severe difficulty.....	3276	5.59
5 = You didn't take care of household responsibilities	649	1.11
99 = LEGITIMATE SKIP.....	21792	37.17

(IMPHHLD)
IIMPHHLD

Len : 1 DIFFICULTY HHLD RESPONS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	35713	60.91
3 = Statistically imputed data.....	1128	1.92
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPHHLD)
IRIMPHHLD

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP REV

	Freq	Pct
1 = Yes.....	455	0.78
2 = No.....	194	0.33
99 = LEGITIMATE SKIP.....	57984	98.89

(IMPHHLD)
IIMPHHLD

Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP IND

	Freq	Pct
1 = Questionnaire data	35709	60.90
3 = Statistically imputed data.....	1132	1.93
9 = LEGITIMATE SKIP.....	21792	37.17

IMPUTED ADULT MENTAL HEALTH

(IMPRES)
IRIMPRES

Len : 2 DIFFICULTY WORK RESPONDS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	18824	32.10
2 = Mild difficulty.....	8785	14.98
3 = Moderate difficulty	4674	7.97
4 = Severe difficulty.....	2198	3.75
5 = You didn't work or go to school.....	2360	4.03
99 = LEGITIMATE SKIP.....	21792	37.17

(IMPRES)
IIMPRES

Len : 1 DIFFICULTY WORK RESPONDS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	35696	60.88
3 = Statistically imputed data.....	1145	1.95
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPRESM)
IIMPRESM

Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP REV

	Freq	Pct
1 = Yes.....	562	0.96
2 = No.....	1798	3.07
99 = LEGITIMATE SKIP.....	56273	95.97

(IMPRESM)
IIMPRESM

Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP IND

	Freq	Pct
1 = Questionnaire data	35676	60.85
3 = Statistically imputed data.....	1165	1.99
9 = LEGITIMATE SKIP.....	21792	37.17

(IMPWORK)
IRIMPWORK

Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	16952	28.91
2 = Mild difficulty.....	10464	17.85
3 = Moderate difficulty	4979	8.49
4 = Severe difficulty.....	2086	3.56
99 = LEGITIMATE SKIP.....	24152	41.19

(IMPWORK)
IIMPWORK

Len : 1 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	35706	60.90
3 = Statistically imputed data.....	1135	1.94
9 = LEGITIMATE SKIP.....	21792	37.17

(SUICTHINK)
IRSUICTHINK

Len : 1 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP REV

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No.....	43810	74.72
1 = Yes.....	3489	5.95

(SUICTHINK)
IIRSUICTHINK

Len : 1 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	45906	78.29
3 = Statistically imputed data.....	1393	2.38
9 = LEGITIMATE SKIP.....	11334	19.33

IMPUTED ADULT MENTAL HEALTH

(SUIPLANYR)
IRSUIPLANYR

Len : 1 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP REV

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No.....	46129	78.67
1 = Yes.....	1170	2.00

(SUIPLANYR)
IISUIPLANYR

Len : 1 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP IND

	Freq	Pct
1 = Questionnaire data.....	45949	78.37
3 = Statistically imputed data.....	1350	2.30
9 = LEGITIMATE SKIP.....	11334	19.33

IRSUITRYR

Len : 1 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP REV

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No.....	46774	79.77
1 = Yes.....	525	0.90

IISUITRYR

Len : 1 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP IND

	Freq	Pct
1 = Questionnaire data.....	45970	78.40
3 = Statistically imputed data.....	1329	2.27
9 = LEGITIMATE SKIP.....	11334	19.33

(AGADNRVANX)
IRAGADNRVANX

Len : 2 NERVOUS, ANXIOUS, OR ON EDGE LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all.....	31621	53.93
2 = Several days.....	11352	19.36
3 = More than half the days.....	2505	4.27
4 = Nearly every day.....	1821	3.11
99 = LEGITIMATE SKIP.....	11334	19.33

(AGADNRVANX)
IIRAGADNRVANX

Len : 1 NERVOUS, ANXIOUS, OR ON EDGE LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	45876	78.24
3 = Statistically imputed data.....	1423	2.43
9 = LEGITIMATE SKIP.....	11334	19.33

(AGADNTSTOP)
IRAGADNTSTOP

Len : 2 NOT ABLE TO STOP OR CONTROL WORRYING LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all.....	33747	57.56
2 = Several days.....	9177	15.65
3 = More than half the days.....	2449	4.18
4 = Nearly every day.....	1926	3.28
99 = LEGITIMATE SKIP.....	11334	19.33

(AGADNTSTOP)
IIRAGADNTSTOP

Len : 1 NOT ABLE TO STOP OR CONTROL WORRYING LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data.....	45861	78.22
3 = Statistically imputed data.....	1438	2.45
9 = LEGITIMATE SKIP.....	11334	19.33

IMPUTED ADULT MENTAL HEALTH

(AGADWRYMCH)

IRAGADWRYMCH Len : 2 WORRIED TOO MUCH ABOUT DIFF THINGS LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	30288	51.66
2 = Several days	11857	20.22
3 = More than half the days	2851	4.86
4 = Nearly every day	2303	3.93
99 = LEGITIMATE SKIP	11334	19.33

(AGADWRYMCH)

IIAGADWRYMCH Len : 1 WORRIED TOO MUCH ABOUT DIFF THINGS LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	45863	78.22
3 = Statistically imputed data	1436	2.45
9 = LEGITIMATE SKIP	11334	19.33

(AGADTRBRLX)

IRAGADTRBRLX Len : 2 HAD TROUBLE RELAXING LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	31633	53.95
2 = Several days	10464	17.85
3 = More than half the days	2942	5.02
4 = Nearly every day	2260	3.85
99 = LEGITIMATE SKIP	11334	19.33

(AGADTRBRLX)

IIAGADTRBRLX Len : 1 HAD TROUBLE RELAXING LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	45896	78.28
3 = Statistically imputed data	1403	2.39
9 = LEGITIMATE SKIP	11334	19.33

(AGADRSTLSS)

IRAGADRSTLSS Len : 2 HARD TO SIT STILL BECAUSE RESTLESS LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	36882	62.90
2 = Several days	7047	12.02
3 = More than half the days	1980	3.38
4 = Nearly every day	1390	2.37
99 = LEGITIMATE SKIP	11334	19.33

(AGADRSTLSS)

IIAGADRSTLSS Len : 1 HARD TO SIT STILL BECAUSE RESTLESS LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	45887	78.26
3 = Statistically imputed data	1412	2.41
9 = LEGITIMATE SKIP	11334	19.33

(AGADANNOY)

IRAGADANNOY Len : 2 EASILY ANNOYED OR IRRITABLE LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	29592	50.47
2 = Several days	12350	21.06
3 = More than half the days	3325	5.67
4 = Nearly every day	2032	3.47
99 = LEGITIMATE SKIP	11334	19.33

(AGADANNOY)

IIAGADANNOY Len : 1 EASILY ANNOYED OR IRRITABLE LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	45882	78.25
3 = Statistically imputed data	1417	2.42
9 = LEGITIMATE SKIP	11334	19.33

IMPUTED ADULT MENTAL HEALTH

(AGADAWFUL)
IRAGADAWFUL

Len : 2 AFRAID SOMETHING AWFUL MIGHT HAPPEN LAST 2 WKS - IMP REV

	Freq	Pct
1 = Not at all	35772	61.01
2 = Several days.....	7616	12.99
3 = More than half the days.....	2207	3.76
4 = Nearly every day.....	1704	2.91
99 = LEGITIMATE SKIP.....	11334	19.33

(AGADAWFUL)
IIAGADAWFUL

Len : 1 AFRAID SOMETHING AWFUL MIGHT HAPPEN LAST 2 WKS - IMP IND

	Freq	Pct
1 = Questionnaire data	45880	78.25
3 = Statistically imputed data	1419	2.42
9 = LEGITMATE SKIP	11334	19.33

RECODED ADULT MENTAL HEALTH

RECODED ADULT MENTAL HEALTH

NOTE: The following variable, KSSLR6MON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on imputed data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (IRDSTNRV30), feeling hopeless (IRDSTHOP30), feeling restless or fidgety (IRDSTRST30), feeling so sad or depressed that nothing could cheer you up (IRDSTCHR30), feeling that everything was an effort (IRDSTEFF30), and feeling down on yourself, no good, or worthless (IRDSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MON. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(IRDSTCHR30, IRDSTEFF30, IRDSTHOP30, IRDSTNGD30, IRDSTNRV30, IRDSTRST30)
KSSLR6MON Len : 2 RC-K6 TOTAL SCORE IN PAST MONTH

	Freq	Pct
RANGE = 0 - 24.....	47299	80.67
. = Aged 12-17.....	11334	19.33

(KSSLR6MON)
SPDPSTMON

Len : 1 RC-PAST MONTH SERIOUS PSCYHOLOGICAL DISTRESS INDICATOR

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No (KSSLR6MON<13).....	42246	72.05
1 = Yes (KSSLR6MON>=13).....	5053	8.62

NOTE: The following variable, KSSLR6YR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (IRDSTWORST=1). This score variable is based on imputation-revised values for a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (IRDSTNRV12), feeling hopeless (IRDSTHOP12), feeling restless or fidgety (IRDSTRST12), feeling so sad or depressed that nothing could cheer them up (IRDSTCHR12), feeling that everything was an effort (IRDSTEFF12), and feeling down on themselves, no good, or worthless (IRDSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(IRDSTCHR12, IRDSTEFF12, IRDSTHOP12, IRDSTNGD12, IRDSTNRV12, IRDSTRST12, IRDSTWORST)
KSSLR6YR Len : 2 RC-K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24.....	15813	26.97
. = Aged 12-17 or IRDSTWORST=2.....	42820	73.03

NOTE: The following variable, KSSLR6MAX, is defined to be the higher K6 score between the past month K6 total score (KSSLR6MON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (KSSLR6YR) variable.

(KSSLR6MON, KSSLR6YR)
KSSLR6MAX

Len : 2 RC-WORST K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24.....	47299	80.67
. = Aged 12-17.....	11334	19.33

(KSSLR6MAX)
SPDPSTYR

Len : 1 RC-PAST YEAR SERIOUS PSCYHOLOGICAL DISTRESS INDICATOR

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No (KSSLR6MAX<13).....	38259	65.25
1 = Yes (KSSLR6MAX>=13).....	9040	15.42

RECODED ADULT MENTAL HEALTH

NOTE: The following variable, AKSSLR6WRST, is an alternative version of the original worst K6 total score in the past year (KSSLR6MAX) with values ranging from 0 to 17 rather than 0 to 24. This alternative total score was calculated by assigning a value of 0 when KSSLR6MAX had a value from 0 to 7 and assigning a value of 1 to 17 when KSSLR6MAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(KSSLR6MAX)

AKSSLR6WRST Len : 2 RC-ALTERNATIVE WORST K6 TOTAL SCORE

	Freq	Pct
RANGE = 0 - 17	47299	80.67
. = Aged 12-17	11334	19.33

NOTE: The following two variables, WHODASTOTSC and WHODASDASC, are score variables that indicate the level of impairment for respondents. These variables are based on imputation-revised data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally (defined in the note above variables WHODASSCED and WHODASDAED).

For the original WHODAS total score, WHODASTOTSC, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASTOTSC which ranges from 0 to 24. WHODASTOTSC was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDASC, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASDASC which ranges from 0 to 8. WHODASDASC was set equal to 0 for respondents with KSSLR6MAX=0. The alternative version of the WHODAS total score (WHODASDASC) was used in the regression model to determine SMI.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

(IRIMPONCN, IRIMPGOUT, IRIMPGOUTM, IRIMPHHLD, IRIMPHHLDL, IRIMPPEOP, IRIMPPEOPM, IRIMPREMEM, IRIMPRESPE, IRIMPRESPEM, IRIMPSOC, IRIMPSOCM, IRIMPPWORK, KSSLR6MAX)

WHODASTOTSC Len : 2 RC-WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 24	47299	80.67
. = Aged 12-17	11334	19.33

(IRIMPONCN, IRIMPGOUT, IRIMPGOUTM, IRIMPHHLD, IRIMPHHLDL, IRIMPPEOP, IRIMPPEOPM, IRIMPREMEM, IRIMPRESPE, IRIMPRESPEM, IRIMPSOC, IRIMPSOCM, IRIMPPWORK, KSSLR6MAX)

WHODASDASC Len : 2 RC-ALTERNATIVE WHODAS SCORE

	Freq	Pct
RANGE = 0 - 8	47299	80.67
. = Aged 12-17	11334	19.33

NOTE: The following eight mental illness variables are based on the 2012 mental illness prediction model. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Appendix.

The following variable, SMIPPPY, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 logistic regression model. SMIPPPY was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

(AKSSLR6WRST, IRAMDEYR, IRSUICHTNK, WHODASDASC)

SMIPPPY Len : 12 RC-IMP PREDICTED SERIOUS MENTAL ILLNESS PROB PY

	Freq	Pct
RANGE = 0.0025409721 - 0.9291205406	47299	80.67
. = Aged 12-17 (AGE3<4)	11334	19.33

RECODED ADULT MENTAL HEALTH

NOTE: The following six variables (SMIPY, AMIPY, SMMIPY, MMIPY, LMIPY, and LMMIPY) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Appendix.

The following variable, SMIPY, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.260573529) then SMIPY=1, and if SMIPPPY is less than the cutoff point then SMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPPPY)

SMIPY

Len : 1 RC-IMP SMI IND (1/0) BASED ON PREDICTED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11334	19.33
0 = No Past Year SMI (See comment above).....	43797	74.70
1 = Past Year SMI (See comment above)	3502	5.97

The following variable, AMIPY, is an indicator for Any Mental Illness (AMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.0192519810) then AMIPY=1, and if SMIPPPY is less than the cutoff point then AMIPY=0. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPPPY)

AMIPY

Len : 1 RC-IMP AMI IND (1/0) BASED ON PREDICTED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11334	19.33
0 = No Past Yr Any Mental Illness (See comment above).....	33909	57.83
1 = Past Year Any Mental Illness (See comment above)	13390	22.84

The following variable, SMMIPY, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.077686285365) then SMMIPY=1, and if SMIPPPY is less than the cutoff point then SMMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPPPY)

SMMIPY

Len : 1 RC-IMP SMMI IND (1/0) BASED ON PREDICTED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11334	19.33
0 = No Past Year SMMI (See comment above).....	40085	68.37
1 = Past Year SMMI (See comment above).....	7214	12.30

The following variable, MMIPY, is an indicator for Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPY, SMMIPY)

MMIPY

Len : 1 RC-IMP MOD MI IND (1/0) BASED ON PRED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11334	19.33
0 = No Past Year MMI (Otherwise).....	43587	74.34
1 = Past Year MMI (SMMIPY=1 and SMIPY=0)	3712	6.33

The following variable, LMIPY, is an indicator for Mild (Low) Mental Illness (LMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(AMIPY, SMMIPY)

LMIPY

Len : 1 RC-IMP MILD MI IND (1/0) BASED ON PRED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11334	19.33
0 = No Past Year LMI (Otherwise).....	41123	70.14
1 = Past Year LMI (AMIPY=1 and SMMIPY=0).....	6176	10.53

RECODED ADULT MENTAL HEALTH

The following variable, LMMIPY, is an indicator for Mild (Low) Mental Illness (LMI) or Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable are provided in the Recoded Mental Health Appendix. This mental illness variable is referred to as any mental illness (AMI) excluding serious mental illness (SMI).

(LMIPY, MMIPY)

<u>LMIPY</u>	Len : 1	RC-IMP LMMI IND (1/0) BASED ON PREDICTED SMI PROB PY		
			Freq	Pct
.	= Aged 12-17 (AGE3<4)		11334	19.33
0	= No Past Year LMMI (Otherwise)		37411	63.81
1	= Past Year LMMI (LMIPY=1 or MMIPY=1)		9888	16.86

The following variable, MICATPY, is a categorical mental illness indicator. This indicator is derived from mental illness variables based on the 2012 model. MICATPY is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Appendix.

(LMIPY, MMIPY, SMIPY)

<u>MICATPY</u>	Len : 1	RC-IMP CATEGORICAL MI INDICATOR PY		
			Freq	Pct
.	= Aged 12-17 (AGE3<4)		11334	19.33
0	= No Past Year MI (SMIPY & LMIPY & MMIPY=0).....		33909	57.83
1	= Past Year Mild Mental Illness (LMIPY=1).....		6176	10.53
2	= Past Year Moderate Mental Illness (MMIPY=1)		3712	6.33
3	= Past Year Serious Mental Illness (SMIPY=1).....		3502	5.97

NOTE: SMISUD5ANY, AMISUD5ANY, and LMMISUD5ANY are recodes that combine mental illness measures based on the 2012 predicted probability of SMI (SMIPPPY) with substance use disorder (SUD) in the past year. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(SMIPY, UD5ILALANY)

<u>SMISUD5ANY</u>	Len : 1	RC-IMP SMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
			Freq	Pct
.	= Aged 12-17 (SMIPY=.)		11334	19.33
1	= Yes (SMIPY=1 and UD5ILALANY=1)		1703	2.90
2	= No (SMIPY=0 or UD5ILALANY=0).....		45596	77.77

(AMIPY, UD5ILALANY)

<u>AMISUD5ANY</u>	Len : 1	RC-IMP AMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
			Freq	Pct
.	= Aged 12-17 (AMIPY=.).....		11334	19.33
1	= Yes (AMIPY=1 and UD5ILALANY=1)		4967	8.47
2	= No (AMIPY=0 or UD5ILALANY =0)		42332	72.20

(LMMIPY, UD5ILALANY)

<u>LMMISUD5ANY</u>	Len : 1	RC-IMP LMMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
			Freq	Pct
.	= Aged 12-17 (LMMIPY=.).....		11334	19.33
0	= No (LMMIPY=0 or UD5ILALANY =0)		44035	75.10
1	= Yes (LMMIPY=1 and UD5ILALANY =1)		3264	5.57

NOTE: The following four variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPPPY) with substance use disorder (SUD) in the past year. SMIRSUD5ANY, SMISUD5ANYO, AMIRSUD5ANY, and AMISUD5ANYO were created using the DSM-5 based SUD estimates. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix. These recodes replace variables SMIRSUD5, SMISUD5ONL, AMIRSUD5, and AMISUD5ONL, and were used starting with the 2021 NSDUH National Report appendix tables.

(SMIPY, UD5ILALANY)

<u>SMIRSUD5ANY</u>	Len : 1	RC-IMP SMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY		
			Freq	Pct
.	= Aged 12-17 (SMIPY=.)		11334	19.33
1	= Yes (SMIPY=1 or UD5ILALANY=1)		11743	20.03
2	= No (SMIPY=0 and UD5ILALANY=0)		35556	60.64

RECODED ADULT MENTAL HEALTH

(SMIPY, UD5ILALANY)

SMISUD5ANYO Len : 1 RC-ONLY IMP SMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY

	Freq	Pct
. = Aged 12-17 (SMIPY=.)	11334	19.33
1 = SUD only, no SMI (SMIPY=0 and UD5ILALANY=1).....	8241	14.06
2 = SMI only, no SUD (SMIPY=1 and UD5ILALANY=0).....	1799	3.07
3 = SUD and SMI (SMIPY=1 and UD5ILALANY=1).....	1703	2.90
4 = Neither SUD or SMI (SMIPY=0 and UD5ILALANY=0)	35556	60.64

(AMIPY, UD5ILALANY)

AMIRSUD5ANY Len : 1 RC-IMP AMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (AMIPY=.).....	11334	19.33
1 = Yes (AMIPY=1 or UD5ILALANY=1).....	18367	31.33
2 = No (AMIPY=0 and UD5ILALANY=0).....	28932	49.34

(AMIPY, UD5ILALANY)

AMISUD5ANYO Len : 1 RC-ONLY IMP AMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY

	Freq	Pct
. = Aged 12-17 (AMIPY=.).....	11334	19.33
1 = SUD only, no AMI (AMIPY=0 and UD5ILALANY=1)	4977	8.49
2 = AMI only, no SUD (AMIPY=1 and UD5ILALANY=0)	8423	14.37
3 = SUD and AMI (AMIPY=1 and UD5ILALANY=1)	4967	8.47
4 = Neither SUD or AMI (AMIPY=0 and UD5ILALANY=0)	28932	49.34

NOTE: The following variable, AGADTOTSC, is a score created using imputation-revised data from the seven-item generalized anxiety disorder (GAD-7) scale. The GAD-7 is a validated self-report measure to assess symptoms of GAD in the past two weeks. The seven items of the GAD-7 assess symptoms including feeling nervous, being unable to stop or to control worrying, worrying too much about different things, having trouble relaxing, being restless, becoming easily annoyed or irritable, and feeling afraid that something awful might happen. Respondents rated how often they experienced each item over the past two week and these responses were converted to a 0 to 3 scale (0 = "not at all"; 1 = "several days"; 2 = "more than half the days"; 3 = "nearly every day"). The converted responses were summed across all GAD-7 items to calculate a total score, AGADTOTSC, which ranges from 0 to 21, with higher scores indicating more severe anxiety symptoms.

(IRAGADANNOY, IRAGADAWFUL, IRAGADNRVANX, IRAGADNTSTOP, IRAGADRSTLSS, IRAGADTRBRLX, IRAGADWRYMCH)

AGADTOTSC Len : 2 RC-ADULT GAD-7 TOTAL SCORE - PAST 2 WEEKS

	Freq	Pct
RANGE = 0 - 21	47299	80.67
. = Aged 12-17	11334	19.33

(AGADTOTSC)

AGADSEVSYMP Len : 1 RC-ADULT GAD-7 SEVERITY OF SYMPTOMS - PAST 2 WEEKS

	Freq	Pct
. = Aged 12-17	11334	19.33
1 = No or Minimal (AGADTOTSC=0-4)	34431	58.72
2 = Mild (AGADTOTSC=5-9)	8206	14.00
3 = Moderate (AGADTOTSC=10-14)	2831	4.83
4 = Severe (AGADTOTSC=15-21)	1831	3.12

(AGADTOTSC)

AGADMODSEV Len : 1 RC-ADULT GAD-7 MODERATE OR SEVERE SYMPTOMS - PAST 2 WEEKS

	Freq	Pct
. = Aged 12-17	11334	19.33
1 = No or Minimal (AGADTOTSC=0-4)	34431	58.72
2 = Mild (AGADTOTSC=5-9)	8206	14.00
3 = Moderate or Severe (AGADTOTSC=10-21)	4662	7.95

(IRSUICTHINK, IRSUIPLANYR, IRSUITRYR)

ADSUITPAYR Len : 1 RC-ADULT THOUGHT ABOUT, PLANNED, OR ATTEMPTED SUICIDE - PY

	Freq	Pct
. = Aged 12-17 (Otherwise)	11334	19.33
1 = One or More (IRSUICTHINK=1 or IRSUIPLANYR=1 or IRSUITRYR=1).....	3604	6.15
2 = None (IRSUICTHINK=0 and IRSUIPLANYR=0 and IRSUITRYR=0).....	43695	74.52

RECODED ADULT MENTAL HEALTH

(*IRSUICTHNK*, *IRSUIPLANYR*, *IRSUITRYR*)

[ADSUITPACOM](#)

Len : 1 RC-ADULT PY SUICIDE THOUGHTS/PLANS/ATTEMPTS COMBINATIONS

	Freq	Pct
. = Aged 12-17	11334	19.33
1 = Thoughts only (IRSUICTHNK=1 & IRSUIPLANYR=0 & IRSUITRYR=0).....	2337	3.99
2 = Plans only (IRSUICTHNK=0 & IRSUIPLANYR=1 & IRSUITRYR=0).....	64	0.11
3 = Attempts only (IRSUICTHNK=0 & IRSUIPLANYR=0 & IRSUITRYR=1)	34	0.06
4 = Thghts/Plans only (IRSUICTHNK, IRSUIPLANYR=1 & IRSUITRYR=0).....	678	1.16
5 = Thghts/Atmpt only (IRSUICTHNK, IRSUITRYR=1 & IRSUIPLANYR=0).....	63	0.11
6 = Plns/Atmpts only (IRSUICTHNK=0 & IRSUIPLANYR, IRSUITRYR=1).....	17	0.03
7 = Thghts/Plns/Atmpts (IRSUICTHNK, IRSUIPLANYR, IRSUITRYR=1)	411	0.70
8 = No suicide behaviors (IRSUICTHNK, IRSUIPLANYR, IRSUITRYR=0).....	43695	74.52

ADULT DEPRESSION

ADULT DEPRESSION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

(ASC21)

[ADDPREV¹](#)

Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD

	Freq	Pct
1 = Yes.....	16026	27.33
2 = No.....	29896	50.99
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	94	0.16
97 = REFUSED.....	152	0.26
98 = BLANK (NO ANSWER).....	1125	1.92
99 = LEGITIMATE SKIP.....	11334	19.33

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

(ASC22)

[ADDSCEV¹](#)

Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE

	Freq	Pct
1 = Yes.....	2768	4.72
2 = No.....	27128	46.27
94 = DON'T KNOW.....	86	0.15
97 = REFUSED.....	157	0.27
98 = BLANK (NO ANSWER).....	1134	1.93
99 = LEGITIMATE SKIP.....	27360	46.66

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

(ASC23)

[ADLOSEV¹](#)

Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	Freq	Pct
1 = Yes.....	1135	1.94
2 = No.....	25992	44.33
94 = DON'T KNOW.....	86	0.15
97 = REFUSED.....	156	0.27
98 = BLANK (NO ANSWER).....	1136	1.94
99 = LEGITIMATE SKIP.....	30128	51.38

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

(AD01)

[ADDPDISC¹](#)

Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	14777	25.20
2 = No.....	1235	2.11
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	9	0.02
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	1320	2.25
99 = LEGITIMATE SKIP.....	41282	70.41

ADULT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

(AD01A, AD01B)

[ADDPLSIN](#)¹

Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	13649	23.28
2 = No.....	2366	4.04
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1321	2.25
99 = LEGITIMATE SKIP.....	41282	70.41

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

(AD02)

[ADDLSIN](#)¹

Len : 2 EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes.....	1483	2.53
2 = No.....	1278	2.18
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1350	2.30
99 = LEGITIMATE SKIP.....	54515	92.98

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

(AD09)

[ADLSI2WK](#)¹

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes.....	236	0.40
2 = No.....	896	1.53
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1378	2.35
99 = LEGITIMATE SKIP.....	56120	95.71

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

(AD12)

[ADDP2WK](#)¹

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes.....	12803	21.84
2 = No.....	5929	10.11
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	45	0.08
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	1347	2.30
99 = LEGITIMATE SKIP.....	38489	65.64

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

(AD16)

[ADWRHRS](#)¹

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour.....	696	1.19
2 = At least 1 hour but no more than 3 hours.....	2443	4.17
3 = At least 3 hours but no more than 5 hours.....	3085	5.26
4 = 5 hours or more.....	6712	11.45
85 = BAD DATA Logically assigned.....	6	0.01
94 = DON'T KNOW.....	92	0.16
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	1440	2.46
99 = LEGITIMATE SKIP.....	44151	75.30

ADULT DEPRESSION

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

(AD17)

[ADWRDST](#)¹

Len : 2 HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS

	Freq	Pct
1 = Mild	1112	1.90
2 = Moderate.....	4587	7.82
3 = Severe	4475	7.63
4 = Very Severe	2116	3.61
94 = DON'T KNOW	36	0.06
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1447	2.47
99 = LEGITIMATE SKIP.....	44847	76.49

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

(AD18)

[ADWRCHR](#)¹

Len : 2 EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often.....	3783	6.45
2 = Sometimes	5936	10.12
3 = Rarely	2041	3.48
4 = Never	531	0.91
94 = DON'T KNOW	31	0.05
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1450	2.47
99 = LEGITIMATE SKIP.....	44847	76.49

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

(AD19)

[ADWRIMP](#)¹

Len : 2 EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES

	Freq	Pct
1 = Often.....	2659	4.53
2 = Sometimes	5143	8.77
3 = Rarely	2860	4.88
4 = Never	1633	2.79
94 = DON'T KNOW	25	0.04
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	1451	2.47
99 = LEGITIMATE SKIP.....	44847	76.49

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

(AD21)

[ADPPROB](#)¹

Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes.....	10432	17.79
2 = No.....	1723	2.94
94 = DON'T KNOW	14	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1454	2.48
99 = LEGITIMATE SKIP.....	45001	76.75

ADULT DEPRESSION

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

(AD22)

[ADWRPROB](#)¹

Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes.....	7017	11.97
2 = No.....	3355	5.72
94 = DON'T KNOW	47	0.08
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1480	2.52
99 = LEGITIMATE SKIP.....	46724	79.69

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

(AD22A, AD22C)

[ADWRAGE](#)¹

Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 96.....	10226	17.44
985 = BAD DATA Logically assigned	8	0.01
994 = DON'T KNOW	175	0.30
997 = REFUSED	17	0.03
998 = BLANK (NO ANSWER).....	1483	2.53
999 = LEGITIMATE SKIP.....	46724	79.69

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

(AD24A)

[ADWRDEPR](#)¹

Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
1 = Yes.....	8826	15.05
2 = No.....	1557	2.66
94 = DON'T KNOW	28	0.05
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1486	2.53
99 = LEGITIMATE SKIP.....	46724	79.69

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

(AD24C)

[ADWRDISC](#)¹

Len : 2 WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY

	Freq	Pct
1 = Yes.....	8796	15.00
2 = No.....	1585	2.70
94 = DON'T KNOW	27	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1488	2.54
99 = LEGITIMATE SKIP.....	46724	79.69

ADULT DEPRESSION

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

(AD24E)

[ADWRLSIN](#)¹

Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
1 = Yes.....	8558	14.60
2 = No.....	1832	3.12
94 = DON'T KNOW.....	18	0.03
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	1490	2.54
99 = LEGITIMATE SKIP.....	46724	79.69

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

(AD24F)

[ADWRPLSR](#)¹

Len : 2 WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS

	Freq	Pct
1 = Yes.....	7593	12.95
2 = No.....	2787	4.75
94 = DON'T KNOW.....	29	0.05
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	1490	2.54
99 = LEGITIMATE SKIP.....	46724	79.69

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

(AD26A)

[ADWRELES](#)¹

Len : 2 WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY

	Freq	Pct
1 = Yes.....	6156	10.50
2 = No.....	3657	6.24
94 = DON'T KNOW.....	53	0.09
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	1514	2.58
99 = LEGITIMATE SKIP.....	47244	80.58

Did you have a much larger appetite than usual nearly every day?

(AD26B)

[ADWREMOR](#)¹

Len : 2 WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY

	Freq	Pct
1 = Yes.....	1826	3.11
2 = No.....	1842	3.14
94 = DON'T KNOW.....	46	0.08
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	1514	2.58
99 = LEGITIMATE SKIP.....	53400	91.07

Did you gain weight without trying to during that [TIMEFILL] period of time?

(AD26C)

[ADWRGAIN](#)¹

Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	1981	3.38
2 = No.....	1683	2.87
94 = DON'T KNOW.....	48	0.08
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	1516	2.59
99 = LEGITIMATE SKIP.....	53400	91.07

ADULT DEPRESSION

Did you gain weight without trying to because you were growing?

(AD26C1)

[ADWRGROW](#)¹

Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING

	Freq	Pct
1 = Yes.....	169	0.29
2 = No.....	662	1.13
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1573	2.68
99 = LEGITIMATE SKIP.....	56220	95.88

Did you gain weight without trying to because you were pregnant?

(AD26C2)

[ADWRPREG](#)¹

Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN

	Freq	Pct
1 = Yes.....	53	0.09
2 = No.....	1158	1.97
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	888	1.51
99 = LEGITIMATE SKIP.....	56533	96.42

How many pounds did you gain? Please enter your answer as a whole number.

(AD26D)

[ADWRGNL2](#)¹

Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20.....	932	1.59
21 = 21 to 25 pounds.....	90	0.15
22 = 26 to 30 pounds.....	191	0.33
23 = 31 to 35 pounds.....	35	0.06
24 = 36 to 40 pounds.....	109	0.19
25 = 41 to 45 pounds.....	21	0.04
26 = 46 to 50 pounds.....	121	0.21
27 = 51 or more pounds.....	201	0.34
994 = DON'T KNOW.....	51	0.09
997 = REFUSED.....	7	0.01
998 = BLANK (NO ANSWER).....	1570	2.68
999 = LEGITIMATE SKIP.....	55305	94.32

Did you lose weight without trying to?

(AD26E)

[ADWRLOSE](#)¹

Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	4700	8.02
2 = No.....	3112	5.31
94 = DON'T KNOW.....	75	0.13
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	1525	2.60
99 = LEGITIMATE SKIP.....	49216	83.94

Did you lose weight without trying to because you were sick or on a diet?

(AD26E1)

[ADWRDIET](#)¹

Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT

	Freq	Pct
1 = Yes.....	903	1.54
2 = No.....	3788	6.46
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	1605	2.74
99 = LEGITIMATE SKIP.....	52328	89.25

ADULT DEPRESSION

How many pounds did you lose?

Please enter your answer as a whole number.

(AD26F)

[ADWRLSL2](#)¹

Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	2730	4.66
21 = 21 to 25 pounds.....	197	0.34
22 = 26 to 30 pounds.....	312	0.53
23 = 31 to 35 pounds.....	48	0.08
24 = 36 to 40 pounds.....	110	0.19
25 = 41 to 45 pounds.....	21	0.04
26 = 46 to 50 pounds.....	89	0.15
27 = 51 or more pounds	153	0.26
994 = DON'T KNOW	127	0.22
997 = REFUSED	10	0.02
998 = BLANK (NO ANSWER)	1605	2.74
999 = LEGITIMATE SKIP	53231	90.79

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

(AD26G)

[ADWRSLEP](#)¹

Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY

	Freq	Pct
1 = Yes.....	7905	13.48
2 = No.....	1933	3.30
94 = DON'T KNOW	26	0.04
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1519	2.59
99 = LEGITIMATE SKIP.....	47244	80.58

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

(AD26H)

[ADWRSMOR](#)¹

Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL

	Freq	Pct
1 = Yes.....	1174	2.00
2 = No.....	773	1.32
94 = DON'T KNOW	13	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1519	2.59
99 = LEGITIMATE SKIP.....	55149	94.06

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

(AD26J)

[ADWRENRG](#)¹

Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY

	Freq	Pct
1 = Yes.....	9145	15.60
2 = No.....	712	1.21
94 = DON'T KNOW	8	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1519	2.59
99 = LEGITIMATE SKIP.....	47244	80.58

ADULT DEPRESSION

Did you talk or move more slowly than is normal for you nearly every day?

(AD26L)

[ADWRSLOW](#)¹

Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL

	Freq	Pct
1 = Yes.....	5039	8.59
2 = No.....	4735	8.08
94 = DON'T KNOW.....	90	0.15
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1519	2.59
99 = LEGITIMATE SKIP.....	47244	80.58

Did anyone else notice that you were talking or moving slowly?

(AD26M)

[ADWRSLOW](#)¹

Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL

	Freq	Pct
1 = Yes.....	3083	5.26
2 = No.....	1907	3.25
94 = DON'T KNOW.....	48	0.08
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1615	2.75
99 = LEGITIMATE SKIP.....	51979	88.65

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

(AD26N)

[ADWRJITT](#)¹

Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY

	Freq	Pct
1 = Yes.....	1150	1.96
2 = No.....	3645	6.22
94 = DON'T KNOW.....	32	0.05
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	1519	2.59
99 = LEGITIMATE SKIP.....	52283	89.17

Did anyone else notice that you were restless?

(AD26O)

[ADWRJINO](#)¹

Len : 2 WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS

	Freq	Pct
1 = Yes.....	727	1.24
2 = No.....	416	0.71
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	1555	2.65
99 = LEGITIMATE SKIP.....	55928	95.39

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

(AD26P)

[ADWRTHOT](#)¹

Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING

	Freq	Pct
1 = Yes.....	5027	8.57
2 = No.....	4748	8.10
94 = DON'T KNOW.....	82	0.14
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	1522	2.60
99 = LEGITIMATE SKIP.....	47244	80.58

ADULT DEPRESSION

Did you have a lot more trouble concentrating than usual nearly every day?

(AD26R)

[ADWRCONC](#)¹

Len : 2 WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING

	Freq	Pct
1 = Yes.....	7532	12.85
2 = No.....	2284	3.90
94 = DON'T KNOW.....	42	0.07
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	1524	2.60
99 = LEGITIMATE SKIP.....	47244	80.58

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

(AD26S)

[ADWRDCSN](#)¹

Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS

	Freq	Pct
1 = Yes.....	5866	10.00
2 = No.....	3931	6.70
94 = DON'T KNOW.....	62	0.11
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	1525	2.60
99 = LEGITIMATE SKIP.....	47244	80.58

Did you feel that you were not as good as other people nearly every day?

(AD26U)

[ADWRNOGD](#)¹

Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE

	Freq	Pct
1 = Yes.....	7844	13.38
2 = No.....	1986	3.39
94 = DON'T KNOW.....	24	0.04
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	1525	2.60
99 = LEGITIMATE SKIP.....	47244	80.58

Did you feel totally worthless nearly every day?

(AD26V)

[ADWRWRTH](#)¹

Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY

	Freq	Pct
1 = Yes.....	6191	10.56
2 = No.....	1643	2.80
94 = DON'T KNOW.....	10	0.02
98 = BLANK (NO ANSWER).....	1559	2.66
99 = LEGITIMATE SKIP.....	49230	83.96

(D_MDEA1)

[AD_MDEA1](#)¹

Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED

	Freq	Pct
1 = Has symptom.....	9395	16.02
2 = Does not have symptom.....	990	1.69
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	11	0.02
98 = OTHER MISSING/NOT APPLICABLE.....	36876	62.89
99 = LEGITIMATE SKIP.....	11334	19.33

(D_MDEA2)

[AD_MDEA2](#)¹

Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS

	Freq	Pct
1 = Has symptom.....	9091	15.50
2 = Does not have symptom.....	1299	2.22
94 = DON'T KNOW.....	19	0.03
97 = REFUSED.....	10	0.02
98 = OTHER MISSING/NOT APPLICABLE.....	36880	62.90
99 = LEGITIMATE SKIP.....	11334	19.33

ADULT DEPRESSION

(D_MDEA3)
AD_MDEA3¹

Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
1 = Has symptom.....	8383	14.30
2 = Does not have symptom.....	1386	2.36
94 = DON'T KNOW.....	95	0.16
97 = REFUSED.....	10	0.02
98 = OTHER MISSING/NOT APPLICABLE.....	37425	63.83
99 = LEGITIMATE SKIP.....	11334	19.33

(D_MDEA4)
AD_MDEA4¹

Len : 2 SLEEP PROBLEMS

	Freq	Pct
1 = Has symptom.....	9079	15.48
2 = Does not have symptom.....	763	1.30
94 = DON'T KNOW.....	22	0.04
97 = REFUSED.....	6	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37429	63.84
99 = LEGITIMATE SKIP.....	11334	19.33

(D_MDEA5)
AD_MDEA5¹

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom.....	3810	6.50
2 = Does not have symptom.....	6004	10.24
94 = DON'T KNOW.....	55	0.09
97 = REFUSED.....	1	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	37429	63.84
99 = LEGITIMATE SKIP.....	11334	19.33

(D_MDEA6)
AD_MDEA6¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom.....	9145	15.60
2 = Does not have symptom.....	712	1.21
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	5	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37429	63.84
99 = LEGITIMATE SKIP.....	11334	19.33

(D_MDEA7)
AD_MDEA7¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom.....	6191	10.56
2 = Does not have symptom.....	3663	6.25
94 = DON'T KNOW.....	10	0.02
98 = OTHER MISSING/NOT APPLICABLE.....	37435	63.85
99 = LEGITIMATE SKIP.....	11334	19.33

(D_MDEA8)
AD_MDEA8¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom.....	8173	13.94
2 = Does not have symptom.....	1652	2.82
94 = DON'T KNOW.....	36	0.06
97 = REFUSED.....	5	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	37433	63.84
99 = LEGITIMATE SKIP.....	11334	19.33

ADULT DEPRESSION

(DSMMDEA2)
ADSMMDA1

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms	9166	15.63
2 = Has less than 5 symptoms	1225	2.09
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	25	0.04
97 = SUM OF SYMPTOMS AND REFUSED >=5	7	0.01
98 = OTHER MISSING/NOT APPLICABLE	36876	62.89
99 = LEGITIMATE SKIP	11334	19.33

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

(AD28)
ADPBINTF1

Len : 2 WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE

	Freq	Pct
1 = Not at all	216	0.37
2 = A little	1093	1.86
3 = Some	2599	4.43
4 = A lot	3269	5.58
5 = Extremely	2131	3.63
94 = DON'T KNOW	16	0.03
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1553	2.65
99 = LEGITIMATE SKIP	47746	81.43

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

(AD28A)
ADPBDLYA1

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often	2873	4.90
2 = Sometimes	4164	7.10
3 = Rarely	1562	2.66
4 = Never	497	0.85
94 = DON'T KNOW	10	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1555	2.65
99 = LEGITIMATE SKIP	47962	81.80

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

(AD37)
ADPBRMBR1

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes	5706	9.73
2 = No	3554	6.06
94 = DON'T KNOW	57	0.10
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1557	2.66
99 = LEGITIMATE SKIP	47746	81.43

How old were you?

(AD37A, AD37B)
ADPBAGE1

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 96	9060	15.45
985 = BAD DATA Logically assigned	3	0.01
994 = DON'T KNOW	237	0.40
997 = REFUSED	16	0.03
998 = BLANK (NO ANSWER)	1571	2.68
999 = LEGITIMATE SKIP	47746	81.43

ADULT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

(AD52)

[ADPBNUM](#)¹

Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	8776	14.97
9994 = DON'T KNOW	496	0.85
9997 = REFUSED	55	0.09
9998 = BLANK (NO ANSWER).....	1560	2.66
9999 = LEGITIMATE SKIP.....	47746	81.43

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

(AD38)

[ADPB2WK](#)¹

Len : 2 FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS

	Freq	Pct
1 = Yes.....	5055	8.62
2 = No.....	4199	7.16
94 = DON'T KNOW	56	0.10
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1563	2.67
99 = LEGITIMATE SKIP.....	47746	81.43

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

(AD66A)

[ADPSHMG](#)¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	Freq	Pct
0 = No Interference	102	0.17
1 = Mild - 1	82	0.14
2 = Mild - 2	242	0.41
3 = Mild - 3	324	0.55
4 = Moderate - 4	399	0.68
5 = Moderate - 5	690	1.18
6 = Moderate - 6	748	1.28
7 = Severe - 7	844	1.44
8 = Severe - 8	775	1.32
9 = Severe - 9	314	0.54
10 = Very Severe Interference	496	0.85
94 = DON'T KNOW	22	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1639	2.80
99 = LEGITIMATE SKIP.....	51945	88.59

ADULT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

(AD66B)

[ADPSWORK](#)¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
0 = No Interference	327	0.56
1 = Mild - 1	196	0.33
2 = Mild - 2	369	0.63
3 = Mild - 3	531	0.91
4 = Moderate - 4	491	0.84
5 = Moderate - 5	693	1.18
6 = Moderate - 6	589	1.00
7 = Severe - 7	576	0.98
8 = Severe - 8	443	0.76
9 = Severe - 9	307	0.52
10 = Very Severe Interference	488	0.83
94 = DON'T KNOW	25	0.04
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1639	2.80
99 = LEGITIMATE SKIP	51945	88.59

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

(AD66C)

[ADPSRELS](#)¹

Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
0 = No Interference	182	0.31
1 = Mild - 1	143	0.24
2 = Mild - 2	291	0.50
3 = Mild - 3	417	0.71
4 = Moderate - 4	412	0.70
5 = Moderate - 5	687	1.17
6 = Moderate - 6	629	1.07
7 = Severe - 7	713	1.22
8 = Severe - 8	670	1.14
9 = Severe - 9	405	0.69
10 = Very Severe Interference	475	0.81
94 = DON'T KNOW	16	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1639	2.80
99 = LEGITIMATE SKIP	51945	88.59

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

(AD66D)

[ADPSSOC](#)¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
0 = No Interference	122	0.21
1 = Mild - 1	96	0.16
2 = Mild - 2	206	0.35
3 = Mild - 3	334	0.57
4 = Moderate - 4	376	0.64
5 = Moderate - 5	585	1.00
6 = Moderate - 6	564	0.96
7 = Severe - 7	735	1.25
8 = Severe - 8	747	1.27
9 = Severe - 9	574	0.98
10 = Very Severe Interference	687	1.17
94 = DON'T KNOW	14	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1641	2.80
99 = LEGITIMATE SKIP	51945	88.59

ADULT DEPRESSION

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

(AD68)

[ADPSDAYS](#)¹

Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	4876	8.32
994 = DON'T KNOW	123	0.21
997 = REFUSED	14	0.02
998 = BLANK (NO ANSWER).....	1650	2.81
999 = LEGITIMATE SKIP.....	51970	88.64

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

(AD86)

[ADSEEDOC](#)¹

Len : 2 SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Yes.....	4497	7.67
2 = No.....	4795	8.18
94 = DON'T KNOW	7	0.01
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1574	2.68
99 = LEGITIMATE SKIP.....	47746	81.43

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

(AD86A01)

[ADFAMDOC](#)¹

Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	2389	4.07
6 = Response not entered	2098	3.58
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP.....	52541	89.61

(AD86A02)

[ADOTHDOC](#)¹

Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	370	0.63
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	4115	7.02
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP.....	52541	89.61

ADULT DEPRESSION

(AD86A03)
[ADPSYCH](#)¹

Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1474	2.51
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3012	5.14
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

(AD86A04)
[ADPSYMD](#)¹

Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1823	3.11
6 = Response not entered	2664	4.54
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

(AD86A05)
[ADSOCWRK](#)¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	537	0.92
6 = Response not entered	3950	6.74
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

(AD86A06)
[ADCOUNS](#)¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1589	2.71
3 = Response entered LOGICALLY ASSIGNED	5	0.01
6 = Response not entered	2893	4.93
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

(AD86A07)
[ADOTHMHP](#)¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	565	0.96
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3921	6.69
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

(AD86A08)
[ADNURSE](#)¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	410	0.70
3 = Response entered LOGICALLY ASSIGNED	11	0.02
6 = Response not entered	4066	6.93
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

ADULT DEPRESSION

(AD86A09)
ADRELIG¹

Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
1 = Response entered	390	0.67
3 = Response entered LOGICALLY ASSIGNED	6	0.01
6 = Response not entered	4091	6.98
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

(AD86A10)
ADHERBAL¹

Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	209	0.36
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	4277	7.29
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

(AD86A11)
ADOTHHL¹

Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	174	0.30
6 = Response not entered	4313	7.36
94 = DON'T KNOW	6	0.01
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

(AD86B)
ADTMTNOW¹

Len : 2 CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
1 = Yes.....	3034	5.17
2 = No.....	1460	2.49
94 = DON'T KNOW	1	0.00
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	1582	2.70
99 = LEGITIMATE SKIP	52541	89.61

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

(AD86C)
ADRX12MO¹

Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	3849	6.56
2 = No.....	5443	9.28
94 = DON'T KNOW	8	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1575	2.69
99 = LEGITIMATE SKIP	47746	81.43

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

(AD86D)
ADRXNOW¹

Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
1 = Yes.....	3308	5.64
2 = No.....	538	0.92
94 = DON'T KNOW	2	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1583	2.70
99 = LEGITIMATE SKIP	53189	90.72

ADULT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

(AD86E)
ADRXHLP¹

Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO

	Freq	Pct
1 = Not at all	184	0.31
2 = A little.....	407	0.69
3 = Some.....	976	1.66
4 = A lot.....	1346	2.30
5 = Extremely	920	1.57
94 = DON'T KNOW	14	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1585	2.70
99 = LEGITIMATE SKIP.....	53189	90.72

During the past 12 months, how much has treatment or counseling helped you?

(AD86F)
ADTMTHLP¹

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	470	0.80
2 = A little.....	653	1.11
3 = Some.....	1147	1.96
4 = A lot.....	1325	2.26
5 = Extremely	856	1.46
94 = DON'T KNOW	31	0.05
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	1583	2.70
99 = LEGITIMATE SKIP.....	52541	89.61

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Beginning in 2021, missing values for AMDELT and AMDEYR were replaced using statistical imputation. The imputation-revised variables used in analysis, IRAMDELT and IRAMDEYR, appear in the Imputed Adult Depression section.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDEA=1). An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to define an adult as having had MDE in their lifetime (ADSMMDEA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMMDEA=94,97,98) and the respondent reported at least one of the following:
 - (a) Never having had a period of time lasting several days or longer for the following feelings:
 - i. felt sad, empty, or depressed (ADDPREV=2)
 - ii. discouraged about how things were going in life (ADDSCEV=2)
 - iii. lost interest in most things usually enjoyable (ADLOSEV=2)
 - (b) Experienced the feelings in (a), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDP2WK=2).
 - (c) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
 - (d) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
 - (e) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADDP2WK=2).

(ADDP2WK, ADLP2WK, ADLPREV, ADLSCEV, ADLOSEV, ADLSI2WK, ADSMMDEA, ADWRCHR, ADWRDST, ADWRHRS, ADWRIMP)
AMDELT

Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12886	21.98
1 = Yes (ADSMMDEA=1).....	9166	15.63
2 = No (See comment above).....	36581	62.39

ADULT DEPRESSION

NOTE: Beginning in 2021, missing values for AMDEYR were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEYR, appears in the Imputed Adult Depression section.

(ADPB2WK, AMDELT)

[AMDEYR](#)

Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12974	22.13
1 = Yes (AMDELT=1 & ADPB2WK=1)	5003	8.53
2 = No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2])	40656	69.34

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adult's life.

(ADPSHMG)

[ASDSHOM2](#)

Len : 1 ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - HOME MANAGEMENT

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	53617	91.45
1 = None (ADPSHMG=0).....	102	0.17
2 = Mild (ADPSHMG=1,2,3).....	648	1.11
3 = Moderate (ADPSHMG=4,5,6)	1837	3.13
4 = Severe (ADPSHMG=7,8,9).....	1933	3.30
5 = Very Severe (ADPSHMG=10).....	496	0.85

(ADPSWORK)

[ASDSWRK2](#)

Len : 1 ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - ABILITY TO WORK

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	53623	91.46
1 = None (ADPSWORK=0)	327	0.56
2 = Mild (ADPSWORK=1,2,3)	1096	1.87
3 = Moderate (ADPSWORK=4,5,6)	1773	3.02
4 = Severe (ADPSWORK=7,8,9)	1326	2.26
5 = Very Severe (ADPSWORK=10).....	488	0.83

(ADPSRELS)

[ASDSREL2](#)

Len : 1 ADULT: DEP FEELINGS ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	53609	91.43
1 = None (ADPSRELS=0).....	182	0.31
2 = Mild (ADPSRELS=1,2,3).....	851	1.45
3 = Moderate (ADPSRELS=4,5,6)	1728	2.95
4 = Severe (ADPSRELS=7,8,9).....	1788	3.05
5 = Very Severe (ADPSRELS=10).....	475	0.81

(ADPSSOC)

[ASDSSOC2](#)

Len : 1 ADULT: DEPRESSIVE FEELINGS ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise).....	53607	91.43
1 = None (ADPSSOC=0).....	122	0.21
2 = Mild (ADPSSOC=1,2,3).....	636	1.08
3 = Moderate (ADPSSOC=4,5,6)	1525	2.60
4 = Severe (ADPSSOC=7,8,9).....	2056	3.51
5 = Very Severe (ADPSSOC=10).....	687	1.17

ADULT DEPRESSION

The following variable, AMDEIMP, is restricted to adults with past year MDE (AMDEYR=1) and is derived from the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2). Adults with a past year MDE (AMDEYR=1) and a "severe" or "very severe" maximum level of interference are assigned AMDEIMP=1. Adults without a past year MDE (AMDEYR=2) or a maximum level of interference of "none", "mild", or "moderate" (and no missing data across the four role domains) are assigned AMDEIMP=2. All other respondents are assigned a missing value for AMDEIMP. Beginning in 2021, missing values for AMDEIMP were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEIMP, appears in the Imputed Adult Depression section.

(AMDEYR, ASDSHOM2, ASDSREL2, ASDSSOC2, ASDSWRK2)

[AMDEIMP](#)

Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	13016	22.20
1 = Yes.....	3562	6.08
2 = No.....	42055	71.73

IMPUTED ADULT DEPRESSION

IMPUTED ADULT DEPRESSION

(AMDELT)

IRAMDELT

Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No.....	37819	64.50
1 = Yes.....	9480	16.17

(AMDELT)

IRAMDELT

Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND

	Freq	Pct
1 = Questionnaire data.....	45747	78.02
3 = Statistically imputed data.....	1552	2.65
9 = LEGITIMATE SKIP.....	11334	19.33

(AMDEYR)

IRAMDEYR

Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No.....	42094	71.79
1 = Yes.....	5205	8.88

(AMDEYR)

IRAMDEYR

Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND

	Freq	Pct
1 = Questionnaire data.....	45659	77.87
3 = Statistically imputed data.....	1640	2.80
9 = LEGITIMATE SKIP.....	11334	19.33

(AMDEIMP)

IRAMDEIMP

Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP REV

	Freq	Pct
. = Aged 12-17.....	11334	19.33
0 = No.....	43556	74.29
1 = Yes.....	3743	6.38

(AMDEIMP)

IRAMDEIMP

Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP IND

	Freq	Pct
1 = Questionnaire data.....	45617	77.80
3 = Statistically imputed data.....	1682	2.87
9 = LEGITIMATE SKIP.....	11334	19.33

RECODED ADULT DEPRESSION

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the preceding sections.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Selection of Variables for Analysis: Variable Naming Conventions and Hierarchy section in the Data Users' Guide (DUG).

NOTE: The following 16 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (IRAMDELT) or the past year MDE variable (IRAMDEYR).

(ADSEEDOC)

ATXMDEYR

Len : 1 RC-ADULT: SAW/TALK TO MD/PROF ABT DEPRESSIVE FEELNGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	49341	84.15
0 = No (ADSEEDOC=2)	4795	8.18
1 = Yes (ADSEEDOC=1).....	4497	7.67

(ADRX12MO)

ARXMDEYR

Len : 1 RC-ADULT: USED RX MEDICATION FOR DEPRESSIVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	49341	84.15
0 = No (ADRX12MO=2).....	5443	9.28
1 = Yes (ADRX12MO=1).....	3849	6.56

The following variable, AMDETXXRX, is defined as having received treatment/counseling for MDE in the past year if (1) saw or talked to a medical doctor or other professional about depressive feelings or (2) used prescription medication for depressive feelings.

(ARXMDEYR, ATXMDEYR)

AMDETXXRX

Len : 1 RC-ADULT: RCVD TRT/CNSLG OR RX MED FOR DEPRESS FEELING IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	49340	84.15
0 = No (ATXMDEYR=0 and ARXMDEYR=0).....	4094	6.98
1 = Yes (ATXMDEYR=1 or ARXMDEYR=1).....	5199	8.87

(ADFAMDOC, ADSEEDOC)

ADOCMDE

Len : 1 RC-ADULT: SAW/TALK TO GEN PRAC/FAM MD ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADFAMDOC=6)	6893	11.76
1 = Yes (ADFAMDOC=1,3)	2389	4.07

(ADOTHDOC, ADSEEDOC)

AOMDMDE

Len : 1 RC-ADULT: SAW/TALK TO OTHER MD ABT DEPRESSIVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADOTHDOC=6).....	8910	15.20
1 = Yes (ADOTHDOC=1,3).....	372	0.63

(ADPSYCH, ADSEEDOC)

APSY1MDE

Len : 1 RC-ADULT: SAW/TALK TO PSYCHOLOGIST ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADPSYCH=6).....	7807	13.32
1 = Yes (ADPSYCH=1,3).....	1475	2.52

(ADPSYMD, ADSEEDOC)

APSY2MDE

Len : 1 RC-ADULT: SAW/TALK TO PSYCHIATRIST ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADPSYMD=6).....	7459	12.72
1 = Yes (ADPSYMD=1,3).....	1823	3.11

RECODED ADULT DEPRESSION

(ADSEEDOC, ADSOCWRK)

ASOCMDE

Len : 1 RC-ADULT: SAW/TALK TO SOCIAL WORKR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADSOCWRK=6)	8745	14.91
1 = Yes (ADSOCWRK=1,3)	537	0.92

(ADCOUNS, ADSEEDOC)

ACOUNMDE

Len : 1 RC-ADULT: SAW/TALK TO COUNSELOR ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADCOUNS=6)	7688	13.11
1 = Yes (ADCOUNS=1,3)	1594	2.72

AOMHMDE indicates whether an adult reported having seen or talked to other mental health professionals about MDE during the past year. Other mental health professionals include mental health nurses and other therapists where type is not specified.

(ADOTHMHP, ADSEEDOC)

AOMHMDE

Len : 1 RC-ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT DEP FEELINGS-PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter])	8689	14.82
1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered)	593	1.01

(ADNURSE, ADSEEDOC)

ANURSMDE

Len : 1 RC-ADULT: SAW/TALK TO NURSE/OCC THERA ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADNURSE=6)	8861	15.11
1 = Yes (ADNURSE=1,3)	421	0.72

(ADRELIG, ADSEEDOC)

ARELMDE

Len : 1 RC-ADULT: SAW/TALK TO RELIG ADVISR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADRELIG=6)	8886	15.16
1 = Yes (ADRELIG=1,3)	396	0.68

(ADHERBAL, ADSEEDOC)

AHBCHMDE

Len : 1 RC-ADULT: SAW/TALK TO ANOTHER HEALER ABT DEPR FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise).....	49351	84.17
0 = No (ADSEEDOC=2 or ADHERBAL=6)	9072	15.47
1 = Yes (ADHERBAL=1,3)	210	0.36

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(ACOUNMDE, ADOCMDE, ANURSMDE, AOMDMDE, AOMHMDE, APSY1MDE, APSY2MDE, ASOCMDE)

AHLTMDE

Len : 1 RC-ADULT: SAW/TALK TO HLTH PROF ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	49351	84.17
0 = No (See comment above)	4868	8.30
1 = Yes (See comment above)	4414	7.53

RECODED ADULT DEPRESSION

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(AHBCHMDE, ARELMDE)

[AALTMDE](#)

Len : 1 RC-ADULT: SAW/TALK TO ALT SERV PROF ABT DEPRS FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	49351	84.17
0 = No (See comment above).....	8727	14.88
1 = Yes (See comment above)	555	0.95

ADOLESCENT DEPRESSION

ADOLESCENT DEPRESSION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

(YDS21)

YODPREV¹

Len : 2 EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD

	Freq	Pct
1 = Yes.....	5128	8.75
2 = No.....	5987	10.21
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	111	0.19
97 = REFUSED.....	97	0.17
98 = BLANK (NO ANSWER).....	9	0.02
99 = LEGITIMATE SKIP.....	47299	80.67

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

(YDS22)

YODSCEV¹

Len : 2 EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS

	Freq	Pct
1 = Yes.....	422	0.72
2 = No.....	5593	9.54
94 = DON'T KNOW.....	90	0.15
97 = REFUSED.....	90	0.15
98 = BLANK (NO ANSWER).....	11	0.02
99 = LEGITIMATE SKIP.....	52427	89.42

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

(YDS23)

YOLOSEV¹

Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	Freq	Pct
1 = Yes.....	775	1.32
2 = No.....	4827	8.23
94 = DON'T KNOW.....	89	0.15
97 = REFUSED.....	82	0.14
98 = BLANK (NO ANSWER).....	11	0.02
99 = LEGITIMATE SKIP.....	52849	90.14

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

(YD01)

YODPDISC¹

Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	4421	7.54
2 = No.....	667	1.14
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	33	0.06
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	141	0.24
99 = LEGITIMATE SKIP.....	53362	91.01

ADOLESCENT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

(YD01A, YD01B)

YODPLSIN¹

Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes.....	3896	6.64
2 = No.....	1200	2.05
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	28	0.05
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	141	0.24
99 = LEGITIMATE SKIP.....	53362	91.01

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

(YD02)

YODSLSIN¹

Len : 2 EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes.....	234	0.40
2 = No.....	184	0.31
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	154	0.26
99 = LEGITIMATE SKIP.....	58057	99.02

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

(YD09)

YOLS12WK¹

Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes.....	151	0.26
2 = No.....	602	1.03
94 = DON'T KNOW.....	22	0.04
98 = BLANK (NO ANSWER).....	182	0.31
99 = LEGITIMATE SKIP.....	57676	98.37

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

(YD12)

YODPR2WK¹

Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes.....	3780	6.45
2 = No.....	1702	2.90
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	55	0.09
97 = REFUSED.....	13	0.02
98 = BLANK (NO ANSWER).....	152	0.26
99 = LEGITIMATE SKIP.....	52929	90.27

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

(YD16)

YOWRHRS¹

Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour.....	448	0.76
2 = At least 1 hour but no more than 3 hours.....	1055	1.80
3 = At least 3 hours but no more than 5 hours.....	978	1.67
4 = 5 hours or more.....	1358	2.32
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	82	0.14
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	271	0.46
99 = LEGITIMATE SKIP.....	54430	92.83

ADOLESCENT DEPRESSION

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

(YD17)

YOWRDST¹

Len : 2 HOW STRONG WERE BAD FEELINGS DURING 2 WKS

	Freq	Pct
1 = Mild	420	0.72
2 = Moderate.....	1446	2.47
3 = Severe	1142	1.95
4 = Very Severe	394	0.67
94 = DON'T KNOW	66	0.11
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	273	0.47
99 = LEGITIMATE SKIP.....	54878	93.60

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

(YD18)

YOWRCHR¹

Len : 2 BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often.....	838	1.43
2 = Sometimes	1633	2.79
3 = Not very often	718	1.22
4 = Never	252	0.43
94 = DON'T KNOW	28	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	273	0.47
99 = LEGITIMATE SKIP.....	54878	93.60

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

(YD19)

YOWRIMP¹

Len : 2 MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES

	Freq	Pct
1 = Often.....	756	1.29
2 = Sometimes	1325	2.26
3 = Not very often	869	1.48
4 = Never	487	0.83
94 = DON'T KNOW	30	0.05
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	273	0.47
99 = LEGITIMATE SKIP.....	54878	93.60

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

(YD21)

YODPPROB¹

Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes.....	2815	4.80
2 = No.....	555	0.95
94 = DON'T KNOW	29	0.05
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	273	0.47
99 = LEGITIMATE SKIP.....	54950	93.72

ADOLESCENT DEPRESSION

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

(YD22)

YOWRPROB¹

Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes.....	2374	4.05
2 = No.....	414	0.71
94 = DON'T KNOW.....	25	0.04
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	313	0.53
99 = LEGITIMATE SKIP.....	55505	94.67

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

(YD22A, YD22C)

YOWRAGE¹

Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17.....	2688	4.58
985 = BAD DATA Logically assigned.....	1	0.00
994 = DON'T KNOW.....	106	0.18
997 = REFUSED.....	20	0.03
998 = BLANK (NO ANSWER).....	313	0.53
999 = LEGITIMATE SKIP.....	55505	94.67

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

(YD24A)

YOWRDEPR¹

Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
1 = Yes.....	2186	3.73
2 = No.....	588	1.00
94 = DON'T KNOW.....	34	0.06
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	313	0.53
99 = LEGITIMATE SKIP.....	55505	94.67

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

(YD24C)

YOWRDISC¹

Len : 2 WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY

	Freq	Pct
1 = Yes.....	2249	3.84
2 = No.....	528	0.90
94 = DON'T KNOW.....	29	0.05
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	313	0.53
99 = LEGITIMATE SKIP.....	55505	94.67

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

(YD24E)

[YOWRLSIN](#)¹

Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
1 = Yes.....	2337	3.99
2 = No.....	454	0.77
94 = DON'T KNOW.....	18	0.03
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	313	0.53
99 = LEGITIMATE SKIP.....	55505	94.67

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

(YD24F)

[YOWRPLSR](#)¹

Len : 2 WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS

	Freq	Pct
1 = Yes.....	2018	3.44
2 = No.....	761	1.30
94 = DON'T KNOW.....	30	0.05
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	313	0.53
99 = LEGITIMATE SKIP.....	55505	94.67

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

(YD26A)

[YOWRELES](#)¹

Len : 2 WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY

	Freq	Pct
1 = Yes.....	1624	2.77
2 = No.....	1007	1.72
94 = DON'T KNOW.....	46	0.08
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

Did you eat much more than usual almost every day?

(YD26B)

[YOWREMOR](#)¹

Len : 2 WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY

	Freq	Pct
1 = Yes.....	406	0.69
2 = No.....	620	1.06
94 = DON'T KNOW.....	30	0.05
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	57246	97.63

Did you gain weight without trying to during that [TIMEFILL] period of time?

(YD26C)

[YOWRGAIN](#)¹

Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	373	0.64
2 = No.....	650	1.11
94 = DON'T KNOW.....	32	0.05
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	57246	97.63

ADOLESCENT DEPRESSION

Did you gain weight without trying to because you were growing?

(YD26C1)

YOWRGROW¹

Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING

	Freq	Pct
1 = Yes.....	173	0.30
2 = No.....	175	0.30
94 = DON'T KNOW.....	25	0.04
98 = BLANK (NO ANSWER)	364	0.62
99 = LEGITIMATE SKIP.....	57896	98.74

Did you gain weight without trying to because you were pregnant?

(YD26C2)

YOWRPREG¹

Len : 2 WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT

	Freq	Pct
1 = Yes.....	1	0.00
2 = No.....	136	0.23
98 = BLANK (NO ANSWER)	179	0.31
99 = LEGITIMATE SKIP.....	58317	99.46

How many pounds did you gain?

Please enter your answer as a whole number.

(YD26D)

YOWRGNL2¹

Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20.....	110	0.19
21 = 21 to 25 pounds.....	2	0.00
22 = 26 to 30 pounds.....	12	0.02
23 = 31 to 35 pounds.....	1	0.00
24 = 36 to 40 pounds.....	7	0.01
25 = 41 to 45 pounds.....	1	0.00
26 = 46 to 50 pounds.....	7	0.01
27 = 51 or more pounds	17	0.03
994 = DON'T KNOW	40	0.07
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER).....	364	0.62
999 = LEGITIMATE SKIP.....	58070	99.04

Did you lose weight without trying to?

(YD26E)

YOWRLOSE¹

Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING

	Freq	Pct
1 = Yes.....	1132	1.93
2 = No.....	1074	1.83
94 = DON'T KNOW.....	97	0.17
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	333	0.57
99 = LEGITIMATE SKIP.....	55989	95.49

Did you lose weight without trying to because you were sick or on a diet?

(YD26E1)

YOWRDIET¹

Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT

	Freq	Pct
1 = Yes.....	306	0.52
2 = No.....	822	1.40
94 = DON'T KNOW.....	4	0.01
98 = BLANK (NO ANSWER)	438	0.75
99 = LEGITIMATE SKIP.....	57063	97.32

ADOLESCENT DEPRESSION

How many pounds did you lose?

Please enter your answer as a whole number.

(YD26F)

YOWRLSL2¹

Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	595	1.01
21 = 21 to 25 pounds.....	17	0.03
22 = 26 to 30 pounds.....	36	0.06
23 = 31 to 35 pounds.....	8	0.01
24 = 36 to 40 pounds.....	13	0.02
25 = 41 to 45 pounds.....	6	0.01
26 = 46 to 50 pounds.....	4	0.01
27 = 51 or more pounds	18	0.03
994 = DON'T KNOW	125	0.21
997 = REFUSED	4	0.01
998 = BLANK (NO ANSWER)	438	0.75
999 = LEGITIMATE SKIP	57369	97.84

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

(YD26G)

YOWRSLEP¹

Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY

	Freq	Pct
1 = Yes.....	2114	3.61
2 = No.....	535	0.91
94 = DON'T KNOW	28	0.05
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

(YD26H)

YOWRSMOR¹

Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL

	Freq	Pct
1 = Yes.....	331	0.56
2 = No.....	219	0.37
94 = DON'T KNOW	16	0.03
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	327	0.56
99 = LEGITIMATE SKIP.....	57736	98.47

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

(YD26J)

YOWRENRG¹

Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY

	Freq	Pct
1 = Yes.....	2489	4.25
2 = No.....	183	0.31
94 = DON'T KNOW	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

ADOLESCENT DEPRESSION

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

(YD26L)

[YOWRSLOW](#)¹

Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL

	Freq	Pct
1 = Yes.....	1883	3.21
2 = No.....	751	1.28
94 = DON'T KNOW.....	45	0.08
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

Did anyone else notice that you were talking or moving more slowly than usual?

(YD26M)

[YOWRSLNO](#)¹

Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL

	Freq	Pct
1 = Yes.....	952	1.62
2 = No.....	884	1.51
94 = DON'T KNOW.....	46	0.08
97 = REFUSED.....	1	0.00
98 = BLANK (NO ANSWER).....	377	0.64
99 = LEGITIMATE SKIP.....	56373	96.15

Were you so restless or jittery that you walked up or down or couldn't sit still?

(YD26N)

[YOWRJIT](#)¹

Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY

	Freq	Pct
1 = Yes.....	280	0.48
2 = No.....	494	0.84
94 = DON'T KNOW.....	24	0.04
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	57505	98.08

Did anyone else notice that you couldn't sit still?

(YD26O)

[YOWRJNO](#)¹

Len : 2 WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL

	Freq	Pct
1 = Yes.....	116	0.20
2 = No.....	152	0.26
94 = DON'T KNOW.....	12	0.02
98 = BLANK (NO ANSWER).....	354	0.60
99 = LEGITIMATE SKIP.....	57999	98.92

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

(YD26P)

[YOWRTHOT](#)¹

Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP

	Freq	Pct
1 = Yes.....	1974	3.37
2 = No.....	647	1.10
94 = DON'T KNOW.....	58	0.10
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

ADOLESCENT DEPRESSION

On most days, did you have a lot more trouble than usual keeping your mind on things?

(YD26R)

YOWRCONC¹

Len : 2 WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS

	Freq	Pct
1 = Yes.....	2229	3.80
2 = No.....	421	0.72
94 = DON'T KNOW.....	32	0.05
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

(YD26S)

YOWRDCSN¹

Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS

	Freq	Pct
1 = Yes.....	1760	3.00
2 = No.....	860	1.47
94 = DON'T KNOW.....	61	0.10
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

Did you feel that you were not as good as other people nearly every day?

(YD26U)

YOWRNOGD¹

Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE

	Freq	Pct
1 = Yes.....	2261	3.86
2 = No.....	403	0.69
94 = DON'T KNOW.....	14	0.02
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	327	0.56
99 = LEGITIMATE SKIP.....	55622	94.86

Did you feel totally worthless nearly every day?

(YD26V)

YOWRWRTH¹

Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY

	Freq	Pct
1 = Yes.....	1749	2.98
2 = No.....	489	0.83
94 = DON'T KNOW.....	17	0.03
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	347	0.59
99 = LEGITIMATE SKIP.....	56025	95.55

(D_MDEA1Y)

YO_MDEA1¹

Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED

	Freq	Pct
1 = Has symptom.....	2454	4.19
2 = Does not have symptom.....	331	0.56
94 = DON'T KNOW.....	25	0.04
97 = REFUSED.....	5	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	8519	14.53
99 = LEGITIMATE SKIP.....	47299	80.67

(D_MDEA2Y)

YO_MDEA2¹

Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS

	Freq	Pct
1 = Has symptom.....	2585	4.41
2 = Does not have symptom.....	310	0.53
94 = DON'T KNOW.....	40	0.07
97 = REFUSED.....	5	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	8394	14.32
99 = LEGITIMATE SKIP.....	47299	80.67

ADOLESCENT DEPRESSION

(D_MDEA3Y)
YO_MDEA3¹

Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
1 = Has symptom	2068	3.53
2 = Does not have symptom.....	529	0.90
94 = DON'T KNOW	80	0.14
97 = REFUSED	7	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	8650	14.75
99 = LEGITIMATE SKIP.....	47299	80.67

(D_MDEA4Y)
YO_MDEA4¹

Len : 2 SLEEP PROBLEMS

	Freq	Pct
1 = Has symptom	2445	4.17
2 = Does not have symptom.....	212	0.36
94 = DON'T KNOW	23	0.04
97 = REFUSED	4	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	8650	14.75
99 = LEGITIMATE SKIP.....	47299	80.67

(D_MDEA5Y)
YO_MDEA5¹

Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom	1068	1.82
2 = Does not have symptom.....	1557	2.66
94 = DON'T KNOW	58	0.10
97 = REFUSED	1	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	8650	14.75
99 = LEGITIMATE SKIP.....	47299	80.67

(D_MDEA6Y)
YO_MDEA6¹

Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	2489	4.25
2 = Does not have symptom.....	183	0.31
94 = DON'T KNOW	10	0.02
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE.....	8650	14.75
99 = LEGITIMATE SKIP.....	47299	80.67

(D_MDEA7Y)
YO_MDEA7¹

Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	1749	2.98
2 = Does not have symptom.....	912	1.56
94 = DON'T KNOW	17	0.03
97 = REFUSED	6	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	8650	14.75
99 = LEGITIMATE SKIP.....	47299	80.67

(D_MDEA8Y)
YO_MDEA8¹

Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom	2429	4.14
2 = Does not have symptom.....	227	0.39
94 = DON'T KNOW	25	0.04
97 = REFUSED	3	0.01
98 = OTHER MISSING/NOT APPLICABLE.....	8650	14.75
99 = LEGITIMATE SKIP.....	47299	80.67

ADOLESCENT DEPRESSION

(DSMMDEAY)
YODSMMDE¹

Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms	2467	4.21
2 = Has less than 5 symptoms	443	0.76
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	25	0.04
97 = SUM OF SYMPTOMS AND REFUSED >=5	5	0.01
98 = OTHER MISSING/NOT APPLICABLE	8394	14.32
99 = LEGITIMATE SKIP	47299	80.67

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

(YD28)
YOPBINTF¹

Len : 2 WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE

	Freq	Pct
1 = Not at all	140	0.24
2 = A little	412	0.70
3 = Some	728	1.24
4 = A lot	825	1.41
5 = Extremely	386	0.66
94 = DON'T KNOW	14	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP	55770	95.12

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

(YD28A)
YOPBDLYA¹

Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often	681	1.16
2 = Sometimes	1141	1.95
3 = Not very often	425	0.72
4 = Never	102	0.17
94 = DON'T KNOW	15	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP	55910	95.36

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

(YD37)
YOPBRMBR¹

Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes	1383	2.36
2 = No	1097	1.87
94 = DON'T KNOW	24	0.04
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP	55770	95.12

How old were you?

(YD37A, YD37B)
YOPBAGE¹

Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17	2322	3.96
994 = DON'T KNOW	171	0.29
997 = REFUSED	11	0.02
998 = BLANK (NO ANSWER)	359	0.61
999 = LEGITIMATE SKIP	55770	95.12

ADOLESCENT DEPRESSION

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

(YD52)

YOPBNUM¹

Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	2064	3.52
9994 = DON'T KNOW	410	0.70
9997 = REFUSED	37	0.06
9998 = BLANK (NO ANSWER).....	352	0.60
9999 = LEGITIMATE SKIP.....	55770	95.12

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

(YD38)

YOPB2WK¹

Len : 2 FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS

	Freq	Pct
1 = Yes.....	1802	3.07
2 = No.....	641	1.09
94 = DON'T KNOW.....	57	0.10
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP.....	55770	95.12

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

(YD66A)

YOPSHMGT¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES

	Freq	Pct
0 = No Problems	70	0.12
1 = Mild - 1	47	0.08
2 = Mild - 2	97	0.17
3 = Mild - 3	147	0.25
4 = Moderate - 4	184	0.31
5 = Moderate - 5	284	0.48
6 = Moderate - 6	303	0.52
7 = Severe - 7	230	0.39
8 = Severe - 8	218	0.37
9 = Severe - 9	89	0.15
10 = Very Severe Problems.....	113	0.19
94 = DON'T KNOW	12	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	420	0.72
99 = LEGITIMATE SKIP.....	56411	96.21

ADOLESCENT DEPRESSION

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

(YD66B)

YOPSWORK¹

Len : 2 HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK

	Freq	Pct
0 = No Problems	56	0.10
1 = Mild - 1	47	0.08
2 = Mild - 2	109	0.19
3 = Mild - 3	119	0.20
4 = Moderate - 4	170	0.29
5 = Moderate - 5	213	0.36
6 = Moderate - 6	277	0.47
7 = Severe - 7	213	0.36
8 = Severe - 8	234	0.40
9 = Severe - 9	166	0.28
10 = Very Severe Problems.....	178	0.30
94 = DON'T KNOW	13	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	420	0.72
99 = LEGITIMATE SKIP.....	56411	96.21

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

(YD66C)

YOPSRCLS¹

Len : 2 HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM

	Freq	Pct
0 = No Problems	71	0.12
1 = Mild - 1	49	0.08
2 = Mild - 2	100	0.17
3 = Mild - 3	142	0.24
4 = Moderate - 4	168	0.29
5 = Moderate - 5	220	0.38
6 = Moderate - 6	246	0.42
7 = Severe - 7	239	0.41
8 = Severe - 8	239	0.41
9 = Severe - 9	136	0.23
10 = Very Severe Problems.....	174	0.30
94 = DON'T KNOW	14	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	420	0.72
99 = LEGITIMATE SKIP.....	56411	96.21

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

(YD66D)

YOPSSOC¹

Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
0 = No Problems	49	0.08
1 = Mild - 1	26	0.04
2 = Mild - 2	69	0.12
3 = Mild - 3	128	0.22
4 = Moderate - 4	145	0.25
5 = Moderate - 5	209	0.36
6 = Moderate - 6	220	0.38
7 = Severe - 7	265	0.45
8 = Severe - 8	247	0.42
9 = Severe - 9	163	0.28
10 = Very Severe Problems.....	264	0.45
94 = DON'T KNOW	12	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	420	0.72
99 = LEGITIMATE SKIP.....	56411	96.21

ADOLESCENT DEPRESSION

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

(YD68)

YOPSDAYS¹

Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	1626	2.77
994 = DON'T KNOW	148	0.25
997 = REFUSED	11	0.02
998 = BLANK (NO ANSWER).....	433	0.74
999 = LEGITIMATE SKIP.....	56415	96.22

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

(YD86)

YOSEEDOC¹

Len : 2 SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Yes.....	1004	1.71
2 = No.....	1466	2.50
94 = DON'T KNOW	25	0.04
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP.....	55770	95.12

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

(YD86A01)

YOFAMDOC¹

Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	271	0.46
6 = Response not entered	708	1.21
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP.....	57236	97.62

(YD86A02)

YOOTHDOC¹

Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	32	0.05
6 = Response not entered	947	1.62
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP.....	57236	97.62

ADOLESCENT DEPRESSION

(YD86A03)
YOPSYCH¹

Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	314	0.54
6 = Response not entered	665	1.13
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

(YD86A04)
YOPSYMD¹

Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	254	0.43
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	724	1.23
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

(YD86A05)
YOSOCWRK¹

Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	165	0.28
6 = Response not entered	814	1.39
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

(YD86A06)
YOCOUNS¹

Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	573	0.98
3 = Response entered LOGICALLY ASSIGNED	2	0.00
6 = Response not entered	404	0.69
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

(YD86A07)
YOOTHMHP¹

Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	98	0.17
6 = Response not entered	881	1.50
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

(YD86A08)
YONURSE¹

Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	158	0.27
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	820	1.40
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

ADOLESCENT DEPRESSION

(YD86A09)
YORELIG¹

Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
1 = Response entered	59	0.10
6 = Response not entered	920	1.57
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

(YD86A10)
YOTHERBAL¹

Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	19	0.03
6 = Response not entered	960	1.64
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

(YD86A11)
YOOTHHLP¹

Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	48	0.08
6 = Response not entered	931	1.59
94 = DON'T KNOW	19	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

(YD86B)
YOTMTNOW¹

Len : 2 CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
1 = Yes	615	1.05
2 = No	387	0.66
94 = DON'T KNOW	1	0.00
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP	57236	97.62

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

(YD86C)
YORX12MO¹

Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
1 = Yes	575	0.98
2 = No	1908	3.25
94 = DON'T KNOW	15	0.03
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	352	0.60
99 = LEGITIMATE SKIP	55770	95.12

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

(YD86D)
YORXNOW¹

Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
1 = Yes	458	0.78
2 = No	115	0.20
94 = DON'T KNOW	1	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	367	0.63
99 = LEGITIMATE SKIP	57678	98.37

ADOLESCENT DEPRESSION

During the past 12 months, how much has this prescription medication helped you?

(YD86E)

[YORXHLP¹](#)

Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	59	0.10
2 = A little.....	103	0.18
3 = Some.....	147	0.25
4 = A lot.....	179	0.31
5 = Extremely	80	0.14
94 = DON'T KNOW	7	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	367	0.63
99 = LEGITIMATE SKIP.....	57678	98.37

During the past 12 months, how much has treatment or counseling helped you?

(YD86F)

[YOTMTHLP¹](#)

Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	144	0.25
2 = A little.....	204	0.35
3 = Some.....	280	0.48
4 = A lot.....	268	0.46
5 = Extremely	97	0.17
94 = DON'T KNOW	9	0.02
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	377	0.64
99 = LEGITIMATE SKIP.....	57236	97.62

RECODED ADOLESCENT DEPRESSION

RECODED ADOLESCENT DEPRESSION

The following variable, YMDEL_T, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDEL_T=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1). An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDEL_T=2, if they met either of these conditions.

1. Reported experiencing fewer than five out of the nine criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
2. If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=94, 97, 98) and the respondent reported at least one of the following:
 - (a) Never having had a period of time lasting several days or longer for the following feelings:
 - i. felt sad, empty, or depressed (YODPREV=2)
 - ii. discouraged or hopeless about how things were going in life (YODSCEV=2)
 - iii. lost interest and became bored with most things usually enjoyable (YOLOSEV=2)
 - (b) Experienced the feelings in (a), but they did not last most of the day, almost every day for two weeks or longer [YOLSI2WK=2 or YODPR2WK=2].
 - (c) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRHRS=1).
 - (d) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
 - (e) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).

(YODPPROB, YODPR2WK, YODPREV, YODSCEV, YODSMMDE, YOLOSEV, YOLSI2WK, YOWRCHR, YOWRDST, YOWRHRS, YOWRIMP)
YMDEL_T Len : 1 RC-YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	47653	81.27
1 = Yes (YODSMMDE=1).....	2467	4.21
2 = No (See comment above).....	8513	14.52

(YMDEL_T, YOPB2WK)

YMDEYR Len : 1 RC-YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	47716	81.38
1 = Yes (YMDEL _T =1 & YOPB2WK=1).....	1790	3.05
2 = No (YMDEL _T =2 or [YMDEL _T =1 & YOPB2WK=2]).....	9127	15.57

NOTE: The following three recoded variables define if a respondent had co-occurring major depressive episode and a use disorder. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(IRPYUD5ALC, YMDEYR)

YMDEAUD5YR Len : 1 RC-YOUTH: PAST YEAR MDE AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE (YMDEYR=.).....	47716	81.38
0 = No (YMDEYR=2 or IRPYUD5ALC=0).....	10772	18.37
1 = Yes (YMDEYR=1 & IRPYUD5ALC=1).....	145	0.25

(UD5ILLANY, YMDEYR)

YMIUD5YANY Len : 1 RC-YOUTH: PY MDE AND ILL DRUG USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE (YMDEYR=.).....	47716	81.38
0 = No (YMDEYR=2 or UD5ILLANY=0).....	10602	18.08
1 = Yes (YMDEYR=1 & UD5ILLANY=1).....	315	0.54

(UD5ILALANY, YMDEYR)

YMSUD5YANY Len : 1 RC-YOUTH: PY MDE AND SUB USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE (YMDEYR=.).....	47716	81.38
0 = No (YMDEYR=2 or UD5ILALANY=0).....	10559	18.01
1 = Yes (YMDEYR=1 & UD5ILALANY=1).....	358	0.61

RECODED ADOLESCENT DEPRESSION

NOTE: The following two recoded variables define if a respondent had major depressive episode and/or a substance use disorder. YMDERSUD5ANY and YMDESUD5ANYO are based on DSM-5 SUD estimates including prescription drug use data from all past year users of prescription drugs. These recodes replace variables YMDEORSUD5 and YMDESUD5ONL, and were used starting with the 2021 First Findings Report appendix tables.

(UD5ILALANY, YMDEYR)

YMDERSUD5ANY Len : 1 RC-YTH: MDE OR SUBSTANCE USE DISORDER-PAST YEAR-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE (YMDEYR=. and UD5ILALANY=0)	47672	81.31
0 = No (YMDEYR=2 and UD5ILALANY=0)	8521	14.53
1 = Yes (YMDEYR=1 or UD5ILALANY=1)	2440	4.16

(UD5ILALANY, YMDEYR)

YMDESUD5ANYO Len : 1 RC-YTH:ONLY MDE, ONLY SUD, BOTH, OR NEITHER-PY-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE (YMDEYR=.).....	47716	81.38
1 = SUD only, no MDE (YMDEYR=2 and UD5ILALANY=1).....	606	1.03
2 = MDE only, no SUD (YMDEYR=1 and UD5ILALANY=0).....	1432	2.44
3 = SUD and MDE (YMDEYR=1 and UD5ILALANY=1).....	358	0.61
4 = Neither SUD or MDE (YMDEYR=2 and UD5ILALANY=0).....	8521	14.53

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDELT) or the past year MDE variable (YMDEYR).

(YOSEEDOC)

YTXMDEYR Len : 1 RC-YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56163	95.79
0 = No (YOSEEDOC=2).....	1466	2.50
1 = Yes (YOSEEDOC=1).....	1004	1.71

(YORX12MO)

YRXMDEYR Len : 1 RC-YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56150	95.77
0 = No (YORX12MO=2).....	1908	3.25
1 = Yes (YORX12MO=1).....	575	0.98

In the following variable, YMDETXXR, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

(YRXMDEYR, YTXMDEYR)

YMDETXXR Len : 1 RC-YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56163	95.79
0 = No (YTXMDEYR=0 and YRXMDEYR=0).....	1373	2.34
1 = Yes (YTXMDEYR=1 or YRXMDEYR=1).....	1097	1.87

(YOFAMDOC, YOSEEDOC)

YDOCMD Len : 1 RC-YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YOFAMDOC=6).....	2174	3.71
1 = Yes (YOFAMDOC=1,3)	271	0.46

(YOOTHDOC, YOSEEDOC)

YOMDMDE Len : 1 RC-YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YOOTHDOC=6).....	2413	4.12
1 = Yes (YOOTHDOC=1,3).....	32	0.05

RECODED ADOLESCENT DEPRESSION

(YOPSYCH, YOSEEDOC)

YPSY1MDE

Len : 1 RC-YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YOPSYCH=6).....	2131	3.63
1 = Yes (YOPSYCH=1,3).....	314	0.54

(YOPSYMD, YOSEEDOC)

YPSY2MDE

Len : 1 RC-YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YOPSYMD=6).....	2190	3.74
1 = Yes (YOPSYMD=1,3).....	255	0.43

(YOSEEDOC, YOSOCWRK)

YSOCMDE

Len : 1 RC-YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YOSOCWRK=6)	2280	3.89
1 = Yes (YOSOCWRK=1,3)	165	0.28

(YOCOUNS, YOSEEDOC)

YCOUNMDE

Len : 1 RC-YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YOCOUNS=6).....	1870	3.19
1 = Yes (YOCOUNS=1,3).....	575	0.98

YOMHMDE indicates whether an adolescent reported having seen or talked to other mental health professionals about MDE during the past year. Other mental health professionals include mental health nurses and other therapists where type is not specified.

(YOOTHMHP, YOSEEDOC)

YOMHMDE

Len : 1 RC-YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABOUT MDE-PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or [YOOTHMHP=6 & No Writ-in Enter])	2320	3.96
1 = Yes (YOOTHMHP=1,3 or Write-in Response Entered)	125	0.21

(YONURSE, YOSEEDOC)

YNURSMDE

Len : 1 RC-YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YONURSE=6)	2286	3.90
1 = Yes (YONURSE=1,3)	159	0.27

(YORELIG, YOSEEDOC)

YRELMDE

Len : 1 RC-YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YORELIG=6).....	2386	4.07
1 = Yes (YORELIG=1,3).....	59	0.10

(YOHERBAL, YOSEEDOC)

YHBCHMDE

Len : 1 RC-YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56188	95.83
0 = No (YOSEEDOC=2 or YOHERBAL=6).....	2426	4.14
1 = Yes (YOHERBAL=1,3).....	19	0.03

RECODED ADOLESCENT DEPRESSION

The following variable, YHLMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHLMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCMDE=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHLMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(YCOUNMDE, YDOCMDE, YNURSMDE, YOMDMDE, YOMHMDE, YPSY1MDE, YPSY2MDE, YSOCMDE)

YHLMDE

Len : 1 RC-YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56188	95.83
0 = No (See comment above).....	1480	2.52
1 = Yes (See comment above).....	965	1.65

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBMCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(YHBMCHMDE, YRELMDE)

YALTMDE

Len : 1 RC-YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56188	95.83
0 = No (See comment above).....	2368	4.04
1 = Yes (See comment above).....	77	0.13

(YHLMDE, YRXMDEYR)

YMDEHPRX

Len : 1 RC-YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56178	95.81
0 = No (YHLMDE=0 and YRXMDEYR=0).....	1387	2.37
1 = Yes (YHLMDE=1 or YRXMDEYR=1).....	1068	1.82

(YHLMDE, YRXMDEYR)

YMDEHPO

Len : 1 RC-YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56177	95.81
0 = No (YHLMDE=0 or YRXMDEYR=1).....	1965	3.35
1 = Yes (YHLMDE=1 and YRXMDEYR=0).....	491	0.84

(YHLMDE, YRXMDEYR)

YMDERXO2

Len : 1 RC-YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56161	95.78
0 = No (YRXMDEYR=0 or YHLMDE=1).....	2382	4.06
1 = Yes (YRXMDEYR=1 and YHLMDE=0).....	90	0.15

(YHLMDE, YRXMDEYR)

YMDEHARX

Len : 1 RC-YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	56160	95.78
0 = No (YHLMDE=0 or YRXMDEYR=0).....	2001	3.41
1 = Yes (YHLMDE=1 and YRXMDEYR=1).....	472	0.81

RECODED ADOLESCENT DEPRESSION

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

(YOPSHMGT)

YSDSHOME

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56851	96.96
1 = None (YOPSHMGT=0).....	70	0.12
2 = Mild (YOPSHMGT=1,2,3).....	291	0.50
3 = Moderate (YOPSHMGT=4,5,6).....	771	1.31
4 = Severe (YOPSHMGT=7,8,9).....	537	0.92
5 = Very Severe (YOPSHMGT=10).....	113	0.19

(YOPSWORK)

YSDSWRK

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56851	96.96
1 = None (YOPSWORK=0).....	56	0.10
2 = Mild (YOPSWORK=1,2,3).....	275	0.47
3 = Moderate (YOPSWORK=4,5,6).....	660	1.13
4 = Severe (YOPSWORK=7,8,9).....	613	1.05
5 = Very Severe (YOPSWORK=10).....	178	0.30

(YOPSRELS)

YSDSREL

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56849	96.96
1 = None (YOPSRELS=0).....	71	0.12
2 = Mild (YOPSRELS=1,2,3).....	291	0.50
3 = Moderate (YOPSRELS=4,5,6).....	634	1.08
4 = Severe (YOPSRELS=7,8,9).....	614	1.05
5 = Very Severe (YOPSRELS=10).....	174	0.30

(YOPSSOC)

YSDSSOC

Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56848	96.96
1 = None (YOPSSOC=0).....	49	0.08
2 = Mild (YOPSSOC=1,2,3).....	223	0.38
3 = Moderate (YOPSSOC=4,5,6).....	574	0.98
4 = Severe (YOPSSOC=7,8,9).....	675	1.15
5 = Very Severe (YOPSSOC=10).....	264	0.45

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

(YSDSHOME, YSDSREL, YSDSSOC, YSDSWRK)

YSDSOVRL

Len : 1 RC-YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise).....	56844	96.95
1 = None (See comment above).....	4	0.01
2 = Mild (See comment above).....	52	0.09
3 = Moderate (See comment above).....	406	0.69
4 = Severe (See comment above).....	904	1.54
5 = Very Severe (See comment above).....	423	0.72

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

(YMDEYR, YSDSOVRL)

MDEIMPY

Len : 1 RC-YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown (Otherwise).....	47729	81.40
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5).....	1321	2.25
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3).....	9583	16.34

RECODED ADOLESCENT DEPRESSION

NOTE: The following four recoded variables define if a respondent had co-occurring major depressive episode with severe impairment and/or a use disorder. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(IRPYUD5ALC, MDEIMPY)

YMDEIMAD5YR Len : 1 RC-YOUTH: PY MDE WITH SEVERE IMP AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	47729	81.40
0 = No (MDEIMPY=2 or IRPYUD5ALC=0)	10786	18.40
1 = Yes (MDEIMPY=1 & IRPYUD5ALC=1)	118	0.20

(MDEIMPY, UD5ILLANY)

YMIMI5YANY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR & ILL DRG USE DIS-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	47729	81.40
0 = No (MDEIMPY=2 or UD5ILLANY=0)	10648	18.16
1 = Yes (MDEIMPY=1 & UD5ILLANY=1)	256	0.44

(MDEIMPY, UD5ILALANY)

YMIMR5YANY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR OR SUB USE DIS-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=. and UD5ILALANY=0)	47684	81.33
0 = No (MDEIMPY=2 & UD5ILALANY=0)	8909	15.19
1 = Yes (MDEIMPY=1 or UD5ILALANY=1)	2040	3.48

(MDEIMPY, UD5ILALANY)

YMIMS5YANY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR AND SUB USE DIS-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	47729	81.40
0 = No (MDEIMPY=2 or UD5ILALANY=0)	10615	18.10
1 = Yes (MDEIMPY=1 & UD5ILALANY=1)	289	0.49

MENTAL HEALTH SERVICES UTILIZATION

MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

During the past 12 months, did you seek professional counseling, medication, or other treatment for your mental health, emotions, or behavior?

NOTE: This question is asked of respondents who did not report receiving any of the treatments in the past 12 months for mental health, emotions, or behavior.

(TXMHSEK)
MHTSEEKTX2

Len : 2 DID SEEK TRMT FOR MENTAL HEALTH (NOT RCVD TRMT)-PST 12 MOS

	Freq	Pct
1 = Yes.....	472	0.81
2 = No.....	40494	69.06
11 = Yes (unknown receipt of treatment).....	8	0.01
12 = No (unknown receipt of treatment).....	395	0.67
94 = DON'T KNOW.....	105	0.18
97 = REFUSED.....	123	0.21
98 = BLANK (NO ANSWER).....	925	1.58
99 = LEGITIMATE SKIP.....	16111	27.48

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

During the past 12 months, did you think you should get professional counseling, medication, or other treatment for your mental health, emotions, or behavior?

NOTE: This question is asked of respondents who did not report receiving any of the treatments in the past 12 months for mental health, emotions, or behavior, and did not report seeking treatment in the past 12 months for mental health, emotions, or behavior.

(TXMHGET)
MHTSHLDTX2

Len : 2 THOUGHT SHLD GET MNTL HLTH TRMT (NOT RCVD TRMT)-PST 12 MOS

	Freq	Pct
1 = Yes.....	2660	4.54
2 = No.....	37767	64.41
11 = Yes (unknown receipt of treatment).....	15	0.03
12 = No (unknown receipt of treatment).....	382	0.65
94 = DON'T KNOW.....	151	0.26
97 = REFUSED.....	142	0.24
98 = BLANK (NO ANSWER).....	925	1.58
99 = LEGITIMATE SKIP.....	16591	28.30

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

There may be many reasons you did not get [additional] treatments during the past 12 months.

For each statement, please mark whether or not it was one of the reasons why you did not get [additional] professional counseling, medication or other treatment for your mental health, emotions, or behavior.

You thought it would cost too much.

(TXMHNOA)
MHTUNCOST2

Len : 2 UNMET MH TRMT NEED: TREATMENT COST TOO MUCH

	Freq	Pct
1 = Yes.....	1620	2.76
2 = No.....	1611	2.75
94 = DON'T KNOW.....	13	0.02
97 = REFUSED.....	5	0.01
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You did not have health insurance coverage for mental health treatment.

(TXMHN0B)

MHTUNINSCV2

Len : 2 UNMET MH TRMT NEED: NO HEALTH INSURANCE COVERAGE FOR TRMT

	Freq	Pct
1 = Yes.....	804	1.37
2 = No.....	2227	3.80
94 = DON'T KNOW.....	205	0.35
97 = REFUSED.....	13	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

Your health insurance would not pay enough of the costs for treatment.

(TXMHNOC)

MHTUNENFCV2

Len : 2 UNMET MH TRMT NEED: HEALTH INSURANCE DID NOT COVER ENOUGH

	Freq	Pct
1 = Yes.....	834	1.42
2 = No.....	2082	3.55
94 = DON'T KNOW.....	319	0.54
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You did not know how or where to get treatment.

(TXMHNOD)

MHTUNWHER2

Len : 2 UNMET TRMT NEED: DID NOT KNOW HOW/WHERE TO GET TREATMENT

	Freq	Pct
1 = Yes.....	1439	2.45
2 = No.....	1794	3.06
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You could not find a treatment program or health care professional you wanted to go to.

(TXMHN0E)

MHTUNNOFND2

Len : 2 UNMET MH TRMT NEED: COULD NOT FIND PREFERRED PROVIDER

	Freq	Pct
1 = Yes.....	1158	1.97
2 = No.....	1983	3.38
94 = DON'T KNOW.....	94	0.16
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

There were no openings in the treatment program or with the health care professional you wanted to go to.

(TXMHNOF)

MHTUNNOOPN2

Len : 2 UNMET MH TRMT NEED: NO OPENINGS WITH PREFERRED PROVIDER

	Freq	Pct
1 = Yes.....	422	0.72
2 = No.....	2656	4.53
94 = DON'T KNOW.....	161	0.27
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You had problems with things like transportation, childcare, or getting appointments at times that worked for you.

(TXMHNOG)

MHTUNPROBS2

Len : 2 UNMET MH TRMT NEED: PROB W/TRANS, CHILD CARE, APPT TIMES

	Freq	Pct
1 = Yes.....	765	1.30
2 = No.....	2438	4.16
94 = DON'T KNOW.....	37	0.06
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You didn't have enough time for treatment.

(TXMHNOH)

MHTUNTIME2

Len : 2 UNMET MH TRMT NEED: NOT ENOUGH TIME FOR TREATMENT

	Freq	Pct
1 = Yes.....	1359	2.32
2 = No.....	1848	3.15
94 = DON'T KNOW.....	31	0.05
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were worried that your information would not be kept private.

(TXMHNOI)

MHTUNPRIV2

Len : 2 UNMET MH TRMT NEED: WORRIED THAT INFO NOT KEPT PRIVATE

	Freq	Pct
1 = Yes.....	866	1.48
2 = No.....	2346	4.00
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were worried about what people would think or say if you got treatment.

(TXMHNQJ)

MHTUNPTHNK2

Len : 2 UNMET MH TRMT NEED: WORRIED WHAT PEOPLE WOULD THINK OR SAY

	Freq	Pct
1 = Yes.....	1030	1.76
2 = No.....	2199	3.75
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought that if people knew you were in treatment bad things would happen, like losing your job, home, or children.

(TXMHNOK)

MHTUNCONSQ2

Len : 2 UNMET MH TRMT NEED: WORRIED LOSS OF JOB, HOME, CHILDREN, ETC

	Freq	Pct
1 = Yes.....	357	0.61
2 = No.....	2853	4.87
94 = DON'T KNOW.....	23	0.04
97 = REFUSED.....	16	0.03
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were not ready to start treatment.

(TXMHNOL)

MHTUNSTART2

Len : 2 UNMET MH TRMT NEED: NOT READY TO START TREATMENT

	Freq	Pct
1 = Yes.....	1473	2.51
2 = No.....	1697	2.89
94 = DON'T KNOW.....	62	0.11
97 = REFUSED.....	17	0.03
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought you should have been able to handle your mental health, emotions, or behavior on your own.

(TXMHNOM)

MHTUNHNDL2

Len : 2 UNMET MH TRMT NEED: THOUGHT COULD HANDLE MNTL HLTH ON OWN

	Freq	Pct
1 = Yes.....	2350	4.01
2 = No.....	873	1.49
94 = DON'T KNOW.....	14	0.02
97 = REFUSED.....	12	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought your family, friends, or religious group wouldn't like it if you got treatment.

(TXMHNON)

MHTUNFLKE2

Len : 2 UNMET MH TRMT NEED: FAMILY/FRIENDS/RELIG GROUP WOULDNT LIKE

	Freq	Pct
1 = Yes.....	585	1.00
2 = No.....	2616	4.46
94 = DON'T KNOW.....	34	0.06
97 = REFUSED.....	14	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You were afraid of being committed to a hospital or forced into treatment against your will.

(TXMHN00)

MHTUNFORCE2

Len : 2 UNMET MH TRMT NEED: WORRIED ABOUT BEING FORCED AGAINST WILL

	Freq	Pct
1 = Yes.....	711	1.21
2 = No.....	2502	4.27
94 = DON'T KNOW.....	18	0.03
97 = REFUSED.....	18	0.03
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought you would be told you needed to take medication.

(TXMHNOP)

MHTUNMED2

Len : 2 UNMET MH TRMT NEED: THOUGHT WOULD BE TOLD TO TAKE MEDICATION

	Freq	Pct
1 = Yes.....	994	1.70
2 = No.....	2210	3.77
94 = DON'T KNOW.....	30	0.05
97 = REFUSED.....	15	0.03
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You didn't think treatment would help you.

(TXMHN0Q)

MHTUNNOHLP2

Len : 2 UNMET MH TRMT NEED: DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
1 = Yes.....	1132	1.93
2 = No.....	2033	3.47
94 = DON'T KNOW.....	72	0.12
97 = REFUSED.....	12	0.02
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

You thought no one would care if you got better.

(TXMHNOR)

MHTUNCARE2

Len : 2 UNMET MH TRMT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
1 = Yes.....	627	1.07
2 = No.....	2568	4.38
94 = DON'T KNOW.....	39	0.07
97 = REFUSED.....	15	0.03
98 = BLANK (NO ANSWER).....	1258	2.15
99 = LEGITIMATE SKIP.....	54126	92.31

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

<u>IRMHTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR MNTL HLTH - PY - IMP REV		
		Freq	Pct
	0 = No.....	55842	95.24
	1 = Yes.....	2791	4.76

<u>IIMHTSUPPGRP</u>	Len : 1 PARTICIPATED IN SUPPORT GRP FOR MNTL HLTH - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	57397	97.89
	2 = Logically assigned data.....	3	0.01
	3 = Statistically imputed data.....	1233	2.10

<u>IRMHTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR MNTL HLTH - PY - IMP REV		
		Freq	Pct
	0 = No.....	57613	98.26
	1 = Yes.....	1020	1.74

<u>IIMHTERED</u>	Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR MNTL HLTH - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	57462	98.00
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data.....	1170	2.00

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTINHOSP2</u>	Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS INPATIENT - PY - IMP REV		
		Freq	Pct
	0 = No.....	57837	98.64
	1 = Yes.....	796	1.36

<u>IIMHTINHOSP2</u>	Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS INPATIENT - PY - IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	57355	97.82
	2 = Logically assigned data.....	8	0.01
	3 = Statistically imputed data.....	1270	2.17

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTINRSMH2</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL MNTL HLTH TRMT CTR-PY-IMP REV		
		Freq	Pct
	0 = No.....	58105	99.10
	1 = Yes.....	528	0.90

<u>IIMHTINRSMH2</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL MNTL HLTH TRMT CTR-PY-IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	57346	97.80
	2 = Logically assigned data.....	3	0.01
	3 = Statistically imputed data.....	1284	2.19

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTINRHAB2</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL SUB REHAB/TRMT CTR-PY-IMP REV		
		Freq	Pct
	0 = No.....	58369	99.55
	1 = Yes.....	264	0.45

<u>IIMHTINRHAB2</u>	Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL SUB REHAB/TRMT CTR-PY-IMP IND		
		Freq	Pct
	1 = Questionnaire data.....	57379	97.86
	3 = Statistically imputed data.....	1254	2.14

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTINOPL2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OTHER PLACE AS INPATIENT-PY-IMP REV		
			Freq	Pct
	0 = No.....		58324	99.47
	1 = Yes.....		309	0.53

<u>IIMHTINOPL2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OTHER PLACE AS INPATIENT-PY-IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		57377	97.86
	3 = Statistically imputed data.....		1256	2.14

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTOPMHCR2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OUTPTNT MNTL HLTH TRMT CTR-PY-IMP REV		
			Freq	Pct
	0 = No.....		56736	96.76
	1 = Yes.....		1897	3.24

<u>IIMHTOPMHCR2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OUTPTNT MNTL HLTH TRMT CTR-PY-IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		57304	97.73
	2 = Logically assigned data.....		3	0.01
	3 = Statistically imputed data.....		1326	2.26

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTOPRHAB2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OUTPTNT SUB REHAB/TRMT CTR-PY-IMP REV		
			Freq	Pct
	0 = No.....		58201	99.26
	1 = Yes.....		432	0.74

<u>IIMHTOPRHAB2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OUTPTNT SUB REHAB/TRMT CTR-PY-IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		57354	97.82
	3 = Statistically imputed data.....		1279	2.18

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTOPTHRP2</u>	Len : 1	RCVD MNTL HLTH TRMT AT THERAPIST OFFICE - PY - IMP REV		
			Freq	Pct
	0 = No.....		51332	87.55
	1 = Yes.....		7301	12.45

<u>IIMHTOPTHRP2</u>	Len : 1	RCVD MNTL HLTH TRMT AT THERAPIST OFFICE - PY - IMP IND		
			Freq	Pct
	1 = Questionnaire data.....		57308	97.74
	2 = Logically assigned data.....		10	0.02
	3 = Statistically imputed data.....		1315	2.24

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTOPDOC2</u>	Len : 1	RCVD MNTL HLTH TRMT AT GENERAL MEDICAL OFFICE - PY - IMP REV		
			Freq	Pct
	0 = No.....		54509	92.97
	1 = Yes.....		4124	7.03

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

<u>IIMHTOPDOC2</u>	Len : 1	RCVD MNTL HLTH TRMT AT GENERAL MEDICAL OFFICE - PY - IMP IND		
			Freq	Pct
		1 = Questionnaire data	57302	97.73
		2 = Logically assigned data.....	4	0.01
		3 = Statistically imputed data.....	1327	2.26

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTOPHOSP2</u>	Len : 1	RCVD MNTL HLTH TRMT AT HOSPITAL AS OUTPTNT - PY - IMP REV		
			Freq	Pct
		0 = No.....	57826	98.62
		1 = Yes.....	807	1.38

<u>IIMHTOPHOSP2</u>	Len : 1	RCVD MNTL HLTH TRMT AT HOSPITAL AS OUTPTNT - PY - IMP IND		
			Freq	Pct
		1 = Questionnaire data	57304	97.73
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data.....	1327	2.26

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTOPSCHL2</u>	Len : 1	RCVD MNTL HLTH TRMT AT SCHOOL HEALTH/COUNSELING-PY-IMP REV		
			Freq	Pct
		0 = No.....	56637	96.60
		1 = Yes.....	1996	3.40

<u>IIMHTOPSCHL2</u>	Len : 1	RCVD MNTL HLTH TRMT AT SCHOOL HEALTH/COUNSELING-PY-IMP IND		
			Freq	Pct
		1 = Questionnaire data	57303	97.73
		2 = Logically assigned data.....	6	0.01
		3 = Statistically imputed data.....	1324	2.26

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

<u>IRMHTOPOPL2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OTHER PLACE AS OUTPTNT-PY- IMP REV		
			Freq	Pct
		0 = No.....	57838	98.64
		1 = Yes.....	795	1.36

<u>IIMHTOPOPL2</u>	Len : 1	RCVD MNTL HLTH TRMT AT OTHER PLACE AS OUTPTNT-PY- IMP IND		
			Freq	Pct
		1 = Questionnaire data	57274	97.68
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	1358	2.32

<u>IRMHTRXMED</u>	Len : 1	USED RX MEDICATION TO HELP WITH MNTL HLTH - PY - IMP REV		
			Freq	Pct
		0 = No.....	48200	82.21
		1 = Yes.....	10433	17.79

<u>IIMHTRXMED</u>	Len : 1	USED RX MEDICATION TO HELP WITH MNTL HLTH - PY - IMP IND		
			Freq	Pct
		1 = Questionnaire data	57432	97.95
		3 = Statistically imputed data.....	1201	2.05

<u>IRMHTPHVID</u>	Len : 1	RCVD TRMT BY PHONE/VIDEO FOR MNTL HLTH - PY - IMP REV		
			Freq	Pct
		0 = No.....	50064	85.39
		1 = Yes.....	8569	14.61

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

[IIMHTPHVID](#)

Len : 1 RCVD TRMT BY PHONE/VIDEO FOR MNTL HLTH - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	57426	97.94
2 = Logically assigned data.....	11	0.02
3 = Statistically imputed data.....	1196	2.04

[IRMHTPEERSPC](#)

Len : 1 RCVD MNTL HLTH HLP FM PEER SUP SPCLST/RECVY COACH-PY-IMP REV

	Freq	Pct
0 = No.....	57447	97.98
1 = Yes.....	1186	2.02

[IIMHTPEERSPC](#)

Len : 1 RCVD MNTL HLTH HLP FM PEER SUP SPCLST/RECVY COACH-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	57399	97.90
2 = Logically assigned data.....	1	0.00
3 = Statistically imputed data.....	1233	2.10

RECODED MENTAL HEALTH SERVICES UTILIZATION

RECODED MENTAL HEALTH SERVICES UTILIZATION

The following variable, MHTINOTHPY2, was assigned a positive response if a respondent indicated receiving mental health treatment at some other inpatient location in the past year (IRMHTINOPL2=1) and entered a write-in response other than the responses that matched existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met either of these conditions:

1. Received mental health treatment at some other inpatient location in the past year (IRMHTINOPL2=1) and their write-in response matched an existing inpatient treatment or other treatment category.
2. Did not receive mental health treatment at some other inpatient location in the past year (IRMHTINOPL2=0).

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRMHTINOPL2)

MHTINOTHPY2

Len : 1 RC-RCVD MH TRMT AT SOME OTHER PLACE AS AN INPATIENT - PST YR

	Freq	Pct
0 = No (See comment above).....	58392	99.59
1 = Yes (See comment above)	241	0.41

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRMHTINHOSP2, IRMHTINRHAB2, IRMHTINRSMH2, MHTINOTHPY2)

MHTINPPY2

Len : 1 RC-RCVD MENTAL HEALTH TREATMENT AS AN INPATIENT - PAST YEAR

	Freq	Pct
0 = No (All source variables = 0).....	57510	98.08
1 = Yes (Any source variables = 1).....	1123	1.92

The following variable, MHTOPOTPY2, was assigned a positive response if a respondent indicated receiving mental health treatment at some other outpatient location in the past year (IRMHTOPOPL2=1) and entered a write-in response other than the responses that matched existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met either of these conditions:

1. Received mental health treatment at some other outpatient location in the past year (IRMHTOPOPL2=1) and their write-in response matched an existing outpatient treatment or other treatment category.
2. Did not receive mental health treatment at some other outpatient location in the past year (IRMHTOPOPL2=0).

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRMHTOPOPL2)

MHTOPOTPY2

Len : 1 RC-RCVD MH TRMT AT SOME OTHER PLACE AS AN OUTPATIENT-PST YR

	Freq	Pct
0 = No (See comment above).....	58159	99.19
1 = Yes (See comment above)	474	0.81

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRMHTOPDOC2, IRMHTOPHOSP2, IRMHTOPMHCR2, IRMHTOPRHAB2, IRMHTOPSCHL2, IRMHTOPTHRP2, MHTOPOTPY2)

MHTOPPY2

Len : 1 RC-RCVD MENTAL HEALTH TREATMENT AS AN OUTPATIENT - PAST YEAR

	Freq	Pct
0 = No (All source variables=0).....	48532	82.77
1 = Yes (Any source variable=1)	10101	17.23

RECODED MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRMHTOPHOSP2, IRMHTOPMHCR2, IRMHTOPRHAB2, IRMHTOPSCHL2, IRMHTOPTHRP2, MHTOPOTPY2)
MHTOPNDOC2 Len : 1 RC-RCVD MH TRMT AS AN OUTPATIENT OTHER THAN GEN MED-PST YR

	Freq	Pct
0 = No (All source variables=0).....	49783	84.91
1 = Yes (Any source variable=1)	8850	15.09

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRMHTPHVID, IRMHTRXMED, MHTINPPY2, MHTOPPY2)
MHTRTPY2 Len : 1 RC-RCVD MENTAL HEALTH TREATMENT - PAST YEAR

	Freq	Pct
0 = No	42846	73.07
1 = Yes.....	15787	26.93

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(IRMHTERED, IRMHTPEERSPC, IRMHTSUPPGRP, MHTRTPY2)
MHTRTOSVPY2 Len : 1 RC-RCVD MENTAL HEALTH TREATMENT OR OTHER SERVICES-PAST YEAR

	Freq	Pct
0 = No (MHTRTPY2, IRMHTPEERSPC, IRMHTSUPPGRP, and IRMHTERED=0)	42112	71.82
1 = Yes (MHTRTPY2, IRMHTPEERSPC, IRMHTSUPPGRP, or IRMHTERED=1)	16521	28.18

The following variable, MHTNSEEKPY2, was assigned a positive response if a respondent did not receive mental health treatment (MHTRTPY2=0), and thought they should get treatment but did not seek treatment. A negative response was assigned if a respondent met either of these conditions:

1. Did not receive mental health treatment (MHTRTPY2=0) and sought treatment.
2. Did not receive mental health treatment (MHTRTPY2=0) and did not think they should get treatment.

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTRTPY2, MHTSHLDTX2)
MHTNSEEKPY2 Len : 1 RC-THGHT SHOULD GET MH TRT, DIDNT RECV OR SEEK TRT- PST YR

	Freq	Pct
. = Unknown/received MH treatment (Otherwise).....	16693	28.47
1 = Yes (See comment above)	2738	4.67
2 = No (See comment above).....	39202	66.86

RECODED MENTAL HEALTH SERVICES UTILIZATION

The following variable, MHTSKTHPY2, was assigned a positive response if a respondent met either of these conditions:

1. Did not receive mental health treatment (MHTRTPY2=0) and sought treatment.
2. Did not receive mental health treatment (MHTRTPY2=0), did not indicate they sought treatment, but did think they should get treatment.

A negative response was assigned if a respondent did not receive mental health treatment (MHTRTPY2=0), did not seek treatment, and did not think they should get treatment.

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTRTPY2, MHTSHLDTX2)

<u>MHTSKTHPY2</u>	Len : 1	RC-SOUGHT OR THGHT SHLD GET MH TRT, DIDNT RECV TRT - PST YR	Freq	Pct
.		= Unknown/received MH treatment (Otherwise).....	16721	28.52
1		= Sought or thght shld get trt, not recvd (See comment above).....	3246	5.54
2		= Didnt seek or thnk shld get trt, not recvd(See comment above).....	38666	65.95

NOTE: The following 18 variables describe reasons the respondent did not receive mental health treatment. These variables are defined for respondents who did not receive mental health treatment in the past year and who either sought treatment or did not indicate they sought treatment but thought they should get treatment in the past year.

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNCOST2)

<u>MHNTCOST2</u>	Len : 1	RC-UNMET PY MNTL HLTH TRT NEED: THOUGHT COST TOO MUCH	Freq	Pct
.		= Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55404	94.49
0		= No (MHTSKTHPY2=1 and MHTUNCOST2=2).....	1609	2.74
1		= Yes (MHTSKTHPY2=1 and MHTUNCOST2=1).....	1620	2.76

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNINSCV2)

<u>MHNTINSCV2</u>	Len : 1	RC-UNMET PY MNTL HLTH TRT NEED: NO HEALTH INSUR COVERAGE	Freq	Pct
.		= Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55605	94.84
0		= No (MHTSKTHPY2=1 and MHTUNINSCV2=2).....	2224	3.79
1		= Yes (MHTSKTHPY2=1 and MHTUNINSCV2=1).....	804	1.37

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNCOST2)

<u>MHNTENFCV2</u>	Len : 1	RC-UNMET PY MH TRT NEED: HEALTH INSUR DIDNT COVER ENOUGH	Freq	Pct
.		= Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55720	95.03
0		= No (MHTSKTHPY2=1 and MHTUNENFCV2=2).....	2079	3.55
1		= Yes (MHTSKTHPY2=1 and MHTUNENFCV2=1).....	834	1.42

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNWHER2)

<u>MHNTWHER2</u>	Len : 1	RC-UNMET PY MNTL HLTH TRT NEED: DIDNT KNOW WHERE TO GET TRT	Freq	Pct
.		= Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55403	94.49
0		= No (MHTSKTHPY2=1 and MHTUNWHER2=2).....	1792	3.06
1		= Yes (MHTSKTHPY2=1 and MHTUNWHER2=1).....	1438	2.45

RECODED MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNNOFND2)

MHNTNOFND2

Len : 1 RC-UNMET PY MH TRT NEED: COULD NOT FIND PREFERRED PROVIDER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55495	94.65
0 = No (MHTSKTHPY2=1 and MHTUNNOFND2=2).....	1981	3.38
1 = Yes (MHTSKTHPY2=1 and MHTUNNOFND2=1)	1157	1.97

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNNOOPN2)

MHNTNOOPN2

Len : 1 RC-UNMET PY MH TRT NEED: NO OPENINGS WITH PREFERRED PROVIDER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55558	94.76
0 = No (MHTSKTHPY2=1 and MHTUNNOOPN2=2).....	2653	4.52
1 = Yes (MHTSKTHPY2=1 and MHTUNNOOPN2=1)	422	0.72

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNPROBS2)

MHNTPROBS2

Len : 1 RC-UNMET PY MH TRT NEED: PROB W/TRANS, CHILDCARE, APPT TIMES

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55433	94.54
0 = No (MHTSKTHPY2=1 and MHTUNPROBS2=2).....	2435	4.15
1 = Yes (MHTSKTHPY2=1 and MHTUNPROBS2=1)	765	1.30

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNTIME2)

MHNTTIME2

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NOT ENOUGH TIME FOR TRT

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55428	94.53
0 = No (MHTSKTHPY2=1 and MHTUNTIME2=2).....	1846	3.15
1 = Yes (MHTSKTHPY2=1 and MHTUNTIME2=1)	1359	2.32

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNPRIV2)

MHNTPRIV2

Len : 1 RC-UNMET PY MH TRT NEED: WORRIED THAT INFO NOT KEPT PRIVATE

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55423	94.53
0 = No (MHTSKTHPY2=1 and MHTUNPRIV2=2)	2344	4.00
1 = Yes (MHTSKTHPY2=1 and MHTUNPRIV2=1).....	866	1.48

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNPTHNK2)

MHNTPTHNK2

Len : 1 RC-UNMET PY MH TRT NEED: WORRIED WHAT PEOPLE WOULD THINK/SAY

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55406	94.50
0 = No (MHTSKTHPY2=1 and MHTUNPTHNK2=2).....	2198	3.75
1 = Yes (MHTSKTHPY2=1 and MHTUNPTHNK2=1).....	1029	1.75

RECODED MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNCONSQ2)

[MHNTCONSQ2](#)

Len : 1 RC-UNMET PY MH TRT NEED: THGHT WOULD LOSE JOB, HOME, CHILD

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55425	94.53
0 = No (MHTSKTHPY2=1 and MHTUNCONSQ2=2).....	2851	4.86
1 = Yes (MHTSKTHPY2=1 and MHTUNCONSQ2=1).....	357	0.61

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNSTART2)

[MHNTSTART2](#)

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NOT READY TO START TRT

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55464	94.60
0 = No (MHTSKTHPY2=1 and MHTUNSTART2=2).....	1697	2.89
1 = Yes (MHTSKTHPY2=1 and MHTUNSTART2=1)	1472	2.51

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNHNDL2)

[MHNTHNDL2](#)

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: THOUGHT COULD HANDLE ON OWN

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55411	94.50
0 = No (MHTSKTHPY2=1 and MHTUNHNDL2=2)	873	1.49
1 = Yes (MHTSKTHPY2=1 and MHTUNHNDL2=1).....	2349	4.01

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNFFLKE2)

[MHNTFFLKE2](#)

Len : 1 RC-UNMET PY MH TRT NEED: FAM/FRIENDS/RELIG GRP WOULDNT LIKE

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55433	94.54
0 = No (MHTSKTHPY2=1 and MHTUNFFLKE2=2)	2615	4.46
1 = Yes (MHTSKTHPY2=1 and MHTUNFFLKE2=1).....	585	1.00

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNFORCE2)

[MHNTFORCE2](#)

Len : 1 RC-UNMET PY MH TRT NEED: AFRAID OF BEING FORCED AGAINST WILL

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55421	94.52
0 = No (MHTSKTHPY2=1 and MHTUNFORCE2=2)	2501	4.27
1 = Yes (MHTSKTHPY2=1 and MHTUNFORCE2=1)	711	1.21

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNMED2)

[MHNTMEDS2](#)

Len : 1 RC-UNMET PY MH TRT NEED: THOUGHT WOULD BE TOLD TO TAKE MEDS

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55430	94.54
0 = No (MHTSKTHPY2=1 and MHTUNMED2=2)	2209	3.77
1 = Yes (MHTSKTHPY2=1 and MHTUNMED2=1)	994	1.70

RECODED MENTAL HEALTH SERVICES UTILIZATION

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNNOHLP2)

MHNTNOHLP2

Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: DIDNT THINK TRT WOULD HELP

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55469	94.60
0 = No (MHTSKTHPY2=1 and MHTUNNOHLP2=2).....	2033	3.47
1 = Yes (MHTSKTHPY2=1 and MHTUNNOHLP2=1).....	1131	1.93

Changes were made to the inpatient and outpatient mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTSKTHPY2, MHTUNCARE2)

MHNTCARE2

Len : 1 RC-UNMET PY MH TRT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise).....	55439	94.55
0 = No (MHTSKTHPY2=1 and MHTUNCARE2=2).....	2568	4.38
1 = Yes (MHTSKTHPY2=1 and MHTUNCARE2=1)	626	1.07

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Mental Health Services Utilization and Recoded Alcohol and Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Alcohol and Drug Treatment variable was defined can be found in the Recoded Alcohol and Drug Treatment section.

Changes were made to the inpatient and outpatient substance use treatment and mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTRTPY2, SUTRTPY2)

RCVSUTOMHT2

Len : 1 RC-RCVD SUBSTANCE USE TRT OR MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
1 = Sub Trt or MH Trt (SUTRTPY2=1 or MHTRTPY2=1)	16572	28.26
2 = No Sub Trt and No MH Trt (SUTRTPY2=0 and MHTRTPY2=0).....	42061	71.74

Changes were made to the inpatient and outpatient substance use treatment and mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTRTPY2, SUTRTPY2)

RCVMHTNSUT2

Len : 1 RC-RCVD MENTAL HEALTH TRT BUT NOT SUB USE TRT IN PAST YEAR

	Freq	Pct
1 = Mental Health Trt Only (MHTRTPY2=1 and SUTRTPY2=0).....	14203	24.22
2 = No MH Trt or Rcvd Sub Trt (MHTRTPY2=0 or SUTRTPY2=1)	44430	75.78

Changes were made to the inpatient and outpatient substance use treatment and mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTRTPY2, SUTRTPY2)

RCVSUTNMHT2

Len : 1 RC-RCVD SUB USE TRT BUT NOT MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
1 = Sub Trt Only (SUTRTPY2=1 and MHTRTPY2=0)	785	1.34
2 = No Sub Trt or Rcvd MH Trt (SUTRTPY2=0 or MHTRTPY2=1)	57848	98.66

Changes were made to the inpatient and outpatient substance use treatment and mental health treatment questions in 2024. Consequently, starting in 2024, the name of this variable changed, and the variable is not comparable to the one from years prior to 2024.

(MHTRTPY2, SUTRTPY2)

RCVSUTAMHT2

Len : 1 RC-RCVD BOTH SUB USE TRT AND MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
1 = Sub Trt and MH Trt (SUTRTPY2=1 and MHTRTPY2=1)	1584	2.70
2 = No Sub Trt or No MH Trt (SUTRTPY2=0 or MHTRTPY2=0).....	57049	97.30

OTHER TOPICS**HEALTH**

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

The next questions are about your health and health care.

Note: Beginning in 2024, edited variable PREGSTAT replaces PREGNANT due to questionnaire changes in 2024.

Are you currently pregnant?

(HLTH02)

PREGSTAT

Len : 2 CURRENTLY PREGNANT (FEMALES AGED 12-50)

	Freq	Pct
1 = Yes.....	656	1.12
2 = No.....	24636	42.02
85 = BAD DATA Logically assigned.....	12	0.02
94 = DON'T KNOW.....	27	0.05
97 = REFUSED.....	20	0.03
98 = BLANK (NO ANSWER).....	339	0.58
99 = LEGITIMATE SKIP.....	32943	56.19

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

(HLTH04)

HTANSWER¹

Len : 2 PREFERRED WAY TO REPORT HEIGHT

	Freq	Pct
1 = Feet/inches or inches only.....	54605	93.13
2 = Meters/cm or cm only.....	2275	3.88
85 = BAD DATA Logically assigned.....	14	0.02
94 = DON'T KNOW.....	598	1.02
97 = REFUSED.....	344	0.59
98 = BLANK (NO ANSWER).....	797	1.36

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

(HLTH05, HLTH06A, HLTH06B, HLTH07, HLTH08A, HLTH08B)

HTINCHE2¹

Len : 3 HEIGHT IN INCHES WITHOUT SHOES - RECODE

	Freq	Pct
RANGE = 55 - 75.....	56044	95.58
985 = BAD DATA Logically assigned.....	204	0.35
994 = DON'T KNOW.....	1136	1.94
997 = REFUSED.....	447	0.76
998 = BLANK (NO ANSWER).....	802	1.37

HEALTH

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

(HLTH09)

[WTANSWER](#)¹

Len : 2 PREFERRED WAY TO REPORT WEIGHT

	Freq	Pct
1 = Pounds	54754	93.38
2 = Kilograms	1880	3.21
85 = BAD DATA Logically assigned	14	0.02
94 = DON'T KNOW	670	1.14
97 = REFUSED	503	0.86
98 = BLANK (NO ANSWER)	812	1.38

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

(HLTH10, HLTH12, HLTH13, HLTH14)

[WTPOUND2](#)¹

Len : 3 WEIGHT IN POUNDS - RECODE

	Freq	Pct
RANGE = 75 - 295	55722	95.04
9985 = BAD DATA Logically assigned	204	0.35
9994 = DON'T KNOW	1262	2.15
9997 = REFUSED	635	1.08
9998 = BLANK (NO ANSWER)	810	1.38

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

(HLTH16)

[NMERTMT2](#)

Len : 3 # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS

	Freq	Pct
RANGE = 0 - 30	56605	96.54
31 = 31 or more	24	0.04
985 = BAD DATA Logically assigned	14	0.02
994 = DON'T KNOW	855	1.46
997 = REFUSED	315	0.54
998 = BLANK (NO ANSWER)	820	1.40

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

(HLTH17)

[INHOSPYR](#)

Len : 2 STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS

	Freq	Pct
1 = Yes	3925	6.69
2 = No	53571	91.37
85 = BAD DATA Logically assigned	15	0.03
94 = DON'T KNOW	178	0.30
97 = REFUSED	120	0.20
98 = BLANK (NO ANSWER)	824	1.41

HEALTH

During the past 12 months, how many nights were you an inpatient in a hospital?

(HLTH18)
NMNGTHS2

Len : 3 # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER

	Freq	Pct
RANGE = 1 - 30	3778	6.44
31 = 31 or more.....	90	0.15
985 = BAD DATA Logically assigned	3	0.01
994 = DON'T KNOW	49	0.08
997 = REFUSED	128	0.22
998 = BLANK (NO ANSWER).....	1014	1.73
999 = LEGITIMATE SKIP.....	53571	91.37

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

(HLTH19)
NMVSOPT2

Len : 3 # OUTPATIENT VISITS PAST 12 MOS - RECODE

	Freq	Pct
RANGE = 0 - 15	54281	92.58
16 = 16 - 20 times	693	1.18
17 = 21 - 25 times	274	0.47
18 = 26 - 30 times	249	0.42
19 = 31+ times	372	0.63
985 = BAD DATA Logically assigned	15	0.03
994 = DON'T KNOW	1612	2.75
997 = REFUSED	306	0.52
998 = BLANK (NO ANSWER).....	831	1.42

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

(HLTH19DK)
NMVSOEST

Len : 2 # TIMES VISITED DR ABOUT OWN HEALTH PST YR

	Freq	Pct
0 = I have not visited a Dr in the past 12 mos	185	0.32
1 = 1 time.....	142	0.24
2 = 2-3 times.....	327	0.56
3 = 4-5 times.....	235	0.40
4 = 6-7 times.....	94	0.16
5 = 8-9 times.....	88	0.15
6 = 10-12 times	87	0.15
7 = 13-15 times	34	0.06
8 = 16 or more times.....	104	0.18
94 = DON'T KNOW	457	0.78
97 = REFUSED	165	0.28
98 = BLANK (NO ANSWER)	846	1.44
99 = LEGITIMATE SKIP.....	55869	95.29

During the past 12 months, have you talked to a doctor, physician assistant, or nurse practitioner about your own health **over the phone, by email, or through video calling** instead of going to an in-person appointment?

(HLTHTELE)
TELEAPTYP

Len : 2 TALK TO DOC ABOUT HEALTH OVER PHONE/EMAIL/VIDEO PST 12 MOS

	Freq	Pct
1 = Yes.....	13438	22.92
2 = No.....	43945	74.95
85 = BAD DATA Logically assigned.....	15	0.03
94 = DON'T KNOW	269	0.46
97 = REFUSED	134	0.23
98 = BLANK (NO ANSWER)	832	1.42

HEALTH

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

a. Smoke cigarettes or use any other tobacco products?

(HLTH20A)

[HPUSETOB](#)

Len : 2 HEALTH PROF ASKED PST 12 MOS: TOBACCO USE

	Freq	Pct
1 = Yes.....	28940	49.36
2 = No.....	16064	27.40
85 = BAD DATA Logically assigned.....	15	0.03
94 = DON'T KNOW.....	259	0.44
97 = REFUSED	54	0.09
98 = BLANK (NO ANSWER)	1532	2.61
99 = LEGITIMATE SKIP.....	11769	20.07

b. Drink alcohol?

(HLTH20B)

[HPUSEALC](#)

Len : 2 HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE

	Freq	Pct
1 = Yes.....	28689	48.93
2 = No.....	16313	27.82
85 = BAD DATA Logically assigned.....	15	0.03
94 = DON'T KNOW.....	263	0.45
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	1532	2.61
99 = LEGITIMATE SKIP.....	11769	20.07

c. Use marijuana or other illegal drugs?

(HLTH20C)

[HPUSEDRG](#)

Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE

	Freq	Pct
1 = Yes.....	24995	42.63
2 = No.....	19953	34.03
85 = BAD DATA Logically assigned.....	15	0.03
94 = DON'T KNOW.....	310	0.53
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	1532	2.61
99 = LEGITIMATE SKIP.....	11769	20.07

HEALTH

NOTE: If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and they did not smoke pipe tobacco in the past 30 days (or never smoked pipe tobacco), codes of 93 in HPQTTTOB indicate that these respondents had not used tobacco products in the past 12 months. Respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits, or telehealth encounters), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPQTTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

(HLTH21)
HPQTTTOB

Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
1 = Yes.....	3498	5.97
2 = No.....	5223	8.91
85 = BAD DATA Logically assigned.....	4	0.01
91 = NEVER USED TOBACCO PRODUCTS.....	30301	51.68
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note).....	16213	27.65
94 = DON'T KNOW.....	14	0.02
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	525	0.90
99 = LEGITIMATE SKIP (No health care visits pst 12 mos).....	2849	4.86

NOTE: Beginning in 2024, HPALCMT2, HPALCFRQ2, HPALCPRB2, HPALCCUT2, HPALCTX2, and HPALCNOT2 replace HPALCMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALCTX, and HPALCNOT due to revisions to level assignments. These variables may be compared to their previous versions but must be recoded accordingly. In the updated versions of HPALCMT2 through HPALCTX2, respondents who reported that a doctor did not discuss their alcohol use with them in the past 12 months were included in level 2 [No (not entered or Dr did not discuss alcohol use)]. Prior to 2024, these respondents were included in level 99 (LEGITIMATE SKIP). In the updated version of HPALCNOT2, respondents who indicated that a health care provider did not discuss their alcohol use in the past 12 months were assigned HPALCNOT2=1, and respondents who selected any of the statements regarding a health care provider discussing alcohol use (any of HPALCMT2 through HPALCTX2 = 1) were assigned HPALCNOT2=2. Prior to 2024, respondents who indicated that a health care provider did not discuss their alcohol use in the past 12 months and respondents who selected any of the statements regarding a health care provider discussing alcohol use were assigned HPALCNOT=95 and HPALCNOT=99, respectively.

NOTE: In HPALCMT2, HPALCFRQ2, HPALCPRB2, HPALCCUT2, HPALCTX2, and HPALCNOT2, if respondents reported never using alcohol or not using it in the past 12 months, this was indicated by codes of 91 or 93, respectively. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters) in the past 12 months.

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about your visit during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

(HLTH221)
HPALCMT2

Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK

	Freq	Pct
1 = Yes.....	12700	21.66
2 = No (not entered or Dr. did not discuss alcohol use).....	13557	23.12
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS.....	7674	13.09
94 = DON'T KNOW.....	292	0.50
97 = REFUSED.....	164	0.28
98 = BLANK (NO ANSWER).....	896	1.53
99 = LEGITIMATE SKIP.....	6398	10.91

HEALTH

(HLTH222)
HPALCFRQ2

Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK

	Freq	Pct
1 = Yes.....	12645	21.57
2 = No (not entered or Dr. did not discuss alcohol use)	13612	23.22
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7674	13.09
94 = DON'T KNOW	292	0.50
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	893	1.52
99 = LEGITIMATE SKIP.....	6398	10.91

(HLTH223)
HPALCPRB2

Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS

	Freq	Pct
1 = Yes.....	3182	5.43
2 = No (not entered or Dr. did not discuss alcohol use)	23075	39.35
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7674	13.09
94 = DON'T KNOW	292	0.50
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	896	1.53
99 = LEGITIMATE SKIP.....	6398	10.91

(HLTH224)
HPALCCUT2

Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING

	Freq	Pct
1 = Yes.....	952	1.62
2 = No (not entered or Dr. did not discuss alcohol use)	25305	43.16
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7674	13.09
94 = DON'T KNOW	292	0.50
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	896	1.53
99 = LEGITIMATE SKIP.....	6398	10.91

(HLTH225)
HPALCTX2

Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	Freq	Pct
1 = Yes.....	666	1.14
2 = No (not entered or Dr. did not discuss alcohol use)	25591	43.65
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7674	13.09
94 = DON'T KNOW	292	0.50
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	896	1.53
99 = LEGITIMATE SKIP.....	6398	10.91

(HLTH226)
HPALCNOT2

Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	Freq	Pct
1 = Yes (Dr. did not discuss alcohol use).....	10539	17.97
2 = No (not entered).....	15718	26.81
91 = NEVER USED ALCOHOL.....	16952	28.91
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7674	13.09
94 = DON'T KNOW	292	0.50
97 = REFUSED	164	0.28
98 = BLANK (NO ANSWER)	896	1.53
99 = LEGITIMATE SKIP.....	6398	10.91

HEALTH

NOTE: In HPDRGTALK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTALK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional talk to you about your use of
[MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

(HLTH23)

[HPDRGTALK](#)

Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
1 = Yes.....	3512	5.99
2 = No.....	8494	14.49
85 = BAD DATA Logically assigned.....	7	0.01
91 = NEVER USED MJ/COC/HER/HALL/INH/METH.....	29303	49.98
93 = DID NOT USE MJ/COC/HER/HALL/INH/METH IN PST 12 MOS.....	13052	22.26
94 = DON'T KNOW.....	31	0.05
97 = REFUSED.....	16	0.03
98 = BLANK (NO ANSWER).....	1066	1.82
99 = LEGITIMATE SKIP.....	3152	5.38

NOTE: Beginning in 2024, health condition variables HRTCONDEV2 through NONABOVEV2 replace HRTCONDEV through NONABOVEV due to revisions to level assignments. These variables may be compared to their previous versions but must be recoded accordingly. In the updated versions of HRTCONDEV2 through HIGHBPEVR2, respondents who reported not having any of the health conditions asked about were included in level 2 [No (not entered or never had any of these conditions)]. Prior to 2024, these respondents were included in level 99 (LEGITIMATE SKIP). In the updated version of NONABOVEV2, respondents who reported not having any of the health conditions asked about were assigned NONABOVEV2=1. Prior to 2024, respondents who reported not having any of the health conditions asked about were assigned NONABOVEV=95.

Below is a list of health conditions that you may have had during your lifetime.

Please read the list and type in the numbers of all of the conditions that a doctor or other health care professional has ever told you that you had.

To select more than one condition, press the space bar between each number you type. When you have finished, press [ENTER].

(HLTH2501)

[HRTCONDEV2](#)¹

Len : 2 EVER TOLD HAD HEART CONDITION

	Freq	Pct
1 = Yes.....	3799	6.48
2 = No (not entered or never had any of these conditions).....	53153	90.65
85 = BAD DATA Logically assigned.....	15	0.03
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	875	1.49

(HLTH2502)

[DIABETEVR2](#)¹

Len : 2 EVER TOLD HAD DIABETES/SUGAR DIABETES

	Freq	Pct
1 = Yes.....	3891	6.64
2 = No (not entered or never had any of these conditions).....	53061	90.50
85 = BAD DATA Logically assigned.....	23	0.04
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	867	1.48

HEALTH

(HLTH2503)
COPDEVER2¹

Len : 2 EVER TOLD HAD CHRONIC BRONCHITIS OR COPD

	Freq	Pct
1 = Yes.....	1169	1.99
2 = No (not entered or never had any of these conditions).....	55783	95.14
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	879	1.50

(HLTH2504)
CIRROSEVR2¹

Len : 2 EVER TOLD HAD CIRRHOSIS OF THE LIVER

	Freq	Pct
1 = Yes.....	125	0.21
2 = No (not entered or never had any of these conditions).....	56827	96.92
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	879	1.50

(HLTH2505)
HEPBCEVER2¹

Len : 2 EVER TOLD HAD HEPATITIS B OR C

	Freq	Pct
1 = Yes.....	466	0.79
2 = No (not entered or never had any of these conditions).....	56486	96.34
85 = BAD DATA Logically assigned.....	12	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	878	1.50

(HLTH2506)
KIDNYDSEV2¹

Len : 2 EVER TOLD HAD KIDNEY DISEASE

	Freq	Pct
1 = Yes.....	855	1.46
2 = No (not entered or never had any of these conditions).....	56097	95.67
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	879	1.50

(HLTH2507)
ASTHMAEVR2¹

Len : 2 EVER TOLD HAD ASTHMA

	Freq	Pct
1 = Yes.....	6711	11.45
2 = No (not entered or never had any of these conditions).....	50241	85.69
85 = BAD DATA Logically assigned.....	12	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	878	1.50

(HLTH2508)
HIVAIDSEV2¹

Len : 2 EVER TOLD HAD HIV OR AIDS

	Freq	Pct
1 = Yes.....	125	0.21
2 = No (not entered or never had any of these conditions).....	56827	96.92
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	879	1.50

HEALTH

(HLTH2509)
[CANCEREVR2](#)¹

Len : 2 EVER TOLD HAD CANCER

	Freq	Pct
1 = Yes.....	2006	3.42
2 = No (not entered or never had any of these conditions).....	54946	93.71
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	879	1.50

(HLTH2510)
[HIGHBPEVR2](#)¹

Len : 2 EVER TOLD HAD HIGH BLOOD PRESSURE

	Freq	Pct
1 = Yes.....	6608	11.27
2 = No (not entered or never had any of these conditions).....	50344	85.86
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	879	1.50

(HLTH2511)
[NONABOVEV2](#)¹

Len : 2 NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
1 = Yes (never had any of these conditions).....	39295	67.02
2 = No (not entered).....	17657	30.11
85 = BAD DATA Logically assigned.....	10	0.02
94 = DON'T KNOW.....	458	0.78
97 = REFUSED.....	333	0.57
98 = BLANK (NO ANSWER).....	880	1.50

NOTE: Variables CABLADDER through CAOTHER2 were assigned codes of 99 if respondents reported never having a health care professional tell them they had cancer (CANCEREVR=2,99). In addition, CAOVARY, CAPROTEST, and CAUTERUS were assigned codes of 99 if the corresponding question did not apply due to the reported sex assigned at birth.

What kind of cancer was it? Enter all that apply.

To select more than one category, press the space bar between the numbers. When you have finished, press [ENTER].

(HLTH2601)
[CABLADDER](#)¹

Len : 2 TYPE OF CANCER: BLADDER

	Freq	Pct
1 = Yes.....	53	0.09
2 = No (not entered).....	1913	3.26
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2602, HLTH2612, HLTH2615)

[CABLOLEULYM](#)

Len : 2 TYPE OF CANCER: BLOOD/LEUKEMIA/LYMPHOMA

	Freq	Pct
1 = Yes.....	178	0.30
2 = No (not entered).....	1788	3.05
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

HEALTH

(HLTH2603, HLTH2604, HLTH2624, HLTH2630)

[CAOTHER2](#)

Len : 2 TYPE OF CANCER: OTHER

	Freq	Pct
1 = Yes.....	148	0.25
2 = No (not entered).....	1818	3.10
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2605)

[CABREAST1](#)

Len : 2 TYPE OF CANCER: BREAST

	Freq	Pct
1 = Yes.....	406	0.69
2 = No (not entered).....	1560	2.66
85 = BAD DATA Logically assigned.....	38	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1671	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2606)

[CACERVIX1](#)

Len : 2 TYPE OF CANCER: CERVIX (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	89	0.15
2 = No (not entered).....	1065	1.82
85 = BAD DATA Logically assigned.....	20	0.03
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	1670	2.85
99 = LEGITIMATE SKIP.....	55781	95.14

(HLTH2607, HLTH2621)

[CACOLNRECT](#)

Len : 2 TYPE OF CANCER: COLON/RECTUM

	Freq	Pct
1 = Yes.....	107	0.18
2 = No (not entered).....	1859	3.17
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2608, HLTH2625)

[CAESOPSTOM](#)

Len : 2 TYPE OF CANCER: ESOPHAGUS/STOMACH

	Freq	Pct
1 = Yes.....	22	0.04
2 = No (not entered).....	1944	3.32
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2609, HLTH2613, HLTH2619)

[CAGALLVPAN](#)

Len : 2 TYPE OF CANCER: GALLBLADDER/LIVER/PANCREAS

	Freq	Pct
1 = Yes.....	25	0.04
2 = No (not entered).....	1941	3.31
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

HEALTH

(HLTH2610)
CAKIDNEY¹

Len : 2 TYPE OF CANCER: KIDNEY

	Freq	Pct
1 = Yes.....	98	0.17
2 = No (not entered).....	1868	3.19
85 = BAD DATA Logically assigned.....	38	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1671	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2611, HLTH2614)

CALARYLUNG

Len : 2 TYPE OF CANCER: LARYNX/WINDPIPE/LUNG

	Freq	Pct
1 = Yes.....	53	0.09
2 = No (not entered).....	1913	3.26
85 = BAD DATA Logically assigned.....	38	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1671	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2616)

CAMELANOM¹

Len : 2 TYPE OF CANCER: MELANOMA

	Freq	Pct
1 = Yes.....	192	0.33
2 = No (not entered).....	1774	3.03
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2617, HLTH2627)

CAMOUTTHRO

Len : 2 TYPE OF CANCER: MOUTH/TONGUE/LIP/THROAT/PHARYNX

	Freq	Pct
1 = Yes.....	33	0.06
2 = No (not entered).....	1933	3.30
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2618)

CAOVARY¹

Len : 2 TYPE OF CANCER: OVARY (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	42	0.07
2 = No (not entered).....	1112	1.90
85 = BAD DATA Logically assigned.....	20	0.03
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	1670	2.85
99 = LEGITIMATE SKIP.....	55781	95.14

(HLTH2620, HLTH2626)

CAPROTEST

Len : 2 TYPE OF CANCER: PROSTATE/TESTIS (MALES ONLY)

	Freq	Pct
1 = Yes.....	269	0.46
2 = No (not entered).....	543	0.93
85 = BAD DATA Logically assigned.....	17	0.03
94 = DON'T KNOW.....	2	0.00
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	56128	95.73

HEALTH

(HLTH2622)
CASKINOTH¹

Len : 2 TYPE OF CANCER: SKIN (NOT MELANOMA)

	Freq	Pct
1 = Yes.....	338	0.58
2 = No (not entered).....	1628	2.78
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2623)
CASKINDK¹

Len : 2 TYPE OF CANCER: SKIN DON'T KNOW WHICH KIND

	Freq	Pct
1 = Yes.....	112	0.19
2 = No (not entered).....	1854	3.16
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2628)
CATHYROID¹

Len : 2 TYPE OF CANCER: THYROID

	Freq	Pct
1 = Yes.....	105	0.18
2 = No (not entered).....	1861	3.17
85 = BAD DATA Logically assigned.....	37	0.06
94 = DON'T KNOW.....	6	0.01
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

(HLTH2629)
CAUTERUS¹

Len : 2 TYPE OF CANCER: UTERUS (FEMALES ONLY)

	Freq	Pct
1 = Yes.....	62	0.11
2 = No (not entered).....	1092	1.86
85 = BAD DATA Logically assigned.....	20	0.03
94 = DON'T KNOW.....	4	0.01
97 = REFUSED.....	4	0.01
98 = BLANK (NO ANSWER).....	1670	2.85
99 = LEGITIMATE SKIP.....	55781	95.14

NOTE: The question corresponding to CANCERYR was skipped if respondents reported first being diagnosed with any form of cancer at their current age because it could be logically inferred that they had cancer in the past year. CANCERYR was assigned a code of 5 for these respondents. In rare situations, respondents whose final current age and reported age at any cancer diagnosis are the same were asked the question corresponding to CANCERYR. In this situation, respondents who indicated having cancer during the past 12 months were coded as CANCERYR=11, while respondents who indicated not having cancer during the past 12 months were coded as CANCERYR=12.

Did you have cancer during the past 12 months?

(HLTH29)
CANCERYR¹

Len : 2 HAD ANY CANCER PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	448	0.76
2 = No.....	1405	2.40
5 = Yes LOGICALLY ASSIGNED from skip pattern.....	138	0.24
11 = Yes (see note).....	1	0.00
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	9	0.02
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	1672	2.85
99 = LEGITIMATE SKIP.....	54946	93.71

HEALTH

How old were you when your heart condition or heart disease was first diagnosed?

(HLTH30)

[HRTCONDAG](#)¹

Len : 3 AGE HEART CONDITION 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 92	3711	6.33
985 = BAD DATA Logically assigned	15	0.03
994 = DON'T KNOW	74	0.13
997 = REFUSED	10	0.02
998 = BLANK (NO ANSWER).....	1670	2.85
999 = LEGITIMATE SKIP.....	53153	90.65

NOTE: The question corresponding to HRTCONDYR was skipped if respondents reported first being diagnosed with a heart condition at their current age because it could be logically inferred that they a heart condition in the past year.

Did you have any kind of heart condition or heart disease in the past 12 months?

(HLTH31)

[HRTCONDYR](#)¹

Len : 2 HAD HEART CONDITION PAST 12 MONTHS

	Freq	Pct
1 = Yes.....	1908	3.25
2 = No.....	1696	2.89
5 = Yes LOGICALLY ASSIGNED from skip pattern	173	0.30
85 = BAD DATA Logically assigned	15	0.03
94 = DON'T KNOW	15	0.03
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1670	2.85
99 = LEGITIMATE SKIP.....	53153	90.65

How old were you when your diabetes or sugar diabetes was first diagnosed?

(HLTH32)

[DIABETEAG](#)¹

Len : 3 AGE DIABETES 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 88	3800	6.48
985 = BAD DATA Logically assigned	23	0.04
994 = DON'T KNOW	79	0.13
997 = REFUSED	11	0.02
998 = BLANK (NO ANSWER).....	1659	2.83
999 = LEGITIMATE SKIP.....	53061	90.50

How old were you when your chronic bronchitis, emphysema, or chronic obstructive pulmonary disease, also called COPD were first diagnosed?

(HLTH33)

[COPDAGE](#)¹

Len : 3 AGE COPD 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 89	1136	1.94
985 = BAD DATA Logically assigned	11	0.02
994 = DON'T KNOW	29	0.05
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER).....	1672	2.85
999 = LEGITIMATE SKIP.....	55783	95.14

How old were you when your cirrhosis of the liver was first diagnosed?

(HLTH34)

[CIRROSAGE](#)¹

Len : 3 AGE CIRRHOSIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 77	123	0.21
985 = BAD DATA Logically assigned	11	0.02
994 = DON'T KNOW	2	0.00
998 = BLANK (NO ANSWER).....	1670	2.85
999 = LEGITIMATE SKIP.....	56827	96.92

HEALTH

How old were you when your hepatitis was first diagnosed?

(HLTH35)

[HEPBCAGE](#)¹

Len : 3 AGE HEPATITIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 75	454	0.77
985 = BAD DATA Logically assigned	12	0.02
994 = DON'T KNOW	11	0.02
997 = REFUSED	1	0.00
998 = BLANK (NO ANSWER).....	1669	2.85
999 = LEGITIMATE SKIP.....	56486	96.34

How old were you when your kidney disease was first diagnosed?

(HLTH36)

[KIDNYDSAG](#)¹

Len : 3 AGE KIDNEY DISEASE 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 89	837	1.43
985 = BAD DATA Logically assigned	11	0.02
994 = DON'T KNOW	14	0.02
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER).....	1672	2.85
999 = LEGITIMATE SKIP.....	56097	95.67

How old were you when your asthma was first diagnosed?

(HLTH37)

[ASTHMAAGE](#)¹

Len : 3 AGE ASTHMA 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 85	6379	10.88
985 = BAD DATA Logically assigned	12	0.02
994 = DON'T KNOW	322	0.55
997 = REFUSED	5	0.01
998 = BLANK (NO ANSWER).....	1674	2.86
999 = LEGITIMATE SKIP.....	50241	85.69

Do you still have asthma?

(HLTH38)

[ASTHMANOW](#)¹

Len : 2 STILL HAVE ASTHMA

	Freq	Pct
1 = Yes.....	4504	7.68
2 = No.....	2139	3.65
85 = BAD DATA Logically assigned	12	0.02
94 = DON'T KNOW	62	0.11
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1674	2.86
99 = LEGITIMATE SKIP.....	50241	85.69

How old were you when you found out you had HIV or AIDS?

(HLTH39)

[HIVAIDSAG](#)¹

Len : 3 AGE 1ST FOUND OUT HAD HIV/AIDS

	Freq	Pct
RANGE = 1 - 59	120	0.20
985 = BAD DATA Logically assigned	11	0.02
994 = DON'T KNOW	3	0.01
997 = REFUSED	1	0.00
998 = BLANK (NO ANSWER).....	1671	2.85
999 = LEGITIMATE SKIP.....	56827	96.92

HEALTH

Are you currently taking prescription medicine for your high blood pressure?

(HLTH40)

[HIGHBPMED](#)¹

Len : 2 TAKING MEDS FOR HIGH BLOOD PRESSURE

	Freq	Pct
1 = Yes.....	5052	8.62
2 = No.....	1547	2.64
85 = BAD DATA Logically assigned.....	11	0.02
94 = DON'T KNOW.....	3	0.01
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1674	2.86
99 = LEGITIMATE SKIP.....	50344	85.86

How old were you when your high blood pressure was first diagnosed?

(HLTH41)

[HIGHBPAGE](#)¹

Len : 3 AGE WHEN HIGH BLOOD PRESSURE 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 91.....	4948	8.44
985 = BAD DATA Logically assigned.....	10	0.02
994 = DON'T KNOW.....	103	0.18
997 = REFUSED.....	1	0.00
998 = BLANK (NO ANSWER).....	1680	2.87
999 = LEGITIMATE SKIP.....	51891	88.50

RECODED HEALTH

RECODED HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Selection of Variables for Analysis: Variable Naming Conventions and Hierarchy section in the Data Users' Guide (DUG).

Starting with the 2024 NSDUH, the question about current pregnancy was updated to be administered to respondents up to 50 years old. The previous upper age limit was 44 years old. Thus, this new pregnancy recode, PREGST, is defined for those aged 12 to 50. A similar measure existed in prior years, PREG2, that is defined for those aged 12 to 44. These measures can be combined or compared as long as the data from 2024 onward is subset to those aged 12 to 44.

(PREGSTAT)

PREGST

Len : 1 RC-PREGNANCY STATUS OF FEMALES AGED 12-50

	Freq	Pct
. = Unknown (Otherwise).....	398	0.68
1 = Pregnant (PREGSTAT=1)	656	1.12
2 = Not Pregnant (PREGSTAT=2)	24636	42.02
3 = Legit Skip Males/Females Not Aged 12-50 (PREGSTAT=89,99).....	32943	56.19

BMI2 was created from the variables WTPOUND2 and HTINCHE2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCHE2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCHE2 had a value of 985, 994, 997, or 998.

(HTINCHE2, WTPOUND2)

BMI2

Len : 12 RC-BODY MASS INDEX (BMI)

	Freq	Pct
RANGE = 9.3733333333 - 68.557024793	55087	93.95
. = Unknown (See comment above)	3546	6.05

(TELEAPTYR)

TELEAPTYR2

Len : 1 RC-TALK TO DOC ABOUT VIRTUAL SERVICE TREATMENT-PAST YEAR

	Freq	Pct
. = Not Applicable/Unknown (Otherwise)	1250	2.13
0 = No (TELEAPTYR=2).....	43945	74.95
1 = Yes (TELEAPTYR=1)	13438	22.92

EMERGING ISSUES

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a¹.

Do you think you ever had a problem with your own drug or alcohol use?

(CA15)

[CASUPROB](#)¹

Len : 2 THINK EVER HAD PROBLEM WITH OWN DRUG OR ALCOHOL USE

	Freq	Pct
1 = Yes.....	5645	9.63
2 = No.....	40069	68.34
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	143	0.24
97 = REFUSED.....	179	0.31
98 = BLANK (NO ANSWER).....	1259	2.15
99 = LEGITIMATE SKIP.....	11334	19.33

At this time do you consider yourself to be in recovery or recovered from your own problem with drugs or alcohol use?

(CA16)

[CASURCVR](#)¹

Len : 2 THINK IN RECOVERY FROM DRUG OR ALCOHOL PROBLEM

	Freq	Pct
1 = Yes.....	4052	6.91
2 = No.....	1581	2.70
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	9	0.02
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	1582	2.70
99 = LEGITIMATE SKIP.....	51403	87.67

Do you think you ever had a problem with your own mental health?

(CA17)

[CAMHPROB](#)¹

Len : 2 THINK EVER HAD PROBLEM WITH OWN MENTAL HEALTH

	Freq	Pct
1 = Yes.....	14632	24.96
2 = No.....	31105	53.05
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	131	0.22
97 = REFUSED.....	166	0.28
98 = BLANK (NO ANSWER).....	1261	2.15
99 = LEGITIMATE SKIP.....	11334	19.33

At this time do you consider yourself to be in recovery or recovered from your own mental health problem?

(CA18)

[CAMHRCVR](#)¹

Len : 2 THINK IN RECOVERY FROM MENTAL HEALTH PROBLEM

	Freq	Pct
1 = Yes.....	9412	16.05
2 = No.....	5105	8.71
85 = BAD DATA Logically assigned.....	4	0.01
94 = DON'T KNOW.....	105	0.18
97 = REFUSED.....	9	0.02
98 = BLANK (NO ANSWER).....	1559	2.66
99 = LEGITIMATE SKIP.....	42439	72.38

EMERGING ISSUES

This next question is about kratom, which can come in forms such as powder, pills, or leaf.

Have you ever, even once, used kratom?

(KA01)

[KRATEVER](#)

Len : 2 EVER USED KRATOM

	Freq	Pct
1 = Yes.....	1148	1.96
2 = No.....	55703	95.00
85 = BAD DATA Logically assigned.....	7	0.01
94 = DON'T KNOW.....	302	0.52
97 = REFUSED.....	192	0.33
98 = BLANK (NO ANSWER).....	1281	2.18

How long has it been since you last used kratom?

(KALAST3)

[KRATREC](#)

Len : 2 TIME SINCE LAST USED KRATOM

	Freq	Pct
1 = Within the past 30 days.....	195	0.33
2 = More than 30 days ago but within the past 12 mos.....	187	0.32
3 = More than 12 months ago.....	748	1.28
9 = Used at some point in the lifetime LOG ASSN.....	18	0.03
85 = BAD DATA Logically assigned.....	7	0.01
91 = NEVER USED KRATOM.....	55703	95.00
98 = BLANK (NO ANSWER).....	1775	3.03

Note: Beginning in 2022, edited variables FLVVAPEVR and FLVVAPREC replace variables VAPFLVEVR and VAPFLVREC because of revisions to the skip logic for these questions.

The next questions are about vaping flavoring.

Have you ever, even once, vaped only flavoring without nicotine or other substances added?

(VPFLLIF)

[FLVVAPEVR](#)

Len : 2 EVER VAPED ONLY FLAVORING WITHOUT NICOTINE/SUBSTANCE

	Freq	Pct
1 = Yes.....	4665	7.96
2 = No.....	52249	89.11
85 = BAD DATA Logically Assigned.....	7	0.01
94 = DON'T KNOW.....	246	0.42
97 = REFUSED.....	183	0.31
98 = BLANK (NO ANSWER).....	1283	2.19

How long has it been since you last vaped only flavoring?

(VPFLREC)

[FLVVAPREC](#)

Len : 2 TIME SINCE LAST VAPED ONLY FLAVORING

	Freq	Pct
1 = Within the past 30 days.....	1111	1.89
2 = More than 30 days ago but within the past 12 mos.....	813	1.39
3 = More than 12 months ago.....	2707	4.62
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	34	0.06
85 = BAD DATA Logically Assigned.....	7	0.01
91 = NEVER VAPED ONLY FLAVORING.....	52249	89.11
98 = BLANK (NO ANSWER).....	1712	2.92

EMERGING ISSUES

The next question is about synthetic marijuana or fake weed, also called K2 or Spice. Have you ever, even once, used synthetic marijuana or fake weed?

(SMLIF)

[SYNMRJEVR](#)

Len : 2 EVER USED SYNTHETIC MARIJUANA

	Freq	Pct
1 = Yes.....	1516	2.59
2 = No.....	55441	94.56
85 = BAD DATA Logically assigned.....	7	0.01
94 = DON'T KNOW.....	194	0.33
97 = REFUSED	188	0.32
98 = BLANK (NO ANSWER)	1287	2.20

How long has it been since you last used synthetic marijuana or fake weed?

(SMREC)

[SYNMRJREC](#)

Len : 2 TIME SINCE LAST USED SYNTHETIC MARIJUANA

	Freq	Pct
1 = Within the past 30 days.....	106	0.18
2 = More than 30 days ago but within the past 12 mos	115	0.20
3 = More than 12 months ago	1284	2.19
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	11	0.02
85 = BAD DATA Logically assigned.....	7	0.01
91 = NEVER USED SYNTHETIC MARIJUANA.....	55441	94.56
98 = BLANK (NO ANSWER)	1669	2.85

The next question is about synthetic stimulants that people use to get high, also called "bath salts" or flakka.

Have you ever, even once, used these synthetic stimulants?

(SMLIF)

[SYNSTMEVR](#)

Len : 2 EVER USED SYNTHETIC STIMULANTS

	Freq	Pct
1 = Yes.....	185	0.32
2 = No.....	56815	96.90
85 = BAD DATA Logically assigned.....	7	0.01
94 = DON'T KNOW.....	157	0.27
97 = REFUSED	180	0.31
98 = BLANK (NO ANSWER)	1289	2.20

How long has it been since you last used these synthetic stimulants, also called "bath salts" or flakka?

(SSREC)

[SYNSTMREC](#)

Len : 2 TIME SINCE LAST USED SYNTHETIC STIMULANTS

	Freq	Pct
1 = Within the past 30 days.....	29	0.05
2 = More than 30 days ago but within the past 12 mos	31	0.05
3 = More than 12 months ago	123	0.21
9 = Used at some point in the lifetime LOGICALLY ASSIGNED.....	2	0.00
85 = BAD DATA Logically assigned.....	7	0.01
91 = NEVER USED SYNTHETIC STIMULANTS.....	56815	96.90
98 = BLANK (NO ANSWER)	1626	2.77

EMERGING ISSUES

Earlier, you were asked whether you had used prescription fentanyl, also known as Duragesic or Fentora, in the past 12 months.

This next question is about illegally made fentanyl, which is fentanyl that people can't get from a doctor or pharmacy. Illegally made fentanyl can come in forms such as powder, pills, or blotter paper. It can also be mixed with heroin or other drugs.

Have you ever, even once, used illegally made fentanyl?

(IFLIF)

[IMFEVER](#)

Len : 2 EVER USED ILLEGALLY MADE FENTANYL

	Freq	Pct
1 = Yes.....	405	0.69
2 = No.....	56596	96.53
85 = BAD DATA Logically Assigned	8	0.01
94 = DON'T KNOW	150	0.26
97 = REFUSED	183	0.31
98 = BLANK (NO ANSWER)	1291	2.20

Have you ever, even once, used a needle to inject illegally made fentanyl?

(IFNDLLIF)

[IMFNDLEVER](#)

Len : 2 EVER INJECTED ILLEGALLY MADE FENTANYL WITH NEEDLE

	Freq	Pct
1 = Yes.....	161	0.27
2 = No.....	241	0.41
85 = BAD DATA Logically Assigned	9	0.02
91 = NEVER USED ILLEGALLY MADE FENTANYL.....	56596	96.53
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	1624	2.77

IMPUTED EMERGING ISSUES

IMPUTED EMERGING ISSUES

(KRATEVER, KRATREC)

[IRKRATREC](#)

Len : 1 KRATOM RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	213	0.36
2 = More than 30 days ago but within the past 12 mos	198	0.34
3 = More than 12 months ago	793	1.35
9 = NEVER USED KRATOM	57429	97.95

(KRATEVER, KRATREC)

[IKKRATREC](#)

Len : 1 KRATOM RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56833	96.93
3 = Statistically imputed data - lifetime use imputed	1782	3.04
4 = Statistically imputed data - edited recency = 9.....	18	0.03

(FLVVAPEVR, FLVVAPREC)

[IRFLVVAPREC](#)

Len : 1 ONLY FLAVORING VAPING RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	1153	1.97
2 = More than 30 days ago but within the past 12 mos	854	1.46
3 = More than 12 months ago	2821	4.81
9 = NEVER VAPED ONLY FLAVORING	53805	91.77

(FLVVAPEVR, FLVVAPREC)

[IIFLVVAPREC](#)

Len : 1 ONLY FLAVORING VAPING RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56880	97.01
3 = Statistically imputed data - lifetime use imputed	1719	2.93
4 = Statistically imputed data - edited recency = 9.....	34	0.06

(SYNMRJEVR, SYNMRJREC)

[IRSYNMRJREC](#)

Len : 1 SYNTHETIC MARIJUANA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	108	0.18
2 = More than 30 days ago but within the past 12 mos	125	0.21
3 = More than 12 months ago	1344	2.29
9 = NEVER USED SYNTHETIC MARIJUANA.....	57056	97.31

(SYNMRJEVR, SYNMRJREC)

[IISYNMRJREC](#)

Len : 1 SYNTHETIC MARIJUANA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56946	97.12
3 = Statistically imputed data - lifetime use imputed	1676	2.86
4 = Statistically imputed data - edited recency = 9.....	11	0.02

(SYNSTMEVR, SYNSTMREC)

[IRSYNSTMREC](#)

Len : 1 SYNTHETIC STIMULANTS RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	32	0.05
2 = More than 30 days ago but within the past 12 mos	31	0.05
3 = More than 12 months ago	129	0.22
9 = NEVER USED SYNTHETIC STIMULANTS.....	58441	99.67

(SYNSTMEVR, SYNSTMREC)

[IISYNSTMREC](#)

Len : 1 SYNTHETIC STIMULANTS RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56998	97.21
3 = Statistically imputed data - lifetime use imputed	1633	2.79
4 = Statistically imputed data - edited recency = 9.....	2	0.00

IMPUTED EMERGING ISSUES

(IMFEVER)
IRIMFREC

Len : 1 ILLEGALLY MADE FENTANYL RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days.....	101	0.17
2 = More than 30 days ago but within the past 12 mos	70	0.12
3 = More than 12 months ago	258	0.44
9 = NEVER USED ILLEGALLY MADE FENTANYL	58204	99.27

(IMFEVER)
IIIMFREC

Len : 1 ILLEGALLY MADE FENTANYL RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56998	97.21
3 = Statistically imputed data - lifetime use imputed	1632	2.78
4 = Statistically imputed data - edited recency = 9.....	3	0.01

INTERVIEW INFORMATION

INTERVIEW INFORMATION

LANGVER

Len : 1 LANGUAGE VERSION

	Freq	Pct
1 = English.....	56107	95.69
2 = Spanish	2526	4.31

GQTYPE2

Len : 1 TYPE OF GROUP QUARTER

	Freq	Pct
= Not a Group Quarter.....	58398	99.60
C = College Dorm.....	147	0.25
O = Other.....	88	0.15

RECODED EMERGING ISSUES

RECODED EMERGING ISSUES

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Emerging Issues, or Imputed Emerging Issues.

(CASUPROB)

CASUPROB2

Len : 1 RC-PERCEIVED EVER HAD DRUG OR ALCOHOL USE PROBLEM

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12919	22.03
0 = No (CASUPROB=2)	40069	68.34
1 = Yes (CASUPROB=1)	5645	9.63

(CASUPROB2, CASURCVR)

RCVYSUBPRB

Len : 1 RC-PERCEIVED RECOVERY FROM DRUG OR ALCOHOL USE PROBLEM

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12931	22.05
0 = No/No Problem (CASURCVR=2 OR CASUPROB2=0).....	41650	71.04
1 = Yes (CASURCVR=1).....	4052	6.91

(CAMHPROB)

CAMHPROB2

Len : 1 RC-PERCEIVED EVER HAD A MENTAL HEALTH ISSUE

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	12896	21.99
0 = No (CAMHPROB=2)	31105	53.05
1 = Yes (CAMHPROB=1).....	14632	24.96

(CAMHPROB2, CAMHRCVR)

RCVYMHPRB

Len : 1 RC-PERCEIVED RECOVERY FROM MENTAL HEALTH ISSUE

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise).....	13011	22.19
0 = No/No Issue (CAMHRCVR=2 OR CAMHPROB2=0).....	36210	61.76
1 = Yes (CAMHRCVR=1)	9412	16.05

(IRKRATREC)

KRATOMFLAG

Len : 1 RC-KRATOM - EVER USED

	Freq	Pct
0 = Never used (IRKRATREC = 9).....	57429	97.95
1 = Ever used (IRKRATREC = 1-3).....	1204	2.05

(IRKRATREC)

KRATOMYR

Len : 1 RC-KRATOM - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRKRATREC = 3,9).....	58222	99.30
1 = Used within the past year (IRKRATREC = 1,2).....	411	0.70

(IRKRATREC)

KRATOMMON

Len : 1 RC-KRATOM - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRKRATREC= 2-3,9)	58420	99.64
1 = Used within the past month (IRKRATREC = 1).....	213	0.36

(IRFLVVAPREC)

FLVVAPFLAG

Len : 1 RC-ONLY FLAVORING VAPING - EVER USED

	Freq	Pct
0 = Never used (IRFLVVAPREC = 9)	53805	91.77
1 = Ever used (IRFLVVAPREC = 1-3)	4828	8.23

(IRFLVVAPREC)

FLVVAPYR

Len : 1 RC-ONLY FLAVORING VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRFLVVAPREC = 3,9)	56626	96.58
1 = Used within the past year (IRFLVVAPREC = 1,2)	2007	3.42

RECODED EMERGING ISSUES

(IRFLVVAPREC)
FLVVAPMON

Len : 1 RC-ONLY FLAVORING VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRFLVVAPREC= 2-3,9).....	57480	98.03
1 = Used within the past month (IRFLVVAPREC = 1).....	1153	1.97

(IRSYNMRJREC)
SYNMRJFLAG

Len : 1 RC-SYNTHETIC MARIJUANA - EVER USED

	Freq	Pct
0 = Never used (IRSYNMRJREC = 9)	57056	97.31
1 = Ever used (IRSYNMRJREC = 1-3).....	1577	2.69

(IRSYNMRJREC)
SYNMRJYR

Len : 1 RC-SYNTHETIC MARIJUANA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSYNMRJREC = 3,9).....	58400	99.60
1 = Used within the past year (IRSYNMRJREC = 1,2).....	233	0.40

(IRSYNMRJREC)
SYNMRJMON

Len : 1 RC-SYNTHETIC MARIJUANA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSYNMRJREC= 2-3,9).....	58525	99.82
1 = Used within the past month (IRSYNMRJREC = 1).....	108	0.18

(IRSYNSTMREC)
SYNSTMFLAG

Len : 1 RC-SYNTHETIC STIMULANTS - EVER USED

	Freq	Pct
0 = Never used (IRSYNSTMREC = 9).....	58441	99.67
1 = Ever used (IRSYNSTMREC = 1-3).....	192	0.33

(IRSYNSTMREC)
SYNSTMYR

Len : 1 RC-SYNTHETIC STIMULANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSYNSTMREC = 3,9).....	58570	99.89
1 = Used within the past year (IRSYNSTMREC = 1,2).....	63	0.11

(IRSYNSTMREC)
SYNSTMMON

Len : 1 RC-SYNTHETIC STIMULANTS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSYNSTMREC= 2-3,9).....	58601	99.95
1 = Used within the past month (IRSYNSTMREC = 1)	32	0.05

(IRIMFREC)
IMFFLAG

Len : 1 RC-ILLEGALLY MADE FENTANYL - EVER USED

	Freq	Pct
0 = Never used (IRIMFREC = 9).....	58204	99.27
1 = Ever used (IRIMFREC = 1-3).....	429	0.73

(IRIMFREC)
IMFYR

Len : 1 RC-ILLEGALLY MADE FENTANYL - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRIMFREC = 3,9).....	58462	99.71
1 = Used within the past year (IRIMFREC = 1,2).....	171	0.29

(IRIMFREC)
IMFMON

Len : 1 RC-ILLEGALLY MADE FENTANYL - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRIMFREC= 2-3,9).....	58532	99.83
1 = Used within the past month (IRIMFREC = 1)	101	0.17

RECODED EMERGING ISSUES

(IMFFLAG, IMFNDLEVER)

IMFNEDFLAG

Len : 1 RC-EVER USED A NEEDLE TO INJECT IMF

	Freq	Pct
. = Unknown (Otherwise).....	27	0.05
0 = No (IMFNDLEVER =2,91 or (IMFNDLEVER^=1 and IMFFLAG=0)).....	58445	99.68
1 = Yes (IMFNDLEVER=1).....	161	0.27

The following recoded variable, ANYNEDFLAG, was created starting with the 2022 NSDUH to include data from the new questions in the Emerging Issues section about the use of a needle to inject illegally made fentanyl. ANYNEDFLAG (ever used a needle to inject heroin, cocaine, methamphetamine, illegally made fentanyl, or some other drug) replaces ANYNEDEVER (ever used a needle to inject heroin, cocaine, methamphetamine, or some other drug) that appeared in the Recoded Special Drugs section in 2021.

(COCNEDEVER, HERNEDEVER, IMFNEFLAG, MTHNEDEVER, OTDGNEDL)

ANYNEDFLAG

Len : 1 RC-EVER USED A NEEDLE TO INJECT DRUGS

	Freq	Pct
. = Unknown (Otherwise).....	315	0.54
0 = No (OTDGNEDL=2,4 and all other source variables=0).....	57238	97.62
1 = Yes (Any source variable=1).....	1080	1.84

(OTDGNDLRC)

ANYNEDYR

Len : 1 RC- USED A NEEDLE TO INJECT DRUGS - PAST YEAR

	Freq	Pct
. = Unknown (Otherwise).....	307	0.52
0 = No (OTDGNDLRC=3,13,81,91 and all other source variables=0).....	58091	99.08
1 = Yes (OTDGNDLRC=1,2,11,12 or any other source variable=1).....	235	0.40

New questions about any use of other prescription pain relievers respondents used in the past 12 months were added to the 2024 questionnaire. Consequently, starting in 2024, the name of this variable changed. However, this variable is still considered comparable to the one from 2021 to 2023.

(IMFYR, IRFENTANYR2)

FPIMFANYR2

Len : 1 RC-FENTANYL PRODUCTS INCLUDING IMF - ANY PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (Otherwise).....	57976	98.88
1 = Used within the past year (IRFENTANYR2=1 or IMFYR=1).....	657	1.12

(IMFYR, IRFENTNMYR)

FPIMFNMYR

Len : 1 RC-FENTANYL PRODUCTS INCLUDING IMF - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise).....	58416	99.63
1 = Misused within the past year (IRFENTNMYR=1 or IMFYR=1).....	217	0.37

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(IMFYR, OPINMYR2)

OPIIMFNMYR2

Len : 1 RC-OPIOIDS (RX OPIOIDS OR HER) INCLUDING IMF - PST YR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise).....	56920	97.08
1 = Misused within the past year (OPINMYR2=1 or IMFYR=1).....	1713	2.92

Starting in 2024, this variable was created using prescription opioid pain reliever variable instead of prescription pain reliever variable. This variable is available in 2021-2023. However, it is not comparable to the similarly named variable from years prior to 2024.

(IMFMON, OPINMMON2)

OPIIMFNMMN2

Len : 1 RC-OPIOIDS (RX OPIOIDS OR HER) INCLUDING IMF - PST MO MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise).....	58115	99.12
1 = Misused within the past month (OPINMMON2=1 or IMFMON=1).....	518	0.88

(CBDHMPFLAG, GHBFLAG, ILLFLAG, IMFFLAG, KRATOMFLAG, NPCOLDFLAG, SYNMRJFLAG, SYNSTMFLAG)

ILIMFOTHFG

Len : 1 RC-ILLCIT DRUG, IMF, OR OTHER SUB - EVER USED

	Freq	Pct
0 = Never used (All source variables=0).....	26245	44.76
1 = Ever used (Any source variable=1).....	32388	55.24

RECODED EMERGING ISSUES

(CBDHMPYR, GHBYR, ILLYR, IMFYR, KRATOMYR, NPCOLDYR, SYNMRJYR, SYNSTMYR)

[ILIMFOTHYR](#)

Len : 1 RC-ILLCIT DRUG, IMF, OR OTHER SUB - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables=0).....	39104	66.69
1 = Used within the past year (Any source variable=1).....	19529	33.31

(CBDHMPMON, GHBMON, ILLMON, IMFMON, KRATOMMON, NPCOLDMON, SYNMRJMON, SYNSTMMON)

[ILIMFOTHMN](#)

Len : 1 RC-ILLCIT DRUG, IMF, OR OTHER SUB - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables=0)	46019	78.49
1 = Used in the past month (Any source variable=1)	12614	21.51

INDEX

AALTMDE	508	ADWRGROW	491	AMISUD5ANYO	484
ACOUNMDE	507	ADWRHRS	487	AMYLNIEVER2	231
ACTD2001	9	ADWRIMP	488	AMYLNIT3	131
ACTD7590	9	ADWRJINO	493	ANALWT2_C	4
ACTD9001	9	ADWRJITT	493	ANURSMDE	507
ACTDEVER	8	ADWRLOSE	491	ANYEDUC3	456
ACTDPRIV	9	ADWRLSIN	490	ANYHLT12	36
ACTDVIET	9	ADWRLSL2	492	ANYNDLREC	278
AD_MDEA1	494	ADWRNOGD	494	ANYNEDFLAG	573
AD_MDEA2	494	ADWRPLSR	490	ANYNEDYR	573
AD_MDEA3	495	ADWRPREG	491	AOMDMDE	506
AD_MDEA4	495	ADWRPROB	489	AOMHMD	507
AD_MDEA5	495	ADWRSLEP	492	APPDRGMON	428
AD_MDEA6	495	ADWRSLNO	493	APPDRGMON2	431
AD_MDEA7	495	ADWRSLOW	493	APSY1MDE	506
AD_MDEA8	495	ADWRSMOR	492	APSY2MDE	506
ADCOUNS	500	ADWRTHOT	493	ARELMDE	507
ADDPDISC	486	ADWRWRTH	494	ARGUPAR	453
ADDPLSIN	487	AGADANNOY	467	ARXMDEYR	506
ADDPProb	488	AGADAWFUL	467	ASDSHOM2	503
ADDP2WK	487	AGADMODOSEV	484	ASDSREL2	503
ADDPREV	486	AGADNRVANX	465	ASDSOC2	503
ADDSCEV	486	AGADNTSTOP	466	ASDSWRK2	503
ADDSLSIN	487	AGADRSTLSS	466	ASOCMDE	507
ADFAMDOC	499	AGADSCED	467	ASTHMAAGE	561
ADHERBAL	501	AGADSEVSYMP	484	ASTHMAEVR2	555
ADLOSEV	486	AGADTOTSC	484	ASTHMANOW	561
ADLSI2WK	487	AGADTRBRLX	466	ATXMDEYR	506
ADNURSE	500	AGADWRYMCH	466	AVGGRADE	452
ADOCMDE	506	AGE3	8	BKARSON	43
ADOTHDOC	499	AHBCHMDE	507	BKBURGL	42
ADOTHHLP	501	AHLTMD	507	BKDRUG	44
ADOTHMHP	500	AIIND102	7	BKDRUNK	43
ADPB2WK	497	AIRDUSEVER2	232	BKDRVINF	43
ADPBAGE	496	AIRDUSTER3	133	BKFRAUD	44
ADPBDLYA	496	AKSSLR6WRST	481	BKLARCNY	42
ADPBINTF	496	AL30EST	71	BKMVTHFT	41
ADPBNUM	497	ALBSTWAY	70	BKOTH	44
ADPBRMBR	496	ALCAGLST	388	BKOTHOF2	45
ADPSDAYS	499	ALCBNG30D	72	BKPOSTOB	43
ADPSHMG1	497	ALCDAYS	71	BKROB	43
ADPSRELS	498	ALCEVER	68	BKSEXR	44
ADPSSOC	498	ALCFLAG	215	BKSMASLT	42
ADPSWORK	498	ALCMDAYS	249	BKSRVIOL	42
ADPSYCH	500	ALCMFU	69	BLNT30C1	103
ADPSYMD	500	ALCMLU	389	BLNT30C2	103
ADRELIG	501	ALCMON	215	BLNT30DY	102
ADRX12MO	501	ALCNUMDKPM	252	BLNTAGE	101
ADRXHLP	502	ALCREC	69	BLNTEVER	101
ADRXNOW	501	ALCTRY	68	BLNTMFU	102
ADSEEDOC	499	ALCUS30D	71	BLNTNOMJ	103
ADSMMD	496	ALCYDAYS	247	BLNTREC	102
ADSOCWRK	500	ALCYFU	68	BLNTYFU	101
ADSUITPACOM	485	ALCYLU	388	BLRECFL2	102
ADSUITPAYR	484	ALCYR	215	BMI2	563
ADTMTHLP	502	ALCYRBFR	398	BNGDRKMON	229
ADTMTNOW	501	ALCYRTOT	69	BNGDRMDAYS	251
ADWRAGE	489	ALDAYPMO	70	BOOKED	41
ADWRCHR	488	ALDAYPWK	70	BZOANYR	224
ADWRCONC	494	ALDAYPYR	70	BZONMYR	226
ADWRDCSN	494	ALDYSFG	71	CABINGAGE	79
ADWRDEPR	489	ALFQFLG	69	CABINGEVR	79
ADWRDIET	491	ALTOTFG	69	CABINGFLG	79
ADWRDISC	489	AMDEIMP	504	CABINGMFU	80
ADWRDST	488	AMDELT	502	CABINGYFU	80
ADWRELES	490	AMDETXRX	506	CABLADDER	556
ADWREMOR	490	AMDEYR	503	CABLOLEULYM	556
ADWRENRG	492	AMIPY	482	CABPLACE	76
ADWRGAIN	490	AMIRSUD5ANY	484	CABREAST	557
ADWRGNL2	491	AMISUD5ANY	483	CABUNDAG	76

INDEX

CABUYFRE	75	CELLWRKNG	37	COCAGLST	389
CABUYWHO	76	CG30EST	52	COCEVER	104
CACERVIX	557	CGR30USE	59	COCFLAG	218
CACOLNRECT	557	CGRAGLST	387	COCMDAYS	249
CADRBAR	74	CGRFLAG	213	COCMFU	105
CADRCAR	73	CGRMDAYS	249	COCMLU	390
CADREVNT	74	CGRMON	213	COCMON	218
CADRHOME	73	CGRYR	213	COCNEDEVER	278
CADRKCOCN	78	CHAMPUS	29	COCNEEDL	268
CADRKCOCN2	85	CHMNDLREC	278	COCREC	105
CADRKDRUG	77	CI30EST	60	COCUS30A	107
CADRKHALL	78	CIG100LF	54	COCYDAYS	248
CADRKHALL2	85	CIG1PACK	251	COCYFU	104
CADRKHERN	78	CIG30AV	52	COCYLU	389
CADRKHERN2	85	CIG30USE	51	COCYR	218
CADRKINHL	78	CIGAGE	53	COCYRBFR	399
CADRKINHL2	85	CIGAGLST	384	COCYRTOT	105
CADRKMARJ	78	CIGAREVR	58	COLDMEDS	264
CADRKMARJ2	85	CIGARMFU	59	COLDREC	264
CADRKMETH	79	CIGARMLU	388	COLDYR1	265
CADRKMETH2	85	CIGARREC	59	COLDYR2	266
CADRLAST	73	CIGARTRY	58	COLDYR3	267
CADROTH	75	CIGARYFU	58	COLDYR4	267
CADROTHM	74	CIGARYLU	387	COLDYR5	267
CADROTS2	75	CIGAVGD	251	COMBATPY	10
CADRPEOP	73	CIGAVGM	251	CONDLREC	268
CADRPUBL	74	CIGAVOID	62	COPDAGE	560
CADRSCHL	74	CIGCRAGP	61	COPDEVER2	555
CAESOPSTOM	557	CIGCRAVE	61	COUTYP4	5
CAFRESP2	77	CIGDLLST	385	CR30EST	111
CAFREWHO	77	CIGDLMFU	53	CRAKREC	109
CAGALLIVPAN	557	CIGDMLU	386	CRBSTWAY	110
CAGVMONY	75	CIGDLYFU	53	CRDAYPMO	110
CAGVWHO	76	CIGDLYLU	385	CRDAYPWK	110
CAIDCHIP	29	CIGDLYMO	53	CRDAYPYR	110
CAKIDNEY	558	CIGEVER	50	CRFQFLG	109
CALARYLUNG	558	CIGFLAG	213	CRKAGE	108
CAMELANOM	558	CIGFNLKE	62	CRKAGLST	390
CAMHPROB	564	CIGFNSMK	62	CRKEVER	108
CAMHPROB2	571	CIGINCRS	65	CRKFLAG	218
CAMHRCVR	564	CIGINCTL	62	CRKMMDAYS	250
CAMOUTTHRO	558	CIGINFLU	64	CRKMFU	109
CANCEREVR2	556	CIGIRTL	61	CRKMLU	391
CANCERYR	559	CIGLOTMR	65	CRKMON	219
CAOTHER2	557	CIGMDAYS	249	CRKUS30A	111
CAOVARY	558	CIGMENTH30	52	CRKYDAYS	248
CAPROTEST	558	CIGMFU	51	CRKYFU	108
CASKINDK	559	CIGMLU	385	CRKYLU	390
CASKINOTH	559	CIGMON	213	CRKYR	219
CASUPROB	564	CIGNMCHG	64	CRKYRTOT	109
CASUPROB2	571	CIGNOINF	65	CRTOTFG	109
CASURCVR	564	CIGPDAY	251	DAMTFXFLAG	221
CATAG2	14	CIGPLANE	63	DAMTFXMON	221
CATAG3	14	CIGREC	51	DAMTFXREC	130
CATAG6	14	CIGREGDY	63	DAMTFXYR	221
CATAG7	14	CIGREGNM	64	DCIGMON	229
CATAGE	14	CIGREGWK	63	DIABETEAG	560
CATHYROID	559	CIGRNOUT	63	DIABETEVR2	554
CAUTERUS	559	CIGROLL30	52	DIFGETCOC	428
CBDHMPEVR	86	CIGSATIS	65	DIFGETCRK	428
CBDHMPFLAG	215	CIGSVLHR	64	DIFGETHER	428
CBDHMPMON	216	CIGTRY	50	DIFGETLSD	427
CBDHMPREC	86	CIGWAKE	66	DIFGETMRJ	427
CBDHMPYR	216	CIGYFU	50	DIFOBTCOC	431
CC30EST	107	CIGYLU	384	DIFOBTCRK	431
CCBSTWAY	106	CIGYR	213	DIFOBTHER	431
CCDAYPMO	106	CIGYRBFR	398	DIFOBTLSD	431
CCDAYPWK	106	CIRROSAGE	560	DIFOBTMRJ	431
CCDAYPYR	106	CIRROSEVR2	555	DMTAMTFXY	116
CCFQFLG	105	CLEFLU3	131	DRVINAGE	14
CCTOTFG	105	CLEFLUEVER2	231	DRVINALCO	45
CDCGMO	229	CNSANYR	224	DRVINALCO2	48
CDNOCGMO	229	CNSNMMON	227	DRVINALDRG	48
CDUFLAG	229	CNSNMYR	227	DRVINALON	47
CELLNOTCL	37	COCAGE	104	DRVINCOCN	46

INDEX

DRVINDETAG	15	FUCD221	252	HALLUC30N	125
DRVINDRG	48	FUCGR18	252	HALLUCAGE	122
DRVINDROTMJ	48	FUCGR21	252	HALLUCEVR	122
DRVINHALL	46	FUCIG18	252	HALLUCFLAG	219
DRVINHERN	46	FUCIG21	252	HALLUCMFU	123
DRVININHL	47	FUCOC18	253	HALLUCMON	219
DRVINMARJ	46	FUCOC21	253	HALLUCOT1	118
DRVINMARJ2	48	FUCRK18	253	HALLUCOT2	120
DRVINMETH	47	FUCRK21	253	HALLUCOT3	121
DSTCHR12	461	FUECSTMO18	254	HALLUCOT4	121
DSTCHR30	459	FUECSTMO21	254	HALLUCOT5	122
DSTEFF12	461	FUHALLUC18	254	HALLUCOTH	117
DSTEFF30	459	FUHALLUC21	254	HALLUCREC	123
DSTHOP12	460	FUHER18	254	HALLUCYFQ	123
DSTHOP30	458	FUHER21	254	HALLUCYFU	122
DSTNGD12	461	FUINHAL182	255	HALLUCYR	219
DSTNGD30	459	FUINHAL212	255	HALLYRLST	392
DSTNRV12	460	FULSD18	254	HALTOTFG	123
DSTNRV30	458	FULSD21	254	HEALTH	10
DSTRST12	460	FUMETHAM18	255	HEALTH2	15
DSTRST30	458	FUMETHAM21	255	HEOTNDL	270
DSTWORST	459	FUMJ18	253	HEOTOTH	270
ECSTMOAGE	128	FUMJ21	253	HEOTSMK	270
ECSTMOAGL	395	FUNICVAP18	253	HEOTSNF	270
ECSTMOFLAG	220	FUNICVAP21	253	HEOTSP	270
ECSTMOLLY	116	FUPCP18	254	HEPBCEVER2	555
ECSTMOMFU	129	FUPCP21	254	HEPBCAGE	561
ECSTMOMLU	396	FUPNRNM18	255	HER30USE	114
ECSTMOMON	220	FUPNRNM21	255	HERAGE	112
ECSTMOREC	129	FUSEDNM18	256	HERAGLST	391
ECSTMoyFU	128	FUSEDNM21	256	HEREVER	112
ECSTMoyLU	395	FUSMKLSS18	252	HERFLAG	219
ECSTMoyR	220	FUSMKLSS21	252	HERMDAYS	250
EDFAM18	26	FUSTMNM18	255	HERMFU	112
EDUD5PNRMIS	365	FUSTMNM21	256	HERMLU	392
EDUD5PNRUNM2	365	FUTRQNM18	255	HERMON	219
EDUD5SEDMIS	366	FUTRQNM21	255	HERNEDEVER	278
EDUD5SEDUNM	366	GAS3	131	HERNEEDL	269
EDUD5STMMIS	366	GASEVER2	231	HERREC	113
EDUD5STMUNM	366	GHB	268	HERRXOPYR	227
EDUD5TRQMIS	365	GHBFLAG	279	HERSMOEVER	279
EDUD5TRQUNM	366	GHBMON	279	HERSMOKE	269
EDUFULPAR	16	GHBREC	268	HERSNEVER	279
EDUHIGHCAT	15	GHBYSR	279	HERSNIFF	269
EDUSCHGRD2	16	GLUE3	132	HERYDAYS	248
EDUSCHLGO	16	GLUEEVER2	231	HERYFU	112
EDUSCKCOM	17	GNNDCLN	276	HERYLU	391
EDUSCKEST	17	GNNDGET2	276	HERYR	219
EDUSCKMON	17	GNNDLSH1	275	HERYRTOT	113
EDUSKPCOM	18	GNNDLSH2	276	HIGHBPAGE	562
EDUSKPEST	18	GNNDREUS	275	HIGHBPEVR2	556
EDUSKPMON	17	GOVTPROG	40	HIGHBPMED	562
EIBINGAGE	80	GQTYPE2	570	HIVAIDSAG	561
EIBINGMFU	81	GRPHLTIN	30	HIVAIDSEV2	555
EIBINGYFU	80	GRSKBNGDLY	431	HLCALL99	36
ENRLCOLLFT2	20	GRSKBNGWK	431	HLCALLFG	36
ENRLCOLLST2	20	GRSKCIGPKD	430	HLCCLAST	31
ETHER3	132	GRSKCOCMON	430	HLCNOTMO	31
ETHEREVER2	231	GRSKCOCWK	430	HLCNOTYR	31
FELTMARKR3	133	GRSKHERTRY	430	HLLOSRSN	32
FENTANYR2	143	GRSKHERWK	430	HLNVCONST	32
FENTNMYR	152	GRSKLSDTRY	430	HLNVNEED	32
FILEDATE	3	GRSKLSDWK	431	HLNVOFPR	32
FLTMRKEVER2	232	GRSKMRJMON	430	HLNVREF	32
FLVVAPEVR	565	GRSKMRJWK	430	HLNVSOR	33
FLVVAPFLAG	571	HALFQFLG	123	HLTINALC	30
FLVVAPMON	572	HALLAGLST	392	HLTINDRG	30
FLVVAPREC	565	HALLDYPMO	124	HLTIMMNT	30
FLVVAPYR	571	HALLDYPPWK	124	HLTINNOS	31
FPIMFANYR2	573	HALLDYSYR	124	HPALCAMT2	552
FPIMFNMYR	573	HALLEASWY	124	HPALCCUT2	553
FTNDDEPND	66	HALLMOLST	393	HPALCFRQ2	553
FUALC18	253	HALLNDAYPM	250	HPALCNOT2	553
FUALC21	253	HALLNDAYYR	248	HPALCPRB2	553
FUCD218	252	HALLUC30E	125	HPALCTX2	553

INDEX

HPDRGTALK	554	IICOCAGE	205	IILSDYFU	207
HPQTT0B	552	IICOCFM	198	IIMARIT	13
HPUSEALC	551	IICOCFY	193	IIMCDCHP	34
HPUSEDRG	551	IICOCRC	184	IIMEDICR	34
HPUSET0B	551	IICOCYFU	205	IIMETHAM30N	200
HR30EST	114	IICRKAGE	205	IIMETHAMAGE	208
HRBSTWAY	113	IICRKFM	198	IIMETHAMREC	188
HRDAYPMO	114	IICRKFY	194	IIMETHAMYFQ	195
HRDAYPWK	114	IICRKRC	184	IIMETHAMYFU	208
HRDAYPYR	113	IICRKYFU	205	IIMHTERED	538
HRFQFLG	113	IIDAMTFXREC	187	IIMHTINHOSP2	538
HRNDLREC	271	IIDSTCHR12	472	IIMHTINOPL2	539
HRSMKREC	269	IIDSTCHR30	471	IIMHTINRHAB2	538
HRSNFRFC	269	IIDSTEFF12	473	IIMHTINRSMH2	538
HRTCONDAG	560	IIDSTEFF30	471	IIMHTOPDOC2	540
HRTCONDEV2	554	IIDSTHOP12	472	IIMHTOPHOSP2	540
HRTCONDYR	560	IIDSTHOP30	470	IIMHTOPMHCRC2	539
HRTOTFG	113	IIDSTNGD12	473	IIMHTOPOPL2	540
HTANSWER	548	IIDSTNGD30	471	IIMHTOPRHAB2	539
HTINCHE2	548	IIDSTNRV12	472	IIMHTOPSCHL2	540
HVYDRKMON	229	IIDSTNRV30	470	IIMHTOPTHRP2	539
IFATHER	26	IIDSTRST12	472	IIMHTPEERSPC	541
I12ALCFM	197	IIDSTRST30	470	IIMHTPHVID	541
I12ALCFY	193	IIDSTWORST	471	IIMHTRXMED	540
I12ALCRC	179	IIECSTMOAGE	207	IIMHTSUPPGRP	538
I12CGRFM	196	IIECSTMOREC	186	IIMJAGE	204
I12CGRRC	177	IIECSTMOYFU	207	IIMJEVERVAPE	180
I12CIGFM	196	IIEDUHIGHST2	13	IIMJFM	198
I12CIGRC	177	IIFAMIN3	39	IIMJFY	193
I12COCFM	198	IIFAMPMT	38	IIMJMONDAB	182
I12COCFY	194	IIFAMSOC	38	IIMJMONEAT	183
I12COCRC	184	IIFAMSSI	38	IIMJMONMOUTH	183
I12CRKFM	199	IIFAMSVC	38	IIMJMONPILL	183
I12CRKFY	194	IIFENTANYR2	188	IIMJMONSKIN	183
I12CRKRC	184	IIFENTNMYR	190	IIMJMONSMOKE	182
I12HERFM	199	IIFLVVAPREC	568	IIMJMONVAPE	182
I12HERFY	194	IIFSTAMP	38	IIMJRC	179
I12HERRC	185	IIGHBREC	277	IIMJYFU	204
I12LSDRC	185	IIHALLUC30N	199	IIMJYRDAB	180
I12MJFM	198	IIHALLUCAGE	206	IIMJYREAT	181
I12MJFY	193	IIHALLUCREC	185	IIMJYRMOUTH	181
I12MJRC	179	IIHALLUCYFQ	195	IIMJYROTHER	182
I12PCPRC	186	IIHALLUCYFU	206	IIMJYRPILL	181
I12WRKST18	25	IIHERAGE	205	IIMJYRSKIN	181
I12WRKSTAT	25	IIHERFM	199	IIMJYRSMOKE	180
IIAGADANNOY	478	IIHERFY	194	IIMJYRVAPE	180
IIAGADAWFUL	479	IIHERRC	184	IINICVAP30N	197
IIAGADNRVANX	477	IIHERYFU	206	IINICVAPAGE	203
IIAGADNTSTOP	477	IIHH65_2	27	IINICVAPREC	178
IIAGADRSTLSS	478	IIHHSIZ2	26	IINICVAPYFU	204
IIAGADTRBRLX	478	IIIMFREC	569	IINPCOLDREC	277
IIAGADWRYMCH	478	IIIMPCONCN	473	IIOTHHLT	35
IIALCAGE	204	IIIMPGOUT	474	IIOXCNANYR2	188
IIALCBNG30D	197	IIIMPGOUTM	474	IIOXCNNMYR	190
IIALCFM	197	IIIMPHHLD	475	IIPCAGE	207
IIALCFY	193	IIIMPHHLDLM	475	IIPCPRC	185
IIALCRC	179	IIIMPPEOP	474	IIPCYPFU	207
IIALCYFU	204	IIIMPPEOPM	474	IIPINC3	39
IIAMDEIMP	505	IIIMPREMEM	473	IIPILF	178
IIAMDELT	505	IIIMPRESF	476	IIPIMN	178
IIAMDEYR	505	IIIMPRESFM	476	IIPMNICDEP	67
IIBZOANYR	190	IIIMPSOC	475	IIPNRANYREC2	188
IIBZONMYR	192	IIIMPSOCM	475	IIPNRNM30FQ	200
IICBDHMPREC	179	IIMPWORK	476	IIPNRNMAGE	210
IICD2YFU	202	IINHAL30N2	200	IIPNRNMINIT	209
IICDUAGE	202	IINHALAGE2	208	IIPNRNMREC	190
IICGRAGE	203	IINHALREC2	187	IIPNRNMYFU	210
IICGRFM	196	IINHALYFQ2	195	IIPRVHLT	34
IICGRRC	177	IINHALYFU2	208	IIPSYLCYREC	186
IICGRYFU	203	IIINSUR4	36	IIPYSEV5ALC	371
IICHMPUS	34	IIKETMINREC	186	IIPYSEV5COC	372
IICIGAGE	202	IIK117_2	26	IIPYSEV5SHAL	372
IICIGFM	196	IIKRATREC	568	IIPYSEV5HER	372
IICIGRC	177	IILSDAGE	206	IIPYSEV5INH	373
IICIGYFU	202	IILSDRC	185	IIPYSEV5MRJ	371

INDEX

IIPYSEV5MTH	373	IIWRKSTAT18	25	IRAGADNRVANX	477
IIPYUD5ALC	367	IIYGADANNOY	451	IRAGADNTSTOP	477
IIPYUD5COC	367	IIYGADAWFUL	451	IRAGADRSTLSS	478
IIPYUD5HAL	368	IIYGADNRVANX	449	IRAGADTRBRLX	478
IIPYUD5HER	368	IIYGADNTSTOP	450	IRAGADWRYMCH	478
IIPYUD5INH	368	IIYGADRSTLSS	450	IRALCAGE	204
IIPYUD5MRJ	367	IIYGADTRBRLX	450	IRALCBNG30D	197
IIPYUD5MTH	369	IIYGADWRYMCH	450	IRALCFM	197
IIRXOPANYYR	189	ILIMFOTHFG	573	IRALCFY	193
IIRXOPNMYR	191	ILIMFOTHMN	574	IRALCRC	179
IISALVIAREC	187	ILIMFOTHYR	574	IRALCYFU	204
IISEDANYREC	189	ILLALCFLG	230	IRAMDEIMP	505
IISEDNM30FQ	201	ILLALCMON	230	IRAMDELT	505
IISEDNMAGE	212	ILLANDALC	230	IRAMDEYR	505
IISEDNMINIT	209	ILLEMFLAG2	228	IRBZOANYYR	189
IISEDNMREC	191	ILLEMMON2	228	IRBZONMYR	191
IISEDNMYFU	211	ILLEMYR2	228	IRCBDHMPREC	179
IIEVPNRMIS	373	ILLFLAG	227	IRCD2YFU	202
IIEVPNRUNM2	373	ILLMON	228	IRCDUAGE	202
IIEVSEDMIS	375	ILLORALC	230	IRCGRAGE	202
IIEVSEDUNM	375	ILLYR	227	IRCGRFM	196
IIEVSTMMIS	374	ILTOBALCFG	229	IRCGRR	177
IIEVSTMUNM	375	ILTOBALCMN	229	IRCGRYFU	203
IIEVTQOMIS	374	ILTOBALCYR	229	IRCHMPUS	34
IIEVTRQUNM	374	ILTOBVAPALC	230	IRCIGAGE	202
IISMKLSS30N	196	IMFEVER	567	IRCIGFM	196
IISMKLSSREC	178	IMFFLAG	572	IRCIGRC	177
IISMKLSSTRY	203	IMFMON	572	IRCIGYFU	202
IISMKLSSYFU	203	IMFNDLEVER	567	IRCOCAGE	204
IISTMANYREC	189	IMFNEDFLAG	573	IRCOCFM	198
IISTMNM30FQ	201	IMFYR	572	IRCOCFY	193
IISTMNMAGE	211	IMOTHER	26	IRCOCRC	184
IISTMNMINIT	209	IMPCONCN	462	IRCOCYFU	205
IISTMNMREC	191	IMPDYFRQ	465	IRCRKAGE	205
IISTMNMYSFU	211	IMPGOUT	462	IRCRKFM	198
IISUICTHNK	476	IMPGOUTM	462	IRCRKFY	194
IISUIPLANYSR	477	IMPHHLD	463	IRCRKRC	184
IISUITRYR	477	IMPHHLD	464	IRCRKYFU	205
IISUTDETOX	414	IMPPEOP	462	IRDAMTFXREC	187
IISUTERED	411	IMPPEOPM	463	IRDSTCHR12	472
IISUTINHOSP2	411	IMPREMEM	461	IRDSTCHR30	470
IISUTINOPL2	412	IMPRES	464	IRDSTEFF12	473
IISUTINRHAB2	411	IMPRESM	464	IRDSTEFF30	471
IISUTINRSMH2	412	IMPSOC	463	IRDSTHOP12	472
IISUTODRVMED	414	IMPSOCM	463	IRDSTHOP30	470
IISUTOPDOC2	413	IMPWEEKS	465	IRDSTNGD12	473
IISUTOPHOSP2	413	IMPWORK	464	IRDSTNGD30	471
IISUTOPMHCR2	412	IMPYDAYS	465	IRDSTNRV12	471
IISUTOPPL2	414	INCOME	40	IRDSTNRV30	470
IISUTOPRHAB2	412	INHAL30ES2	138	IRDSTRST12	472
IISUTOPSCHL2	413	INHAL30N2	138	IRDSTRST30	470
IISUTOPTHRP2	413	INHALAGE2	134	IRDSTWORST	471
IISUTPEERSPC	415	INHALEVER2	134	IRECSTMOAGE	207
IISUTPHVID	414	INHALFLAG2	221	IRECSTMOREC	186
IISUTRXALC	414	INHALMFU2	135	IRECSTMOYFU	207
IISUTRXDRG	414	INHALMON2	222	IREDUHIGHST2	13
IISUTSUPPGRP	411	INHALOTH2	134	IRFAMIN3	39
IISYNMRJREC	568	INHALREC2	136	IRFAMPMT	38
IISYNSTMREC	568	INHALYFQ2	136	IRFAMSOC	38
IITRQANYREC	189	INHALYFU2	135	IRFAMSSI	38
IITRQNM30FQ	200	INHALYR2	222	IRFAMSVC	38
IITRQNMAGE	211	INHDPYMO2	137	IRFENTANYR2	188
IITRQNMINIT	209	INHDPYWK2	138	IRFENTNMYR	190
IITRQNMREC	191	INHDSYR2	137	IRFLVVAPREC	568
IITRQNMYSFU	210	INHEASWY2	137	IRFSTAMP	38
IIUD5PNRMIS	369	INHFAQFLG2	136	IRGHBBREC	277
IIUD5PNRUNM2	369	INHLAGLST	396	IRHALLUC30N	199
IIUD5SEDMIS	370	INHLMOLST	397	IRHALLUCAGE	206
IIUD5SEDUNM	371	INHLYRLST	396	IRHALLUCREC	185
IIUD5STMMIS	370	INHNDAYPM2	250	IRHALLUCYFQ	194
IIUD5STMUNM	370	INHNDAYYR2	248	IRHALLUCYFU	206
IIUD5TRQOMIS	369	INHOSPYR	549	IRHERAGE	205
IIUD5TRQUNM	370	INHTOTFG2	136	IRHERFM	199
IIWELMOS	39	IRAGADANNOY	478	IRHERFY	194
IIWRKSTAT	25	IRAGADAWFUL	479	IRHERRC	184

INDEX

IRHERYFU	206	IRNICVAPAGE	203	IRSUTOPHOSP2	413
IRHH65_2	26	IRNICVAPREC	178	IRSUTOPMHCR2	412
IRHHSI2	26	IRNICVAPYFU	203	IRSUTOPPL2	413
IRIMFREC	569	IRNPCOLDREC	277	IRSUTOPRHAB2	412
IRIMPCONCN	473	IROTHHLT	35	IRSUTOPSCHL2	413
IRIMPGOUT	474	IROXCNANYR2	188	IRSUTOPTHRP2	412
IRIMPGOUTM	474	IROXCNNMYR	190	IRSUTPEERSPC	415
IRIMPHHLD	475	IRPCPAGE	207	IRSUTPHVID	414
IRIMPHHLDM	475	IRPCPRC	185	IRSUTRXALC	414
IRIMPPEOP	474	IRPCPYFU	207	IRSUTRXDRG	414
IRIMPPEOPM	474	IRPINC3	39	IRSUTSUPPGRP	411
IRIMPREMEM	473	IRPIPLF	177	IRSYNMRJREC	568
IRIMPRESF	476	IRPIPMN	178	IRSYNSTMREC	568
IRIMPRESFM	476	IRPMNICDEP	67	IRTRQANYREC	189
IRIMPSOC	475	IRPNRANYREC2	188	IRTRQNM30FQ	200
IRIMPSOCM	475	IRPNRNM30FQ	200	IRTRQNMAGE	210
IRIMPWORK	476	IRPNRNMAGE	210	IRTRQNINIT	209
IRINHAL30N2	199	IRPNRNMINIT	209	IRTRQNMREC	191
IRINHALAGE2	208	IRPNRNMREC	190	IRTRQNMYFU	210
IRINHALREC2	187	IRPNRNMVYFU	210	IRUD5PNRMIS	369
IRINHALYFQ2	195	IRPRVHLT	34	IRUD5PNRMUN2	369
IRINHALYFU2	208	IRPSILCYREC	186	IRUD5SEDMIS	370
IRINSUR4	36	IRPYSEV5ALC	371	IRUD5SEDUNM	371
IRKETMINREC	186	IRPYSEV5COC	372	IRUD5STMMIS	370
IRK117_2	26	IRPYSEV5SHAL	372	IRUD5STMUNM	370
IRKRATREC	568	IRPYSEV5HER	372	IRUD5TRQMIS	369
IRLSDAGE	206	IRPYSEV5INH	372	IRUD5TRQUNM	370
IRLSDRC	185	IRPYSEV5MRJ	371	IRWELMOS	38
IRLSDYFU	206	IRPYSEV5MTH	373	IRWRKSTAT	25
IRMARIT	13	IRPYUD5ALC	367	IRWRKSTAT18	25
IRMCDCHP	34	IRPYUD5COC	367	IRYGADANNOY	450
IRMEDICR	34	IRPYUD5HAL	368	IRYGADAWFUL	451
IRMETHAM30N	200	IRPYUD5HER	368	IRYGADNRVANX	449
IRMETHAMAGE	208	IRPYUD5INH	368	IRYGADNTSTOP	449
IRMETHAMREC	187	IRPYUD5MRJ	367	IRYGADRSTLSS	450
IRMETHAMYFQ	195	IRPYUD5MTH	368	IRYGADTRBRLX	450
IRMETHAMYFU	208	IRRXOPANYR	189	IRYGADWRYMCH	450
IRMHTERED	538	IRRXOPNMYR	190	KETMINESK	116
IRMHTINHOSP2	538	IRSALVIAREC	187	KETMINFLAG	221
IRMHTINOPL2	539	IRSEDANYREC	189	KETMINMON	221
IRMHTINRHAB2	538	IRSEDNM30FQ	201	KETMINREC	129
IRMHTINRSMH2	538	IRSEDNMAGE	212	KETMINYR	221
IRMHTOPDOC2	539	IRSEDNMINIT	209	KIDNYDSAG	561
IRMHTOPHOSP2	540	IRSEDNMREC	191	KIDNYDSEV2	555
IRMHTOPMHCR2	539	IRSEDNMYFU	211	KRATEVER	565
IRMHTOPOPL2	540	IRSEVPNRMIS	373	KRATOMFLAG	571
IRMHTOPRHAB2	539	IRSEVPNRUNM2	373	KRATOMMON	571
IRMHTOPSCHL2	540	IRSEVSEDMIS	375	KRATOMYR	571
IRMHTOPTHRP2	539	IRSEVSEDUNM	375	KRATREC	565
IRMHTPEERSPC	541	IRSEVSTMMIS	374	KSSLR6MAX	480
IRMHTPHVID	540	IRSEVSTMUNM	374	KSSLR6MON	480
IRMHTRXMED	540	IRSEVTRQMIS	374	KSSLR6MONED	468
IRMHTSUPPGRP	538	IRSEVTRQUNM	374	KSSLR6YR	480
IRMJAGE	204	IRSEX	13	KSSLR6YRED	468
IRMJEVERVAPE	180	IRSMKLSS30N	196	LANGVER	570
IRMJFM	198	IRSMKLSSREC	178	LGAS3	132
IRMJFY	193	IRSMKLSSSTRY	203	LGASEVER2	231
IRMJMONDAB	182	IRSMKLSSYFU	203	LMIPY	482
IRMJMONEAT	183	IRSTMANYREC	189	LMMIPY	483
IRMJMONMOUTH	183	IRSTMNM30FQ	200	LMMISUD5ANY	483
IRMJMONPILL	183	IRSTMNMAGE	211	LSD	115
IRMJMONSKIN	183	IRSTMNMINIT	209	LSDAGE	125
IRMJMONSMOKE	182	IRSTMNMREC	191	LSDAGLST	393
IRMJMONVAPE	182	IRSTMNMVYFU	211	LSDFLAG	219
IRMJRC	179	IRSUICTHNK	476	LSDMFU	126
IRMJYFU	204	IRSUIPLANYR	477	LSDMLU	394
IRMJYRDAB	180	IRSUITRYR	477	LSDMON	220
IRMJYREAT	181	IRSUTDETOX	414	LSDREC	126
IRMJYRMOUTH	181	IRUTERED	411	LSDYFU	125
IRMJYROTHER	182	IRSUTINHOSP2	411	LSDYLU	393
IRMJYRPILL	181	IRSUTINOPL2	412	LSDYR	219
IRMJYRSKIN	181	IRSUTINRHAB2	411	LVLDIFCARE2	11
IRMJYRSMOKE	180	IRSUTINRSMH2	411	LVLDIFCOMM2	12
IRMJYRVAPE	180	IRSUTODRVMED	414	LVLDIFHEAR2	11
IRNICVAP30N	197	IRSUTOPDOC2	413	LVLDIFMEM2	11

INDEX

LVLDIFSEE2	11	MHTUNPTHNK2	535	MKMLOOGMCOM2	99
LVLDIFWALK2	11	MHTUNSTART2	535	MKMLOOOUNCE	100
MAIN102	6	MHTUNTIME2	534	MKMOTHWAYYR	96
MDEIMPY	530	MHTUNWHER2	533	MKMSELLMRJ	100
MEDICARE	29	MICATPY	483	MKMTRADEYR	95
MEDMJP2	94	MILSTAT	8	MMIPY	482
MEFQFLG	140	MILTCHLDR	19	MOVSNPYR2	10
MESC	115	MILTFAMLY	18	MR30EST	89
MESCEVER	230	MILTPARNT	19	MRBSTWAY	88
METHAGLST	397	MILTSIBLN	19	MRDAYPMO	89
METHAM30E	142	MILTSPPAR	18	MRDAYPWK	89
METHAM30N	142	MJAGE	86	MRDAYPYR	88
METHAMAGE	139	MJALLMEDYR	94	MRJAGLST	383
METHAMEVR	139	MJANYMEDYR	94	MRJFLAG	216
METHAMFLAG	222	MJCMOTHMON	218	MRJMDAYS	249
METHAMMFU	140	MJCMOTHYR	217	MRJMLU	384
METHAMMON	222	MJDABMON	218	MRJMON	216
METHAMREC	140	MJDABYR	216	MRJMONVAP2	217
METHAMYFQ	140	MJDAY30A	89	MRJYDAYS	247
METHAMYFU	139	MJEATMON	218	MRJYLU	383
METHAMYR	222	MJEATYR	216	MRJYR	216
METHDYPMO	141	MJEVER	86	MRJYRBF	383
METHDYPWK	141	MJEVERVAPE	93	MRTOTFG	88
METHDYSYR	141	MJFQFLG	88	MTHNEDEVER	278
METHEASWY	141	MJMFU	87	MXMJPNLT	47
METHMOLST	398	MJMONDAB	92	NDSSDEPN	66
METHNDAYPM	250	MJMONEAT	92	NEWRACE2	15
METHNDAYYR	248	MJMONMOUTH	93	NICVAP30N	55
METHNDLRC	271	MJMONPILL	93	NICVAPAGE	54
METHNEEDL	271	MJMONSKIN	93	NICVAPEVER	54
METHYRLST	397	MJMONSMOKE	92	NICVAPFLAG	214
METOTFG	140	MJMONVAPE	92	NICVAPMFU	55
MHNTCARE2	547	MJMTHMON	218	NICVAPMON	214
MHNTCONSO2	546	MJMTHYR	217	NICVAPREC	55
MHNTCOST2	544	MJONLYFLAG2	228	NICVAPYFU	54
MHNTENFCV2	544	MJONLYMON2	228	NICVAPYR	214
MHNTFFLKE2	546	MJONLYYR2	228	NICVPMDAYS	249
MHNTFORCE2	546	MJOTHYR	217	NITOXID3	133
MHNTHNDL2	546	MJPLLMON	218	NITOXIEVER2	231
MHNTINSCV2	544	MJPLLYR	217	NMERTMT2	549
MHNTMEDS2	546	MJREC	87	NMNGTHS2	550
MHNTNOFND2	545	MJSKNMON	218	NMVSOEST	550
MHNTNOHLP2	547	MJSKNYR	217	NMVSOPT2	550
MHNTNOOPN2	545	MJSKMKMON	217	NOBOOKY2	41
MHNTPRIV2	545	MJSMKYR	216	NOMARR2	10
MHNTPROBS2	545	MJVAPFLAG	216	NONABOVEV2	556
MHNTPTHNK2	545	MJVAPMON	217	NOOPPRANYR	263
MHNTSTART2	546	MJVAPYR	216	NOOPPRNMYR	263
MHNTTIME2	545	MJYFU	87	NPCOLDFLAG	279
MHNTWHER2	544	MJYRDAB	90	NPCOLDMON	279
MHTINOTHPY2	542	MJYREAT	90	NPCOLDYR	279
MHTINPPY2	542	MJYRMOUTH	91	NRCH17 2	26
MHTNSEEKPY2	543	MJYROTHER	91	OPIANYR2	224
MHTOPNDOC2	543	MJYRPILL	91	OPIIMFNMMN2	573
MHTOPOTPY2	542	MJYRSKIN	91	OPIIMFNMYR2	573
MHTOPPY2	542	MJYRSMOKE	90	OPINMMON2	227
MHTRTOSVPY2	543	MJYRTOT	88	OPINMYR2	227
MHTRTPY2	543	MJYRVAPE	90	OTCFLAG	268
MHTSEEKTX2	532	MKMAMTPDCOM2	96	OTDGNDLA	272
MHTSHLDTX2	532	MKMBGHT30N2	96	OTDGNDLB	273
MHTSKTHPY2	544	MKMBGHTDAB	98	OTDGNDLCL	274
MHTUNCARE2	537	MKMBGHTDISP	97	OTDGNLDL	274
MHTUNCONSO2	535	MKMBGHTDRPS	98	OTDGNLDL	275
MHTUNCOST2	532	MKMBGHTEDBLE	98	OTDGNLDLRC	275
MHTUNENFCV2	533	MKMBGHTJNT	97	OTDGNEDL	271
MHTUNFFLKE2	536	MKMBGHTKNW	97	OTHAEREVER2	232
MHTUNFORCE2	536	MKMBGHTLLOO	97	OTHAEROS3	134
MHTUNHNDL2	535	MKMBGHTLTN	99	OTHINS	36
MHTUNINSCV2	533	MKMBGHTTOTH	99	OTHRPNRANY2	235
MHTUNMED2	536	MKMBGHTPILL	99	OTHRPNRMIS	242
MHTUNNOFND2	533	MKMBGHTREC	96	OTHRSEDANY	240
MHTUNNOHLP2	536	MKMBGHTVAPE	98	OTHRSEDMIS2	247
MHTUNNOOPN2	534	MKMBGHTYR	95	OTHRSTMANY	238
MHTUNPRIV2	534	MKMFREYR	95	OTHRSTMMIS	246
MHTUNPROBS2	534	MKMGREWYR	95	OTHRTRQANY	237

INDEX

OTHRTRQMIS	244	PREVIOL2	455	RXCLONMIS	243
OXCNANYR2	143	PRFLCLALCDL	454	RXCODEANY2	233
OXCNNMAGE	144	PRFLCLCIGDL	454	RXCODEMIS	241
OXCNNMMFU	145	PRFLCLMJMON	454	RXCYCLANY	236
OXCNNMYFU	144	PRFLCLMJTRY	454	RXCYCLMIS	244
OXCNNMYR	144	PRGDJOB2	453	RXDEMEANY2	234
OXYCNANYR2	223	PRLMTELEC	453	RXDEMESIS	242
OXYCNNMYR	225	PROB	49	RXDIAZANY	236
PARCHKHW	452	PROBATON	45	RXDIAZMIS	244
PARHLPHW	453	PRPROUD2	453	RXESZOANY	239
PARLMTSN	453	PRVDRGO2	455	RXESZOMIS	246
PAROL	48	PRVHLTN	30	RXFLURANY	240
PAROLREL	45	PRXRETRY	28	RXHYDCANY2	232
PCP	115	PRXYDATA	28	RXHYDCMIS	240
PCPAGE	126	PSILCY	115	RXHYDMANY2	234
PCPAGLST	394	PSILCYFLAG	220	RXHYDMMIS	242
PCPFLAG	220	PSILCYMON	220	RXLORAANY	236
PCPMFU	127	PSILCYREC	128	RXLORAMIS	243
PCPMLU	395	PSILCYR	220	RXMORPANY2	233
PCPMON	220	PSYANYFLAG2	224	RXMORPMIS	241
PCPREC	127	PSYANYR2	224	RXMRLXANY	236
PCPYFU	127	PSYCHFLAG	226	RXMRLXMIS	244
PCPYLU	394	PSYCHMON	227	RXMTDNANY2	234
PCPYR	220	PSYCHYR	227	RXMTDNMIS	242
PDEN10	5	PYUDSALC	363	RXMTHPANY	238
PEYOTE	115	PYUD5COC	364	RXMTHPMIS	245
PEYOTEEVER	230	PYUD5HAL	364	RXOPPRNMMON	263
PIPE30DY	60	PYUD5HER	364	RXOXCOANY2	233
PIPEVER	60	PYUD5INH	364	RXOXCOMIS	240
PIPFLAG	213	PYUD5MRJ	363	RXOXYMANY2	234
PIPMON	213	PYUD5MTH	365	RXOXYMMIS	241
PMNICDEP	66	QUESTID2	3	RXPROVANY	238
PNRANYFLAG2	222	RCVMHTNSUT2	547	RXPROVMIS	246
PNRANYLIF2	143	RCVSUTAMHT2	547	RXSOMAANY	237
PNRANYREC2	143	RCVSUTNMHT2	547	RXSOMAMIS	244
PNRANYR2	222	RCVSUTOMHT2	547	RXTEMAANY	239
PNRMAINRSN	257	RCVYMHPRB	571	RXTRAMANY2	233
PNRNDAYPM	250	RCVYSUBPRB	571	RXTRAMMIS	241
PNRNM30AL	147	RKFPQBLT	429	RXTRIAANY	239
PNRNM30D	146	RLGDCSN	456	RXZALEANY	239
PNRNM30ES	147	RLGFRND	456	RXZOHYANY2	232
PNRNM30FQ	146	RLGIMPT	456	RXZOHYMIS	240
PNRNMAGE	146	RSKBNGDLY	427	RXZOLPANY	238
PNRNMFLAG	224	RSKBNGWK	427	RXZOLPMIS	246
PNRNMINIT	145	RSKCIGPKD	425	SALVIADIV	116
PNRNMLASI	149	RSKCOCMON	426	SALVIAFLAG	221
PNRNMMLIF	144	RSKCOCWK	426	SALVIAMON	221
PNRNMFMU	146	RSKHERTRY	426	SALVIAREC	130
PNRNMFMON	225	RSKHERWK	426	SALVIAYR	221
PNRNMREC	145	RSKLSDRY	425	SCHFELT	452
PNRNMRYFU	146	RSKLSDWK	426	SEDANYFLAG	223
PNRNMRYR	225	RSKMRJMON	425	SEDANYLIF	170
PNRNORXFG	152	RSKMRJWK	425	SEDANYREC	170
PNRRSDGFX	151	RSKYFQDGR	429	SEDANYR2	223
PNRRSEMOT	150	RSKYFQTES	429	SEDMAINRSN	260
PNRRSEXT	150	RSNMJRMO	103	SEDNDAYPM	251
PNRRSHIGH	150	RSNOMRJ	103	SEDNM30AL	173
PNRRSHOOK	151	RXALPRANY	235	SEDNM30D	172
PNRRSMAIN	152	RXALPRMIS	243	SEDNM30ES	172
PNRRSOTRS2	151	RXAMMEANY	237	SEDNM30FQ	172
PNRRSPAIN	149	RXAMMEMIS	245	SEDNMAGE	171
PNRRSRELX	150	RXAMPHANY	237	SEDNMFLAG	226
PNRRSSLEP	150	RXAMPHMIS	245	SEDNMINIT	171
PNRRSSOR	151	RXANORANY	238	SEDNMLAST	174
PNRWYGAMT	147	RXANORMIS	245	SEDNMMLIF	171
PNRWYLNGR	148	RXBARBANY	240	SEDNMFMU	172
PNRWYNORX	147	RXBARBMIS	247	SEDNMFMON	226
PNRWYOFTN	148	RXBUPRANY2	233	SEDNMREC	171
PNRWYOTWY	148	RXBUPRMIS	241	SEDNMYFU	172
POVERTY3	40	RXBZOSANY	239	SEDNMYR	226
PRBSOLV2	455	RXBZOSMIS	247	SEDNORXFG	176
PRCHORE2	453	RXBZOTANY	235	SEDRSDGFX	175
PREGAGE2	14	RXBZOTMIS	243	SEDRSEMOT	175
PREGST	563	RXCLONANY	236	SEDRSEXT	174
PREGSTAT	548			SEDRSHIGH	175

INDEX

SEDRSHOOK	175	STMNM30ES	163	SUTOPPIPY2	418
SEDRSMAN	176	STMNM30FQ	163	SUTOPPNR2	402
SEDRSOTRS2	176	STMNMAGE	162	SUTOPPNRPY2	417
SEDRSRELX	174	STMNMFAG	225	SUTOPSPYPY2	418
SEDRSSLEP	175	STMNMINIT	162	SUTOPPPY2	416
SEDRSSOR	176	STMNMLAS1	166	SUTOPSED2	403
SEDWYGAMT	173	STMNMLIF	162	SUTOPSEDPPY2	418
SEDWYLNGR	173	STMNMMFU	163	SUTOPSTM2	403
SEDWYNORX	173	STMNMMON	225	SUTOPSTMPY2	417
SEDWYOFTN	173	STMNMREC	162	SUTOPTQSDPY2	418
SEDWYOTWY	174	STMNMYFU	163	SUTOPTRQ2	403
SERVICE	8	STMNMYR	225	SUTOPTROPY2	417
SEVYROPFRANY	379	STMNORXFG	169	SUTOPUNSPPY2	419
SEVYRPNRANY2	379	STMRSALRT	167	SUTPEERADB	404
SEVYRSEDANY	380	STMRSALRT	166	SUTPHVIADB	404
SEVYRSTMAN	380	STMRSALRT	167	SUTPHVIALC	419
SEVYRTRQANY	379	STMRSALRT	167	SUTPHVIDRG	419
SEXAGE	15	STMRSALRT	167	SUTRTALCPY2	420
SEXTRACE	15	STMRSALRT	168	SUTRTDRALPY2	420
SMIPPPY	481	STMRSALRT	168	SUTRTDRGPY2	419
SMIPY	482	STMRSOTRS2	168	SUTRTOSVPY2	420
SMIRSUD5ANY	483	STMRSOR	168	SUTRTPY2	419
SMISUD5ANY	483	STMRSSTDY	167	SUTRTUNSPPY2	420
SMISUD5ANYO	484	STMRSWGHT	166	SUTSKTHPY2	421
SMKAGLAST	386	STMWYGAMT	164	SUTSUPPADB	400
SMKLSMDAYS	249	STMWYLNGR	164	SUTUNCARE2	410
SMKLS30E	58	STMWYNORX	164	SUTUNCONS2	408
SMKLS30N	57	STMWYOFTN	164	SUTUNCOST2	405
SMKLSSEVR	56	STMWYOTWY	165	SUTUNENFCV2	405
SMKLSFLAG	213	STNDALC	452	SUTUNFFLKE2	409
SMKLSMFU	57	STNDNDK	452	SUTUNFORCE2	410
SMKLSMON	214	STNDSCIG	452	SUTUNHNDL2	409
SMKLSREC	57	STNDSMJ	452	SUTUNINSCV2	405
SMKLSSTRY	56	SUICHTNK	467	SUTUNNOFND2	406
SMKLSYFU	56	SUIPLANYR	467	SUTUNNOHLP2	410
SMKLSYR	214	SUNTARE2	424	SUTUNNOOPN2	406
SMKMOLAST	387	SUNTCONSQ2	423	SUTUNPRIV2	407
SMKYRLAST	386	SUNTOST2	421	SUTUNPROBS2	407
SMMIPY	482	SUNTENCV2	421	SUTUNPTHNK2	408
SNAFLMJTRY	433	SUNTFFLKE2	423	SUTUNQUIT2	409
SNRLDCSN	433	SUNTFORCE2	423	SUTUNSTART2	408
SNRLFRND	433	SUNTHNDL2	423	SUTUNTIME2	407
SNRLGIMP	433	SUNTINSCV2	421	SUTUNWHER2	406
SNYATTAK	432	SUNTNOFND2	422	SVBZOANYR	170
SNYSELL	432	SUNTNOHLP2	424	SVBZONMYR	176
SNYSTOLE	432	SUNTNOOPN2	422	SVYRCNSANY	380
SOLVENEVER2	231	SUNTPRIV2	422	SVYRCNSMIS	381
SOLVENT3	132	SUNTPROBS2	422	SVYRCNSUNM	382
SPAINTER2	232	SUNTPTTHNK2	422	SVYRDUDANY	381
SPDPSTMON	480	SUNTQUIT2	423	SVYROPIANY2	380
SPDPSTYR	480	SUNTSTART2	423	SVYROPIMIS	381
SPEAKENGL	10	SUNTTIME2	422	SVYROPUNM	382
SPPAINT3	133	SUNTWHER2	421	SVYRPSYANY	380
SRCCLFRPNR	263	SUTINPPY2	416	SVYRSUDANY	381
SRCCLFRSED	263	SUTNEDALCPY2	420	SVYRTQSDANY	380
SRCCLFRSTM	263	SUTNEEDPY2	420	SVYRTQSDMIS	381
SRCCLFRTRQ	263	SUTOPALC2	400	SVYRTQSDUNM	381
SRCFRPNRNM	262	SUTOPALCPY2	416	SYNMRJEVR	566
SRCFRSEDNM	262	SUTOPCNSPY2	418	SYNMRJFLAG	572
SRCFRSTMNM	262	SUTOPCOC2	401	SYNMRJMON	572
SRCFRTRQNM	262	SUTOPCOCPY2	416	SYNMRJREC	566
SRCPNRNM2	261	SUTOPDRALPY2	418	SYNMRJYR	572
SRCSEDNM2	261	SUTOPDRGPY2	418	SYNSTMEVR	566
SRCSTMNM2	261	SUTOPHALL2	401	SYNSTMFLAG	572
SRCTRQNM2	261	SUTOPHALPY2	417	SYNSTMMON	572
STMANYFLAG	223	SUTOPHER2	402	SYNSTMREC	566
STMANYLIF	161	SUTOPHERPY2	417	SYNSTMYR	572
STMANYREC	161	SUTOPINHL2	401	TALKPROB	455
STMANYR	223	SUTOPINHPY2	417	TCHGJOB	452
STMMAINRSN	259	SUTOPMETH2	402	TELEAPTYR	550
STMNDAYPM	251	SUTOPMRJ2	400	TELEAPTYR2	563
STMNDLREC	165	SUTOPMRJPY2	416	TOBALCFLG	230
STMNDLYR	165	SUTOPMTHPY2	417	TOBALCMN	230
STMNM30AL	164	SUTOPNDOC2	416	TOBALCYR	230
STMNM30D	163	SUTOPODG2	404	TOBCIGONL	214

INDEX

TOBCIGVAP2	215	UD5ILALANY	377	UDHALESSEFF	313
TOBFLAG	214	UD5ILLANY	376	UDHALRGAMTS	312
TOBMON	214	UD5ILNALANY	377	UDHAMNTLCTD	315
TOBVAPONL2	215	UD5OPIANY2	376	UDHAMNTLPRB	314
TOBVNICFLAG	215	UD5OPIGRP	379	UDHANEEDMOR	313
TOBVNICMON	215	UD5PSYANY	376	UDHANOTSTOP	313
TOBVNICYR	215	UD5TRQSDANY	376	UDHASTOPACT	315
TOBYR	214	UD5TRQSDGRP	379	UDHASTRURGE	312
TQSDANYFLG	223	UDALAVOIDWD	287	UDHATIMEGET	312
TQSDANYR	224	UDALAVWALCO	287	UDHATIMEUSE	311
TQSDNMFLAG	226	UDALAVWOTH	287	UDHATRYSTOP	313
TQSDNMMON	226	UDALAVWSVTR	287	UDHAWANTBAD	312
TQSDNMYR	226	UDALBLCKCTD	283	UDHAWORKPRB	315
TRBZOANYR	153	UDALBLCKOUT	283	UDHAWSHSTOP	314
TRBZONMYR	160	UDALFMLYCTD	285	UDHEAVOIDWD	310
TRQANYFLAG	223	UDALFMLYPRB	284	UDHEAVWHERN	311
TRQANYLIF	153	UDALGETHURT	285	UDHEAVWOTH	311
TRQANYREC	153	UDALHLTHCTD	282	UDHEAVWP NRL	311
TRQANYR	223	UDALHLTHPRB	282	UDHEFMLYCTD	308
TRQMAINRSN	258	UDALLESSEFF	281	UDHEFMLYPRB	308
TRQNDAYPM	250	UDALLRGAMTS	280	UDHEGETHURT	308
TRQNM30AL	156	UDALMNTLCTD	283	UDHEHLTHCTD	306
TRQNM30D	155	UDALMNTLPRB	283	UDHEHLTHPRB	306
TRQNM30ES	155	UDALNEEDMOR	281	UDHELESSEFF	305
TRQNM30FQ	155	UDALNOTSTOP	282	UDHELRGAMTS	305
TRQNMAGE	154	UDALSTOPACT	284	UDHEMNTLCTD	307
TRQNMFLAG	225	UDALSTRURGE	281	UDHEMNTLPRB	307
TRQNMINT	154	UDALTIMEGET	280	UDHENEEDMOR	305
TRQNMLAS1	157	UDALTIMEUSE	280	UDHENOTSTOP	306
TRQNMLIF	154	UDALTRYSTOP	281	UDHESTOPACT	307
TRQNMMFU	155	UDALWANTBAD	280	UDHESTRURGE	305
TRQNMMON	225	UDALWDFLANX	286	UDHETIMEGET	304
TRQNMREC	154	UDALWDHALUC	286	UDHETIMEUSE	304
TRQNMRFU	155	UDALWDSITST	286	UDHETRYSTOP	306
TRQNMRY	225	UDALWDSLEEP	286	UDHEWANTBAD	305
TRQNRXFG	160	UDALWDSWEAT	285	UDHEWDCRAMP	309
TRQRSDFGX	158	UDALWDTRMBL	285	UDHEWDDIARR	310
TRQRSEMOT	158	UDALWDVOMIT	286	UDHEWDFEVER	310
TRQRSEXT	158	UDALWORKPRB	284	UDHEWDFBLU	309
TRQRSHIGH	158	UDALWSHSTOP	282	UDHEWDRUNNY	309
TRQRSHOOK	159	UDCCAVOIDWD	303	UDHEWDSLEEP	310
TRQRSMAN	159	UDCCAVWCOCN	303	UDHEWDSWEAT	309
TRQRSOTRS2	159	UDCCAVWMETH	303	UDHEWDVOMIT	309
TRQRSRELX	157	UDCCAVWOTH	304	UDHEWDYAWNS	310
TRQRSSLEP	158	UDCCAVWSTIM	304	UDHEWORKPRB	308
TRQRSSOR	159	UDCCFMLYCTD	301	UDHEWSHSTOP	306
TRQWYGAMT	156	UDCCFMLYPRB	301	UDINFMLYCTD	321
TRQWYLNDR	156	UDCCGETHURT	301	UDINFMLYPRB	320
TRQWYNORX	156	UDCCHLTHCTD	299	UDINGETHURT	321
TRQWYOFTN	156	UDCCHLTHPRB	299	UDINHLTHCTD	319
TRQWYOTWY	157	UDCCLESSEFF	298	UDINHLTHPRB	319
UADBAR	82	UDCCLRGAMTS	297	UDINLESSEFF	318
UADBUND	84	UDCCMNTLCTD	300	UDINLRGAMTS	317
UADBWHO	83	UDCCMNTLPRB	299	UDINMNTLCTD	319
UADCAG	84	UDCCNEEDMOR	298	UDINMNTLPRB	319
UADCAR	82	UDCCNOTSTOP	298	UDINNEEDMOR	317
UADEVNT	82	UDCCSTOPACT	300	UDINNOTSTOP	318
UADFRD	85	UDCCSTRURGE	297	UDINSTOPACT	320
UADFWHO	84	UDCCTIMEGET	297	UDINSTRURGE	317
UADHOME	82	UDCCTIMEUSE	296	UDINTIMEGET	317
UADMONEY	83	UDCCTRYSTOP	298	UDINTIMEUSE	316
UADOTHM	82	UDCCWANTBAD	297	UDINTRYSTOP	318
UADOTSP2	83	UDCCWDDREAM	302	UDINWANTBAD	317
UADPAID	83	UDCCWDFBLU	301	UDINWORKPRB	320
UADPEOP	82	UDCCWDHNGRY	302	UDINWSHSTOP	318
UADPLACE	84	UDCCWDSITST	303	UDMEAVOIDWD	327
UADPUBL	82	UDCCWDSLEEP	302	UDMEAVWCOCN	327
UADROTH	83	UDCCWDTIRED	302	UDMEAVWMETH	327
UADSCHL	83	UDCCWORKPRB	300	UDMEAVWOTH	328
UD5ALNILANY	377	UDCCWSHSTOP	299	UDMEAVWSTIM	327
UD5CNSANY	376	UDHAFMLYCTD	316	UDMEFMLYCTD	325
UD5CNSGRP	378	UDHAFMLYPRB	316	UDMEFMLYPRB	325
UD5HROPANY	376	UDHAGETHURT	316	UDMEGETHURT	325
UD5IEMANY	377	UDHAHLTHCTD	314	UDMEHLTHCTD	324
UD5ILAALANY	377	UDHAHLTHPRB	314	UDMEHLTHPRB	323

INDEX

UDMELESSEFF	322	UDPRWDCRAMP2	335	UDTRFMLYCTD	344
UDMELRGAMTS	322	UDPRWDDIARR2	336	UDTRFMLYPRB	343
UDMEMNTLCTD	324	UDPRWDFFEVER2	337	UDTRGETHURT	344
UDMEMNTLPRB	324	UDPRWDFLBLU2	335	UDTRHLTHCTD	342
UDMENEEDMOR	322	UDPRWDRUNNY2	336	UDTRHLTHPRB	341
UDMENOTSTOP	323	UDPRWDSLEEP2	337	UDTRLESSEFF	340
UDMESTOPACT	324	UDPRWDSWEAT2	336	UDTRLRGAMTS	339
UDMESTRURGE	322	UDPRWDVOMIT2	335	UDTRMNTLCTD	342
UDMETIMEGET	321	UDPRWDYAWNS2	337	UDTRMNTLPRB	342
UDMETIMEUSE	321	UDPRWORKPRB2	333	UDTRNEEDMOR	340
UDMETRYSTOP	323	UDPRWWSHSTOP	331	UDTRNOTSTOP	341
UDMEWANTBAD	322	UDSTAVOIDWD	354	UDTRSTOPACT	343
UDMEWDDREAM	326	UDSTAVWCOCN	354	UDTRSTRURGE	340
UDMEWDFLBLU	326	UDSTAVWMETH	354	UDTRTIMEGET	339
UDMEWDHNGRY	326	UDSTAVWOTHR	355	UDTRTIMEUSE	339
UDMEWDSITST	327	UDSTAVWSTIM	354	UDTRTRYSTOP	341
UDMEWDSLEEP	326	UDSTFMLYCTD	352	UDTRWANTBAD	340
UDMEWDTIRED	326	UDSTFMLYPRB	351	UDTRWDFLANX	346
UDMEWORKPRB	325	UDSTGETHURT	352	UDTRWDHALUC	345
UDMEWSHSTOP	323	UDSTHLTHCTD	350	UDTRWDSITST	345
UDMJAVOIDWD	296	UDSTHLTHPRB	349	UDTRWDSLEEP	345
UDMJAVWMARJ	296	UDSTLESSEFF	348	UDTRWDSWEAT	344
UDMJAVWOTHR	296	UDSTLRGAMTS	347	UDTRWDTRMBL	344
UDMJFMLYCTD	292	UDSTMNTLCTD	350	UDTRWDVOMIT	345
UDMJFMLYPRB	292	UDSTMNTLPRB	350	UDTRWORKPRB	343
UDMJGETHURT	292	UDSTNEEDMOR	348	UDTRWSHSTOP	341
UDMJHLTHCTD	290	UDSTNOTSTOP	349	UDYR5OPPRANY	377
UDMJHLTHPRB	290	UDSTSTOPACT	351	UDYR5PNRANY2	378
UDMJLESSEFF	289	UDSTSTRURGE	348	UDYR5SEDANY	378
UDMJLRGAMTS	288	UDSTTIMEGET	347	UDYR5STMANY	378
UDMJMNTLCTD	291	UDSTTIMEUSE	347	UDYR5TROQANY	378
UDMJMNTLPRB	291	UDSTTRYSTOP	349	VEREP	4
UDMJNEEDMOR	289	UDSTWANTBAD	348	VESTR_C	4
UDMJNOTSTOP	290	UDSTWDDREAM	353	WHODASDAED	469
UDMJSTOPACT	291	UDSTWDFLBLU	352	WHODASDASC	481
UDMJSTRURGE	289	UDSTWDHNGRY	353	WHODASSCED	468
UDMJTIMEGET	288	UDSTWDSITST	353	WHODASTOTSC	481
UDMJTIMEUSE	288	UDSTWDSLEEP	353	WRK35WKUS	22
UDMJTRYSTOP	289	UDSTWDTIRED	352	WRKDHRSWK2	21
UDMJWANTBAD	288	UDSTWORKPRB	351	WRKDPSTWK	21
UDMJWDANGRY	293	UDSTWSHSTOP	349	WRKDPSTYR	23
UDMJWDAPPET	293	UDSVAVOIDWD	362	WRKEFFORT	22
UDMJWDCHILL	295	UDSVAVWALCO	362	WRKHADJOB	21
UDMJWDDEPRS	294	UDSVAVWOTHR	363	WRKLASTYR2	24
UDMJWDFFEVER	295	UDSVAVWSVTR	362	WRKNJBPYR	23
UDMJWDFLANX	293	UDSVFMLYCTD	360	WRKNJBWKS	23
UDMJWDHEDAC	295	UDSVFMLYPRB	359	WRKNUMJOB2	23
UDMJWDSHAKE	294	UDSVGETHURT	360	WRKRSNJOB	22
UDMJWDSITST	294	UDSVHLTHCTD	358	WRKRSNNOT	22
UDMJWDSLEEP	293	UDSVHLTHPRB	357	WRKSELFEM	23
UDMJWDSTMCH	294	UDSVLESSEFF	356	WRKSICKMO	24
UDMJWDSWEAT	295	UDSVLRGAMTS	355	WRKSKPMO	24
UDMJWORKPRB	292	UDSMNTLCTD	358	WRKSTATWK2	21
UDMJWSHSTOP	290	UDSMNTLPRB	358	WTANSWER	549
UDPRAVOIDWD2	338	UDSVNEEDMOR	356	WTPOUND2	549
UDPRAVWHERN2	338	UDSVNOTSTOP	357	YALTMDE	529
UDPRAVWOTHR2	339	UDSVSTOPACT	359	YCOUNMDE	528
UDPRAVWPRL2	338	UDSVSTRURGE	356	YDOCMDE	527
UDPRFMLYCTD2	334	UDSVTIMEGET	355	YEATNDYR	434
UDPRFMLYPRB2	334	UDSVTIMEUSE	355	YECIGFRNDOF2	436
UDPRGETHURT2	334	UDSVTRYSTOP	357	YECIGNEXTYR2	436
UDPRHLTHCTD2	332	UDSVWANTBAD	356	YECOMACT	445
UDPRHLTHPRB2	331	UDSVWDFLANX	362	YEDECLAS	445
UDPRLESSEFF2	330	UDSVWDHALUC	361	YEDERGLR	446
UDPRLRGAMTS2	329	UDSVWDSITST	361	YEDESPCL	446
UDPRMNTLCTD2	332	UDSVWDSLEEP	361	YEDGPRGP	444
UDPRMNTLPRB2	332	UDSVWDSWEAT	360	YEFIAICT	445
UDPRNEEDMOR2	330	UDSVWDTRMBL	360	YEHMSLYR	434
UDPRNOTSTOP2	331	UDSVWDVOMIT	361	YELSTGRD	435
UDPRSTOPACT2	333	UDSVWORKPRB	359	YEOTHACT	445
UDPRSTRURGE2	329	UDSVWSHSTOP	357	YEPCHKHW	437
UDPRTIMEGET2	328	UDTRAVOIDWD	346	YEPCHORE	438
UDPRTIMEUSE2	328	UDTRAVWALCO	346	YEPFLALCDL	441
UDPRTRYSTOP2	330	UDTRAVWOTHR	347	YEPFLCIGDL	441
UDPRWANTBAD2	329	UDTRAVWSVTR	346	YEPFLMJMON	441

INDEX

YEPFLMJTRY	441	YO_MDEA5	518	YOWRSLEP	515
YEPGDJOB	438	YO_MDEA6	518	YOWRSLNO	516
YEPHLPBW	437	YO_MDEA7	518	YOWRSLOW	516
YEPLMTELEC	438	YO_MDEA8	518	YOWRSMOR	515
YEPLMTSN	438	YOATTAK2	454	YOWRTHOT	516
YEPPROUD	439	YOCOUNS	523	YOWRWRTH	517
YEPBBSLV	444	YODPDISC	509	YPSY1MDE	528
YERLDCSN	446	YODPLSIN	510	YPSY2MDE	528
YERLFRND	447	YODPPROB	511	YRELMDE	528
YERLGIMP	446	YODPR2WK	510	YRXMDEYR	527
YESCHACT	444	YODPREV	509	YSDSHOME	530
YESCHFLT	434	YODSCEV	509	YSDSOVRL	530
YESCHIMP	435	YODSLSIN	510	YSDSREL	530
YESCHINT	435	YODSMMDE	519	YSDSSOC	530
YESCHWRK	434	YOFAMDOC	522	YSDSWRK	530
YESTSALC	437	YOFIGHT2	453	YSOCMDE	528
YESTSCIG	436	YOGRPFT2	453	YTHACT2	456
YESTSDNK	437	YOHERBAL	524	YTXMDEYR	527
YESTSMJ	436	YOHGUN2	454	YUSUIPLN	449
YETCGJOB	435	YOLOSEV	509	YUSUIPLNYR	457
YETLKBGF	443	YOLSI2WK	510	YUSUITHK	449
YETLKNON	443	YOMDMDE	527	YUSUITHKYR	457
YETLKOTA	443	YOMHMDE	528		
YETLKPAP	443	YONURSE	523		
YETLKSOP	443	YOOTHDOC	522		
YEVOPRV	444	YOOTHHLP	524		
YEYARGUP	439	YOOTHMHP	523		
YEYATTAK	440	YOPB2WK	520		
YEYFGTGP	439	YOPBAGE	519		
YEYFGTSW	439	YOPBDLYA	519		
YEYFLALCDL	442	YOPBINTF	519		
YEYFLCIGDL	442	YOPBNUM	520		
YEYFLMJMON	442	YOPBRMBR	519		
YEYFLMJTRY	442	YOPSDAYS	522		
YEYHGUN	440	YOPSHMGT	520		
YEYSELL	440	YOPSRELS	521		
YEYSTOLE	440	YOPSSOC	521		
YFLCLALCDL	455	YOPSWORK	521		
YFLCLCIGDL	454	YOPSYCH	523		
YFLCLMJMON	455	YOPSYMD	523		
YFLCLMJTRY	455	YORELIG	524		
YGADANNOY	448	YORX12MO	524		
YGADAWFUL	448	YORXHLP	525		
YGADMODESEV	457	YORXNOW	524		
YGADNRVANX	447	YOSEEDOC	522		
YGADNTSTOP	447	YOSELL2	454		
YGADRSTLSS	448	YOSOCWRK	523		
YGADSCED	448	YOSTOLE2	454		
YGADSEVSYP	456	YOTMTHLP	525		
YGADTOTSC	456	YOTMTNOW	524		
YGADTRBRLX	448	YOWRAGE	512		
YGADWRYMCH	447	YOWRCHR	511		
YHBCHMDE	528	YOWRCONC	517		
YHLTMDE	529	YOWRDCSN	517		
YMDEAUD5YR	526	YOWRDEPR	512		
YMDEHARX	529	YOWRDIET	514		
YMDEHPO	529	YOWRDISC	512		
YMDEHPRX	529	YOWRDST	511		
YMDEIMAD5YR	531	YOWRELES	513		
YMDLT	526	YOWREMOR	513		
YMDERSUD5ANY	527	YOWRENRG	515		
YMDERXO2	529	YOWRGAIN	513		
YMDERSUD5ANYO	527	YOWRGNL2	514		
YMDETXR	527	YOWRGROW	514		
YMDEYR	526	YOWRHRS	510		
YMIMISYANY	531	YOWRIMP	511		
YMIMR5YANY	531	YOWRJINO	516		
YMIMS5YANY	531	YOWRJITT	516		
YMIUD5YANY	526	YOWRLOSE	514		
YMSUD5YANY	526	YOWRLSIN	513		
YNURSMDE	528	YOWRLSL2	515		
YO_MDEA1	517	YOWRNOGD	517		
YO_MDEA2	517	YOWRPLSR	513		
YO_MDEA3	518	YOWRPREG	514		
YO_MDEA4	518	YOWRPROB	512		

Appendix A

Drug Codes for Open-Ended Questions

The final drug codes for the 2024 National Survey on Drug Use and Health (NSDUH) were created from answers that respondents specified for use, misuse,¹ or treatment for substances other than those that respondents were asked about directly in the interview. Respondents in the 2024 NSDUH could specify (a) use in their lifetime of other hallucinogens or inhalants; (b) use in the past 12 months of other prescription pain relievers; (c) misuse in the past 12 months of other prescription drugs (pain relievers, tranquilizers, stimulants, or sedatives); (d) use of a needle in their lifetime to inject other drugs besides cocaine, heroin, or methamphetamine; and (e) other substances for which they received inpatient or outpatient treatment in the past 12 months.

This appendix does not include the codes for cough and cold medications mentioned in the special drugs section (edited variables COLDYR1 through COLDYR5). The cough and cold medicine codes are unique to those measures.

Drug codes 101-199 and 1001-1999 represent sedatives, codes 201-299 and 2001-2999 represent tranquilizers, codes 301-399 and 3001-3999 represent stimulants, codes 401-499 and 4001-4999 represent pain relievers, codes 501-599 and 5001-5999 represent inhalants, and codes 601-699 and 6001-6999 represent hallucinogens. Opiates not otherwise specified in the 401-499 and 4001-4999 code series are grouped in the 701-799 series (e.g., heroin, speedball, and black tar heroin). Drugs that do not fall in the above classifications are represented by the 801-899 and 8001-8999 code series.

Drugs are sorted by drug code in this appendix. Data users who know the name of a drug or part of a drug's name can search for that drug in the electronic codebook using the appropriate search function (e.g., Ctrl-F for .docx files in Microsoft Word or PDF files in Adobe Acrobat if using a computer with a Windows operating system). Listed below are guidelines for online searching of the electronic appendix for drug codes.

- Do not require searches to be case sensitive. For example, searching for the term “bromo” will take data users to code 698 (2C-B, Bromo mescaline, Nexus), in which “Bromo” is capitalized, and code 6173 (2,5-dimethoxy-4-bromoamphetamine, Brolamfetamine, DOB), in which “bromo” is not capitalized.
- Search for alternate text strings if an initial search does not identify the code being sought. For example, code 698 includes the text string “2C-B.” In a search that is not case sensitive, code 698 will not be identified by searching for “2cb” without the hyphen or for “2-cb” instead of “2c b.” However, code 698 will be identified by shortening the search to “2c” or by searching for an alternative text string, such as “bromo.”
- Please be aware when searching for drug codes that some drugs are very similar in nomenclature or spelling. For example, the code level definitions for 2,5-Dimethoxy-4-methylphenethylamine (code 6154) and 2,5 Dimethoxy-4-methyl**thio**phenethylamine (code 6159) differ only in terms of the “thio” text for code 6159. These two codes will be identified in searches for “dimethoxy,” “methyl,” or “phenethylamine.” Data users

¹ Misuse of prescription drugs also has been referred to in NSDUH as “nonmedical” use. Misuse of prescription drugs is defined as use “in any way a doctor did not direct you to use it/them.” Examples of misuse provided to respondents include (a) use without a prescription of your own; (b) use in greater amounts, more often, or longer than directed; or (c) use in any other way not directed by a doctor.

could therefore incorrectly choose the drug corresponding to code 6154 when they intended to find the drug corresponding to code 6159, or vice versa. Therefore, data users are encouraged to examine all results from a search to avoid choosing an incorrect code from a similarly named drug.

Table A.1 Numeric Listing of Drug Codes for Open-Ended Questions, 2024 NSDUH Computer-Assisted Interviewing

Code	Definition
101	Butisol
102	Buticaps
103	Amytal
104	Mebaral
105	Placidyl, Ethchlorvynol
106	Doriden
107	Noludar
108	Nembutal
109	Seconal
110	Tuinal
111	Dalmane [see also 1502]
112	Restoril [see also 1503]
113	Halcion [see also 1504]
114	Amobarbital
115	Phenobarbital
116	Methaqualone, Sopor, Quaalude [see also 138]
117	Chloral hydrate, Noctec
118	Pentobarbital, Pentothal, Sodium pentothal, Thiopental
119	Secobarbital
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED
121	USED SEDATIVE, DON'T KNOW NAME
122	Over-the-counter sleep aid; not specified <OTC>
123	Unisom <OTC>
124	Yellow jackets
126	Sominex <OTC>
127	Nytol <OTC>
128	Nervine <OTC>
129	Reds
130	Promethazine
132	Sleepettes <OTC>
137	7-14
138	Mandrax, Mandrix [see also 116]
139	Black widows
142	Belladonna
145	Red devil(s)
146	Bentyl, Dicyclomine
152	Eskabarb
153	Luminal
154	Alurate
156	Sodium barbitol
157	Barbiturates
159	Octanox
163	Blue meanies
164	Yellow zombies
171	NyQuil <OTC>

Code	Definition
172	Dream Ease <OTC>
173	Wafers
174	Ambien [see also 1501]
176	Melatonin <OTC>
177	Bean
179	Water tee [sic]
180	Tylenol PM <OTC>
181	Excedrin PM <OTC>
182	Melzone
184	Red and blues
186	Butalbital
187	Belladonna plant/flower/root, deadly nightshade
188	Prosom
189	Sonata, Zaleplon
190	Dormin <OTC>
191	Blues
194	Quiet World <OTC>
195	Lotusate, Talbutal
196	Simply Sleep <OTC>
197	Topamax
198	Seducaps
-	-
201	Valium [see also 2506]
202	Librium [see also 2507]
203	Limbitrol [see also 276]
204	Menrium
205	Serax [see also 2508]
206	Tranxene
207	Ativan [see also 2503]
208	Centrax
209	Xanax [see also 2501, 2502]
210	Paxipam
211	BuSpar [see also 2511]
212	Miltown [see also 220]
213	Equanil [see also 220]
214	Deprol
215	Vistaril [see also 2512]
216	Atarax [see also 2512]
217	Durrax
219	SK-Lygen
220	Meproamate
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED
222	USED TRANQUILIZER, DON'T KNOW NAME
223	Methocarbamol, Robaxin
229	Librax
234	Flexeril [see also 2509]
237	Midazolam

Code	Definition
242	Equagesic
246	Klonopin [see also 2504, 2505]
260	PCB
266	Verstran
268	Rohypnol, Flunitrazepam, roche, roofies
276	Limbitrol DS [see also 203]
278	Benzodiazepines
281	Blue ringer
288	Baclofen
290	Metaxalone, Skelaxin
296	Novoxapam
297	Cafia
-	-
301	Dexedrine
302	Dexamyl
303	Eskatrol
304	Benzedrine
305	Biphetamine
306	Desoxyn
307	Tenuate [see also 3505]
308	Tepanil
309	Didrex [see also 3504]
310	Plegine
311	Preludin
312	Ionamin
313	Adipex-P [see also 3507]
314	Pondimin, Fenfluramine
315	Voranol
316	Sanorex
317	Mazanor
318	Ritalin [see also 3502]
319	Cylert
320	Dextroamphetamine
321	Methedrine
322	Methamphetamine (“ice” or “crank”), Meth [see also 3126]
323	Obedrin-L.A.
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
325	USED STIMULANT, DON’T KNOW NAME
326	White cross
327	Black beauties, black beauty
328	Pink hearts
329	Bird’s eggs, robin’s eggs, speckled eggs
330	Blue birds, blue jays, blue robins, speckled bird
331	Blancs, whites
332	Ephedrine
333	357 Magnum, Magnum 44 <OTC>
334	Crossroads, cross tops

Code	Definition
336	Diet pills
337	White molly
339	Amphetamines, otherwise unspecified
341	Pink roses
342	Purple hearts
344	Bennies
345	Black molly
346	Marax
347	Phenylpropanolamine
348	Crystal
349	Phendimetrazine [see also 3506]
351	Cathinone, cat, khat, q’at
353	No-Doz <OTC>
354	Vivarin <OTC>
355	Crystal meth
356	Dexies
357	Heart-shaped black pills
358	20/20
359	Criss cross
360	Rainbow speed
363	Bam(s)
364	Pseudoephedrine <OTC>
366	Duromine
368	Peanut butter crank
374	Christmas tree(s)
376	TAC
377	Albuterol
379	Hearts
380	Pink ladies
381	P.O.T.C.
382	Footballs, pink footballs, purple footballs
383	Pre-Sate
384	Little crosses
385	Little pink ones
386	Herbal ecstasy
388	Pink lemon
390	Max Alert
394	Debs
395	Black cats
396	Black RJs, RJ8
398	Pink crosses
-	-
401	Darvon
402	Dolene
403	SK-65
404	Wygesic
405	Levo-Dromoran
406	Percodan
407	Demerol [see also 4511]
408	Dilaudid, Hydromorphone
409	Tylenol with Codeine, Tylenol 3, Tylenol 4

Code	Definition
410	Phenaphen with Codeine, Phenaphen 3
411	Talwin
412	Talwin NX
413	Talacen
414	Propoxyphene
415	Codeine pills [see also 4506]
416	Anileridine
417	Morphine
418	Methadone [see also 4512]
419	Stadol, Stadol NS (butorphanol human form)
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED
421	USED PAIN RELIEVER, DON'T KNOW NAME
422	Motrin
423	Percocet
424	Fioricet
425	Advil <OTC>
426	Fiorinal
427	Darvocet, Darvocet-N
429	Frost 222
430	Aspirin, Ecotrin, Empirin <OTC>
431	Tylox
432	Rufen
433	Paregoric
434	Vicodin [see also 4501, 4502, 4503, 4504]
435	Tylenol, Tylenol Extra-Strength <OTC>
436	Bufferin <OTC>
438	Anaprox, Naprosyn, Naproxen, Naxen, naproxen sodium
439	222, Canadian 222
442	Ibuprofen
443	Diflunisal, Dolobid
444	Aspirin with Codeine, Empirin 3, Empirin 4
445	Norgesic Forte
447	Synalgos, Synalgos DC
450	Acetaminophen, including non-Tylenol brands <OTC>
453	Organidin with Codeine
454	Novocain, Procaine
455	Fiorinal with Codeine
457	T's and blues, tee's and b's, tops and bottoms
458	Mepergan, Mepergan Fortis
462	Norflex, Orphenadrine
465	Fentanyl [see also 4508, 4509]
466	Midol <OTC>
467	Tolectin

Code	Definition
468	Excedrin <OTC>
469	Leritine
470	Cafergot
471	Butazolidin
472	Indocin, Indomethacin
473	Pyridium, phenazopyridine
476	Duradrin, Isocom, Midrin
477	Melumbrina, Neo-Melumbrina
478	Nogirtronia
480	Robitussin AC (with Codeine), Cheratussin AC, Guaifenesin AC
481	Acular, Dolac, Ketorolac tromethamine, Torradlo
487	Ariel
490	Nalbuphine, Nubain
491	PDR
495	Red cross
496	Ultram
498	Mefenamic acid, Ponstan, Ponstel
499	Aleve <OTC>
-	-
501	Gasoline or lighter fluids
502	Spray paints
503	Other aerosol sprays
504	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
505	Lacquer thinner or other paint solvents
506	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
507	Halothane, diethyl ether, chloroform, other anesthetic inhalant
508	Nitrous oxide, "whippets," dentist gas
509	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2r spot remover, Typewash
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED
511	Markers, felt-tip pens, ink pens, Sharpies
512	Incense
516	CHC, chlorofluorocarbon, Freon, refrigerant
517	Toluol
518	Acetone, nail polish remover
519	Helium
520	Old paint, paint
521	Propane [see also 525, 544]
522	Liquid TV (MTV), TV tuner, TV11Y
523	Matches
524	White-Out [see also 509]
525	Butane [see also 521, 544]
526	Nail polish

Code	Definition
527	Phenyl nitrate
528	Whipped-cream can
529	Moth balls
531	Candy, powdered candy, sugar
533	Window sealant
534	Deodorant [see also 827]
536	Fire halt
537	Air horn, boat horn, condensed horn
539	ScotchGard
540	PAM
541	Binaca
542	Brasso, lens cleaner, spirits of ammonia, smelling salts
543	Liquid oxygen, oxygen
544	Lighter gases, not specified [see also 521, 525]
545	Car tailpipe exhaust fumes, Carbon monoxide, CO, gasoline motor exhaust fumes
546	Leather protector, suede protector
548	Cologne, isopropanol vapors, rubbing alcohol, perfume
550	Methyl chloride
551	Oven cleaner
553	Pixie sticks
554	Insect killer (e.g., Raid)
555	Chillers
556	Energine
557	Hagwash [sic], Hogwash
558	Kool Aid
559	LOLOY
560	Dishwashing detergent, laundry detergent/soap/stain remover
561	Amputee gas cleanser
562	Ban apple gas
563	Acetylene
564	Electric contact cleaner
565	Trichloroethane
566	Smoked tea from Lipton tea bag
567	Pertussin spray
568	Tally
569	Peganento
571	Black jack
572	Etam
573	Furniture polish
574	Tornado
576	C.A.T.
577	Rave runners
580	Medusa
582	WD-40
585	TCL
586	Carbon from empty soft drink bottle
587	Mineral ice

Code	Definition
588	Antifreeze
589	Tire shine/tire cleaner
590	Canned air, compressed air
591	Air brush propellant, air brush cartridge
592	Computer air duster, computer cleaner, dust-off, dust X
594	Starting fluid
595	Chlorine
596	Femo clay
597	Trichloronitrate
598	Ethylene dichloride
599	Potpourri
-	-
601	LSD ("acid") [see also 618]
602	Peyote
603	Mescaline
604	Psilocybin (mushrooms), sclerotia, shrooms
605	PCP ("angel dust," phencyclidine)
606	"Ecstasy" (MDMA), X-TC, "X"
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
609	Jimson weed
610	Crystal T
611	Greens
612	Happy stick, sherm, sherman, shermstick
613	Duckweed
614	MDA, Methylenedioxy amphetamine
615	Homemade drugs
616	DET, Dimethyltryptamine, DMT
617	Morning glory seeds, morning glory tendrils, ricea
618	Acid paper, blotter (acid) [see also 601]
619	Tic
620	Blue dragon
621	Red dragon
622	Microdot(s), green microdot, purple microdot
623	Mickey, mickey mouse club, mickey mousers
624	Orange sunshine, sunshine, yellow sunshine
625	Window, window pane, 4-way pane, 4-way
626	Jet fuel
627	Hawaiian wood rose, Hawaiian Woodrose seeds
628	Hawaiian rosebud seed tea
629	Rocket Fuel
630	Black Owsley

Code	Definition
631	Purple Owsley
633	Mr. Natural
634	Unicorn
635	Ginseng seeds, ginseng weed
636	DOM, STP
637	Purple haze
639	Nutmeg, Mace
640	Purple pyramid
642	Pink Floyd
643	Mount queen, queen
645	Thai stick
648	Designer drugs
650	Datura stramonium, daytura, thorn apple
651	Mellow Yellow
652	ALD-52
653	Cricket, cricketshit
654	Eve
655	Flying elephant
656	Mars
657	Orange barrel
658	Special K, Ketamine
659	Boat
660	Bufotenin, 5-HO-DMT, toad, toad licking
662	Kanepolin
663	Animal tranquilizer, horse tranquilizer
664	Purple fingers
665	Paniolis
666	Zonick
668	Yellow tiny pills
669	Stropharia
670	Monkey dust
672	Suncrush
673	Orange
674	Pee-pope
677	Skunk II
678	Banana peels
679	Hell bells
681	Lovely
682	Kif
686	Spider in my feet
688	AMP
690	RID
691	Maximum impact
693	Lemon drops
695	Angel's trumpet, floripondio
698	2C-B, Bromo mescaline, Nexus
699	BOHA-49B
-	-
701	OTHER Opiates, NOT OTHERWISE SPECIFIED

Code	Definition
702	Heroin
703	Opium, otherwise unspecified
704	Dope
705	Speedball (heroin + cocaine)
706	Smack
707	Black tar heroin
709	Poppy
710	Laudanum, opium tincture
711	Shirka
-	-
801	OTHER Drugs, NOT OTHERWISE SPECIFIED
802	THC, cannabinal, marinol, tetrahydrocannabinol
803	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp
804	Hashish
805	Cocaine, coca, cocaína, coke, perico, Coca
806	Crack, rock
807	Alcohol, beer, ethanol, EtOH, pink champagne
808	All of the ones I've tried
810	Freebase
812	Cigars
813	Cigarettes, tobacco (type unspecified)
814	Caffeine <OTC>
815	Coffee <OTC>
816	Smokeless tobacco, snuff, chewing tobacco
817	Hard stuff
818	Nicotine
819	Inderal, Propranolol
820	Penicillin
821	Amoxicillin, Ampicillin, Pentrexyl
822	Rabbit tobacco
824	Steroids
825	Theo-Dur
826	Alupent
827	Aluminum chloride [see also 534]
828	Tetracycline
829	Robitussin DM <OTC>
830	Mad bull
831	Honey oil
832	Primo
833	Bone
834	Loveboat
836	Antabuse
837	Paris 400
840	Over-the-counter cough medicine (contents unspecified) <OTC>
841	Allerest <OTC>, Contac <OTC>

Code	Definition
843	Antihistamine, cold medicine, cold tablets <OTC>
844	Blood pressure medication
846	Erythromycin
847	GHB, NSC, gamma hydroxybutyrate
848	Liquid vitamin, vitamin pills <OTC>
849	Monosodium glutamate (MSG) <OTC>
850	Slack
852	Formaldehyde, wak [sic], whack (embalming fluid)
854	Juice
857	Wicki stick
858	Antibiotic
865	Diuretics, water pills
866	Boomers
867	Boron
873	Contraceptives, Ferutal, Mircette, Ortho Novum,
874	Premarin
875	Buds
876	Glass
877	Methazolamide
880	Frios
881	YLOALE
883	Dextromethorphan hydrobromide <OTC>
884	Snow
885	Drixoral <OTC>
886	Spanish fly
891	Pepcid <OTC>
892	Carafate, Sucralfate
893	Estrogen
894	Depakene, Depakote, Divaporiex sodium, Valproic acid
895	Tagamet, Cimetidine
896	Catapres, Clonidine
897	Synthroid, Levothyroxine
898	Propylene
899	Bromophen
-	-
900	Not a drug
900	Non-drug reason given for a drug
-	-
1001	Benadryl, Diphenhydramine <OTC>
1003	Donnatal
1004	Valerian <OTC>
1005	Imovane, Zopiclone
1006	Oxcarbazepine, Trileptal
1007	Robitussin P.M. <OTC>
1008	Rohr 714, Rorer 714
1009	Mogadon
1010	Diprivan

Code	Definition
1011	Eszopiclone, Lunesta
1012	Brevital
1013	Ambien CR
1014	Tylenol Flu Nighttime <OTC>
1015	Wild lettuce
1016	Phenazepam
1017	Rozerem
1018	Advil PM <OTC>
1019	Donormyl <OTC>
1022	Atropine
1023	Relaxen <OTC>
1024	Homemade sedative
1025	Acetaminophen P.M., including non-Tylenol brands <OTC>
1026	Moon drops <OTC>
1027	ZzzQuil <OTC>
1028	Dormidina
1029	Sleep-Eze <OTC>
1030	Alteril <OTC>
1031	Zolfresh
1032	Aleve pm <OTC>
1033	Promethazine DM
1034	Topiramate
1035	Doxylamine succinate
1501	Zolpidem [see also 174]
1502	Flurazepam [see also 111]
1503	Temazepam [see also 112]
1504	Triazolam [see also 113]
-	-
2001	Soma [see also 2510]
2002	Muscle relaxers
2003	Zanies, zannies, zans, zany bars
2004	Bromazepam, Lexillum, Lexomil, Lexotan, Lexotamil
2006	Chlorzoxazone
2007	R2
2008	747
2009	Inapsine
2010	Buscopan, Espacil
2013	Hyoscyamine, Levsin
2014	Robaxisal
2015	Flexodin
2016	Xanax XR
2017	Motival
2018	4 Bar, Quad Bar
2019	Soma Compound
2022	Tetrazepam
2023	Tandrilax
2024	Muscoril, Myoril, Neoflax, Thiocolchicoside
2025	Clobazam
2026	Sedoxil
2027	Homemade tranquilizers

Code	Definition
2028	Maolate, Chlorphenesin, Musil
2029	Etizolam
2030	Versed
2031	Rivotril
2032	Flualprazolam
2033	Chlorodiazepam, Diclazepam
2034	Clonazolam
2035	Flunitrazolam
2036	Bromazolam
2501	Alprazolam [see also 209]
2502	Xanax bars [see also 209]
2503	Lorazepam [see also 207]
2504	Clonazepam [see also 246]
2505	Clonazepam product, otherwise unspecified [see also 246]
2506	Diazepam [see also 201]
2507	Chlordiazepoxide HCl [see also 202]
2508	Oxazepam [see also 205]
2509	Cyclobenzaprine [see also 234]
2510	Carisoprodol [see also 2001]
2511	Buspirone [see also 211]
2512	Hydroxyzine [see also 215, 216]
-	-
3001	Brown and clear
3002	Pep ups
3003	Primatene tablets <OTC>
3004	Black Cadillac
3006	Green amps
3007	Nasal inhalant
3008	Miniwhites
3009	Ephedrone, Methcathinone
3010	KOOD12
3011	Escalation
3012	Stud 100, stud the rock
3013	Tweek
3014	Uptime
3015	Fen-Phen (fenfluramine and phentermine)
3017	Dayquil <OTC>
3018	Up-johns
3019	Peppies
3020	White powder
3021	Blue balls
3023	Adderall
3024	Yohimbe
3025	Moles [sic]
3027	Energy pills
3028	Blackbirds
3029	Soccerballs
3030	Red hearts
3031	Brethine, Bricanyl, Terbutaline
3032	Heads up
3033	Metabolife <OTC>

Code	Definition
3034	Speckleberry
3035	Blacks
3036	Ripped fuel <OTC>
3038	Obenil
3039	Theophed
3040	Hyper pills
3041	Desbutal
3042	30-30
3043	Brown bodies
3044	Caffeine pills/packets <OTC>
3045	Stay awakes <OTC>
3046	Adrenalin, Epinephrine
3047	Sudafed <OTC>
3048	Diet Pep <OTC>
3049	Truck driver's speed
3050	Mini thins
3051	Betel nut, beetlenut
3052	Speed; otherwise unspecified
3053	Maxair, Pirbuterol
3054	Up your gas <OTC>
3055	Clenbuterol
3056	Xenadrine <OTC>
3057	Diet Fuel <OTC>
3058	Metabolift <OTC>
3059	Metabolize and Save <OTC>
3060	Hydroxycut <OTC>
3061	Metab-O-Lite <OTC>
3062	Homemade stimulants
3063	Dymetadrine <OTC>
3064	Ephedra, Ma Huang
3065	MA-300 <OTC>
3066	Alert Blue and Clear <OTC>
3068	Mini Two-way Action <OTC>
3069	DextroStat
3070	Synatan
3071	Adipokinetix <OTC>
3072	Purple Blast <OTC>
3073	Over-the-counter diet pill; otherwise unspecified <OTC>
3074	Stay Trim <OTC>
3075	Inibex
3076	Norephedrine <OTC>
3077	Concerta
3078	Blue and clears
3080	Meridia, Sibutramine
3081	P2P, Phenyl-2-propanone
3082	Fat burner; not otherwise specified
3083	Redotex
3084	Cartwheels
3085	Thermo Carb <OTC>
3086	Adderall XR
3088	Super Stingers <OTC>
3089	Christina, Tina

Code	Definition
3090	Provigil [see also 3508]
3091	Black bombers
3092	Metadate CD
3093	Supercaps
3094	Focalin [see also 3503]
3095	LoCarb Turbo <OTC>
3096	Yaba
3097	Bamadex
3098	Zantrex 3 <OTC>
3099	Asenlix, Clobenzorex
3100	Over-the-counter stimulant; not otherwise specified <OTC>
3101	Dexitac Stay Alert Stimulant. <OTC>
3102	Methylin
3103	RedLine. <OTC>
3104	Slimquick. <OTC>
3105	Affinato
3106	Sedalmerck
3107	Guarana. <OTC>
3109	Dietrex <OTC>
3110	Dexfenfluramine, Redux
3111	Vyvanse
3113	Levophed bitartrate, Norepinephrine
3114	Ritalin LA,
3115	Isometheptene
3116	4-MCC, 4-methylmethcathinone, MCAT, Mephedrone
3117	Methedrone
3119	MDPV, Methylenedioxypyrovalerone
3120	DetoxaTrim <OTC>
3122	Nuvigil
3123	Adrafinil, Olmifon
3124	Focalin XR
3125	3, 4-Ethylenedioxy-N-methylamphetamine, EDMA, MDMC
3126	Pervitin [see also 322]
3127	4-FMA, 4-Fluoromethamphetamine
3128	Jet-Alert <OTC>
3129	JavaSLIM green coffee extract <OTC>
3130	IFA-Norex
3131	5-MAPB
3132	4-FA, 4-Fluoroamphetamine, 4-FMP
3133	5-APB
3134	SuperHD <OTC>
3135	Evekeo
3136	4-MEC, 4-Methylethcathinone
3137	3-Fluorophenmetrazine, 3-FPH, 3-FPM, PAL-593
3138	2-CA, 2-Chloroamphetamine
3139	2-FMA, 2-Fluoromethamphetamine
3140	2-FA, 2-Fluoroamphetamine
3141	Cotempla XR-ODT

Code	Definition
3142	Amphetamine analogue; otherwise unspecified
3143	Pyrovalerone
3144	Cyclazodone
3145	Jornay PM
3187	Greenies
3188	Anorex, Leptoprin <OTC>
3189	BetaLean <OTC>
3190	Primatene Mist <OTC>
3191	Extended-release methylphenidate, not otherwise specified
3501	Amphetamine/dextroamphetamine salts
3502	Methylphenidate [see also 318]
3503	Dexmethylphenidate [see also 3094]
3504	Benzphetamine [see also 309]
3505	Diethylpropion [see also 307]
3506	Bontril [see also 349]
3507	Phentermine [see also 313]
3508	Modafinil [see also 3090]
-	-
4001	Actron, Ketoprofen, Orudis, Oruvail
4002	Imitrex, Sumatriptan, Zembrace
4005	Etodolac, Lodine
4007	Happy pills
4008	Brown gel pills
4009	Smilies
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol
4013	Fenoprofen, Nalfon
4018	Nuprin <OTC>
4022	Buprenex
4023	Pamprin <OTC>
4024	Reynol [sic]
4025	Viserol [sic]
4026	Ventrex [sic]
4027	Rorer
4028	Arthrotec
4029	Feldine, Piroxicam
4030	Triple "S"
4031	Cough syrup/medicine with Codeine
4033	Vicoprofen
4034	Lilly red
4035	Nabumetone, Relafin
4036	Stagesic
4037	MS Contin [see also 4507]
4038	Propacet
4039	Daypro, Oxyprozin
4040	Ridaura
4041	Maxalt, Rizatriptan
4042	M-33
4043	Tramadol
4044	Hydrocodone

Code	Definition
4045	Dolgic, Phrenilin Forte, Sedapap
4046	Oxycodone [see also 4505]
4047	Roxicet
4048	Motrin IB <OTC>
4049	Headache power <OTC>
4050	Percogesic <OTC>
4051	Celebrex
4052	Endocet
4053	Codydramol
4054	Zomax
4055	Vioxx
4056	Cataflam, Diclofenac, Voltaren
4057	Mejoral
4058	Totem poles
4059	Zomig, Zolmitriptan
4060	Ansaid, Flurbiprophen, Majezik
4061	Oramorph SR
4062	Iophen-C Liquid
4063	Naprelan (Naproxen extended/controlled release)
4064	Epidrin
4065	Roxicodone
4067	OxyContin
4068	Roxilox
4069	Benflogin
4070	Flexagen <OTC>
4071	Syncol
4072	Oxycet
4073	Temgesic
4074	Provil <OTC>
4075	Disalcid, Salflex, Salsalate
4076	Over-the-counter pain reliever; not otherwise specified <OTC>
4077	Tee's
4078	Spasmoproxyn
4079	Anbesol <OTC>
4080	Morphidex
4081	Avamigran
4082	Analgin, Dipyrone, Metamizol, Metamizole, Novalgin, Prodolin
4083	Ultracet
4084	Aktren
4085	Advil Migraine <OTC>
4086	Parafon Forte
4087	Torbugesic/Torbutrol (veterinary butorphanol) [see also 419]
4088	Synthetic/synthesized heroin
4089	Brompton's solution/mixture
4090	Dorixina
4091	K4
4092	Pain reliever lotion, rub; not specified
4093	Tylex, Solpadeine
4094	Tombstones

Code	Definition
4095	Dihydrocodeine
4096	Bextra, Valdecocib
4097	Tussionex
4098	Banamine
4099	Anacin <OTC>
4100	Excedrin Migraine <OTC>
4101	Myprodol
4102	Mobic, Meloxicam, Metacam
4103	Terpin Hydrate with Codeine
4104	Dolo-Neurobion <OTC>
4105	Hydrocodone with APAP; otherwise unspecified
4106	Atroveran
4107	Panlor
4108	Homemade analgesics
4109	Suboxone
4110	Avinza
4111	Clinoril, Sulindac
4112	Saridone
4113	Cosanyl
4114	Nimesulide
4115	Pantopon
4116	Phenergan with Codeine, promethazine with Codeine
4117	Oxy-IR
4118	Sufenta, Sufentanil
4119	Buprenorphine
4120	Opana [see also 4510]
4121	Dorflex
4122	Combiflam
4123	Dolorex
4124	Eletriptan, Relpax
4125	Hycodan, Hydromet, Tussigon
4126	Panafen Plus
4127	Panadeine
4128	Ibuprofen 200 mg/Children's ibuprofen <OTC>
4129	Naproxen Sodium 220 mg <OTC>
4130	Dalgan, Dezocine
4131	Diconal, Dipipanone
4132	Embeda
4133	Tramadol extended release
4134	Ultram ER
4135	Arcoxia, Etoricoxib
4136	Sedalmex <OTC>
4137	Nucynta, Tapentadol
4138	Sprix
4139	Bute tabs, Phenylbutazone
4140	Opana ER (extended release)
4141	Alfenta, Alfentanil
4142	Remifentanil
4143	Vicotuss
4144	Bancap HC

Code	Definition
4145	Daprisal
4146	Traumeel <OTC>
4147	Bio Electro pain reliever <OTC>
4148	Butrans transdermal system/patch
4149	Pain patch, otherwise unspecified
4150	Subutex
4151	Acetaminophen; more than max dosage reported <OTC>
4152	Flanid
4153	Morphine extended release
4154	Musflex <OTC>
4155	Numorphone
4156	Apronax
4157	Profinal
4158	Naratriptan
4159	Aspirin and caffeine tablets/pills <OTC>
4160	Hysingla ER
4161	U-47700
4162	Oxymorphone extended release
4163	Belbuca
4164	Synthetic/synthesized opioid; otherwise unspecified
4165	Supradol
4166	zubsolv (buprenorphine/naloxone); sublingual
4167	Adco-Dol
4168	Ubrelvy, Ubrogepant
4169	Xtampza ER
4170	Sublocade
4171	AleveX (lotion) <OTC>
4172	Cold water extraction of Hydrocodone
4173	Codeine with APAP; otherwise unspecified
4174	Oxycodone with APAP; otherwise unspecified
4175	Opioids; type unspecified
4176	Nurtec ODT, Rimegepant
4177	Duexis
4178	Frova, Frovatriptan
4179	Buscapina <OTC>
4180	Treximet
4181	Metamine
4182	Pancof
4183	Dologesic <OTC>
4501	Lortab [see also 434]
4502	Norco [see also 434]
4503	Lorcet [see also 434]
4504	Anexsia [see also 434]
4505	Oxycodone product, otherwise unspecified [see also 4046]
4506	Codeine, not in pill form [see also 415]

Code	Definition
4507	Kadian [see also 4037]
4508	Duragesic [see also 465]
4509	Sublimaze [see also 465]
4510	Oxymorphone [see also 4120]
4511	Meperidine [see also 407]
4512	Dolophine [see also 418]
-	-
5001	Bleach
5003	Methane
5004	Ink print, paper
5005	Cobra rush
5006	Brake fluid
5007	Fly nap
5008	R-R
5011	Ozone
5012	Negros
5013	Lebel 12
5014	Spray O Buzz
5015	MCH
5016	Masking tape, tape adhesive
5017	Oil, lubricant, grease; otherwise unspecified
5018	B-12 (Spanish)
5019	Melted plastic
5020	Wet cement
5021	Octane booster
5022	Carbon dioxide, CO ₂ , CO ₂ tank, cryogenic cleaning spray, dry ice blasting, dry ice hits
5023	Double eagle
5024	Candle, citronella candle
5025	Lime salt
5026	Silly putty
5027	Benzene
5028	Carburetor cleaner, engine cleaner
5029	Floor wax
5030	Polyurethane (spray, liquid, compound)
5031	Naphtha
5032	Nitrogen
5033	Sur-noxem
5034	Hippie crack
5035	Brake cleaner
5036	Wart remover
5037	Wood filler, wood putty
5038	Tywall
5039	Acetate
5040	Methanol, wood alcohol
5042	Fuels other than gasoline
5043	Carbona
5044	Powdered cleansers (e.g., Ajax, Comet, Boraxo)
5045	Cleaner; not otherwise specified

Code	Definition
5046	Glass/window cleaner
5047	Tetrafluoroethylene
5048	MEK, Methyl ethyl ketone
5049	Hand sanitizer; contents unspecified
5050	Burned rubber
5051	Hair chemicals
5052	Silly String
5053	Electric parts cleaner, electronics cleaner
5054	Gum freezer, gum remover
5055	PVC
5056	Eucalyptus oil
5057	Argon
5058	Sealers/sealants; type unspecified
5059	Transmission fluid
5060	Crayons
5061	Lip balm, lip gloss
5062	Amazing Elastic Plastic
5063	Drano/drain cleaner; aerosol unspecified
5064	Erasers
5065	Nail polish dryer, quick drying treatment for nails
5066	Simply Green
5067	Wet Ones wipes
5068	Smoke from a fire; contents unspecified
5069	Febreze
5070	Silicone
5071	Purell
5072	Air blast
5073	Goof off
5074	Floor wax stripper
5075	Pine-sol
5076	Water/stain repellent; type unspecified
5077	Resistol
5078	Axe body spray
5079	Shellac
5080	Tetrachloroethene
5081	Photographic development fluid
5082	Chalk dust
5083	Ethyl chloride
5084	Dry cleaning fluid/solvent
5085	Toilet bowl hook-ons
5086	Dry Fab
5087	Tennis balls, ping pong balls
5088	Jungle juice
5089	Tattoo Goo Color Guard Spray
5090	PVC Cleaner
5091	Germ-X
5092	Burning/ignited permanent marker
5093	Goo Gone
5094	Scotch Brite

Code	Definition
5095	"The Works" shower cleaner
5096	Hemp rope
5097	Lysol; aerosol unspecified
5098	Axe/Axe deodorant; aerosol unspecified
5099	HydroCide
5100	TCE, Trichlorethylene
5101	Difluoroethane
5102	Xylene; otherwise unspecified
5103	Shoe dye
5104	Shoe cleaner; otherwise unspecified
5105	Sulfur; otherwise unspecified
5106	Carbon tetrachloride
5107	Alcanfor, camphor
5108	Tag body spray
5109	Tinactin antifungal spray
5110	Graffiti eraser
5111	Homemade napalm
5112	Lotion (body, hand); contents unspecified
5113	Disinfectant; contents unspecified
5114	Green gas propellant
5115	Polish; contents unspecified
5116	Vinegar
5117	Turpentine
5118	Spray adhesive
5119	Battery acid
5120	Ignition spray, starter spray
5121	Tetrafluoroethane
5122	Leather cleaner
5123	Fixative
5124	Bromine
5125	Difluoromethane
5126	Rubber rejuvenator
5127	Airsoft propellant
5128	Floor sealer
5129	Smoke bomb
5130	Glow stick
5131	Hunting/fishing deodorizer
5132	Chewing gum remover
5133	Air conditioner cleaner
5134	Cosmetics/makeup
5135	Rubber roof remover
5136	WariActiv
5137	Handi Wipes
5138	Glade Plugins
5139	Hydrazine hydrate
5140	Rat shampoo
5141	Gun smoke, gun powder
5142	Dryer sheets, fabric softener
5143	Toilet bowl cleaner
5144	Tires
5145	Phosphorus

Code	Definition
5146	Rocol PR Spray
5147	Glycerin
5148	Hand sanitizer/cleaner; alcohol-based
5149	Sanitizer; type unspecified
5150	Nail strengthener
5151	Dichloromethane
5152	Sawdust
5153	Breaking Styrofoam (to release gas)
5154	Latex/latex glove
5155	Levmetamfetamine <OTC>
5156	Liquid air
5157	Spam in a plastic bag
5158	Alcohol dye
5159	Gas/fuel cleaner/treatment
5160	Smoke from burning paper
5161	Smoke from burning wood
5162	Mold cleaner; contents unspecified
5163	Sewage, raw sewage
5164	Oobleck
5165	Citric acid
5166	Frosties
5167	Cinnamon
5168	Cigarettes coated with salt
5169	Baking soda
5170	Baby powder
5171	Mouthwash
5172	Shampoo
5173	Tire inflator/sealer; aerosol unspecified
5174	Belt dressing
5175	Acetylene chloride
5176	Fabuloso cleaner
5177	Pepper spray
5178	Creosote
5179	Wet tar/fresh tar
5180	Xenon, xenon gas
5181	Hydrogen
5182	Carbolic acid, Hydroxybenzene, Oxybenzene, Phenol
5183	Skunk (animal)
5184	Sunscreen
5185	Alcohol spray
-	-
6001	Collapsing little birds
6003	Cocahina
6004	Hallucinogen seeds
6005	Sassafras, Sassafras tea
6006	Super X
6007	Bathtub
6008	8-Ball
6010	Atropa belladonna (flower)
6012	Cloud 9, cloud 13
6013	Lion's tail, wild dagga

Code	Definition
6014	Indo
6015	Crysta
6016	Nas
6017	Meesha
6019	Black dust, black duct [sic]
6021	Snake bite kit (anti-venom)
6022	Tequila worm, agave worm
6023	Euphoria
6024	Blue Jesus
6025	Yellow jell
6026	KJ
6027	Judyfly
6028	Laced flower
6029	DXM
6030	Root
6031	Strychnine
6032	TSP
6033	Ramstein
6034	Pigface
6035	Campana (flower)
6036	Coco weed
6037	Fry
6038	Triplets, trips
6039	Blue Hawaii
6040	Dank
6041	Leaky leak
6042	Super K
6043	Diviner's sage, Salvia divinorum
6044	Gel caps, gel tabs
6045	Blackboards
6046	Aquafoot
6048	Dex
6049	Locoseeds, locoweed seeds
6050	High roller
6051	Tryptamine, not otherwise specified
6052	Acrylic resin
6053	Toothpicks
6054	Spiny apples
6055	Liberty caps
6056	Wet
6057	Silk
6058	Purple life
6059	Satan flower
6060	Ololiuhqui
6061	5-MeO-DMT
6062	Madderwort, wormwood
6063	Foxglove
6064	Marigold buttons
6065	3CPO
6066	Purple rain
6067	Venus
6068	Blue ice

Code	Definition
6069	Peach
6070	DTP
6071	Sinicuichi, sun opener
6072	JUNO
6073	Rolls
6074	LSA
6075	Trinity
6076	Lemon 714
6077	San Pedro, Wachuma
6078	Trumpet flowers/seeds; type unspecified
6079	Sugar cubes
6080	Purple passion
6081	Shabu
6083	CCC, "Triple C," C3 <OTC>
6084	Devil dust
6085	Dips
6086	Flakes
6087	Ibogaine
6088	Brugmansia
6089	Cake
6090	Heaven
6091	Ergot, rye mold
6092	TCP
6093	Mitsubishi
6094	Mushrooms, specifically not psilocybin
6095	Super cool, super kool
6096	Bananadine
6097	Banana slug slime
6098	Dust; not otherwise specified
6099	Kathmandu Temple Kiff
6100	2C-T-7, T7, blue mystic
6101	Alice in Wonderland
6102	Absinthe
6103	Ayahuasca, Yage, Yahe
6104	Tish
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT
6106	Paramethoxyamphetamine, PMA
6107	Ambrosia
6108	Gorilla biscuits
6109	2, 5-Dimethoxyamphetamine, DMA
6110	Mad dog
6111	Syrian rue
6112	2C-T-2
6113	Candy flip
6114	Molly; not otherwise specified
6115	Foxy
6116	Nepenthes
6117	Dragon (with color; not blue/red)
6118	Adrenochrome
6119	Scoop

Code	Definition
6120	Lucky seven
6121	Cactus; specifically not peyote
6122	MMDA
6123	Mighty Quinn
6124	Mormon tea
6125	MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I
6127	Skittles
6128	Henbane
6129	Beaner
6130	5-MeO-DiPT, foxy methoxy
6131	Mandrakes
6132	Amanita mushrooms, fly agaric, Muscimol
6133	Acorus calamus, sweet flag
6134	Anadenanthera colubrina, cohoba, vilca, yopo
6135	5-MeO-AMT
6136	Spook
6137	Harmaline
6138	2,5-Dimethoxy-4-ethylphenethylamine, 2C-E
6139	2,5-Dimethoxy-4-chlorophenethylamine, 2C-C
6140	MiPT, N-Methyl-N-isopropyltryptamine
6141	Dipropyltryptamine, DPT, N, N-Dipropyltryptamine
6142	Snake venom
6143	2C-X
6144	Di-isopropyl-tryptamine, DiPT
6145	Scooby snacks
6146	5-MeO; otherwise unspecified
6147	Phenethylamines; otherwise unspecified
6148	Mimosa tree bark
6149	Tiletamine
6150	Mantis root
6151	Matrix
6152	Cigarette dipped in embalming fluid
6153	Asthmador
6154	2,5-Dimethoxy-4-methylphenethylamine, 2C-D
6155	5-MeO-T, 5-Methoxytryptamine
6156	TMA, Trimethoxyamphetamine
6157	Taters
6158	Mulberry seeds/plant
6159	2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T
6160	Wacky Weed
6161	Thujone

Code	Definition
6162	4-MeO-DMT
6163	Devil's trumpet
6164	Tenocyclidine
6165	PMMA, Paramethoxymethamphetamine
6166	BZP, Benzylpiperazine
6167	4-HO-DMT, Psilocin
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI
6169	2,5-Dimethoxy-4-chloroamphetamine, DOC
6170	Moonflower/pod; otherwise unspecified
6171	4-Acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT, Psilacetin
6172	2,5-Dimethoxy-4-(2-fluoroethylthio) phenethylamine, 2C-T-21
6173	2,5-dimethoxy-4-bromoamphetamine, Brolamfetamine, DOB
6174	bk-MDMA, M1, Methylone
6175	4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT, Iprocin
6176	3C-Bromo-Dragonfly, DOB-Dragonfly
6177	4-Acetoxy-DiPT, 4-Acetoxy-N,N-diisopropyltryptamine
6178	4-Acetoxy-DMT
6179	4-HO-HiPT, 4-HO-MiPT, 4-Hydroxy-MiPT, 4-Hydroxy-N-methyl-N-isopropyltryptamine, Miprocin
6180	2C-BCB, TCB-2
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine
6182	2C-P, 4-Propyl-2,5-dimethoxyphenethylamine
6183	5-MeO-DALT, N,N-diallyl-5-methoxytryptamine
6184	Orange peels
6185	25I-NBOMe, BOM-CI, Cimbi-5, NBOMe-2C-I
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine
6187	Mugwort
6188	25B-NBOMe, NBOMe-2C-B
6189	25C-NBOMe, NBOMe-2C-C
6190	2, 5-Dimethoxy-4-fluorobenzaldehyde, 2C-F
6191	CI-400, Eticyclidine, PCE
6192	5-MeO-MiPT, 5-methoxy-N-methyl-N-isopropyltryptamine
6193	Fungus; otherwise specified
6194	MDMA derivative; otherwise unspecified

Code	Definition
6195	LSZ, Lysergic acid 2,4-dimethylazetidide
6196	Changa
6198	5,6-methylenedioxy-2-aminoindane, MDAI
6199	LAH, LSH, Lysergic acid hydroxyethylamide
6200	6-allyl-6-nor-LSD, AL-LAD
6201	4-HO-DET, 4-Hydroxy-N,N-diethyltryptamine, CZ-74, Ethocin
6202	4-Acetoxy-MET, 4-AcO-MET, Metacetin
6203	NBOMe; otherwise unspecified
6204	Hallucinogen from toothpaste
6205	Owsley, white owsley
6206	Blue Egyptian lotus, blue lotus
6207	2C-B-Fly, 2C-Bromo-Fly
6208	3-Methoxyphencyclidine, 3-MeO-PCP
6209	1P-LSD
6210	Beta-keto 2C-B, Bk-2C-B
6211	6-MAPB
6212	3-Mephedrone, 3-Methylmethcathinone, 3-MMC
6213	Synthetic/synthesized LSD/acid; otherwise unspecified
6214	Synthetic/synthesized mescaline; otherwise unspecified
6215	Synthetic/synthesized mushrooms; otherwise unspecified
6216	4-Acetoxy-N-methyl-N-isopropyltryptamine, 4-AcO-MiPT
6217	25D-NBOMe, NBOMe-2C-D
6218	2,3,4-Trimethoxyamphetamine, TMA-2
6219	Hallucinogenic honey; type unspecified
6220	ETH-LAD
6221	Amatoxin-containing mushrooms; otherwise unspecified
6222	Jekem, Jenkem
6223	3-HO-PCP, 3-Hydroxyphencyclidine
6224	Red canary grass
6225	DCK, Deschloroketamine
6226	E-EAPB
6227	4-Acetoxy-N,N-Diethyltryptamine, 4-AcO-DET
6228	Synthetic/synthesized hallucinogen; otherwise unspecified
6229	LSD analogue; otherwise unspecified
6230	Ketamine analogue; otherwise unspecified
6231	Mescaline analogue; otherwise unspecified

Code	Definition
6232	2-FDCK, 2-Fluorodeschloroketamine, Fluoroketamine
6233	Hawthorn berries
6234	Sniffing/smelling cat urine
6235	Drinking diesel fuel
6236	NBOH; otherwise unspecified
6237	Datura inoxia
6238	Curcumin, turmeric
6239	25E-NBOMe
6240	4-MeO-PCP, 4-Methoxyphencyclidine
6241	5-MeO-PCP, 5-Methoxyphencyclidine
6242	Chia sprouts
6243	Sex-enhancement hallucinogen; otherwise unspecified
6244	Synthetic/synthesized molly; otherwise unspecified
6245	Human blood
6246	5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine
6247	Sunflower seeds
6248	b-Carboline Monoamine Oxidase
6249	2'-Oxo-PCE, Eticyclidone, O-PCE
6250	Ephedrine
6251	3-MeO-PCE, 3-Methoxyeticyclidine
6252	Methoxpropamine, MXPr
6253	5-acetoxy-N, N-dimethyltryptamine, 5-AcO-DMT
6254	N-ethyl-pentylone, NEP
6255	Esketamine
6501	Ketaset
-	-
8001	Robitussin elixir
8002	Zantac
8003	Yesca
8004	Guaifenesin
8005	Imodium AD <OTC>
8006	Laxative <OTC>
8007	Gabapentin, Neurontin
8008	Antidepressant; type unspecified
8009	Allergy pills/antihistamine; type unspecified
8010	Zyrtec, Cetirizine <OTC>
8011	Herb, flower, plant; type unspecified
8012	Coriciden <OTC>
8013	Maalox <OTC>
8014	Throat spray/lozenge; type unspecified <OTC>
8015	Bengay <OTC>
8016	Icy Hot <OTC>
8018	Claritromicina
8019	Azithromycin, Z-pack, Zithromax
8020	Allegra, Altiva <OTC>
8021	Cipro, Ciprofloxacin, Ciloxam

Code	Definition
8022	Creatine <OTC>
8023	Myoflex <OTC>
8024	Asthma inhaler, asthma medication, bronchial dilators
8025	Alavert D, Claritin D, or similar <OTC>
8026	Powder
8027	Alavert, Claritin, Loratadine <OTC>
8028	Bactine <OTC>
8029	Flexall <OTC>
8030	Tums <OTC>
8031	Sugar pills
8032	Prilosec, Mopral
8033	Heart medication; type unspecified
8034	Nutri-calm <OTC>
8035	Prednisone
8036	Norvasc
8037	Thermochrome 5000 <OTC>
8038	Coldact
8039	Kaopectate <OTC>
8040	Trioxsalen
8041	Garlic, garlic oil, garlic tablets <OTC>
8042	Alka Seltzer <OTC>
8043	Accolate
8044	Cephelaxin, Keflex
8045	Gas-X, Mylicon <OTC>
8046	Slim Fast <OTC>
8047	Pepcid AC <OTC>
8048	Theophylline
8049	Sorbitol
8050	Tavist D <OTC>
8051	Sinex <OTC>
8052	Bactrim, Septra
8053	Dristan <OTC>
8054	Beclovent, Beconase, Venceril
8055	Flonase <OTC>
8056	Vicks VapoRub/inhaler <OTC>
8057	Natacyn, Natamycin ophthalmic
8058	Cough medicine/syrup; type unspecified
8059	Peroxyl <OTC>
8060	Blue nitro
8061	Entex LA
8062	Mylanta <OTC>
8063	Heparin
8064	Triaminic <OTC>
8065	Tylenol Cold Medication <OTC>
8066	Sildenafil, Viagra
8067	Testosterone
8068	Hemorrhoid cream
8069	Decadron, Dexamethasone
8070	Advil Cold and Sinus <OTC>

Code	Definition
8071	Augmentin (Amoxicillin with clavulanate)
8072	Deca-Durabolin, Nandrolone decanoate
8073	Deconamine
8074	Fansidar
8075	Effergin <OTC>
8076	Sanzolol, Stanazolol, Winstrol
8077	Azmacort
8078	Vitamin K
8079	Insulin
8080	Depotrone
8081	Primobolan
8082	Robinul
8083	Testosterone cyprionate
8085	Anti-psychotics/schizophrenic; type unspecified
8086	Provera
8087	Benzocaine
8088	Dianabol
8089	Sustanol <OTC>
8090	Sustanon, Sustenon
8091	Benzedrex, Propylhexedrine <OTC>
8092	Decaderm
8093	Stacker 2, Stacker 3, <OTC>
8094	Pepto Bismol, Bismuth subsalicylate <OTC>
8095	Over-the-counter asthma pills; not specified <OTC>
8096	Thermicore <OTC>
8097	Tizanidine, Zanaflex
8098	Potassium chloride
8099	Somatech
8100	Kava Kava <OTC>
8101	Colace <OTC>
8102	Nasacort <OTC>
8103	Testosterona 200, Testosterone 300
8104	Thermax <OTC>
8105	Sustiva
8106	Methoxy-7 <OTC>
8107	Diovan, Valsartan
8108	Atenolol
8109	Apple cider and vinegar pills <OTC>
8110	Over-the-counter drug/pills; type unspecified <OTC>
8111	Silver chloride
8112	hCG, Human Chorionic Gonadotropin
8113	Test 250, Test 400 <OTC>
8114	Lidocaine
8115	Vicks 44 <OTC>
8116	Herbal Ease <OTC>
8117	Hydrocortisone
8118	Smoking; not otherwise specified

Code	Definition
8119	Regal medicated oil
8120	Diflucan
8121	Invirase
8122	Trenbol
8123	Tylenol Sinus <OTC>
8124	Deca-diabolin
8125	Comtrex <OTC>
8126	Valtrex
8127	Damiana <OTC>
8128	Glucosamine <OTC>
8129	Equipoise, Equipoise
8130	Zantac 75 <OTC>
8131	Acacia Gum, carbisol <OTC>
8132	D-bol, Liquid D-bol
8133	Mega Teen <OTC>
8134	Glucophage, Metformin
8135	Verapamil
8136	Montekulast, Singulair
8137	5-HTP, 5-Hydroxytryptophan <OTC>
8138	Chlorphenamine maleate, Chlorpheniramine maleate, Piriton <OTC>
8139	Chloroquine, Nivaquine
8140	Anamine
8141	Gamma butyrolactone, GBL
8142	Conex Plus
8143	Mycelex
8144	Clarinet, Desloratadine
8145	Cooking extracts (vanilla, lemon, etc.) <OTC>
8146	Tabcin <OTC>
8147	Tylenol Flu <OTC>
8148	Met-Rx <OTC>
8149	Desenfril <OTC>
8150	Biolex wound gel <OTC>
8151	Flu shot; otherwise unspecified
8152	Thermogenics; otherwise unspecified <OTC>
8153	Nexium
8154	Beta Blocker; otherwise unspecified
8155	Telithromycin
8156	Flumethasone
8157	Colirio
8158	Lipitor, Atorvastatin
8159	Loperamide, Virola
8160	Eprosartan, Teveten
8161	Echinacea <OTC>
8162	Prevacid
8163	Ditropan
8164	Testosterone propionate
8165	Anavar
8166	White girl
8167	T3, Tri-iodothyronine

Code	Definition
8168	Fluoride
8169	TheraFlu <OTC>
8170	Muscle stimulator spray; contents unspecified
8171	Dietary supplements; otherwise unspecified
8172	Cortisone
8173	Chlorhexidine, Exidine
8174	Betadine, Efodine, Iodine <OTC>
8175	CortiSlim <OTC>
8176	TrimSpa <OTC>
8177	Face/body cleanser; contents unspecified
8178	Norateen
8179	Artemesia
8180	Avonex
8181	Corgard
8182	Clindamycin
8183	St. John's Wort <OTC>
8184	Ondansetron, Periset, Zofran
8185	Pro Plus <OTC>
8186	Lomotil
8187	Xylocaine
8188	Anadrol
8189	Furosemide, Lasix
8190	Benegal
8191	L-Dopa, Levodopa
8192	Delsym, Dextromethorphan polistirex <OTC>
8193	Pertussin <OTC>
8194	Afrin <OTC>
8195	Anti-seizures; type unspecified
8196	Hirudoid
8197	Chronic
8198	Handle bars
8199	Neurobion
8200	Dan(s), Dan Dan(s); no other information
8201	Watson(s); no other information
8202	Intal
8203	Bar; otherwise unspecified
8204	Phloroglucinol, Spasfon
8205	Tylenol Allergy <OTC>
8206	Delatestryl, Testosterone enanthate
8207	Terpin Hydrate
8208	Romilar, form unspecified
8209	Red Bull Energy Drink <OTC>
8210	Mylan(s); no other information
8211	Precose
8212	Finaplix Gold, Trembolona QV75, Trenbolone
8213	Ranitidine
8214	Robo, Robo tripping

Code	Definition
8215	Yager's liniment <OTC>
8216	Red Dawn GHR Release <OTC>
8217	Anti-diarrhea medication; type unspecified
8218	Attention deficit disorder meds; type unspecified [added in 2006; changed to code 8229 beginning in 2007]
8219	A & D ointment <OTC>
8220	Lavender <OTC>
8221	Omnadren
8222	Protein-based weight gain product, type unspecified
8223	Chocolate
8224	Oxytocin, Pitocin, Syntocinon
8225	Cymbalta, Duloxetine
8226	Bitrex
8227	Sativa; otherwise unspecified
8228	Boldo
8229	ADHD/ADD medication; otherwise unspecified
8230	Advair
8231	Tussin medication, no other information
8232	Rat/rodent poison; contents unspecified
8233	Keppra, Levetiracetam
8234	Lamisil
8235	Benzonatate, Tessalon
8236	Lyrica, Pregabalin
8237	Kratom
8238	Decongestant; type unspecified
8239	Drotaverine, Drotin
8240	Lamictal, Lamotrigine
8241	Chemotherapy; drug unspecified
8242	Albucid
8243	Guaifex
8244	Superdrol <OTC>
8245	Human growth hormone (HGH)
8246	Phenoxyl
8247	Abilify, Aripiprazole
8248	Nano Vapor <OTC>
8249	DMG, N,N-Dimethylglycine HCl <OTC>
8250	Boldenone
8251	Orange oil
8252	Humatrope
8253	Pancof
8254	Green hornet
8255	Sulfuride
8256	Phenylephrine <OTC>
8257	Hoodia product/supplement <OTC>
8258	Vivonex <OTC>
8259	Roloids <OTC>

Code	Definition
8260	Dextromine <OTC>
8261	Chlorophyll <OTC>
8262	Green tea/green tea supplement <OTC>
8263	Stimulin <OTC>
8264	Lipozene <OTC>
8265	Apresoline, Hydralazine
8266	Alka Seltzer Plus <OTC>
8267	Quinine
8268	Protonix
8269	Acai berry supplement (pill, powder, liquid) <OTC>
8270	No-Xplode <OTC>
8271	Catnip <OTC>
8272	Tri Tren 150, Triple Trenbolone Blend
8273	Goofballs
8274	Terramycin
8275	Obesitol, Safflower oil <OTC>
8276	Bitter grass, Calea zacatechichi, Dream herb <OTC>
8277	XL-3 <OTC>
8278	Bufotoxin
8279	Coumadin, Warfarin
8280	MucinexDM <OTC>
8281	Antiseptic; contents unspecified
8282	Saline solution, salt, sodium chloride <OTC>
8283	Synthetic/synthesized cannabinoids (e.g., K2, Spice, JWH-018)
8284	Desvenlafaxine, Prestiq
8285	Mirapex, Pramipexole
8286	Advant, Atacand, Candesartan
8287	CP 55, 940
8288	Amlodipine-Olmesartan, Azor
8289	Ear drops; contents unspecified
8290	Dependal-M, Furazolidone, Furoxone
8291	Ritz and Ts, Ts and rits, Ts and Rs
8292	Cigarettes baked/smoked with toothpaste
8293	Lean (Promethazine with codeine mixed with Sprite)
8294	Stevia <OTC>
8295	Tenex
8296	Acetazolamide, Diamox
8297	TussiCaps
8298	Jack3d <OTC>
8299	Broncolin <OTC>
8300	Zylortim <OTC>
8301	Bath salts/synthetic cathinone; otherwise unspecified
8303	Zicam <OTC>
8304	Phenphedrine <OTC>

Code	Definition
8305	Anti-anxiety medication; type unspecified
8306	Flu medication; no other information
8307	ExtenZe <OTC>
8308	Devil's club
8309	Mucinex <OTC>
8310	DMAA, Methylhexanamine
8311	Zombie Matter
8312	Guanfacine, Intuniv
8313	Medithane
8314	Cloud 10 Ultra
8315	Synthetic/synthesized cannabis; otherwise unspecified
8316	Piracetam
8317	Namenda
8318	AM-2201
8319	Methotrexate
8320	Abraxane
8321	Botanical Slimming <OTC>
8322	Horny goat weed
8323	Benzathine benzylpenicillin, Penadur
8324	Lamb's ear
8325	Drostanolone propionate, Masteron
8326	Delay
8327	7H
8328	Metamine
8329	Artane, Parkopan
8330	Bipolar disorder medication; type unspecified
8331	Diophenyl-T
8332	Myristicin
8333	Moringa
8334	OxyElite Pro
8335	Metatabs
8336	Peridan
8337	Collagen
8338	Bumex, Bumetanide, Burinex
8339	Tukol <OTC>
8340	Picot <OTC>
8341	Apokyn, Apomorphine, Ixense, Spontane, Uprima
8342	Nalone, Naloxone, Narcan
8343	Agapanthus, Lily of the Nile
8344	Taurine
8345	Dolo-Doceplex D
8346	Duralex
8347	Chamomile
8348	Methenamine
8349	BCAA powder <OTC>
8350	Maqui
8351	6-APB, Benzo Fury
8352	Lisinopril
8353	Hormone; otherwise unspecified

Code	Definition
8354	MitoQ <OTC>
8355	EPO, Erythropoietin
8356	Tigan, Trimethobenzamide
8357	Bronkaid <OTC>
8358	Kanna powder, sceletium tortuosum
8359	Sarsaparilla
8360	Piperazine; otherwise unspecified
8361	Januvia
8362	Doxycycline
8363	Carvedilol
8364	Pantoprazole
8365	Pen vaporizer; contents unspecified
8366	Omeprazole
8367	Peptides; otherwise unspecified
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone
8369	Ivory Caps <OTC>
8370	Memory 2000 <OTC>
8371	Effexor XR
8372	Zonegran, zonisamide
8373	Electronic cigarette
8374	5-hour Energy <OTC>
8376	Treximet
8377	New Skin <OTC>
8378	AcipHex
8379	Dabs/dabbing/dab pen
8380	Adequan
8381	Vapor/vaping/vape juice; contents/route of use unspecified
8382	Hydroxychloroquine, Plaquenil
8383	Edex
8384	Latuda
8385	Belsomra
8386	Acyclovir
8387	Fexodine
8388	BPC-157
8389	CBD/hemp oil/edibles/vape (not marijuana) <OTC>
8390	Monistat <OTC>
8391	Simvastatin, Zocor
8392	Cerebrolysin
8393	Cytotec, Misoprostol
8394	Magnesium chloride <OTC>
8395	Olbas oil <OTC>
8396	Triamcinolone
8397	Monster Energy drink <OTC>
8398	Tea tree oil <OTC>
8399	Lovenox
8400	Tetanus vaccine
8401	Tussin DM <OTC>
8402	Garcina cambogia <OTC>
8403	Sukrol <OTC>

Code	Definition
8404	DL-Phenylalanine, L-Phenylalanine <OTC>
8405	Mytocin, Mytomycin
8406	Xyrem
8407	Campho-Phenique <OTC>
8408	Tianeptine
8409	Noroxin
8410	GHRP, Growth hormone-releasing peptide
8411	Tamiflu
8412	Thyroid medication; otherwise unspecified
8413	Ketalar [see also 658 and 6501]
8416	L-Carnitine <OTC>
8417	Basuco, coca paste, paco
8418	Cytomel, Liothyronine
8419	Pedialyte <OTC>
8420	Apixaban, Eliquis
8421	Thalidomide, Thalomid
8422	Flagyl, Metronidazole
8423	Achyranthes aspera, devil's horsewhip
8425	Rapé (shamanic snuff)
8426	TriMix
8427	Energy drink; product unspecified
8428	Dexmedetomidine, Precedex
8430	Batrachotoxin; source unspecified
8431	Tea; type or contents unspecified
8432	Cefazolin
8433	Vancomycin
8434	Naltrexone
8435	Probiotics
8436	Phenibut
8437	Methylamine
8439	Cilipin
8440	MiraLAX <OTC>
8441	Zyn pouches (nicotine pouch)
8442	Cannabis product; otherwise unspecified
8444	1-Phenethyl-4-piperidone, NPP
8445	L-Tyrosine <OTC>
8446	Edibles, not otherwise specified
8447	Aricept, donepezil
8448	Phenethylamine analogue; otherwise unspecified
8449	L-Theanine <OTC>
8450	Ayurvedic medicine; not otherwise specified
8451	Testosterone booster; contents unspecified
8452	Liraglutide, Saxenda, Victoza
8453	Ashwagandha <OTC>
8454	Leonotis leonurus
8455	Delta-8

Code	Definition
8456	Dokha (tobacco and herbs/spices mixture)
8457	Hangover pills/medication (contents unspecified)
8458	Estradiol valerate
8459	Delta-9
8460	Eligard, Leuprolide, Lupron Depot
8461	ATHC, THC-O Acetate
8462	Estradiol enantate
8463	OTC allergy/antihistamine; not otherwise specified <OTC>
8464	Briviact, brivaracetam
8465	Accutane, Isotretinoin
8466	Fanapt, Iloperidone
8467	Brintellix, Trintellix, Vortioxetine
8468	Metoprolol, Toprol
8469	Coleus leaves/plant
8470	Levocetirizine, Xyzal
8471	Rifaximin, Xifaxan
8472	Xylazine
8473	Acetic acid, Ethanoic acid, Ethylic acid
8474	Progesterone
8475	Cyproheptadine
8476	Bupivacaine, Marcaine
8477	Betamethasone
8478	Hyaluronic acid
8479	delta9-Tetrahydrocannabinolic acid, THCA-A
8480	Brilinta, Ticagrelor
8481	Ozempic, Semaglutide, Wegovy
8482	Bremelanotide, PT-141
8483	Tianna Red, ZaZa Red
8484	Truth serum; drug unspecified
8485	Paxlovid
8486	Epidural corticosteroid (steroid) injections
8487	Steroid cream
8488	Minocin, Minocycline
8489	Medrol, Methylprednisolone
8490	Labetalol
8491	Metacycline, Methacycline
8492	Cozaar, Losartan
8493	Altoprev, Lovastatin, Mevacor
8494	Cheston Cold
8495	Cimzia
8496	Colchicine, Colcyrs
8497	Cariprazine, Vraylar
8498	Lincocin, Lincomycin
8499	Azo, contents unspecified <OTC>
8501	Haldol, Haloperidol
8502	Dimetapp <OTC>
8503	Dilantin

Code	Definition
8504	Actifed <OTC>
8505	Quetiapine, Seroquel
8506	Mysoline]
8507	Promazine
8508	Meclizine
8509	Triavil
8510	Desyrel, Trazodone hydrochloride
8511	Stelazine, Trifluoperazine HCl
8512	Thorazine
8513	Amitriptyline, Elavil, Re-Live
8514	Compazine, Prochlorperazine
8515	Mellaril
8516	Trilafon, Perphenazine
8517	Imipramine
8518	Lithium carbonate, Lithonate
8519	Prozac, Fluoxetine
8520	Etrafon
8521	Tryptophan
8522	Adapin, Doxepin, Sinequan
8523	Asendin
8524	Aventyl, Nortab, Nortin, Nortriptyline, Pamelor
8525	Zestril
8526	Desipramine, Norpramin
8527	Prolixin
8528	Vivactil
8529	Marezine
8530	Sertraline hydrochloride, Zoloft
8531	Loxitane
8532	Clozapine, Clozaril
8533	Paroxetine, Paxil
8534	Tofranil
8535	Risperdal, Risperdol, Risperidone
8536	Olanzapine, Zyprexa
8537	Celexa, Citalopram
8538	Serzone
8539	Anafranil, Clomipramine
8540	Fluvoxamine, Luvox
8541	Mirtazapine, Remeron
8542	Acepromazine, PromAce
8543	Nitroglycerine
8544	Cogentin
8545	Dimenhydrinate, Dramamine, sea/motion sickness pill <OTC>
8546	Scopolamine
8547	Seroquel XR
8548	Insidon, Opipramol
8549	Escitalopram, Lexapro
8550	Geodon, Ziprasidone
8551	Invega, Paliperidone palmitate
8552	Lidone, Moban, Molindone
8553	Bupropion, Wellbutrin, Zyban
8554	Effexor, Venlafaxine

Code	Definition
8555	Spancap
8556	Orlistat, Xenical
8557	Strattera
8558	Wellbutrin XL
8559	alli weight loss pills <OTC>
8560	Obitol
8561	Akineton, Biperiden
8562	Flarex
8563	Suprax
8564	Ketamine from a healthcare provider
8565	Morning Recovery <OTC>
8566	Kola nut
8567	Qelbree, Viloxazine
8568	Enbrel, Etanercept
8569	Dorzolamide, Trusopt
8570	Estradiol; otherwise unspecified
8571	Adalimumab, Humira
8572	Meftal-Spas
8573	Neosporin
8574	Furadantin, Furalan, Macrobid, Macrochantin, Nitrofurantoin
8575	Ceftrisol, Rocephin

Code	Definition
8576	Flomax, Tamsulosin
8577	Guselkumab, Tremfya
8578	Cosentyx, Secukinumab
8579	Blood thinner; type unspecified
8580	Alprostadil, Caverject
8581	Symbicort
8582	Hydroxyurea
8583	Infliximab, Remicade
8584	Magnesium Oxide <OTC>
8585	Nitroxoline, Noxin
8586	Respirin <OTC>
8587	BACKAID <OTC>
8588	Mounjaro, Tirzepatide Injection, Zepbound
8589	Bentyl, Dicyclomine
8590	Ashwagandha <OTC>
8591	Rosuvastatin
8592	Allopurinol
8593	Cannabinoids, not otherwise specified
8594	Famotidine

Appendix B

Consolidated Drug OTHER, Specify Tables

Table B.1 Tabulation of Overall Drug OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.04
108	Nembutal	1	0.04
109	Seconal	2	0.08
110	Tuinal	1	0.04
116	Methaqualone, Sopor, Quaalude	2	0.08
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	3	0.13
123	Unisom <OTC>	2	0.08
130	Promethazine	1	0.04
142	Belladonna	3	0.13
174	Ambien	4	0.17
176	Melatonin <OTC>	2	0.08
186	Butalbital	2	0.08
201	Valium	10	0.42
207	Ativan	2	0.08
209	Xanax	25	1.05
215	Vistaril	1	0.04
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	4	0.17
223	Methocarbamol, Robaxin	2	0.08
234	Flexeril	1	0.04
246	Klonopin	3	0.13
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.04
288	Baclofen	4	0.17
306	Desoxyn	1	0.04
318	Ritalin	8	0.34
320	Dextroamphetamine	1	0.04
321	Methedrine	1	0.04
322	Methamphetamine ('ice' or 'crank'), Meth	66	2.78
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	0.08
326	White cross	2	0.08
332	Ephedrine	2	0.08
336	Diet pills/medications/drugs, otherwise unspecified	1	0.04
339	Amphetamines, otherwise unspecified	1	0.04
344	Bennies	1	0.04
348	Crystal	3	0.13
355	Crystal meth, crystal methamphetamine	6	0.25
377	Albuterol	5	0.21
407	Demerol	5	0.21
408	Dilaudid, Hydromorphone	44	1.85
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.04
415	Codeine pills	4	0.17
417	Morphine	43	1.81
418	Methadone	13	0.55
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	31	1.31

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
422	Motrin	2	0.08
423	Percocet	19	0.80
424	Fioricet	1	0.04
425	Advil <OTC>	69	2.91
430	Aspirin, Ecotrin, Empirin <OTC>	16	0.67
434	Vicodin	3	0.13
435	Tylenol, Tylenol Extra-Strength <OTC>	114	4.80
438	Anaprox, Naprosyn, Naproxen, Naxen	10	0.42
442	Ibuprofen	40	1.68
450	Acetaminophen, incl. non-Tylenol brands <OTC>	9	0.38
465	Fentanyl	66	2.78
466	Midol <OTC>	1	0.04
468	Excedrin <OTC>	4	0.17
490	Nalbuphine, Nubain	1	0.04
498	Mefenamic acid, Ponstan, Ponstel	1	0.04
499	Aleve <OTC>	14	0.59
501	Gasoline or lighter fluids	10	0.42
502	Spray paints	2	0.08
503	Other aerosol sprays	13	0.55
504	Shoeshine liquid, glue, or toluene	12	0.51
505	Lacquer thinner or other paint solvents	4	0.17
506	Amyl nitrite, 'poppers,' locker room odorizer, 'rush'	12	0.51
507	Halothane, ether, or other anesthetics; chloroform	2	0.08
508	Nitrous oxide, 'whippits,' dentist gas	16	0.67
509	Correction fluids, degreasers, cleaning fluids	1	0.04
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	12	0.51
511	Markers, felt-tip pens, ink pens	17	0.72
512	Incense	1	0.04
516	CHC, chlorofluorocarbon, freon, refrigerant	11	0.46
518	Acetone, nail polish remover	9	0.38
519	Helium	40	1.68
520	Old paint, paint	1	0.04
524	White-Out	1	0.04
526	Nail polish	11	0.46
528	Whipped-cream can	6	0.25
531	Candy, powdered candy, sugar	1	0.04
539	Scotch-Gard	1	0.04
540	PAM	3	0.13
542	Brasso, lens cleaner, spirits of ammonia	3	0.13
548	Cologne, isopropanol vapors, rubbing alcohol	8	0.34
560	Diswashing detergent, laundry detergent/soap/stain remover	3	0.13
592	Computer air duster, computer cleaner, dust-off	11	0.46
601	LSD ('acid')	95	4.00

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
602	Peyote	1	0.04
603	Mescaline	5	0.21
604	Psilocybin (mushrooms), sclerotia, shrooms	84	3.54
605	PCP ('angel dust,' phencyclidine)	5	0.21
606	'Ecstasy' (MDMA), X-TC, 'X'	13	0.55
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	65	2.74
609	Jimson weed	5	0.21
612	Happy stick, sherm, sherman, shermstick	1	0.04
614	MDA, Methylenedioxy amphetamine	10	0.42
616	DET, Dimethyltryptamine, DMT	9	0.38
617	Morning glory seeds, morning glory tendrils, ricea	6	0.25
618	Acid paper, blotter (acid)	5	0.21
622	Microdot(s), green microdot, purple microdot	5	0.21
624	Orange sunshine, sunshine, yellow sunshine	1	0.04
625	Window, window pane, 4-way pane, 4-way	4	0.17
627	Hawaiian wood rose, Hawaiian Woodrow seeds	5	0.21
633	Mr. Natural	1	0.04
636	DOM, STP	1	0.04
639	Nutmeg, Mace	7	0.29
650	Datura stramonium, daytura, thorn apple	6	0.25
658	Special K, Ketamine	14	0.59
691	Maximum impact	1	0.04
698	2C-B, Bromo mescaline, Nexus	54	2.27
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.04
702	Heroin	71	2.99
703	Opium, otherwise unspecified	6	0.25
706	Smack	1	0.04
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	43	1.81
802	THC, cannabinol, marinol, tetrahydrocannabinol	4	0.17
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	24	1.01
804	Hashish	1	0.04
805	Cocaine, coca, cocaina, coke, perico	47	1.98
806	Crack, rock	7	0.29
807	Alcohol, beer, ethanol, EtOH, pink champagne	6	0.25
813	Cigarettes, tobacco (type unspecified)	2	0.08
814	Caffeine <OTC>	1	0.04
818	Nicotine	5	0.21
819	Inderal, Propranolol	1	0.04
821	Amoxicillin, Ampicillin, Pentrexly	1	0.04
824	Steroids	12	0.51
829	Robitussin DM <OTC>	3	0.13
843	Cold medicine, cold tablets <OTC>	1	0.04
848	Liquid vitamin, vitamin pills <OTC>	2	0.08

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
876	Glass	1	0.04
883	Dextromethorphan hydrobromide <OTC>	19	0.80
894	Depakene, Depakote, Divalproex sodium, Valproic acid	2	0.08
896	Catapres, Clonidine	2	0.08
900	Not a drug	3	0.13
1001	Benadryl, Diphenhydramine <OTC>	57	2.40
1017	Rozerem	1	0.04
1034	Topiramate	1	0.04
1501	Zolpidem	1	0.04
1504	Triazolam	1	0.04
2002	Muscle relaxers	2	0.08
2004	Bromazepam, Lexillum, Lexomil, Lexotan, Lexotamil	2	0.08
2035	Flunitrazolam	1	0.04
2036	Bromazolam	1	0.04
2501	Alprazolam	3	0.13
2503	Lorazepam	1	0.04
2504	Clonazepam	3	0.13
2509	Cyclobenzaprine	2	0.08
2512	Hydroxyzine	7	0.29
3023	Adderall	14	0.59
3047	Sudafed <OTC>	1	0.04
3052	Speed, otherwise unspecified	4	0.17
3077	Concerta	1	0.04
3132	4-FA, 4-Fluoroamphetamine	1	0.04
3191	Extended-release methylphenidate, not otherwise specified	1	0.04
3502	Methylphenidate	1	0.04
3508	Modafinil	1	0.04
4002	Imitrex, Sumatriptan, Zembrace	2	0.08
4031	Cough medicine with Codeine	1	0.04
4037	MS Contin	1	0.04
4043	Tramadol	3	0.13
4044	Hydrocodone	7	0.29
4046	Oxycodone	20	0.84
4047	Roxicet	1	0.04
4051	Celebrex	2	0.08
4056	Cataflam, Diclofenac, Voltaren	3	0.13
4065	Roxicodone	5	0.21
4067	OxyContin	22	0.93
4091	K4	1	0.04
4102	Mobic, Meloxicam, Metacam	3	0.13
4109	Suboxone	32	1.35
4119	Buprenorphine	3	0.13
4120	Opana	15	0.63

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
4135	Arcoxia, Etoricoxib	1	0.04
4137	Nucynta, Tapentadol	2	0.08
4150	Subutex	6	0.25
4168	Ubrelevy, Ubrogepant	1	0.04
4172	Cold water extraction of Hydrocodone	1	0.04
4175	Opioids; type unspecified	1	0.04
4501	Lortab	4	0.17
4502	Norco	6	0.25
4505	Oxycodone product, unspecified	14	0.59
4506	Codeine, not in pill form	1	0.04
4510	Oxymorphone	2	0.08
5001	Bleach	5	0.21
5004	Ink print, paper	1	0.04
5022	Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.04
5028	Carburetor cleaner, engine cleaner	1	0.04
5030	Polyurethane (spray, liquid, compound)	1	0.04
5032	Nitrogen	1	0.04
5046	Glass/window cleaner	1	0.04
5048	MEK, Methyl ethyl ketone	1	0.04
5049	Hand sanitizer/cleaner, contents unspecified	6	0.25
5051	Hair chemicals	1	0.04
5052	Silly String	1	0.04
5069	Febreze	2	0.08
5077	Resistol	2	0.08
5078	Axe body spray	1	0.04
5083	Ethyl chloride	2	0.08
5116	Vinegar	1	0.04
5120	Ignition spray, starter spray	1	0.04
5149	Sanitizer; type unspecified	2	0.08
5181	Hydrogen	1	0.04
5182	Carbolic acid, Hydroxybenzene, Oxybenzene, Phenol	1	0.04
5183	Skunk (animal)	1	0.04
5185	Alcohol spray	1	0.04
6005	Sassafras, sassafras tea	9	0.38
6029	DXM	20	0.84
6043	Diviner's sage, Salvia divinorum	1	0.04
6044	Gel caps, gel tabs	1	0.04
6048	Dex	1	0.04
6051	Tryptamine, not otherwise specified	1	0.04
6054	Spiny apples	1	0.04
6056	Wet	2	0.08
6061	5-MeO-DMT	5	0.21
6062	Madderwort, wormwood	2	0.08

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
6073	Rolls	2	0.08
6074	LSA	16	0.67
6077	San Pedro, Wachuma	5	0.21
6083	CCC, 'Triple C,' C3 <OTC>	3	0.13
6086	Flakes	1	0.04
6087	Ibogaine	2	0.08
6100	2C-T-7, T7, blue mystic	1	0.04
6102	Absinthe	1	0.04
6103	Ayahuasca, Yahe	35	1.47
6112	2C-T-2	5	0.21
6114	Molly, not otherwise specified	8	0.34
6122	MMDA	1	0.04
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	33	1.39
6131	Mandrakes	1	0.04
6132	Amanita mushrooms, fly agaric, muscimol	8	0.34
6135	5-MeO-AMT	1	0.04
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	19	0.80
6141	DPT, Dipropyltryptamine, N,N-Dipropyltryptamine	1	0.04
6147	Phenethylamines, otherwise unspecified	1	0.04
6167	4-HO-DMT, Psilocin	1	0.04
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT, Psilacetin	7	0.29
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.04
6174	bk-MDMA, M1, Methylone	1	0.04
6176	3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.04
6179	4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT, Miprocine	1	0.04
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine	6	0.25
6182	2C-P, 4-Propyl-2,5-dimethoxyphenethylamine	1	0.04
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimb-5	17	0.72
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	8	0.34
6187	Mugwort	1	0.04
6188	25B-NBOMe, NBOMe-2C-B	2	0.08
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.04
6200	AL-LAD, 6-allyl-6-nor-LSD	3	0.13
6201	4-HO-DET, CZ-74, Ethocin	1	0.04
6202	4-Acetoxy-MET, 4-AcO-MET, Metacetin	1	0.04
6203	NBOMe; otherwise unspecified	4	0.17
6206	Blue Egyptian lotus, blue lotus	2	0.08
6208	3-MeO-PCP, 3-Methoxyphencyclidine	2	0.08
6209	1P-LSD	3	0.13
6213	Synthetic/synthesized LSD/acid; otherwise unspecified	1	0.04
6214	Synthetic/synthesized mescaline; otherwise unspecified	1	0.04
6215	Synthetic/synthesized mushrooms; otherwise unspecified	1	0.04
6219	Hallucinogenic honey; type unspecified	2	0.08
6223	3-HO-PCP, 3-Hydroxyphencyclidine	1	0.04

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
6225	DCK, Deschloroketamine	2	0.08
6227	4-Acetoxy-N,N-Diethyltryptamine, 4-AcO-DET	1	0.04
6249	2'-Oxo-PCE, Eticyclidone, O-PCE	1	0.04
6250	Ephenidine	1	0.04
6251	3-MeO-PCE, 3-Methoxyeticyclidine	1	0.04
6252	Methoxpropamine, MXPr	1	0.04
6253	5-acetoxy-N,N-dimethyltryptamine, 5-AcO-DMT	1	0.04
6254	N-ethyl-pentylone, NEP	2	0.08
8007	Gabapentin, Neurontin	20	0.84
8009	Allergy pills/shot/antihistamine, type unspcfd	2	0.08
8010	Zyrtec, Cetirizine <OTC>	1	0.04
8011	Herb, flower, plant	1	0.04
8012	Coriciden <OTC>	3	0.13
8019	Azithromycin, Z-pack, Zithromax	1	0.04
8024	Asthma inhaler, asthma medication, bronchial dilator	4	0.17
8035	Prednisone	1	0.04
8055	Flonase <OTC>	1	0.04
8056	Vicks VapoRub/inhaler <OTC>	3	0.13
8058	Cough medicine/syrup, type unspecified	13	0.55
8067	Testosterone	10	0.42
8083	Testosterone cyprionate	2	0.08
8097	Tizanidine, Zanaflex	4	0.17
8100	Kava Kava <OTC>	2	0.08
8112	hCG, Human Chorionic Gonadotropin	1	0.04
8117	Hydrocortisone	1	0.04
8118	Smoke/smoking, not otherwise specified	2	0.08
8136	Montelukast, Singulair	1	0.04
8137	5-HTP, 5-hydroxytryptophan <OTC>	1	0.04
8182	Clindamycin	1	0.04
8191	L-Dopa, levodopa	1	0.04
8192	Delsym, Dextromethorphan polistirex <OTC>	1	0.04
8206	Delatestryl, Testosterone enanthate	2	0.08
8223	Chocolate	1	0.04
8231	Tussin medication, no other information	1	0.04
8236	Lyrica, Pregabalin	1	0.04
8237	Kratom	7	0.29
8240	Lamictal, Lamotrigine	1	0.04
8245	Human growth hormone (HGH)	2	0.08
8247	Abilify, Aripiprazole	4	0.17
8259	Rolaids <OTC>	1	0.04
8283	Synthetic/synthesized cannabinoids (e.g., K2, Spice, JWH-018)	19	0.80
8284	Desvenlafaxine, Prestiq	1	0.04
8293	Lean (Promethazine w/codeine mixed w/Sprite)	1	0.04
8301	Bath salts/synthetic cathinone; otherwise unspecified	4	0.17

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
8309	Mucinex <OTC>	1	0.04
8315	Synthetic/synthesized cannabis, otherwise unspecified	4	0.17
8342	Naloxone, Narcan	2	0.08
8351	6-APB, Benzo Fury	1	0.04
8365	Pen vaporizer; contents unspecified	1	0.04
8367	Peptides; otherwise unspecified	1	0.04
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone	2	0.08
8374	5-hour Energy <OTC>	5	0.21
8381	Vapor/vaping/vape juice; contents/route unspecified	3	0.13
8426	TriMix	2	0.08
8446	Edibles, not otherwise specified	2	0.08
8455	Delta-8	1	0.04
8458	Estradiol valerate	1	0.04
8459	Delta-9	2	0.08
8481	Ozempic, Semaglutide injection, Wegovy	8	0.34
8488	Minocin, Minocycline	1	0.04
8491	Metacycline, Methacycline	1	0.04
8492	Cosair, Losarten	1	0.04
8497	Cariprazine, Vraylar	1	0.04
8501	Haldol, Haloperidol	1	0.04
8505	Quetiapine, Seroquel	4	0.17
8510	Desyrel, Trazodone hydrochloride	23	0.97
8513	Amitriptyline, Elavil	1	0.04
8519	Prozac, Fluoxetine	5	0.21
8522	Adapin, Doxepin, Sinequan	1	0.04
8527	Prolixin	1	0.04
8529	Marezine	1	0.04
8530	Sertraline hydrochloride, Zoloft	8	0.34
8535	Risperdal, Risperdol, Risperidone	1	0.04
8545	Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	9	0.38
8546	Scopolamine	2	0.08
8549	Escitalopram, Lexapro	2	0.08
8553	Bupropion, Wellbutrin, Zyban	5	0.21
8554	Effexor, Venlafaxine	2	0.08
8557	Atomoxetine, Strattera	1	0.04
8564	Ketamine from a health care provider	1	0.04
8570	Estradiol; otherwise unspecified	1	0.04
8575	Ceftrisol, Rocephin	1	0.04
8579	Blood thinner; type unspecified	1	0.04
8580	Alprostadil, Caverject	1	0.04
8581	Symbicort	2	0.08
8588	Mounjaro, Tirzepatide Injection, Zepbound	1	0.04
8593	Cannabinoids, not otherwise specified	1	0.04

Table B.2 Tabulation of Inhalant OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Inhalant Drugs Specified
377	Albuterol	5	2.19
408	Dilaudid, Hydromorphone	1	0.44
501	Gasoline or lighter fluids	6	2.63
503	Other aerosol sprays	12	5.26
504	Shoeshine liquid, glue, or toluene	4	1.75
505	Lacquer thinner or other paint solvents	3	1.32
506	Amyl nitrite, 'poppers,' locker room odorizer, 'rush'	12	5.26
507	Halothane, ether, or other anesthetics; chloroform	1	0.44
508	Nitrous oxide, 'whippits,' dentist gas	4	1.75
509	Correction fluids, degreasers, cleaning fluids	1	0.44
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	9	3.95
511	Markers, felt-tip pens, ink pens	17	7.46
516	CHC, chlorofluorocarbon, freon, refrigerant	10	4.39
518	Acetone, nail polish remover	9	3.95
519	Helium	39	17.11
520	Old paint, paint	1	0.44
524	White-Out	1	0.44
526	Nail polish	11	4.82
528	Whipped-cream can	5	2.19
531	Candy, powdered candy, sugar	1	0.44
539	Scotch-Gard	1	0.44
540	PAM	3	1.32
542	Brasso, lens cleaner, spirits of ammonia	3	1.32
548	Cologne, isopropanol vapors, rubbing alcohol	8	3.51
560	Diswashing detergent, laundry detergent/soap/stain remover	3	1.32
592	Computer air duster, computer cleaner, dust-off	5	2.19
604	Psilocybin (mushrooms), sclerotia, shrooms	1	0.44
691	Maximum impact	1	0.44
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	5	2.19
824	Steroids	1	0.44
5001	Bleach	5	2.19
5004	Ink print, paper	1	0.44
5022	Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.44
5028	Carburetor cleaner, engine cleaner	1	0.44
5030	Polyurethane (spray, liquid, compound)	1	0.44
5032	Nitrogen	1	0.44
5046	Glass/window cleaner	1	0.44
5049	Hand sanitizer/cleaner, contents unspecified	6	2.63
5051	Hair chemicals	1	0.44
5052	Silly String	1	0.44
5069	Febreze	2	0.88
5077	Resistol	1	0.44
5078	Axe body spray	1	0.44
5083	Ethyl chloride	1	0.44

Table B.2 Tabulation of Inhalant OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Inhalant Drugs Specified
5116	Vinegar	1	0.44
5120	Ignition spray, starter spray	1	0.44
5149	Sanitizer; type unspecified	2	0.88
5181	Hydrogen	1	0.44
5182	Carbolic acid, Hydroxybenzene, Oxybenzene, Phenol	1	0.44
5183	Skunk (animal)	1	0.44
5185	Alcohol spray	1	0.44
6029	DXM	1	0.44
8024	Asthma inhaler, asthma medication, bronchial dilator	3	1.32
8055	Flonase <OTC>	1	0.44
8056	Vicks VapoRub/inhaler <OTC>	3	1.32
8118	Smoke/smoking, not otherwise specified	1	0.44
8365	Pen vaporizer; contents unspecified	1	0.44
8381	Vapor/vaping/vape juice; contents/route unspecified	1	0.44
8581	Symbicort	2	0.88

Table B.3 Tabulation of Hallucinogen OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
116	Methaqualone, Sopor, Quaalude	2	0.24
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.12
130	Promethazine	1	0.12
142	Belladonna	2	0.24
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.12
320	Dextroamphetamine	1	0.12
322	Methamphetamine ('ice' or 'crank'), Meth	11	1.30
344	Bennies	1	0.12
348	Crystal	3	0.36
355	Crystal meth, crystal methamphetamine	6	0.71
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	1	0.12
465	Fentanyl	2	0.24
501	Gasoline or lighter fluids	4	0.47
502	Spray paints	2	0.24
503	Other aerosol sprays	1	0.12
504	Shoeshine liquid, glue, or toluene	8	0.95
505	Lacquer thinner or other paint solvents	1	0.12
507	Halothane, ether, or other anesthetics; chloroform	1	0.12
508	Nitrous oxide, 'whippits,' dentist gas	12	1.42
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	3	0.36
512	Incense	1	0.12
516	CHC, chlorofluorocarbon, freon, refrigerant	1	0.12
519	Helium	1	0.12
528	Whipped-cream can	1	0.12
592	Computer air duster, computer cleaner, dust-off	6	0.71
601	LSD ('acid')	90	10.65
602	Peyote	1	0.12
603	Mescaline	5	0.59
604	Psilocybin (mushrooms), sclerotia, shrooms	82	9.70
605	PCP ('angel dust,' phencyclidine)	2	0.24
606	'Ecstasy' (MDMA), X-TC, 'X'	9	1.07
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	65	7.69
609	Jimson weed	5	0.59
612	Happy stick, sherm, sherman, shermstick	1	0.12
614	MDA, Methylenedioxy amphetamine	8	0.95
616	DET, Dimethyltryptamine, DMT	9	1.07
617	Morning glory seeds, morning glory tendrils, ricea	6	0.71
618	Acid paper, blotter (acid)	5	0.59
622	Microdot(s), green microdot, purple microdot	5	0.59
624	Orange sunshine, sunshine, yellow sunshine	1	0.12
625	Window, window pane, 4-way pane, 4-way	4	0.47
627	Hawaiian wood rose, Hawaiian Woodrow seeds	5	0.59
633	Mr. Natural	1	0.12

Table B.3 Tabulation of Hallucinogen OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
636	DOM, STP	1	0.12
639	Nutmeg, Mace	7	0.83
650	Datura stramonium, daytura, thorn apple	4	0.47
658	Special K, Ketamine	2	0.24
698	2C-B, Bromo mescaline, Nexus	54	6.39
703	Opium, otherwise unspecified	6	0.71
802	THC, cannabinol, marinol, tetrahydrocannabinol	2	0.24
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	6	0.71
804	Hashish	1	0.12
829	Robitussin DM <OTC>	3	0.36
843	Cold medicine, cold tablets <OTC>	1	0.12
876	Glass	1	0.12
883	Dextromethorphan hydrobromide <OTC>	19	2.25
1001	Benadryl, Diphenhydramine <OTC>	15	1.78
1504	Triazolam	1	0.12
3047	Sudafed <OTC>	1	0.12
3052	Speed, otherwise unspecified	1	0.12
3132	4-FA, 4-Fluoroamphetamine	1	0.12
4109	Suboxone	1	0.12
4120	Opana	1	0.12
4175	Opioids; type unspecified	1	0.12
5077	Resistol	1	0.12
5083	Ethyl chloride	1	0.12
6005	Sassafras, sassafras tea	9	1.07
6029	DXM	19	2.25
6043	Diviner's sage, Salvia divinorum	1	0.12
6044	Gel caps, gel tabs	1	0.12
6051	Tryptamine, not otherwise specified	1	0.12
6054	Spiny apples	1	0.12
6056	Wet	2	0.24
6061	5-MeO-DMT	5	0.59
6062	Madderwort, wormwood	2	0.24
6073	Rolls	2	0.24
6074	LSA	16	1.89
6077	San Pedro, Wachuma	5	0.59
6083	CCC, 'Triple C,' C3 <OTC>	3	0.36
6086	Flakes	1	0.12
6087	Ibogaine	2	0.24
6100	2C-T-7, T7, blue mystic	1	0.12
6102	Absinthe	1	0.12
6103	Ayahuasca, Yahe	35	4.14
6112	2C-T-2	5	0.59

Table B.3 Tabulation of Hallucinogen OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
6114	Molly, not otherwise specified	3	0.36
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	33	3.91
6131	Mandrakes	1	0.12
6132	Amanita mushrooms, fly agaric, muscimol	8	0.95
6135	5-MeO-AMT	1	0.12
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	19	2.25
6141	DPT, Dipropyltryptamine, N,N-Dipropyltryptamine	1	0.12
6147	Phenethylamines, otherwise unspecified	1	0.12
6167	4-HO-DMT, Psilocin	1	0.12
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT, Psilacetin	7	0.83
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.12
6174	bk-MDMA, M1, Methyldone	1	0.12
6176	3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.12
6179	4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT, Miprocin	1	0.12
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine	6	0.71
6182	2C-P, 4-Propyl-2,5-dimethoxyphenethylamine	1	0.12
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	17	2.01
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	8	0.95
6187	Mugwort	1	0.12
6188	25B-NBOMe, NBOMe-2C-B	2	0.24
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.12
6200	AL-LAD, 6-allyl-6-nor-LSD	3	0.36
6201	4-HO-DET, CZ-74, Ethocin	1	0.12
6202	4-Acetoxy-MET, 4-AcO-MET, Metacetin	1	0.12
6203	NBOMe; otherwise unspecified	4	0.47
6206	Blue Egyptian lotus, blue lotus	2	0.24
6208	3-MeO-PCP, 3-Methoxyphencyclidine	2	0.24
6209	1P-LSD	3	0.36
6213	Synthetic/synthesized LSD/acid; otherwise unspecified	1	0.12
6214	Synthetic/synthesized mescaline; otherwise unspecified	1	0.12
6215	Synthetic/synthesized mushrooms; otherwise unspecified	1	0.12
6219	Hallucinogenic honey; type unspecified	2	0.24
6223	3-HO-PCP, 3-Hydroxyphencyclidine	1	0.12
6225	DCK, Deschloroketamine	2	0.24
6227	4-Acetoxy-N,N-Diethyltryptamine, 4-AcO-DET	1	0.12
6249	2'-Oxo-PCE, Eticyclidone, O-PCE	1	0.12
6250	Ephenidine	1	0.12
6251	3-MeO-PCE, 3-Methoxyeticyclidine	1	0.12
6252	Methoxpropamine, MXPr	1	0.12
6253	5-acetoxy-N,N-dimethyltryptamine, 5-AcO-DMT	1	0.12
6254	N-ethyl-pentylone, NEP	2	0.24
8007	Gabapentin, Neurontin	2	0.24

Table B.3 Tabulation of Hallucinogen OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
8009	Allergy pills/shot/antihistamine, type unspecified	1	0.12
8011	Herb, flower, plant	1	0.12
8012	Coriciden <OTC>	2	0.24
8058	Cough medicine/syrup, type unspecified	13	1.54
8100	Kava Kava <OTC>	2	0.24
8118	Smoke/smoking, not otherwise specified	1	0.12
8137	5-HTP, 5-hydroxytryptophan <OTC>	1	0.12
8192	Delsym, Dextromethorphan polistirex <OTC>	1	0.12
8223	Chocolate	1	0.12
8231	Tussin medication, no other information	1	0.12
8237	Kratom	1	0.12
8283	Synthetic/synthesized cannabinoids (e.g., K2, Spice, JWH-018)	19	2.25
8293	Lean (Promethazine w/codeine mixed w/Sprite)	1	0.12
8301	Bath salts/synthetic cathinone; otherwise unspecified	2	0.24
8309	Mucinex <OTC>	1	0.12
8315	Synthetic/synthesized cannabis, otherwise unspecified	4	0.47
8351	6-APB, Benzo Fury	1	0.12
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone	2	0.24
8381	Vapor/vaping/vape juice; contents/route unspecified	2	0.24
8446	Edibles, not otherwise specified	1	0.12
8455	Delta-8	1	0.12
8459	Delta-9	2	0.24
8505	Quetiapine, Seroquel	1	0.12
8529	Marezine	1	0.12
8530	Sertraline hydrochloride, Zoloft	1	0.12
8545	Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	7	0.83
8546	Scopolamine	2	0.24
8553	Bupropion, Wellbutrin, Zyban	1	0.12
8564	Ketamine from a health care provider	1	0.12

Table B.4 Tabulation of Pain Reliever OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Pain Reliever Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.27
186	Butalbital	1	0.27
209	Xanax	1	0.27
223	Methocarbamol, Robaxin	1	0.27
288	Baclofen	4	1.06
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.27
415	Codeine pills	3	0.80
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	22	5.85
422	Motrin	2	0.53
423	Percocet	3	0.80
424	Fioricet	1	0.27
425	Advil <OTC>	68	18.09
430	Aspirin, Ecotrin, Empirin <OTC>	14	3.72
434	Vicodin	2	0.53
435	Tylenol, Tylenol Extra-Strength <OTC>	112	29.79
438	Anaprox, Naprosyn, Naproxen, Naxen	10	2.66
442	Ibuprofen	40	10.64
450	Acetaminophen, incl. non-Tylenol brands <OTC>	8	2.13
465	Fentanyl	1	0.27
466	Midol <OTC>	1	0.27
468	Excedrin <OTC>	4	1.06
498	Mefenamic acid, Ponstan, Ponstel	1	0.27
499	Aleve <OTC>	14	3.72
702	Heroin	1	0.27
807	Alcohol, beer, ethanol, EtOH, pink champagne	1	0.27
821	Amoxicillin, Ampicillin, Pentrexly	1	0.27
894	Depakene, Depakote, Divalproex sodium, Valproic acid	1	0.27
1001	Benadryl, Diphenhydramine <OTC>	11	2.93
2509	Cyclobenzaprine	2	0.53
4002	Imitrex, Sumatriptan, Zembrace	2	0.53
4031	Cough medicine with Codeine	1	0.27
4043	Tramadol	3	0.80
4044	Hydrocodone	5	1.33
4046	Oxycodone	2	0.53
4051	Celebrex	1	0.27
4056	Cataflam, Diclofenac, Voltaren	3	0.80
4067	OxyContin	1	0.27
4102	Mobic, Meloxicam, Metacam	2	0.53
4135	Arcoxia, Etoricoxib	1	0.27
4137	Nucynta, Tapentadol	1	0.27
4502	Norco	1	0.27
5048	MEK, Methyl ethyl ketone	1	0.27
8007	Gabapentin, Neurontin	9	2.39

Table B.4 Tabulation of Pain Reliever OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Pain Reliever Drugs Specified
8012	Coriciden <OTC>	1	0.27
8019	Azithromycin, Z-pack, Zithromax	1	0.27
8035	Prednisone	1	0.27
8097	Tizanidine, Zanaflex	1	0.27
8182	Clindamycin	1	0.27
8236	Lyrica, Pregabalin	1	0.27
8259	Roloids <OTC>	1	0.27
8488	Minocin, Minocycline	1	0.27
8530	Sertraline hydrochloride, Zoloft	1	0.27
8545	Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	2	0.53

Table B.5 Tabulation of Stimulant OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Stimulant Drugs Specified
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	4.55
332	Ephedrine	1	4.55
339	Amphetamines, otherwise unspecified	1	4.55
415	Codeine pills	1	4.55
425	Advil <OTC>	1	4.55
3023	Adderall	2	9.09
3508	Modafinil	1	4.55
4502	Norco	1	4.55
8117	Hydrocortisone	1	4.55
8374	5-hour Energy <OTC>	5	22.73
8510	Desyrel, Trazodone hydrochloride	3	13.64
8530	Sertraline hydrochloride, Zoloft	1	4.55
8553	Bupropion, Wellbutrin, Zyban	1	4.55
8554	Effexor, Venlafaxine	1	4.55
8557	Atomoxetine, Strattera	1	4.55

Table B.6 Tabulation of Sedative OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Sedative Drugs Specified
123	Unisom <OTC>	1	1.27
176	Melatonin <OTC>	2	2.53
186	Butalbital	1	1.27
209	Xanax	2	2.53
215	Vistaril	1	1.27
246	Klonopin	3	3.80
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	1.27
435	Tylenol, Tylenol Extra-Strength <OTC>	1	1.27
894	Depakene, Depakote, Divalproex sodium, Valproic acid	1	1.27
896	Catapres, Clonidine	2	2.53
1001	Benadryl, Diphenhydramine <OTC>	29	36.71
1017	Rozerem	1	1.27
1501	Zolpidem	1	1.27
2004	Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil	1	1.27
2501	Alprazolam	1	1.27
2504	Clonazepam	2	2.53
2512	Hydroxyzine	6	7.59
8007	Gabapentin, Neurontin	4	5.06
8505	Quetiapine, Seroquel	2	2.53
8510	Desyrel, Trazodone hydrochloride	14	17.72
8513	Amitriptyline, Elavil	1	1.27
8519	Prozac, Fluoxetine	1	1.27
8522	Adapin, Doxepin, Sinequan	1	1.27

Table B.7 Tabulation of Special Drugs OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Special Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.16
108	Nembutal	1	0.16
109	Seconal	2	0.31
110	Tuinal	1	0.16
142	Belladonna	1	0.16
174	Ambien	3	0.47
201	Valium	8	1.25
207	Ativan	2	0.31
209	Xanax	16	2.49
306	Desoxyn	1	0.16
318	Ritalin	8	1.25
321	Methedrine	1	0.16
322	Methamphetamine ('ice' or 'crank'), Meth	54	8.41
326	White cross	2	0.31
332	Ephedrine	1	0.16
407	Demerol	5	0.78
408	Dilaudid, Hydromorphone	42	6.54
417	Morphine	43	6.70
418	Methadone	9	1.40
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	5	0.78
423	Percocet	15	2.34
430	Aspirin, Ecotrin, Empirin <OTC>	2	0.31
434	Vicodin	1	0.16
465	Fentanyl	28	4.36
490	Nalbuphine, Nubain	1	0.16
601	LSD ('acid')	5	0.78
605	PCP ('angel dust,' phencyclidine)	3	0.47
606	'Ecstasy' (MDMA), X-TC, 'X'	4	0.62
614	MDA, Methylenedioxy amphetamine	2	0.31
658	Special K, Ketamine	12	1.87
702	Heroin	68	10.59
706	Smack	1	0.16
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	33	5.14
802	THC, cannabinol, marinol, tetrahydrocannabinol	1	0.16
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.16
805	Cocaine, coca, cocaina, coke, perico	42	6.54
806	Crack, rock	7	1.09
807	Alcohol, beer, ethanol, EtOH, pink champagne	4	0.62
814	Caffeine <OTC>	1	0.16
824	Steroids	11	1.71
848	Liquid vitamin, vitamin pills <OTC>	1	0.16
1001	Benadryl, Diphenhydramine <OTC>	1	0.16
2504	Clonazepam	1	0.16

Table B.7 Tabulation of Special Drugs OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Special Drugs Specified
3023	Adderall	12	1.87
3052	Speed, otherwise unspecified	3	0.47
3191	Extended-release methylphenidate, not otherwise specified	1	0.16
3502	Methylphenidate	1	0.16
4037	MS Contin	1	0.16
4044	Hydrocodone	2	0.31
4046	Oxycodone	18	2.80
4047	Roxicet	1	0.16
4065	Roxicodone	5	0.78
4067	OxyContin	21	3.27
4091	K4	1	0.16
4109	Suboxone	29	4.52
4119	Buprenorphine	3	0.47
4120	Opana	14	2.18
4137	Nucynta, Tapentadol	1	0.16
4150	Subutex	5	0.78
4172	Cold water extraction of Hydrocodone	1	0.16
4501	Lortab	3	0.47
4502	Norco	4	0.62
4505	Oxycodone product, unspecified	13	2.02
4506	Codeine, not in pill form	1	0.16
4510	Oxymorphone	2	0.31
6048	Dex	1	0.16
6114	Molly, not otherwise specified	5	0.78
8009	Allergy pills/shot/antihistamine, type unspecified	1	0.16
8067	Testosterone	10	1.56
8083	Testosterone cyprionate	2	0.31
8112	hCG, Human Chorionic Gonadotropin	1	0.16
8191	L-Dopa, levodopa	1	0.16
8206	Delatestryl, Testosterone enanthate	2	0.31
8245	Human growth hormone (HGH)	2	0.31
8301	Bath salts/synthetic cathinone; otherwise unspecified	2	0.31
8342	Nalone, Naloxone, Narcan	2	0.31
8367	Peptides; otherwise unspecified	1	0.16
8426	TriMix	2	0.31
8458	Estradiol valerate	1	0.16
8481	Ozempic, Semaglutide injection, Wegovy	8	1.25
8491	Metacycline, Methacycline	1	0.16
8510	Desyrel, Trazodone hydrochloride	1	0.16
8553	Bupropion, Wellbutrin, Zyban	1	0.16
8570	Estradiol; otherwise unspecified	1	0.16
8575	Ceftrisol, Rocephin	1	0.16

Table B.7 Tabulation of Special Drugs OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Special Drugs Specified
8579	Blood thinner; type unspecified	1	0.16
8580	Alprostadil, Caverject	1	0.16
8588	Mounjaro, Tirzepatide Injection, Zepbound	1	0.16

Table B.8 Tabulation of Tranquilizer OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Tranquilizer Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	2.50
123	Unisom <OTC>	1	2.50
174	Ambien	1	2.50
209	Xanax	1	2.50
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	4	10.00
223	Methocarbamol, Robaxin	1	2.50
418	Methadone	1	2.50
435	Tylenol, Tylenol Extra-Strength <OTC>	1	2.50
450	Acetaminophen, incl. non-Tylenol brands <OTC>	1	2.50
465	Fentanyl	1	2.50
848	Liquid vitamin, vitamin pills <OTC>	1	2.50
2002	Muscle relaxers	2	5.00
2004	Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil	1	2.50
2035	Flunitrazolam	1	2.50
2036	Bromazolam	1	2.50
2501	Alprazolam	2	5.00
2512	Hydroxyzine	1	2.50
3077	Concerta	1	2.50
8007	Gabapentin, Neurontin	4	10.00
8097	Tizanidine, Zanaflex	3	7.50
8237	Kratom	1	2.50
8510	Desyrel, Trazodone hydrochloride	3	7.50
8519	Prozac, Fluoxetine	1	2.50
8530	Sertraline hydrochloride, Zoloft	5	12.50

Table B.9 Tabulation of Treatment OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Treatment Drugs Specified
201	Valium	2	1.40
209	Xanax	5	3.50
234	Flexeril	1	0.70
322	Methamphetamine ('ice' or 'crank'), Meth	1	0.70
336	Diet pills/medications/drugs, otherwise unspecified	1	0.70
408	Dilaudid, Hydromorphone	1	0.70
418	Methadone	3	2.10
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	3	2.10
423	Percocet	1	0.70
465	Fentanyl	34	23.78
604	Psilocybin (mushrooms), sclerotia, shrooms	1	0.70
650	Datura stramonium, daytura, thorn apple	2	1.40
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.70
702	Heroin	2	1.40
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	10	6.99
802	THC, cannabinol, marinol, tetrahydrocannabinol	1	0.70
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	12	8.39
805	Cocaine, coca, cocaina, coke, perico	5	3.50
807	Alcohol, beer, ethanol, EtOH, pink champagne	1	0.70
813	Cigarettes, tobacco (type unspecified)	2	1.40
818	Nicotine	5	3.50
819	Inderal, Propranolol	1	0.70
900	Not a drug	3	2.10
1001	Benadryl, Diphenhydramine <OTC>	1	0.70
1034	Topiramate	1	0.70
2503	Lorazepam	1	0.70
4051	Celebrex	1	0.70
4102	Mobic, Meloxicam, Metacam	1	0.70
4109	Suboxone	2	1.40
4150	Subutex	1	0.70
4168	Ubrelvy, Ubrogepant	1	0.70
4501	Lortab	1	0.70
4505	Oxycodone product, unspecified	1	0.70
6122	MMDA	1	0.70
8007	Gabapentin, Neurontin	1	0.70
8010	Zyrtec, Cetirizine <OTC>	1	0.70
8024	Asthma inhaler, asthma medication, bronchial dilator	1	0.70
8136	Montelukast, Singulair	1	0.70
8237	Kratom	5	3.50
8240	Lamictal, Lamotrigine	1	0.70
8247	Abilify, Aripiprazole	4	2.80
8284	Desvenlafaxine, Prestiq	1	0.70
8446	Edibles, not otherwise specified	1	0.70

Table B.9 Tabulation of Treatment OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Treatment Drugs Specified
8492	Cosaar, Losarten	1	0.70
8497	Cariprazine, Vraylar	1	0.70
8501	Haldol, Haloperidol	1	0.70
8505	Quetiapine, Seroquel	1	0.70
8510	Desyrel, Trazodone hydrochloride	2	1.40
8519	Prozac, Fluoxetine	3	2.10
8527	Prolixin	1	0.70
8535	Risperdal, Risperdol, Risperidone	1	0.70
8549	Escitalopram, Lexapro	2	1.40
8553	Bupropion, Wellbutrin, Zyban	2	1.40
8554	Effexor, Venlafaxine	1	0.70
8593	Cannabinoids, not otherwise specified	1	0.70

Appendix C

Nicotine Dependence and Substance Use Disorder

C.1 Introduction

The 2024 National Survey on Drug Use and Health (NSDUH) included questions that were designed to measure dependence on nicotine and drug¹ or alcohol use disorder. Drug or alcohol use disorder is also referred to as substance use disorder (SUD). This appendix includes information on the definitions and coding specifications of the variables that measure nicotine dependence, SUD, and SUD severity, along with weighting and variance estimation information. The variable specifications are provided for nicotine dependence and SUD, respectively, within separate sections of this appendix.

C.1.1 Nicotine Dependence and SUD Measures

For nicotine, questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman et al., 1995; Shiffman et al., 2004) and the Fagerström Test of Nicotine Dependence (FTND; Fagerström, 1978; Heatherton et al., 1991). These criteria were first used to measure nicotine dependence in NSDUH in 2003. However, the measure was based on the use of cigarettes only. Nicotine dependence was not measured for respondents who did not smoke cigarettes in the past month but used other products containing nicotine.

For substances other than nicotine, which include alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives, the 2024 questionnaire included SUD questions based on the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5; American Psychiatric Association, 2013). This includes respondents who reported use but not misuse of prescription drugs in the past year; they were asked questions about their substance use and could be classified as having an SUD based on those responses beginning in 2021.

The additional data from users but not misusers of prescription drugs led to the creation of new SUD outcome variables beginning in 2021. SUD outcome variables are available on the 2024 data file that are based on data from (1) misusers of prescription drugs, (2) users but not misusers of prescription drugs, and (3) any users of prescription drugs (i.e., the combination of the first two outcomes). The version of SUD variables based on data from any users of prescription drugs was the primary version of SUD used to generate estimates presented in the 2024 data products. More information on the three versions of SUD variables is available later in this appendix in Sections C.3.8 through C.3.11.

Users of NSDUH data should also be aware that questions about the use of illegally made fentanyl (IMF) appear after SUD questions in the 2024 NSDUH questionnaire. For this reason, overall SUD, drug use disorder, and opioid use disorder measures do not capture disorders arising solely from the use of IMF in the past year. See Section 3.4.3 in the *2024 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2025a) for additional information about the IMF questions.

¹ Drugs include marijuana (including vaping); cocaine (including crack); heroin; hallucinogens; inhalants; methamphetamine; and any use of prescription opioids, tranquilizers, stimulants, and sedatives.

New “OTHER, Specify” questions for any use of other prescription pain relievers were added to the 2024 NSDUH questionnaire to capture details on whether respondents used opioid or nonopioid pain relievers. See Chapter 4 in the 2024 Methodological Summary and Definitions report (CBHSQ, 2025a) for more information about these new questions. Using data from these new questions, a measure for prescription opioid use disorder (UDYR5OPPRANY) was presented for the first time in the 2024 national data products. Respondents were considered to have prescription opioid use disorder in the past year if they used prescription opioids in the past year (IRRXOPANYR) and had a pain reliever use disorder in the past year (UDYR5PNRANY2). The pain reliever use disorder measure (UDYR5PNRANY2) is different from this new measure because it can include respondents who used only nonopioid prescription pain relievers. This new measure for prescription opioid use disorder is also available in 2021-2023.

Opioid use disorder in the past year (UD5OPIANY2) was redefined starting in 2024 as having a prescription opioid use disorder in the past year (UDYR5OPPRANY) or having a heroin use disorder in the past year (IRPYUD5HER). This is different from 2023 when opioid use disorder was defined as having a prescription pain reliever use disorder in the past year (UDYR5PNRANY) or a heroin use disorder in the past year. Measures based on the new definition of opioids are not comparable with similar measures based on the previous definition of opioids. The measures based on the new definition are available in 2021-2023. Estimates for 2021-2023 in the 2024 data products may differ from previously published estimates. See the *2024 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 10: Editing and Imputation Report* (CBHSQ, forthcoming) for more information.

C.1.2 SUD Severity Measures

For substances other than nicotine, in addition to being used to classify respondents with an SUD, the DSM-5 criteria questions included in the 2024 NSDUH can also be used to classify the severity of an SUD. The severity of an SUD according to DSM-5 criteria is determined by the number of individual criteria recorded as positive for a particular substance (or category of substances).

- People were classified as having an SUD of mild severity if they met two or three applicable SUD criteria for that substance.
- People were classified as having an SUD of moderate severity if they met four or five applicable SUD criteria for that substance.
- People were classified in the severe SUD category if they met six or more applicable SUD criteria for that substance.

In addition to the three levels of SUD severity for individual substances, measures of severity were created for aggregate SUD categories starting with the 2022 NSDUH. These aggregate SUD categories include the following: any SUD, drug use disorder, prescription drug use disorder, tranquilizer or sedative use disorder, opioid use disorder, and CNS stimulant use disorder. SUD severity measures for these aggregate SUD categories were defined from the maximum severity level (i.e., mild, moderate, or severe) across the multiple SUDs that were included in the category. For example, if people had a moderate alcohol use disorder and a mild marijuana (cannabis) use disorder as their only SUDs in the past year, then they were classified as having moderate SUD. SUD severity measures for prescription pain reliever use disorder and

prescription opioid use disorder were also updated to be consistent with their respective SUD variables. See 3.4.7 in the 2024 Methodological Summary and Definitions report (CBHSQ, 2025a) for additional information on the updates.

C.2 Nicotine Dependence

The 2024 NSDUH questions designed to assess nicotine dependence were based on the NDSS and the FTND. To identify patterns of nicotine dependence within the 2024 NSDUH data, indicator variables were created to measure dependence on nicotine through the use of cigarettes. Respondents were classified as being dependent if they met either the NDSS or the FTND criteria for dependence. There was no change in the questions or variables definitions for nicotine dependence for the 2024 NSDUH.

C.2.1 Nicotine Dependence Syndrome Scale (NDSS)

The conceptual roots of the NDSS are similar to those behind the concept of dependence based on the *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition (DSM-IV; American Psychiatric Association, 1994; Edwards & Gross, 1976). The 2024 NSDUH contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
 - a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (CIGIRTBL)
 - b. When you don't smoke for a few hours, you start to crave cigarettes (CIGCRAVE)
 - c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (CIGCRAGP)
 - d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (CIGINCTL)
 - e. You sometimes worry that you will run out of cigarettes (CIGRNOUT)
2. Nicotine tolerance
 - a. Since you started smoking, the amount you smoke has increased (CIGINCRS)
 - b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (CIGSATIS)
 - c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (CIGLOTMR)
3. Continuous smoking
 - a. You smoke cigarettes fairly regularly throughout the day (CIGREGDY)
 - b. You smoke about the same amount on weekends as on weekdays (CIGREGWK)
 - c. You smoke just about the same number of cigarettes from day to day (CIGREGNM)
 - d. It's hard to say how many cigarettes you smoke per day because the number often changes (CIGNMCHG)
 - e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (CIGSVLHR)

4. Behavioral priority (i.e., preferring smoking over other reinforcing activities)
 - a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (CIGAVOID)
 - b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (CIGFNLKE)
 - c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (CIGPLANE)
5. Stereotypy (i.e., fixed patterns of smoking)
 - a. Do you have any friends who do not smoke cigarettes (CIGFNSMK)
 - b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (CIGINFLU)
 - c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (CIGNOINF).

Each of these five domains can be assessed as separate measures, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., 2004). In accordance with the scoring methods described by Shiffman and colleagues, the NDSS algorithm for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (4b - CIGFNLKE and 5a - CIGFNSMK) were excluded due to higher item nonresponse rates.

Responses to items CIGIRTBL, CIGCRAVE, CIGCRAGP, CIGAVOID, CIGPLANE, CIGRNOUT, CIGREGDY, CIGREGWK, CIGREGNM, CIGNOINF, CIGINCRS, CIGSATIS, and CIGLOTMR were coded from 1 to 5, where

- 1=Not at all true,
- 2=Somewhat true,
- 3=Moderately true,
- 4=Very true, and
- 5=Extremely true.

Responses to items CIGINCTL, CIGNMCHG, CIGSVLHR, and CIGINFLU were reverse coded from 5 to 1, where

- 5=Not at all true,
- 4=Somewhat true,
- 3=Moderately true,
- 2=Very true, and
- 1=Extremely true.

For respondents who reported smoking cigarettes in the past month, the total NDSS score was calculated as the sum of the recoded responses to the previous 17 questions. A respondent was classified as nicotine dependent, NDSSDEPND=1, if the total NDSS score was greater than or equal to 46.75 (corresponding to an average score of 2.75), regardless of whether any of the 17 NDSS questions were missing. If a respondent provided a response to all 17 questions and the total NDSS score was less than 46.75, then the respondent was determined to be nondependent,

NDSSDEPND=0, based on the NDSS. If a respondent was missing at least 1 of the 17 questions but the sum of the nonmissing items plus the number of questions with missing data multiplied by 5 was less than 46.75, then the respondent was also determined to be nondependent, NDSSDEPND=0, based on the NDSS. Otherwise, NDSSDEPND was set to missing for past month users of cigarettes. The average NDSS threshold of 2.75 was derived by the scale developers by examining the distribution of scores in other samples of smokers who were administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Shiffman et al., 1994).

C.2.2 Fagerström Test of Nicotine Dependence (FTND)

The FTND is a multi-item measure of dependence, but much of its ability to determine dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton et al., 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence. Respondents who reported smoking cigarettes in the past month were classified as nicotine dependent based on the FTND, FTNDDEPND=1, if the first cigarette smoked was within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2). Past month users of cigarettes who reported smoking their first cigarette more than 30 minutes after waking up on the days they smoked (CIGWAKE=3 or 4) were determined to be nondependent, FTNDDEPND=0, based on the FTND. Otherwise, FTNDDEPND was set to missing for past month users of cigarettes.

C.2.3 Overall Nicotine Dependence

Using both the NDSS and the FTND measures, respondents were classified as having nicotine dependence in the past month, PMNICDEP=1, if they met either the NDSS (NDSSDEPND=1) or FTND (FTNDDEPND=1) criteria for dependence. A past month cigarette user was determined to be nondependent in the past month if NDSSDEPND=0 and FTNDDEPND=0. Otherwise, nicotine dependence status was unknown for past month cigarette users.

Starting with the 2021 NSDUH, missing values in the composite recode, PMNICDEP, were replaced using statistical imputation. The imputed variable for nicotine dependence, IRPMNICDEP, was used to create estimates presented in the *Results from the 2024 National Survey on Drug Use and Health: Detailed Tables* (CBHSQ, 2025d). For more information on the imputation of nicotine dependence, see the 2024 Editing and Imputation Report (CBHSQ, forthcoming).

C.3 SUD

Beginning in 2021, all respondents received SUD questions that were based on the DSM-5. Missing values for the SUD and SUD severity measures for alcohol, marijuana, cocaine, heroin, inhalants, hallucinogens, methamphetamine, pain relievers, stimulants, sedatives, and tranquilizers were replaced with valid response categories using statistical imputation. However, the individual SUD criteria variables for a given substance were not imputed and may contain missing values.

This section describes the recodes for the individual SUD measures. Listed below are the definitions used for each of the individual SUD measures along with the corresponding severity variable names. Specific notes about any inconsistency issues for each measure are also included. Additional variables that were created using a combination of these individual SUD measures are described in Section C.4 and are also listed in the body of the codebook.

C.3.1 ALCOHOL

To be classified with alcohol use disorder, IRPYUD5ALC, a respondent must have met two or more of the following alcohol criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5ALC=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5ALC=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5ALC=3).

- (1) Ended up drinking alcohol many times in larger amounts or for a longer time than intended (UDALLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop drinking alcohol or wished could cut down or stop drinking alcohol (UDALNOTSTOP=1 or UDALWSHSTOP=1)
- (3) Spent a great deal of time drinking alcohol, feeling its effects, or getting over the effects of drinking, or trying to get alcohol (UDALTIMEGET=1 or UDALTIMEUSE=1)
- (4) Wanted to use alcohol so badly could not think of anything else (UDALWANTBAD=1) or had a strong urge to use alcohol (UDALSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family(UDALWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using alcohol (UDALFMLYPRB=1) and continued to use alcohol even though it often caused arguments or problems with family or friends (UDALFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of alcohol use (UDALSTOPACT=1)
- (8) Repeatedly got into situations where drinking alcohol increased your chances of getting physically hurt (UDALGETHURT=1)
- (9) Continued to use alcohol even though it was causing problems with emotions, mental health, or physical health, or drinking gave you repeated blackouts (UDALMNTLCTD=1 or UDALHLTHCTD=1 or UDALBLCKCTD=1)
- (10) Needed to drink a lot more alcohol to get the desired feeling, or drinking the same amount had less of an effect (UDALNEEDMOR=1 or UDALLESSEFF=1)
- (11) Reported experiencing two or more alcohol withdrawal symptoms after alcohol use was cut back or stopped or respondent used the same or similar substance to avoid having alcohol withdrawal symptoms during the past 12 months. Symptoms include

(i) sweating or feeling that heart was beating fast (UDALWDSWEAT=1); (ii) having hands tremble (UDALWDTRMBL=1); (iii) having trouble sleeping (UDALWDSLEEP=1); (iv) vomiting or feeling nauseous (UDALWDVOMIT=1); (v) seeing, hearing, or feeling things that were not really there (UDALWDHALUC=1); (vi) feeling like could not sit still (UDALWDSITST=1); (vii) feeling anxious (UDALWDFLANX=1); and (viii) having seizures or fits (UDALWDSZURE²=1). Substances used to avoid withdrawal symptoms could include alcohol (UDALAVWALCO=1) or prescription sedatives, tranquilizers, sleeping pills, or downers (UDALAVWSVTR=1).

Note: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have been imputed to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

C.3.2 MARIJUANA

To be classified with marijuana use disorder, IRPYUD5MRJ, a respondent must have met two or more of the following marijuana criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5MRJ=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5MRJ=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5MRJ=3).

- (1) Ended up using marijuana many times in larger amounts or for a longer time than intended (UDMJLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using marijuana or wished could cut down or stop using marijuana (UDMJNOTSTOP=1 or UDMJWSHSTOP=1)
- (3) Spent a great deal of time using marijuana, feeling its effects, or getting over the effects, or trying to get marijuana (UDMJTIMEGET=1 or UDMJTIMEUSE=1)
- (4) Wanted to use marijuana so badly could not think of anything else (UDMJWANTBAD=1) or had a strong urge to use marijuana (UDMJSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDMJWORKPRB=1)

² The having seizures or fits as an alcohol withdrawal symptom (UDALWDSZURE) is excluded from the file due to disclosure risk.

- (6) Problems with family or friends that were caused or made worse by using marijuana (UDMJFMLYPRB=1) and continued to use marijuana even though it often caused arguments or problems with family or friends (UDMJFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of marijuana use (UDMJSTOPACT=1)
- (8) Repeatedly got into situations where using marijuana increased your chances of getting physically hurt (UDMJGETHURT=1)
- (9) Continued to use marijuana even though it was causing problems with emotions, mental health, or physical health (UDMJMNTLCTD=1 or UDMJHLTHCTD=1)
- (10) Needed to use marijuana a lot more to get the desired feeling, or use of the same amount had less of an effect (UDMJNEEDMOR=1 or UDMJLESSEFF=1)
- (11) Reported experiencing three or more marijuana withdrawal symptoms after marijuana use was cut back or stopped or respondent used the same or similar substance to avoid having marijuana withdrawal symptoms during the past 12 months. Symptoms include (i) feeling irritable or angry (UDMJWDANGRY=1); (ii) feeling anxious or nervous (UDMJWDFLANX=1); (iii) having trouble sleeping (UDMJWDSLEEP=1); (iv) losing your appetite or losing weight without trying to (UDMJWDAPPET=1); (v) feeling like you couldn't sit still (UDMJWDSITST=1); (vi) feeling depressed (UDMJWDDEPRS=1); and experiencing at least one for the following physical symptoms: stomach ache (UDMJWDSTMCH=1), shaking or tremors (UDMJWDSHAKE=1), sweating (UDMJWDSWEAT=1), fever (UDMJWDFEVER=1), chills (UDMJWDCHILL=1), or headache (UDMJWDHEDAC=1). Substances used to avoid withdrawal symptoms could include marijuana, hashish, or another cannabis product (UDMJAVWMARJ=1).

Note: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have been imputed to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

C.3.3 COCAINE

To be classified with cocaine use disorder, IRPYUD5COC, a respondent must have met two or more of the following cocaine criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5COC=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5COC=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5COC=3).

- (1) Ended up using cocaine many times in larger amounts or for a longer time than intended (UDCCLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using cocaine or wished could cut down or stop using cocaine (UDCCNOTSTOP=1 or UDCCWSHSTOP=1)

- (3) Spent a great deal of time using cocaine, feeling its effects, or getting over the effects, or trying to get cocaine (UDCCTIMEGET=1 or UDCCTIMEUSE=1)
- (4) Wanted to use cocaine so badly could not think of anything else (UDCCWANTBAD=1) or had a strong urge to use cocaine (UDCCSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDCCWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using cocaine (UDCCFMLYPRB=1) and continued to use cocaine even though it often caused arguments or problems with family or friends (UDCCFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of cocaine use (UDCCSTOPACT=1)
- (8) Repeatedly got into situations where using cocaine increased your chances of getting physically hurt (UDCCGETHURT=1)
- (9) Continued to use cocaine even though it was causing problems with emotions, mental health, or physical health (UDCCMNTLCTD=1 or UDCCHLTHCTD=1)
- (10) Needed to use cocaine a lot more to get the desired feeling, or use of the same amount had less of an effect (UDCCNEEDMOR=1 or UDCCLESSEFF=1)
- (11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using cocaine (UDCCWDFLBLU=1) as well as experiencing two or more additional cocaine withdrawal symptoms (listed below) after cocaine use was cut back or stopped; or (2) having used the same or similar substance to avoid having cocaine withdrawal symptoms during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDCCWDTIRED=1), (ii) having bad dreams (UDCCWDDREAM=1), (iii) having trouble sleeping or sleeping more than normal (UDCCWDSLEEP=1), (iv) feeling hungry more often (UDCCWDHNGRY=1), and (v) feeling either very slowed down or like could not sit still (UDCCWDSITST=1). Substances used to avoid withdrawal symptoms could include cocaine (UDCCAVWCOCN=1), methamphetamine (UDCCAVWMETH=1), or prescription stimulants or uppers (UDCCAVWSTIM=1).

Note: Respondents could answer the cocaine use disorder questions if they reported injecting cocaine with a needle in the past year in the special drugs section, even if they reported not using cocaine in the past year in the cocaine section. Thus, situations may exist where respondents were classified as having a cocaine use disorder, even though they had not used cocaine in the past year according to the imputed recency variable (IRCOCRC).

C.3.4 HEROIN

To be classified with heroin use disorder, IRPYUD5HER, a respondent must have met two or more of the following heroin criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5HER=1); respondents with four

or five criteria are considered to have “moderate” disorder (IRPYSEV5HER=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5HER=3).

- (1) Ended up using heroin many times in larger amounts or for a longer time than intended (UDHELRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using heroin or wished could cut down or stop using heroin (UDHENOTSTOP=1 or UDHEWSHSTOP=1)
- (3) Spent a great deal of time using heroin, feeling its effects, or getting over the effects, or trying to get heroin (UDHETIMEGET=1 or UDHETIMEUSE=1)
- (4) Wanted to use heroin so badly could not think of anything else (UDHEWANTBAD=1) or had a strong urge to use heroin (UDHESTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family(UDHEWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using heroin (UDHEFMLYPRB=1) and continued to use heroin even though it often caused arguments or problems with family or friends (UDHEFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of heroin use (UDHESTOPACT=1)
- (8) Repeatedly got into situations where using heroin increased your chances of getting physically hurt (UDHEGETHURT=1)
- (9) Continued to use heroin even though it was causing problems with emotions, mental health, or physical health (UDHEMNTLCTD=1 or UDHEHLTHCTD=1)
- (10) Needed to use heroin a lot more to get the desired feeling, or use of the same amount had less of an effect (UDHENEEDMOR=1 or UDHELESSEFF=1)
- (11) Reported experiencing three or more heroin withdrawal symptoms after heroin use was cut back or stopped or respondent used the same or similar substance to avoid having heroin withdrawal symptoms during the past 12 months. Symptoms include (i) feeling kind of blue or down (UDHEWDFLBLU=1); (ii) vomiting or feeling nauseous (UDHEWDVOMIT=1); (iii) having cramps or muscle aches (UDHEWDCRAMP=1); (iv) having teary eyes or a runny nose (UDHEWDRUNNY=1); (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin (UDHEWDSWEAT=1); (vi) having diarrhea (UDHEWDDIARR=1); (vii) yawning (UDHEWDYAWNS=1); (viii) having a fever (UDHEWDFEVER=1); and (ix) having trouble sleeping (UDHEWDSLEEP=1). Substances used to avoid withdrawal symptoms could include heroin (UDHEAVWHERN=1) or prescriptions pain relievers (UDHEAVWP NRL=1).

Note: Respondents could answer the heroin use disorder questions if they reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year in the special drugs section, even if they reported not using heroin in the past year in the heroin section. Thus, situations may exist where respondents were classified as having a heroin use disorder, even though

they had not used heroin in the past year according to the imputed recency variable (IRHERRC).

C.3.5 HALLUCINOGENS

To be classified with hallucinogen use disorder, IRPYUD5HAL, a respondent must have met two or more of the following hallucinogen criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5HAL=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5HAL=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5HAL=3).

- (1) Ended up using hallucinogens many times in larger amounts or for a longer time than intended (UDHALRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using hallucinogens or wished could cut down or stop using hallucinogens (UDHANOTSTOP=1 or UDHAWSHSTOP=1)
- (3) Spent a great deal of time using hallucinogens, feeling its effects, or getting over the effects, or trying to get hallucinogens (UDHATIMEGET=1 or UDHATIMEUSE=1)
- (4) Wanted to use hallucinogens so badly could not think of anything else (UDHAWANTBAD=1) or had a strong urge to use hallucinogens (UDHASTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family(UDHAWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using hallucinogens (UDHAFMLYPRB=1) and continued to use hallucinogens even though it often caused arguments or problems with family or friends (UDHAFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of hallucinogen use (UDHASTOPACT=1)
- (8) Repeatedly got into situations where using hallucinogens increased your chances of getting physically hurt (UDHAGETHURT=1)
- (9) Continued to use hallucinogens even though it was causing problems with emotions, mental health, or physical health (UDHAMNTLCTD=1 or UDHAHLTHCTD=1)
- (10) Needed to use hallucinogens a lot more to get the desired feeling, or use of the same amount had less of an effect (UDHANEEDMOR=1 or UDHALESSEFF=1)

C.3.6 INHALANTS

To be classified with inhalant use disorder, IRPYUD5INH, a respondent must have met two or more of the following inhalant criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5INH=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5INH=2); and

respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5INH=3).

- (1) Ended up using inhalants many times in larger amounts or for a longer time than intended (UDINLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using inhalants or wished could cut down or stop using inhalants (UDINNOTSTOP=1 or UDINWSHSTOP=1)
- (3) Spent a great deal of time using inhalants, feeling its effects, or getting over the effects, or trying to get inhalants (UDINTIMEGET=1 or UDINTIMEUSE=1)
- (4) Wanted to use inhalants so badly could not think of anything else (UDINWANTBAD=1) or had a strong urge to use inhalants (UDINSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDINWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using inhalants (UDINFMLYPRB=1) and continued to use inhalants even though it often caused arguments or problems with family or friends (UDINFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of inhalant use (UDINSTOPACT=1)
- (8) Repeatedly got into situations where using inhalants increased your chances of getting physically hurt (UDINGETHURT=1)
- (9) Continued to use inhalants even though it was causing problems with emotions, mental health, or physical health (UDINMNTLCTD=1 or UDINHLLTHCTD=1)
- (10) Needed to use inhalants a lot more to get the desired feeling, or use of the same amount had less of an effect (UDINNEEDMOR=1 or UDINLESSEFF=1)

C.3.7 METHAMPHETAMINE

To be classified with methamphetamine use disorder, IRPYUD5MTH, a respondent must have met two or more of the following methamphetamine criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5MTH=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5MTH=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5MTH=3).

- (1) Ended up using methamphetamine many times in larger amounts or for a longer time than intended (UDMELRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using methamphetamine or wished could cut down or stop using methamphetamine (UDMENOTSTOP=1 or UDMEWSHSTOP=1)
- (3) Spent a great deal of time using methamphetamine, feeling its effects, or getting over the effects, or trying to get methamphetamine (UDMETIMEGET=1 or UDMETIMEUSE=1)

- (4) Wanted to use methamphetamine so badly could not think of anything else (UDMEWANTBAD=1) or had a strong urge to use methamphetamine (UDMESTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family (UDMEWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using methamphetamine (UDMEFMLYPRB=1) and continued to use methamphetamine even though it often caused arguments or problems with family or friends (UDMEFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of methamphetamine use (UDMESTOPACT=1)
- (8) Repeatedly got into situations where using methamphetamine increased your chances of getting physically hurt (UDMEGETHURT=1)
- (9) Continued to use methamphetamine even though it was causing problems with emotions, mental health, or physical health (UDMEMNTLCTD=1 or UDMEHLTHCTD=1)
- (10) Needed to use methamphetamine a lot more to get the desired feeling, or use of the same amount had less of an effect (UDMENEEDMOR=1 or UDMELESSEFF=1)
- (11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using methamphetamine (UDMEWDFLBLU=1) as well as experiencing two or more additional methamphetamine withdrawal symptoms (listed below) after methamphetamine use was cut back or stopped; or (2) having used the same or similar substance to avoid having methamphetamine withdrawal symptoms during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDMEWDTIRED=1), (ii) having bad dreams (UDMEWDDREAM=1), (iii) having trouble sleeping or sleeping more than normal (UDMEWDSLEEP=1), (iv) feeling hungry more often (UDMEWDHNGRY=1), and (v) feeling either very slowed down or like could not sit still (UDMEWDSITST=1). Substances used to avoid withdrawal symptoms could include methamphetamine (UDMEAVWMETH=1), cocaine or crack (UDMEAVWCOCN=1), or prescription stimulants or uppers (UDMEAVWSTIM=1).

Note: Respondents could answer the methamphetamine use disorder questions if they reported injecting methamphetamine with a needle in the past year in the special drugs section, even if they reported not using methamphetamine in the past year in the methamphetamine section. Thus, situations may exist where respondents were classified as having a methamphetamine use disorder, even though they had not used methamphetamine in the past year according to the imputed recency variable (IRMETHAMREC).

C.3.8 PRESCRIPTION PAIN RELIEVERS

Past year misusers of prescription pain relievers are classified with prescription pain reliever use disorder (IRUD5PNRMIS=1) if they met two or more of the following prescription

pain reliever criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVPNRMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVPNRMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVPNRMIS=3). For past year users but not misusers of prescription pain relievers, the number of positive criteria required to classify a respondent with disorder (IRUD5PNRUNM2) and to define disorder severity (IRSEVPNRUNM2) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription pain relievers, UDYR5PNRANY2 and SEVYRPNRANY2, are also included on the data file. For past year misusers, UDYR5PNRANY2 and SEVYRPNRANY2 will equal IRUD5PNRMIS and IRSEVPNRMIS, respectively. For past year users but not misusers, UDYR5PNRANY2 and SEVYRPNRANY2 will equal IRUD5PNRUNM and IRSEVPNRUNM, respectively. Because of the new “OTHER, Specify” questions for any use of other prescription pain relievers that were added starting in 2024, the SUD and SUD severity variables for past year users but not misusers and past year any users variables were renamed for 2024 but are still considered comparable with those used in 2021-2023. See the 2024 Editing and Imputation Report (CBHSQ, forthcoming) for more information on the changes.

- (1) Ended up using pain relievers many times in larger amounts or for a longer time than intended (UDPRLRGAMTS2=1)
- (2) One or more times tried and was unable to cut down or stop using pain relievers or wished could cut down or stop using pain relievers (UDPRNOTSTOP2=1 or UDPRWSHSTOP2=1)
- (3) Spent a great deal of time using pain relievers, feeling its effects, or getting over the effects, or trying to get pain relievers (UDPRTIMEGET2=1 or UDPRTIMEUSE2=1)
- (4) Wanted to use pain relievers so badly could not think of anything else (UDPRWANTBAD2=1) or had a strong urge to use pain relievers (UDPRSTRURGE2=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family
 (UDPRWORKPRB2=1)
- (6) Problems with family or friends that were caused or made worse by using pain relievers (UDPRFMLYPRB2=1) and continued to use pain relievers even though it often caused arguments or problems with family or friends (UDPRFMLYCTD2=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of pain reliever use (UDPRSTOPACT2=1)
- (8) Repeatedly got into situations where using pain relievers increased your chances of getting physically hurt (UDPRGETHURT2=1)
- (9) Continued to use pain relievers even though it was causing problems with emotions, mental health, or physical health (UDPRMNTLCTD2=1 or UDPRHLTHCTD2=1)

- (10) Needed to use pain relievers a lot more to get the desired feeling, or use of the same amount had less of an effect (UDPRNEEDMOR2=1 or UDPRLESSEFF2=1)
- (11) Reported experiencing three or more pain reliever withdrawal symptoms after pain reliever use was cut back or stopped or respondent used the same or similar substance to avoid having pain reliever withdrawal symptoms during the past 12 months. Symptoms include (i) feeling kind of blue or down (UDPRWDFLBLU2=1); (ii) vomiting or feeling nauseous (UDPRWDVOMIT2=1); (iii) having cramps or muscle aches (UDPRWDCRAMP2=1); (iv) having teary eyes or a runny nose (UDPRWDRUNNY2=1); (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin (UDPRWDSWEAT2=1); (vi) having diarrhea (UDPRWDDIARR2=1); (vii) yawning (UDPRWDYAWNS2=1); (viii) having a fever (UDPRWDFEVER2=1); and (ix) having trouble sleeping (UDPRWDSLEEP2=1). Substances used to avoid withdrawal symptoms could include prescription pain relievers (UDPRAVWP NRL2=1) or heroin (UDPRAVWHERN2=1).

C.3.9 PRESCRIPTION TRANQUILIZERS

Past year misusers of prescription tranquilizers are classified with prescription tranquilizer use disorder (IRUD5TRQMIS=1) if they met two or more of the following prescription tranquilizer criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVTRQMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVTRQMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVTRQMIS=3). For past year users but not misusers of prescription tranquilizers, the number of positive criteria required to classify a respondent with disorder (IRUD5TRQUNM) and to define disorder severity (IRSEVTRQUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription tranquilizers, UDYR5TRQANY and SEVYRTRQANY, are also included on the data file. For past year misusers, UDYR5TRQANY and SEVYRTRQANY will equal IRUD5TRQMIS and IRSEVTRQMIS, respectively. For past year users but not misusers, UDYR5TRQANY and SEVYRTRQANY will equal IRUD5TRQUNM and IRSEVTRQUNM, respectively.

- (1) Ended up using tranquilizers many times in larger amounts or for a longer time than intended (UDTRLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using tranquilizers or wished could cut down or stop using tranquilizers (UDTRNOTSTOP=1 or UDTRWSHSTOP=1)
- (3) Spent a great deal of time using tranquilizers, feeling its effects, or getting over the effects, or trying to get tranquilizers (UDTRTIMEGET=1 or UDTRTIMEUSE=1)
- (4) Wanted to use tranquilizers so badly could not think of anything else (UDTRWANTBAD=1) or had a strong urge to use tranquilizers (UDTRSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school

- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family
(UDTRWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using tranquilizers (UDTRFMLYPRB=1) and continued to use tranquilizers even though it often caused arguments or problems with family or friends (UDTRFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of tranquilizer use (UDTRSTOPACT=1)
- (8) Repeatedly got into situations where using tranquilizers increased your chances of getting physically hurt (UDTRGETHURT=1)
- (9) Continued to use tranquilizers even though it was causing problems with emotions, mental health, or physical health (UDTRMNTLCTD=1 or UDTRHLTHCTD=1)
- (10) Needed to use tranquilizers a lot more to get the desired feeling, or use of the same amount had less of an effect (UDTRNEEDMOR=1 or UDTRLESSEFF=1)
- (11) Reported experiencing two or more tranquilizer withdrawal symptoms after tranquilizer use was cut back or stopped or respondent used the same or similar substance to avoid having tranquilizer withdrawal symptoms during the past 12 months. Symptoms include (i) sweating or feeling that your heart was beating fast (UDTRWDSWEAT=1); (ii) having your hands tremble (UDTRWDTRMBL=1); (iii) having trouble sleeping (UDTRWDSLEEP=1); (iv) vomiting or having an upset stomach (UDTRWDVOMIT=1); (v) seeing, hearing, or feeling things that weren't really there (UDTRWDHALUC=1); (vi) feeling like you couldn't sit still (UDTRWDSITST=1); feeling anxious (UDTRWDFLANX=1); having seizures or fits (UDTRWDSZURE³=1). Substances used to avoid withdrawal symptoms could include prescription tranquilizers, sedatives, downers, or sleeping pills (UDTRAVWSVTR=1) or alcohol (UDTRAVWALCO=1).

C.3.10 PRESCRIPTION STIMULANTS

Past year misusers of prescription stimulants are classified with prescription stimulant use disorder (IRUD5STMMIS=1) if they met two or more of the following prescription stimulant criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVSTMMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVSTMMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVSTMMIS=3). For past year users but not misusers of prescription stimulants, the number of positive criteria required to classify a respondent with disorder (IRUD5STMUNM) and to define disorder severity (IRSEVSTMUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription stimulants, UDYR5STMANY and

³ The having seizures or fits as a prescription tranquilizer withdrawal symptom (UDTRWDSZURE) is excluded from the file due to disclosure risk.

SEVYRSTMANY, are also included on the data file. For past year misusers, UDYR5STMANY and SEVYRSTMANY will equal IRUD5STMMIS and IRSEVSTMMIS, respectively. For past year users but not misusers, UDYR5STMANY and SEVYRSTMANY will equal IRUD5STMUNM and IRSEVSTMUNM, respectively.

- (1) Ended up using stimulants many times in larger amounts or for a longer time than intended (UDSTLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using stimulants or wished could cut down or stop using stimulants (UDSTNOTSTOP=1 or UDSTWSHSTOP=1)
- (3) Spent a great deal of time using stimulants, feeling its effects, or getting over the effects, or trying to get stimulants (UDSTTIMEGET=1 or UDSTTIMEUSE=1)
- (4) Wanted to use stimulants so badly could not think of anything else (UDSTWANTBAD=1) or had a strong urge to use stimulants (UDSTSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family
 (UDSTWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using stimulants (UDSTFMLYPRB=1) and continued to use stimulants even though it often caused arguments or problems with family or friends (UDSTFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of stimulant use (UDSTSTOPACT=1)
- (8) Repeatedly got into situations where using stimulants increased your chances of getting physically hurt (UDSTGETHURT=1)
- (9) Continued to use stimulants even though it was causing problems with emotions, mental health, or physical health (UDSTMNTLCTD=1 or UDSTHLTHCTD=1)
- (10) Needed to use stimulants a lot more to get the desired feeling, or use of the same amount had less of an effect (UDSTNEEDMOR=1 or UDSTLESSEFF=1)
- (11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using stimulants (UDSTWDFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms after stimulant use was cut back or stopped; or (2) having used the same or similar substance to avoid having stimulant withdrawal symptoms (listed below) during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDSTWDTIRED=1), (ii) having bad dreams (UDSTWDDREAM=1), (iii) having trouble sleeping or sleeping more than normal (UDSTWDSLEEP=1), (iv) feeling hungry more often (UDSTWDHNGRY=1), and (v) feeling either very slowed down or like could not sit still (UDSTWDSITST=1). Substances used to avoid withdrawal symptoms could include prescription stimulants or uppers (UDSTAVWSTIM=1), cocaine or crack (UDSTAVWCOCN=1), or methamphetamine (UDSTAVWMETH=1).

C.3.11 PRESCRIPTION SEDATIVES

Past year misusers of prescription sedatives are classified with prescription sedative use disorder (IRUD5SEDMIS=1) if they met two or more of the following prescription sedative criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVSEDMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVSEDMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVSEDMIS=3). For past year users but not misusers of prescription sedatives, the number of positive criteria required to classify a respondent with disorder (IRUD5SEDUNM) and to define disorder severity (IRSEVSEDUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription sedatives, UDYR5SEDANY and SEVYRSEDANY, are also included on the data file. For past year misusers, UDYR5SEDANY and SEVYRSEDANY will equal IRUD5SEDMIS and IRSEVSEDMIS, respectively. For past year users but not misusers, UDYR5SEDANY and SEVYRSEDANY will equal IRUD5SEDUNM and IRSEVSEDUNM, respectively.

- (1) Ended up using sedatives many times in larger amounts or for a longer time than intended (UDSVLRGAMTS=1)
- (2) One or more times tried and was unable to cut down or stop using sedatives or wished could cut down or stop using sedatives (UDSVNOTSTOP=1 or UDSVWSHSTOP=1)
- (3) Spent a great deal of time using sedatives, feeling its effects, or getting over the effects, or trying to get sedatives (UDSVTIMEGET=1 or UDSVTIMEUSE=1)
- (4) Wanted to use sedatives so badly could not think of anything else (UDSVWANTBAD=1) or had a strong urge to use sedatives (UDSVSTRURGE=1)
- (5) Serious problems at work, school, or home, such as
 - missing a lot of work or school
 - getting demoted, having your hours cut, or losing a job
 - not being able to get a job or keep a job
 - getting suspended, expelled, or dropping out of school
 - failing to take care of family(UDSVWORKPRB=1)
- (6) Problems with family or friends that were caused or made worse by using sedatives (UDSVFMLYPRB=1) and continued to use sedatives even though it often caused arguments or problems with family or friends (UDSVFMLYCTD=1)
- (7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of sedative use (UDSVSTOPACT=1)
- (8) Repeatedly got into situations where using sedatives increased your chances of getting physically hurt (UDSVGETHURT=1)
- (9) Continued to use sedatives even though it was causing problems with emotions, mental health, or physical health (UDSVMNTLCTD=1 or UDSVHLTHCTD=1)
- (10) Needed to use sedatives a lot more to get the desired feeling, or use of the same amount had less of an effect (UDSVNEEDMOR=1 or UDSVLESSEFF=1)

- (11) Reported experiencing two or more sedative withdrawal symptoms after sedative use was cut back or stopped or respondent used the same or similar substance to avoid having sedative withdrawal symptoms during the past 12 months. Symptoms include (i) sweating or feeling that heart was beating fast (UDSVWDSWEAT=1); (ii) having hands tremble (UDSVWDTRMBL=1); (iii) having trouble sleeping or sleeping more than normal (UDSVWDSLEEP=1); (iv) vomiting or feeling nauseous (UDSVWDVOMIT=1); (v) seeing, hearing, or feeling things that were not really there (UDSVWDHALUC=1); (vi) feeling like could not sit still (UDSVWDSITST=1); (vii) feeling anxious (UDSVWDFLANX=1); and (viii) having seizures or fits (UDSVWDSZURE⁴=1). Substances used to avoid withdrawal symptoms could include prescription sedatives, tranquilizers, sleeping pills, or downers (UDSVAVWSVTR=1), or alcohol (UDSVAVWALCO=1).

C.4 SUD Summary Measures

The Drug Use Disorder version of SUD was created beginning in 2021 and incorporates data from respondents with *any use* of prescription drugs (i.e., misuse or use without misuse). This version of SUD was used to produce the primary measures of SUD for the 2024 Detailed Tables (CBHSQ, 2025d) and the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2024 National Survey on Drug Use and Health* report (CBHSQ, 2025c).

Summary indicators of overall SUD (i.e., disorder, no disorder) based on DSM-5 criteria were created using combinations of “ANY” SUD variables. [Table C.1](#) includes the summary variable names, the substance for which use disorder is being described, and a short description of each variable. To be classified as having SUD for a summary variable, a respondent must have been classified as having a disorder of at least one of the corresponding substances included in the summary measure. The variables used to create each summary measure can be found in the main body of the codebook.

Beginning in 2022, summary variables that incorporate prescription drug use disorder for respondents who were users but not misusers of prescription drugs and for respondents who misused prescription drugs are no longer created. The individual SUD variables for pain reliever, stimulant, tranquilizers, and sedative use disorders exist for respondents who were users but not misusers of prescription drugs and for respondents who misused prescription drugs.

Beginning in 2024, the opioid use disorder variable (UD5OPIANY2) was redefined as having a heroin use disorder in the past year (IRPYUD5HER) or a prescription opioid use disorder in the past year (UDYR5OPPRANY). In past years, prescription pain reliever use disorder (UDYR5PNRANY) was used as one of the source variables.

⁴ The having seizures or fits as a prescription sedative withdrawal symptom (UDSVWDSZURE) is excluded from the file due to disclosure risk.

C.5 Analysis Weights and Variance Estimation Variables

Estimates for SUD were created for 2024 using the standard analysis weight (ANALWT2_C) and the variance estimation variables (VESTR_C and VEREP). For more information on the use of the weighting and variance estimation variables, see Section 6 in the *2024 National Survey on Drug Use and Health: Public Use File Data Users' Guide* (CBHSQ, 2025b).

Table C.1 Summary SUD Variables That Incorporate Prescription Drug Use Disorder from Respondents with Any Use of Prescription Drugs

Summary Any Use SUD Variable Name	SUD	Description
UD5ILLANY	Drugs	Drug use disorder including prescription drug use disorder due to any use of prescription drugs
UD5IEMANY	Drugs Other than Marijuana	Drugs other than marijuana use disorder including prescription drug use disorder due to any use of prescription drugs
UD5ILALANY	Drugs or Alcohol	Drug use disorder including prescription drug use disorder due to any use of prescription drugs, or alcohol use disorder
UD5PSYANY	Prescription Psychotherapeutics	Prescription psychotherapeutic use disorder including prescription drug use disorder due to any use of prescription drugs
UD5TRQSDANY	Prescription Tranquilizers or Sedatives	Prescription tranquilizer or sedative use disorder including prescription tranquilizer or sedative use disorder due to any use of tranquilizers or sedatives
UD5OPIANY2	Prescription Opioids	Beginning with the 2024 NSDUH, prescription opioid use disorder including prescription opioids or heroin rather than the use of prescription pain relievers or heroin The opioid use disorder estimates do not capture symptoms that arose solely from the use of illegally made fentanyl
UD5CNSANY	Central Nervous System Stimulants	Central nervous system stimulant use disorder including prescription stimulant use disorder due to any use of stimulants
UD5ILAALANY	Both Drugs and Alcohol	Drug use disorder including prescription drug use disorder due to any use of prescription drugs, and alcohol use disorder
UD5ILNALANY	Drugs Only (No Alcohol)	Drug use disorder including prescription drug use disorder due to any use of prescription drugs, and no alcohol use disorder
UD5ALNILANY	Alcohol Only (No Drugs)	Alcohol use disorder, and no drug use disorder including prescription drug use disorder due to any use of prescription drugs

SUD = substance use disorder.

References

- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.).
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). <https://doi.org/10.1176/appi.books.9780890425596> 
- Center for Behavioral Health Statistics and Quality. (2025a). *2024 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2024-methodological-summary-and-definitions>
- Center for Behavioral Health Statistics and Quality. (2025b). *2024 National Survey on Drug Use and Health: Public use file data users' guide*. <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>
- Center for Behavioral Health Statistics and Quality. (2025c). *Key substance use and mental health indicators in the United States: Results from the 2024 National Survey on Drug Use and Health* (HHS Publication No. PEP25-07-007, NSDUH Series H-60). <https://www.samhsa.gov/data/report/2024-nsduh-annual-national-report>
- Center for Behavioral Health Statistics and Quality. (2025d). *Results from the 2024 National Survey on Drug Use and Health: Detailed tables*. <https://www.samhsa.gov/data/report/2024-nsduh-detailed-tables>
- Center for Behavioral Health Statistics and Quality. (forthcoming). *2024 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 10: Editing and imputation report*. <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/methodology>
- Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal*, 1(6017), 1058-1061.
- Fagerström, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors*, 3(3-4), 235-241. [https://doi.org/10.1016/0306-4603\(78\)90024-2](https://doi.org/10.1016/0306-4603(78)90024-2) 
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerström, K. O. (1991). The Fagerström Test for Nicotine Dependence: A revision of the Fagerström Tolerance Questionnaire. *British Journal of Addiction*, 86(9), 1119-1127.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction*, 84(7), 791-799. <https://doi.org/10.1111/j.1360-0443.1989.tb03059.x> 
- Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.

Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology*, 2, 126-142. <https://doi.org/10.1037/1064-1297.2.2.126> 

Shiffman, S., Waters, A. J., & Hickcox, M. (2004, April). The Nicotine Dependence Syndrome Scale: A multi-dimensional measure of nicotine dependence. *Nicotine and Tobacco Research*, 6(2), 327-348. <https://doi.org/10.1080/1462220042000202481> 

Appendix D

Recoded Mental Health

D.1 Introduction

The 2024 National Survey on Drug Use and Health (NSDUH) included a “mental health” section of the questionnaire that was designed to provide data on various mental health measures for adults aged 18 or older, such as:

- serious psychological distress (SPD),
- mental illness
 - any mental illness (AMI),
 - serious mental illness (SMI),
 - moderate mental illness (MMI),
 - serious or moderate mental illness (SMMI),
 - low [i.e., mild] mental illness (LMI), and
 - low or moderate mental illness (AMI excluding SMI; LMMI), and
- suicidal ideation and behavior (i.e., thoughts, plans, and attempts).

Estimates of past year and past month SPD, past year mental illness, and past year suicidal ideation and behavior are presented in the *Results from the 2024 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2025d). These measures, except SPD, are also presented in the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2024 National Survey on Drug Use and Health* report (CBHSQ, 2025c).

This appendix includes details on the creation of the mental illness measures. Guidance regarding analysis of these measures, including weighting and variance estimation information, is also provided in this appendix. Details on the variables used to create the mental illness measures are included in the main body of the codebook.

D.2 Mental Illness Measures

Past year mental illness estimates found in tables and reports published for the 2024 NSDUH were based on a prediction model for mental illness originally developed using the 2008 data from the Mental Health Surveillance Study (MHSS) and later updated to include data from 2008 through 2012. The original 2008 model was created from a randomly selected subsample of approximately 1,500 adults in 2008 who had completed the NSDUH interview. Respondents were recruited for a follow-up clinical interview consisting of a diagnostic assessment for mental disorders.¹ For more information on the 2008 MHSS design and analysis, see Colpe et al. (2009) and Office of Applied Studies (2009). Information about the 2008 model is available in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings* (CBHSQ, 2013).

¹ Structured Clinical Interview for the DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP); clinical interviews would require the use of a diagnostic assessment to identify mental disorders according to criteria based on the 5th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5; American Psychiatric Association, 2013; First et al., 2002).

Based on the accumulated MHSS clinical data collected from 2008 to 2012, the Substance Abuse and Mental Health Services Administration (SAMHSA) determined the 2008 model had some important shortcomings not detected in the original model fitting because of the small sample of clinical interview respondents in 2008. Specifically, estimates of SMI and AMI among young adults based on the 2008 model were higher than the estimates for this age group based on the clinical interview data. In addition, improvements were needed in the weighting procedures for the MHSS clinical data to account better for undercoverage and nonresponse. Only NSDUH respondents in 2008 who answered their surveys in English were eligible for the clinical follow-up, and people with mental illness appeared to be more likely to participate in the follow-up.

Because of these concerns, SAMHSA fit a more accurate model using combined 2008-2012 clinical data for the 2012 model. To reduce bias and improve prediction, mental health-related variables and an age variable were added to the model. In addition, to protect against potential coverage and nonresponse error, alternatives for the weights were applied to the clinical sample data for the model development.

D.2.1 SMI Prediction Model

The 2012 model is a weighted logistic regression prediction model for mental illness. The response variable Y was defined so that $Y = 1$ when an SMI diagnosis was positive based on the clinical interview; otherwise, $Y = 0$. If $\mathbf{x}$ is a vector of realized explanatory variables, then the response probability $\pi = \Pr(Y = 1 | \mathbf{x})$ can be estimated using a weighted logistic regression model. Details about the 2012 prediction model for SMI are included below. For further technical details on the 2012 prediction models, see the *2012 National Survey on Drug Use and Health: Methodological Resource Book (Section 16a, 2012 Mental Health Surveillance Study: Design and Estimation Report)* (CBHSQ, 2014).

D.2.2 2012 Model

The 2012 SMI prediction model was fit with data from 4,912 MHSS respondents from 2008 through 2012, excluding those respondents in 2008 who were not assigned to receive the abbreviated World Health Organization Disability Assessment Schedule (WHODAS).² The final calibration model for the 2012 prediction model for SMI was determined as

$$\text{Logit}(\hat{\pi}) = \text{Log}(\hat{\pi}/1 - \hat{\pi}) = B_0 + B_1X_k + B_2X_w + B_3X_s + B_4X_m + B_5X_a$$

$$\text{or} \tag{1}$$

$$\hat{\pi} = \frac{1}{1 + \exp[-(-B_0 + B_1X_k + B_2X_w + B_3X_s + B_4X_m + B_5X_a)]}$$

where $\hat{\pi}$ refers to an estimate of the SMI response probability π .

² One case from 2008 and the one case from 2009 were dropped because of data errors and were also not included in the 2012 model.

The beta values are displayed in [Table D.1](#). The covariates came from the main NSDUH interview data, and missing data were statistically imputed:

- X_k = *Alternative Past Year K6 Score (AKSSLR6WRST)*: Past year maximum K6 score of less than 8 recoded as 0; past year maximum K6 score of 8 to 24 recoded as 1 to 17.
- X_w = *Alternative WHODAS Score (WHODASDASC)*: WHODAS item score of less than 2 recoded as 0; WHODAS item score of 2 to 3 recoded as 1, then summed for a score ranging from 0 to 8.
- X_s = *Serious Thoughts of Suicide in the Past Year (IRSUICTHNC)*: Coded as 1 if “Yes”; coded as 0 otherwise.
- X_m = *Past Year MDE (IRAMDEYR)*: Coded as 1 if the criteria for past year major depressive episode (MDE) were met;³ coded as 0 otherwise.
- X_a = *Recoded Age (AGE1830⁴)*: Coded as age minus 18 if aged 18 to 30; coded as 12 otherwise.

[Table D.1](#) displays the WHODAS model specifications for the 2012 SMI prediction model.

Table D.1 Final 2012 WHODAS SMI Prediction Model

Final 2012 Model: AKSSLR6WRST + WHODASDASC + IRSUICTHNC + IRAMDEYR + AGE1830						
Term	Beta	Beta SE	T-statistic	P-value	DF	Wald P-value
Intercept	-5.9726640	0.3201	-18.6586	0.0000	-	-
AKSSLR6WRST	0.0873416	0.0248	3.5247	0.0009	1	0.0009
WHODASDASC	0.3385193	0.0349	9.7034	0.0000	1	0.0000
IRSUICTHNC	1.9552664	0.2164	9.0342	0.0000	1	0.0000
IRAMDEYR	1.1267330	0.2196	5.1308	0.0000	1	0.0000
AGE1830	0.1059137	0.0244	4.3380	0.0001	1	0.0001

DF = degrees of freedom, SE = standard error, SMI = serious mental illness, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

The formula for the predicted probability of SMI (SMIPPPY) using the model parameter estimates in [Table D.1](#) (but expressed with more decimal points) is as follows:

$$\text{SMIPPPY} = 1/(1 + \exp[-(-5.972664 + 0.0873416 * \text{AKSSLR6WRST} + 0.3385193 * \text{WHODASDASC} + 1.9552664 * \text{IRSUICTHNC} + 1.1267330 * \text{IRAMDEYR} + 0.1059137 * \text{AGE1830})]).$$

Using the predicted probability of SMI (SMIPPPY), a cut point probability of 0.260573529 was determined so that any respondent with an SMI probability greater than or equal to the cut point was predicted to be SMI positive (SMIPY=1); otherwise, the respondent was predicted to be SMI negative (SMIPY=0). The cut point was chosen so that the weighted numbers of false positives and false negatives in the MHSS dataset were as close to equal as

³ In this situation, the past year MDE measure is from the main NSDUH interview (i.e., not from the Structured Clinical Interview for DSM-IV [SCID]). See Section 3.4.9 in the 2024 *National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* (CBHSQ, 2025a).

⁴ The age variable (AGE1830) is excluded from the file due to disclosure risk.

possible. The predicted SMI status for all adult NSDUH respondents was used to compute prevalence estimates of SMI. The estimates of the parameters of the SMI prediction model displayed in the equation are shown in [Table D.1](#).

A second cut point probability of 0.0192519810 was determined so that any respondent with an SMI probability greater than or equal to the cut point was predicted to be positive for AMI (AMIPY=1), and the remainder were predicted to be negative for AMI (AMIPY=0). The second cut point was chosen so that the weighted numbers of AMI false positives and false negatives were as close to equal as possible. The 2024 tables and reports show estimates for AMI, SMI, and AMI excluding SMI.

D.3 Analysis Variables

All of the covariate variables used in the SMI prediction model as shown in [Table D.1](#) are included on the 2024 data file. [Table D.2](#) displays the 2024 predicted mental illness variables and indicates which variables were used to create the estimates in the 2024 Detailed Tables (CBHSQ, 2025d). Combination mental illness and substance use disorder variables were also created and used in the 2024 Detailed Tables but are not included in [Table D.2](#). Beginning in 2021, the variables used in the prediction model were all statistically imputed, so the mental illness variables have no missing data.

Table D.2 Mental Illness Variable Names: NSDUH, 2024

Mental Illness Variable Name	Variable Label	Used in the Detailed Tables
SMIPY	RC-IMP SMI IND (1/0) BASED ON PREDICTED SMI PROB PY	Yes
SMIPPPY	RC-IMP PREDICTED SERIOUS MENTAL ILLNESS PROB PY	No
SMMIPY	RC-IMP SMMI IND (1/0) BASED ON PREDICTED SMI PROB PY	No
AMIPY	RC-IMP AMI IND (1/0) BASED ON PREDICTED SMI PROB PY	Yes
MMIPY	RC-IMP MOD MI IND (1/0) BASED ON PRED SMI PROB PY	No
LMIPY	RC-IMP MILD MI IND (1/0) BASED ON PRED SMI PROB PY	No
LMMIPY	RC-IMP LMMI IND (1/0) BASED ON PREDICTED SMI PROB PY	Yes
MICATPY	RC-IMP CATEGORICAL MI INDICATOR PY	No

NOTE: Mental illness aligns with criteria from the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5; American Psychiatric Association, 2013), and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder (SUD). Serious mental illness (SMI) is a subset of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness variables are based on a predictive model and are not direct measures of diagnostic status.

D.4 Limitations in Using the Mental Illness Variables in Analyses

The predicted mental illness variables that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. **Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables** (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness

variables should not be used in conjunction with the Kessler-6 (K6) variables (including SPD) or WHODAS variables in any analyses. For details, see the *Estimating Mental Illness among Adults in the United States: Revisions to the 2008 Estimation Procedures* report (CBHSQ, 2015).

D.5 Analysis Weights and Variance Estimation Variables

Estimates for mental illness were created for 2024 using the standard analysis weight (ANALWT2_C) and the variance estimation variables (VESTR_C and VEREP). For more information on the use of the weighting and variance estimation variables, see Section 6 in the *2024 National Survey on Drug Use and Health: Public Use File Data Users' Guide* (CBHSQ, 2025b).

D.6 Standard Errors for Mental Illness Measures

Standard errors for SMI estimates (and, likewise, estimates for AMI, SMMI, and AMI excluding SMI) were computed using the NSDUH dichotomous variables without taking into account any variance introduced through using a model based on the clinical subsample data. This ignores the added error resulting from fitting the 2012 SMI model, which can be very large (see the 2012 MHSS Design and Estimation Report; CBHSQ, 2014). These *conditional* standard errors (conditional on the model predictions being correct) are useful when making comparisons across years and across subpopulations (except those involved in modeling) within years because the errors due to model fitting are nearly the same across the estimates being compared.

However, caution is advised when these mental illness measures are used as explanatory variables within a regression analysis because the resulting estimated regression coefficients often will be biased toward zero (Carroll et al., 2006). Stated another way, values of the regression coefficients for these mental illness variables are likely to be attenuated. Consequently, situations in which AMI or specific levels of mental illness (e.g., SMI) are true predictors of a dependent variable of interest in the population may not be significant predictors in regression models that use these variables. If a statistically significant association is identified between these mental illness variables and the dependent variable, however, one can be more confident that this truly is a significant association.

References

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). <https://doi.org/10.1176/appi.books.9780890425596> 
- Carroll, R. J., Ruppert, D., Stefanski, L. A., & Crainiceanu, C. M. (2006). *Measurement error in nonlinear models: A modern perspective*, 2nd ed. Chaoman & Hall/CRC.
- Center for Behavioral Health Statistics and Quality. (2013). *Results from the 2012 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 13-4805, NSDUH Series H-47). <https://www.samhsa.gov/data/report/results-2012-national-survey-drug-use-and-health-mental-health-findings>
- Center for Behavioral Health Statistics and Quality. (2014). *2012 National Survey on Drug Use and Health: Methodological resource book (Section 16a, 2012 Mental Health Surveillance Study: Design and estimation report)*. <https://www.samhsa.gov/data/report/2012-nsduh-mental-health-surveillance-study-design-and-estimation-report>
- Center for Behavioral Health Statistics and Quality. (2015). *Estimating mental illness among adults in the United States: Revisions to the 2008 estimation procedures*. <https://www.samhsa.gov/data/report/2012-nsduh-estimating-mental-illness-among-adults-united-states-revisions-2008-estimation>
- Center for Behavioral Health Statistics and Quality. (2025a). *2024 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2024-methodological-summary-and-definitions>
- Center for Behavioral Health Statistics and Quality. (2025b). *Results from the 2024 National Survey on Drug Use and Health: Public use data users' guide*. <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>
- Center for Behavioral Health Statistics and Quality. (2025c). *Key substance use and mental health indicators in the United States: Results from the 2024 National Survey on Drug Use and Health* (HHS Publication No. PEP25-07-007, NSDUH Series H-60). <https://www.samhsa.gov/data/report/2024-nsduh-annual-national-report>
- Center for Behavioral Health Statistics and Quality. (2025d). *Results from the 2024 National Survey on Drug Use and Health: Detailed tables*. <https://www.samhsa.gov/data/report/2024-nsduh-detailed-tables>
- Colpe, L. J., Epstein, J. F., Barker, P. R., & Gfroerer, J. C. (2009). Screening for serious mental illness in the National Survey on Drug Use and Health (NSDUH). *Annals of Epidemiology*, 19(3), 210-211. <https://doi.org/10.1016/j.annepidem.2008.09.005> 
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (2002). *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP)*. New York State Psychiatric Institute, Biometrics Research.

Office of Applied Studies. (2009). *2008 National Survey on Drug Use and Health: Methodological resource book (Section 16, Measuring serious mental illness with the NSDUH: Results of 2008 12-month analysis)*. Substance Abuse and Mental Health Services Administration.

Appendix E

Recoded Adolescent Depression Variable Documentation

E.1 Introduction

The 2024 National Survey on Drug Use and Health (NSDUH) instrumentation included two modules, the adult depression module and the adolescent depression module, which were designed to measure whether respondents had experienced a major depressive episode (MDE) in their lifetime and past year. Additional questions to assess impairment levels caused by MDE and treatment received for depression were included at the end of each MDE module.

The NSDUH questions designed to assess MDE symptoms were based on the criteria in the 5th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5; American Psychiatric Association, 2013). More specifically, MDE questions for adults were adapted from the depression section of the National Comorbidity Survey-Replication (NCS-R; Harvard School of Medicine, 2005), and questions for adolescents were adapted from the depression section of the National Comorbidity Survey-Adolescent (NCS-A; Harvard School of Medicine, 2005). To make the modules developmentally appropriate for adolescents, there are minor wording differences in a few questions between the adult and adolescent modules. People were classified as having had a lifetime MDE if they had five or more of nine symptoms for MDE in the same 2-week period in their lifetime, in which at least one of the symptoms was a depressed mood or loss of interest or pleasure in daily activities. People were classified as having MDE in the past year if they had a lifetime MDE and a period of time in the past 12 months when they felt depressed or lost interest or pleasure in daily activities for 2 weeks or longer, while also having some of the other symptoms for lifetime MDE.

Estimates of past year MDE and past year MDE with severe impairment are presented in the *Results from the 2024 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2025d) and in the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2024 National Survey on Drug Use and Health* report (CBHSQ, 2025c).¹

Starting in 2021, the adult MDE and MDE with severe impairment variables were imputed. Information about the adult depression variables can be found in the main codebook text and in Section 3.4.12 of the *2024 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* report (CBHSQ, 2025a). The adolescent depression variables are not imputed. Respondents aged 12 to 17 who had missing data for whether they had an MDE in the past 12 months were excluded from the analyses to produce published estimates for the 2024 NSDUH. This appendix provides adolescent MDE variable specifications and analysis and weighting information. A flowchart ([Figure E.1](#)) is included to provide details regarding the routing logic leading up to the MDE questions specifying which adolescent respondents were asked the MDE questions and were classified as having MDE.

E.2 MDE Variable Specifications


In the adolescent depression module of NSDUH, respondents aged 12 to 17 were asked a series of introductory questions to determine whether they had a worst period of time where they experienced feeling sad, empty, depressed, discouraged, or a loss of interest. If adolescent

¹ Variables for treatment for depression and lifetime MDE are available on the datafile but are not presented in the 2024 Detailed Tables (CBHSQ, 2025d) and reports.

respondents fit certain criteria based on the routing logic found in these introductory questions, then they were asked the questions related to the nine attributes (symptoms) of MDE. To demonstrate the responses that would lead respondents to be asked the MDE attributes questions based on these introductory questions, a flowchart using the adolescent questions is included as [Figure E.1](#). The questions shown in the flowchart refer to the adolescent depression-associated question name from the computer-assisted interviewing (CAI) instrument specifications as well as the corresponding edited variable name to assist users in mapping the information back to the CAI. The flowchart does not show responses that would lead to a respondent not being asked the MDE attribute questions or being sent to the next section of the questionnaire.

Figure E.1 Routing Logic Prior to Adolescent Major Depressive Episode (MDE) Attribute Questions

E-3



The questions showing the nine attributes of MDE refer to the worst period of time the adolescent has had that stood out in the adolescent's mind, or, if the adolescent did not recall a worst period of time, the questions refer to the most recent period of time when the adolescent experienced any or all of the following: sadness, discouragement, or lack of interest in most things. These questions were asked once an adolescent respondent was routed through the CAI as indicated in the flowchart. **It should be noted that no exclusions were made for MDE caused by medical illness, bereavement, or substance use disorders.**

The coding specifications below for all recoded MDE variables include in parentheses both the adolescent depression-associated question name from the CAI instrument specifications and the corresponding edited variable name to assist users in mapping the information back to the CAI.

Adolescent respondents were classified with lifetime MDE (YMDELT=1) if they had at least five of the nine attributes where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (DSMMDEAY/YODSMMDE=1). Adolescent respondents were classified with not having lifetime MDE (YMDELT=2) if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to classify adolescents as having had MDE in their lifetime (DSMMDEAY/YODSMMDE=2).
2. If the number of criteria is unknown (DSMMDEAY/YODSMMDE=94, 97, and 98) and the adolescent respondent reported at least one of the following:
 - a. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YDS21/YODPREV =2); discouraged about how things were going in life (YDS22/YODSCEV =2); and lost interest in most things usually enjoyable (YDS23/YOLOSEV =2).
 - b. Experienced the feelings in (a), but they did not last most of the day, nearly every day for 2 weeks or longer (YD09/YOLSI2WK=2) or (YD12/YODPR2WK=2).
 - c. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YD16/YOWRHRS=1).
 - d. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (YD17/YOWRDST=1); there was never a time when emotional distress was so severe that the adolescent respondent could not be cheered up (YD18/YOWRCHR=4); and there was never a time when emotional distress was so severe that the adolescent respondent could not carry out daily activities (YD19/YOWRIMP=4).
 - e. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer for at least an hour and the severe distress was more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (YD21/YODPPROB=2).

Adolescent respondents who were classified with lifetime MDE (YMDEL=1) and who reported that during the past 12 months they had a period of depression lasting 2 weeks or longer, while also having some of the other symptoms mentioned (YOPB2WK=1), were classified as having past year depression (YMDEYR=1). Adolescent respondents with no lifetime MDE (YMDEL=2) or adolescent respondents with lifetime MDE (YMDEL=1) but no period of depression lasting 2 weeks or longer while having other symptoms (YOPB2WK=2) were classified as not having past year MDE (YMDEYR=2). Otherwise, adolescent respondents were classified as system missing for lifetime or past year MDE if they had unknown depression information and/or they were aged 18 or older.

Adolescent respondents with lifetime MDE and respondents with recurrent thoughts of death or recurrent suicide ideation (D_MDEA9Y/YO_MDEA9²=1), regardless of MDE classification, were guided through the remainder of the depression module. Because of this second criterion, variables for treatment of depression may have values for respondents who were not classified as having lifetime MDE. If the subpopulation of interest is adolescent respondents with lifetime MDE or past year MDE, these restrictions should be implemented in the analysis using the appropriate variables. Users who are interested in the suicide ideation data³ from the depression modules should also be aware of the routing logic shown in [Figure E.1](#) because only a subset of respondents are asked the suicide-related questions.

E.3 MDE with Severe Impairment Variable Specifications

The Sheehan Disability Scale (SDS) is used to measure impairment due to emotions, nerves, or mental health. Adolescent respondents classified as having had MDE in the past year were then asked questions from the SDS to measure the level of functional impairment in major life activities that were caused by their MDE in the past 12 months (Leon et al., 1997).

The adolescent SDS measures mental health-related impairment in four major life activities or role domains: (1) cause problems with your chores at home, (2) cause problems with your ability to do well at school or work, (3) cause problems with your ability to get along with your family during that time, and (4) cause problems with your ability to have a social life during that time. These four questions are assessed on a 0 to 10 visual analog scale with categories of “no interference” (0), “mild” (1-3), “moderate” (4-6), “severe” (7-9), and “very severe” (10).

The four adolescent SDS role domain variables (YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC, respectively) were recoded as follows: no interference = 1, mild = 2, moderate = 3, severe = 4, and very severe = 5. A maximum impairment score, YSDSOVRL, was then defined as the single highest severity level of role impairment across all four recoded SDS role domains (YSDSHOME, YSDSWRK, YSDSREL, and YSDSSOC). Adolescents with past year MDE (YMDEYR=1) and ratings greater than or equal to 7 on the original SDS scale (YSDSOVRL=4 or 5) were considered to have severe role impairment (MDEIMPY=1). Respondents aged 12 to 17 were classified as system missing if they had unknown impairment

² The recurrent thoughts of death or recurrent suicide ideation variable (YO_MDEA9) is excluded from the file due to disclosure risk.

³ The adolescent suicide estimates presented in the 2024 Detailed Tables (CBHSQ, 2025d) and in the 2024 Key Substance Use and Mental Health Indicators report (CBHSQ, 2025c) are from the youth experiences module data, not the adolescent depression suicide module data.

information for all four SDS domain variables, were not asked the question due to routing logic, and/or they were aged 18 or older.

E.4 Analysis Weights and Variance Estimation Variables

Adolescent estimates for lifetime and past year MDE and MDE with severe impairment should be created for 2024 using the standard analysis weight (ANALWT2_C) and the variance estimation variables (VESTR_C and VEREP). For more information on the use of the weighting and variance estimation variables, see Section 6 in the *2024 National Survey on Drug Use and Health: Public Use File Data Users' Guide* (CBHSQ, 2025b).

References

- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). <https://doi.org/10.1176/appi.books.9780890425596> 
- Center for Behavioral Health Statistics and Quality. (2025a). *2024 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. <https://www.samhsa.gov/data/report/2024-methodological-summary-and-definitions>
- Center for Behavioral Health Statistics and Quality. (2025b). *2024 National Survey on Drug Use and Health: Public use file data users' guide*. <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>
- Center for Behavioral Health Statistics and Quality. (2025c). *Key substance use and mental health indicators in the United States: Results from the 2024 National Survey on Drug Use and Health* (HHS Publication No. PEP25-07-007, NSDUH Series H-60). <https://www.samhsa.gov/data/report/2024-nsduh-annual-national-report>
- Center for Behavioral Health Statistics and Quality. (2025d). *Results from the 2024 National Survey on Drug Use and Health: Detailed tables*. <https://www.samhsa.gov/data/report/2024-nsduh-detailed-tables>
- Harvard School of Medicine. (2005). *Home page: National Comorbidity Survey (NCS)*. [Web page]. <https://www.hcp.med.harvard.edu/ncs/> 
- Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105. <https://doi.org/10.2190/t8em-c8yh-373n-1uwd> 

Appendix F

Public Use File Estimates

F.1 Introduction

This appendix provides example tables showing some estimates calculated from the 2024 National Survey on Drug Use and Health (NSDUH) public use file (PUF). PUF users can ensure that the 2024 PUF data are downloaded correctly, or that code is implemented correctly, by replicating estimates in these tables. Examples in this appendix are created using variable names and data from the NSDUH PUF. Some variable names may differ when using the NSDUH restricted-use file (RUF). To assist in replicating estimates in the example tables provided, [Tables F.1](#) and [F.2](#) provide the names of domain variables and analysis variables, respectively, from the NSDUH PUF. For additional information on the creation of estimates, such as the use of design variables, calculation of standard errors, and implementation of precision-based suppression rules, users can refer to the *2024 National Survey on Drug Use and Health: Public Use File Data Users' Guide* (Center for Behavioral Health Statistics and Quality, 2025a).

Table F.1 Domain Variables Used in Public Use File Example Tables

Demographic Group	Public Use File Variable/Value	Related Table
AGE		
12-17	CATAG2=1	F.3
18-25	CATAG2=2 or AGE3=4,5,6	F.3 F.5
26 or Older	CATAG2=3	F.3
26-49	AGE3=7,8,9	F.5
50 or Older	AGE3=10,11	F.5
SEX		
Male	IRSEX=1	F.3 , F.4 , F.5
Female	IRSEX=2	F.3 , F.4 , F.5
HISPANIC ORIGIN AND RACE		
Not Hispanic or Latino	NEWRACE2=1-6	F.3 , F.4 , F.5
AIAN	NEWRACE2=3	F.3 , F.4 , F.5
Asian	NEWRACE2=5	F.3 , F.4 , F.5
Black or African American	NEWRACE2=2	F.3 , F.4 , F.5
NHPI	NEWRACE2=4	F.3 , F.4 , F.5
White	NEWRACE2=1	F.3 , F.4 , F.5
Two or More Races	NEWRACE2=6	F.3 , F.4 , F.5
Hispanic or Latino	NEWRACE2=7	F.3 , F.4 , F.5
HEALTH INSURANCE		
Private	IRPRVHLT=1	F.5
Medicaid/CHIP	IRMCDCHP=1	F.5
Other	OTHINS=1	F.5
No Coverage	IRINSUR4=2	F.5
CURRENT EMPLOYMENT		
Full-Time	IRWRKSTAT18=1	F.5
Part-Time	IRWRKSTAT18=2	F.5
Unemployed	IRWRKSTAT18=3	F.5
Other	IRWRKSTAT18=4	F.5

AIAN = American Indian or Alaska Native; NHPI = Native Hawaiian or Pacific Islander.

Table F.2 Analysis Variables Used in Public Use File Example Tables

Measure	Public Use File Variable	Related Table
Past Month Alcohol Use	ALCMON	F.3
Past Month Binge Alcohol Use	BNGDRKMON	F.3
Past Month Heavy Alcohol Use	HVYDRKMON	F.3
Lifetime Tobacco Product Use	TOBFLAG	F.4
Past Year Tobacco Product Use	TOBYR	F.4
Past Month Tobacco Product Use	TOBMON	F.4
Past Year Serious Mental Illness	SMIPY	F.5

F.2 Examples of Selected 2024 PUF Tables

[Tables F.3](#) through [F.5](#) are examples of tables of estimates and standard errors produced using the 2024 NSDUH PUF and are similar in format to the *Results from the 2024 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality, 2025b). Users of the NSDUH PUFs are cautioned against analyzing and interpreting near zero or low prevalence outcomes and estimates based on small sample sizes. The NSDUH suppression criteria, as described in Section 11 of the 2024 PUF Data Users' Guide (Center for Behavioral Health Statistics and Quality, 2025a), were applied to [Tables F.3](#) through [F.5](#). Users may use their own discretion when deciding how to treat these estimates. Note that estimates from the PUF will differ from published NSDUH estimates, which are based on the RUF, because the PUF data file undergoes disclosure avoidance treatment.

Table F.3 Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Percentages and SEs, 2024 NSDUH PUF Estimates

Demographic Characteristic	ALCOHOL USE		BINGE ALCOHOL USE		HEAVY ALCOHOL USE	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	46.3	0.42	19.9	0.31	5.0	0.17
AGE						
12-17	6.5	0.46	3.4	0.24	0.4	0.08
18-25	47.5	0.71	26.8	0.63	6.2	0.37
26 or Older	50.6	0.50	20.7	0.37	5.4	0.21
SEX						
Male	48.5	0.52	22.2	0.40	6.3	0.23
Female	44.2	0.51	17.6	0.40	3.9	0.20
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	47.2	0.49	19.3	0.38	5.2	0.20
AIAN	31.8	3.55	20.6	2.85	6.3	1.46
Asian	31.9	1.52	10.2	0.86	1.9	0.36
Black or African American	41.2	1.20	20.1	0.80	3.4	0.33
NHPI	24.9	4.02	12.4	2.31	3.3	1.46
White	50.6	0.54	20.3	0.43	5.8	0.24
Two or More Races	42.1	2.15	16.6	1.59	5.9	1.07
Hispanic or Latino	42.5	0.85	22.3	0.71	4.6	0.31

* Low precision.

AIAN = American Indian or Alaska Native; NHPI = Native Hawaiian or Pacific Islander; PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download on the [NSDUH Data Files](#) web page.

NOTE: PUF estimates in this table might differ from the estimates in the “Tobacco Product and Alcohol Use” [detailed tables](#), which are based on restricted-use data.

NOTE: Binge alcohol use is defined as drinking five or more drinks for males or four or more drinks for females on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy alcohol use is defined as binge drinking on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2024.

Table F.4 Tobacco Product Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Percentages and SEs, 2024 NSDUH PUF Estimates

Demographic Characteristic	LIFETIME		PAST YEAR		PAST MONTH	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	56.8	0.46	21.2	0.33	16.7	0.28
SEX						
Male	63.7	0.58	27.1	0.46	21.3	0.38
Female	50.3	0.49	15.5	0.40	12.3	0.38
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	59.2	0.48	22.3	0.39	17.9	0.36
AIAN	60.6	3.09	33.7	3.91	29.7	3.49
Asian	32.1	1.46	9.3	1.06	6.4	0.93
Black or African American	46.7	1.38	22.7	0.95	18.9	0.80
NHPI	41.5	6.23	14.6	3.33	12.6	2.96
White	64.8	0.46	23.4	0.49	18.7	0.46
Two or More Races	59.0	2.13	26.0	2.16	21.2	2.17
Hispanic or Latino	46.7	0.99	16.3	0.59	11.7	0.48

* Low precision.

AIAN = American Indian or Alaska Native; NHPI = Native Hawaiian or Pacific Islander; PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download on the [NSDUH Data Files](#) web page.

NOTE: PUF estimates in this table might differ from the estimates in the “Tobacco Product and Alcohol Use” [detailed tables](#), which are based on restricted-use data.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., snuff, dip, chewing tobacco, or snus), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use but includes past month pipe tobacco use.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2024.

Table F.5 Serious Mental Illness in the Past Year: Among Adults Aged 18 or Older; by Age Group and Demographic Characteristics, Percentages and SEs, 2024 NSDUH PUF Estimates

Demographic Characteristic	TOTAL		AGED 18-25		AGED 26-49		AGED 50+	
	Estimate	SE	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	5.6	0.15	9.5	0.44	7.5	0.27	2.8	0.27
SEX								
Male	4.7	0.21	7.5	0.66	6.4	0.32	2.2	0.36
Female	6.5	0.21	11.5	0.62	8.6	0.38	3.3	0.37
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5.9	0.17	10.5	0.48	8.1	0.31	3.0	0.30
AIAN	4.3	0.99	13.6	4.25	4.1	1.68	1.1	0.79
Asian	4.1	0.65	11.3	2.45	3.7	0.95	2.0	0.97
Black or African American	4.6	0.45	6.8	0.90	5.9	0.64	2.5	0.70
NHPI	*	*	0.3	0.23	0.6	0.41	*	*
White	6.1	0.21	11.0	0.55	9.1	0.39	3.0	0.31
Two or More Races	13.3	1.86	17.2	2.30	14.7	2.10	*	*
Hispanic or Latino	4.3	0.30	6.3	0.68	5.4	0.57	1.7	0.32
HEALTH INSURANCE¹								
Private	4.8	0.20	10.1	0.66	6.1	0.31	2.1	0.29
Medicaid/CHIP	9.4	0.56	8.4	0.70	11.5	0.76	7.4	1.24
Other ²	3.7	0.31	10.0	1.31	12.2	0.96	2.4	0.34
No Coverage	6.5	0.54	8.8	0.95	7.2	0.71	2.3	1.03
CURRENT EMPLOYMENT								
Full-Time	5.3	0.23	8.8	0.68	6.2	0.34	2.5	0.44
Part-Time	7.1	0.47	10.5	1.00	10.3	1.04	2.0	0.65
Unemployed	9.1	0.99	9.4	1.14	10.5	1.33	*	*
Other ³	5.0	0.28	9.6	0.78	9.7	0.56	3.0	0.36

* Low precision.

AIAN = American Indian or Alaska Native; NHPI = Native Hawaiian or Pacific Islander; PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download on the [NSDUH Data Files](#) web page.

NOTE: PUF estimates in this table might differ from the estimates in the “Adult Mental Health” [detailed tables](#), which are based on restricted-use data.

NOTE: Serious mental illness (SMI) aligns with criteria based on the *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition (DSM-IV; American Psychiatric Association, 1994), and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These estimates are based on indicators of SMI rather than direct measures of diagnostic criteria.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

¹ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

² Other health insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

³ Other employment includes students, people keeping house or caring for children full time, retired or disabled people, or other people not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2024.

References

American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.).

Center for Behavioral Health Statistics and Quality. (2025a). *2024 National Survey on Drug Use and Health: Public use file data users' guide*. <https://www.samhsa.gov/data/data-we-collect/nsduh-national-survey-drug-use-and-health/datafiles>

Center for Behavioral Health Statistics and Quality. (2025b). *Results from the 2024 National Survey on Drug Use and Health: Detailed tables*. <https://www.samhsa.gov/data/report/2024-nsduh-detailed-tables>