



GENERAL TRADING L.L.C
packaging machines & packaing equipment



GENERAL TRADING L.L.C
packaging machines & packaing equipment

ING UNITED

GENERAL TRADING L.L.C

packaging machines & packaing equipment

PACKING MACHINES

0971501847810

www.ing-united.ae

www.ing-united.com

info@ing-united.com

Office No.25.the fifth floor.Gate 48Tower
Town centre. Next to Burj Khalifa/Dubai, UAE

مكتب رقم .٢٥. الدور الخامس . بوابة ٤٨ برج وسط المدينة
بجوار برج خليفة/دبي الامارات العربية المتحدة

PACKING MACHINES





PACKAING MACHINES
PACKAING EQUIPMENT

GENERAL TRADING L.L.C



PACKAING MACHINES
PACKAING EQUIPMENT

GENERAL TRADING L.L.C

ABOUT US

We are the specialized and professional united brand field in packaging machinery and packaging equipment.

A brand based in Dubai (UAE).

We have ten years of experience in the field of packaging machinery and packaging equipment.

We export to 24 Countries in the Middle East and North Africa.



CATOLOG

04.06 / Premade Pouch Packing Machine

07.08 / Collar Vertical Packing Machine

09.18 / Pouch Vertical Packing Machine

19.24 / Horizontal Packing Machine

25.28 / Shrink Packing Machine

Pre-made Pouch Granule Packing Machine



Application

The machine is suitable for automatic packing of grain and solid food, such as beans, nuts, dry fruits, candy, cereal, chocolate, biscuit, peanut, capsule, seed chemicals, sugar, dog food, cat food, fish food, bird food, and other granular, etc.

Technical Specifications

Model	JK-D200G	JK-D250G	JK-D300G
Bag size(mm)	W:80-200 L: 100-300	W:120-250 L: 150-350	W:200-300 L: 200-450
Packing speed	20-80 bags/min	15-60 bags/min	10-40 bags/min
Measuring range	10-1500g	50-2000g	100-3000g
Power	5KW,380V,50HZ	5KW,380V,50HZ	6KW,380V,50HZ
Machine size(L*W*H)	5700*2000*3600mm	5700*2000*3600mm	5700*2000*3600mm
Machine weight	2500kg	2500kg	3000kg

Pre-made Pouch Powder Packing Machine



Application

This machine is suitable for corn starch, rice flour, coffee powder, flour, milk powder, soybean milk powder, spice powder, seasoning powder, curry powder, jelly powder, washing powder, walnut powder, facial mask powder, soda powder, baking powder, medicine powder. And a series of powder products are automatically packaged.

Technical Specifications

Model	JK-D200P	JK-D250P	JK-D300P
Bag size(mm)	W:80-200 L: 100-300	W:120-250 L: 150-350	W:200-300 L: 200-450
Packing speed	20-80 bags/min	15-60 bags/min	10-40 bags/min
Measuring range	10-1500g	50-2000g	100-3000g
Power	5KW,380V,50HZ	5KW,380V,50HZ	6KW,380V,50HZ
Machine size(L*W*H)	1350*3900*2400mm	1550*3900*2400mm	1550*3900*2400mm
Machine weight	1700kg	1700kg	2000kg

Pre-made Pouch Liquid Packing Machine



Application

This machine is suitable for liquid and sauce products, such as peanut butter, jam, chili sauce, ketchup, mayonnaise, detergent, liquid seasoning, juice, etc.

Technical Specifications

Model	JK-D200L	JK-D250L	JK-D300P
Bag size(mm)	W:80-200 L: 100-300	W:120-250 L: 150-350	W:200-300 L: 200-450
Packing speed	20-80 bags/min	15-60 bags/min	10-40 bags/min
Measuring range	10-1500g	50-2000g	100-3000g
Power	5KW,380V,50HZ	5KW,380V,50HZ	6KW,380V,50HZ
Machine size(L*W*H)	1500*2500*1600mm	1500*2500*1600mm	2000*2500*1800mm
Machine weight	1500kg	1500kg	1800kg

Pre-made Pouch Granule Packing Machine



Application

The machine is suitable for automatic packing of grain and solid food, such as beans, nuts, dry fruits, candy, cereal, chocolate, biscuit, peanut, capsule, seeds, chemicals, sugar, dog food, cat food, fish food, bird food, and other granular , etc.

Technical Specifications

Model	JK-C420G	JK-C520G	JK-C720G
Bag size(mm)	W:80-200 L: 80-300	W:10-250 L: 100-350	W:150-350 L: 200-500
Packing speed	20-60 bags/min	15-60 bags/min	5-40 bags/min
Measuring range	10-1500g	50-2000g	100-3000g
Power	3KW,220V,50HZ	3KW,220V,50HZ	3.5KW,220V,50HZ
Machine size(L*W*H)	4200*2000*3600mm	4200*2000*3600mm	4800*2000*4000mm
Machine weight	1200kg	1300kg	1600kg

Pre-made Pouch Granule Packing Machine



Application

The machine is suitable for automatic packaging of various kinds of powder, such as milk, coffee, chili powder, spices, sugar, soap powder, curry powder, washing powder etc.

Technical Specifications

Model	JK-C420P	JK-C520P	JK-C720P
Bag size(mm)	W:80-200 L: 80-300	W:10-250 L: 100-350	W:150-350 L: 200-500
Packing speed	20-60 bags/min	15-60 bags/min	5-40 bags/min
Measuring range	10-1500ml	50-2000ml	100-3000ml
Power	3KW,220V,50HZ	3KW,220V,50HZ	3.5KW,220V,50HZ
Machine size(L*W*H)	3000*1500*2500mm	3000*1600*2600mm	3300*2000*3000mm
Machine weight	800kg	900kg	1100kg

Vertical Granule Packing Machine VFFS



Application

The machine is suitable for packaging candy, melon seeds, potato chips, nuts, small nuts, preserved fruits, biscuits, candied fruit, mothballs, almonds, etc. It can also package powders with relatively good fluidity, such as instant coffee, soybean powder, etc.!

Technical Specifications

Model	JK-320GB/GT	JK-380GB/GT	JK-480GB/GT
Bag size(mm)	W:30-140 L:50-180	W:80-180 L:80-280	W:80-230 L:80-280
Packing speed	20-80 bags/min	15-60 bags/min	10-30 bags/min
Measuring range	2-100g	50-300g	200-1000g
Power	2KW,220V,50HZ	2KW,220V,50HZ	2KW,220V,50HZ
Machine size(L*W*H)	880*1200*1750mm	980*1200*1950mm	980*1400*2150mm
Machine weight	240kg	360kg	450kg

Vertical Powder Packing Machine VFFS



Application

The machine is suitable for automatic packaging of various kinds of powder, such as milk, coffee, chili powder, spices, sugar, soap powder, curry powder, washing powder etc.

Technical Specifications

Model	JK-320PB/PT	JK-380PB/PT	JK-480PB/PT
Bag size(mm)	W:30-140 L:50-180	W:80-180 L:80-280	W:80-230 L:80-280
Packing speed	20-80 bags/min	15-60 bags/min	10-30 bags/min
Measuring range	2-100g	50-400g	200-1000g
Power	2KW,220V,50HZ	2KW,220V,50HZ	2KW,220V,50HZ
Machine size(L*W*H)	880*1200*1750mm	980*1200*1950mm	980*1400*2150mm
Machine weight	240kg	360kg	450kg

Sevro High-speed Vertical Packing Machine



Application

This machine is suitable for candy, melon seeds, peanuts, small nuts, preserved fruits, biscuits, sugar, spices, edible salt, instant coffee, etc.! This machine is controlled by servo motor to improve product stability and packaging speed; screw metering device and liquid feeding device can also be configured according to customer needs!

Technical Specifications

Model	JK-S320GB	JK-S320PB	JK-S320LB
Bag size(mm)	W:30-150 L:50-180	W:30-150 L:50-180	W:30-150 L:50-180
Packing speed	10-110 bags/min	15-60 bags/min	15-60 bags/min
Measuring range	2-100g	2-100g	2-100g
Power	2.8KW,220V,50HZ	2.8KW,220V,50HZ	2.8KW,220V,50HZ
Machine size(L*W*H)	1270*690*1820mm	1270*690*1820mm	1470*690*1820mm
Machine weight	250kg	250kg	250kg
product type	Granule	Powder	Liquid/Sauce

Reciprocating Vertical Packing Machine



Application

This machine is suitable for customers who have higher requirements for product appearance, and different bag types can be customized according to customer needs!

Granule metering turntable, screw metering device and liquid feeding device can be configured according to customer needs!

Technical Specifications

Model	JK-R320GB	JK-R320PB	JK-R320LB
Bag size(mm)	W:30-150 L:50-180	W:30-150 L:50-180	W:30-150 L:50-180
Packing speed	10-60 bags/min	10-60 bags/min	10-60 bags/min
Measuring range	2-100g	2-100g	2-100g
Power	2.8KW,220V,50HZ	2.8KW,220V,50HZ	2.8KW,220V,50HZ
Machine size(L*W*H)	1100*980*1750MM	1100*980*1750MM	1100*1180*1750MM
Machine weight	330kg	330kg	330kg
product type	Granule	Powder	Liquid/Sauce

Four-side Sealing Packing Machine



Application

This model is suitable for bags with four sides sealed! Can pack candy, melon seeds, peanuts, small nuts, preserved fruits, biscuits, sugar, spices, edible salt, instant coffee, jelly, seasoning packets, sauces, shampoo, etc.! Turntable feeding and screw metering device and liquid feeding device can also be configured according to customer needs!

Technical Specifications

Model	JK-320GF	JK-S320PF	JK-S320LF
Bag size(mm)	W:30-140 L:50-180	W:30-140 L:50-180	W:30-140 L:50-180
Packing speed	20-60 bags/min	20-60 bags/min	20-60 bags/min
Measuring range	2-100g	2-100g	2-100g
Power	2.2KW,220V,50HZ	2.2KW,220V,50HZ	2.2KW,220V,50HZ
Machine size(L*W*H)	880*1200*1750mm	880*1200*1750mm	880*1350*1750mm
Machine weight	280kg	280kg	280kg
product type	Granule	Powder	Liquid/Sauce

Chain Bucket Granule Packing Machine



Application

This machine is suitable for packaging products that require manual feeding, such as toys, multigrain porridge with seasoning packets, macaroni, etc., and irregular solid products, etc.! Liquid and powder feeding devices can also be added according to customer needs!

Technical Specifications

Model	JK-B320GB/GT	JK-B380GB/GT	JK-B480GB/GT
Bag size(mm)	W:30-140 L:50-180	W:80-180 L:80-280	W:80-230 L:80-280
Packing speed	20-80 bags/min	15-60 bags/min	10-30 bags/min
Measuring range	2-100g	50-300g	200-1000g
Power	2KW,220V,50HZ	2KW,220V,50HZ	2KW,220V,50HZ
Machine size(L*W*H)	880*1800*1750mm	980*1800*1950mm	980*2000*2150mm
Machine weight	280kg	400kg	520kg



PACKAGING MACHINES
PACKAGING EQUIPMENT

GENERAL TRADING L.L.C



PACKAGING MACHINES
PACKAGING EQUIPMENT

GENERAL TRADING L.L.C

Special-shaped Liquid Packing Machine



Application

This machine is suitable for products that customers have special shape requirements for packaging bags! Mainly used for packaging all kinds of jelly, konjac, oily and water-based seasoning packets, etc.!

The turntable feeding and screw feeding devices can also be configured according to customer needs!

Technical Specifications

Model	JK-300LS
Bag size(mm)	W:30-140 L:50-180
Packing speed	20-60 bags/min
Measuring range	2-100g
Power	2.2KW,220V,50HZ
Machine size(L*W*H)	880*1200*1750mm
Machine weight	280kg

Reciprocating Vertical Packing Machine



Application

This machine is suitable for triangular bag type product packaging! Mainly used for packaging all kinds of snacks, nuts, fried snacks, yogurt, liquid seasoning packets, etc.!Liquid feeding and screw feeding devices can also be configured according to customer needs!

Technical Specifications

Model	JK-T320G	JK-T320L	JK-T320P
Bag size(mm)	W:30-140 L:50-180	W:30-140 L:50-180	W:30-140 L:50-180
Packing speed	20-60 bags/min	20-60 bags/min	20-60 bags/min
Measuring range	2-100g	2-100g	2-100g
Power	2.2KW,220V,50HZ	2.2KW,220V,50HZ	2.2KW,220V,50HZ
Machine size(L*W*H)	1050*1200*1950mm	1050*1200*1950mm	1050*1200*1950mm
Machine weight	320kg	320kg	320kg
product type	Granule	Liquid/Sauce	Powder

Tea Bag Packing Machine



Multi-material/column Packing Machine




Application

The machine is suitable for automatic packing of broken tea, medicinal tea, coffee, plants and other similar products, as well as internal and external bag packaging, and can be configured with hanging thread and tag according to customer needs!

Technical Specifications

Model	JK-11GT	JK-169GT
Bag size(mm)	W:45-80 L:50-80	W:75-95 L:80-120
Packing speed	30-40 bags/min	30-40 bags/min
Measuring range	2-10g	2-10g
Power	2KW,220V,50HZ	2.2KW,220V,50HZ
Machine size(L*W*H)	1250*750*1750mm	1750*740*1950mm
Machine weight	380kg	550kg



Application

Our company can customize a variety of material mixed packaging, sub-row packaging, single-row, multi-row packaging machines according to the different needs of customers, such as popcorn raw materials, multi-row seasoning bars, etc.!

Servo Horizontal Packing Machine



Application

This model is suitable for packing various kinds of regular ones, chocolates, bread, instant, noodles, moon-cakes, drug industrial parts, paper boxes, tray etc.

Technical Specifications

Model	ZS400A	ZS500A	ZS600A	Z750A
Bag size(mm)	W:20-170 H:5-65	W:30-200 H:5-65	W:30-250 H:5-95	W:30-330 H:5-95
Packing speed (bags/min)	20-150	20-150	20-120	10-80
Power	2KW,220V,50HZ	2KW,220V,50HZ	3KW,220V,50HZ	4KW,220V,50HZ
Machine size (L*W*H) mm	3900*920*1450	4000*920*1450	4100*980*1550	4200*980*1950
Machine weight	500kg	550kg	650kg	750kg

Chain Bucket Granule Packing Machine



Application

This model is suitable for packing soft, sticky or multi pack products such as towel, tissue, noodles, egg rolls, sausages, ice lolly, ice cream bar, soft candy, cutlery, vegetables, etc.

Technical Specifications

Model	ZS400B	ZS500B	ZS600B	Z750B
Bag size(mm)	W:20-170 H:5-65	W:30-200 H:5-65	W:30-250 H:5-95	W:30-330 H:5-95
Packing speed (bags/min)	20-150	20-150	20-120	10-80
Power	2KW,220V,50HZ	2KW,220V,50HZ	3KW,220V,50HZ	4KW,220V,50HZ
Machine size (L*W*H) mm	3900*920*1450	4000*920*1450	4100*980*1550	4200*980*1950
Machine weight	500kg	550kg	650kg	750kg

Inverter Pillow Packing Machine



Application

This model is suitable for packing various kinds of regular objects like biscuits, chocolates, bread, instant, noodles, moon-cakes, drugs, daily applications, industrial parts, paper boxes, tray etc.

Technical Specifications

Model	Z250A	Z400A	Z500A	Z600A
Bag size(mm)	W:20-110 H:5-65	W:20-170 H:5-65	W:30-200 H:5-65	W:30-250 H:5-95
Packing speed (bags/min)	20-220	20-220	20-150	20-120
Power	2KW,220V,50HZ	2KW,220V,50HZ	3KW,220V,50HZ	4KW,220V,50HZ
Machine size (L*W*H) mm	3900*920*1450	3900*920*1450	4000*960*1450	4100*980*1550
Machine weight	550kg	600kg	650kg	650kg

Inverter film-below Pillow Packing Machine



Application

This model is suitable for packing soft, sticky or multi pack products such as towel, tissue, noodles, egg rolls, sausages, ice lolly, ice cream bar, soft candy, cutlery, vegetables, etc.

Technical Specifications

Model	Z250B	Z400B	Z500B	Z600B
Bag size(mm)	W:20-110 H:5-65	W:20-170 H:5-65	W:30-200 H:5-65	W:30-250 H:5-95
Packing speed (bags/min)	20-220	20-220	20-150	20-120
Power	2KW,220V,50HZ	2KW,220V,50HZ	3KW,220V,50HZ	4KW,220V,50HZ
Machine size (L*W*H) mm	3900*920*1450	3900*920*1450	4000*960*1450	4100*980*1550
Machine weight	550kg	600kg	650kg	650kg

High-speed Candy Packing Machine



Application

This machine is suitable for packing all kinds of hard candies and ball chocolate, beef granules, orange candy, candy corn, etc., including rectangle, square, oval, round, etc.

Technical Specifications

Model	Z1000A
Film width	50-120mm
Product size(mm)	L:10-50 W:10-30 H:4-25
Packing speed (bags/min)	50-800
Power	3.5KW,220V,50HZ
Machine size (L*W*H)	3850*1100*1800mm
Machine weight	720kg

High-speed Servo Candy Packing Machine



Application

This machine is suitable for packing all kinds of round, oval, cylindrical and strip candies, milk tablets and other products!

Technical Specifications

Model	Z1200A
Film width	50-120mm
Product size(mm)	L:10-50 W:10-30 H:4-25
Packing speed (bags/min)	50-1200
Power	4.5KW,220V,50HZ
Machine size (L*W*H)	2400*1340*1550mm
Machine weight	1400kg

High-speed Candy Packing Machine



Application

This machine uses all kinds of products that need heat shrinkage, including cup noodles, milk tea, self-heating hot pot, cosmetics, gift boxes, tableware, electrical appliances and other products that need heat shrink packaging!

Technical Specifications

Model	JK-L450	JK-L550
Product size(mm)	L:10-450, W:10-200 H:10-150	L:10-550, W:10-260 H:10-150
Packing speed	5-40 bags/min	5-30 bags/min
Film type	POF	POF
Film width	500mm	600mm
Film roll diameter	350mm	350mm
Power	2.5KW,220V+12KW 380V,50HZ/60HZ	2.5KW,220V+15KW 380V,50HZ/60HZ
Dimension	1750*900*1450+1720*660*1350mm	2020*1100*1600+2070*900*1580mm
weight	300kg+280kg	350kg+350kg

High-speed Servo Candy Packing Machine



Application

This machine uses a variety of products that require heat shrinkage and are relatively long, including furniture accessories, stationery, gifts, cleaning tools, hotel supplies and other products that require heat shrink packaging!

Technical Specifications

Model	JK-S450	JK-S550
Product size(mm)	no length limit, W:10-200 H:10-200	no length limit, W:10-260 H:10-250
Packing speed	5-40 bags/min	5-30 bags/min
Film type	POF	POF
Film width	500mm	600mm
Film roll diameter	350mm	350mm
Power	2.5KW,220V+12KW 380V,50HZ/60HZ	2.5KW,220V+15KW 380V,50HZ/60HZ
Dimension	1750*900*1450+1720*660*1350mm	2020*1100*1600+2070*900*1580mm
weight	300kg+280kg	350kg+350kg

Automatic Sorting shrink packing machine



Application

This machine uses all kinds of products that need heat shrinkage, including cup noodles, milk tea, self-heating hot pot, cosmetics, gift boxes, tableware, electrical appliances and other products that need heat shrink packaging!

Technical Specifications

Model	JK-590A-120	JK-590A-150	JK-590A-180	JK-590A-210	JK-590A-240
Product size (mm)	W:10-200 H:5-35	W:10-200 H:15-75	W:10-200 H:30-105	W:10-200 H:50-130	W:10-250 H:75-150
Packing speed (bags/min)	30-180	30-160	30-140	30-120	30-100
Film type	PVC;POF				
Power	4.5KW,220V,50HZ/60HZ+13.5KW,380V,50HZ/60HZ				
Machine size	4300x1170x1500mm+2600x600X1700				
weight	760kg+380kg				

Automatic Sorting shrink packing machine



Application

This machine uses all kinds of products that need heat shrinkage, including cup noodles, milk tea, self-heating hot pot, cosmetics, gift boxes, tableware, electrical appliances and other products that need heat shrink packaging!

Technical Specifications

Model	JK-590B-120	JK-590B-150	JK-590B-180	JK-590B-210	JK-590B-240
Product size (mm)	W:10-200 H:5-35	W:10-200 H:15-75	W:10-200 H:30-105	W:10-200 H:50-130	W:10-250 H:75-150
Packing speed (bags/min)	30-140	30-140	30-120	30-120	30-100
Film type	PVC;POF				
Power	4.5KW,220V,50HZ/60HZ+13.5KW,380V,50HZ/60HZ				
Machine size	4300x1170x1500mm+2600x600X1700				
weight	760kg+380kg				