

NEXT.JS 16 APP ROUTER

Assembly Tech

Full Source Code Documentation



4

Source Files

1224

Total Lines

TSX/CSS

Languages

Table of Contents

1	page.tsx src/app/page.tsx Main page component with 3D camera, furniture carousel, hero card, workshop bar, and share functionality.	256 lines
2	assembly.css src/app/assembly.css Complete CSS with 3D camera styles, neumorphic design, 3D reflection carousel, workshop search bar, and all keyframe animations.	893 lines
3	layout.tsx src/app/layout.tsx Root layout with Geist fonts, metadata, and toaster component.	54 lines
4	next.config.ts next.config.ts Next.js configuration with standalone output, TypeScript settings, and image remote patterns for freepik.	21 lines

page.tsx

src/app/page.tsx

Main page component with 3D camera, furniture carousel, hero card, workshop bar, and share functionality.

```
1  'use client'
2
3  import { useState, useCallback } from "react";
4  import "./assembly.css";
5
6  const furnitureItems = [
7    {
8      id: 1,
9      name: "Black Friday Sale 1",
10     price: 0,
11     img: "https://img.freepik.com/free-psd/black-friday-big-sale-social-media-post-design-template_47987-17588.jpg",
12   },
13   {
14     id: 2,
15     name: "Black Friday Sale 2",
16     price: 0,
17     img: "https://img.freepik.com/free-psd/black-friday-discount-sale-social-media-post-design-template_47987-17462.jpg",
18   },
19   {
20     id: 3,
21     name: "Black Friday Sale 3",
22     price: 0,
23     img: "https://img.freepik.com/free-psd/black-friday-discount-sale-social-media-post-design-template_47987-24479.jpg",
24   },
25   {
26     id: 4,
27     name: "Black Friday Sale 4",
28     price: 0,
29     img: "https://img.freepik.com/free-psd/black-friday-mega-sale-social-media-post-design-template_47987-24437.jpg",
30   },
31   {
32     id: 5,
33     name: "Black Friday Sale 5",
34     price: 0,
35     img: "https://img.freepik.com/free-psd/black-friday-mega-sale-social-media-post-design-template_47987-24477.jpg",
36   },
37 ];
38
39 function FurnitureCarousel() {
40   const [current, setCurrent] = useState(0);
41   const total = furnitureItems.length;
42
43   const getNext = useCallback((i: number) => (i + 1) % total, [total]);
44   const getPrev = useCallback((i: number) => (i - 1 + total) % total, [total]);
45
46   const getSlot = (i: number) => {
47     if (i === current) return "rc-center";
```

```

48   if (i === getPrev(current)) return "rc-left";
49   if (i === getNext(current)) return "rc-right";
50   return "rc-hidden";

```

```

1   };
2
3   return (
4     <div className="rc-wrap">
5       <div className="rc-stage">
6         {furnitureItems.map((f, i) => (
7           <div
8             key={f.id}
9             className={`rc-card ${getSlot(i)}`}
10            onClick={() => setCurrent(i)}
11          >
12            <img src={f.img} alt={f.name} />
13          </div>
14        ))}
15      </div>
16    </div>
17  );
18 }
19
20 function Camera3D({ rotating }: { rotating: boolean }) {
21   return (
22     <div className={`camera${rotating ? " camera--rotating" : ""}`} role="img" aria-label="White 3D camera">
23       <div className="camera__shadow"></div>
24       <div className="camera__front"></div>
25       <div className="camera__contents">
26         <div className="camera__red-light"></div>
27         <div className="camera__lens-shadow"></div>
28         <div className="camera__lens-back"></div>
29         <div className="camera__lens-ring">
30           <div className="camera__lens-ring-glare1"></div>
31           <div className="camera__lens-ring-glare2"></div>
32           <div className="camera__lens-ring-glare3"></div>
33         </div>
34         <div className="camera__lens-inner">
35           <div className="camera__lens-inner-glare1"></div>
36           <div className="camera__lens-inner-glare2"></div>
37           <div className="camera__lens-eye-shadow"></div>
38           <div className="camera__lens-glare"></div>
39           <div className="camera__lens-eye">
40             <div className="camera__lens-eye-ring"></div>
41             <div className="camera__lens-eye-inner-glare"></div>
42             <div className="camera__lens-eye-center">
43               <div className="camera__lens-eye-center-glare"></div>
44             </div>
45             <div className="camera__lens-eye-glass-color"></div>
46             <div className="camera__lens-eye-glare"></div>
47             <div className="camera__lens-eye-glass"></div>
48           </div>
49         </div>
50       </div>

```

```

1   </div>
2   );
3 }

```

```

4
5   function FolderIcon() {
6     return (
7       <svg width="60" height="60" viewBox="0 0 24 24" fill="none" stroke="#f7ad32" strokeWidth="1.5"
        strokeLinecap="round" strokeLinejoin="round" style={{ display: "block", margin: "0 auto" }}>
8       <path d="M3 7a2 2 0 012-2h4l2 2h8a2 2 0 012 2v9a2 2 0 01-2 2H5a2 2 0 01-2-2V7z" />
9     </svg>
10    );
11  }
12
13  export default function Home() {
14    const [modelInput, setModelInput] = useState("");
15    const [email, setEmail] = useState("");
16    const [showEmailInput, setShowEmailInput] = useState(false);
17    const [sent, setSent] = useState(false);
18    const [workshopInput, setWorkshopInput] = useState("");
19
20    const grandTotal = furnitureItems.reduce((s, i) => s + i.price, 0);
21    const quoteCount = furnitureItems.filter((i) => i.price > 0).length;
22    const hasMultipleQuotes = quoteCount > 1;
23
24    const handleShare = () => {
25      if (!showEmailInput) {
26        setShowEmailInput(true);
27        return;
28      }
29      if (email) {
30        setSent(true);
31        setTimeout(() => {
32          setSent(false);
33          setShowEmailInput(false);
34          setEmail("");
35        }, 3000);
36      }
37    };
38
39    const handleWorkshopSubmit = (e: React.FormEvent) => {
40      e.preventDefault();
41      if (workshopInput.trim()) {
42        setWorkshopInput("");
43      }
44    };
45
46    return (
47      <div className="assembly-page-bg">
48        <div className="assembly-wrapper">
49
50      { /* — HEADER — */ }

```

```

1    <header className="assembly-header">
2      <div className="assembly-header-row">
3        <div className="assembly-header-left">
4          <span className="assembly-header-logo-text">Assembly Tech</span>
5        </div>
6        <div className="assembly-header-center">
7          <h1 className="assembly-page-title">Home</h1>
8        </div>
9        <div className="assembly-header-right">
10       <div className="assembly-profile assembly-profile-initials">

```

```

11 <span>AT</span>
12 <span className="assembly-profile-dot" />
13 </div>
14 </div>
15 </div>
16 </header>
17
18 <section className="assembly-section">
19
20 {/* — HERO CARD — */}
21 <div className="assembly-hero-card">
22 <div className="assembly-hero-gold-panel">
23 <textarea
24 className="assembly-hero-textarea"
25 placeholder="Type Model information or Upload a image"
26 value={modelInput}
27 onChange={(e) => setModelInput(e.target.value)}
28 />
29 <span className="assembly-hero-model-label">MODEL: REV.IKE 1.0</span>
30 </div>
31 <div className="assembly-hero-camera-box">
32 <Camera3D rotating={hasMultipleQuotes} />
33 </div>
34 </div>
35
36 {/* — FURNITURE ASSEMBLY – 3D Reflection Carousel — */}
37 <div className="assembly-row-header">
38 <h3 className="assembly-segment-title">Furniture Assembly</h3>
39 </div>
40
41 <FurnitureCarousel />
42
43 {/* — TOTAL SECTION — */}
44 <div className="assembly-row-header assembly-margin-vertical">
45 <h3 className="assembly-segment-title">Total</h3>
46 </div>
47
48 {/* Featured Total – Neumorphic raised rectangle */}
49 <div className="assembly-featured-product">
50 <div className="featured-top-row">

```

```

1 <div className="content-img">
2 <FolderIcon />
3 </div>
4 <div className="product-detail">
5 <h4 className="product-name">Grand Total</h4>
6 <p className="price">${grandTotal}.00</p>
7 </div>
8 <div className="share-inline">
9 {showEmailInput && !sent && (
10 <input
11 className="assembly-email-input"
12 type="email"
13 placeholder="your@email.com"
14 value={email}
15 onChange={(e) => setEmail(e.target.value)}
16 autoFocus
17 />
18 )}

```

19	<button className="assembly-share-btn-sm" onClick={handleShare}>
20	{sent ? (
21	✓ Sent!
22	) : showEmailInput ? (
23	<>
24	<svg width="11" height="11" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2.5"><path d="M22 2L11 13M22 2L-7 20-4-9-9-4 20-7z"/></svg>
25	Send
26	</>
27	) : (
28	<>
29	<svg width="11" height="11" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2.5"><path d="M4 12v8a2 2 0 002 2h12a2 2 0 002-2v-8M16 6L-4-4-4 4M12 2v13"/></svg>
30	Share
31	</>
32	)}
33	</button>
34	</div>
35	</div>
36	
37	{/* Attachment – Workshop search bar */}
38	<div className="assembly-workshop">
39	<form onSubmit={handleWorkshopSubmit}>
40	<input
41	type="text"
42	placeholder="BOOK WITH AI..."
43	value={workshopInput}
44	onChange={(e) => setWorkshopInput(e.target.value)}
45	/>
46	<button type="submit">Connect A2A</button>
47	</form>
48	</div>
49	</div>
50	
1	</section>
2	</div>
3	</div>
4	);
5	}
6	

assembly.css

src/app/assembly.css

Complete CSS with 3D camera styles, neumorphic design, 3D reflection carousel, workshop search bar, and all keyframe animations.

```
1  @import url("https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600;700&display=swap");
2
3  :root {
4    --assembly-color-light: #faf4f4;
5    --assembly-color-dark: #17171f;
6    --assembly-color-dark-rgb: 23, 23, 31;
7    --assembly-font-family: "Poppins", sans-serif;
8  }
9
10 /* — 3D REFLECTION CAROUSEL — */
11 .rc-wrap {
12   position: relative;
13   width: 100%;
14   height: 260px;
15   perspective: 600px;
16   display: flex;
17   justify-content: center;
18   align-items: center;
19   overflow: visible;
20   margin: 10px 0 6px;
21 }
22 .rc-stage {
23   position: relative;
24   width: 210px;
25   height: 240px;
26   display: flex;
27   justify-content: center;
28   align-items: center;
29 }
30 .rc-card {
31   position: absolute;
32   width: 210px;
33   height: 158px;
34   border-radius: 16px;
35   overflow: hidden;
36   transition: all 0.7s cubic-bezier(0.4, 0, 0.2, 1);
37   cursor: pointer;
38 }
39 .rc-card img {
40   width: 100%;
41   height: 100%;
42   object-fit: cover;
43   display: block;
44   -webkit-box-reflect: below 6px
45     linear-gradient(transparent 0%, transparent 45%, rgba(0,0,0,0.75) 100%);
46 }
47 .rc-center {
48   z-index: 3;
49   transform: translateX(0) rotateY(0deg) scale(1);
50   box-shadow: 0 16px 40px rgba(0,0,0,0.7);
```



```
1  }
2  .rc-left {
3    z-index: 2;
4    transform: translateX(-170px) rotateY(40deg) scale(0.72);
5    opacity: 0.55;
6  }
7  .rc-left::after {
8    content: "";
9    position: absolute;
10   inset: 0;
11   background: linear-gradient(to left, rgba(0,0,0,0.75), transparent);
12   border-radius: 16px;
13   pointer-events: none;
14 }
15 .rc-right {
16   z-index: 2;
17   transform: translateX(170px) rotateY(-40deg) scale(0.72);
18   opacity: 0.55;
19 }
20 .rc-right::after {
21   content: "";
22   position: absolute;
23   inset: 0;
24   background: linear-gradient(to right, rgba(0,0,0,0.75), transparent);
25   border-radius: 16px;
26   pointer-events: none;
27 }
28 .rc-hidden {
29   opacity: 0;
30   transform: scale(0.4);
31   z-index: 1;
32   pointer-events: none;
33 }
34
35 /* — PAGE LAYOUT — */
36 .assembly-page-bg {
37   min-height: 100vh;
38   display: flex;
39   align-items: center;
40   justify-content: center;
41   background-color: var(--assembly-color-light);
42   font-family: var(--assembly-font-family);
43 }
44
45 .assembly-wrapper {
46   width: 420px;
47   min-height: 720px;
48   margin: 40px auto;
49   background: var(--assembly-color-dark);
50   border-radius: 45px;
```

```
1  overflow-y: auto;
2  overflow-x: hidden;
3  box-shadow: -40px 50px 40px -20px rgb(var(--assembly-color-dark-rgb) / 15%);
4  scrollbar-width: none;
5  position: relative;
6  display: flex;
7  flex-direction: column;
```

```

8   }
9   .assembly-wrapper::-webkit-scrollbar { display: none; }
10
11  @media (max-width: 540px) {
12    .assembly-wrapper {
13      margin: 0px;
14      width: 100%;
15      border-radius: 0;
16      padding: 0;
17      min-height: 100vh;
18    }
19  }
20
21  /* — HEADER — */
22  .assembly-header {
23    z-index: 5;
24    position: sticky;
25    top: 0;
26    background: linear-gradient(0deg,
27      rgba(0,0,0,0) 0%,
28      rgba(var(--assembly-color-dark-rgb), 0.8) 25%,
29      rgba(var(--assembly-color-dark-rgb), 1) 100%);
30    color: var(--assembly-color-light);
31    padding: 30px 25px 15px;
32  }
33  .assembly-header-row {
34    display: grid;
35    grid-template-columns: 1fr 1fr 1fr;
36    align-items: center;
37  }
38  .assembly-header-left { display: flex; align-items: center; }
39  .assembly-header-center { display: flex; justify-content: center; }
40  .assembly-header-right { display: flex; justify-content: flex-end; }
41
42  .assembly-header-logo-text {
43    font-family: var(--assembly-font-family);
44    font-size: 14px;
45    font-weight: 700;
46    color: #f7ad32;
47    letter-spacing: 0.5px;
48  }
49  .assembly-profile-initials {
50    background: linear-gradient(135deg, #f7ad32, #e09020);

```

```

1   display: flex;
2   align-items: center;
3   justify-content: center;
4   font-family: var(--assembly-font-family);
5   font-size: 12px;
6   font-weight: 700;
7   color: #0a0a0a;
8   }
9
10  .assembly-page-title {
11    font-size: 16px;
12    color: var(--assembly-color-light);
13    font-family: var(--assembly-font-family);
14  }
15

```

```

16  .assembly-profile {
17  display: inline-block;
18  width: 40px;
19  height: 40px;
20  border-radius: 15px;
21  background-repeat: no-repeat;
22  background-position: center top;
23  background-size: cover;
24  position: relative;
25  }
26  .assembly-profile-dot {
27  width: 7px;
28  height: 7px;
29  border-radius: 100%;
30  position: absolute;
31  top: 0;
32  right: 0;
33  display: block;
34  box-shadow: 0 0 0 3px var(--assembly-color-dark);
35  background-color: #e7d583;
36  }
37
38  /* — SECTION — */
39  .assembly-section { padding: 0 25px; }
40
41  /* — HERO CARD – Rev. Ike compact — */
42  .assembly-hero-card {
43  margin: 14px 0;
44  display: flex;
45  align-items: stretch;
46  border-radius: 18px;
47  overflow: hidden;
48  border: 2px solid #c8920a;
49  background: #0f0f14;
50  animation: flip-in-hor-top 0.5s cubic-bezier(0.25, 0.46, 0.45, 0.94) both;

```

```

1  min-height: 100px;
2  }
3  .assembly-hero-gold-panel {
4  flex: 1;
5  background: #d4a017;
6  display: flex;
7  flex-direction: column;
8  justify-content: space-between;
9  padding: 10px 12px 8px 12px;
10 border-radius: 14px 0 0 14px;
11 }
12 .assembly-hero-textarea {
13 flex: 1;
14 background: transparent;
15 border: none;
16 outline: none;
17 resize: none;
18 font-family: var(--assembly-font-family);
19 font-size: 11px;
20 font-weight: 600;
21 color: #1a1200;
22 line-height: 1.5;
23 width: 100%;

```

```

24 min-height: 48px;
25 }
26 .assembly-hero-textarea::placeholder {
27 color: rgba(26,18,0,0.5);
28 font-style: italic;
29 }
30 .assembly-hero-model-label {
31 font-family: var(--assembly-font-family);
32 font-size: 9px;
33 font-weight: 700;
34 letter-spacing: 0.08em;
35 color: rgba(26,18,0,0.65);
36 text-align: right;
37 margin-top: 4px;
38 }
39 .assembly-hero-camera-box {
40 flex: 0 0 90px;
41 display: flex;
42 align-items: center;
43 justify-content: center;
44 background: #0f0f14;
45 border: 3px solid #f48fb1;
46 border-radius: 12px;
47 margin: 5px;
48 padding: 6px;
49 perspective: 400px;
50 }

```

```

1
2 /* — 3D CAMERA (white, animated only when rotating) — */
3 /* Frozen state: gentle float, static pose */
4 .assembly-hero-camera-box .camera {
5 --cam-hue: 223;
6 background-color: hsl(var(--cam-hue),5%,82%);
7 border-radius: 3em;
8 display: flex;
9 margin: 0;
10 position: relative;
11 width: 7em;
12 height: 7em;
13 transform: rotateY(0deg);
14 transform-style: preserve-3d;
15 font-size: 10px;
16 animation: cameraFloat 3s ease-in-out infinite;
17 }
18 /* Rotating state: full animation */
19 .assembly-hero-camera-box .camera--rotating,
20 .assembly-hero-camera-box .camera--rotating .camera__red-light,
21 .assembly-hero-camera-box .camera--rotating .camera__lens-ring-glare1,
22 .assembly-hero-camera-box .camera--rotating .camera__lens-ring-glare2,
23 .assembly-hero-camera-box .camera--rotating .camera__lens-ring-glare3,
24 .assembly-hero-camera-box .camera--rotating .camera__lens-inner,
25 .assembly-hero-camera-box .camera--rotating .camera__lens-inner-glare1,
26 .assembly-hero-camera-box .camera--rotating .camera__lens-inner-glare2,
27 .assembly-hero-camera-box .camera--rotating .camera__lens-glare,
28 .assembly-hero-camera-box .camera--rotating .camera__lens-eye-ring,
29 .assembly-hero-camera-box .camera--rotating .camera__lens-eye-inner-glare,
30 .assembly-hero-camera-box .camera--rotating .camera__lens-eye-center,
31 .assembly-hero-camera-box .camera--rotating .camera__lens-eye-center-glare,

```

```

32 .assembly-hero-camera-box .camera--rotating .camera__lens-eye-glass,
33 .assembly-hero-camera-box .camera--rotating .camera__lens-eye-glare {
34 animation: camera3d 4s ease-in-out infinite;
35 }
36 /* Red light blinks when frozen (recording standby) */
37 .assembly-hero-camera-box .camera:not(.camera--rotating) .camera__red-light {
38 animation: cameraRedBlink 2s ease-in-out infinite;
39 }
40 .assembly-hero-camera-box .camera__front,
41 .assembly-hero-camera-box .camera__contents,
42 .assembly-hero-camera-box .camera__red-light,
43 .assembly-hero-camera-box .camera__lens-inner,
44 .assembly-hero-camera-box .camera__lens-inner-glare1,
45 .assembly-hero-camera-box .camera__lens-inner-glare2,
46 .assembly-hero-camera-box .camera__lens-glare,
47 .assembly-hero-camera-box .camera__lens-ring,
48 .assembly-hero-camera-box .camera__lens-ring-glare1,
49 .assembly-hero-camera-box .camera__lens-ring-glare2,
50 .assembly-hero-camera-box .camera__lens-ring-glare3,

```

```

1 .assembly-hero-camera-box .camera__lens-eye,
2 .assembly-hero-camera-box .camera__lens-eye-shadow,
3 .assembly-hero-camera-box .camera__lens-eye-ring,
4 .assembly-hero-camera-box .camera__lens-eye-inner-glare,
5 .assembly-hero-camera-box .camera__lens-eye-center,
6 .assembly-hero-camera-box .camera__lens-eye-center-glare,
7 .assembly-hero-camera-box .camera__lens-eye-glass,
8 .assembly-hero-camera-box .camera__lens-eye-glass-color,
9 .assembly-hero-camera-box .camera__lens-eye-glare,
10 .assembly-hero-camera-box .camera__lens-shadow,
11 .assembly-hero-camera-box .camera__shadow {
12 position: absolute;
13 }
14 .assembly-hero-camera-box .camera__red-light,
15 .assembly-hero-camera-box .camera__lens-back,
16 .assembly-hero-camera-box .camera__lens-ring,
17 .assembly-hero-camera-box .camera__lens-inner,
18 .assembly-hero-camera-box .camera__lens-inner-glare1,
19 .assembly-hero-camera-box .camera__lens-inner-glare2,
20 .assembly-hero-camera-box .camera__lens-glare,
21 .assembly-hero-camera-box .camera__lens-ring-glare1,
22 .assembly-hero-camera-box .camera__lens-ring-glare2,
23 .assembly-hero-camera-box .camera__lens-ring-glare3,
24 .assembly-hero-camera-box .camera__lens-eye,
25 .assembly-hero-camera-box .camera__lens-eye-shadow,
26 .assembly-hero-camera-box .camera__lens-eye-ring,
27 .assembly-hero-camera-box .camera__lens-eye-center,
28 .assembly-hero-camera-box .camera__lens-eye-glass,
29 .assembly-hero-camera-box .camera__lens-eye-glass-color {
30 border-radius: 50%;
31 }
32 .assembly-hero-camera-box .camera__front {
33 background-image: linear-gradient(hsl(var(--cam-hue),5%,92%),hsl(var(--cam-hue),5%,96%));
34 border-radius: inherit;
35 box-shadow: 0 0.1em 0 hsl(var(--cam-hue),5%,98%) inset;
36 width: 100%;
37 height: 100%;
38 transform: translateZ(1em);
39 z-index: 1;

```

```

40 }
41 .assembly-hero-camera-box .camera__contents {
42   top: 1.2em;
43   left: 1.2em;
44   width: 4.6em;
45   height: 4.6em;
46   transform: translateZ(1em);
47   transform-style: preserve-3d;
48   z-index: 2;
49 }
50 .assembly-hero-camera-box .camera__red-light {

```

```

1   animation-name: camera3dRedLight;
2   background-color: hsl(3,90%,65%);
3   box-shadow:
4     0.1em -0.1em 0.1em 0.1em hsl(3,90%,50%) inset,
5     0 0 0.5em 0.25em hsla(3,90%,70%,0.5);
6   top: 0;
7   right: 0;
8   width: 0.4em;
9   height: 0.4em;
10  }
11  .assembly-hero-camera-box .camera__lens-back,
12  .assembly-hero-camera-box .camera__lens-ring,
13  .assembly-hero-camera-box .camera__lens-inner {
14    top: 0;
15    left: 0;
16    width: 100%;
17    height: 100%;
18  }
19  .assembly-hero-camera-box .camera__lens-back {
20    background-color: hsl(var(--cam-hue),10%,70%);
21    transform: translateZ(0.01em);
22  }
23  .assembly-hero-camera-box .camera__lens-ring {
24    background-color: hsl(var(--cam-hue),10%,45%);
25    border-radius: 50%;
26    overflow: hidden;
27    transform: translateZ(1.5em);
28  }
29  .assembly-hero-camera-box .camera__lens-ring-glare1 {
30    animation-name: camera3dRingGlare1;
31    background-image: radial-gradient(100% 100% at center,hsl(0,0%,100%) 25%,hsla(0,0%,100%,0) 50%);
32    bottom: 50%;
33    left: 50%;
34    width: 100%;
35    height: 100%;
36    transform-origin: 0 50%;
37  }
38  .assembly-hero-camera-box .camera__lens-ring-glare2 {
39    animation-name: camera3dRingGlare2;
40    background-image: radial-gradient(100% 100% at center,hsl(var(--cam-hue),10%,85%)
41      30%,hsla(var(--cam-hue),10%,85%,0) 50%);
42    top: 30%;
43    right: 30%;
44    width: 140%;
45    height: 140%;
46  }
47  .assembly-hero-camera-box .camera__lens-ring-glare3 {

```

47	animation-name: camera3dRingGlare3;
48	background-image: radial-gradient(100% 100% at center,hsl(var(--cam-hue),10%,70%) 30%,hsla(var(--cam-hue),10%,70%,0) 50%);
49	top: 50%;
50	left: 50%;

1	width: 100%;
2	height: 100%;
3	}
4	.assembly-hero-camera-box .camera__lens-inner {
5	animation-name: camera3dLensInner;
6	background-color: hsl(var(--cam-hue),5%,75%);
7	box-shadow: 0 0 0 0.125em hsl(var(--cam-hue),10%,50%);
8	top: 0.5em;
9	left: 0.5em;
10	width: 3.6em;
11	height: 3.6em;
12	transform: translateZ(1.5em);
13	}
14	.assembly-hero-camera-box .camera__lens-inner-glare1 {
15	animation-name: camera3dLensInnerGlare1;
16	box-shadow: 0.5em -1em 0.5em 0.5em hsl(var(--cam-hue),10%,85%) inset;
17	opacity: 0;
18	width: 100%;
19	height: 100%;
20	}
21	.assembly-hero-camera-box .camera__lens-inner-glare2 {
22	animation-name: camera3dLensInnerGlare2;
23	border: 0.5em solid hsl(var(--cam-hue),5%,88%);
24	border-bottom: 0.5em solid transparent;
25	filter: blur(2px);
26	opacity: 0.5;
27	top: 0.4em;
28	left: 0.4em;
29	width: 2.6em;
30	height: 2.6em;
31	transform: rotate(-45deg);
32	}
33	.assembly-hero-camera-box .camera__lens-glare {
34	animation-name: camera3dLensGlare;
35	background-image: radial-gradient(100% 100% at center,hsl(0,0%,100%) 15%,hsla(0,0%,100%,0) 50%);
36	top: 2em;
37	left: 1.2em;
38	width: 1em;
39	height: 0.5em;
40	transform: rotate(0) translateY(1.2em);
41	}
42	.assembly-hero-camera-box .camera__lens-eye,
43	.assembly-hero-camera-box .camera__lens-eye-shadow {
44	top: 0.8em;
45	left: 0.8em;
46	width: 2em;
47	height: 2em;
48	transform: translateZ(0);
49	}
50	.assembly-hero-camera-box .camera__lens-eye {

1	background-color: hsl(var(--cam-hue),10%,10%);
2	box-shadow: 0 0 0 0.0625em hsl(var(--cam-hue),10%,10%);

3	overflow: hidden;
4	}
5	.assembly-hero-camera-box .camera__lens-eye-shadow {
6	box-shadow: 0 0 0.375em 0.25em hsl(var(--cam-hue),10%,50%);
7	}
8	.assembly-hero-camera-box .camera__lens-eye-ring {
9	animation-name: camera3dEyeRing;
10	box-shadow:
11	0 0 0 0.25em hsl(0,0%,0%),
12	0 0 0.25em 0.5em hsl(var(--cam-hue),10%,25%),
13	0 -0.25em 0.25em 0.5em hsl(var(--cam-hue),10%,20%),
14	0 0.2em 0.125em hsl(var(--cam-hue),10%,40%) inset;
15	top: 0.4em;
16	left: 0.4em;
17	width: 1.2em;
18	height: 1.2em;
19	}
20	.assembly-hero-camera-box .camera__lens-eye-inner-glare {
21	animation-name: camera3dEyeInnerGlare;
22	background-color: hsl(var(--cam-hue),10%,35%);
23	border-radius: 50% 50% 50% 50% / 20% 20% 80% 80%;
24	box-shadow: 0 0 0.375em 0.25em hsl(var(--cam-hue),10%,35%);
25	top: 1.2em;
26	left: 0.7em;
27	width: 0.6em;
28	height: 0.2em;
29	opacity: 0;
30	transform: scale(0);
31	}
32	.assembly-hero-camera-box .camera__lens-eye-center {
33	background-image: linear-gradient(hsl(123,90%,5%) 45%,hsl(123,90%,15%) 75%);
34	box-shadow: 0 0 0.125em 0.25em hsl(0,0%,0%);
35	overflow: hidden;
36	top: 0.85em;
37	left: 0.85em;
38	width: 0.4em;
39	height: 0.4em;
40	}
41	.assembly-hero-camera-box .camera__lens-eye-center-glare {
42	animation-name: camera3dEyeCenterGlare;
43	background-color: hsl(123,10%,35%);
44	border-radius: 50%;
45	top: 0;
46	right: 0;
47	width: 0.18em;
48	height: 0.18em;
49	}
50	.assembly-hero-camera-box .camera__lens-eye-glass {
1	animation-name: camera3dEyeGlass;
2	box-shadow:
3	0 -0.1em 0.1em hsl(63,90%,20%) inset,
4	0 0 0.125em hsl(3,90%,20%) inset,
5	0 0 0.125em hsl(263,90%,40%) inset,
6	0 0 0.125em 0.25em hsl(0,0%,0%) inset;
7	width: 100%;
8	height: 100%;
9	}
10	.assembly-hero-camera-box .camera__lens-eye-glass-color {


```

11 background-image: linear-gradient(hsla(253,90%,10%,0.5) 60%,hsla(253,90%,40%,0.5) 60%);
12 width: 100%;
13 height: 100%;
14 }
15 .assembly-hero-camera-box .camera__lens-eye-glare {
16 animation-name: camera3dEyeGlare;
17 background-color: hsla(223,90%,60%,0.7);
18 border-radius: 50%;
19 box-shadow: -0.125em 0.375em 0.5em hsl(268,90%,50%) inset;
20 top: 0;
21 right: 0;
22 width: 50%;
23 height: 50%;
24 transform: translateX(0) rotate(45deg) scaleY(0.45);
25 }
26 .assembly-hero-camera-box .camera__lens-shadow {
27 background-image:
28 linear-gradient(135deg,hsla(var(--cam-hue),50%,0%,0.25),hsla(var(--cam-hue),50%,0%,0));
29 filter: blur(4px);
30 top: 50%;
31 left: 0;
32 width: 100%;
33 height: 3.5em;
34 }
35 .assembly-hero-camera-box .camera__shadow {
36 background-image:
37 linear-gradient(90deg,hsla(var(--cam-hue),50%,0%,0.5),hsla(var(--cam-hue),50%,0%,0.1));
38 border-radius: 40%;
39 filter: blur(1px);
40 top: calc(100% - 1em);
41 width: 100%;
42 height: 1em;
43 transform: translateZ(-0.01em);
44 }
45
46 /* — 3D Camera keyframes — */
47 @keyframes cameraFloat {
48 0%, 100% { transform: rotateY(0deg) translateY(0); }
49 50% { transform: rotateY(0deg) translateY(-6px); }
50 }
51 @keyframes cameraRedBlink {
52 0%, 100% { opacity: 1; }

```

```

1 50% { opacity: 0.3; }
2 }
3 @keyframes camera3d {
4 from, to { transform: rotateY(20deg); }
5 50% { transform: rotateY(-20deg); }
6 }
7 @keyframes camera3dRedLight {
8 from, to { transform: translateZ(0.6em) rotateY(-20deg); }
9 50% { transform: translateZ(0.6em) rotateY(20deg); }
10 }
11 @keyframes camera3dRingGlare1 {
12 from, to { transform: translateX(-25%) scaleX(0.33); }
13 50% { transform: translateX(0) scaleX(1); }
14 }
15 @keyframes camera3dRingGlare2 {
16 from, to { transform: scale(0.75); }

```

```

17 50% { transform: scale(1.25); }
18 }
19 @keyframes camera3dRingGlare3 {
20 from, to { transform: translateX(-20%) scale(0.75); }
21 50% { transform: translateX(0) scale(1.2); }
22 }
23 @keyframes camera3dLensInner {
24 from, to { box-shadow: 0.0625em 0 0 0.125em hsl(223,5%,55%); }
25 50% { box-shadow: -0.0625em 0 0 0.125em hsl(223,5%,55%); }
26 }
27 @keyframes camera3dLensInnerGlare1 {
28 from, to { opacity: 1; transform: rotate(0); }
29 50% { opacity: 0; transform: rotate(45deg); }
30 }
31 @keyframes camera3dLensInnerGlare2 {
32 from, to { opacity: 0.2; transform: translate(0,0.2em) scale(1.1) rotate(-45deg); }
33 50% { opacity: 1; transform: translate(0,0) scale(1) rotate(-15deg); }
34 }
35 @keyframes camera3dLensGlare {
36 from, to { transform: rotate(-25deg) translateY(1em); }
37 50% { transform: rotate(25deg) translateY(1em); }
38 }
39 @keyframes camera3dEyeInnerGlare {
40 from, to { opacity: 1; transform: scale(1); }
41 50% { opacity: 0; transform: scale(0); }
42 }
43 @keyframes camera3dEyeCenterGlare {
44 from, to { transform: translateX(-25%); }
45 50% { transform: translateX(50%); }
46 }
47 @keyframes camera3dEyeGlass {
48 from, to {
49 box-shadow:
50 -0.1em -0.1em 0.1em hsl(63,90%,20%) inset,

```

```

1 -0.2em -0.1em 0.125em hsl(3,90%,20%) inset,
2 -0.3em -0.3em 0.125em hsl(263,90%,40%) inset,
3 0 0 0.125em 0.25em hsl(0,0%,0%) inset;
4 }
5 50% {
6 box-shadow:
7 0.1em -0.1em 0.1em hsl(63,90%,20%) inset,
8 0.2em -0.1em 0.125em hsl(3,90%,20%) inset,
9 0.3em -0.3em 0.125em hsl(263,90%,40%) inset,
10 0 0 0.125em 0.25em hsl(0,0%,0%) inset;
11 }
12 }
13 @keyframes camera3dEyeGlare {
14 from, to { transform: translateX(-0.75em) rotate(10deg) scale(1.5,1); }
15 50% { transform: translateX(0.375em) rotate(50deg) scale(1.5,0.25); }
16 }
17 @keyframes camera3dEyeRing {
18 from, to {
19 box-shadow:
20 0 0 0 0.25em hsl(0,0%,0%),
21 0 0.25em 0.25em 0.5em hsl(223,10%,25%),
22 0 -0.25em 0.25em 0.5em hsl(223,10%,20%),
23 0 0.2em 0.125em hsl(223,10%,40%) inset;
24 }

```

```

25 50% {
26  box-shadow:
27    0 0 0 0.25em hsl(0,0%,0%),
28    0 0 0.25em 0 hsl(223,10%,25%),
29    0 -0.25em 0.25em 0.5em hsl(223,10%,20%),
30    0 0.2em 0.125em hsl(223,10%,40%) inset;
31 }
32 }
33
34 /* — ROW HEADERS — */
35 .assembly-row-header {
36  display: flex;
37  align-items: center;
38  justify-content: space-between;
39  margin: 10px 0;
40 }
41 .assembly-margin-vertical { margin: 10px 0; }
42
43 .assembly-segment-title {
44  color: var(--assembly-color-light);
45  font-family: var(--assembly-font-family);
46  font-size: 18px;
47  font-weight: 600;
48 }
49
50 /* — BUTTONS — */

```

```

1  .assembly-btn {
2  display: inline-flex;
3  color: var(--assembly-color-light);
4  padding: 15px;
5  border-radius: 10px;
6  box-shadow: 0 0 0 1px rgba(255,255,255,0.1);
7  background: transparent;
8  transition: ease all 0.3s;
9  text-decoration: none;
10 font-family: var(--assembly-font-family);
11 font-weight: 600;
12 font-size: 12px;
13 align-items: center;
14 }
15 .assembly-btn-primary {
16 position: relative;
17 padding: 12px 18px;
18 color: var(--assembly-color-dark);
19 border-radius: 18px;
20 font-size: 11px;
21 background:
22 radial-gradient(farthest-side at bottom center, #f0c1bb 25%, transparent 75%),
23 radial-gradient(farthest-side at left bottom, #ebc6c0 25%, transparent 75%),
24 radial-gradient(farthest-side at left center, #dabbcb 25%, transparent 75%),
25 radial-gradient(farthest-side at left top, #e7cdce 25%, transparent 75%),
26 radial-gradient(farthest-side at right top, #bcb7d7 25%, transparent 75%),
27 radial-gradient(farthest-side at right bottom, #bcb7d7 25%, transparent 75%),
28 radial-gradient(farthest-side at right center, #bcb7d7 25%, transparent 75%),
29 radial-gradient(farthest-side at top center, #f6ede8 60%, transparent 100%),
30 radial-gradient(farthest-side at center center, #eed8db 100%, transparent 100%);
31 }
32 .assembly-btn-primary:hover { transform: scale(1.05); }

```

```

33
34  /* — FEATURED PRODUCT (Neumorphic raised rectangle) — */
35  .assembly-featured-product {
36    animation: fade-in-bottom 0.6s cubic-bezier(0.39, 0.575, 0.565, 1) both 0.4s;
37    border-radius: 16px;
38    display: flex;
39    flex-direction: column;
40    align-items: stretch;
41    margin-bottom: 30px;
42    padding: 18px 16px;
43    background: linear-gradient(145deg, #1e1e28, #16161e);
44    border: 2px solid #d4a017;
45    box-shadow:
46      8px 8px 20px rgba(0,0,0,0.6),
47      -4px -4px 12px rgba(50,50,65,0.25),
48      inset 0 1px 0 rgba(255,255,255,0.04);
49  }
50  .assembly-featured-product .featured-top-row {

```

```

1    display: flex;
2    align-items: center;
3  }
4  .assembly-featured-product .content-img {
5    width: 60px;
6    flex: 0 0 60px;
7    display: flex;
8    align-items: center;
9    justify-content: center;
10  }
11  .assembly-featured-product .product-detail {
12    flex: 1;
13    display: flex;
14    flex-direction: column;
15    justify-content: flex-end;
16    padding: 0 8px;
17  }
18  .assembly-featured-product .product-name {
19    font-family: var(--assembly-font-family);
20    font-size: 13px;
21    font-weight: 600;
22    color: var(--assembly-color-light);
23  }
24  .assembly-featured-product .price {
25    color: #f7ad32;
26    font-family: var(--assembly-font-family);
27    font-size: 18px;
28    font-weight: 600;
29    margin-top: 2px;
30  }
31  .assembly-featured-product .share-inline {
32    flex: 0 0 auto;
33    display: flex;
34    align-items: center;
35    gap: 6px;
36  }
37
38  /* — WORKSHOP SEARCH BAR (Attachment) — */
39  .assembly-workshop {
40    position: relative;

```

```
41 text-align: center;
42 padding: 14px 0 4px;
43 }
44 .assembly-workshop form {
45 background: linear-gradient(#1b1b1b, #111);
46 border: 1px solid #000;
47 border-radius: 5px;
48 box-shadow: inset 0 0 0 1px #272727;
49 display: inline-flex;
50 font-size: 0px;
```

```
1 padding: 0;
2 position: relative;
3 z-index: 1;
4 width: 100%;
5 }
6 .assembly-workshop input {
7 background: linear-gradient(#333, #222);
8 border: 1px solid #444;
9 border-radius: 5px 0 0 5px;
10 box-shadow: 0 2px 0 #000;
11 color: #888;
12 display: block;
13 float: left;
14 font-family: 'Cabin', var(--assembly-font-family);
15 font-size: 12px;
16 font-weight: 400;
17 height: 36px;
18 margin: 0;
19 padding: 0 10px;
20 text-shadow: 0 -1px 0 #000;
21 width: 100%;
22 flex: 1;
23 min-width: 0;
24 outline: none;
25 }
26 .assembly-workshop input::placeholder {
27 color: #888;
28 }
29 .assembly-workshop input:focus {
30 animation: glow 800ms ease-out infinite alternate;
31 background: linear-gradient(#333933, #222922);
32 border-color: #393;
33 box-shadow: 0 0 5px rgba(0,255,0,.2), inset 0 0 5px rgba(0,255,0,.1), 0 2px 0 #000;
34 color: #efe;
35 outline: none;
36 }
37 .assembly-workshop input:focus::placeholder {
38 color: #efe;
39 }
40 .assembly-workshop button {
41 background: linear-gradient(#333, #222);
42 box-sizing: content-box;
43 border: 1px solid #444;
44 border-left-color: #000;
45 border-radius: 0 5px 5px 0;
46 box-shadow: 0 2px 0 #000;
47 color: #fff;
48 display: block;
```

```
49 float: left;
50 font-family: 'Cabin', var(--assembly-font-family);
```

```
1 font-size: 12px;
2 font-weight: 400;
3 height: 36px;
4 line-height: 36px;
5 margin: 0;
6 padding: 0 12px;
7 position: relative;
8 text-shadow: 0 -1px 0 #000;
9 white-space: nowrap;
10 cursor: pointer;
11 }
12 .assembly-workshop button:hover,
13 .assembly-workshop button:focus {
14 background: linear-gradient(#393939, #292929);
15 color: #5f5;
16 outline: none;
17 }
18 .assembly-workshop button:active {
19 background: linear-gradient(#393939, #292929);
20 box-shadow: 0 1px 0 #000, inset 1px 0 1px #222;
21 top: 1px;
22 }
23
24 @keyframes glow {
25 0% {
26 border-color: #393;
27 box-shadow: 0 0 5px rgba(0,255,0,.2), inset 0 0 5px rgba(0,255,0,.1), 0 2px 0 #000;
28 }
29 100% {
30 border-color: #6f6;
31 box-shadow: 0 0 20px rgba(0,255,0,.6), inset 0 0 10px rgba(0,255,0,.4), 0 2px 0 #000;
32 }
33 }
34
35 /* — EMAIL INPUT (inline) — */
36 .assembly-email-input {
37 width: 90px;
38 padding: 5px 8px;
39 border-radius: 10px;
40 border: 1px solid rgba(247,173,50,0.4);
41 background: rgba(255,255,255,0.06);
42 color: var(--assembly-color-light);
43 font-family: var(--assembly-font-family);
44 font-size: 9px;
45 outline: none;
46 }
47 .assembly-email-input::placeholder { color: rgba(255,255,255,0.35); }
48
49 /* — SHARE BUTTON (inline) — */
50 .assembly-share-btn-sm {
```

```
1 display: inline-flex;
2 align-items: center;
3 justify-content: center;
4 gap: 4px;
5 padding: 6px 12px;
```

```
6 border-radius: 12px;
7 border: none;
8 cursor: pointer;
9 font-family: var(--assembly-font-family);
10 font-size: 10px;
11 font-weight: 600;
12 color: var(--assembly-color-dark);
13 background:
14 radial-gradient(farthest-side at bottom center, #f0c1bb 25%, transparent 75%),
15 radial-gradient(farthest-side at left bottom, #ebc6c0 25%, transparent 75%),
16 radial-gradient(farthest-side at left center, #dabbc3 25%, transparent 75%),
17 radial-gradient(farthest-side at left top, #e7cdce 25%, transparent 75%),
18 radial-gradient(farthest-side at right top, #bcb7d7 25%, transparent 75%),
19 radial-gradient(farthest-side at right bottom, #bcb7d7 25%, transparent 75%),
20 radial-gradient(farthest-side at right center, #bcb7d7 25%, transparent 75%),
21 radial-gradient(farthest-side at top center, #f6ede8 60%, transparent 100%),
22 radial-gradient(farthest-side at center center, #eed8db 100%, transparent 100%);
23 transition: transform 0.2s;
24 white-space: nowrap;
25 }
26 .assembly-share-btn-sm:hover { transform: scale(1.05); }
27 .assembly-share-sent { color: #2d7a2d; font-weight: 700; }
28
29 /* — ANIMATIONS — */
30 @keyframes float {
31 0% { transform: translateY(0px); }
32 50% { transform: translateY(-14px); }
33 100% { transform: translateY(0px); }
34 }
35 @keyframes fade-in-bottom {
36 0% { transform: translateY(50px); opacity: 0; }
37 100% { transform: translateY(0); opacity: 1; }
38 }
39 @keyframes flip-in-hor-top {
40 0% { transform: rotateX(-80deg); opacity: 0; }
41 100% { transform: rotateX(0); opacity: 1; }
42 }
43
```

layout.tsx

src/app/layout.tsx

Root layout with Geist fonts, metadata, and toaster component.

```
1  import type { Metadata } from "next";
2  import { Geist, Geist_Mono } from "next/font/google";
3  import "./globals.css";
4  import { Toaster } from "@components/ui/toaster";
5
6  const geistSans = Geist({
7    variable: "--font-geist-sans",
8    subsets: ["latin"],
9  });
10
11  const geistMono = Geist_Mono({
12    variable: "--font-geist-mono",
13    subsets: ["latin"],
14  });
15
16  export const metadata: Metadata = {
17    title: "Z.ai Code Scaffold - AI-Powered Development",
18    description: "Modern Next.js scaffold optimized for AI-powered development with Z.ai. Built with TypeScript, Tailwind CSS, and shadcn/ui.",
19    keywords: ["Z.ai", "Next.js", "TypeScript", "Tailwind CSS", "shadcn/ui", "AI development", "React"],
20    authors: [{ name: "Z.ai Team" }],
21    icons: {
22      icon: "https://z-cdn.chatglm.cn/z-ai/static/logo.svg",
23    },
24    openGraph: {
25      title: "Z.ai Code Scaffold",
26      description: "AI-powered development with modern React stack",
27      url: "https://chat.z.ai",
28      siteName: "Z.ai",
29      type: "website",
30    },
31    twitter: {
32      card: "summary_large_image",
33      title: "Z.ai Code Scaffold",
34      description: "AI-powered development with modern React stack",
35    },
36  };
37
38  export default function RootLayout({
39    children,
40  }: Readonly<{
41    children: React.ReactNode;
42  }>) {
43    return (
44      <html lang="en" suppressHydrationWarning>
45        <body
46          className={` ${geistSans.variable} ${geistMono.variable} antialiased bg-background text-foreground`>
47          >
48            {children}
49          <Toaster />
50        </body>
```


1	</html>
2	);
3	}
4	

next.config.ts

next.config.ts

Next.js configuration with standalone output, TypeScript settings, and image remote patterns for freepik.

```
1  import type { NextConfig } from "next";
2
3  const nextConfig: NextConfig = {
4    output: "standalone",
5    /* config options here */
6    typescript: {
7      ignoreBuildErrors: true,
8    },
9    reactStrictMode: false,
10   images: {
11     remotePatterns: [
12       {
13         protocol: "https",
14         hostname: "img.freepik.com",
15       },
16     ],
17   },
18 };
19
20 export default nextConfig;
21
```