Thyrocare

Tests you can trust

Name : Mr Arit Mohamed Nehal R S(21Y/M)


Date : 28 Sep, 2026

Test Asked : Jaanch - Mens Hairfall Screening Advanced

Report Status : Complete Report







Processed At :
UR House, No. 1056C, Avinashi Road, Coimbatore - 641018

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: **MR ARIT MOHAMED NEHAL R S (21Y/M)**	Tests Done	: **JAANCH - MENS HAIRFALL SCREENING ADVANCED**
Referred By	: **SELF**		
Address	: **INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007**		

Report Availability Summary

Note: Please refer to the table below for status of your tests.

14 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
JAANCH - MENS HAIRFALL SCREENING ADVANCED	Ready
CALCIUM	Ready
CORTISOL	Ready
C-REACTIVE PROTEIN (CRP)	Ready
FERRITIN	Ready
MAGNESIUM	Ready
PHOSPHOROUS	Ready
SERUM ZINC	Ready
SEX HORMONE BINDING GLOBULIN (SHBG)	Ready
HEMOGRAM - 6 PART (DIFF)	Ready
IRON DEFICIENCY PROFILE	Ready
T3-T4-USTSH	Ready
VITAMIN D TOTAL AND B12 COMBO	Ready
ANTI NUCLEAR ANTIBODIES (ANA)	Ready
DIHYDROTESTOSTERONE (DHT)	Ready

Patient Name	: **MR ARIT MOHAMED NEHAL R S (21Y/M)**	Tests Done	: **JAANCH - MENS HAIRFALL SCREENING ADVANCED**
Referred By	: **SELF**		
Address	: **INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007**		

Tests Outside Reference Range

Note: Please refer to the table below for tests outside reference range.

Test Name	Observed Value	Units	Bio. Ref. Interval.
ARTHRITIS			
PHOSPHOROUS	**5.44**	mg/dL	2.4 - 5.1
COMPLETE HEMOGRAM			
BASOPHILS - ABSOLUTE COUNT	**0.12**	X 10^3 / µL	0.02 - 0.1
EOSINOPHILS	**8.5**	%	1-6
EOSINOPHILS - ABSOLUTE COUNT	**0.66**	X 10^3 / µL	0.02 - 0.5
LYMPHOCYTE	**44.4**	%	20-40
LYMPHOCYTES - ABSOLUTE COUNT	**3.47**	X 10^3 / µL	1.0-3.0
MEAN CORP.HEMO.CONC(MCHC)	**28**	g/dL	31.5-34.5
NEUTROPHILS	**39.8**	%	40-80
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	**50.9**	fL	39-46
THYROID			
TOTAL THYROXINE (T4)	**4.7**	µg/dL	4.87-11.72
VITAMIN			
25-OH VITAMIN D (TOTAL)	**14**	ng/mL	30-100

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

Processed At
UR House, No. 1056C, Avinashi Road, Coimbatore - 641018

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#



Introducing

Health Trends

All your health reports, in one place — watch how things change over time.

OTP: 8832

CLICK or SCAN

to access detailed trends

Test Name	Test Result & Bio. Ref. Interval
Thyroid Function	**28 Sep '26**
TSH - ULTRASENSITIVE	1.299 µIU/mL 0.35 - 4.94
TOTAL TRIIODOTHYRONINE (T3)	75 ng/dL 58 - 159
TOTAL THYROXINE (T4)	**4.7 µg/dL** 4.87 - 11.72
Blood Health & Iron Status	**28 Sep '26**
HEMOGLOBIN	13.8 g/dL 13 - 17
IRON	123.5 µg/dL 40 - 155
% TRANSFERRIN SATURATION	34.69 % 13 - 45
PLATELET COUNT	249 X 10^3 / µL 150 - 410

+4 more tests (Use above QR for detailed trend)

Vitamins, Electrolytes & Minerals	28 Sep '26
VITAMIN B-12	439 pg/mL 211 - 911
25-OH VITAMIN D (TOTAL)	**14 ng/mL** 30 - 100
CALCIUM	9.59 mg/dL 8.8 - 10.6
MAGNESIUM	2.3 mg/dL 1.9 - 3.1

Trends Unlock After Your Next Test

That's all for now!

Regular testing with your trusted partner helps reveal how your health is changing over time.

Processed At :
UR House, No. 1056C, Avinashi Road, Coimbatore - 641018

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
25-OH VITAMIN D (TOTAL)	**C.M.I.A**	**14**	**ng/mL**

Bio. Ref. Interval. :
DEFICIENCY : <10 ng/ml
INSUFFICIENCY : 10 - 30 ng/ml
SUFFICIENCY : 30 - 100 ng/ml
TOXICITY : >100 ng/ml

Method : Fully Automated Chemi Luminescent Microparticle Immunoassay

VITAMIN B-12	C.L.I.A	439	pg/mL

Bio. Ref. Interval. :

Normal : 211 - 911 pg/ml

Clinical significance :
Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):5.0%, Inter assay (%CV):9.2 %;Sensitivity:45 pg/ml

Kit Validation reference:
Chen IW, Sperling MI, Heminger LA. Vitamin B12. In: Pesce AJ, Kaplan LA, eds. Methods in Clinical Chemistry. St. Louis: CV Mosby; 1987:569–73.

Method : COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

Please correlate with clinical conditions.

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Processed At :
UR House, No. 1056C, Avinashi Road, Coimbatore - 641018

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	C.M.I.A	75	ng/dL	58-159
TOTAL THYROXINE (T4)	**C.M.I.A**	**4.7**	**µg/dL**	**4.87-11.72**
TSH - ULTRASENSITIVE	C.M.I.A	1.299	µIU/mL	0.35-4.94

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3,T4,USTSH - Fully Automated Chemi Luminescent Microparticle Immunoassay

Disclaimer : Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Processed At :
UR House, No. 1056C, Avinashi Road, Coimbatore - 641018

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON	PHOTOMETRY	123.5	µg/dL
Bio. Ref. Interval. : 40 - 155			
Method : Photometric test using Ferene			
TOTAL IRON BINDING CAPACITY (TIBC)	PHOTOMETRY	356	µg/dL
Bio. Ref. Interval. : Male: 225 - 535 µg/dl Female: 215 - 535 µg/dl			
Method : Spectrophotometric Assay			
% TRANSFERRIN SATURATION	CALCULATED	34.69	%
Bio. Ref. Interval. : 13 - 45			
Method : Derived from IRON and TIBC values			
UNSAT.IRON-BINDING CAPACITY(UIBC)	PHOTOMETRY	232.5	µg/dL
Bio. Ref. Interval. : 162 - 368			
Method : SPECTROPHOTOMETRIC ASSAY			
FERRITIN	C.M.I.A	206.7	ng/mL
Bio. Ref. Interval. : Men: 21.81 - 274.66 ng/ml Women: 4.63 - 204.00 ng/ml			
Method : Fully Automated Chemi Luminescent Microparticle Immunoassay			

Please correlate with clinical conditions.

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
SEX HORMONE BINDING GLOBULIN (SHBG)	C.L.I.A	10.2	nmol/L

Bio. Ref. Interval. :-

Males 10 - 57 nmol/L

Females
Non-Pregnant : 18 - 144

Clinical Significance:

Sex hormone binding globulin (SHBG) has a high affinity for testosterone and Estradiol, and is a major factor regulating their distribution between the protein-bound and free states. The ratio of testosterone to SHBG is also known as the free androgen index (FAI) or the free testosterone index (FTI). This ratio correlates well with both measured and calculated values of free testosterone and helps to discriminate subjects with excessive androgen activity from normal individuals. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications:

Precision: Intra assay (%CV): 5.30 %, Inter assay (%CV):6.60%
Sensitivity: < 0.02 nmol/l and Specificity: no detectable cross- reactivity

Kit validation reference:

Bond A, Davis C. Sex Hormone binding globulin in clinical perspective, ActaObset Gynecol Scand 1987;66:255-62

Please correlate with clinical conditions.
Method:- SOLID-PHASE TWO-SITE CHEMILUMINESCENT IMMUNOMETRIC ASSAY

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Saakshi

Dr Saakshi Mittal
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Processed At :
UR House, No. 1056C, Avinashi
Road, Coimbatore - 641018

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
SERUM ZINC	PHOTOMETRY	75.2	µg/dL

Bio. Ref. Interval. :-

46 - 150

Clinical Significance:
Zinc is one of the essential trace elements in the body. Its metalloenzymes play a key role in protein and nucleic acid synthesis, gene expression, wound healing, as an antioxidant, etc. Deficiency can cause- Poor wound healing, gastroenteritis, impaired spermatogenesis, Alzheimer's disease, etc. Toxicity may be manifested as pancreatitis, gastric ulcer, anemia, pulmonary fibrosis.

Please correlate with clinical conditions.
Method:- BrPAPS

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
CALCIUM	PHOTOMETRY	9.59	mg/dL	8.8-10.6
PHOSPHOROUS	**PHOTOMETRY**	**5.44**	**mg/dL**	**2.4 - 5.1**

Please correlate with clinical conditions.

Method :

CALC - Arsenazo III Method, End Point.
PHOS - UNREDUCED PHOSPHOMOLYBDATE METHOD

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254



Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
MAGNESIUM	PHOTOMETRY	2.3	mg/dL

Bio. Ref. Interval. :-

1.90 - 3.10 mg/dL

Clinical significance:

Magnesium is the fourth most abundant cation in the body and second most prevalent intracellular cation. The total body magnesium content is about 25 g or approximately 1 mol, of which 55% reside in the skeleton. About 45% of the magnesium is intracellular. In general higher the metabolic activity of cell, the greater is its magnesium content. Magnesium is a cofactor for more than 300 enzymes in the body.

Disorders of magnesium metabolism are separated into those causing hypomagnesaemia/magnesium deficiencies and hypermagnesemia. Hypomagnesaemia is common in patient in hospitals. Moderate to severe deficiency of magnesium is usually due to loss of magnesium from the gastrointestinal (gi) tract or kidneys. One of the more serious complications of magnesium deficiency is cardiac arrhythmia. Symptomatic hypermagnsemia is almost always caused by excessive intake, resulting from administration of antacids, enemas, and parenteral fluids containing magnesium. Depression of neuromuscular system is the most common manifestation of magnesium intoxication.

External quality control program participation:

College Of American Pathologists: Chemistry survey; CAP Number: 7193855-01

Please correlate with clinical conditions.

Method:- MODIFIED XYLIDYL BLUE REACTION METHOD

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Processed At :
Plot No.428,Phase-IV, Udyog
Vihar, Gurgaon,Haryana - 122 015

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
DIHYDROTESTOSTERONE (DHT)	E.L.I.S.A	187.82	pg/mL

Bio. Ref. Interval. :-

Male:

(1-9 yrs): 0 - 85.7 pg/mL || (10-14 yrs): 11.1 - 875.6 pg/mL
(15-18 yrs): 70.3 - 1260.9 pg/mL || (19-89 yrs): 143 - 842 pg/mL

Female:

(2-9 yrs): 0 - 88.9 pg/mL || (10-14 yrs): 22.5- 280.6 pg/mL
(15-18 yrs): 62.6- 760.3 pg/mL || (18-50 yrs): 0 - 596 pg/mL
(51-83 yrs): 0 - 431 pg/mL

Clinical Significance:

5a-dihydrotestosterone is steroid similar to testosterone and androstenedione. Some of the main clinical indications of the DHT measurement in serum are investigations of Delayed puberty in men and evaluation of the presence of active testicular tissues
Women with too much Dihydrotestosterone may develop increased body, facial and pubic hair growth (called hirsutism), stopping of menstrual periods (amenorrhoea),increased acne and abnormal changes to the genitalia.
Clinical Trends :
1. In Klinefelter's syndrome the DHT level is much more lower than that found in normal men.
2. In polycystic ovaries (PCO) about 35 % of the patients have an increased DHT level.
3. The DHT level in young is much higher than those found in normal older people, hence androgen production increases at puberty which gives rise to masculinizing characteristic.
4. There is very low level of Plasma DHT in patients with anorchia.

Please correlate with clinical conditions.
Method:- COMPETITIVE ENZYME IMMUNOASSAY

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Saakshi

Dr Saakshi Mittal
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
C-REACTIVE PROTEIN (CRP)	IMMUNOTURBIDIMETRY	1.8	mg/L

Bio. Ref. Interval. :-

Acute phase determination : < 5 mg/L

Clinical Significance:
It's a protein present in the sera of acutely ill patients that bound cell wall C-polysaccharide of streptococcus pneumoniae and agglutinates the organisms. CRP is one of the strongest acute -phase reactants, with plasma concentrations rising up after myocardial infarction, stress, trauma, infection, inflammation, surgery, or neoplastic proliferation.

Concentrations >5 mg/L suggest the presence of an infection or inflammatory process. Concentrations are generally higher in bacterial than viral infection. The increase in peak is proportional to tissue damage. Determination of CRP is clinically useful to screen activity of inflammatory diseases such as rheumatoid arthritis; SLE;Leukemia;after surgery;to detect rejection in renal allograft recipients;to detect neonatal septicemia and meningitis. However, it is a nonspecific marker and cannot be interpreted without other clinical information.

Reference:
Tietz Textbook of clinical chemistry and molecular diagnosis fifth edition chapter 21 P538-539

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION – BECKMAN COULTER

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Processed At :
Plot No.428,Phase-IV, Udyog
Vihar, Gurgaon,Haryana - 122 015

MC-3759

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
CORTISOL	C.L.I.A	9.91	µg/dL

Bio. Ref. Interval. :-

6.00am to 10am: 6.7 - 22.6 µg/dL
4.00pm to 8pm: <10.00 µg/dL

Clinical Significance:

- Cortisol is the major glucocorticoid product of the adrenal cortex.
- Cortisol plays an important role in the regulation of many physiological processes like energy metabolism, maintaining electrolyte balance and blood pressure, immunomodulation and stress responses, cell proliferation as well as cognitive function.
- Elevated serum levels of cortisol can also be seen in stress responses, psychiatric diseases, obesity, diabetes, alcoholism, contraceptives, estrogen therapy and pregnancy which may cause diagnostic problems in patients with Cushings Syndrome.
- Cortisol secretion is controlled by Adrenocorticotropic hormone (ACTH) of pituitary gland
- Normally, the Cortisol secretion happens in the second half of the night with peak cortisol production occurring in early morning, cortisol levels then decline throughout the day with lowest levels during first half of the night.
- Therefore circadian variations of cortisol release and influence of stress should be considered while sampling for cortisol test
- Samples should not be taken from, patients receiving biotin therapy, until at least 8 hours following the last biotin administration
- In some cases, interference is seen due to presence of antibodies to analyte-specific antibodies, streptavidin or ruthenium (in case of ECLIA method) can occur and interference with heterophile and HAMA antibodies can occur (in case of CLIA method assay)
- Cortisol is best measured in the morning when evaluating for possible Adrenal Insufficiency and best measured in the afternoon or evening to differentiate normal and Cushings Syndrome subjects.
- Increased Cortisol levels seen in pathologies like : Cushings Syndrome, Ectopic ACTH syndrome, prednisolone therapy, Ectopic CRH syndrome, Adrenal adenoma / carcinoma, Adrenal micronodular dysplasia, Adrenal macronodular hyperplasia, Stress
- Decreased Cortisol Levels seen in pathologies like - Addisons disease, Pituitary dysfunction
- The results should be interpreted in conjunction with clinical history and other findings

References: Kit insert

Please correlate with clinical conditions.
Method:- Competitive binding Immunoenzymatic assay

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Saakshi

Dr Saakshi Mittal
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:40
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 29 Sep 2026 13:35
		Sample Type | Barcode	: SERUM | GK744797

TEST NAME	TECHNOLOGY	VALUE	UNITS
ANTI NUCLEAR ANTIBODIES (ANA)	E.L.I.S.A	0.19	OD Ratio

Bio. Ref. Interval. :

Negative: <0.90
Equivocal : 0.90 - 1.10
Positive: >1.11

Clinical Significance:
Anti-nuclear antibodies (ANA) are autoantibodies directed against nuclear components and are commonly associated with autoimmune diseases such as systemic lupus erythematosus (SLE), mixed connective tissue disease (MCTD), systemic sclerosis, Sjögren's syndrome, and rheumatoid arthritis.

However, ANA positivity is not specific to any one condition and may also be seen in healthy individuals, especially the elderly, or in cases of infections, malignancies, or drug-induced autoimmunity.

Equivocal results may require repeat testing or additional evaluation with specific antibody panels (e.g., anti-Sm, anti-RNP, anti-Ro, anti-La) for diagnostic clarification. A negative ANA test does not completely rule out autoimmune disease, particularly in early stages or when non-ANA-specific autoantibodies are involved. The final diagnosis should be made by the physician based on the overall clinical picture and appropriate correlation with additional investigations.

Note: Hemolysis, lipemia, icterus, microbial contamination, high-dose biotin, or heterophile antibodies may interfere with test accuracy and may lead to false-positive or false-negative results.

Method : INDIRECT SOLID PHASE IMMUNOASSAY

Please correlate with clinical conditions.

Tests Done : JAANCH - MENS HAIRFALL SCREENING ADVANCED

Report Remarks : LabCode:2809040640/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

Processed At :
UR House, No. 1056C, Avinashi Road, Coimbatore - 641018

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

Patient Name	: MR ARIT MOHAMED NEHAL R S (21Y/M)	**Sample Collected on (SCT)**	: 28 Sep 2026 10:16
Referred By	: SELF	**Sample Received on (SRT)**	: 28 Sep 2026 11:41
Address	: INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007	**Report Released on (RRT)**	: 28 Sep 2026 13:37
		Sample Type | Barcode	: EDTA Whole Blood | GR460230

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
HEMOGLOBIN	SLS-Hemoglobin Method	13.8	g/dL	13.0-17.0
Hematocrit (PCV)	CPH Detection	49.3	%	40.0-50.0
Total RBC	HF & EI	4.93	X 10^6/µL	4.5-5.5
Mean Corpuscular Volume (MCV)	Calculated	100	fL	83.0-101.0
Mean Corpuscular Hemoglobin (MCH)	Calculated	28	pq	27.0-32.0
Mean Corp.Hemo. Conc (MCHC)	**Calculated**	**28**	**g/dL**	**31.5-34.5**
Red Cell Distribution Width - SD (RDW-SD)	**Calculated**	**50.9**	**fL**	**39-46**
Red Cell Distribution Width (RDW - CV)	Calculated	13.6	%	11.6-14
RED CELL DISTRIBUTION WIDTH INDEX (RDWI)	Calculated	275.9	-	*Refer Note below
MENTZER INDEX	Calculated	20.3	-	*Refer Note below
TOTAL LEUCOCYTE COUNT (WBC)	HF & FC	7.81	X 10^3 / µL	4.0 - 10.0
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils Percentage	**Flow Cytometry**	**39.8**	**%**	**40-80**
Lymphocytes Percentage	**Flow Cytometry**	**44.4**	**%**	**20-40**
Monocytes Percentage	Flow Cytometry	5.5	%	2-10
Eosinophils Percentage	**Flow Cytometry**	**8.5**	**%**	**1-6**
Basophils Percentage	Flow Cytometry	1.5	%	0-2
Immature Granulocyte Percentage (IG%)	Flow Cytometry	0.3	%	0-0.5
Nucleated Red Blood Cells %	Flow Cytometry	0.01	%	0.0-5.0
ABSOLUTE LEUCOCYTE COUNT				
Neutrophils - Absolute Count	Calculated	3.11	X 10^3 / µL	2.0-7.0
Lymphocytes - Absolute Count	**Calculated**	**3.47**	**X 10^3 / µL**	**1.0-3.0**
Monocytes - Absolute Count	Calculated	0.43	X 10^3 / µL	0.2 - 1.0
Basophils - Absolute Count	**Calculated**	**0.12**	**X 10^3 / µL**	**0.02 - 0.1**
Eosinophils - Absolute Count	**Calculated**	**0.66**	**X 10^3 / µL**	**0.02 - 0.5**
Immature Granulocytes (IG)	Calculated	0.02	X 10^3 / µL	0-0.3
Nucleated Red Blood Cells	Calculated	0.01	X 10^3 / µL	0.0-0.5
PLATELET COUNT	HF & EI	249	X 10^3 / µL	150-410
Mean Platelet Volume (MPV)	Calculated	9.9	fL	6.5-12
Platelet Distribution Width (PDW)	Calculated	10.6	fL	9.6-15.2
Platelet to Large Cell Ratio (PLCR)	Calculated	24.4	%	19.7-42.4
Plateletcrit (PCT)	Calculated	0.25	%	0.19-0.39

Remarks : Alert!!! Predominantly normocytic normochromic with ovalocytes. Platelets:Appear adequate in smear.

***Note - Mentzer index (MI), RDW-CV and RDWI are hematological indices to differentiate between Iron Deficiency Anemia (IDA) and Beta Thalassemia Trait (BTT). MI >13, RDWI >220 and RDW-CV >14 more likely to be IDA. MI <13, RDWI <220, and RDW-CV <14 more likely to be BTT. Suggested Clinical correlation. BTT to be confirmed with HB electrophoresis if clinically indicated.**

Method : Fully automated bidirectional analyser

(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height)

Tests Done : HEMOGRAM - 6 PART (DIFF)

Report Remarks : LabCode:2809073172/FE254

Dr.Vinitha Jose
MD(Path)

Scan QR to verify(valid for 30 days from release time)

CUSTOMER DETAILS

As declared in our data base

Name: MR ARIT MOHAMED NEHAL R S **Age:** 21Y **Sex:** M **Customer Mobile No:** 9894377521

Barcodes/Sample_Type	:	GK744797(SERUM), GR460230(EDTA)
Labcode	:	2809040640, 2809073172
Ref By	:	SELF
Sample_Type/Tests	:	SERUM:JAANCH - MENS HAIRFALL SCREENING ADVANCED EDTA:HEMOGRAM - 6 PART (DIFF)
Address	:	INGENX LABS Pvt Ltd., P18, Shifa Golden City, Tirunelveli. - 627007
Sample Collected on (SCT)	:	28 Sep 2026 10:16
Report Released on (RRT)	:	29 Sep 2026 13:35
Amount Collected	:	**Rs.3495/-(three thousand four hundred and ninety-five only)**

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient, as the reported results are dependent on individual assay method(s) used/ equipments used and quality of specimen received.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume:
  (a) any liability including any bodily injury, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report,
  (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link:- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recorded by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at customersupport@thyrocare.com or call us on 022-3090 0000.

Launching

Jaanch

For a closer look at your health with



Doctor-Curated Specialised Packages All Under One Roof

Heart | Fever | Cancer | Women's - Reproductive Health | Thyroid | Diabetes | STDs | Skin Care | Hair Fall

Thyrocare
Tests you can trust

*T&C Apply, *As on 5th December 2024

*As per survey on doctors' perception of laboratory diagnostics (IJARIIT, 2023), -Mumbai Reference Lab is CAP Accredited