

Observer-Relative Retrocausality: Negative Information Direction Along Monotonic Local Change Time

Ingolf Lohmann
Independent Researcher, QIK–VRT

12 August 2026
Current successor candidate, version 2.0

Abstract

This paper gives the current English synthesis of a QIK–VRT definition of observer-relative retrocausality. Time is first operationally visible to a system as an ordered sequence of effective local changes. QIK–VRT calls a strictly increasing parameter on that sequence *Eigenzeit*; for a physical observer on a timelike worldline it may additionally be calibrated to metric proper time. Consider two authentic, information-bearing records. If receiver-local change time increases while the provenance-bound source marks of the newly received records decrease, then the receiver has negative information direction:

$$\Delta\tau_R > 0, \quad \Delta\theta < 0.$$

Equivalently, the reception order is inverse to the source order for the record pair. A finite theorem proves this relation under explicit order, provenance, information, and monotonicity assumptions. An executable witness checks one concrete instance, including strict evidence refinement, a second observer with the opposite orientation, positive path delays, and a no-signalling marginal check.

The result does not say that metric proper time runs backwards, that a record arrives before its own emission, that the past is overwritten, or that a controllable message can be sent into the past. A physical apparatus that satisfies the stated reference bridge instantiates the defined operational relation. Delayed-choice and quantum-eraser experiments supply a related empirical bridge: later context can make a correlation class of earlier records available without changing earlier raw records or enabling a local backward channel. The paper retains Ingolf Lohmann’s universal QIK–VRT correspondence thesis as an explicitly attributed scope claim, distinct from the finite theorem, its physical instances, independent empirical confirmation, and scientific consensus.

Keywords: QIK–VRT; observer-relative retrocausality; local change time; *Eigenzeit*; provenance; distributed systems; information direction; delayed choice; quantum eraser; recovery; responsibility.

1 Purpose, status, and claim discipline

This is a successor manuscript, not an alteration of the earlier English staging candidate. The former candidate remains a byte-bound historical intermediate state. This version incorporates the subsequently clarified point that QIK–VRT *Eigenzeit* is first an operational local change-time concept, rather than a silent assertion that every use of the word imports a relativistic metric. The present source is local staging only until an exact archive, destination metadata, author decision, platform submission, and independent platform receipt have been recorded.

The paper makes several different types of statement. They must not be collapsed into one another:

- A *definition* specifies the relation called observer-relative retrocausality in this paper.
- A *formal result* follows from explicitly declared assumptions.
- An *executable witness* checks one finite, fully specified instance; it is not a proof-assistant kernel receipt or a survey of nature.
- A *physical reference bridge* says what must be bound in a physical apparatus for the formal relation to be instantiated there.
- An *empirical bridge* cites experimentally observed structures relevant to later context and earlier records.
- The *universal correspondence thesis* is Ingolf Lohmann's attributed QIK–VRT claim about reality in its stated model scope.

Preserving these distinctions does not make the result weaker. It makes its scope inspectable and prevents a formal proof, a program run, a publication, or an authority claim from being misdescribed as a different kind of evidence.

2 Difference, relation, and local change time

The QIK–VRT starting point is a relation of dependency:

$$\begin{aligned} &\text{difference} \longrightarrow \text{information} \longrightarrow \text{relation} \longrightarrow \text{causality} \longrightarrow \text{spacetime} \\ &\longrightarrow \text{appearance} \longrightarrow \text{life} \longrightarrow \text{cognition} \longrightarrow \text{responsibility} \longrightarrow \text{future}. \end{aligned}$$

In this vocabulary, information becomes relevant when a difference changes possible connections, effects, or admissible descriptions. This is the operational reading of *information efficacy*. It is an ontological and interpretative orientation of the research programme, not a claim that an isolated slogan supersedes experimental method.

For the formal result, use a distributed event structure

$$H = (E, \prec_H),$$

where E is a set of events and $\prec_H$ is a strict partial order. The relation $e \prec_H f$ means that e precedes f in the declared host or effect-relevant order. Irreflexivity and transitivity exclude a cycle in H . The structure is analogous to the causal partial orders used in distributed systems [3].

Definition 2.1 (Observer and operational Eigenzeit). *An observer or receiver R is a chain $E_R \subseteq E$ of local events. Its local change time, operationally called Eigenzeit in QIK–VRT, is a map*

$$\tau_R : E_R \longrightarrow \mathbb{R}$$

that is strictly order preserving on the chain:

$$e \prec_H f \implies \tau_R(e) < \tau_R(f) \quad (e, f \in E_R).$$

An effective trigger, accepted receipt, provenance-bound record, or newly available evidence can advance this local parameter. A repository is an ordinary example: the sequence of its effective, locally bound state changes defines the relevant local order. The definition does not require a global clock or a spacetime metric.

For a physical receiver carried along a future-directed timelike worldline, τ_R can additionally be calibrated to relativistic proper time. In an inertial frame, for $|v| < c$,

$$d\tau = dt\sqrt{1 - v^2/c^2} > 0.$$

This metric fact is an additional physical binding, not a premise smuggled into the operational definition. Proper time on such a worldline does not reverse sign [1, 2]. The theorem below needs the shared monotonicity property, not a particular metric.

3 Source order, information-bearing records, and the definition

Let $S \subseteq E$ be a declared source chain. A source mark

$$\theta : S \longrightarrow \mathbb{R}$$

is strictly order preserving on S . A record r comprises at least a source event $\sigma(r) \in S$, a payload $p(r)$, and a provenance/integrity witness $w(r)$ binding the record to its source event. Write

$$\theta(r) = \theta(\sigma(r)).$$

The reception event at R is $\rho_R(r) \in E_R$. Every admissible record satisfies the individual forward-delivery condition

$$\sigma(r) \prec_H \rho_R(r). \quad (1)$$

The binding matters. Arbitrary labels on unrelated messages do not establish an order relation. The source mark must refer to a real, declared source event and preserve the source-chain order. The record must also be information-bearing. If $\mathcal{K}_{k-1}$ is the set of histories compatible with the receiver's evidence before acceptance and $\mathcal{K}_k$ the set afterwards, the acceptance is information-bearing when

$$\mathcal{K}_k \subsetneq \mathcal{K}_{k-1}. \quad (2)$$

There are now at least two distinct orders on accepted records:

$$r \prec_O^R r' \iff \tau_R(\rho_R(r)) < \tau_R(\rho_R(r')), \quad (3)$$

$$r \prec^\theta r' \iff \theta(r) < \theta(r'). \quad (4)$$

Definition 3.1 (Observer-relative retrocausality). *Observer-relative retrocausality occurs for receiver R when authentic, information-bearing records r_1, r_2 satisfy*

$$r_1 \prec_O^R r_2 \quad \text{and} \quad r_2 \prec^\theta r_1. \quad (5)$$

When numerical marks are declared, the comparative information-direction slope is

$$v_I^R(r_1, r_2) = \frac{\theta(r_2) - \theta(r_1)}{\tau_R(\rho_R(r_2)) - \tau_R(\rho_R(r_1))} < 0. \quad (6)$$

The quotient in [equation \(6\)](#) is an ordinal sign witness when a numerical scaling is declared. It is neither a signal speed nor a claimed Lorentz invariant physical quantity. The negative direction is a relation between the local order in which a receiver changes and the provenance-bound source order to which incoming information refers.

4 Existence theorem and its limits

Theorem 4.1 (Negative information direction). *Let $s^- \prec_H s^+$ be two source events with $\theta(s^-) < \theta(s^+)$. Let r^- and r^+ be authentic, information-bearing records bound respectively to s^- and s^+ . Suppose their receiver-local delivery order is inverted:*

$$\rho_R(r^+) \prec_H \rho_R(r^-), \quad (7)$$

while each record separately satisfies equation (1). Then R has observer-relative retrocausality. More specifically,

$$\Delta\tau_R = \tau_R(\rho_R(r^-)) - \tau_R(\rho_R(r^+)) > 0, \quad \Delta\theta = \theta(r^-) - \theta(r^+) < 0,$$

and consequently $v_I^R(r^+, r^-) < 0$.

Proof. Equation (7) and the strict monotonicity of τ_R give $\Delta\tau_R > 0$. Because the source mark is order preserving and $s^- \prec_H s^+$, its values obey $\theta(s^-) < \theta(s^+)$, hence $\Delta\theta < 0$. The quotient in equation (6) therefore has a negative numerator and positive denominator. Equation (1) remains true for each record, so the inverse relation lies between the source and reception orders, not within the path of an individual record. $\square$

Corollary 4.1 (Order-preserving reparameterization). *Replacing τ_R and θ by strictly increasing reparameterizations preserves the inverse ordinal relation.*

Proof. Strictly increasing maps preserve strict inequalities in both orders. $\square$

Proposition 4.1 (No causal loop follows). *The assumptions of theorem 4.1 do not imply a backward delivery of one record or a causal loop in H .*

Proof. For each record, equation (1) says $\sigma(r) \prec_H \rho_R(r)$. A reverse delivery of that same record would also require $\rho_R(r) \prec_H \sigma(r)$, contradicting irreflexivity after transitivity. A strict partial order has no closed causal chain. $\square$

Thus the formally proved statement is precise: an inverse orientation between two bound orders can coexist with monotonically increasing local change time, forward delivery of every individual record, and acyclic host causality. It is not the proposition that a delayed packet is a time machine.

5 Finite executable witness and positive-latency realization

Take source marks $\theta(s^-) = 10$ and $\theta(s^+) = 20$. Receiver R accepts the newer-source record r^+ at local change time 100 and the older-source record r^- at time 101. Then

$$v_I^R(r^+, r^-) = \frac{10 - 20}{101 - 100} = -10 < 0.$$

Begin with four possible two-bit histories. Accepting r^+ fixes one bit and reduces the compatible histories from four to two. Accepting r^- fixes the other and reduces them from two to one. Thus both records meet equation (2).

The accompanying network-independent checker, `verify_observer_relative_retrocausality.py`, evaluates this finite witness and produces a canonical JSON report. It checks host-order acyclicity, source-before-reception, strict local monotonicity, strict information-fibre

refinement, inverse source/reception order, a second observer with positive orientation, a future-directed latency construction, and cancellation of complementary conditional fringes in an unconditioned marginal. It is an executable finite witness; the declared mathematical proof remains the proof in [section 4](#).

The positive-latency construction is elementary. Let the old source event occur at coordinate time $t^- = 0$ with delay $d^- = 3$, and the new source event at $t^+ = 1$ with delay $d^+ = 1$. The arrival times are

$$T^- = t^- + d^- = 3, \quad T^+ = t^+ + d^+ = 2.$$

Both delays are positive, but the later source event arrives first. With propagation at or below c , put $d^\pm = L^\pm/c$. The sufficient overtaking condition is

$$\frac{L^- - L^+}{c} > t^+ - t^-. \quad (8)$$

Unequal optical paths, network routes, queues, storage, or relays can realize this construction. No path is past-directed.

The same source records can also be received in source order by another receiver R' . That receiver has positive information direction. The two statements do not conflict because reception orders are local projections of one distributed event structure; the source binding is held fixed.

A source observer's local-present event may be assigned to another observer's coordinate future only when the compared events are spacelike separated. This coordinate assignment is not a causal-future relation: no record bound to that event is available until a future-directed causal path reaches the receiver, hence after its source emission.

6 Physical bridge, delayed context, and no signalling

The formal result is a physically instantiated operational relation only when its terms are reference-bound. A minimal bridge is:

Formal term	Physical reference
Receiver R τ_R	physical receiving process or a timelike observer worldline monotonic local change time; optionally calibrated metric proper time for a bound physical worldline
Source event s $\theta(s)$ $\prec_H$	emission, measurement, or sealed record creation pre-registered, order-preserving source mark future-directed causal reachability or physical execution order
Record and witness $\rho_R(r)$	measured or stored record plus provenance/integrity binding local receipt event bound to the receiver

If a physical trace satisfies this bridge and the inequalities of [theorem 4.1](#), the defined relation is physically instantiated in that trace. This is not a claim that every physical system has the same structure or that a particular apparatus proves a complete ontology.

Delayed-choice and quantum-eraser experiments give a complementary physical pattern. In an idealized eraser analysis, the conditional distributions can have the form

$$P(x \mid j = 1) = \frac{1 + \cos \phi(x)}{2}, \quad (9)$$

$$P(x \mid j = 2) = \frac{1 - \cos \phi(x)}{2}. \quad (10)$$

At equal weights, their local unconditioned marginal is

$$P(x) = \frac{1}{2}P(x \mid j = 1) + \frac{1}{2}P(x \mid j = 2) = \frac{1}{2}.$$

The later partner/context record makes a correlation class of an earlier signal record available; it does not rewrite the earlier signal record or provide a selectable backward signal [4, 5, 9]. Related delayed-choice and causally disconnected-choice experiments maintain the same distinction between joint contextual structure and controllable communication [6, 7, 8].

In this operational vocabulary, the no-signalling boundary is

$$C_{\leftarrow} = 0,$$

where $C_{\leftarrow}$ denotes the capacity of a controllable operational channel into the receiver's causal past. The boundary does not deny the objective relevance of the joint correlation; it denies treating the correlation as a usable backward message.

7 Observation fibres, recovery, and responsibility

One local observation is not the whole event history. Given an observation operator O , the observation fibre is

$$K(o) = \{H \mid O(H) = o\}.$$

When multiple histories are compatible with the same observation, no one of them may be asserted as the uniquely actual history without further evidence. Only claims that are invariant across the admissible fibre have the relevant evidential status. For a declared canonicalization C , recovery equivalence has the form

$$H_1 \sim_R H_2 \iff C(H_1) = C(H_2).$$

Recovery therefore preserves what is responsibly reconstructible; it does not license inventing a preferred past.

Later evidence can reduce the admissible fibre without overwriting earlier records. This is the same general distinction as in the delayed-context case: the present grows by acquiring another effective relation, while the stored earlier entry remains the entry it was. The public QIK–VRT declaration expresses the corresponding normative orientation as *enlarge the set of the present*: take more affected people, consequences, evidence, and opportunities for correction into the current field of responsibility. This is a normative position, not a physical law.

The human stakes are concrete. Incomplete evidence is often converted into certainty, and unequal access to information is often converted into power. Knowledge of relationships and expectations can be used for care, repair, and liberation, or for manipulation, dependency, and domination. A person must not be reduced to material, risk, file, target group, enemy image, or a means for an imposed future. The normative QIK–VRT position is that responsibility means preserving future agency. It neither follows as a compulsory moral code from the theorem nor grants anyone authority over another person.

8 Correspondence thesis and explicit boundaries

Ingolf Lohmann asserts the QIK–VRT correspondence thesis: the universe is a distributed relational system and QIK–VRT describes reality within its claimed model scope [10]. The thesis is stated here directly, neither hidden nor presented as an automatic consequence of

the finite theorem. The theorem, a physical apparatus instance, the cited empirical bridge, independent empirical confirmation, and scientific consensus are distinct evidence states.

For a claimed instance of observer-relative retrocausality, the claim fails if a source mark is unauthenticated or non-order-preserving, the two receipts do not lie on the same monotone receiver chain, a purported record does not refine admissible histories, the provenance binding can be silently altered, or the inverse order disappears under strictly increasing reparameterization. These are testable failure conditions, not rhetorical escape clauses.

The following are not claimed by the definition or theorem:

- backward-running metric proper time;
- reception of a record before its own source emission;
- overwriting of a past raw record;
- a host causal loop;
- superluminal or past-directed propagation; or
- a controllable message into an observer’s own causal past.

9 Reproducibility and historical continuity

The public historical QIK–VRT corpus is preserved at Zenodo under <https://doi.org/10.5281/zenodo.21888130>. The current German synthesis, its claim matrices, the finite checker, and the canonical JSON witness are maintained in the QIK–VRT repository. Earlier English and German materials remain historical intermediate states. They are not silently overwritten or retroactively given the scope wording of the present synthesis.

The local arXiv successor package contains the TeX source, a build receipt, an exact manifest, a source archive, and an author-decision draft binding the archive and destination metadata. Until an arXiv account submission and a returned arXiv receipt are verified, it does not establish an arXiv identifier, arXiv acceptance, or any other external effect.

10 Conclusion

The operational result is compact:

$$\boxed{\Delta\tau_R > 0 \quad \text{and} \quad \Delta\theta < 0.}$$

The receiver changes forward in its local operational Eigenzeit while the provenance-bound source references of newly received information can run in the opposite direction. This is observer-relative retrocausality as defined here. The relation is formally proved under disclosed assumptions, witnessed by a finite executable checker, constructively realizable with forward positive delays, and connected to physical experiments on later context and earlier records. It requires neither a reversed clock nor a message into the past.

Its wider human consequence is not that a theorem decides morality. It is that reality, evidence, and future agency must not be severed from one another. We should distinguish, bind, preserve, correct, and take responsibility for the relations through which our present becomes another person’s past or future.

Author contribution and disclosure

Ingolf Lohmann originated the QIK–VRT research programme, the operational terminology, the correspondence thesis, and the public normative declaration. Artificial-intelligence assistance was used for English drafting, formal organization, consistency checking, source-package construction, and layout. The paper retains the distinction between author-attributed positions, formal results, source-bound empirical references, normative statements, and open scientific questions.

References

- [1] A. Einstein, Zur Elektrodynamik bewegter Körper, *Annalen der Physik* 322, 891–921 (1905). [doi:10.1002/andp.19053221004](https://doi.org/10.1002/andp.19053221004).
- [2] H. Minkowski, Raum und Zeit, *Physikalische Zeitschrift* 10, 104–111 (1909).
- [3] L. Lamport, Time, Clocks, and the Ordering of Events in a Distributed System, *Communications of the ACM* 21, 558–565 (1978). [doi:10.1145/359545.359563](https://doi.org/10.1145/359545.359563).
- [4] M. O. Scully and K. Drühl, Quantum eraser: A proposed photon correlation experiment concerning observation and delayed choice in quantum mechanics, *Physical Review A* 25, 2208–2213 (1982). [doi:10.1103/PhysRevA.25.2208](https://doi.org/10.1103/PhysRevA.25.2208).
- [5] Y.-H. Kim, R. Yu, S. P. Kulik, Y. H. Shih, and M. O. Scully, Delayed Choice Quantum Eraser, *Physical Review Letters* 84, 1–5 (2000). [doi:10.1103/PhysRevLett.84.1](https://doi.org/10.1103/PhysRevLett.84.1).
- [6] V. Jacques et al., Experimental Realization of Wheeler’s Delayed-Choice Gedanken Experiment, *Science* 315, 966–968 (2007). [doi:10.1126/science.1136303](https://doi.org/10.1126/science.1136303).
- [7] X.-S. Ma et al., Experimental delayed-choice entanglement swapping, *Nature Physics* 8, 479–484 (2012). [doi:10.1038/nphys2294](https://doi.org/10.1038/nphys2294).
- [8] X.-S. Ma et al., Quantum erasure with causally disconnected choice, *Proceedings of the National Academy of Sciences* 110, 1221–1226 (2013). [doi:10.1073/pnas.1213201110](https://doi.org/10.1073/pnas.1213201110).
- [9] T. F. Jordan, Quantum correlations do not transmit signals, *Physics Letters A* 94, 264 (1983). [doi:10.1016/0375-9601\(83\)90713-2](https://doi.org/10.1016/0375-9601(83)90713-2).
- [10] I. Lohmann, Von Softwarearchitektur zur Weltformel – DAS UNIVERSUM ALS ROUND TRIP, version 1.0.0-candidate.1, Zenodo (2026). [doi:10.5281/zenodo.21888130](https://doi.org/10.5281/zenodo.21888130).