

Real-Time Multicore OS RTEMS GR740 installation

인하대학교 컴퓨터공학과

Intelligent Embedded SW 연구실

12201719 김형호


2025-08-12



INDEX

- 1. Structure
- 2. Quick start
- 3. RTEMS gdb example

STRUCTURE



Run CMD or PowerShell with administrator rights.

Enter the following command into CMD or PowerShell

```
$ dism.exe /online /enable-feature /featurename:Microsoft-Windows-Subsystem-Linux /all /norestart ..... (1)
$ dism.exe /online /enable-feature /featurename:VirtualMachinePlatform /all /norestart ..... (2)
```

- (1) To activate WSL
- (2) To activate VirtualMachinePlatform option

Install WSL2

```
$ wsl.exe --install ..... (1) Install WSL
$ wsl.exe --update ..... (2) Update to latest version
$ wsl --set-default-version 2 ..... (3) Set WSL2 as default version
```

- Download Docker Desktop for Windows
 - Official Link


https://docs.docker.com/desktop/setup/install/windows-install/

- Download VSCode
 - Official Link


https://code.visualstudio.com/

Open VSCode and Download extension : Dev Containers






"rtems-qdp-docker.zip" structure is as follows:




- Unzip the "rtems-qdp-docker.zip" file to any location you want, except the "Users" path
 - Unzipping a zip file to a "Users" path may cause permission issues.



 Download "rtems-qdp-docker.zip" and unzip the file




- Click the 'Open folder in Container...'
- Select unzipped 'rtems-qdp-docker folder'
- Wait until the environment setting is done
 - It takes quite a while (about 10 min)



Technical note 1

 If error occurs, click "Edit devcontainer.json Locally"



Technical note 1

You may see this sentence in the log

```
[2025-08-12T02:19:00.214Z] docker: Error response from daemon: range of CPUs is from 0.01 to 4.00, as there only 4 CPUs available
```

```
File Edit Selection View Go Run
                                                          "runArgs": [
                                                41
   EXPLORER
                                                            "--cap-add=SYS PTRACE",
                                                42

✓ RTEMS-QDP-DOCKER

                                                            "--security-opt=seccomp:unconfined",
                                                43
   .devcontainer
                                                            "--cpus=6",
                                                44
    {} devcontainer.json
                                                            "--dns=8.8.8.8".
                                                45
    {} rtems devcontainer.json
                                                            "--dns=8.8.4.4"
   > .vscode
                                                47

≡ .clang-format

                                                          "postCreateCommand": "chmod +x /opt/setup-qdp.sh & /opt/setup-qd
   "remoteUser": "root",
   ODP.Dockerfile
                                                                                                           "runArgs": [
                                                          "forwardPorts": [

    ■ rtems-qdp-builder-1.1.2.vsix


                                                                                                             "--cap-add=SYS PTRACE",
                                                                                                             "--security-opt=seccomp:unconfined"
                                                51
                                                            6144
   $ setup-kernel.sh
                                                                                                              -cpus=4",
   $ setup-qdp.sh
                                                52
                                                                                                             --ans=8.8.8.8",

    test_config.ini

                                                                                                             "--dns=8.8.4.4"
```

· After editing, save changes and do 'Open folder in Container...' or 'Reopen in Container'

QUICK START - RESULTS



RTEMS GDB EXAMPLE


- After setting is done, 'rtems-6-sparc-gr740-smp-5' folder is created
- To test example code, click 'Terminal' and select 'New Terminal'

Enter the following command into the terminal

```
$ export RTEMS_PATH=/opt/rtems-6-sparc-gr740-smp-5 >> ~/.bashrc ..... (1)
$ export PATH=$RTEMS_PATH/bin:$PATH >> ~/.bashrc ..... (2)
$ export RTEMS_BSP=sparc/gr740 >> ~/.bashrc ..... (3)
$ source ~/.bashrc ..... (4)
$ cd rtems-6-sparc-gr740-smp-5/src/example ..... (5)
```

- (1), (2), (3), (4) To set the Environment Variable PATH
- (5) To move the path where the Makefile and example is located

```
    root@5120731066da:/opt# export RTEMS_PATH=/opt/rtems-6-sparc-gr740-smp-5 >> ~/.bashrc
    root@5120731066da:/opt# export PATH=$RTEMS_PATH/bin:$PATH >> ~/.bashrc
    root@5120731066da:/opt# export RTEMS_BSP=sparc/gr740 >> ~/.bashrc
    root@5120731066da:/opt# cd rtems-6-sparc-gr740-smp-5/src/example
    root@5120731066da:/opt/rtems-6-sparc-gr740-smp-5/src/example#
```



RTEMS GDB EXAMPLE

Enter the following command into the terminal


\$ make (1) To make .exe file

- root@5120731066da:/opt/rtems-6-sparc-gr740-smp-5/src/example# make
 mkdir b-gr740-qual-only
 sparc-rtems6-gcc -MT b-gr740-qual-only/init.o -MD -MP -MF b-gr740-qual-only/init.d -Wall -Wextra -mcpu=leon3 -I/opt/rtems-6-sparc-gr740-smp-5/sparc-rtems6/gr740-qual-only/lib/include -O2 -g -ffunction-sections -fdata-sections -c init.c -o b-gr740-qual-only/init.o
 sparc-rtems6-gcc -MT b-gr740-qual-only/app.exe -MD -MP -MF b-gr740-qual-only/app.d -Wall -Wextra -mcpu=leon3 -I/opt/rtems-6-sparc-gr740-smp-5/sparc-rtems6/gr740-qual-only/lib/include -O2 -g -ffunction-sections -fdata-sections -Wl,-Map,b-gr740-qual-only/app.map b-gr740-qual-only/init.o -B/opt/rtems-6-sparc-gr740-smp-5/sparc-rtems6/gr740-qual-only/lib -qrtems -Wl,--gc-sections -nodefaultlibs -Wl,--start-group -lrtemscpu -lrtemsbsp -lgcc -Wl,--end-group -o b-gr740-qual-only/app.exe
- After 'make', 'b-gr740-qual-only' folder is created

Enter the following command into the terminal

\$ make run (1) To run 'app.exe'

root@5120731066da:/opt/rtems-6-sparc-gr740-smp-5/src/example# make run



RTEMS GDB EXAMPLE - RESULT

Enter the following command into the terminal

```
• root@5120731066da:/opt/rtems-6-sparc-gr740-smp-5/src/example# make run
sparc-rtems6-sis -gr740 -dumbio -r s b-gr740-qual-only/app.exe

SIS - SPARC/RISCV instruction simulator 2.29, copyright Jiri Gaisler 2020
Bug-reports to jiri@gaisler.se

GR740/LEON4 emulation enabled, 1 cpus online, delta 50 clocks

Loaded b-gr740-qual-only/app.exe, entry 0x00000000
Hello, world!
cpu 0 in error mode (tt = 0x80)
 83178 00008660: 91d02000 ta 0x0

root@5120731066da:/opt/rtems-6-sparc-gr740-smp-5/src/example#
```