Outlook

From	david.fourie@infrastructure.ops.keystonebank.co.za
To	analytics.retail@keystonebank.co.za, banking.operations@keystonebank.co.za
Cc	customer.experience@keystonebank.co.za, cyber.security@keystonebank.co.za
Sent	Fri, 03 Jun 2022 13:35:00 -0000

Follow-up: which technical failures actually harmed customers?

Hi all,

I may be joining dots that do not belong together, so please challenge the premise.

Infrastructure can see technical symptoms, but incident severity should reflect failed customer journeys and repeat attempts rather than machine alerts alone. The operating teams agree that more journeys are failing; they disagree on whether the customer, the bank or a downstream party owns the failure.

Could the answer be that latency rises before visible failure? Or are we actually seeing that customers retry across channels and create duplicates? I also do not want us to miss the possibility that a small terminal or channel group creates most harm.

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use June 2022 as the new evidence point rather than recycling the earlier conclusion. The practical decision is incident priority, root-cause ownership and the customer-remediation population. Please send a Power BI page with drill-through to a reproducible case list; I need the exceptions and counter-examples, not only an average.

Work from transaction-level timestamps, channels, amounts, statuses and error context; ATM attempts, host responses, PIN attempts, blocked-card state and latency; customer contacts, complaints and suggestions. The dataset has channel and ATM telemetry, not complete application, server or network logs.

Regards