

Outlook

From	david.fourie@infrastructure.ops.keystonebank.co.za
To	analytics.retail@keystonebank.co.za, data.engineering@keystonebank.co.za
Cc	payments.ops@keystonebank.co.za
Sent	Tue, 10 Mar 2020 09:47:00 -0000

One failed payment may be generating five technical events

Hi,

This came up in a working session and nobody had the same definition.

During service degradation, repeated attempts can inflate volume and obscure the number of customers actually affected.

I do not want a dashboard that simply counts the outcome. Start with the competing explanations: customers retry the same action within minutes; channel switching follows a timeout; or automatic retry and human retry are being mixed.

Failure anecdotes are beginning to drive decisions, although retries and late posting may be making the problem look larger than the affected-customer population. We looked at a version of this before. For the March 2020 review, please show what changed and whether the earlier conclusion still holds.

What we need to decide is how monitoring should count affected customers and when retry controls should activate. Please bring a one-page finding note plus the underlying CSV for our own review, including a few cases we can trace from source to conclusion.

The available evidence is transaction-level timestamps, channels, amounts, statuses and error context; ATM attempts, host responses, PIN attempts, blocked-card state and latency. Without application session IDs, use account, amount, channel and time proximity as an explicit matching heuristic.

Thank you