

Outlook

From	david.fourie@infrastructure.ops.keystonebank.co.za
To	banking.operations@keystonebank.co.za, analytics.retail@keystonebank.co.za
Cc	internal.audit@keystonebank.co.za, vendor.risk@keystonebank.co.za
Sent	Tue, 20 Oct 2020 10:08:00 -0000

A resilience rehearsal using real customer journeys

Hi,

This came up in a working session and nobody had the same definition.

The resilience plan lists systems, but customers experience end-to-end services that cross ATM, card, transaction and communication processes.

I do not want a dashboard that simply counts the outcome. Start with the competing explanations: manual workarounds create later reconciliation breaks; recovery restores authorisation before posting catches up; or cash access degrades before account servicing.

Several teams are reporting more failed or retried activity than they expected, but they do not agree on the cause. Different teams have produced different answers from the same period, so population and timing rules need to be visible. We looked at a version of this before. For the October 2020 review, please show what changed and whether the earlier conclusion still holds.

What we need to decide is the order in which critical services should be recovered and tested. Please bring a Power BI page with drill-through to a reproducible case list, including a few cases we can trace from source to conclusion.

The available evidence is transaction-level timestamps, channels, amounts, statuses and error context; ATM attempts, host responses, PIN attempts, blocked-card state and latency; customer contacts, complaints and suggestions; debit-order mandates, collection dates, suspensions and cancellations. Treat this as a historical service-impact rehearsal, not proof of infrastructure capacity.

Thank you