

Outlook

From	musa.khumalo@cyber.security.keystonebank.co.za
To	analytics.retail@keystonebank.co.za
Cc	cards.operations@keystonebank.co.za, fraud.ops@keystonebank.co.za
Sent	Fri, 06 Aug 2021 11:09:00 -0000

Quick question: the ATM pattern may be customer error or coordinated testing

Team,

Before this becomes another standing report, can we answer the real question?

Cyber wants to know whether repeated PIN failures, balance enquiries and cash attempts form recognisable sequences before a card is blocked. The possible stories are that normal forgotten-PIN behaviour dominates, that a balance enquiry followed by rapid withdrawals marks higher risk, or that specific terminals see repeated card testing.

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use August 2021 as the new evidence point rather than recycling the earlier conclusion. Several teams are reporting more failed or retried activity than they expected, but they do not agree on the cause.

Please prepare a model-ready table, data dictionary and an honest baseline. The output must help us decide which sequences should become monitoring rules and which would create unacceptable false positives.

Data available: ATM attempts, host responses, PIN attempts, blocked-card state and latency; transaction-level timestamps, channels, amounts, statuses and error context; monthly account snapshots, status events, limits, product enrolments and signatories.

Please state the limitation plainly: There is no CCTV, device fingerprint or complete card-network feed, so classify behavioural patterns rather than confirmed attacks.

Thanks