

Outlook

From	david.fourie@infrastructure.ops.keystonebank.co.za
To	banking.operations@keystonebank.co.za, analytics.retail@keystonebank.co.za
Cc	internal.audit@keystonebank.co.za, vendor.risk@keystonebank.co.za
Sent	Wed, 20 Oct 2021 15:48:00 -0000

The recovery sequence needs evidence

Morning,

I need help with something that sounds simple but probably is not.

The resilience plan lists systems, but customers experience end-to-end services that cross ATM, card, transaction and communication processes. Failure anecdotes are beginning to drive decisions, although retries and late posting may be making the problem look larger than the affected-customer population. There are enough data exceptions to make a polished average dangerous; preserve the unresolved cases.

The questions I would ask in the room are:

1. What would we expect to see if manual workarounds create later reconciliation breaks?
2. What evidence would instead support that recovery restores authorisation before posting catches up?
3. How do we rule out that cash access degrades before account servicing?

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use October 2021 as the new evidence point rather than recycling the earlier conclusion. Please work towards the order in which critical services should be recovered and tested. A useful output would be a Power BI page with drill-through to a reproducible case list.

Use transaction-level timestamps, channels, amounts, statuses and error context; ATM attempts, host responses, PIN attempts, blocked-card state and latency; customer contacts, complaints and suggestions; debit-order mandates, collection dates, suspensions and cancellations. One caution: Treat this as a historical service-impact rehearsal, not proof of infrastructure capacity.

Regards