

Outlook

From	david.fourie@infrastructure.ops.keystonebank.co.za
To	analytics.retail@keystonebank.co.za, banking.operations@keystonebank.co.za
Cc	customer.experience@keystonebank.co.za, cyber.security@keystonebank.co.za
Sent	Tue, 08 Feb 2022 15:42:00 -0000

Please connect the outage to customer outcomes

Hi all,

I may be joining dots that do not belong together, so please challenge the premise.

Infrastructure can see technical symptoms, but incident severity should reflect failed customer journeys and repeat attempts rather than machine alerts alone. Several teams are reporting more failed or retried activity than they expected, but they do not agree on the cause. There are enough data exceptions to make a polished average dangerous; preserve the unresolved cases.

Could the answer be that customers retry across channels and create duplicates? Or are we actually seeing that a small terminal or channel group creates most harm? I also do not want us to miss the possibility that latency rises before visible failure.

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use February 2022 as the new evidence point rather than recycling the earlier conclusion. The practical decision is incident priority, root-cause ownership and the customer-remediation population. Please send a model-ready table, data dictionary and an honest baseline; I need the exceptions and counter-examples, not only an average.

Work from transaction-level timestamps, channels, amounts, statuses and error context; ATM attempts, host responses, PIN attempts, blocked-card state and latency; customer contacts, complaints and suggestions. The dataset has channel and ATM telemetry, not complete application, server or network logs.

Regards