

Outlook

From	leanne.adams@model.risk.keystonebank.co.za
To	analytics.retail@keystonebank.co.za, collections.ops@keystonebank.co.za
Cc	credit.risk.retail@keystonebank.co.za, compliance.retail@keystonebank.co.za
Sent	Thu, 17 Nov 2022 15:24:00 -0000

Who self-cures, and who is harmed by unnecessary contact?

Hi team,

Collections wants a prioritisation model, but validation must separate default risk from the effect of different contact strategies.

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use November 2022 as the new evidence point rather than recycling the earlier conclusion. The operating teams agree that more journeys are failing; they disagree on whether the customer, the bank or a downstream party owns the failure. There are enough data exceptions to make a polished average dangerous; preserve the unresolved cases.

Can you test these explanations rather than choosing one at the start?

- some customers self-cure without intervention
- high-risk customers need tailored arrangements rather than more attempts
- contact channel changes promise-kept rates

The decision is whether a model can support treatment allocation and what experiment is needed next. Please give us a one-page finding note plus the underlying CSV for our own review.

You should be able to build the evidence from collections cases, promises to pay and recovery payments; customer contacts, complaints and suggestions; transaction-level timestamps, channels, amounts, statuses and error context; the latest closed loan files available by the request date, including affordability, pricing and origination risk fields. Observational data cannot prove treatment causality; recommend a controlled test where appropriate.

Thanks