

Outlook

From	musa.khumalo@cyber.security.keystonebank.co.za
To	analytics.retail@keystonebank.co.za
Cc	cards.operations@keystonebank.co.za, fraud.ops@keystonebank.co.za
Sent	Thu, 17 Aug 2023 13:09:00 -0000

Follow-up: blocked cards, PIN failures and cash attempts need one timeline

Hi all,

I may be joining dots that do not belong together, so please challenge the premise.

Cyber wants to know whether repeated PIN failures, balance enquiries and cash attempts form recognisable sequences before a card is blocked. Please start with the decision we need to make, then show whether the available evidence is strong enough to support it.

Could the answer be that a balance enquiry followed by rapid withdrawals marks higher risk? Or are we actually seeing that normal forgotten-PIN behaviour dominates? I also do not want us to miss the possibility that specific terminals see repeated card testing.

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use August 2023 as the new evidence point rather than recycling the earlier conclusion. The practical decision is which sequences should become monitoring rules and which would create unacceptable false positives. Please send a short decision pack with no more than five slides and an attached evidence table; I need the exceptions and counter-examples, not only an average.

Work from ATM attempts, host responses, PIN attempts, blocked-card state and latency; transaction-level timestamps, channels, amounts, statuses and error context; monthly account snapshots, status events, limits, product enrolments and signatories. There is no CCTV, device fingerprint or complete card-network feed, so classify behavioural patterns rather than confirmed attacks.

Regards