

Outlook

From	musa.khumalo@cyber.security.keystonebank.co.za
To	analytics.retail@keystonebank.co.za
Cc	cards.operations@keystonebank.co.za, fraud.ops@keystonebank.co.za
Sent	Fri, 03 Apr 2020 12:42:00 -0000

Blocked cards, PIN failures and cash attempts need one timeline

Team,

Before this becomes another standing report, can we answer the real question?

Cyber wants to know whether repeated PIN failures, balance enquiries and cash attempts form recognisable sequences before a card is blocked. The possible stories are that specific terminals see repeated card testing, that normal forgotten-PIN behaviour dominates, or that a balance enquiry followed by rapid withdrawals marks higher risk.

We looked at a version of this before. For the April 2020 review, please show what changed and whether the earlier conclusion still holds. There is no confirmed problem yet; this is a request to test an assumption before it becomes policy.

Please prepare a one-page finding note plus the underlying CSV for our own review. The output must help us decide which sequences should become monitoring rules and which would create unacceptable false positives.

Data available: ATM attempts, host responses, PIN attempts, blocked-card state and latency; transaction-level timestamps, channels, amounts, statuses and error context; monthly account snapshots, status events, limits, product enrolments and signatories.

Please state the limitation plainly: There is no CCTV, device fingerprint or complete card-network feed, so classify behavioural patterns rather than confirmed attacks.

Thanks