

Outlook

From	david.fourie@infrastructure.ops.keystonebank.co.za
To	analytics.retail@keystonebank.co.za, data.engineering@keystonebank.co.za
Cc	payments.ops@keystonebank.co.za
Sent	Tue, 05 Jul 2022 10:17:00 -0000

Follow-up: the retry pattern needs to be separated from demand

Hi all,

I may be joining dots that do not belong together, so please challenge the premise.

During service degradation, repeated attempts can inflate volume and obscure the number of customers actually affected. Several teams are reporting more failed or retried activity than they expected, but they do not agree on the cause. There are enough data exceptions to make a polished average dangerous; preserve the unresolved cases.

Could the answer be that channel switching follows a timeout? Or are we actually seeing that customers retry the same action within minutes? I also do not want us to miss the possibility that automatic retry and human retry are being mixed.

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use July 2022 as the new evidence point rather than recycling the earlier conclusion. The practical decision is how monitoring should count affected customers and when retry controls should activate. Please send a control view with the exceptions, owner and reason each item was included; I need the exceptions and counter-examples, not only an average.

Work from transaction-level timestamps, channels, amounts, statuses and error context; ATM attempts, host responses, PIN attempts, blocked-card state and latency. Without application session IDs, use account, amount, channel and time proximity as an explicit matching heuristic.

Regards