

Outlook

From	musa.khumalo@cyber.security.keystonebank.co.za
To	analytics.retail@keystonebank.co.za
Cc	cards.operations@keystonebank.co.za, fraud.ops@keystonebank.co.za
Sent	Mon, 17 Jun 2024 11:32:00 -0000

Blocked cards, PIN failures and cash attempts need one timeline - 2024 control review

Hi team,

Cyber wants to know whether repeated PIN failures, balance enquiries and cash attempts form recognisable sequences before a card is blocked.

This has returned because the previous answer was useful but not strong enough to become a standing rule. Use June 2024 as the new evidence point rather than recycling the earlier conclusion. There is no confirmed problem yet; this is a request to test an assumption before it becomes policy.

Can you test these explanations rather than choosing one at the start?

- specific terminals see repeated card testing
- normal forgotten-PIN behaviour dominates
- a balance enquiry followed by rapid withdrawals marks higher risk

The decision is which sequences should become monitoring rules and which would create unacceptable false positives. Please give us a Power BI page with drill-through to a reproducible case list.

You should be able to build the evidence from ATM attempts, host responses, PIN attempts, blocked-card state and latency; transaction-level timestamps, channels, amounts, statuses and error context; monthly account snapshots, status events, limits, product enrolments and signatories. There is no CCTV, device fingerprint or complete card-network feed, so classify behavioural patterns rather than confirmed attacks.

Thanks