

Outlook

From	musa.khumalo@cyber.security.keystonebank.co.za
To	analytics.retail@keystonebank.co.za
Cc	cards.operations@keystonebank.co.za, fraud.ops@keystonebank.co.za
Sent	Tue, 04 Mar 2025 09:10:00 -0000

The ATM pattern may be customer error or coordinated testing - 2025 control review

Hi,

This came up in a working session and nobody had the same definition.

Cyber wants to know whether repeated PIN failures, balance enquiries and cash attempts form recognisable sequences before a card is blocked.

I do not want a dashboard that simply counts the outcome. Start with the competing explanations: normal forgotten-PIN behaviour dominates; a balance enquiry followed by rapid withdrawals marks higher risk; or specific terminals see repeated card testing.

There is no confirmed problem yet; this is a request to test an assumption before it becomes policy. This has returned because the previous answer was useful but not strong enough to become a standing rule. Use March 2025 as the new evidence point rather than recycling the earlier conclusion.

What we need to decide is which sequences should become monitoring rules and which would create unacceptable false positives. Please bring a Power BI page with drill-through to a reproducible case list, including a few cases we can trace from source to conclusion.

The available evidence is ATM attempts, host responses, PIN attempts, blocked-card state and latency; transaction-level timestamps, channels, amounts, statuses and error context; monthly account snapshots, status events, limits, product enrolments and signatories. There is no CCTV, device fingerprint or complete card-network feed, so classify behavioural patterns rather than confirmed attacks.

Thank you