Visualización de información a nivel global con Elastic y Kibana

Grupo 2 - Iñigo Murga, Jon Cañadas y Mikel García

Reto abordado

Este proyecto consiste en la visualización de datos a nivel global. Para ello utilizamos elastic y Kibana.

- Generación correcta de los datos.
- Intento de integración de seguridad.
- Analizar el CSV.
- Generar visualizaciones correspondientes.

docker-compose.yml

```
services:
  elasticsearch:
    image: docker.elastic.co/elasticsearch/elasticsearch:${STACK_VERSION}
    container name: elasticsearch
    environment:
      - discovery.type=single-node
      - bootstrap.memory_lock=true
      - xpack.security.enabled=false
    ulimits:
      memlock:
        soft: -1
        hard: -1
    volumes:
      - esdata:/usr/share/elasticsearch/data
    ports:
  kibana:
    image: docker.elastic.co/kibana/kibana:${STACK_VERSION}
    container_name: kibana
    environment:
      - ELASTICSEARCH_HOSTS=http://elasticsearch:9200
      - xpack.security.enabled=false
    depends_on:
      - elasticsearch
    ports:
volumes:
  esdata:
    driver: local
```

docker-composeSEC.yml

```
setup:
 image: docker.elastic.co/elasticsearch/elasticsearch:${STACK_VERSION}
 volumes:
   - certs:/usr/share/elasticsearch/config/certs
  user: "
 command: >
    bash -c '
     if [ x${ELASTIC_PASSWORD} == x ]; then
       echo "Set the ELASTIC_PASSWORD environment variable in the .env file";
       exit 1;
     elif [ x${KIBANA_PASSWORD} == x ]; then
       echo "Set the KIBANA_PASSWORD environment variable in the .env file";
       exit 1;
     fi;
     if [ ! -f config/certs/ca.zip ]; then
       echo "Creating CA";
       bin/elasticsearch-certutil ca --silent --pem -out config/certs/ca.zip;
       unzip config/certs/ca.zip -d config/certs;
     fi;
     if [ ! -f config/certs/certs.zip ]; then
       echo "Creating certs";
       echo -ne
        "instances:\n"\
        " - name: es01\n"\
            dns:\n"\
             - es01\n"\
             - localhost\n"\
            ip:\n"\
             - 127.0.0.1\n"\
           - name: kibana\n"\
            dns:\n"\
             - kibana\n"\
              - localhost\n"\
            ip:\n"\
              - 127.0.0.1\n"\
       > config/certs/instances.yml;
       bin/elasticsearch-certutil cert --silent --pem -out config/certs/certs.zip --in config/certs/instances.yml --ca-cert config/certs/ca/ca.crt --ca-key config/certs/ca/ca.key;
       unzip config/certs/certs.zip -d config/certs;
     fi;
     echo "Setting file permissions"
     chown -R root:root config/certs;
     find . -type d -exec chmod 750 \{\} \;;
     find . -type f -exec chmod 640 \{\} \;;
     echo "Waiting for Elasticsearch availability";
     until curl -s --cacert config/certs/ca/ca.crt https://es01:9200 | grep -q "missing authentication credentials"; do sleep 30; done;
     echo "Setting kibana_system password";
```

services:

```
until curl -s -X POST --cacert config/certs/ca/ca.crt -u "elastic:${ELASTIC_PASSWORD}" -H "Content-Type: application/json" https://es01:9200/_security/user/kibana_system/_password -d "{\"password\":\"
     echo "All done!";
 healthcheck:
   test: ["CMD-SHELL", "[ -f config/certs/es01/es01.crt ]"]
    interval: 1s
   timeout: 5s
    retries: 120
es01:
 depends_on:
   setup:
     condition: service_healthy
 image: docker.elastic.co/elasticsearch/elasticsearch:${STACK_VERSION}
 volumes:
   - certs:/usr/share/elasticsearch/config/certs
   - es01data:/usr/share/elasticsearch/data
  ports:
   - ${ES_PORT}:9200
  environment:
   - node.name=es01
   - cluster.name=${CLUSTER_NAME}
   - discovery.type=single-node
   - ELASTIC_PASSWORD=${ELASTIC_PASSWORD}
   - bootstrap.memory_lock=true
   - xpack.security.enabled=true
   - xpack.security.http.ssl.enabled=true
   - xpack.security.http.ssl.key=certs/es01/es01.key
   - xpack.security.http.ssl.certificate=certs/es01/es01.crt
   - xpack.security.http.ssl.certificate_authorities=certs/ca/ca.crt
   - xpack.security.transport.ssl.enabled=true
   - xpack.security.transport.ssl.key=certs/es01/es01.key
   - xpack.security.transport.ssl.certificate=certs/es01/es01.crt
   - xpack.security.transport.ssl.certificate_authorities=certs/ca/ca.crt
   - xpack.security.transport.ssl.verification_mode=certificate
   - xpack.license.self_generated.type=${LICENSE}
 healthcheck:
   test:
```

interval: 10s
timeout: 10s

```
retries: 120
 kibana:
   depends_on:
     es01:
       condition: service_healthy
   image: docker.elastic.co/kibana/kibana:${STACK_VERSION}
   volumes:
     - certs:/usr/share/kibana/config/certs
     - kibanadata:/usr/share/kibana/data
   ports:
     - ${KIBANA_PORT}:5601
   environment:

    SERVERNAME=kibana

     - ELASTICSEARCH_HOSTS=https://es01:9200
     - ELASTICSEARCH_USERNAME=kibana_system
     ELASTICSEARCH_PASSWORD=${KIBANA_PASSWORD}

    ELASTICSEARCH_SSL_CERTIFICATEAUTHORITIES=config/certs/ca/ca.crt

   healthcheck:
     test:
         "CMD-SHELL",
     interval: 10s
     timeout: 10s
     retries: 120
volumes:
 certs:
   driver: local
 es01data:
   driver: local
 kibanadata:
   driver: local
```

.env

COMPOSE_PROJECT_NAME=visualizacion ELASTIC_PASSWORD=elasticdemo KIBANA_PASSWORD=kibanademo STACK_VERSION=8.8.2 CLUSTER_NAME=docker-cluster LICENSE=basic ES_PORT=9200 KIBANA_PORT=5601

CSV Elegido


Descripción


Contiene diferentes datos del año 2023 divididos por países, incluyendo indicadores económicos, sociales, sanitarios y ambientales. Este dataset nos permite realizar análisis comparativos entre países y explorar posibles relaciones entre distintas variables de desarrollo.

Columnas Utilizadas


- País: nombre del país
- Tasa de natalidad: número de nacimientos por cada 1000 personas
- Tasa de fertilidad: número promedio de hijos por mujer
- Mortalidad infantil: muertes de menores de 1 año por cada 1000 nacidos vivos
- Esperanza de vida: Promedio de años que se espera que viva una persona


Visualizaciones Elegidas





Mortalidad infantil por país





Problemas y Posibles futuras mejoras

- Al probar a integrar el sistema con seguridad hemos tenido múltiples problemas como no poder acceder a elastic o tardía al lanzar el sistema para acceder a kibana.
- Al analizar qué visualizaciones realizar, tuvimos problemas con el mapa geográfico por lo que tuvimos que buscar un CSV que se adecuara.
- Al intentar añadir widgets al dashboard, como nuestro dataset cuenta con muchos países, la visualización de los gráficos no era buena. Esto ocurría porque acababa agrupando muchos países restantes en el campo "otros" provocando que fuese ilegible.
- ✔ Para evitar acceso no deseados estaría bien la introducción de seguridad.
- ✓ Se podría realizar un lavado del CSV haciendo diversas modificaciones como la eliminación de columnas no utilizadas.
- ✓ Implementar más nodos de elastic para un mayor rendimiento y escalabilidad.

Alternativas





