



ACTIVITY 1 - GIT BASICS







UCRT64:/c/Users/marci/Desktop/CICD_Activities/Repository-1-Activity
user.name=inigoorozco
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
init.defaultbranch=main
marci@DESKTOP-GN845GK UCRT64 ~
$ mkdir ~/Desktop/CICD_Activities && cd ~/Desktop/CICD_Activities
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities
$ mkdir Repository-1-Activity && cd Repository-1-Activity
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity
$ git init
Initialized empty Git repository in C:/Users/marci/Desktop/CICD_Activities/Repository-1-Activity/.gi
t/
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ touch bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ nano bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git status
On branch main
No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
bsis-ns.txt
nothing added to commit but untracked files present (use "git add" to track)
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add bsis-ns.txt
warning: in the working copy of 'bsis-ns.txt', LF will be replaced by CRLF the next time Git touches
it
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git status
On branch main
No commits yet
Changes to be committed:
(use "git rm --cached <file>..." to unstage)
new file: bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Added a new file."
[main (root-commit) 3c7adcc] Added a new file.
1 file changed, 1 insertion(+)
create mode 100644 bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ touch sample.txt sample1.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add .
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Added 2 more files."
[main 1b25bf6] Added 2 more files.
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 sample.txt
create mode 100644 sample1.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$
ENG 9:07 am


UCRT64:/c/Users/marci/Desktop/CICD_Activities/Repository-1-Activity
$ touch bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ nano bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git status
On branch main
No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
bsis-ns.txt
nothing added to commit but untracked files present (use "git add" to track)
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add bsis-ns.txt
warning: in the working copy of 'bsis-ns.txt', LF will be replaced by CRLF the next time Git touches
it
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git status
On branch main
No commits yet
Changes to be committed:
(use "git rm --cached <file>..." to unstage)
new file: bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Added a new file."
[main (root-commit) 3c7adcc] Added a new file.
1 file changed, 1 insertion(+)
create mode 100644 bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ touch sample.txt sample1.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add .
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Added 2 more files."
[main 1b25bf6] Added 2 more files.
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 sample.txt
create mode 100644 sample1.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ nano bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add bsis-ns.txt
warning: in the working copy of 'bsis-ns.txt', LF will be replaced by CRLF the next time Git touches
it
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Modified bsis-ns file"
[main 234cec0] Modified bsis-ns file
1 file changed, 1 insertion(+)
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git log --oneline
234cec0 (HEAD -> main) Modified bsis-ns file
1b25bf6 Added 2 more files.
3c7adcc Added a new file.
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$
ENG 9:09 am


UCRT64:/c/Users/marci/Desktop/CICD_Activities/Repository-1-Activity
warning: in the working copy of 'bsis-ns.txt', LF will be replaced by CRLF the next time Git touches
it
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git status
On branch main
No commits yet
Changes to be committed:
(use "git rm --cached <file>..." to unstage)
new file: bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Added a new file."
[main (root-commit) 3c7adcc] Added a new file.
1 file changed, 1 insertion(+)
create mode 100644 bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ touch sample.txt sample1.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add .
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Added 2 more files."
[main 1b25bf6] Added 2 more files.
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 sample.txt
create mode 100644 sample1.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ nano bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add bsis-ns.txt
warning: in the working copy of 'bsis-ns.txt', LF will be replaced by CRLF the next time Git touches
it
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Modified bsis-ns file"
[main 234cec0] Modified bsis-ns file
1 file changed, 1 insertion(+)
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git log --oneline
234cec0 (HEAD -> main) Modified bsis-ns file
1b25bf6 Added 2 more files.
3c7adcc Added a new file.
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git remote add origin https://github.com/inigoorozco/Repository-1-Activity.git
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git remote
origin
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git push -u origin main
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 32 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (9/9), 775 bytes | 258.00 KiB/s, done.
Total 9 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/inigoorozco/Repository-1-Activity.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$
ENG 9:10 am


UCRT64:/c/Users/marci/Desktop/CICD_Activities/Repository-1-Activity
create mode 100644 sample.txt
create mode 100644 sample1.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ nano bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add bsis-ns.txt
warning: in the working copy of 'bsis-ns.txt', LF will be replaced by CRLF the next time Git touches
it
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git commit -m "Modified bsis-ns file"
[main 234cec0] Modified bsis-ns file
1 file changed, 1 insertion(+)
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git log --oneline
234cec0 (HEAD -> main) Modified bsis-ns file
1b25bf6 Added 2 more files.
3c7adcc Added a new file.
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git remote add origin https://github.com/inigoorozco/Repository-1-Activity.git
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git remote
origin
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git push -u origin main
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 32 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (9/9), 775 bytes | 258.00 KiB/s, done.
Total 9 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/inigoorozco/Repository-1-Activity.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git pull
Already up to date.
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ cat bsis-ns.txt
Hello World!
This is a second line
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ nano bsis-ns.txt
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git add . && git commit -m "Lorem Ipsum"
warning: in the working copy of 'bsis-ns.txt', LF will be replaced by CRLF the next time Git touches
it
[main e63693f] Lorem Ipsum
1 file changed, 1 insertion(+)
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 32 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 329 bytes | 329.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/inigoorozco/Repository-1-Activity.git
234cec0..e63693f main -> main
marci@DESKTOP-GN845GK UCRT64 ~/Desktop/CICD_Activities/Repository-1-Activity (main)
$
ENG 9:12 am