



KOBE ON THE RUN

FINAL REPORT

TEAM BEAM

Saleh Ebrahimzadeh

Niloufar Kousha

Nika Lohrasbi Azar

Hasti Khaki

NARRATIVE DESCRIPTION


Dr. Jelly is an alien scientist from Jellinus who is on a mission to collect babies from the Earth for his scientific research. On his first mission, he plans to capture Kobe; but, getting his hands on Kobe is not as easy as he thinks... Dr. Jelly has been a scientist for a long time, but old age can distract him sometimes, especially when he is multitasking. For instance, while he was landing on Earth, he accidentally pushed the weapon-release button in his spaceship and dropped all his jelly weapons near Kobe's neighbourhood. He has to find his weapons before Kobe does, after all, nothing sweet can pass Kobe's eyes! And for Kobe finding the jellies is a must, otherwise Dr. Jelly will trap him inside his jellies making Kobe easier to be captured.

Macarons are Kobe's favorite candy, they are sweet, soft and fluffy. This perfect combination of sweets, soft and fluffy sends Kobe to a sweet dream where he can eat as many candies as he wants without the distraction from Dr. Jelly. Kobe likes sweet candies so much that sometimes he gets a sugar rush by eating too many of them. However, this sugar rush is useful for Kobe, since he gets a burst of energy that he can use to run away faster from Dr. Jelly.



GAME CONCEPT

Our game is a 2D side scroller platformer, and it has a main level, two sub-levels (bonus levels and sabotage levels) and a final boss round that is a combat. The types of fun we aim to provide for our audience with our game are submission and challenge, and with our visual design and level design we assured the challenge and fun of the game is balanced.




HOW TO PLAY OUR GAME

Control scheme

The game is designed for a **mobile platformer** there we aimed to minimize the player controllers in the game and avoid confusion for the players. Kobe runs automatically, there the player does not need to worry about controlling Kobe's movement (backward and forward). The player needs to just control Kobe's jump and slide to avoid obstacles in the game world. The player can swipe up to **jump** and **swipe** down to slide in the game. We decided to use slide up as interaction since it maps more clearly with what the player is doing (jumping up). The swipe down is mapped to going down on the page. Before moving to mobile, we were playing the game on a PC, therefore we mapped our controls to a keyboard. We used the **SPACE** key for jumping. We used this key since it is a common key in game play and players are familiar with using it as a main key and in our game jumping in the main interaction. We used the **CONTROL** key for sliding since it is close enough to the jump key and the player can easily switch between the keys without having to move their hands away from the **SPACE** key.

For our boss level, we needed additional features and interactions therefore we changed the controls a bit. On PC we used **SPACE** to jump, **CONTROL** to slide down, **LEFT ARROW KEY** to go back (left) and **RIGHT ARROW KEY** to go towards the Doctor (right). And respectively for the mobile we have used swipe up to jump, swipe down to slide, two buttons to go back (left) and to go towards the Doctor (right), and **TAP** to throw jellies.



THE LEVELS

Main Level One

Objective


The major objective of the level is to finish the game course and collect as many jellies and macarons as possible to use in the boss round. The boss level is a combat level where Dr. Jelly and Kobe are fighting which each other. The goal here is that the player has been successfully collecting jellies (stealing Dr. Jelly's weapons) throughout other level in order to use them as a projectile weapon in the boss round and fight with Dr. Jelly. On the other hand, collecting the coins, would give the player the sugar rush power up which can be useful in areas where the game becomes more difficult. In each area of the game the player's goal is first to escape Dr. Jelly by avoiding obstacles and enemies, which slow down the player. This basic goal is needed to advance the level. On the other hands, collecting the jellies are important first to avoid going to the sabotage round, second to use them in the boss round.

Concept

Level 1 is the first level that is introduced to the player. In this level, the player is familiarized with the core mechanics and roles of the game. The start of the level is designed to have fewer enemies and provides opportunity for the player to become familiar with the level archetypes in safe areas. Kobe on the Run, uses various mechanics and rules in the game. Therefore, introducing them all at once may become confusing or too difficult to play.

Pacing and Rhythm

Level 1 is designed as the introductory level to the game. Therefore, this level is easier and has a low intensity. The key moments highlighted in this level are introduction to the game, and introduction to the sabotage and bonus round. The introduction area has less enemies and is easier than other areas. In terms of narrative, the first level is the start of the game where Dr. Jelly is starting to try to catch Kobe and he has not shown his mean face yet, he will show his mean face as Kobe plays well and gains too much distance from him. This mechanic is implemented to balance the game when the player becomes expert in a level and the game becomes too easy for them.



Sabotage Level

Overview

The sabotage levels work as a punishment in our game, if Kobe fails to collect the jellies, Dr. Jelly will collect them and hit Kobe with them. Kobe then will enter a sabotage sub- level, which has harder mechanics and level design than the regular level. Kobe loses one health immediately even if he survives the sabotage sub-level and when he comes back to the level he will be placed closer to the doctor. If Kobe enters the sabotage level when he is very close to the doctor he dies immediately. If player manages to not hit any of the existing obstacles in this level they will get out of this world and continue the level where they left o . The mechanics of these levels are very similar to the other parts of the game but new tougher combinations of platforms and mechanics are implemented.

Level Concept

This is the first time the player is entering the sabotage world of the game, the player is seeing the visual theme of the level for the first time and getting a sense of the slow speed of Kobe and the overall experience of the sabotage level. Obstacle combinations and mechanics introduced in this level will be reused in further sabotage levels. They are as follows:


1. Avoid swarmer enemies (static enemies that damage the player)
2. Jump over floor gaps to avoid losing
3. Introducing platforms that Kobe must only jump over and does not have the option to walk underneath
4. Requiring multiple jump for the first time, due to back to back placement of swarmers

Level Objective

In this level the player's goal is to complete tasks and eventually complete the level to be able to continue the remaining of the main game. In addition the player needs to get used to the environment of the sabotage round and master some of the obstacle combinations, since the hardest challenge of each level will be the easiest challenge in the next upcoming sabotage level.

Pacing Rhythm

Since the environment is new for the player this level begins easy and it slowly builds up the challenges but it does not get very tough even at the peak of the level. This allows the player to observe the visuals, mechanics, pace and speed of the level then face a challenging part near the middle of the level and then take rest and observe before facing more challenge and finishing the level. The main highlighted part of this level is introducing floor gaps and platforms that must be jumped upon.



Bonus Level

Overview

The bonus levels work as rewards for the player. If the player plays well, gets a hang of the game mechanics and is able to reach tougher places in the main level they will be able to reach and collect a cloud, which will take them to the bonus round. In these levels the player has a higher chance to collect candies and jellies and use them towards firebolts and during the boss level later. To allow player to rest and provide fun for them the Doctor will not be following and bugging them in these bonus levels, however in further levels he will watch Kobe from over the clouds and throw jellies at him rarely, to make the level challenging. Kobe will not get sugar rush in these levels since it does not have damaging items and he cannot be game over in these sets of levels.

Even though these are bonus levels and many candies are provided for Kobe, they are not very easy to collect, the better the player knows the game mechanics, the better timing they have and the more they progress in the level the more candies they will be rewarded. Also, the player has some decisions, compromises and sacrifices that they have to make through these levels, if they take harder paths they will meet more candies, but they risk losing and returning to the main level, and won't be able to collect and see the rest of the level. Bonus level design ensures the player gets a minimum number of candies for sure, but in order for them to collect more they will need to play well and progress in the level facing different challenges.

Level Concept

This is the first time the player is entering the bonus world of the game, the player is seeing the visual theme of the level for the first time and getting a sense of the overall experience of the bonus level. Obstacle combinations and mechanics introduced in this level will be reused in further bonus levels. This level has 61 candies overall, but the player will not be able to collect all of them. They are as follows:

1. Jump over floor gaps to avoid losing
2. Make decisions whether they want to collect all coins and return to level, or continue and have the chance to collect more
3. Requiring multiple jump for the first time, due to back to back placement of floor gaps

Level Objective

The objective of this level is for the player to rest, have fun, enjoy colorful and calming visuals and collect levels and jellies which will be beneficial to the gameplay later on. In the beginning of this level they have the option of trying to collect all the chunk of candies, but it will be a risk since they might lose and go back to the main level, later on in the level they have to decide whether they want to take a challenging path to collect more candies or they would want to take an easier path with less candies. After passing these two stages the player faces multiple floor gaps which will require them to jump multiple times, they will try to survive as many as they can, to collect more candies each time.

Pacing Rhythm

The overall pace of this level is very slow, calm and easy, with rare challenges along the way. The player has the time to rest and think of what might be coming up for them in the following level, and play for future, as the level progresses and ends the excitement builds up since they will be entering the main gameplay again, at this point the player might be thinking whether they should keep walking, sliding or jump to enter the level. Or they might try to recall where in the level they left off.

Boss Level

Overview

Boss level happens after Kobe has successfully finished level 1, and it would not be accessible before then. Kobe should fight Dr. Jellies and his soldiers (red enemies) in order to successfully win the game. When boss round starts Dr. Jelly commands his soldiers to protect him, which means Kobe needs to kill them first in order to fight Dr. Jelly himself. There are 20 soldiers/red enemies protecting Dr. Jelly, and the only way Kobe can kill them is by jumping on their head once. After soldiers are dead Kobe needs to fight Dr. Jelly by throwing 10 jellies at him in order to kill him. If Kobe starts the boss round with less than 10 jellies he needs to collect them while he's fighting the enemies.

Level Concept

This level has more mechanics and features than the main game, and since this is the first time player is entering the boss round we tried to introduce features one by one.


1. Dodge walking enemies
2. Kill all of the walking enemies
3. Collect jellies
4. Hit Dr. Jelly with jellies 10 times to get him stuck in jelly and win the boss level

Level Objective

The objective of the player in this level is to use the jellies they have collected from previous levels to take Dr. Jelly down. In the beginning the player should focus on dodging enemies and collecting more and more jellies. And after they should focus on going back, finding Dr. Jelly and trying to combat him.


Pacing and Rhythm

We aimed for the level to begin at a medium difficulty level and then pace up to very difficult. In the beginning the player needs to dodge walking swarms by jumping over them (which is a mechanic they are used to from the main game level) and eventually jump on their heads to kill them. The visual design of the swarms is the same as the main level so the user is used to them and knows that they are enemies. The only new interaction introduced to the player is having to jump over them to kill them which is counter intuitive to them since they have only been avoiding them throughout the levels. After all the walking swarmer enemies are eliminated, Kobe can then battle Dr. Jelly and get him stuck in jelly to win the level.



GAMEPLAY VARIATIONS

Our main level, and the original gameplay of our game is an automatic runner side scroller and the boss level which comes only if the player successfully finishes the main levels is a combat style gameplay. In the main levels, the player only needs to jump and slide to dodge obstacles, with the goal to successfully stay far enough from the doctor throughout the game, collect candies and jellies and prepare themselves to combat the doctor. They should also make decisions along the way which path they would like to take, whether they want to enter sabotage levels and bonus levels or not. However, in our Final boss level The player needs to shoot jellies and manually move back and forward in addition to sliding and jumping. This shift in gameplay creates a different and more challenging mode for boss level series and provides more challenge and fun for the player.



CHECKPOINTS

As a transition, we have added ice-cream objects at the end of each level as a flag to go to the next level, the objects are very similar but match the visual look of each level. The visual objects we have designed as level flags are ice-creams, and they slightly vary in color and styl. For example, the ice-cream object at the end of the bonus level is pink and friendly and the ice-cream object at the end of the sabotage round is dark purple and has an evil expression.

At any point if the player loses the level, they will lose the game and they will have to start all over. For example if they lose in the sabotage round, they will have to restart and begin level one. Same with the boss round, if they lose in the boss round they will have to return to the beginning of level one, complete the levels, collect jellies and then retry the boss level. We have designed it this way to balance the fun provided by the game, create challenge and get our player to master the mechanics and level design of the game. Ideally, if our game had more levels, a checkpoint will be added after each boss round, as in, when they lose, they can start from the level after the previous boss round not at the very beginning of the game.



WISHLIST FEATURES

Originality and Innovation

For the ideation of our game, we looked for inspiration outside the game industry and decided to come up with a concept that has not been done before. We have first talked about our hobbies and things we enjoyed, and then evaluated the skill level of our team. We realistically evaluated what we are strong at as a team, and in which aspect we lack sophistication. We noticed our strongest skill is visual design, concept design, and level design. After we ideated and came up with around 30 game concept ideas, we eliminated the ones that were very difficult to develop because that was the area that we needed most learning in. We looked for ideas that can be communicated well through visual and level design. We chose the audience of our game to be casual gamers, and submission as the type of fun that we want to provide, and we came up with the idea of a cartoon style cute game concept. A little child in love and after sweets. Unlike the norm in this class, we decided to go with a mobile platform for our game (Android) for our game because we believed it made more sense for our game concept and the implementation would be a lot more interesting.

Animations and Interactions

Since our game is a platformer game, the characters of the game are the most important aspects of the game. The player is constantly looking at them and interacting with them. How good the animations and interactions of our characters could make or break our game and it had a very high influence on the overall execution of the game. Therefore we asked one of our team members to specialize into researching character animation and creating still images for animations and one team member to specialize in coding and implementing animations for our characters. We created three animated characters: Kobe (player) and two versions of Dr. Jelly normal and Mean look, and they all have different animation states, for example walking, running, jumping, throwing and etc.

Dr - Normal - Throwing



Dr - Normal - Walking



Dr - Mean - Walking



Dr - Mean - Idle



Dr - Mean - Throwing



Kobe - Walking



Kobe - Looking Back




Kobe - Running



Kobe - Throwing



Kobe - Jumping



Kobe - Sliding



Jelly



Artificial Intelligence Features


We have implemented some artificial intelligence for our non-player character: Dr. Jelly. He jumps over the gaps on the floor, breaks platforms on his way and throws jellies at Kobe if he fails to collect them. Another implemented feature in our game, which forms the main fun and challenge of the game, is Dr. Jelly chasing Kobe. If Kobe plays well he will get a sugar rush and goes faster, escaping the doctor easier, but if the player plays really well and goes a lot ahead Dr. Jelly, he gets angry and switches to his mean mode look, becoming faster and angrier catching up to Kobe very quickly. We have also communicated the mean look mode and jelly throwing mode using sound effects.

Doctor's States:

Normal state - Walking and following Kobe


Mean state - When Kobe gets too far from Dr. Jelly

Throwing state - When Dr. Jelly collects a jelly Kobe missed




Player vs. NPC - Missions and Goals

Our game is mainly designed around the interaction between the player and the NPC. The antagonist and protagonist have their own goals that are trying to achieve, and are both also trying to stop their opponent from achieving their goals. The narrative story, main levels and boss round are all designed around this concept. Dr. Jelly is on a mission to capture Kobe, because he needs him for a mission, and he also needs to collect all his jelly weapons that he spread all over the place by mistake. Kobe however, is a naughty little child, and his goal is just to simply eat more and candies, and he is also trying to run away from Dr. Jelly and not let him capture and take him to planet Jellinus. At the end when Kobe gets some power from all the jelly weapons and sugar rushes, he will then attempt to take Dr. Jelly down and capture him in jelly.



Narrative Plot and Foldback Structure

Throughout the game, the player needs to be very strategic about jellies, candies, and entering sabotage rounds. Player's main objective in the game is to escape Dr. Jelly and eventually take him down, for which he needs to collect as many jellies as he can. Based on their skill level and familiarity with the mechanics of the game, the player can choose between entering the sabotage round and getting 5 jellies for completion or not entering the sabotage level and collecting just one jelly. The player earns five jellies for completing sabotage round because the level design and game mechanics are more challenging than the main gameplay. The jellies collected are necessary for successfully completing the boss level, and the more jellies collected during the game the better and easier for the player in the boss round.



User Interfaces for Feedback and Communication

Since our game is a 2d platformer game we decided to use mostly non-diegetic UI in our game to communicate to the player concepts such as score gained, jellies collected, and the number of candies collected.

Heads Up Display / Non-Diegetic

- Score
- Number of jellies collected
- start screen
- winning screen
- game over

Diegetic

- Kobe gets sugar rush is a spatial UI that illustrates a bubble and fire visuals around the Kobe character:



Other Features

An interesting concept that we designed and implemented in our game is the functionality of the Jellies, they act as both beneficial and harmful for both of the characters, and the player needs to learn how to use them to their benefit and how to harm the antagonist with the jellies. The jellies are also related to the strategy of player during the gameplay.



REFLECTION



Communication and Planning

To stay on top of things, meet deadlines, communicate well and assure high quality execution, we assigned project management to one of our team members and came up with different ways to do so. We created to-do lists and updated them daily for different aspects of our game, visual design, coding, testing, sound design. We assigned tasks to individuals and got everyone to write down milestone dates. We have also assigned roles to each team member: Project Manager, Visual Artist, Level Designer, Programmer and QA Tester. This allowed each team member to focus deeply on one aspect, research, learn and implement their part well. We also created online collaborative documents and folders to save time and stay organized, for example google documents, google sheets, and we also used TortoiseHg to push and pull unity files and codes. We tried to communicate, meet and update each other daily but for the days that we were not able to do so, we created group chats and online skype meetings to make up for the time.

34	Enemy energy				Nilou	DONE			
35	Drjelly create enemy				Nilou	DONE	has issue		
36									
37									
38									
39	When entering bonus the score is removed				saleh	DONE			
40	When kobe comes back from bonus he is too close to the dr				saleh	DONE			
41	Throw still has issue				saleh	done			
42	Kobe look back doesnt always work				saleh	DONE			
43	bastani transfer from sabotage, delete it				saleh	DONE			
44	retry makes kobe slow in sabotage(set kobe new speed in retry or delete speedanimatic)				saleh	DONE			
45	Add sound for sugar rush				saleh	DONE			
46	Add sound for Drjelly transformation to drjelly mean				saleh	Done			
47	Add sound for losing				saleh	Done			
48	Update visuals for enemies and candies				Nilou	DONE			
49	Fix everything in bonus				Nilou	DONE			
50	Put the doctor mean look in sabotage				Nilou	DONE	Need to some of the floors smaller		
51	Make the transition between Dr jelly and Dr jelly mean look smoother				Nilou	DONE			
52	Implement jelly animation				Nilou	DONE			
53	Dr gets fast on retry				saleh	DONE	Still get fast on retry		
54	Kobe is not invincible in sugar rush				saleh	DONE			
55	Kobe and Dr position does not get saved				saleh	DONE			
56	Drjelly throw throws multiple jellies instead of one.				saleh	DONE			
57	Implement win by touching the icecream and going to the win screen				SALEH	DONE	NEED UI	DONE-Hasti	
58	Implement win by touching the icecream in sabotage and going back to the main level				saleh	DONE			
59	Jelly count UI doesnt show in sabotage and bonus				saleh	DONE			
60	Implement sound				saleh	DONE			
61									
62									



Ideating

To begin ideating for a game concept we created an interaction model, researched learned and came up with a core Loop, winning play and smart depth. Learned the importance of a strong and interesting narrative and how it shapes the game, came up with a narrative and built our game concept around it. Character Development was also a big ideating process for us, coming up with personalities, visuals and weak points of each character, a protagonist and an antagonist.



Design

To design, refine and iterate our games, we created functional flowboards and other diagrams weekly, such as decision trees for the player. We learned and implemented level design concepts including level concept, pace and rhythm, bubble diagram and level objective. We worked on different aspect of the game such as game modes, sub-modes, mechanics and esthetic and iterated on the composition of all of the together. We did some research and made decision as for what are the best and most intuitive possible controls for our game interactions. We also considered different user interface models for our game: diegetic, non-diegetic, meta, spatial and hybrid. We also learned a lot about creating still animation frames, and coding them into movable animations. We learned how to convert and move between different animation states.



Development

We have come a long way learning 2D game development using unity game engine, C# and JavaScript programming languages. Animating characters, creating triggers and collisions, creating Parallax and static background which re-create themselves and loop are some of the features we explored for our project. We have also learned how to debug issues that often come up in unity development and explored creating a mobile game for android. Mobile gestures, touch interactions, cameras and canvas are some other features we played around with in unity.

```
void Example()
{
    if (other)
    {
        dist = Vector3.Distance(other.position, transform.position); //distance between dr and Kobe
        Debug.Log("Distance to other: " + dist); // print distance between them

        //myAnim.runtimeAnimatorController = Resources.Load("dr meanlook walking_0") as RuntimeAnimatorController; // change dr jelly appearance to mean
        myAnim.SetFloat("distance", dist);

        if (dist >= 16.5f)//mean look speed
        {
            AudioSource.PlayClipAtPoint(meanlooksound, transform.position);

            gameObject.GetComponent<Collider2D> ().offset = new Vector2 (0, 1);
            DrController.DrSpeed = 14.5f;
        }

        else if (dist < 12)
        {
            gameObject.GetComponent<Collider2D> ().offset = new Vector2 (0, 0);
            DrController.DrSpeed = 13f;
        }
    }
}
```

Code for the doctor switching between normal and mean looks

```
// if (Input.GetMouseButtonDown(0))
public void OnTriggerEnter2D(Collider2D collision)    // if collision happen

{
    if (collision.gameObject.tag == "Grabbable")    // if dr collides with Jelly 1 shoot bullet
    {
        Destroy(collision.gameObject); //destroy the other jellies
        check = true; // if this is not true then he will not throw jelly after one time

        myAnim.runtimeAnimatorController = Resources.Load("Dr.Jelly-Throwing_1") as RuntimeAnimatorController; // dr jelly throw jelly when collide with jelly

        //myAnim.SetBool ("grabbed", true);
        WaitAnimationBool = true; // when dr eat jelly this becomes true
        waitAnimation = 0; // each time dr eats jelly the timer gets to 0 and will start to add up in update
    }
    else
    {
        // {
        if (waitAnimation >= 7) // loads walking after some delay after he throws jelly
        {
            myAnim.runtimeAnimatorController = Resources.Load("Dr Jelly-Walking2_0") as RuntimeAnimatorController;
            // myAnim.SetBool("grabbed", false);
            // }
        }
    }
}
```

Code for the doctor's throwing animation when Kobe missed a jelly

Testing

To get some user input and help us refine our concept and implementation, we did weekly user testing with a variety of users, ranging from casual to mid-core gamers to get different perspectives on the gameplay. Before each playtesting session we decided on a set target audience, came up with specific questions that we were looking for answers for, and asked our players for their insights. We set up the playtesting session environment and tried our best to control the situation across all the test sessions. Afterwards we addressed unexpected outcomes, and refined the game concepts within our team according to playtesting feedback, implementation deadlines, our skill levels and our own team decisions.



LOOKING FORWARD

In our original proposal, we proposed to have 3 main levels which included the sabotage and bonus sub-levels as well as a final boss battle. However, after several prototypes which showed the length of our levels and feedback we received, we realized our game already has the 3 levels that fulfill the course assignment requirements. Therefore, we aimed to work on the quality of our game play and stick to a main level with sabotage and bonus sub-levels as well as a boss round. In future, we would like to implement more levels in the game and have 3 or 4 main levels with bonus and sabotage sublevels. We will also aim to implement our boss round interactions and gestures for the mobile platform since we were unable to have a polished version for this submission and we decided to skip it as for now.

REFERENCES

Coding Resources

Effectors:

<https://unity3d.com/learn/tutorials/topics/2d-game-creation/2d-physics-fun-effectors?playlist=17093>

Platform design

<http://higherorderfun.com/blog/2012/05/20/the-guide-to-implementing-2d-platformers/>

Infinite runner and Jump

<https://unity3d.com/learn/tutorials/topics/scripting/lets-make-game-infinite-runner>

Sound Resources

<https://www.freesound.org/people/Taira%20Komori/sounds/213441/>

<https://www.freesound.org/people/Mrthenoronha/sounds/371516/>

<https://www.freesound.org/people/Snapper4298/sounds/178186/>

<https://www.freesound.org/people/skyangel38/sounds/133742/>

<https://www.freesound.org/people/reinsamba/sounds/47373/>

<https://www.freesound.org/people/Kastenfrosch/sounds/162473/>

<https://www.freesound.org/people/kfatehi/sounds/363921/>

<https://www.freesound.org/people/Kastenfrosch/sounds/162470/>

<https://www.freesound.org/people/Kastenfrosch/sounds/162467/>

<https://www.freesound.org/people/acebrian/sounds/380471/>

https://www.freesound.org/people/Tristan_Lohengrin/sounds/343835/

<https://www.freesound.org/people/Mrthenoronha/sounds/380020/>

<https://www.freesound.org/people/Mrthenoronha/sounds/369920/>

<https://www.freesound.org/people/Under7dude/sounds/163441/>

<https://www.freesound.org/people/SpazTastic/sounds/104170/>