

UX HERO

CUSTOMIZABLE. PROFESSIONAL.

IAT 352 **Final Project Report**
Nika Lohrasbi Azar -Fall 2016
Halil Erhan - Rui Pan

ABOUT THE PROJECT:

UX HERO is meant to provide an environment for researchers in the user experience field to reach research audience. Researchers are able to easily create surveys and indicate the intended audience for it so that it is ready for participants to complete tests.

Signing up as a researcher is as easy and quick as possible, we ask for some basic personal information, about the researcher's field of research and interest and ask them if they would like to connect their social media to their profile:

The registration form consists of three panels on a light orange background with a subtle dot pattern.

- Your Profile:** Contains input fields for username, Name, Last Name, E-mail, Confirm Email, Password, and Confirm Password.
- Field of Research:** Contains four checkboxes for Information Architecture, Interaction Design, Visual Design, and Content Hierarchy.
- Social Media:** Contains input fields for Your Twitter ID and Your Flickr ID, and a submit button.

Once researcher is signed up and logged in as a member, they can begin creating tests:

The screen has a light orange background with a subtle dot pattern. It features the heading "Begin a new test now:" and the instruction "Select the type of Testing you would like to begin creating". Below this are three large, dark-colored buttons with white text and icons:

- SURVEY:** Represented by a red button with a survey form icon.
- CARD SORTING:** Represented by a dark blue button with a grid icon.
- TREE TESTING:** Represented by a dark grey button with a tree diagram icon.

Creating Surveys is now implemented in the UX HERO web application. Here is the process:

Begin creating a new survey:

Title:

Description:

Survey's Audience:

Intended Age:

Maximum Age:

Intended Gender:

M

F

Add Questions

Once the Survey is successfully created, the researcher can now add questions. They will do so all in one page without having to switch between pages, once a question is added it will be displayed on the screen. They will be able to add three types of questions: multiple choice, rating questions, and text questions:

[Home](#) [Create](#) [Participate](#) [Back](#)

Create Survey

- Armina
 - View my page
 - Edit my account
 - Log out

Survey Title:
Importance of Design iterations

Survey Description:
It does not reparse the element it is being used on and thus it does not corrupt the existing elements inside the element..

Intended for:
Male, , ages 30 to 45

Questions in the survey:

Add more questions:

Multiple Choice Question Scale Rating Question Text Question

Question:



Option One:

Option Two:


Option Three:

Option Four:

After a Survey is completed it will show in their profile along with their bio, tweets, Flickr images, other surveys and blog posts.




The surveys will also be visible to the visitors and participants once they log into the application as a visitor along with a list of researchers in different fields:



In this browsing page, the visitor will be able to see if a new survey is added



Adaptive layout for accessibility from phones and tablets:



Parts of code:

Assuring the connection is secure by enforcing HTTPS connection

```
<?php
// force HTTPS for the form submission if not set already
if($_SERVER["HTTPS"] != "on") {
    //header("Location: https://".
$_SERVER['HTTP_HOST'].$_SERVER['REQUEST_URI']);
    header("Location: https://". str_replace(":",8080, "",
$_SERVER['HTTP_HOST']).$_SERVER['REQUEST_URI']);
    exit;
}
?>
```

Javascript for navigation on smaller screens:

```
<!--nav JS-->
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js"></script>
<script>
    $(function() {
        var pull      = $('#pull');
        menu          = $('#nav ul');
        menuHeight    = menu.height();

        $(pull).on('click', function(e) {
            e.preventDefault();
            menu.slideToggle();
        });

        $(window).resize(function(){
            var w = $(window).width();
            if(w > 320 && menu.is(':hidden')) {
                menu.removeAttr('style');
            }
        });
    });
</script>
```

Use of URL IDs, \$_POST and switch to enable tabs for profile content and question generating pages:

```
echo "<div id=\"work_contentbox2\" class=\"clearfix\">
<div id=\"works_contentbox\" class=\"clearfix\">";

    if($_GET['content'] == "blogs") echo '<b>';
    echo "<a href=\"profile.php?id=".$user['username']."&content=blogs\"
class=\"user-container\">". "  Blogs  ";" . "</a>";
    if($_GET['content'] == "blogs") echo '</b>';

    if($_GET['content'] == "surveys") echo '<b>';
    echo "<a href=\"profile.php?id=".$user['username']."&content=surveys\"
class=\"user-container\">". "  Surveys  ";" . "</a>";
    if($_GET['content'] == "surveys") echo '</b>';

    if($_GET['content'] == "photos") echo '<b>';
    echo "<a href=\"profile.php?id=".$user['username']."&content=photos\"
class=\"user-container\">". "  Photos  ";" . "</a> ";
    if($_GET['content'] == "photos") echo '</b>';

    if($_GET['content'] == "tweets") echo '<b>';
    echo "<a href=\"profile.php?id=".$user['username']."&content=tweets\"
class=\"user-container\">". "  Tweets  ";" . "</a>";
    if($_GET['content'] == "tweets") echo '</b>';

$content= $_GET['content'];

echo "<div id='user-info-box' class=\"clearfix\">";

switch($content){
    case "blogs":
        include('blogs.php');
        break;

    case "surveys":
        include('surveys.php');
        break;

    case "photos":
        include('photos.php');
        break;

    case "tweets":
        include('tweets.php');
        break;
}

echo "</div>";
```

Finding the last present survey on current visited page:

```
var propertyItems = document.getElementsByClassName("blogItem");
var propertyItems = [].slice.call(propertyItems);
var highestID = 0;
propertyItems.forEach(function(property){
    if(parseInt(property.id) > highestID){
        highestID = property.id;
    };
});
highestID = "highestID=" + (highestID);
```