



General

Source Code Management

Build Triggers

Build Environment

Build

Post-build Actions

Description

[Plain text] [Preview](#)

☐ Discard old builds

☒ GitHub project

Project url

https://github.com/efsavage/hello-world-war.git/

Advanced...

Rebuild options:

☐ Rebuild Without Asking For Parameters

☐ Disable Rebuilding for this job

☐ This build requires lockable resources

☐ This project is parameterized

☐ Throttle builds

☐ Disable this project

☐ Execute concurrent builds if necessary

☒ Restrict where this project can be run

Label Expression

master

[Label master](#) is serviced by 1 node. Permissions or other restrictions provided by plugins may prevent this job from running on those nodes.

Advanced...

Source Code

Save

Apply

Jenkins

fail-email-job5

Repository URL

https://github.com/efsavage/hello-wc

?

Credentials

- none -

Add

Advanced...

Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/master

X

?

Add Branch

Repository browser

(Auto)

?

Additional Behaviours

Add

Subversion

?

Build Triggers

- ☐

Trigger builds remotely (e.g., from scripts)

?
- ☐

Build after other projects are built

?
- ☐

Build periodically

?
- ☐

GitHub hook trigger for GITScm polling

?
- ☐

Poll SCM

?

Build Environment

☒ Delete workspace before build starts

Advanced...

☐ Use secret text(s) or file(s)

?

☐ Abort the build on failure

Save

Apply

☐ Add timestamps

- ☐ Execute shell script on remote host using ssh
- ☐ Inspect build log for published Gradle build scans



Jenkins

fail-email-job5

- ☐ With Ant



Build

Execute shell



Command

```
#!/bin/bash

mvn clean package
cd $WORKSPACE
ls
sudo cp ./target/hello-world-war-1.0.0.war /var/www/html
```

See [the list of available environment variables](#)

Advanced...

Add build step ▾

Post-build Actions

Editable Email Notification



Disable Extended Email Publisher ☐



Allows the user to disable the publisher, while maintaining the settings

Project From

Project Recipient List

iniyan.charles@gmail.com



Comma-separated list of email address that should receive notifications for this project.

Project Rep

Save

Apply



\$DEFAULT_REPLYTO

Jenkins fail-email-job5

Comma-separated list of email address that should be in the Reply-To header for this project.

Content Type Default Content Type ?

Default Subject \$DEFAULT_SUBJECT ?

Default Content \$DEFAULT_CONTENT ?

Attachments ?

Can use wildcards like 'module/dist/**/*.*.zip'. See the [@includes of Ant fileset](#) for the exact format. The base directory is [the workspace](#).

Attach Build Log Do Not Attach Build Log ?

Content Token Reference ?

Advanced Settings...

Add post-build action ▼