Jenkins   deploy-war-job3

General	Source Code Management	Build Triggers	Build Environment	Build

Post-build Actions

Description

[Plain text] Preview

☐ Discard old builds   ❓

☐ GitHub project

Rebuild options: ☐ Rebuild Without Asking For Parameters   ❓

                      ☐ Disable Rebuilding for this job

☐ This build requires lockable resources

☑ This project is parameterized   ❓

X

File Parameter   ❓

File location   hello-world-war-1.0.0.war   ❓

Description   ❓

[Plain text] Preview

Add Parameter ▾

☐ Throttle builds   ❓

☐ Disable this project   ❓

☐ Execute concurrent builds if necessary   ❓

☑ Restrict where

Save   Apply   ❓

Label Expression   node1   ❓

Label node1 is serviced by 1 node. Permissions or other restrictions

Jenkins   **deploy-war-job3**

Advanced...

Source Code Management

- ⦿ None

- ◯ Git

- ◯ Subversion   ❓

Build Triggers

- ☐ Trigger builds remotely (e.g., from scripts)   ❓

- ☐ Build after other projects are built   ❓

- ☐ Build periodically   ❓

- ☐ GitHub hook trigger for GITScm polling   ❓

- ☐ Poll SCM   ❓

Build Environment

- ☑ Delete workspace before build starts

  Advanced...

- ☐ Use secret text(s) or file(s)   ❓

- ☐ Abort the build if it's stuck

- ☐ Add timestamps to the Console Output

- ☐ Execute shell script on remote host using ssh   ❓

- ☐ Inspect build log for published Gradle build scans

- ☐ SSH Agent

- ☐ With Ant   ❓

Build

| Save | Apply | | X |

Execute she...

Command   `#!/bin/bash`

Jenkins   **deploy-war-job3**

```
sudo cp hello-world-war-1.0.0.war /var/www/html
```

See the list of available environment variables

Advanced...

Add build step ▾

Post-build Actions

Add post-build action ▾

Jenkins 2.234

Save   Apply