

DONBOSCO INSTITUTE OF MANAGEMENT STUDIES AND COMPUTER APPLICATIONS

Kumbalagodu, Mysore Road, Bengaluru-560074



A Project Report ON Attendance Management System Using Face Recognition

(2022-2023)



BANGALORE UNIVERSITY (JNANABHARATHI)

UNDER THE GUIDANCE OF

**MANJUNATHA M R
Asst. Prof. Dept of BCA
DBIMSCA**

SUBMITTED BY

INDRAJITH M(20WJSB7018)

GOUTHAM G P(20WJSB7013)

BANGALORE UNIVERSITY (JNANABHRATHI)



**DONBOSCO INSTITUTE OF MANAGEMENT STUDIES AND
COMPUTER APPLICATIONS**



This is to certify that **INDRAJITH M**, bearing **(20WJSB7018)** has successfully completed the project entitled “**Attendance Management System Using Face Recognition**” under the guidance of **MANJUNATHA M R**, for the partial fulfillment of **BCA Fifth semester** course in the computer laboratory at **DON BOSCO INSTITUTE OF MANAGEMENT STUDIES AND COMPUTER APPLICATIONS**, during the period of October 2022 to January 2023.

Head of the Department

Prof. H Pandurangappa

Project Guide

Manjunatha M R

Principal

Dr.Channaveeregowda B N

Signature of the Examiners:

1)

2)

ACKNOWLEDGEMENT

I/We hereby acknowledge, with regards and respects, for the encouragement and guidance extended by **MANJUNATHA M R**, faculty, Dept. of Computer Applications, DBIMSCA, Bangalore University, Jnanabharathi, Bengaluru.

I/We use this opportunity to thank **Professor Pandurangappa H**, HOD, Dept. of Computer Applications, DBIMSCA, Bangalore University, especially for providing the platform to develop skills of presentation of Synopsis and Project.

Finally, I/We would like to thank our Principal **Dr. Channaveere Gowda B N** and my/our Teachers of the Department for their support.

Project Associate 1: INDRAJITH M

Project Associate 2: GOUTHAM G P

CONTENTS

	Abstract	5
Chapter-1	Introduction	7
Chapter-2	Software Requirements Specification - SRS	9
Chapter-3	Functional Requirements	11
Chapter-4	Source Code	14
Chapter-5	Design	45
Chapter-6	Data Dictionary	59
Chapter-7	Implementation Details	61
Chapter-8	Screenshots	65
Chapter-9	Conclusion	71
Chapter-10	Limitation and Future Extensions	73
Chapter-11	Bibliography	75

Abstract

This project involves building an attendance system which utilizes facial recognition to mark the presence, time-in, and time-out of employees. It covers areas such as facial detection, alignment, and recognition, along with the development of a web application to cater to various use cases of the system such as registration of new employees, addition of photos to the training dataset, viewing attendance reports, etc. This project intends to serve as an efficient substitute for traditional manual attendance systems. It can be used in corporate offices, schools, and organizations where security is essential.

Purpose

The purpose of this document is to specify software requirements of the Attendance Management System Using Face Recognition. It is intended to be a complete specification of what functionality the Attendance Management System provides.

Furthermore, this project aims to automate the traditional attendance system where the attendance is marked manually. It also enables an organization to maintain its records like in-time, out time, break time and attendance digitally. Digitalization of the system would also help in better visualization of the data using graphs to display the no. of employees present today, total work hours of each employee and their break time. Its added features serve as an efficient upgrade and replacement over the traditional attendance system.

Scope

Facial recognition is becoming more prominent in our society. It has made major progress in the field of security. It is a very effective tool that can help law enforcers to recognize criminals and software companies are leveraging the technology to help users access the technology. This technology can be further developed to be used in other avenues such as ATMs, accessing confidential files, or other sensitive materials.

This project serves as a foundation for future projects based on facial detection and recognition. This project also covers web development and database management with a user-friendly UI. Using this system any corporate offices, school and organization can replace their traditional way of maintaining attendance of the employees and can also generate their availability(presence) report throughout the month.

CHAPTER-1

INTRODUCTION

Introduction

- Brief Introduction

This project aims to automate the traditional attendance system where the attendance is marked manually. It also enables an organization to maintain its records like in-time, out time, break time and attendance digitally. Digitalization of the system would also help in better visualization of the data using graphs to display the no. of employees present today, total work hours of each employee and their break time. Its added features serve as an efficient upgrade and replacement over the traditional attendance system.

-

- Technology/Platform/Tools used

Technology:

- Django
- OpenCV
- Dlib
- Open-Source Face Recognition Library
- SQLITE Database.
- JavaScript
- Bootstrap

Platform:

- Windows
- Linux

Tools:

- Visual Studio Code

CHAPTER-2

SOFTWARE REQUIREMENTS

SPECIFICATION

Software Requirements Specification - SRS

We have 2 types of users of the system.

1. Employee
2. Admin

Following functionalities can be performed by the admin:

- Login
- Register new employees to the system
- Add employee photos to the training data set
- Train the model
- View attendance report of all employees. Attendance can be filtered by date or employee.

Following functionalities can be performed by the employee:

- Login
- Mark his/her time-in and time-out by scanning their face
- View attendance report of self.

CHAPTER-3

FUNCTIONAL REQUIREMENTS

Functional Requirements

1.1 Manage Registration and Login

1.1.1 Register new employee

Description: Admin can register new

Input: Employee Details

Output: success message displaying the user has been created.

1.1.2 Log-In to the system

Input: User credentials

Output: If the credentials are correct, user will be redirected to the dashboard of the system

Exception Flow: If the entered credentials are incorrect then user will be redirected to the login page again displaying an error message.

1.2 Manage Attendance Details

1.2.1 Mark your attendance-in

Input: User will scan his/her face using the external web camera.

Output: system will identify the user uniquely and will mark his/her in-time to the database. The same success message will be transmitted to the user.

1.2.2 Mark your attendance-out

Input: User will scan his/her face using the external web camera.

Output: system will identify the user uniquely and will mark his/her out-time to the database. The same success message will be transmitted to the user.

1.2.3 View my attendance report

Description: Employee may often need to see his / her attendance record throughout the month or year. Using this feature one can see his / her attendance record till the date.

Input: User selection

Output: Statistical analytics of the particular employee who is currently logged into the system will be displayed.

1.2.4 View employee's attendance report

Description: This feature is for admin. Admin can monitor the availability of each employee till the date. i.e., how many employees are present today out of total employees etc. can be monitored.

Input: user selection

Output: Attendance record of each employee including how many employees are present today out of total along with the availability graph.

1.3 Manage Employee Details

1.3.1 Add photo of the employee

Description: Admin only can access this feature. Admin can add a photo of an employee during the registration process.

Input: Username of an employee

Output: Success message record has been added.

Process: System will process an image and will generate necessary system data to identify each employee uniquely.

1.3.2 Train the system

Input: user selection

Output: system will process all the available records of the employees and will generate necessary system data to identify each employee uniquely.

CHAPTER-4

SOURCE CODE

Source Code:

i)Manage.py:

```
"""Django's command-line utility for administrative tasks."""  
  
import os  
import sys  
  
def main():  
    os.environ.setdefault('DJANGO_SETTINGS_MODULE',  
        'attendance_system_facial_recognition.settings')  
    try:  
        from django.core.management import execute_from_command_line  
    except ImportError as exc:  
        raise ImportError(  
            "Couldn't import Django. Are you sure it's installed and "  
            "available on your PYTHONPATH environment variable? Did you "  
            "forget to activate a virtual environment?"  
        ) from exc  
    execute_from_command_line(sys.argv)  
  
if __name__ == '__main__':  
    main()
```

ii)Add photos:

```

<!DOCTYPE html>
<html>
<head>

    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

    <style>
    body{
        background: url('{ % static "recognition/img/bg_image.png"% }') no-repeat center center
fixed;
        background-size: cover;

    }

    </style>

</head>
<body>

<div class="col-lg-12" style="background: rgba(0,0,0,0.6);max-height: 20px ; padding-
top:1em;padding-bottom:3em;color:#fff;border-radius:10px;-webkit-box-shadow: 2px 2px
15px 0px rgba(0, 3, 0, 0.7);
-moz-box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7); margin-left:auto; margin-right: auto; ">

    <a href="{ % url 'dashboard' % }"><h5 class="text-left"> Back</h5></a>
</div>

<div class="col-lg-4" style="background: rgba(0,0,0,0.6);margin-top:150px ; padding-
top:1em;padding-bottom:3em;color:#fff;border-radius:10px;-webkit-box-shadow: 2px 2px
15px 0px rgba(0, 3, 0, 0.7);
-moz-box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7); margin-left:auto; margin-right: auto; ">

    <form method="POST" >
        { % csrf_token % }

```



```

<fieldset class="form-group">
  <legend class="border-bottom mb-4"> Enter Username </legend>
  { {form| crispy} }
</fieldset>

<div class="form-group">
  <button class="btn btn-outline-info" type="submit"> Submit</button>
</div>
</form>
</div>
<div class="col-lg-12" style="padding-top: 100px;">
  { % if messages % }
  { % for message in messages% }
  <div class="alert alert-{ {message.tags} }" > { {message} }
  </div>
  { %endfor % }

  { %endif% }
</div>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
  KJ3o2DkItIkYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
  crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js/1.12.9/umd/popper.min.js"
  integrity="sha384-
  ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
  crossorigin="anonymous"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
  integrity="sha384-
  JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
  crossorigin="anonymous"></script>
</body>
</html>

```

iii)Admin Dashboard:

```

<!DOCTYPE html>
<html>
<head>

  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <!-- Bootstrap CSS -->

```

```

<link                                rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

<style>
  body{
    background: url('{% static "recognition/img/bg_image.png"% }) no-repeat center center
fixed;
    background-size: cover;

  }

</style>

<script type='text/javascript'
src='https://ajax.googleapis.com/ajax/libs/jquery/2.1.1/jquery.min.js'>
$(document).ready(function(){
  $("#train").click(function(){
    alert("Training begun. This may take upto 5 minutes. Please wait.");
  });
});
</script>

</head>
<body>
  <div class="col-lg-12" style="background: rgba(0,0,0,0.6);margin-top:3em;margin-
bottom:5em;padding-top:1em;padding-bottom:3em;color:#fff;border-radius:10px;-webkit-
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
-moz-box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);">
    <div class="col-sm-12">
      <a href="{% url 'logout' %}"><h5 class="text-right"><i class="fa fa-user-circle" aria-
hidden="true"></i> Logout</h5></a>
      <h1 class="text-center section-title" style="margin-bottom:2em">Welcome,admin.</h1>
    </div>
    <style>
      h4{
        margin-bottom: 1.5em;
        padding-top: 30px;

      }
      img{
        border-radius:50%;
        -webkit-transition: all 0.3s ease-in-out;
        -moz-transition: all 0.3s ease-in-out;
        transition: all 0.3s ease-in-out;

```

```

    }
    img:hover{
      -webkit-box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      -moz-box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      border:2px solid #fff;
    }
    h3{
      margin-bottom: 1.3em;
    }
    a{
      color:inherit
    }
    a:hover{
      color:inherit;
      text-decoration: none;
    }
    /*
    .section-title:after {
      content:' ';display:block;margin:0 auto;width:100px;margin-top: 6px;border:2px solid
#d0d0d0;border-radius:4px;
      -webkit-border-radius:4px;
      -moz-border-radius:4px;
      box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
      -webkit-box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
      -moz-box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
      margin-bottom:1em;
    }
    */
    .att{
      padding-right: 150px;
    }
    .lgn{
      padding-right: 80px;
    }
  </style>

  <div class="row">

    <div class="col-md-3">
      <a href="{% url 'register' %}"></a>

```

```

</div>
<div class="col-md-3">
  <a href="{%url 'add-photos'%}"></a>

</div>
<div class="col-md-3">
  <a href="{%url 'train' %}" id="train" ></a>

</div>
<div class="col-md-3">
  <a href="{%url 'view-attendance-home' %}"></a>

</div>

</div>
<div class="row">

  <div class="col md-3">
<h4 class="text-center att">Register New Employees</h4>
</div>
  <div class="col md-3">
<h4 class="text-center att">Add Photos</h4>
</div>
  <div class="col md-3">
<h4 class="text-center att">Train</h4>
</div>
  <div class="col md-3">
    <h4 class="text-center lgn">View Attendance Reports </h4>
  </div>

</div>

{% if messages %}
  {% for message in messages%}
    <div class="alert alert-{ {message.tags} }" > { {message} }
  </div>
  {%endfor %}

```

```

    {%endif% }

</div>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
    KJ3o2DkIklvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
    crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
    integrity="sha384-
    ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
    crossorigin="anonymous"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
    integrity="sha384-
    JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
    crossorigin="anonymous"></script>
</body>
</html>

```

iv)Employee Dashboard:

```

<!DOCTYPE html>
<html>
<head>

    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
    href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
    integrity="sha384-
    Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
    crossorigin="anonymous">

    <style>
    body{
        background: url('{ % static "recognition/img/bg_image.png"% }') no-repeat center center
        fixed;
        background-size: cover;

    }

</style>

```

```

</head>
<body>
  <div class="col-lg-12" style="background: rgba(0,0,0,0.6);margin-top:3em;margin-
bottom:5em;padding-top:1em;padding-bottom:3em;color:#fff;border-radius:10px;-webkit-
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
-moz-box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);">
    <div class="col-sm-12">
      <a href="{% url 'logout' %}"><h5 class="text-right"><i class="fa fa-user-circle" aria-
hidden="true"></i> Logout</h5></a>
      <h1 class="text-center section-title" style="margin-bottom:2em">Welcome,
{{user.username}}.</h1>
    </div>
  <style>
    h4{
      margin-bottom: 1.5em;
      padding-top: 30px;
    }
    img{
      border-radius:50%;
      -webkit-transition: all 0.3s ease-in-out;
      -moz-transition: all 0.3s ease-in-out;
      transition: all 0.3s ease-in-out;
    }
    img:hover{
      -webkit-box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      -moz-box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      border:2px solid #fff;
    }
    h3{
      margin-bottom: 1.3em;
    }
    a{
      color:inherit
    }
    a:hover{
      color:inherit;
      text-decoration: none;
    }
    /*
    .section-title:after {
      content:' ';display:block;margin:0 auto;width:100px;margin-top: 6px;border:2px solid
#d0d0d0;border-radius:4px;
      -webkit-border-radius:4px;
      -moz-border-radius:4px;

```

```

        box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
        -webkit-box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
        -moz-box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
        margin-bottom:1em;
    }
    */

</style>

<div class="row">

    <div class="col-md-12" style="padding-left: 900px; margin-left: auto; margin-right:
    auto;">
        <a href="{%url 'view-my-attendance-employee-login' %}"></a>

    </div>

</div>

<div class="row">

    <div class="col md-6" style="padding-left: 945px;">
        <h4>View My Attendance</h4>
    </div>

</div>

{% if messages %}
    {% for message in messages%}
        <div class="alert alert-{ {message.tags} }" > { {message} }

```

```

    </div>
    {%endfor %}

    {%endif%}

</div>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
    KJ3o2DkItIkYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
    crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
    integrity="sha384-
    ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
    crossorigin="anonymous"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
    integrity="sha384-
    JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
    crossorigin="anonymous"></script>
</body>
</html>

```

v)Home:

```

<!DOCTYPE html>
<html>

<head>

    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
    href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
    integrity="sha384-
    Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
    crossorigin="anonymous">

    <style>
    body {
        background: url('{% static "recognition/img/bg_image.png"%}') no-repeat center center
        fixed;
        background-size: cover;
    }

```



```
    }
  </style>

</head>

<body>

  <div class="col-lg-12" style="background: rgba(0,0,0,0.6);margin-top:3em;margin-
bottom:5em;padding-top:1em;padding-bottom:3em;color:#fff;border-radius:10px;-webkit-
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
-moz-box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);">
  <div class="col-sm-12">

    <h1 class="text-center section-title" style="margin-bottom:2em">Attendance System
Using Face Recognition.</h1>
  </div>
  <style>
    h4 {
      margin-bottom: 1.5em;
      padding-top: 30px;
    }

    img {
      border-radius: 50%;
      -webkit-transition: all 0.3s ease-in-out;
      -moz-transition: all 0.3s ease-in-out;
      transition: all 0.3s ease-in-out;
    }

    img:hover {
      -webkit-box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      -moz-box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      box-shadow: 2px 2px 21px 0px rgba(0, 3, 0, 0.91);
      border: 2px solid #fff;
    }

    h3 {
      margin-bottom: 1.3em;
    }

    a {
      color: inherit
    }

    a:hover {
      color: inherit;
```

```

        text-decoration: none;
    }
    /*
    .section-title:after {
        content: ' ';display:block;margin:0 auto;width:100px;margin-top: 6px;border:2px solid
        #d0d0d0;border-radius:4px;
        -webkit-border-radius:4px;
        -moz-border-radius:4px;
        box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
        -webkit-box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
        -moz-box-shadow:inset 0 1px 1px rgba(0, 0, 0, .05);
        margin-bottom: 1em;
    }
    */
</style>

<div class="col-lg-12" style="padding-top: 100px;">
    {% if messages %} {% for message in messages%}
    <div class="alert alert-{{ message.tags }}"> {{ message }}
    </div>
    {%endfor %} {%endif%}
</div>

<div class="row">

    <div class="col-md-4" style="padding-left: 220px">
        <a href='{%url "mark-your-attendance" %}'></a>

    </div>

    <div class="col-md-4" style="padding-left: 220px">
        <a href='{%url "mark-your-attendance-out" %}'></a>

    </div>

    <div class="col-md-4" style="padding-left: 220px">
        <a href='{%url "login" %}'></a>

    </div>

</div>
<div class="row">

```

```

        <div class="col md-3" style="padding-left: 70px">
            <h4 class="text-center ">Mark Your Attendance - In</h4>
        </div>
        <div class="col md-3" style="padding-left: 70px">
            <h4 class="text-center ">Mark Your Attendance - Out </h4>
        </div>
    ]

    <div class="col md-3" style="padding-left: 70px">
        <h4 class="text-center ">Log In </h4>
    </div>
]

</div>

</div>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DkIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
crossorigin="anonymous"></script>
</body>

</html>

```

vi)Train:

```

<!DOCTYPE html>
<html>
<head>

<!-- Required meta tags -->
<meta charset="utf-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<!-- Bootstrap CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

<style>
body{
    background: url('{ % static "recognition/img/bg_image.png"% }') no-repeat center center
fixed;
    background-size: cover;

}

</style>

</head>
<body>

<div class="col-lg-12" style="background: rgba(0,0,0,0.6);max-height: 20px ; padding-
top:1em;padding-bottom:3em;color:#fff;border-radius:10px;-webkit-box-shadow: 2px 2px
15px 0px rgba(0, 3, 0, 0.7);
-moz-box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7); margin-left:auto; margin-right: auto;">

    <a href="{ % url 'dashboard' % }"><h5 class="text-left"> Back</h5></a>
</div>

<div class="col-lg-4" style="background: rgba(0,0,0,0.6);margin-top:150px ; padding-
top:1em;padding-bottom:3em;color:#fff;border-radius:10px;-webkit-box-shadow: 2px 2px
15px 0px rgba(0, 3, 0, 0.7);
-moz-box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7);
box-shadow: 2px 2px 15px 0px rgba(0, 3, 0, 0.7); margin-left:auto; margin-right: auto;">

    
</div>
<div class="col-lg-12" style="padding-top: 100px;">
{ % if messages % }
    { % for message in messages% }
        <div class="alert alert-{ {message.tags} }" > { {message} }
        </div>

```

```

    { %endif % }

    { %endif % }
</div>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
    KJ3o2DkIklvYIK3UENzmM7KChRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
    crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
    integrity="sha384-
    ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
    crossorigin="anonymous"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
    integrity="sha384-
    JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
    crossorigin="anonymous"></script>
</body>
</html>

```

vii) View attendance date:

```

<!DOCTYPE html>
<html>
<head>
    <title></title>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link
    href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
    integrity="sha384-
    Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
    crossorigin="anonymous">

</head>
<body>

    <nav class="navbar navbar-expand-lg navbar-light bg-light">
        <a class="navbar-brand" href="{ %url 'view-attendance-home' % }">Attendance
        Dashboard</a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
        target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
        navigation">
            <span class="navbar-toggler-icon"></span>
        </button>

```

```

<div class="collapse navbar-collapse" id="navbarNav">
  <ul class="navbar-nav">

    <li class="nav-item active">
      <a class="nav-link" href="{ %url 'view-attendance-employee' % }">By Employee</a>
    </li>
    <li class="nav-item active">
      <a class="nav-link" href="{ % url 'view-attendance-date' % }">By Date</a>
    </li>

    <li class="nav-item active" style="padding-left: 1440px">
      <a class="nav-link" href="{ % url 'dashboard' % }">Back to Admin Panel</a>
    </li>

  </ul>
</div>
</nav>

<div class="container">
  <div style="width: 400px">
    <form method="POST" >
      { % csrf_token % }
      <fieldset class="form-group">
        <legend class="border-bottom mb-4"> Select Date </legend>
        { {form| crispy} }
      </fieldset>

      <div class="form-group">
        <button class="btn btn-outline-info" type="submit" value="Create"> Submit</button>
      </div>
    </form>

  </div>
  { % if qs % }

  <table class="table" style="margin-top: 5em; ">
    <thead class="thead-dark">
      <tr>
        <th scope="col">Date</th>

        <th scope="col">Employee</th>
        <th scope="col">Present</th>
        <th scope="col">Time in</th>
        <th scope="col">Time out </th>
        <th scope="col">Hours </th>
        <th scope="col"> Break Hours </th>
      </tr>

```

```

</thead>
<tbody>
  {% for item in qs %}
    <tr>
      <td>{{ item.date }}</td>
      <td>{{ item.user.username }}</td>
      {% if item.present %}
        <td> P </td>
      {% else %}
        <td> A </td>
      {% endif %}
      {% if item.time_in %}
        <td>{{ item.time_in }}</td>
      {% else %}
        <td> - </td>
      {% endif %}
      {% if item.time_out %}
        <td>{{ item.time_out }}</td>
      {% else %}
        <td> - </td>
      {% endif %}
      <td> {{ item.hours }}</td>
      <td> {{ item.break_hours }}</td>
    </tr>
  {% endfor %}
</tbody>
</table>

<div class="card" style="margin-top: 5em; margin-bottom: 10em;">
  
  <div class="card-body">
    <p class="card-text" style="text-align: center;">Number of hours worked each day.</p>
  </div>
</div>

{% endif %}
{% if messages %}
  {% for message in messages%}
    <div class="alert alert-{{ message.tags }}" > {{ message }}
  </div>
  {%endfor %}

{%endif%}

</div>

```

```

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYI"
crossorigin="anonymous"></script>
</body>
</html>

```

viii) View attendance employee:

```

<!DOCTYPE html>

<html>

<head>

<!-- Required meta tags -->

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">

<!-- Bootstrap CSS -->

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6J
Xm" crossorigin="anonymous">

</head>

```



```
<body>

<nav class="navbar navbar-expand-lg navbar-light bg-light">

  <a class="navbar-brand" href="{%url 'view-attendance-home' %}">Attendance
Dashboard</a>

  <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">

    <span class="navbar-toggler-icon"></span>

  </button>

  <div class="collapse navbar-collapse" id="navbarNav">

    <ul class="navbar-nav">

      <li class="nav-item active">

        <a class="nav-link" href="{%url 'view-attendance-employee' %}">By
Employee</a>

      </li>

      <li class="nav-item active">

        <a class="nav-link" href="{% url 'view-attendance-date' %}">By Date</a>

      </li>

      <li class="nav-item active" style="padding-left: 1440px">

        <a class="nav-link" href="{% url 'dashboard' %}">Back to Admin Panel</a>

      </li>

    </ul>

  </div>

</nav>

<div class="container">

  <div style="width:400px;">
```

```

<form method="POST" >
    {% csrf_token %}
    <fieldset class="form-group">
        <legend class="border-bottom mb-4"> Select Username And Duration </legend>
        {{ form| crispy }}
    </fieldset>

    <div class="form-group">
        <button class="btn btn-outline-info" type="submit"> Submit</button>
    </div>
</form>

</div>

{%if qs%}
<table class="table" style="margin-top: 5em;">
    <thead class="thead-dark">
        <tr>
            <th scope="col">Date</th>

            <th scope="col" >Employee</th>
            <th scope="col">Present</th>
            <th scope="col">Time in</th>
            <th scope="col">Time out </th>
            <th scope="col">Hours </th>
            <th scope="col"> Break Hours </th>
        </tr>
    </thead>
    <tbody>

```

```

    {% for item in qs %}

    <tr>

        <td>{{ item.date }}</td>

        <td>{{ item.user.username }}</td>


        {% if item.present %}

        <td> P </td>

        {% else %}

        <td> A </td>

        {% endif %}

        {% if item.time_in %}

        <td>{{ item.time_in }}</td>

        {% else %}

        <td> - </td>

        {% endif %}

        {% if item.time_out %}

        <td>{{ item.time_out }}</td>

        {% else %}

        <td> - </td>

        {% endif %}

        <td> {{ item.hours }}</td>

        <td> {{ item.break_hours }}</td>

    </tr>

    {% endfor %}

</tbody>

</table>


<div class="card" style="margin-top: 5em; margin-bottom: 10em;">

    <div class="card-body">

```

```

    <p class="card-text" style="text-align: center;">Number of hours worked each
    day.</p>

    </div>

</div>

{% endif %}

{% if messages %}
    {% for message in messages%}
        <div class="alert alert-{ {message.tags} }" > { {message}}
        </div>

        {%endfor %}

    {%endif%}

</div>

<!-- Optional JavaScript -->

<!-- jQuery first, then Popper.js, then Bootstrap JS -->

    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
    KJ3o2DKtIkVYIK3UENzmM7KChRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG
    5KkN" crossorigin="anonymous"></script>

    <script
    src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
    integrity="sha384-
    ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q
    " crossorigin="anonymous"></script>

    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
    integrity="sha384-
    JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl
    " crossorigin="anonymous"></script>

```

```
</body>
```

```
</html>
```

ix)View attendance home:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<!-- Required meta tags -->
```

```
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

```
<!-- Bootstrap CSS -->
```

```
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6J
Xm" crossorigin="anonymous">
```

```
</head>
```

```
<body>
```

```
<nav class="navbar navbar-expand-lg navbar-light bg-light">
```

```
<a class="navbar-brand" href="{%url 'view-attendance-home' %}">Attendance
Dashboard</a>
```

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
```

```
<ul class="navbar-nav">
```

```
<li class="nav-item active">
    <a class="nav-link" href="{%url 'view-attendance-employee' %}">By
Employee</a>
</li>

<li class="nav-item active">
    <a class="nav-link" href="{% url 'view-attendance-date' %}">By Date</a>
</li>


<li class="nav-item active" style="padding-left: 1440px">
    <a class="nav-link" href="{% url 'dashboard' %}">Back to Admin Panel</a>
</li>


</ul>
</div>
</nav>


<div class="card" style="margin-top: 2em; margin-left: 2em; margin-right: 2em;
margin-bottom: 2em;">
    <div class="card-body">


<h2> Today's Statistics </h2>
    <div class="row" style="margin-left: 12em">
<div class="card" style="width: 20em; background-color: #338044; text-align : center;
margin-left: 5em; margin-top: 5em; color: white;">
    <div class="card-body">
        <h5 class="card-title"> <b>Total Number Of Employees</b></h5>
```

```
        <p class="card-text" style="padding-top: 1em; font-size: 28px;">
        <b>{{total_num_of_emp }}</b></p>
```

```
</div>
```

```
</div>
```

```
<div class="card" style="width: 20em; background-color: #80335b; text-align : center;
margin-left: 5em; margin-top: 5em; color: white;">
```

```
<div class="card-body">
```

```
<h5 class="card-title"> <b> Employees present today</b></h5>
```

```
        <p class="card-text" style="padding-top: 1em; font-size: 28px;"><b>
        {{emp_present_today }}</b></p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="card" style="margin-top: 2em; margin-left: 2em; margin-right: 2em;
margin-bottom: 2em;">
```

```
<div class="card-body">
```

```

<div class="row" >
<div class="col-md-6">
<h2> Last Week </h2>
    <div class="card" style="width: 50em;">
        
        <div class="card-body">
            <p class="card-text" style="text-align: center;">Number of employees present each
day</p>
        </div>
    </div>
</div>

```

x)View Attendance Employee:

```

<!DOCTYPE html>
<html>
<head>

    <!-- Required meta tags -->
    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6J
Xm" crossorigin="anonymous">

</head>
<body>

    <nav class="navbar navbar-expand-lg navbar-light bg-light">

```



```
<a class="navbar-brand" href="{%url 'view-my-attendance-employee-login' %}">Attendance</a>
```

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
```

```
<ul class="navbar-nav">
```

```
<li class="nav-item active" style="padding-left: 1740px">
```

```
<a class="nav-link" href="{% url 'dashboard' %}">Back to Dashboard</a>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</nav>
```

```
<div class="container">
```

```
<div style="width:400px;">
```

```
<form method="POST" >
```

```
{% csrf_token %}
```

```
<fieldset class="form-group">
```

```
<legend class="border-bottom mb-4"> Select Duration </legend>
```

```
{{ form| crispy }}
```

```
</fieldset>
```

```
<div class="form-group">
```

```
<button class="btn btn-outline-info" type="submit"> Submit</button>

</div>

</form>

</div>

{%if qs%}

<table class="table" style="margin-top: 5em;">
  <thead class="thead-dark">
    <tr>
      <th scope="col">Date</th>

      <th scope="col">Employee</th>
      <th scope="col">Present</th>
      <th scope="col">Time in</th>
      <th scope="col">Time out </th>
      <th scope="col">Hours </th>
      <th scope="col"> Break Hours </th>
    </tr>
  </thead>
  <tbody>
    {% for item in qs %}
    <tr>
      <td>{{ item.date }}</td>
      <td>{{ item.user.username }}</td>

      {% if item.present %}
      <td> P </td>
      {% else %}
      <td> A </td>
```

```

        { % endif % }

        { % if item.time_in % }

        <td>{{ item.time_in }}</td>

        { % else % }

        <td> - </td>

        { % endif % }

        { % if item.time_out % }

        <td>{{ item.time_out }}</td>

        { % else % }

        <td> - </td>

        { % endif % }

        <td> {{ item.hours }}</td>

        <td> {{ item.break_hours }}</td>

    </tr>

    { % endfor % }

</tbody>

</table>

<div class="card" style=" margin-top: 5em; margin-bottom: 10em;">

    <div class="card-body">

        <p class="card-text" style="text-align: center;">Number of hours worked each
day.</p>

    </div>

</div>

{ % endif % }

{ % if messages % }

```


```
{% for message in messages% }  
  
<div class="alert alert-{ {message.tags} }" > { {message} }  
  
</div>  
  
{%endfor % }  
  
  
{%endif% }  
  
  
</div>  
  
  
<!-- Optional JavaScript -->  
  
<!-- jQuery first, then Popper.js, then Bootstrap JS -->  
  
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-  
KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG  
5KkN" crossorigin="anonymous"></script>  
  
                                                                 <script  
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"  
integrity="sha384-  
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q  
" crossorigin="anonymous"></script>  
  
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"  
integrity="sha384-  
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl  
" crossorigin="anonymous"></script>  
  
  
</body>  
  
</html>
```

CHAPTER-5


DESIGN

Design


Class Diagram




State Diagram



Use case Diagram




Sequence Diagram



Sequence Diagram for Login Process


csi ddu | April 5, 2021



Sequence Diagram for register user Process


Text

csi ddu | April 5, 2021




Activity Diagram


Employee Activity Diagram




Admin Activity Diagram




Attendance Tracking Activity Diagram




Collaboration Diagram




ER Diagram




Component Diagram



Package Diagram



Deployment Diagram



CHAPTER-6

DATA DICTIONARY

Data Dictionary**User**

No	Field name	Data type	Required	Unique	PK / FK	Ref. Table
1	UserId	int	true	true	PK	-
2	Email	string	true	true	-	-
3	Name	string	true	false	-	-
4	Password	string	true	false	-	-
5	CreatedAt	Datetime	true	false	-	-
6	UpdatedAt	Datetime	True	False	-	-

Present

No	Field name	Data type	Required	Unique	PK / FK	Ref. Table
1	PIId	int	true	true	PK	-
2	Date	Datetime	True	False	-	-
3	User	User	True	False	FK	Users
4	Present	Boolean	True	False	-	-

Time

No	Field name	Data type	Required	Unique	PK / FK	Ref. Table
1	TId	int	true	true	PK	-
2	Date	Datetime	true	True	-	-
3	User	Users	True	False	FK	Users
4	Time	Datetime	False	False	-	-
5	Out	Boolean	True	False	-	-

CHAPTER-7

Implementation Details

Implementation Details

Modules

The features of the system are mainly divided into 3 modules.

Registration and Login Module

This module mainly deals with the functionalities related to the registration of any new employee to the organization, Log into the system and managing employee's profile details. Using features provided by this module admin can register new employee to the system and admin / employee both can log into the system using their credentials.

Manage Attendance Details

This module mainly deals with the features related to the employee's attendance. Using this employee can mark their presence, time-in and time-out in the system. Admin can see the availability report of each employee, employee can see his/her attendance report along with some possible filters such as filter by employee and filter by date.

Manage Employee Details

This module mainly deals with the features related to the employee's profile. Using this admin can add a photo of the newly registered employee during registration. Admin can also command the system explicitly to train the model and system will make necessary calculation and will generate some data which will be used internally to identify each employee uniquely.

Function prototypes which implement major functionality

- List<Attendance> viewMyAttendanceReport(int empId);
- Int totalEmployeesRegistered();
- List<Attendance> getAttendanceRecordByEmployee(int empId);

- Boolean updateAttendanceRecord(int empId, Attendance update);
- Boolean registerEmployee(Employee new_employee);
- Boolean addPhoto(int empId, string photo);

Testing

Unit testing of each module was done after successfully completing the module. Each module was tested individually before integrating them with the whole system.

After integrating each module with the system, integration testing was done in order to check if modules are working properly together.

After completing all integrations, black-box testing of the whole system was carried out to ensure the system works in a correct manner.

Black box testing of Major functions of the system

1. Log in to the system.

Case 1: Invalid Username or password entered by the user.

Output: Error message on the screen saying “Invalid credentials”

Case 2: Valid credentials.

Output: The user is redirected to the Dashboard page.

2. Update Profile

Case 1: username already exists.

Output: Error message on the screen saying “Username already exists”

Case 2: Some of required fields missing in input.

Output: Model validation errors will be displayed to the user.

Case 3: All input data are valid.

Output: Profile updated successfully.

3. View Attendance.

Case 1: User is not logged in.

Output: Redirected to the login page with error message “Please login!”.

Case 2: If a user exists and has the attendance records.

Output: All the chat history will be displayed

Case 4: Provided username does not exists in the system.


Output: 404 Error.

CHAPTER-8


SCREENSHOTS

Screenshots


Login




Mark my attendance In / Out




Scanning Face



View Attendance Records by Admin



Trained Dataset Output



Add Photos

Back


Enter Username

Username*

Submit

Dataset Created

Employee Dashboard



View My Attendance by Employee

Attendance

Select Duration

Date from*

January

1

2021

Date to*

April


4

2021

Submit

Date	Employee	Present	Time in	Time out	Hours	Break Hours
April 3, 2021	nevil	P	April 3, 2021, 10:30 p.m.	-	0 hrs 0 mins	0 hrs 0 mins

Admin can filter attendance by employee / by date



The screenshot shows a web browser window with the address bar displaying "127.0.0.1:8000/view_attendance_employee". The page title is "Attendance Dashboard". Below the title, there are two radio buttons labeled "By Employee" and "By Date". The "By Employee" radio button is selected. Below the radio buttons, there is a section titled "Select Username And Duration". This section contains a text input field for "Username*" with the value "user1". Below the text input field, there are three dropdown menus for "Date from*", "Date to*", and "Date to*". The "Date from*" dropdown menu is set to "January", "1", and "2023". The "Date to*" dropdown menu is set to "January", "1", and "2023". Below the dropdown menus, there is a "Submit" button.

Attendance Dashboard

By Employee By Date

Select Username And Duration

Username*

user1

Date from*

January

1

2023

Date to*

January

1

2023

Submit

CHAPTER-9

CONCLUSION

Conclusion

Functionalities implemented successfully:

- Registration
- Login / Logout
- Manage User Profile
- Update user profile
- View My Attendance
- View Attendance by Date
- View Attendance by Employee
- Manage Attendance
- Mark my attendance In
- Mark my attendance Out
- Add photos
- Add new employee
- Train the system
- View Attendance record by date
- View no. of employee present today
- View Total number of employees

CHAPTER-10

Limitation and Future Extensions

Limitation and Future Extensions

● **Limitations**

- Attendance can be marked if the picture of an employee is shown
- 300 images of each employee are taken for better accuracy. 300 Images per employee in a larger organization would consume a massive volume to store the images.
- The training time for our classifier takes about 20 seconds for each person. Hence for a large number of employees, it would take a very long time to train. Though training the classifier isn't something that needs to be frequently done, but it would be better if a classifier taking lesser time while maintaining the accuracy can be built.
- The current model is 99.38% Accurate

● **Functionalities not implemented**

- Alert System
- Forgot Password
- Email Notifications

● **Possible future extensions**

- A feature which can give intruder alert can be included in the system. Furthermore, the images of unknown people can be saved in an efficient manner and displayed in the system for better security.
- The number of training images can be reduced so that less storage is required. This can be done by removing duplicate images of the same person, or images with similar embeddings.
- The training time can be reduced by retraining the classifier only for the newly added images.
- A feature can be added where an employee is automatically sent a warning if his attendance or working hours are below the threshold.
- Wrongly classified images can be added to the training dataset with the correct label so as to increase the accuracy of the recognition model.

CHAPTER-11

Bibliography

Bibliography

[The Web framework for perfectionists with deadlines | Django \(djangoproject.com\)](#)
<https://medium.com/>
<http://dlib.net/>
<https://opencv.org/>
<https://github.com>

- CSS & Bootstrap:
<https://getbootstrap.com/>
- For debugging:
<https://stackoverflow.com/>