



FLEET & SHORE PERSONNEL TRAINING

Ratings Adaptation & Refreshment Training

Familiarization, safety fundamentals and refreshed operational routines for deck and engine ratings joining or returning to a Glory Ship Management vessel.

SOLAS Ch. III

STCW Reg. I/14

ISM Code

Company SMS

What We Will Cover

01

Joining the Ship — Familiarization & Induction

What every rating must see and sign before independent duty

02

PPE & Basic Safety Rules

Personal protective equipment and the rules behind every task

03

Emergency Duties & the Muster List

Your assigned station, duty and the standard alarm signals

04

Deck Operations Refresher

Mooring, anchoring, cargo watch and deck maintenance

05

Engine Room Operations Refresher

Watch rounds, planned maintenance and pollution prevention

06

Reporting Hazards & Near Misses

Why speaking up is one of the most valuable things you can do

07

Rest Hours & Life Aboard

Protecting your rest, wellbeing and welfare during the contract



SECTION 1

Joining the Ship — Familiarization & Induction

What every rating must know, see and sign before standing an unsupervised watch or task.

01

Why Familiarization Comes First

SOLAS and the ISM Code both treat familiarization as a non-negotiable first step for anyone new to the ship.

- SOLAS Chapter III, Regulation 19 requires every crew member to receive safety training and instructions before being assigned shipboard duties.
- New crew must have the opportunity to familiarize themselves with the ship's safety equipment and procedures before sailing, or within 24 hours of joining at the latest.
- The Company's SMS requires a signed familiarization checklist covering escape routes, alarm signals, muster stations and personal safety equipment locations.
- Familiarization is repeated, not skipped, for ratings returning after leave, a change of vessel, or an extended absence — layout and procedures may have changed.
- An incomplete or unsigned familiarization record is a finding waiting to happen at the next internal audit or Port State Control inspection.



The 24-Hour Rule

Familiarization with life-saving and fire-fighting appliances must happen before departure or within 24 hours of joining, whichever comes first — no exceptions for a busy port call.

What You Must Be Shown on Day One

The chief officer or a designated officer walks every new rating through these items before independent duty.



Escape Routes & Muster Station

Primary and secondary escape routes from your cabin and work areas, and the exact location of your muster station.



Alarm & Signal Recognition

The sound of the general emergency alarm, fire alarm and abandon-ship signal, and what each one means for you.



Personal Safety Equipment

Where your lifejacket, immersion suit, EEBD and PPE are stowed, and how to don each correctly.



Muster List Duty

Your specific assigned duty on the muster list — fire party, boat crew, engine room team or bridge support.

Settling In Safely

Good habits formed in the first week protect you for the whole contract.



Do

- Ask questions immediately if a procedure, alarm or piece of equipment is unclear
- Carry your personal torch and know your PPE locations when moving at night
- Sign the familiarization checklist only once you have seen and understood each item
- Introduce yourself to your watch partners and immediate supervisor



Don't

- Don't perform any task you have not been trained or briefed for
- Don't sign a checklist for training you have not actually received
- Don't enter engine room or deck machinery spaces alone until authorized
- Don't hesitate to stop work if something feels unsafe



SECTION 2

PPE & Basic Safety Rules

The personal protective equipment and basic rules that stand between a normal working day and a reportable injury.

02

PERSONAL PROTECTIVE EQUIPMENT

PPE for Deck and Engine Ratings

Minimum PPE required for general duties aboard; task-specific PPE is added per the risk assessment.



Head Protection

Approved safety helmet worn in all working areas, cargo spaces and whenever working below deck machinery or overhead structures.



Eye Protection

Safety glasses for general duties, upgraded to a face shield or chemical goggles for grinding, chipping or handling chemicals.



Hand & Foot Protection

Cut-resistant or chemical-resistant gloves matched to the task, and steel-toe safety boots worn at all times outside the cabin.



Hearing Protection

Ear defenders or plugs mandatory in the engine room, steering gear space and during mooring or winching operations.

BASIC SAFETY RULES

Rules That Apply to Every Task

These rules apply on deck and in the engine room, regardless of rank or experience.

- No task begins without a completed risk assessment and, where the SMS requires it, a signed Permit to Work.
- Hot work — welding, grinding, cutting — requires a Hot Work Permit, a fire watch and fire-fighting equipment ready at the worksite.
- Enclosed spaces such as tanks, cofferdams and void spaces are never entered without a valid entry permit and prior gas-free testing.
- Lone working in hazardous areas — steering gear, chain locker, mooring deck at sea — is avoided; use the ship's checking-in system.
- Any unsafe condition, damaged tool or missing guard is reported immediately, not worked around.



Stop Work Authority

Every crew member, regardless of rank, has the authority and the duty to stop any task that appears unsafe — and will not be penalized for doing so.

TASK SAFETY WORKFLOW

Three Steps Before Any Job

The Company's SMS builds every task around the same three-step safety sequence.

RA

Risk Assessment — identify hazards, controls and required PPE before starting

TBT

Toolbox Talk — the team briefs the job, roles and emergency actions together

PTW

Permit to Work — formal sign-off required for hot work, enclosed space and work aloft



SECTION 3

Emergency Duties & the Muster List

03

Knowing your muster list role cold, and reacting correctly the moment an alarm sounds.

THE MUSTER LIST

Your Role When the Alarm Sounds

Every rating has a specific, assigned duty posted on the muster list near their cabin and at designated stations.

- The muster list assigns every person aboard a specific station and duty for fire, abandon ship, man overboard and other emergencies.
- Ratings are typically assigned to a fire party, boat crew, engine room emergency team or bridge/gangway support duty.
- Check the muster list again after any crew change — duties are reassigned whenever a crew member joins or leaves.
- Muster list copies are posted at your cabin, the mess room and other common areas — know your station and route before you need it.
- React to any emergency alarm as if it were real: proceed calmly and directly to your assigned muster station with your lifejacket.



Know It Cold

In a real emergency there is no time to read the muster list — your station, duty and route must already be second nature.

SIGNAL RECOGNITION

Standard Emergency Signals

Recognizing the correct signal instantly is a core competency for every crew member.

Signal	Sound Pattern	Required Action
General Emergency Alarm	7 short + 1 long blast, repeated	Proceed to muster station with lifejacket
Fire Alarm	Continuous ringing bell / klaxon	Muster and await fire party instructions
Abandon Ship	Master's verbal order, general alarm continues	Proceed to survival craft stations
Man Overboard	Three long blasts on ship's whistle	Post lookout, launch recovery per drill

During Emergency Drills

Drills are treated exactly like the real event — that discipline is what saves time in an actual emergency.



Do

- Respond to every drill at full speed, as if it were a genuine emergency
- Wear full, correctly donned PPE and lifejacket for the entire drill
- Report to your muster station leader and confirm your presence
- Ask questions after the drill debrief if any step was unclear



Don't

- Don't treat a drill as optional or delay your response
- Don't leave your muster station before being dismissed
- Don't skip donning PPE because 'it's only a drill'
- Don't assume someone else will cover your assigned duty



SECTION 4

Deck Operations Refresher

A working refresher on the mooring, anchoring and maintenance routines every deck rating performs.

04

CORE DECK TASKS

Routine Deck Operations

The recurring tasks that make up most of a deck rating's working day.



Mooring Operations

Handling mooring lines, operating winches and windlasses, and staying clear of snap-back zones at all times.



Anchoring Stations

Standing by the windlass, communicating anchor cable markings, and reporting cable tension and direction to the bridge.



Cargo Watch & Lashing

Monitoring cargo securing arrangements and lashing gear condition, and reporting any shifting or damage.



Deck Maintenance

Chipping, painting, greasing and general upkeep of deck equipment following the planned maintenance system.

Working Safely Around Mooring Lines

Mooring remains one of the highest-risk routine operations for deck ratings.

- Never stand in the bight of a mooring line, or in the direct line of pull between the winch drum and the fairlead or bollard.
- Snap-back zones — where a parted line under tension can whip back — must be identified and kept clear before heaving begins.
- Wear all briefed PPE including safety helmet, gloves and steel-toe boots, and keep hands clear of rollers, fairleads and winch drums.
- Communicate clearly using agreed hand signals or radio, and confirm the winch operator can see you before signalling.
- Report any worn, damaged or degraded mooring line, wire or fitting before it is used, not after.



Snap-Back Awareness

A parted mooring line can release enormous stored energy in a fraction of a second — always know where the snap-back zone is and stay out of it.

Deck Maintenance & General Work

Simple habits that prevent the most common deck injuries.



Do

- Secure loose tools, paint tins and equipment against the ship's motion
- Rig safety nets or use a harness when working over the side or at height
- Keep walkways and escape routes clear of hoses, cables and gear
- Check weather and sea state before starting outdoor work



Don't

- Don't work over the side without a permit, harness and a second person standing by
- Don't leave hatches, manholes or deck openings unguarded or uncovered
- Don't use damaged ladders, staging or lifting gear
- Don't ignore rolling or pitching conditions that make a task unsafe



SECTION 5

Engine Room Operations Refresher

05

Refreshing the watchkeeping, maintenance and pollution-prevention routines expected of every engine rating.

Routine Engine Department Duties

The recurring tasks that make up most of an engine rating's working day.



Watch Rounds

Regular rounds checking machinery temperatures, pressures, leaks and unusual noise, reporting anomalies to the watchkeeping officer.



Planned Maintenance

Carrying out scheduled tasks from the Planned Maintenance System, recording completion and any defects found.



Bunkering Support

Assisting with hose connections, sounding tanks, monitoring for spills and manning designated stations during bunkering.



Pollution Prevention

Correct use of the oily water separator, sludge and bilge management, and immediate reporting of any leak or spill.

Working Safely Around Machinery

The engine room combines heat, pressure, moving machinery and confined spaces — respect for basic rules keeps it safe.

- Never operate, isolate or override machinery without authorization from the watchkeeping engineer.
- Follow lockout/tagout procedures fully before any maintenance on rotating or pressurized equipment.
- Wear hearing protection at all times in the engine room and stay alert to hot surfaces, moving belts and shafts.
- Keep bilges, floor plates and escape routes clear of oil, tools and loose gear at all times.
- Report any fuel, oil or chemical leak immediately, however small — MARPOL Annex I violations begin with an unreported small leak.



Isolation First

Before touching any machinery for maintenance, confirm it is stopped, isolated, de-energized and tagged — never rely on 'it should be off.'

POLLUTION PREVENTION

MARPOL in the Engine Room

Three areas where an engine rating's daily habits directly support MARPOL compliance.

I


Annex I — Oil: correct use of the OWS, sludge tank and oil record book entries

V

Annex V — Garbage: correct segregation and logging of engine room waste

VI

Annex VI — Air: correct fuel changeover and emission control procedures



SECTION 6

Reporting Hazards & Near Misses

06

Why speaking up about a hazard or a near miss is one of the most valuable things any rating can do.

WHY REPORT

Hazards and Near Misses Save Lives

Most serious accidents are preceded by hazards and near misses that went unreported.

- A hazard is any condition with the potential to cause harm; a near miss is an event that could have caused injury, damage or loss but did not.
- Reporting is not about blame — the Company's SMS uses reports to find and fix root causes before they cause an actual injury.
- Any crew member can raise a hazard or near-miss report directly to their supervisor, the safety officer or through the ship's reporting system.
- Root cause analysis looks beyond 'what happened' to ask why the conditions allowed it to happen — often revealing a wider systemic issue.
- A ship that generates and closes out near-miss reports consistently has a stronger, more resilient safety culture than one that reports nothing.



No Blame, No Delay

Report the moment you notice a hazard or near miss — an unreported near miss today can be tomorrow's accident.

THE REPORTING PROCESS

From Observation to Close-Out

A simple four-step process turns an observation into a corrective action.



1. Identify

Notice a hazard, unsafe condition or near miss during normal work or a walk-around.



2. Make Safe

Take immediate action to remove or isolate the hazard if it is safe to do so.



3. Report

Submit a hazard or near-miss report to your supervisor or through the SMS reporting form without delay.



4. Follow Up

Track the corrective action to close-out and confirm the hazard has actually been eliminated.

WHAT TO REPORT

Categories Worth Reporting

When in doubt, report it — these categories cover most day-to-day findings.

Category	Example	Typical Action
Unsafe Condition	Missing guard, damaged ladder, oil leak	Isolate area, raise work order
Unsafe Act	Working without PPE, bypassing a permit	Stop task, coach, re-brief
Near Miss	Dropped object narrowly missed a person	Investigate root cause, share lessons
Environmental	Small spill, garbage not segregated	Contain, clean up, report per SMS



SECTION 7

Rest Hours & Life Aboard

Protecting your rest, your wellbeing and your right to raise a concern during a long contract.

07

The Minimum Rest Requirements

STCW and the Maritime Labour Convention set firm limits on how little rest a crew member may have.

10

Minimum hours of rest required in any 24-hour period

77

Minimum hours of rest required in any 7-day period

2

Maximum periods rest may be split into, one of at least 6 hours

Recognizing and Managing Fatigue

Fatigue is a safety hazard like any other — recognizing it early protects you and your shipmates.

- Rest hour records must be completed accurately and honestly — falsifying rest hour records is a serious SMS and MLC non-conformity.
- Watch for the warning signs of fatigue in yourself and others: slowed reactions, poor concentration, irritability and micro-sleeps.
- Report a rest-hour shortfall or fatigue concern to your supervisor before it affects safety, not after.
- Good sleep hygiene — a dark, quiet cabin and a consistent routine where the watch pattern allows — improves rest quality at sea.
- The Company's SMS requires corrective action whenever rest hour violations are identified, not just a record of the breach.



Rest Is a Safety Matter

A tired crew member is as much a hazard as a missing guard — treat rest hour compliance as seriously as any other safety rule.

Life and Welfare on Board

A range of company and international provisions support crew welfare during the contract.



Food & Catering

Meals meeting MLC nutritional standards, with menus and quantities the crew can raise concerns about through normal channels.



Recreation & Communication

Recreational facilities and internet/phone access for contacting family, supporting mental wellbeing on long voyages.



Complaints Procedure

A formal, confidential onboard complaints procedure under MLC 2006, with escalation to the Company and flag state if unresolved.



Medical Care

Access to the ship's medical guide, sick bay and telemedical assistance, with shore medical care arranged at the next port if needed.



COURSE COMPLETE

A well-adapted, refreshed crew is the foundation of every safe voyage — never hesitate to ask, report or rest when it matters.

Company DPA — 24/7 emergency line

Fleet Crew Training Department — mng@gloryship.com.tr

Fleet Safety Department — mng@gloryship.com.tr