

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Job Details</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css">

</head>
<body>
  <!-- Navigation -->
  <nav class="navbar navbar-expand-lg navbar-dark mb-4">
    <div class="container">
      <a class="navbar-brand" href="#">HR Dashboard</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item">
            <a class="nav-link" href="vacancies.html">Vacancies</a>
          </li>
          <li class="nav-item">
            <a class="nav-link active" href="#">Candidates</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Settings</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Main content -->
  <div class="container">
    <!-- Job details -->
    <div class="vacancy-details-card">
      <h2 class="vacancy-details-title">Frontend Developer</h2>

      <div class="mb-4">
        <span class="badge bg-primary me-2">Active</span>
        <span class="text-muted">Deadline: 07/15/2024</span>
      </div>

      <h3 class="section-title">Job Description</h3>
    </div>
  </div>

```

<p>We are looking for an experienced Frontend Developer to work on our products. You will be developing user interfaces, working in a team with designers and backend developers.</p>

 3+ years of experience with React Deep understanding of JavaScript/TypeScript Experience with Redux or similar state managers Knowledge of modern CSS methodologies (CSS Modules, SCSS) Experience with REST API Work in a modern office in downtown Flexible schedule Health insurance Professional growth opportunities </div> <!-- Candidates list --> <div class="table-responsive mb-5"> <table class="table table-hover align-middle"> <thead> <tr> <th>Photo</th> <th>Name</th> <th>University</th> <th>Status</th> <th>Actions</th> </tr> </thead> <tbody> <tr> <td></td> <td>John Smith</td> <td>Harvard University</td> <td>New</td> <td> <button class="btn btn-sm btn-success me-2" onclick="changeStatus(this, 'accepted')"> <i class="fas fa-check"></i> Accept </button>

```

        <button class="btn btn-sm btn-danger me-2" onclick="changeStatus(this,
'rejected')">
            <i class="fas fa-times"></i> Reject
        </button>
        <button class="btn btn-sm btn-primary me-2" data-bs-toggle="modal"
data-bs-target="#interviewModal">
            <i class="fas fa-calendar-alt"></i> Interview
        </button>
        <button class="btn btn-sm btn-outline-secondary" data-bs-toggle="modal"
data-bs-target="#studentModal">
            <i class="fas fa-info-circle"></i>
        </button>
    </td>
</tr>
<tr>
    <td></td>
    <td>Emily Johnson</td>
    <td>Stanford University</td>
    <td><span class="student-status-new">New</span></td>
    <td>
        <button class="btn btn-sm btn-success me-2" onclick="changeStatus(this,
'accepted')">
            <i class="fas fa-check"></i> Accept
        </button>
        <button class="btn btn-sm btn-danger me-2" onclick="changeStatus(this,
'rejected')">
            <i class="fas fa-times"></i> Reject
        </button>
        <button class="btn btn-sm btn-primary me-2" data-bs-toggle="modal"
data-bs-target="#interviewModal">
            <i class="fas fa-calendar-alt"></i> Interview
        </button>
        <button class="btn btn-sm btn-outline-secondary" data-bs-toggle="modal"
data-bs-target="#studentModal">
            <i class="fas fa-info-circle"></i>
        </button>
    </td>
</tr>
<tr>
    <td></td>
    <td>Michael Brown</td>
    <td>Massachusetts Institute of Technology</td>
    <td><span class="student-status-accepted">Accepted</span></td>
    <td>
        <button class="btn btn-sm btn-success me-2" disabled>
            <i class="fas fa-check"></i> Accept
    
```

```

        </button>
        <button class="btn btn-sm btn-danger me-2" onclick="changeStatus(this,
'rejected')">
            <i class="fas fa-times"></i> Reject
        </button>
        <button class="btn btn-sm btn-primary me-2" data-bs-toggle="modal"
data-bs-target="#interviewModal">
            <i class="fas fa-calendar-alt"></i> Interview
        </button>
        <button class="btn btn-sm btn-outline-secondary" data-bs-toggle="modal"
data-bs-target="#studentModal">
            <i class="fas fa-info-circle"></i>
        </button>
    </td>
</tr>
<tr>
    <td></td>
    <td>Sarah Wilson</td>
    <td>University of California, Berkeley</td>
    <td><span class="student-status-rejected">Rejected</span></td>
    <td>
        <button class="btn btn-sm btn-success me-2" onclick="changeStatus(this,
'accepted')">
            <i class="fas fa-check"></i> Accept
        </button>
        <button class="btn btn-sm btn-danger me-2" disabled>
            <i class="fas fa-times"></i> Reject
        </button>
        <button class="btn btn-sm btn-primary me-2" disabled>
            <i class="fas fa-calendar-alt"></i> Interview
        </button>
        <button class="btn btn-sm btn-outline-secondary" data-bs-toggle="modal"
data-bs-target="#studentModal">
            <i class="fas fa-info-circle"></i>
        </button>
    </td>
</tr>
</tbody>
</table>
</div>
</div>

```

```

<!-- Interview scheduling modal -->

```

```

<div class="modal fade" id="interviewModal" tabindex="-1" aria-hidden="true">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">

```

```

        <h5 class="modal-title">Schedule Interview</h5>
        <button type="button" class="btn-close" data-bs-dismiss="modal"
aria-label="Close"></button>
    </div>
    <div class="modal-body">
        <div class="mb-3">
            <label for="interviewDate" class="form-label">Date and Time</label>
            <input type="datetime-local" class="form-control" id="interviewDate">
        </div>
        <div class="mb-3">
            <label for="interviewType" class="form-label">Interview Format</label>
            <select class="form-select" id="interviewType">
                <option value="online">Online (Zoom/Skype)</option>
                <option value="office">In Office</option>
            </select>
        </div>
        <div class="mb-3">
            <label for="interviewComment" class="form-label">Comment (optional)</label>
            <textarea class="form-control" id="interviewComment" rows="3"></textarea>
        </div>
    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-secondary"
data-bs-dismiss="modal">Cancel</button>
        <button type="button" class="btn btn-primary"
onclick="scheduleInterview()">Schedule</button>
    </div>
</div>
</div>
</div>
</div>

<!-- Candidate profile modal -->
<div class="modal fade" id="studentModal" tabindex="-1" aria-hidden="true">
    <div class="modal-dialog modal-lg">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title">Candidate Profile</h5>
                <button type="button" class="btn-close" data-bs-dismiss="modal"
aria-label="Close"></button>
            </div>
            <div class="modal-body">
                <div class="row">
                    <div class="col-md-4 text-center">
                        
                        <h4>John Smith</h4>
                        <p class="text-muted">Harvard University, 3rd year</p>
                        <div class="d-flex justify-content-center gap-2 mb-3">

```

```

        <a href="#" class="btn btn-outline-primary btn-sm"><i class="fab
fa-github"></i></a>
        <a href="#" class="btn btn-outline-primary btn-sm"><i class="fab
fa-linkedin"></i></a>
        <a href="#" class="btn btn-outline-primary btn-sm"><i class="fab
fa-behance"></i></a>
    </div>
</div>
<div class="col-md-8">
    <h5 class="section-title">Contact Information</h5>
    <ul class="list-unstyled mb-4">
        <li class="mb-2"><i class="fas fa-envelope me-2"></i>
john.smith@example.com</li>
        <li class="mb-2"><i class="fas fa-phone me-2"></i> +1 (123) 456-7890</li>
        <li class="mb-2"><i class="fas fa-map-marker-alt me-2"></i> Boston, MA</li>
    </ul>

    <h5 class="section-title">About</h5>
    <p class="mb-4">Frontend developer with 2 years of React experience. Participated
in development of 5 commercial projects. Have experience working in team using Agile
methodologies.</p>

    <h5 class="section-title">Skills</h5>
    <div class="mb-4">
        <span class="badge bg-primary me-2 mb-2">JavaScript</span>
        <span class="badge bg-primary me-2 mb-2">React</span>
        <span class="badge bg-primary me-2 mb-2">TypeScript</span>
        <span class="badge bg-primary me-2 mb-2">Redux</span>
        <span class="badge bg-primary me-2 mb-2">HTML/CSS</span>
        <span class="badge bg-primary me-2 mb-2">Git</span>
    </div>

    <h5 class="section-title">Resume</h5>
    <div class="d-flex align-items-center">
        <i class="fas fa-file-pdf me-2 text-danger" style="font-size: 1.5rem;"></i>
        <div>
            <p class="mb-0">John_Smith_CV.pdf</p>
            <small class="text-muted">2.4 MB</small>
        </div>
        <a href="#" class="btn btn-sm btn-outline-primary ms-3">Download</a>
    </div>
</div>
</div>
</div>
<div class="modal-footer">
    <button type="button" class="btn btn-secondary"
data-bs-dismiss="modal">Close</button>
</div>

```

```
</div>
</div>
</div>
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script>
function changeStatus(button, status) {
  const row = button.closest('tr');
  const statusCell = row.querySelector('td:nth-child(4) span');

  if (status === 'accepted') {
    statusCell.textContent = 'Accepted';
    statusCell.className = 'student-status-accepted';
    // Disable "Accept" button and enable others
    row.querySelectorAll('button').forEach(btn => {
      if (btn.textContent.includes('Accept')) {
        btn.disabled = true;
      } else if (btn.textContent.includes('Reject') || btn.textContent.includes('Interview')) {
        btn.disabled = false;
      }
    });
  } else if (status === 'rejected') {
    statusCell.textContent = 'Rejected';
    statusCell.className = 'student-status-rejected';
    // Disable "Reject" button and enable others
    row.querySelectorAll('button').forEach(btn => {
      if (btn.textContent.includes('Reject')) {
        btn.disabled = true;
      } else if (btn.textContent.includes('Accept')) {
        btn.disabled = false;
      }
    });
    // Disable interview button
    if (btn.textContent.includes('Interview')) {
      btn.disabled = true;
    }
  }
};

// Here you can add AJAX request to save status on server
console.log(`Status changed to: ${status}`);
}

function scheduleInterview() {
  const date = document.getElementById('interviewDate').value;
  const type = document.getElementById('interviewType').value;
  const comment = document.getElementById('interviewComment').value;
```

```

    if (!date) {
        alert('Please specify interview date and time');
        return;
    }

    // Here you can add AJAX request to save interview on server
    console.log(`Interview scheduled for: ${date}, format: ${type}, comment: ${comment}`);

    // Close modal
    const modal =
bootstrap.Modal.getInstance(document.getElementById('interviewModal'));
    modal.hide();

    // Show success notification
    alert('Interview successfully scheduled!');
}

// Initialize modals
document.addEventListener('DOMContentLoaded', function() {
    // Set minimum interview date - today
    const today = new Date().toISOString().slice(0, 16);
    document.getElementById('interviewDate').min = today;
});
</script>
</body>

```

hr_vacancies.html

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>HR Dashboard</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">

</head>
<body>
  <!-- Navigation -->
  <nav class="navbar navbar-expand-lg navbar-dark mb-4">
    <div class="container">
      <a class="navbar-brand" href="#">HR Dashboard</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>

```



```
<div class="collapse navbar-collapse" id="navbarNav">
  <ul class="navbar-nav ms-auto">
    <li class="nav-item">
      <a class="nav-link active" href="vacancies.html">Vacancies</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Candidates</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Settings</a>
    </li>
  </ul>
</div>
</div>
</nav>
```

```
<!-- Main Content -->
<div class="container">
  <div class="d-flex justify-content-between align-items-center mb-4">
    <h2>Vacancy List</h2>
    <button class="btn btn-primary" data-bs-toggle="modal"
data-bs-target="#addVacancyModal">
      <i class="fas fa-plus me-2"></i>Add Vacancy
    </button>
  </div>
```

```
<!-- Vacancies Table -->
<div class="table-responsive">
  <table class="table table-hover align-middle">
    <thead>
      <tr>
        <th>Title</th>
        <th>Status</th>
        <th>Deadline</th>
        <th>Actions</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td><a href="vacancy-detail.html" class="vacancy-title">Frontend
Developer</a></td>
        <td><span class="status-active">Active</span></td>
        <td>07/15/2024</td>
        <td>
          <button class="btn btn-sm btn-outline-secondary me-2" data-bs-toggle="modal"
data-bs-target="#editVacancyModal">
            <i class="fas fa-edit"></i>
          </button>
```

```

        <button class="btn btn-sm btn-outline-danger" onclick="confirmDelete()">
          <i class="fas fa-trash"></i>
        </button>
      </td>
    </tr>
    <tr>
      <td><a href="vacancy-detail.html" class="vacancy-title">Backend Developer
(Python)</a></td>
      <td><span class="status-active">Active</span></td>
      <td>07/20/2024</td>
      <td>
        <button class="btn btn-sm btn-outline-secondary me-2">
          <i class="fas fa-edit"></i>
        </button>
        <button class="btn btn-sm btn-outline-danger">
          <i class="fas fa-trash"></i>
        </button>
      </td>
    </tr>
    <tr>
      <td><a href="vacancy-detail.html" class="vacancy-title">UI/UX Designer</a></td>
      <td><span class="status-draft">Draft</span></td>
      <td>-</td>
      <td>
        <button class="btn btn-sm btn-outline-secondary me-2">
          <i class="fas fa-edit"></i>
        </button>
        <button class="btn btn-sm btn-outline-danger">
          <i class="fas fa-trash"></i>
        </button>
      </td>
    </tr>
    <tr>
      <td><a href="vacancy-detail.html" class="vacancy-title">Marketing
Specialist</a></td>
      <td><span class="status-archived">Archived</span></td>
      <td>06/01/2024</td>
      <td>
        <button class="btn btn-sm btn-outline-secondary me-2">
          <i class="fas fa-edit"></i>
        </button>
        <button class="btn btn-sm btn-outline-danger">
          <i class="fas fa-trash"></i>
        </button>
      </td>
    </tr>
  </tbody>
</table>

```

```

    </div>
</div>

<!-- Add Vacancy Modal -->
<div class="modal fade" id="addVacancyModal" tabindex="-1" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Add Vacancy</h5>
        <button type="button" class="btn-close" data-bs-dismiss="modal"
aria-label="Close"></button>
      </div>
      <div class="modal-body">
        <div class="mb-3">
          <label for="vacancyTitle" class="form-label">Vacancy Title</label>
          <input type="text" class="form-control" id="vacancyTitle" placeholder="Example:
Frontend Developer">
        </div>
        <div class="mb-3">
          <label for="vacancyDescription" class="form-label">Description</label>
          <textarea class="form-control" id="vacancyDescription" rows="3"></textarea>
        </div>
        <div class="mb-3">
          <label for="vacancyDeadline" class="form-label">Deadline</label>
          <input type="date" class="form-control" id="vacancyDeadline">
        </div>
        <div class="mb-3">
          <label for="vacancyStatus" class="form-label">Status</label>
          <select class="form-select" id="vacancyStatus">
            <option value="active">Active</option>
            <option value="draft">Draft</option>
            <option value="archived">Archived</option>
          </select>
        </div>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary"
data-bs-dismiss="modal">Cancel</button>
        <button type="button" class="btn btn-primary">Save</button>
      </div>
    </div>
  </div>
</div>

<!-- Edit Vacancy Modal -->
<div class="modal fade" id="editVacancyModal" tabindex="-1" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">

```

```

    <div class="modal-header">
      <h5 class="modal-title">Edit Vacancy</h5>
      <button type="button" class="btn-close" data-bs-dismiss="modal"
aria-label="Close"></button>
    </div>
    <div class="modal-body">
      <div class="mb-3">
        <label for="editVacancyTitle" class="form-label">Vacancy Title</label>
        <input type="text" class="form-control" id="editVacancyTitle" value="Frontend
Developer">
      </div>
      <div class="mb-3">
        <label for="editVacancyDescription" class="form-label">Description</label>
        <textarea class="form-control" id="editVacancyDescription" rows="3">We're looking
for an experienced frontend developer with 3+ years of experience. Knowledge of React,
TypeScript, Redux required.</textarea>
      </div>
      <div class="mb-3">
        <label for="editVacancyDeadline" class="form-label">Deadline</label>
        <input type="date" class="form-control" id="editVacancyDeadline"
value="2024-07-15">
      </div>
      <div class="mb-3">
        <label for="editVacancyStatus" class="form-label">Status</label>
        <select class="form-select" id="editVacancyStatus">
          <option value="active" selected>Active</option>
          <option value="draft">Draft</option>
          <option value="archived">Archived</option>
        </select>
      </div>
    </div>
    <div class="modal-footer">
      <button type="button" class="btn btn-secondary"
data-bs-dismiss="modal">Cancel</button>
      <button type="button" class="btn btn-primary">Save Changes</button>
    </div>
  </div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<script>
function confirmDelete() {
  if (confirm("Are you sure you want to delete this vacancy?")) {
    // Delete logic
    alert("Vacancy deleted");
  }
}

```

```
}
</script>
</body>
</html>
```

```
hr_add_internship.html
<body>
  <h2>Add Internship</h2>
<form method="post">
  {% csrf_token %}
  {{ form.as_p }}
  <button type="submit">Submit for Review</button>
</form>
</body>
```

```
hr_applicant_detail.com
<body>
  <h2>Информация о кандидате</h2>
  <div>
    <strong>Имя:</strong> {{ application.student.first_name }}<br>
    <strong>Фамилия:</strong> {{ application.student.last_name }}<br>
    <strong>Email:</strong> {{ application.student.email }}<br>
    <strong>Курс:</strong> {{ application.student.course }}<br>
    <strong>Вакансия:</strong> {{ application.job.title }}<br>
    <strong>Сопроводительное письмо:</strong><br>
    <p>{{ application.cover_letter|linebreaks }}</p>
  </div>
  <a href="{% url 'hr_application_detail' application.job.id %}">Назад</a>
</body>
```

```
hr_applicant_list.html
<body>
  <h2>Applicants for: {{ internship.title }}</h2>
  <table>
    <thead>
      <tr>
        <th>First Name</th>
        <th>Last Name</th>
        <th>Course</th>
        <th>Position</th>
        <th>CV</th>
        <th>Cover Letter</th>
        <th>Actions</th>
        <th>Details</th>
      </tr>
    </thead>
    <tbody>
      {% for app in applications %}
```

```

    <tr {% if app.invited_to_interview %} style="background-color: lightyellow;" {% endif
%}>
    <td>{{ app.student.first_name }}</td>
    <td>{{ app.student.last_name }}</td>
    <td>{{ app.student.university_course }}</td>
    <td>{{ app.student.position }}</td>
    <td>
        {% with document=app.student.documents.first %}
        {% if document %}
            <a href="{% url 'download_cv' app.student.id %}" download="{{
app.student.first_name }}_{{ app.student.last_name }}.pdf">
                
                </a>
            {% else %}
                —
            {% endif %}
        {% endif %}
    </td>
    <td>
        {% if app.cover_letter %}
            
        {% else %}
            
        {% endif %}
    </td>
    <td class="actions-cell" data-app-id="{{ app.id }}">
        {% if app.invited_to_interview %}
            
            
        {% else %}
            <a href="#" class="open-interview-modal" data-app-id="{{ app.id }}">
                
            </a>
            <a href="#" class="cancel-application" data-app-id="{{ app.id }}">
                
            </a>
        {% endif %}
    </td>
    <td>
        <a href="{% url 'hr_applicant_detail' app.id %}">
            <button>More</button>
        </a>
    </td>
</tr>
{% endfor %}
</tbody>
</table>

```

```

<!-- Модальное окно -->
<div id="interviewModal" class="modal" style="display: none;">
  <div class="modal-content">
    <span class="close">&times;</span>
    <h3>Schedule Interview</h3>
    <form id="interviewForm">
      <input type="hidden" name="app_id" id="app_id">
      <label>Date: <input type="date" name="date" required></label><br>
      <label>Time: <input type="time" name="time" required></label><br>
      <label>Format:
        <select name="format">
          <option value="online">Online</option>
          <option value="offline">Offline</option>
        </select>
      </label><br>
      <label>Location/Link: <input type="text" name="location" required></label><br>
      <label>Phone: <input type="tel" name="phone" required></label><br>
      <button type="submit">Save</button>
    </form>
  </div>
</div>

<script>
  // Открытие модальной
  document.querySelectorAll('.open-interview-modal').forEach(btn => {
    btn.addEventListener('click', function (e) {
      e.preventDefault();
      const appId = this.dataset.appId;
      document.getElementById('app_id').value = appId;
      document.getElementById('interviewModal').style.display = 'flex';
    });
  });

  // Закрытие модальной
  document.querySelector('.close').addEventListener('click', function () {
    document.getElementById('interviewModal').style.display = 'none';
  });

  // Отправка формы интервью
  document.getElementById('interviewForm').addEventListener('submit', function (e) {
    e.preventDefault();

    const formData = {
      app_id: document.getElementById('app_id').value,
      date: this.date.value,
      time: this.time.value,
      format: this.format.value,
    };
  });

```

```

        location: this.location.value,
        phone: this.phone.value
    };

    fetch("{% url 'save_interview' %}", {
        method: 'POST',
        headers: {
            'Content-Type': 'application/json',
            'X-CSRFToken': '{{ csrf_token }}'
        },
        body: JSON.stringify(formData)
    })
    .then(response => response.json())
    .then(data => {
        if (data.status === 'success') {
            const row =
document.querySelector(`[data-app-id="${formData.app_id}"]`).closest('tr');
            row.style.backgroundColor = 'lightyellow';

            const actionCell = row.querySelector('.actions-cell');
            actionCell.innerHTML = `
                
                
            `;

            document.getElementById('interviewModal').style.display = 'none';
        } else {
            alert('Error: ' + data.message);
        }
    });
});

function getCookie(name) {
    let cookieValue = null;
    if (document.cookie && document.cookie !== "") {
        const cookies = document.cookie.split(';');
        for (let cookie of cookies) {
            cookie = cookie.trim();
            if (cookie.startsWith(name + '=')) {
                cookieValue = decodeURIComponent(cookie.substring(name.length + 1));
                break;
            }
        }
    }
    return cookieValue;
}

document.querySelectorAll('.cancel-application').forEach(btn => {
    btn.addEventListener('click', function (e) {

```



```

e.preventDefault();
const appld = this.dataset.appld;

if (confirm("Вы уверены, что хотите отказать студенту?")) {
  fetch('/hr/reject-application/', {
    method: 'POST',
    headers: {
      'Content-Type': 'application/json',
      'X-CSRFToken': getCookie('csrftoken')
    },
    body: JSON.stringify({ app_id: appld })
  })
  .then(response => response.json())
  .then(data => {
    if (data.status === 'success') {
      alert("Студенту отправлено уведомление об отказе.");

      const row = document.querySelector(`[data-app-id="${appld}"]`).closest('tr');
      row.style.backgroundColor = '#f8d7da';

      const actionsCell = row.querySelector('.actions-cell');
      actionsCell.innerHTML = ``;
    } else {
      alert('Ошибка: ' + data.message);
    }
  })
  .catch(err => {
    console.error('Fetch error:', err);
    alert('Произошла ошибка при отправке запроса.');
  });
}
});
});

```

```

</script>
</body>

```

hr_edit_internship.html

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>Edit Internship - InternGO</title>
```

```
  <link rel="stylesheet" href="{% static 'css/variable.css' %}">
```

```
  <link rel="stylesheet" href="{% static 'css/hr.css' %}">
```

```
  <link
```

```
    href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600&display=swap"
    rel="stylesheet">
```

```

</head>
<body>
<div class="container">
  <h2>Edit Internship</h2>
  <form method="POST">
    {% csrf_token %}
    {{ form.as_p }}
    <button type="submit">Save Changes</button>
  </form>
</div>

```

hr_internship_list.html

```

<body>
<h2>Internships</h2>
<a href="{% url 'hr_add_internship' %}" class="btn">Add Internship</a>
<table>
  <tr>
    <th>Title</th>
    <th>Status</th>
    <th>Deadline</th>
    <th>Actions</th>
  </tr>
  {% for internship in internships %}
  <tr>
    <td>
      <a href="{% url 'hr_application_detail' internship.id %}">{{ internship.title }}</a>
    </td>
    <td>{{ internship.status }}</td>
    <td>{{ internship.deadline }}</td>
    <td>
      <a href="{% url 'hr_edit_internship' internship.id %}">
        
      </a>
      <a href="{% url 'hr_delete_internship' internship.id %}">
        
      </a>
    </td>
  </tr>
  {% endfor %}
</table>

```