





TRANSPORT SECTION

SP- 124 Patti




Wt Range Kg/12'
0.325 to 0.360

SP- 125 Patti



Wt Range Kg/12'
0.425 to 0.460

SP- 126 Patti



Wt Range Kg/12'
0.525 to



TRANSPORT SECTION

SP- 123 Tata Gola




Wt Range Kg/12'
1.400 to




TRANSPORT SECTION

SP- 121




Wt Range Kg/12'
0.750 to

SP- 122




Wt Range Kg/12'
0.350 to




TRANSPORT SECTION

SP- 119 Arrow Gola




Wt Range Kg/12'
0.350 to

SP- 120




Wt Range Kg/12'
0.400 to




TRANSPORT SECTION

SP- 117



Wt Range Kg/12'
0.350 to

SP- 118




Wt Range Kg/12'
0.650 to




TRANSPORT SECTION

SP- 115 "Z" Section



Wt Range Kg/12'
0.300 to

SP- 116




Wt Range Kg/12'
0.650 to




TRANSPORT SECTION

SP- 113



Wt Range Kg/12'
1.250 to

SP- 114




Wt Range Kg/12'
0.850 to




TRANSPORT SECTION

SP- 111



Wt Range Kg/12'
0.650 to

SP- 112




Wt Range Kg/12'
0.700 to




TRANSPORT SECTION

SP- 109 Mini Maxima Top



Wt Range Kg/12'
0.588 to

SP- 110 Mini Maxima Bottom




Wt Range Kg/12'
0.804 to




TRANSPORT SECTION

SP- 107 Current Bid



Wt Range Kg/12'
0.850 to

SP- 108



Wt Range Kg/12'
1.350 to




TRANSPORT SECTION

SP- 101 Elephent




Wt Range Kg/12'
0.900 to

SP- 102 Plain Patta




Wt Range Kg/12'
1.000 to 1.200



TRANSPORT SECTION

SP- 101


Elephants



Wt Range Kg/12'
0.900 to

SP- 102

Plain Patta




		Sectional Dimension			Wt Range Kg/12'	
Sr. No.	Die No.	A	A	A		
1	SP-102	121.00	8.00	0.50	1.000	1.300
2	SP-102 B	121.45	8.00	0.90	1.800	2.00




TRANSPORT SECTION

SP- 103 Railway Patta




Wt Range Kg/12'
1.000 to 1.200

SP- 104 Design Patta




Wt Range Kg/12'
1.000 to 1.200




TRANSMISSION SECTION

SP- 256
Special




Wt Range Kg/12'
8.500 to 8.700



TRANSMISSION SECTION

SP- 236


Zebra



Wt Range Kg/12'
5.200 to 5.400

SP- 237

Dog



Wt Range Kg/12'
2.400 to 2.600