Hint - Astrology App — Accessibility Conformance Report

(Based on VPAT® Version 2.5Rev)

Name of Product/Version: Hint - Astrology App

Report Date: October 2026

Product Description: **[ENTER A BRIEF DESCRIPTION OF THE PRODUCT]**

Contact Information: innazaret@gmail.com

Notes: None

Evaluation Methods Used: Automated accessibility evaluation using axe-core 4.14.0, IBM Equal Access 4.0.34, HTML CodeSniffer 2.5.1, and programmatic keyboard simulation. This report covers the approximately 50–55% of WCAG 2.2 Level A and AA success criteria that are testable by automated tools. Manual testing is required for full conformance coverage.

Prepared by: Inna

Report Date: October 14, 2026

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standards/guidelines:

Standard/Guideline	Included in Report
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA.

Note on this draft: 27 Level A and AA criteria that automated tools cannot test are marked Not Evaluated here. They must be evaluated manually and given one of the other levels before this report is final.

WCAG 2.2 Report

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)	Does Not Support	The majority of non-text content (images, icons and image buttons) in the product lacks text alternatives. Screen reader users cannot perceive the information or function conveyed by these elements. 103 instances were detected: A non-decorative SVG element must have an accessible name (103 instances). Pages affected (2 of 2 scanned): Landing Page (100) and Hint: Help Center (3). Detected by: IBM Equal Access.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)	Not Evaluated	This criterion has not been evaluated.
1.2.2 Captions (Prerecorded) (Level A)	Supports	The product provides captions for prerecorded video that has audio.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)	Not Evaluated	This criterion has not been evaluated.
1.3.1 Info and Relationships (Level A)	Does Not Support	The majority of structural content (headings, lists, tables and form fields) in the product is not marked up so that its relationships can be determined programmatically. Screen reader users do not get the structure that sighted users see. 6 instances were detected: and must only directly contain , <script> or <template> elements (4 instances); elements must be contained in a or (2 instances). Pages affected (2 of 2 scanned): Landing Page (3) and Hint: Help Center (3). Detected by: axe-core. 34 elements could not be determined automatically and require manual review.
1.3.2 Meaningful Sequence (Level A)	Supports	The product presents content in an order that can be determined programmatically.
1.3.3 Sensory Characteristics (Level A)	Not Evaluated	This criterion has not been evaluated.
1.4.1 Use of Color (Level A)	Supports	The product does not rely on color alone to convey information.
1.4.2 Audio Control (Level A)	Supports	The product does not include audio that plays automatically for more than 3 seconds without a way to stop it.
2.1.1 Keyboard (Level A)	Supports	The product can be operated with a keyboard.
2.1.2 No Keyboard Trap (Level A)	Supports	The product lets keyboard focus move freely into and out of every component.
2.1.4 Character Key Shortcuts (Level A)	Not Evaluated	This criterion has not been evaluated.
2.2.1 Timing Adjustable (Level A)	Supports	The product does not impose time limits that users cannot adjust.

Criteria	Conformance Level	Remarks and Explanations
2.2.2 Pause, Stop, Hide (Level A)	Supports	The product does not include moving, blinking or scrolling content that users cannot pause.
2.3.1 Three Flashes or Below Threshold (Level A)	Not Evaluated	This criterion has not been evaluated.
2.4.1 Bypass Blocks (Level A)	Does Not Support	The majority of pages in the product provide no mechanism, such as a skip link, to bypass repeated blocks of content. Keyboard and screen reader users must move through the same repeated content before reaching the main content. 2 instances were detected: No skip link was found to let keyboard users bypass repeated content. Pages affected (2 of 2 scanned): Landing Page (1) and Hint: Help Center (1). Detected by: Keyboard simulation.
2.4.2 Page Titled (Level A)	Supports	The product gives each page a title that describes its topic or purpose.
2.4.3 Focus Order (Level A)	Not Evaluated	This criterion has not been evaluated. Focus order logged. Manual review required to confirm logical sequence.
2.4.4 Link Purpose (In Context) (Level A)	Does Not Support	The majority of links in the product have no accessible name that describes their purpose. Screen reader users cannot tell where these links lead. 42 instances were detected: Links must have discernible text (42 instances). Pages affected (1 of 2 scanned): Landing Page (42). Detected by: axe-core, IBM Equal Access.
2.5.1 Pointer Gestures (Level A)	Not Evaluated	This criterion has not been evaluated.
2.5.2 Pointer Cancellation (Level A)	Not Evaluated	This criterion has not been evaluated.
2.5.3 Label in Name (Level A)	Partially Supports	In most instances, the product includes the visible label text in the accessible name of its controls. Exceptions include: • Elements must have their visible text as part of their accessible name (2 instances). Speech-input users cannot activate these controls by saying what they see. Pages affected (2 of 2 scanned): Landing Page (1) and Hint: Help Center (1). 2 instances were detected. Detected by: axe-core, IBM Equal Access. 2 elements could not be determined automatically and require manual review.
2.5.4 Motion Actuation (Level A)	Not Evaluated	This criterion has not been evaluated.
3.1.1 Language of Page (Level A)	Supports	The product identifies the default language of each page programmatically.
3.2.1 On Focus (Level A)	Not Evaluated	This criterion has not been evaluated.
3.2.2 On Input (Level A)	Supports	The product meets 3.2.2 On Input.
3.2.6 Consistent Help (Level A)	Not Evaluated	This criterion has not been evaluated.
3.3.1 Error Identification (Level A)	Supports	The product meets 3.3.1 Error Identification.

Criteria	Conformance Level	Remarks and Explanations
3.3.2 Labels or Instructions (Level A)	Supports	The product provides labels or instructions for form fields. 2 elements could not be determined automatically and require manual review.
3.3.7 Redundant Entry (Level A)	Not Evaluated	This criterion has not been evaluated.
4.1.2 Name, Role, Value (Level A)	Does Not Support	The majority of user interface components in the product do not expose a name, role or value to assistive technology. Assistive technology users cannot identify or operate these components. 44 instances were detected: Links must have discernible text (42 instances); Anchor element found with a valid href attribute, but no link content has been supplied (2 instances). Pages affected (2 of 2 scanned): Landing Page (43) and Hint: Help Center (1). Detected by: axe-core, IBM Equal Access, HTML CodeSniffer. 9 elements could not be determined automatically and require manual review.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Not Evaluated	This criterion has not been evaluated.
1.2.5 Audio Description (Prerecorded) (Level AA)	Not Evaluated	This criterion has not been evaluated.
1.3.4 Orientation (Level AA)	Supports	The product works in both portrait and landscape orientation.
1.3.5 Identify Input Purpose (Level AA)	Supports	The product identifies the purpose of form fields that collect personal information.
1.4.3 Contrast (Minimum) (Level AA)	Supports	The product presents text with sufficient contrast against its background. 5 elements could not be determined automatically and require manual review.
1.4.4 Resize Text (Level AA)	Partially Supports	In most instances, the product allows text to be resized up to 200% without loss of content or functionality. Exceptions include: • Zooming and scaling must not be disabled (2 instances). Users with low vision cannot enlarge the text to read it. Pages affected (2 of 2 scanned): Landing Page (1) and Hint: Help Center (1). 2 instances were detected. Detected by: axe-core.
1.4.5 Images of Text (Level AA)	Not Evaluated	This criterion has not been evaluated.
1.4.10 Reflow (Level AA)	Not Evaluated	This criterion has not been evaluated.
1.4.11 Non-text Contrast (Level AA)	Not Evaluated	This criterion has not been evaluated.
1.4.12 Text Spacing (Level AA)	Supports	The product remains readable when users adjust text spacing.

Criteria	Conformance Level	Remarks and Explanations
1.4.13 Content on Hover or Focus (Level AA)	Not Evaluated	This criterion has not been evaluated.
2.4.5 Multiple Ways (Level AA)	Not Evaluated	This criterion has not been evaluated.
2.4.6 Headings and Labels (Level AA)	Not Evaluated	This criterion has not been evaluated.
2.4.7 Focus Visible (Level AA)	Does Not Support	The majority of focusable elements in the product show no visible focus indicator. Keyboard users cannot tell which element is active. 33 instances were detected: 33 focusable elements show no visible focus indicator. Pages affected (2 of 2 scanned): Landing Page (30) and Hint: Help Center (3). Detected by: Keyboard simulation. 17 elements could not be determined automatically and require manual review.
2.4.11 Focus Not Obscured (Minimum) (Level AA)	Supports	The product keeps the element that has keyboard focus at least partly visible. 5 elements could not be determined automatically and require manual review.
2.5.7 Dragging Movements (Level AA)	Not Evaluated	This criterion has not been evaluated.
2.5.8 Target Size (Minimum) (Level AA)	Supports	The product provides pointer targets that are at least 24 by 24 CSS pixels or sufficiently spaced.
3.1.2 Language of Parts (Level AA)	Supports	The product identifies passages in a different language programmatically.
3.2.3 Consistent Navigation (Level AA)	Not Evaluated	This criterion has not been evaluated.
3.2.4 Consistent Identification (Level AA)	Not Evaluated	This criterion has not been evaluated.
3.3.3 Error Suggestion (Level AA)	Not Evaluated	This criterion has not been evaluated.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Not Evaluated	This criterion has not been evaluated.
3.3.8 Accessible Authentication (Minimum) (Level AA)	Not Evaluated	This criterion has not been evaluated.
4.1.3 Status Messages (Level AA)	Not Evaluated	This criterion has not been evaluated.

Legal Disclaimer

This report reflects the state of the product at the time of testing. Results may change as the product is updated.

The findings come from automated tools, which can detect only a subset of WCAG success criteria failures. A result of "Supports" means no failure was detected by the tools listed, not that conformance has been verified. Criteria outside automated scope are marked "Not Evaluated" and require review by a qualified accessibility professional.

This document is a draft accessibility conformance report. It is not a legal certification of compliance with any law, regulation or standard.

"Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI).

Appendix A: Evaluation Details

Pages tested

Page	URL	Scanned	Violations
Landing Page	https://hint.app/	Oct 14, 2026, 12:03 PM	221
Hint: Help Center	https://hint.app/help	Oct 14, 2026, 12:04 PM	13

Testing environment: Chrome 152 on Windows

Testing period: October 14, 2026

Standard: WCAG 2.2 Level A and AA · VPAT® 2.5Rev

Testing type: Automated scan only

Out of scope

This report reflects automated testing conducted using axe-core 4.14.0, IBM Equal Access 4.0.34, HTML CodeSniffer 2.5.1, and programmatic keyboard simulation on October 14, 2026. The following criteria require additional manual evaluation and are marked Not Evaluated: screen reader compatibility (JAWS, NVDA), cognitive accessibility, focus order logical sequence, and all criteria outside automated detection scope. Manual testing results will be added separately.

Methodology

Automated testing using four scanning layers: axe-core 4.14.0, IBM Equal Access 4.0.34, HTML CodeSniffer 2.5.1, and programmatic keyboard simulation. Automated testing covers approximately 50–55% of WCAG 2.2 Level A and AA success criteria. Coverage varies by page complexity.

2 page(s) were tested, October 14, 2026.

Rule engines (2 page(s)): each engine is run against the live page and its failures are mapped to WCAG success criteria using the engine's own mapping (axe-core rule tags, the IBM Equal Access WCAG 2.2 policy, and HTML CodeSniffer WCAG 2.1 AA message codes). Only definite failures are counted; items an engine flags as needing review are reported separately. When more than one engine reports the same element against the same criterion, it is counted once.

Keyboard scan (2 page(s)): the sequential focus order is computed from the page, focus is moved to each stop in turn, and Tab and Shift+Tab key events are dispatched at each stop. The scan records each stop's element type, role and label, compares styles with and without focus to detect a visible focus indicator, checks whether the focused element is hidden behind fixed or sticky content, looks for key handlers that keep focus from leaving a component, lists interactive elements that are not Tab stops, and checks for a skip link. Browsers do not act on scripted key presses, so this is a simulation and does not replace testing with a physical keyboard.

Conformance levels are assigned per criterion from the number of violation instances found across the pages where a scan covering that criterion ran. An instance is one failing element, counted once however many engines reported it: no instances = Supports; 1 to 4 = Partially Supports; 5 or more = Does Not Support; any failure of 2.4.1 Bypass Blocks = Does Not Support. Criteria with no automated check are marked Not Evaluated. Not Applicable is assigned only where the consultant explicitly determined the criterion does not apply. A consultant may also rate a criterion Does Not Support directly; those rows begin "Consultant determination".

Page	Rule engines	Keyboard scan
Landing Page	axe-core 4.14.0, IBM Equal Access 4.0.34, HTML CodeSniffer 2.5.1; Oct 14, 2026, 12:03 PM	Oct 14, 2026, 12:03 PM: 94 focus stop(s)
Hint: Help Center	axe-core 4.14.0, IBM Equal Access 4.0.34, HTML CodeSniffer 2.5.1; Oct 14, 2026, 12:04 PM	Oct 14, 2026, 12:04 PM: 47 focus stop(s)

Criteria by conformance level

Conformance Level	Criteria
Supports	20
Partially Supports	2
Does Not Support	6
Not Evaluated	27

Appendix B: Page Details


For each scanned page: every violation detected, and the sequential focus order recorded by the keyboard scan for consultant review of WCAG 2.4.3 Focus Order.

Landing Page

URL: https://hint.app/

Scanned: Oct 14, 2026, 12:03 PM

Screenshot at the time of the scan



Violations (221)

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="141" height="17.63" fill="none" viewBox="-2 -2 544 68" class="w-auto" style="height:18px"></… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" xml:space="preserve" width="80" height="20" fill="#94A3B8" viewBox="21 245.6 600.1 150.5" class="w-… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="134" height="20" fill="#94A3B8" viewBox="0 0 43.937 6.537" class="w-auto" style="height:22px… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="149" height="32" fill="none" viewBox="0 0 93 20" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="88" height="30" fill="#94A3B8" viewBox="0 0 298.6 102.2" class="w-auto" style="height:30px">… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="124" height="20" fill="#94A3B8" viewBox="0 0 149 24.04" class="w-auto" style="height:23px"><… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(6) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="61" height="20" viewBox="0 0 644 212" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(7) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="141" height="17.63" fill="none" viewBox="-2 -2 544 68" class="w-auto" style="height:18px"></… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(8) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" xml:space="preserve" width="80" height="20" fill="#94A3B8" viewBox="21 245.6 600.1 150.5" class="w-… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(9) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="134" height="20" fill="#94A3B8" viewBox="0 0 43.937 6.537" class="w-auto" style="height:22px… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(10) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="149" height="32" fill="none" viewBox="0 0 93 20" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(11) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="88" height="30" fill="#94A3B8" viewBox="0 0 298.6 102.2" class="w-auto" style="height:30px">… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(12) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="124" height="20" fill="#94A3B8" viewBox="0 0 149 24.04" class="w-auto" style="height:23px"><… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(13) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="61" height="20" viewBox="0 0 644 212" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(14) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="141" height="17.63" fill="none" viewBox="-2 -2 544 68" class="w-auto" style="height:18px"></… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(15) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" xml:space="preserve" width="80" height="20" fill="#94A3B8" viewBox="21 245.6 600.1 150.5" class="w-… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(16) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="134" height="20" fill="#94A3B8" viewBox="0 0 43.937 6.537" class="w-auto" style="height:22px… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(17) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="149" height="32" fill="none" viewBox="0 0 93 20" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(18) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="88" height="30" fill="#94A3B8" viewBox="0 0 298.6 102.2" class="w-auto" style="height:30px">… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(19) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="124" height="20" fill="#94A3B8" viewBox="0 0 149 24.04" class="w-auto" style="height:23px"><… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(20) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="61" height="20" viewBox="0 0 644 212" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(21) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="141" height="17.63" fill="none" viewBox="-2 -2 544 68" class="w-auto" style="height:18px"></… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(22) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" xml:space="preserve" width="80" height="20" fill="#94A3B8" viewBox="21 245.6 600.1 150.5" class="w-… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(23) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="134" height="20" fill="#94A3B8" viewBox="0 0 43.937 6.537" class="w-auto" style="height:22px… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(24) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="149" height="32" fill="none" viewBox="0 0 93 20" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(25) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="88" height="30" fill="#94A3B8" viewBox="0 0 298.6 102.2" class="w-auto" style="height:30px">… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(26) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="124" height="20" fill="#94A3B8" viewBox="0 0 149 24.04" class="w-auto" style="height:23px"><… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(27) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="61" height="20" viewBox="0 0 644 212" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(28) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="141" height="17.63" fill="none" viewBox="-2 -2 544 68" class="w-auto" style="height:18px"></… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(29) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" xml:space="preserve" width="80" height="20" fill="#94A3B8" viewBox="21 245.6 600.1 150.5" class="w-… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(30) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="134" height="20" fill="#94A3B8" viewBox="0 0 43.937 6.537" class="w-auto" style="height:22px… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(31) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="149" height="32" fill="none" viewBox="0 0 93 20" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(32) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="88" height="30" fill="#94A3B8" viewBox="0 0 298.6 102.2" class="w-auto" style="height:30px">… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(33) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="124" height="20" fill="#94A3B8" viewBox="0 0 149 24.04" class="w-auto" style="height:23px"><… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(34) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="61" height="20" viewBox="0 0 644 212" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(35) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="141" height="17.63" fill="none" viewBox="-2 -2 544 68" class="w-auto" style="height:18px"></… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(36) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" xml:space="preserve" width="80" height="20" fill="#94A3B8" viewBox="21 245.6 600.1 150.5" class="w-… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(37) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="134" height="20" fill="#94A3B8" viewBox="0 0 43.937 6.537" class="w-auto" style="height:22px… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(38) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="149" height="32" fill="none" viewBox="0 0 93 20" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(39) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="88" height="30" fill="#94A3B8" viewBox="0 0 298.6 102.2" class="w-auto" style="height:30px">… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(40) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="124" height="20" fill="#94A3B8" viewBox="0 0 149 24.04" class="w-auto" style="height:23px"><… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(41) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" width="61" height="20" viewBox="0 0 644 212" class="w-auto" style="height:22px"></svg> #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(42) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(1) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(1) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(1) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(1) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(1) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(1) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(2) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(2) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(2) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(2) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(2) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(2) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(3) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(3) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(3) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(3) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(3) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(3) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(4) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(4) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(4) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(4) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(4) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(4) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(5) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(5) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(5) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(5) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(5) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(5) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(6) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(6) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(6) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(6) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(6) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(6) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(7) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(7) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(7) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(7) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(7) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(7) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(8) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(8) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(8) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(8) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(8) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(8) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(9) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(9) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(2) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(9) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(3) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(9) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(4) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg class="h-[20.8px] w-[20.8px] sm:h-6 sm:w-6" viewBox="0 0 20 20" fill="#00b67a" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(9) > a > div:nth-of-type(1) > div:nth-of-type(1) > span:nth-of-type(5) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="10" height="10" viewBox="0 0 12 12" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(9) > a > div:nth-of-type(1) > div:nth-of-type(2) > span:nth-of-type(1) > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg width="26" height="26" viewBox="0 0 24 24" fill="none" xmlns="http://www.w3.org/2000/svg"></svg> #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(3) > div > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 26 27" class="h-5 w-5"></svg> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > ul > li:nth-of-type(1) > a > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 28 29" class="h-5 w-5"></svg> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > ul > li:nth-of-type(2) > a > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 28 29" class="h-5 w-5"></svg> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > ul > li:nth-of-type(3) > a > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.3.1 (A)	<ul class="flex flex-col gap-2.5"> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(3) > div:nth-of-type(1) > ul	and must only directly contain , <script> or <template> elements	axe-core
1.3.1 (A)	<ul class="flex flex-col gap-2.5"> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(3) > div:nth-of-type(2) > ul	and must only directly contain , <script> or <template> elements	axe-core
1.3.1 (A)	<li class="text-medium whitespace-nowrap box-border list-none data-[active=true]:font-semibold data-[active=true]:text-ink flex items-cente… #root > div > nav > header > li	elements must be contained in a or	axe-core
1.4.4 (AA)	<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1"> html > head > meta:nth-of-type(2)	Zooming and scaling must not be disabled	axe-core
2.4.1 (A)	(whole page) html	No skip link found	Keyboard simulation

Criterion	Element	Issue	Detected by
2.4.4 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(1)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(2)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(3)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(4)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(5)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(6)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(7)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(8)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(9)	Links must have discernible text	axe-core, IBM Equal Access

Criterion	Element	Issue	Detected by
2.4.4 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(10)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(11)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(12)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(13)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(14)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(15)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(16)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(17)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(18)	Links must have discernible text	axe-core, IBM Equal Access

Criterion	Element	Issue	Detected by
2.4.4 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(19)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(20)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(21)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(22)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(23)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(24)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(25)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(26)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(27)	Links must have discernible text	axe-core, IBM Equal Access

Criterion	Element	Issue	Detected by
2.4.4 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(28)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(29)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(30)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(31)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(32)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(33)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(34)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(35)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(36)	Links must have discernible text	axe-core, IBM Equal Access

Criterion	Element	Issue	Detected by
2.4.4 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(37)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(38)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(39)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(40)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(41)	Links must have discernible text	axe-core, IBM Equal Access
2.4.4 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(42)	Links must have discernible text	axe-core, IBM Equal Access
2.4.7 (AA)	button "Begin My Journey" #root > div > div > section > div:nth-of-type(1) > div > button	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Start Chat" #root > div > section:nth-of-type(2) > ul > li:nth-of-type(1) > div > div > div > button	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Start Chat" #root > div > section:nth-of-type(2) > ul > li:nth-of-type(2) > div > div > div > button	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Start Chat" #root > div > section:nth-of-type(2) > ul > li:nth-of-type(3) > div > div > div > button	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Personalized Astrological Insights" #_R_9raqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Birth Chart Compatibility" #_R_araqnpfiullpfivb_	No visible focus indicator	Keyboard simulation

Criterion	Element	Issue	Detected by
2.4.7 (AA)	button "Tarot Readings" #_R_braqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Personalized Daily Horoscopes" #_R_craqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Astrocartography Report" #_R_draqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Astrology Courses" #_R_eraqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Begin My Journey" #root > div > section:nth-of-type(4) > button	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "previous" #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > button:nth-of-type(1)	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedThis program has become a very integral part of my day-to-day lifeThis p..." #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(1) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedHint has transformed how I approach... I've had meaningful sessions with my..." #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(2) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedAwesome appThe real-time stuff about planets is fascinating - it's like ..." #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(3) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedDaily forecasts are extremely accurate and usefulBeing a skeptic, I didn..." #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(4) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedEverything I read is true aligns with... Everything I read is true aligns w..." #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(5) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedThe specific insights provided by this... The specific insights provided by..." #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(6) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedMy experience with this service was wonderful...My experience with this se..." #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(7) > a	No visible focus indicator	Keyboard simulation

Criterion	Element	Issue	Detected by
2.4.7 (AA)	a "InvitedThis app is worth every penny!I stumbled upon Hint seeking guidance an c…" #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(8) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "InvitedHint give me exactly what I need every day!The horoscopes every day, oh …" #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > div > div > div:nth-of-type(9) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "next" #root > div > section:nth-of-type(5) > div:nth-of-type(2) > div > div:nth-of-type(2) > button:nth-of-type(2)	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	a "See Pricing" #pricing > div:nth-of-type(2) > div:nth-of-type(2) > div:nth-of-type(2) > div:nth-of-type(2) > div > div:nth-of-type(1) > div:nth-of-type(2) > a	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Who is Hint for?" #_R_17qcqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Is Hint free to use?" #_R_1bqcqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "What if I'm not satisfied with the product?" #_R_1fqcqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "How do I cancel my subscription?" #_R_1jqcqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Is my information safe?" #_R_1nqcqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Can I ask an astrologer personal questions on Hint?" #_R_1rqcqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Select language" #react-aria-_R_aquqnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.5.3 (A)	<button type="button" tabindex="0" data-react-aria-pressable="true" aria-label="Select language" data-slot="trigger" id="react-aria-_R_aquq… #react-aria-_R_aquqnpfiullpfivb_	Elements must have their visible text as part of their accessible name	axe-core, IBM Equal Access
4.1.2 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(1)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(2)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer

Criterion	Element	Issue	Detected by
4.1.2 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(3)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(4)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(5)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(6)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(7)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(8)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(9)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(10)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(11)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer

Criterion	Element	Issue	Detected by
4.1.2 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(12)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(13)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(14)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(15)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(16)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(17)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(18)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(19)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(20)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer

Criterion	Element	Issue	Detected by
4.1.2 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(21)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(22)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(23)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(24)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(25)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(26)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(27)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(28)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(29)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer

Criterion	Element	Issue	Detected by
4.1.2 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(30)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(31)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(32)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(33)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(34)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(35)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.euronews.com/travel/2026/07/22/social-media-is-ruining-travels-element-of-surprise-heres-what-you-can-do-to-combat-it"… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(36)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.forbes.com/sites/tracybrower/2026/08/10/5-surprising-benefits-of-doing-hard-things-according-to-science/" target="_bla… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(37)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.fastcompany.com/91591451/why-so-many-workers-are-turning-down-promotions" target="_blank" rel="noopener noreferrer" cl… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(38)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer

Criterion	Element	Issue	Detected by
4.1.2 (A)	<a href="https://www.newsweek.com/gen-z-trusts-astrology-more-than-science-when-it-comes-to-love-survey-10800993" target="_blank" rel="noop… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(39)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.theglobeandmail.com/business/careers/talent/article-would-you-turn-down-a-promotion-that-includes-more-time-at-work-a/… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(40)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://www.techradar.com/pro/workers-are-worried-ai-will-expose-they-dont-know-how-to-do-their-jobs-properly" target="_blank" rel… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(41)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	<a href="https://time.com/branded-content/apg/why-hint-app-reflects-a-shift-toward-emotional-pattern-recognition/" target="_blank" rel="noo… #root > div > div > div > div:nth-of-type(2) > div > a:nth-of-type(42)	Links must have discernible text	axe-core, IBM Equal Access, HTML CodeSniffer
4.1.2 (A)	 #root > div > nav > header > div:nth-of-type(1) > a	Anchor element found with a valid href attribute, but no link content has been supplied.	HTML CodeSniffer

Keyboard focus log

Scanned Oct 14, 2026, 12:03 PM. 94 focus stop(s) found.

Skip link: none found.

Focus indicator not detected on 30 stop(s). Focused element fully hidden behind other content on 0 stop(s).

Keyboard traps detected: 0. Interactive elements not reachable by Tab: 0.

#	Element	Role	Label	Focus indicator	Notes
1	a	link	(no accessible label found)	Visible (outline (browser default))	
2	button	button	Features	Visible (outline (browser default))	
3	button	button	Pricing	Visible (outline (browser default))	
4	button	button	FAQ	Visible (outline (browser default))	
5	button	button	Log In	Visible (outline (browser default))	
6	button	button	Sign Up	Visible (outline (browser default))	
7	button	button	Begin My Journey	Not detected	
8	a	link	Rated 4.1 / 5 based on 34,319 reviewsTrustpilot	Visible (outline (browser default))	
9	a	link	(no accessible label found)	Visible (outline (browser default))	

#	Element	Role	Label	Focus indicator	Notes
10	a	link	(no accessible label found)	Visible (outline (browser default))	
11	a	link	(no accessible label found)	Visible (outline (browser default))	
12	a	link	(no accessible label found)	Visible (outline (browser default))	
13	a	link	(no accessible label found)	Visible (outline (browser default))	
14	a	link	(no accessible label found)	Visible (outline (browser default))	
15	a	link	(no accessible label found)	Visible (outline (browser default))	
16	a	link	(no accessible label found)	Visible (outline (browser default))	
17	a	link	(no accessible label found)	Visible (outline (browser default))	
18	a	link	(no accessible label found)	Visible (outline (browser default))	
19	a	link	(no accessible label found)	Visible (outline (browser default))	
20	a	link	(no accessible label found)	Visible (outline (browser default))	
21	a	link	(no accessible label found)	Visible (outline (browser default))	
22	a	link	(no accessible label found)	Visible (outline (browser default))	
23	a	link	(no accessible label found)	Visible (outline (browser default))	
24	a	link	(no accessible label found)	Visible (outline (browser default))	
25	a	link	(no accessible label found)	Visible (outline (browser default))	
26	a	link	(no accessible label found)	Visible (outline (browser default))	
27	a	link	(no accessible label found)	Visible (outline (browser default))	
28	a	link	(no accessible label found)	Visible (outline (browser default))	
29	a	link	(no accessible label found)	Visible (outline (browser default))	
30	a	link	(no accessible label found)	Visible (outline (browser default))	
31	a	link	(no accessible label found)	Visible (outline (browser default))	
32	a	link	(no accessible label found)	Visible (outline (browser default))	
33	a	link	(no accessible label found)	Visible (outline (browser default))	

#	Element	Role	Label	Focus indicator	Notes
34	a	link	(no accessible label found)	Visible (outline (browser default))	
35	a	link	(no accessible label found)	Visible (outline (browser default))	
36	a	link	(no accessible label found)	Visible (outline (browser default))	
37	a	link	(no accessible label found)	Visible (outline (browser default))	
38	a	link	(no accessible label found)	Visible (outline (browser default))	
39	a	link	(no accessible label found)	Visible (outline (browser default))	
40	a	link	(no accessible label found)	Visible (outline (browser default))	
41	a	link	(no accessible label found)	Visible (outline (browser default))	
42	a	link	(no accessible label found)	Visible (outline (browser default))	
43	a	link	(no accessible label found)	Visible (outline (browser default))	
44	a	link	(no accessible label found)	Visible (outline (browser default))	
45	a	link	(no accessible label found)	Visible (outline (browser default))	
46	a	link	(no accessible label found)	Visible (outline (browser default))	
47	a	link	(no accessible label found)	Visible (outline (browser default))	
48	a	link	(no accessible label found)	Visible (outline (browser default))	
49	a	link	(no accessible label found)	Visible (outline (browser default))	
50	a	link	(no accessible label found)	Visible (outline (browser default))	
51	button	button	Start Chat	Not detected	
52	button	button	Start Chat	Not detected	
53	button	button	Start Chat	Not detected	
54	button	button	Personalized Astrological Insights	Not detected	
55	button	button	Birth Chart Compatibility	Not detected	
56	button	button	Tarot Readings	Not detected	
57	button	button	Personalized Daily Horoscopes	Not detected	
58	button	button	Astrocartography Report	Not detected	
59	button	button	Astrology Courses	Not detected	
60	button	button	Begin My Journey	Not detected	
61	button	button	previous	Not detected	

#	Element	Role	Label	Focus indicator	Notes
62	a	button	InvitedThis program has become a very integral part of my day-to-day lifeThis p…	Not detected	
63	a	button	InvitedHint has transformed how I approach…I've had meaningful sessions with my…	Not detected	
64	a	button	InvitedAwesome appThe real-time stuff about planets is fascinating - it's like …	Not detected	
65	a	button	InvitedDaily forecasts are extremely accurate and usefulBeing a skeptic, I didn…	Not detected	
66	a	button	InvitedEverything I read is true aligns with…Everything I read is true aligns w…	Not detected	
67	a	button	InvitedThe specific insights provided by this…The specific insights provided by…	Not detected	
68	a	button	InvitedMy experience with this service was wonderful…My experience with this se…	Not detected	
69	a	button	InvitedThis app is worth every penny!I stumbled upon Hint seeking guidance an c…	Not detected	
70	a	button	InvitedHint give me exactly what I need every day!The horoscopes every day, oh …	Not detected	
71	button	button	next	Not detected	
72	a	link	34,319 reviews	Visible (outline (browser default))	
73	a	button	See Pricing	Not detected	
74	button	button	Who is Hint for?	Not detected	
75	button	button	Is Hint free to use?	Not detected	
76	button	button	What if I'm not satisfied with the product?	Not detected	
77	a	link	Refund Policy	Visible (outline (browser default))	
78	button	button	How do I cancel my subscription?	Not detected	
79	a	link	Help Center	Visible (outline (browser default))	
80	button	button	Is my information safe?	Not detected	
81	a	link	Privacy Notice	Visible (outline (browser default))	
82	button	button	Can I ask an astrologer personal questions on Hint?	Not detected	
83	a	link	X	Visible (outline (browser default))	
84	a	link	Instagram	Visible (outline (browser default))	


#	Element	Role	Label	Focus indicator	Notes
85	a	link	Facebook	Visible (outline (browser default))	
86	a	link	Cancel Subscription	Visible (outline (browser default))	
87	a	link	Customer Support	Visible (outline (browser default))	
88	a	link	Terms & Conditions	Visible (outline (browser default))	
89	a	link	Refund Policy	Visible (outline (browser default))	
90	a	link	Privacy Notice	Visible (outline (browser default))	
91	a	link	Cookie Policy	Visible (outline (browser default))	
92	a	link	Help Center	Visible (outline (browser default))	
93	a	link	Pricing	Visible (outline (browser default))	
94	button	button	Select language	Not detected	

Hint: Help Center

URL: https://hint.app/help

Scanned: Oct 14, 2026, 12:04 PM

Screenshot at the time of the scan



Violations (13)

Criterion	Element	Issue	Detected by
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 26 27" class="h-5 w-5"></svg> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > ul > li:nth-of-type(1) > a > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 28 29" class="h-5 w-5"></svg> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > ul > li:nth-of-type(2) > a > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.1.1 (A)	<svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 28 29" class="h-5 w-5"></svg> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > ul > li:nth-of-type(3) > a > svg	A non-decorative SVG element must have an accessible name	IBM Equal Access
1.3.1 (A)	<ul class="flex flex-col gap-2.5"> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(3) > div:nth-of-type(1) > ul	and must only directly contain , <script> or <template> elements	axe-core
1.3.1 (A)	<ul class="flex flex-col gap-2.5"> #root > div > footer > div > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(3) > div:nth-of-type(2) > ul	and must only directly contain , <script> or <template> elements	axe-core
1.3.1 (A)	<li class="text-medium whitespace-nowrap box-border list-none data-[active=true]:font-semibold data-[active=true]:text-ink flex items-cente… #root > div > nav > header > li	elements must be contained in a or	axe-core
1.4.4 (AA)	<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1"> html > head > meta:nth-of-type(2)	Zooming and scaling must not be disabled	axe-core
2.4.1 (A)	(whole page) html	No skip link found	Keyboard simulation
2.4.7 (AA)	button "Log In" #root > div > nav > header > li > button:nth-of-type(1)	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Sign Up" #root > div > nav > header > li > button:nth-of-type(2)	No visible focus indicator	Keyboard simulation
2.4.7 (AA)	button "Select language" #react-aria-_R_llsnpfiullpfivb_	No visible focus indicator	Keyboard simulation
2.5.3 (A)	<button type="button" tabindex="0" data-react-aria-pressable="true" aria-label="Select language" data-slot="trigger" id="react-aria-_R_llsn… #react-aria-_R_llsnpfiullpfivb_	Elements must have their visible text as part of their accessible name	axe-core, IBM Equal Access
4.1.2 (A)	 #root > div > nav > header > div > a	Anchor element found with a valid href attribute, but no link content has been supplied.	HTML CodeSniffer

Keyboard focus log

Scanned Oct 14, 2026, 12:04 PM. 47 focus stop(s) found.

Skip link: none found.

Focus indicator not detected on 3 stop(s). Focused element fully hidden behind other content on 0 stop(s).

Keyboard traps detected: 0. Interactive elements not reachable by Tab: 0.

#	Element	Role	Label	Focus indicator	Notes
1	a	link	(no accessible label found)	Visible (outline (browser default))	
2	button	button	Log In	Not detected	
3	button	button	Sign Up	Not detected	
4	a	link	How do I cancel my subscription?	Visible (outline (browser default))	
5	a	link	Refund Policy	Visible (outline (browser default))	
6	a	link	Get help from Hint support	Visible (outline (browser default))	
7	a	link	Charges and cancellations	Visible (outline (browser default))	
8	a	link	Why can’t I get a refund when your website says I can?	Visible (outline (browser default))	
9	a	link	My email address is not recognized when trying to log in	Visible (outline (browser default))	
10	a	link	Technical issues	Visible (outline (browser default))	
11	a	link	My email address is not recognized when trying to log in	Visible (outline (browser default))	
12	a	link	I need to update/correct my email address	Visible (outline (browser default))	
13	a	link	No response from my Astrologer	Visible (outline (browser default))	
14	a	link	Why has my zodiac sign changed?	Visible (outline (browser default))	
15	a	link	My Sun/Moon/Rising sign is incorrect	Visible (outline (browser default))	
16	a	link	I can’t access the Compatibility tab in the app	Visible (outline (browser default))	
17	a	link	Horoscope stays the same or doesn't update	Visible (outline (browser default))	
18	a	link	Get help from Hint support	Visible (outline (browser default))	
19	a	link	How do I cancel my subscription?	Visible (outline (browser default))	
20	a	link	Does my Hint subscription renew automatically?	Visible (outline (browser default))	
21	a	link	What do I get with the subscription?	Visible (outline (browser default))	

#	Element	Role	Label	Focus indicator	Notes
22	a	link	Refund Policy	Visible (outline (browser default))	
23	a	link	Why can’t I get a refund when your website says I can?	Visible (outline (browser default))	
24	a	link	My child subscribed without my permission	Visible (outline (browser default))	
25	a	link	When will I receive my refund?	Visible (outline (browser default))	
26	a	link	Can I get my refund to a different card?	Visible (outline (browser default))	
27	a	link	My card was stolen or my account was compromised	Visible (outline (browser default))	
28	a	link	I just signed up but was already charged for the subscription with no trial	Visible (outline (browser default))	
29	a	link	Understanding your Hint charges	Visible (outline (browser default))	
30	a	link	Charges and cancellations	Visible (outline (browser default))	
31	a	link	Welcome to Hint!	Visible (outline (browser default))	
32	a	link	What is Hint?	Visible (outline (browser default))	
33	a	link	What is a Natal Chart and how do we determine your results?	Visible (outline (browser default))	
34	a	link	Why it's important to set the correct time of birth?	Visible (outline (browser default))	
35	a	link	How do I change the language in the app?	Visible (outline (browser default))	
36	a	link	X	Visible (outline (browser default))	
37	a	link	Instagram	Visible (outline (browser default))	
38	a	link	Facebook	Visible (outline (browser default))	
39	a	link	Cancel Subscription	Visible (outline (browser default))	
40	a	link	Customer Support	Visible (outline (browser default))	
41	a	link	Terms & Conditions	Visible (outline (browser default))	
42	a	link	Refund Policy	Visible (outline (browser default))	
43	a	link	Privacy Notice	Visible (outline (browser default))	
44	a	link	Cookie Policy	Visible (outline (browser default))	
45	a	link	Help Center	Visible (outline (browser default))	

#	Element	Role	Label	Focus indicator	Notes
46	a	link	Pricing	Visible (outline (browser default))	
47	button	button	Select language	Not detected	