PRACTICE 03 · 10-MINUTE

The Self-Doubt *Practice*

Self-Doubt → **Self-Trust**

DURATION	WHEN	LEVEL	STEPS
10 minutes	*Any time*	*Beginner*	*4*

WHAT'S HAPPENING

Self-doubt isn't a lack of confidence. It's the hesitation that comes from remembering how failure felt before, and trying to avoid that feeling again. The body recalls the sensation faster than the mind updates the present.

A tight chest. A closed throat. The urge to wait, abandon the idea, or push through without being fully there. This practice helps you separate past sensation from present reality and restore trust in yourself, gently.

> ***"I can move through this experience."***

A note before you begin.

This practiceonly workswhen you actually do it, not when you read about it. The shift happens in your body, not in your head. Trust what you feel during it, even if it surprises you.

BEFORE YOU BEGIN

- A quiet place to sit
- Something to track time
- 10 uninterrupted minutes
- Something to write with
- A steady object nearby
-

Optional: Lavender, bergamot, or frankincense essential oil. Choose one and inhale gently before you start.

PRACTICE OVERVIEW

> Self-doubt often keeps people stuck in between. Not saying yes. Not saying no. Waiting for certainty that never arrives. This practice brings you back into your body so whatever choice you make comes from connection, not fear memory.

1	Journalling	*3 min*
2	Sounded Breath and Chest Opening	*3 min*
3	Speaking It Out Loud	*2 min*
4	Integration	*2 min*

THE PRACTICE

01 Thought Work

7 MINUTES

Self-doubt runs on autopilot. Your brain learned these thoughts somewhere along the way — 'I'm not ready,' 'who am I to do this' — and now they fire automatically, creating a physical sensation of contraction. It's a loop.

Mindfulness teaches us that between the thought and the reaction, there is a gap. This practice is about stepping into that gap long enough to look at what your brain is actually saying. We don't start by forcing confidence. We start by loosening the thought that's creating the contraction.

1. BREATHE IN

Take three slow breaths. On each inhale, let your chest and belly expand deliberately. On each exhale, soften.

Let the breath remind your body that you're allowed to take up space. That matters more than it sounds.

2. FIND IT IN YOUR BODY

Without trying to fix anything, ask: Where is self-doubt showing up in my body right now?

Maybe it's a heaviness in your chest. A tightening in your throat. A slightly sunken posture, a pull to hold back. Notice it without judgment. You're a witness right now, not a fixer.

3. WRITE YOUR THOUGHTS

Set a timer for 60-90 seconds. Let your brain say everything it believes about your abilities, your readiness, your worth in this situation. Don't filter it.

4. FIND A THOUGHT YOU CAN BELIEVE

Find the self-doubt thought carrying the most weight. We're not replacing it with forced positivity. We're loosening the grip just enough.

Some options to try:

"I don't know everything yet. That's okay. I'm learning."

"Not knowing how yet isn't the same as being incapable."

"I have done hard things before. That's evidence."

"I can be unsure and still take the next step."

02 Sounded Breath and Chest Opening

3 MINUTES

Self-doubt tightens the throat and collapses the chest. The vibration from a soft exhale sound activates the vagus nerve, sending a calming signal through the body. You're not trying to feel confident. You're reminding your body it's safe to be present.

1. THE PRACTICE

Place one hand on your chest and one on your throat.

Inhale slowly through the nose. Exhale through the mouth with a soft sound: 'haa' or 'mmm'.

Let the sound be quiet. Even barely audible is enough. Feel the vibration in your throat. Repeat for several rounds.

03 Speaking It Out Loud

2 MINUTES

Bringing words into the body anchors the shift. You're not trying to convince yourself of anything. You're setting a direction. Say this in a normal or soft voice, not to perform it, just to put it into the room.

- "I can support myself through this."
- "I feel thediscomfort, and I'm still moving."

04 Integration

2 MINUTES

Sitquietly.Letthe practice settle. Self-trust isn't built by certainty. It's built by staying connected even when you don't know the outcome.

1. SILENTLY REPEAT

Place one hand on your chest. Notice your breath. Notice the openness in your throat.

"I can move through this experience."

"Mistakes are feedback, not failure."

"I trust my intuition."

PRACTICE COMPLETE

Today, you interrupted the habit of withholding trust from yourself.

Thatmatters.Self-trust isn'tbuilt bycertainty. It'sbuilt bystayingconnectedeven whenyou don't knowthe outcome. Return to this practice whenever you notice yourself delaying or pushing through without being fully present.

Creating inner balance, one honest expression at a time.

CONTINUE THE WORK

The Full Library. All five Practices for $57.

Overwhelm isone layer.Pressure,self-doubt,uncertainty,andguilt are the others. The Full Library gives you a **strauncc.tsutroerde /pinrnaecrtibcael afonrc ea10ch1** o→ne.