# ZAYVORA Health OS™ — Clinical Formulary

**32 Master Standardized Botanical & Classical Unani Formulations**

Official Ingredients, Therapeutic Dosages, High-Performance Analytical Markers & Clinical Indications

**Chief Clinician & IP Steward:** Hakeem Dr. Irfan Ashraf (BUMS, AKTC AMU, 2002–2007; NCISM Reg: BUMS/AMU/2007)

**Integrative Prescribing Architecture:** This compendium details the 32 proprietary and modernized master formulations developed under the ZAYVORA Clinical Framework. Within the ZAYVORA Health OS Clinical Cockpit, clinicians can co-prescribe these 32 GMP-certified botanical formulations alongside classical single drugs (Mufradat), traditional pharmacopoeial compounds (Qarabadeen like Majun, Khamira, Arq, and Sharbat), as well as extemporaneous bedside compounds (Self-Nuskha Track). Every formulation features quantitative active ingredient dosing and HPLC assay markers.

## SECTION A: CHRONIC DISEASE CLUSTER (NCDs)

### ZAY-001: TensioCalm™ *Safoof-e-Tansiyat-ud-Dam*

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** CEREBROVASCULAR **Track:** AYUSH SCHEDULE E1 RX **Rx Required:** Yes

**Clinical Indications:** Essential Hypertension (Stage 1 & 2), Stress-induced systolic spikes, Zayt-e-Dam (blood tension)
**Standard Posology:** 1 to 2 capsules twice daily with lukewarm water or Arq Gaozaban 30 mins after meals

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Asrol (Rauwolfia serpentina) | **250 mg** | Reserpine 1.0% |
| 2 | Ustukhuddus (Lavandula stoechas) | **200 mg** | Linalool 3.5% |
| 3 | Filfil Siyah (Piper nigrum) | **50 mg** | Piperine 95% |
| 4 | Kishneez Khushk (Coriandrum sativum) | **250 mg** | Volatile Oil 0.8% |
| 5 | Gul-e-Surkh (Rosa damascena) | **150 mg** | Total Phenolics 5.0% |
| 6 | Gaozaban (Borago officinalis) | **100 mg** | Mucilage & Flavonoids |

**Safety & Contraindications:** Active peptic ulcer disease • Severe endogenous depression / suicidal ideation • Bradycardia (HR < 55 bpm) • Pregnancy & lactation (Absolute contraindication)

### ZAY-002: Glucovora™ *Safoof-e-Qawi-e-Banas*

**Form:** Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** PANCREATIC **Track:** AYUSH CLASSICAL **Rx Required:** No

**Clinical Indications:** Ziabetus Shakari (Type 2 Diabetes Mellitus), Impaired Fasting Glucose, Peripheral Insulin Resistance
**Standard Posology:** 1 stick sachet (5g) twice daily dissolved in 100ml warm water 20 minutes before breakfast and dinner

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Jamun Seeds (Syzygium cumini) | **300 mg** | Jamboline & Tannins 15% |
| 2 | Karela (Momordica charantia) | **250 mg** | Charantin 2.5% |
| 3 | Methi (Trigonella foenum-graecum) | **200 mg** | 4-Hydroxyisoleucine 20% |
| 4 | Gurmar (Gymnema sylvestre) | **250 mg** | Gymnemic Acids 25% |
| 5 | Tukhm-e-Hulba | **100 mg** | Saponins 10% |
| 6 | Kushta Baiza-e-Murgh | **50 mg** | Micro-calcified Elemental Calcium |

**Safety & Contraindications:** Severe hypoglycemia prone patients without CGM • Diabetic Ketoacidosis (DKA) • Pregnancy gestational diabetes without specialist supervision

## ZAY-003: CardioVora™ *Majoon-e-Muqawwi-e-Qalb*

**Form:** Majoon Granules (30 x 5g Daily Stick Sachets) **Axis:** CARDIOVASCULAR **Track:** AYUSH CLASSICAL **Rx Required:** No

**Clinical Indications:** Zof-e-Qalb (Cardiac weakness), Khafqan (Palpitations), Post-cardiac rehabilitation, Endothelial dysfunction
**Standard Posology:** 1 stick sachet (5g) in the morning on empty stomach with warm milk or Arq Gulab

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Zafran (Crocus sativus) | **20 mg** | Crocin & Safranal 3.0% |
| 2 | Marwareed (Pearl calx) | **30 mg** | Bioactive Coral Carbonate |
| 3 | Yashab Sabz | **50 mg** | Purified Jade Calx |
| 4 | Arjun Chhal (Terminalia arjuna) | **400 mg** | Arjunic acid & Tannins 10% |
| 5 | Badranjboya (Melissa officinalis) | **200 mg** | Rosmarinic Acid 5% |
| 6 | Seb juice & Asl base | **3500 mg** | Natural Honey & Pectin Matrix |

**Safety & Contraindications:** Unstable angina requiring immediate catheterization • Severe uncompensated aortic stenosis • Active hemorrhage

## ZAY-004: LiverPrime™ *Safoof-e-Muqawwi-e-Jigar*

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** HEPATOBILIARY **Track:** AYUSH CLASSICAL **Rx Required:** No

**Clinical Indications:** Zof-e-Jigar, Non-Alcoholic Fatty Liver Disease (NAFLD/MASLD), Sluggish bile clearance, Elevated transaminases
**Standard Posology:** 1 to 2 capsules twice daily 30 minutes after meals with warm water or Arq Kasni

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Kasni (Cichorium intybus) | **350 mg** | Cichoric acid 2.0% |
| 2 | Mako (Solanum nigrum) | **300 mg** | Solanine alkaloids <0.1%, Polyphenols 8% |
| 3 | Tukhm-e-Kasoos (Cuscuta reflexa) | **150 mg** | Cuscutin 5% |
| 4 | Zarishk (Berberis vulgaris) | **200 mg** | Berberine 8% |
| 5 | Revand Chini (Rheum emodi) | **100 mg** | Emodin & Rhein 3.5% |
| 6 | Afsanteen (Artemisia absinthium) | **100 mg** | Absinthin 1.5% |

**Safety & Contraindications:** Complete mechanical biliary obstruction • Fulminant hepatic failure • Pregnancy (due to Revand Chini emmenagogue properties)

## ZAY-005: LipidoVora™ *Safoof-e-Islah-e-Dam*

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** METABOLIC **Track:** AYUSH CLASSICAL **Rx Required:** No

**Clinical Indications:** Dasaumat-ud-Dam (Hyperlipidemia, Dyslipidemia, elevated LDL/Triglycerides, low HDL)
**Standard Posology:** 1 to 2 capsules twice daily after heavy meals with warm water

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Lasan (Allium sativum extract) | **250 mg** | Allicin 2.0% |
| 2 | Guggulu (Commiphora mukul) | **300 mg** | Guggulsterones E & Z 2.5% |
| 3 | Amla (Phyllanthus emblica - Musleh for Guggulu) | **150 mg** | Tannins & Vitamin C 30% |
| 4 | Zanjabil (Zingiber officinale) | **150 mg** | Gingerols 5% |
| 5 | Halela Siyah (Terminalia chebula) | **150 mg** | Chebulinic acid 20% |
| 6 | Zeera Siyah (Carum carvi) | **150 mg** | Carvone 3% |

**Safety & Contraindications:** Concurrent full-dose anticoagulant therapy (Warfarin/NOACs) without monitoring • Bleeding diathesis • Active thyroid crisis (Guggulu stimulates thyroid hormones)

## ZAY-006: PulmoVora™ *Lauq-e-Muqawwi-e-Sadr*

**Form:** Effervescent Micro-Granules (30 Sachets) **Axis:** PULMONARY **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Zeequn-Nafs (Bronchial Asthma, Chronic Bronchitis, Spasmodic Cough, Post-viral mucosal congestion)
**Standard Posology:** 1 sachet dissolved in 100ml warm water, sip slowly twice daily, followed by warm water or fennel tea

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Asl-us-Soos (Glycyrrhiza glabra) | **300 mg** | Glycyrrhizin 10% |
| 2 | Sapistan (Cordia latifolia) | **250 mg** | Polysaccharide mucilage 20% |
| 3 | Unnab (Ziziphus jujuba) | **200 mg** | Jujubosides 3% |
| 4 | Behidana (Cydonia oblonga) | **150 mg** | Pectin & Mucilage 25% |
| 5 | Banafsha (Viola odorata) | **100 mg** | Violanthin & Rutin 2% |
| 6 | Natural Honey Base | **4000 mg** | Pure Forest Flora |

**Safety & Contraindications:** Severe uncontrolled hypertension (due to licorice mineralocorticoid activity in excessive doses) • Uncontrolled diabetes (requires Safoof dry form alternative) • Hypokalemia

## ZAY-007: SynovoFlex™ *Safoof-e-Muhallil-e-Mafasil*

**Form:** Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** MUSCULOSKELETAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

**Clinical Indications:** Waja-ul-Mafasil (Osteoarthritis, Rheumatoid stiffness, Joint inflammation, Cartilage degradation)
**Standard Posology:** 1 stick sachet (5g) twice daily with warm milk or lukewarm water after breakfast and dinner

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Suranjan Shirin (Colchicum autumnale - purified) | **150 mg** | Colchicine < 0.2% |
| 2 | Asgandh (Withania somnifera) | **300 mg** | Withanolides 5.0% |
| 3 | Zanjabil (Zingiber officinale) | **200 mg** | Gingerols 5% |
| 4 | Kundur (Boswellia serrata) | **250 mg** | AKBA (3-O-acetyl-11-keto-beta-boswellic acid) 30% |
| 5 | Filfil Daraz (Piper longum) | **100 mg** | Piperine 95% |

**Safety & Contraindications:** Severe renal impairment (eGFR < 30 mL/min) • Pregnancy & lactation • Severe diarrhea or acute gastroenteritis

## ZAY-008: NeuroVora™ *Majoon-e-Mufarrih-e-Arwah*

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** NEUROPSYCHIATRIC **Track:** AYUSH CLASSICAL **Rx Required:** No

**Clinical Indications:** Malikhuliya (Anxiety, Neurosis, Chronic Cortisol Dysregulation, Mental Burnout, Cognitive Fatigue)
**Standard Posology:** 1 to 2 capsules twice daily (in the morning and 1 hour before sleep) with warm milk

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Brahmi (Bacopa monnieri) | **350 mg** | Bacosides A & B 20% |
| 2 | Shankhpushpi (Convolvulus pluricaulis) | **300 mg** | Total Alkaloids 2.5% |
| 3 | Ustukhuddus (Lavandula stoechas) | **200 mg** | Linalool 3.5% |
| 4 | Gaozaban (Borago officinalis) | **150 mg** | Flavonoids 2% |
| 5 | Badranjboya (Melissa officinalis) | **150 mg** | Rosmarinic acid 5% |
| 6 | Jadwar (Delphinium denudatum) | **50 mg** | Denudatine alkaloids 1% |

**Safety & Contraindications:** Concomitant MAO-inhibitor therapy without clinical taper • Severe bipolar mania • Heavy daytime machinery operation until tolerance established

# SECTION B: SPECIALTY & SYSTEMIC BRAND FORMULATIONS

## ZAY-009: NeuroShield-Rx™

***Qurs-e-Taqwiyat-e-Quwwat-e-Baah***

**Form:** Habb / Coated Micro-Tablets (60 Tabs) **Axis:** ANDROLOGICAL **Track:** AYUSH SCHEDULE E1 RX **Rx Required:** Yes

**Clinical Indications:** Severe Neuro-Vascular Erectile Dysfunction (Zof-e-Baah Shadeed), Loss of Penile Tumescence
**Standard Posology:** 1 tablet at night with 250ml warm saffron milk 2 hours after meal (Maximum 3 tablets per week; Rx restricted)

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Zafran (Crocus sativus) | **30 mg** | Crocin 3% |
| 2 | Jund Bedastar (Castoreum) | **50 mg** | Purified Castorin Complex |
| 3 | Regmahi (Scincus officinalis) | **50 mg** | Calcified Bio-Peptides |
| 4 | Kuchla Mudabbar (Purified Strychnos nux-vomica) | **15 mg** | Strychnine 1.15% |
| 5 | Salab Misri (Orchis mascula) | **300 mg** | Glucomannan 15% |
| 6 | Amber (Ambra grisea) | **10 mg** | Ambrein 25% |

**Safety & Contraindications:** Severe uncontrolled hypertension (>180/110 mmHg) • Concurrent Nitrate therapy (Nitroglycerin, Isosorbide mononitrate) • History of ventricular arrhythmias or recent myocardial infarction (<6 months) • Pediatric age or female usage

## ZAY-010: SpermoPro™

***Majoon-e-Taqwiyat-e-Mani-Shadeed***

**Form:** Majoon / Oral Paste (30 Sachets) **Axis:** ANDROLOGICAL **Track:** AYUSH CLASSICAL **Rx Required:** No

**Clinical Indications:** Severe Oligospermia (<10 million/ml), Asthenozoospermia, Teratozoospermia, Semen Viscosity & Volume Deficit
**Standard Posology:** 1 sachet (10g) in the morning on empty stomach with 250ml full-fat lukewarm milk for 90 days minimum

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Salab Panja (Dactylorhiza hatagirea) | **300 mg** | Mucilaginous Glycoproteins 18% |
| 2 | Khulanjan (Alpinia galanga) | **200 mg** | Galangin 3% |
| 3 | Behman Surkh (Salvia haematodes) | **200 mg** | Salvianolic Acids 5% |
| 4 | Behman Safed (Centaurea behen) | **200 mg** | Total Sterols 2% |
| 5 | Maghz-e-Badam (Prunus amygdalus) | **400 mg** | Oleic & Linoleic Essential Lipids |
| 6 | Maghz-e-Pista (Pistacia vera) | **200 mg** | Phytosterols & Tocopherols |
| 7 | Zafran (Crocus sativus) | **15 mg** | Safranal 2% |
| 8 | Kushta Nuqra (Silver Calx) | **30 mg** | Sub-micron Silver Nanoparticles |

**Safety & Contraindications:** Non-obstructive Azoospermia with elevated FSH (>30 mIU/mL) - requires genetic karyotyping first • Severe untreated varicocele Grade 3 (requires urological ligation evaluation)

## ZAY-011: VigorVora™

***Safoof-e-Taqwiyat-e-Umumi-Lil-Rijal***

**Form:** Standardized Micro-Granules (30 Sachets) **Axis:** ANDROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** General male vitality, everyday physical endurance, mild fatigue, micronutrient repletion
**Standard Posology:** 1 sachet (3g) daily in the morning with warm water or milk

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Ashwagandha (Withania somnifera) | **300 mg** | Withanolides 5% |
| 2 | Gokshura (Tribulus terrestris) | **300 mg** | Protodioscin 40% |
| 3 | Safed Musli (Chlorophytum borivilianum) | **200 mg** | Saponins 20% |
| 4 | Shatavari (Asparagus racemosus) | **200 mg** | Shatavarins 10% |
| 5 | Shilajit (purified asphaltum) | **150 mg** | Fulvic Acid 60% |
| 6 | Akarkara (Anacyclus pyrethrum) | **100 mg** | Pellitorine 1.5% |

**Safety & Contraindications:** None reported at recommended dietary levels

## ZAY-012: SomnoVora™

***Safoof-e-Taskeen-e-Dimagh***

**Form:** Herbal Infusion / Decoction Elixir (200ml) **Axis:** NEUROPSYCHIATRIC **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Sahar (Insomnia), Disrupted sleep architecture, Elevated evening cortisol, Nocturnal restlessness
**Standard Posology:** 10ml to 15ml with warm milk or chamomile infusion 45 minutes before bedtime

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Ashwagandha (Withania somnifera) | **400 mg** | Withanolides 5% (high withanolide-A) |
| 2 | Tagar (Valeriana wallichii) | **300 mg** | Valerenic Acids 0.8% |
| 3 | Jatamansi (Nardostachys jatamansi) | **250 mg** | Jatamansone 2% |
| 4 | Chamomile Extract | **150 mg** | Apigenin 1.2% |
| 5 | Tukhm-e-Khashkhash (Poppy seeds - purified) | **200 mg** | Nutritional Lipid & Tryptophan Matrix |

**Safety & Contraindications:** Concurrent use with high-dose benzodiazepines or z-drugs without doctor taper • Sleep apnea requiring nocturnal CPAP (must continue CPAP)

---

## ZAY-013: VitalMani™

***Safoof-e-Muwalid-e-Mani-Mutawassit***

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** ANDROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Moderate Oligospermia (10-15 million/ml), Decreased seminal volume, Semen liquefaction delay
**Standard Posology:** 1 to 2 capsules twice daily with warm milk

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Safed Musli (Chlorophytum borivilianum) | **350 mg** | Saponins 25% |
| 2 | Kaunch Beej (Mucuna pruriens) | **300 mg** | L-Dopa 10% |
| 3 | Talmakhana (Asteracantha longifolia) | **250 mg** | Mucilaginous Sterols 5% |
| 4 | Tukhm-e-Utangan (Blepharis edulis) | **200 mg** | Total Glycosides 4% |
| 5 | Gond Katira (Astragalus gummifer) | **150 mg** | Tragacanthin Polysaccharide |

**Safety & Contraindications:** None major; avoid in severe acute prostatitis until resolved

---

## ZAY-014: DermaVora-Hair™

***Safoof-e-Munbit-e-Sha'r***

**Form:** Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** DERMATOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Intisaar-ush-Sha'r (Hair thinning, Telogen Effluvium, Early Greying, Scalp follicular weakness)
**Standard Posology:** 1 stick sachet (5g) daily in the morning with water; optionally paired with topical Roghan Baiza-e-Murgh

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Amla (Emblica officinalis) | **400 mg** | Tannins 30%, Vitamin C natural |
| 2 | Bhringraj (Eclipta alba) | **350 mg** | Wedelolactone 2% |
| 3 | Shikakai (Acacia concinna) | **150 mg** | Saponins 15% |
| 4 | Halela Siyah (Terminalia chebula) | **150 mg** | Polyphenols 20% |
| 5 | Tukhm-e-Kahu (Lactuca sativa seeds) | **100 mg** | Lactucin & Flavonoids |

**Safety & Contraindications:** None reported

---

## ZAY-015: LithoVora™

*Safoof-e-Mufattit-e-Hisat*

**Form:** Targeted Micro-Granules (30 x 5g Daily Sachets) **Axis:** UROLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

**Clinical Indications:** Hisat-e-Kulya wa Masana (Kidney and bladder calculi <8mm), Crystalluria, Burning micturition (Sozish-e-Baul)
**Standard Posology:** 1 stick sachet (5g) twice daily dissolved in a full glass of water (maintain minimum 3 liters daily fluid intake)

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Kulthi (Macrotyloma uniflorum) | **400 mg** | Phytic Acid & Flavonoids 5% |
| 2 | Gokshura (Tribulus terrestris) | **350 mg** | Saponins 40% |
| 3 | Pashanbhed (Bergenia ligulata) | **300 mg** | Bergenin 8% |
| 4 | Hajr-ul-Yahood Bhasma (Lapis judaicus) | **150 mg** | Natural Calcium Silicate complex |
| 5 | Javakhar (Potassium carbonate from barley ash) | **100 mg** | Potassium Carbonate 80% |

**Safety & Contraindications:** Obstructive uropathy with hydronephrosis • Stone diameter > 9mm (requires urological intervention) • Renal failure (eGFR < 30 mL/min)

---

## ZAY-016: GynaeVora-L™

*Safoof-e-Qabiz-e-Reham*

**Form:** Micro-Calcified Tablets (60 Tabs) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Sailan-ur-Reham (Non-infective Leucorrhoea, Vaginal Discharge, Pelvic Congestion)
**Standard Posology:** 1 to 2 tablets twice daily with rice water (Maa-ul-Arz) or lukewarm water after meals

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Lodhra (Symplocos racemosa) | **350 mg** | Total Alkaloids (Loturine) 1.5% |
| 2 | Mochras (Bombax ceiba gum) | **300 mg** | Tannins & Mucilage 20% |
| 3 | Ashok Chhal (Saraca asoca) | **350 mg** | Catechin & Tannins 10% |
| 4 | Gond Dhak (Butea monosperma gum) | **150 mg** | Butein & Tannic Acid 15% |
| 5 | Phitkari Biryan (Purified roasted alum) | **50 mg** | Purified Potash Alum |

**Safety & Contraindications:** Trichomoniasis or bacterial vaginosis requiring immediate antimicrobial therapy • Suspected cervical intraepithelial neoplasia (CIN) without Pap smear • Pregnancy first trimester

---

## ZAY-017: MetaboBurn-M™

*Safoof-e-Tahleel-e-Shahm*

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** METABOLIC **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Shahm-e-Mufrit (Central Obesity, Slow Basal Metabolic Rate, Visceral Adipose Tissue Excess)
**Standard Posology:** 1 to 2 capsules twice daily 30 minutes before major meals with warm water

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Garcinia cambogia | **350 mg** | Hydroxycitric Acid (HCA) 60% |
| 2 | Green Coffee Bean | **250 mg** | Chlorogenic Acid (CGA) 50% |
| 3 | Zeera Siyah (Carum carvi) | **200 mg** | Carvone 3% |
| 4 | Ajwain (Trachyspermum ammi) | **200 mg** | Thymol 2.5% |
| 5 | Filfil Siyah (Piper nigrum) | **100 mg** | Piperine 95% |

**Safety & Contraindications:** Anorexia nervosa or underweight status (BMI < 18.5) • Pregnancy & lactation • Severe gastritis / peptic ulcer

---

## ZAY-018: ThyroMet-W™

***Safoof-e-Islah-e-Ghudda-e-Darqiya***

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** ENDOCRINE **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Ghudda-e-Darqiya sluggishness (Subclinical Hypothyroidism, Cold intolerance, Myxedematous sluggishness)
**Standard Posology:** 1 to 2 capsules twice daily with warm ginger infusion or lukewarm water

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Kanchnar Chhal (Bauhinia variegata) | **400 mg** | Flavonoids 5% |
| 2 | Guggulu (Commiphora mukul) | **300 mg** | Guggulsterones 2.5% |
| 3 | Triphala (Terminalia chebula, bellerica, Emblica officinalis) | **250 mg** | Tannins 35% |
| 4 | Trikatu (Zingiber, Piper nigrum, Piper longum) | **150 mg** | Piperine & Gingerols 10% |
| 5 | Varuna (Crataeva nurvala) | **150 mg** | Lupeol 1.5% |

**Safety & Contraindications:** Overt Hyperthyroidism / Thyrotoxicosis • Autoimmune Graves disease • Pregnancy

## ZAY-019: FemmeDaily™

***Safoof-e-Nisa***

**Form:** Compressed Tablets (60 Tabs) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** General female vitality, nutritional anemia, premenstrual fatigue, hormonal equilibrium
**Standard Posology:** 1 to 2 tablets daily in the morning with milk or warm water

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Shatavari (Asparagus racemosus) | **400 mg** | Shatavarins 10% |
| 2 | Ashok Chhal (Saraca asoca) | **300 mg** | Tannins 10% |
| 3 | Lodhra (Symplocos racemosa) | **250 mg** | Loturine 1.5% |
| 4 | Giloy (Tinospora cordifolia) | **200 mg** | Bitters 3% |
| 5 | Iron Bhasma (Kushta Khabs-ul-Hadeed) | **50 mg** | Micro-calcified Elemental Iron |

**Safety & Contraindications:** Hemochromatosis (iron overload)

## ZAY-020: GlucoBalance™

***Safoof-e-Daf-e-Ziabetus-Mutawassit***

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** PANCREATIC **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Prediabetes (HbA1c 5.7–6.4%), Impaired fasting glucose, Postprandial glucose surges
**Standard Posology:** 1 to 2 capsules twice daily 15 minutes before lunch and dinner with water

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Vijaysar (Pterocarpus marsupium) | **350 mg** | Marsupsin & Pterosupin 5% |
| 2 | Gurmar (Gymnema sylvestre) | **300 mg** | Gymnemic acids 25% |
| 3 | Methi (Trigonella foenum-graecum) | **250 mg** | Galactomannan 30% |
| 4 | Jamun (Syzygium cumini) | **200 mg** | Jamboline 10% |
| 5 | Dalchini (Cinnamomum verum) | **150 mg** | Polyphenols 10% |

**Safety & Contraindications:** None major; monitor glucose when combined with prescription oral hypoglycemics

## ZAY-021: ImmunoVora™

*Safoof-e-Muqawwi-e-Tabiyat*

**Form:** Purified Herbal Granules (30 Sachets) **Axis:** IMMUNOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Tabiyat Mudabbira-e-Badan enhancer, Recurrent seasonal infections, Post-infectious asthenia
**Standard Posology:** 1 sachet (3g) once or twice daily dissolved in warm water or green tea

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Giloy (Tinospora cordifolia) | **400 mg** | Tinosporaside & Cordifolioside 3% |
| 2 | Tulsi (Ocimum sanctum) | **250 mg** | Ursolic acid 2.5% |
| 3 | Kalmegh (Andrographis paniculata) | **200 mg** | Andrographolide 10% |
| 4 | Amla (Emblica officinalis) | **300 mg** | Vitamin C & Tannins 30% |
| 5 | Haldi (Curcuma longa) | **150 mg** | Curcuminoids 95% |
| 6 | Filfil Siyah (Piper nigrum - Bio-enhancer Mu'in) | **20 mg** | Piperine 95% |

**Safety & Contraindications:** Autoimmune flare states (active multiple sclerosis) without specialist review

## ZAY-022: GastroVora™

*Safoof-e-Islah-e-Amaa*

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** GASTROINTESTINAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Zalaq-ul-Amaa / Nafkh-e-Shikam (Irritable Bowel Syndrome, Gut Dysbiosis, Postprandial Cramping & Flatulence)
**Standard Posology:** 1 to 2 capsules twice daily 20 minutes after food with fresh buttermilk or water

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Bilva (Aegle marmelos) | **400 mg** | Marmelosin & Tannins 10% |
| 2 | Ispaghul Husk (Plantago ovata) | **350 mg** | Soluble dietary fiber 85% |
| 3 | Saunf (Foeniculum vulgare) | **200 mg** | Anethole 2% |
| 4 | Pudina (Mentha piperita) | **150 mg** | Menthol 1.5% |
| 5 | Zeera Safed (Cuminum cyminum) | **150 mg** | Cuminaldehyde 2% |

**Safety & Contraindications:** Acute bowel obstruction • Appendicitis symptoms • Fecal impaction

# SECTION C: POSHIDA AMRAZ & CONTROLLED Rx SPECIALTIES

## ZAY-023: NeuroVigor-Rx™

*Habb-e-Azaraqi Mudabbar (Majoon-e-Muhrik-e-Baah)*

**Form:** Coated Micro-Tablets (Alu-Alu Blister, 60 Tabs) **Axis:** ANDROLOGICAL **Track:** AYUSH SCHEDULE E1 RX **Rx Required:** Yes

**Clinical Indications:** Refractory Erectile Dysfunction, Severe Loss of Libido, Chronic Neuro-vascular Impotence
**Standard Posology:** 1 tablet at bedtime with 250ml full-cream milk (Maximum 3 times weekly; strictly requires registered AYUSH practitioner prescription)

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Zafran (Crocus sativus) | **35 mg** | Crocin 3% |
| 2 | Kuchla Mudabbar (Purified Nux-vomica) | **20 mg** | Strychnine 1.15% |
| 3 | Salab Panja (Dactylorhiza hatagirea) | **350 mg** | Mucilaginous Glycoproteins 18% |
| 4 | Shingraf Mudabbar (Purified Cinnabar) | **15 mg** | Traditional detoxified mercuric sulfide compound |
| 5 | Darchini (Cinnamomum zeylanicum) | **100 mg** | Cinnamaldehyde 5% |
| 6 | Asgandh (Withania somnifera) | **250 mg** | Withanolides 5% |

**Safety & Contraindications:** Severe cardiovascular disease, unstable angina, heart failure NYHA III/IV • Concurrent phosphodiesterase-5 inhibitors (Sildenafil, Tadalafil) without 24-hr washout • Uncontrolled hypertension (>170/105 mmHg) • Renal or hepatic failure

## ZAY-024: SpermoVora™

*Safoof-e-Mujaddid-e-Nutfa-Shadeed*

**Form:** Single-Serve Paste Sachets (30 x 7g) **Axis:** ANDROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Severe Oligo-Astheno-Teratozoospermia (OAT Syndrome), Elevated DNA Fragmentation Index (DFI > 25%)
**Standard Posology:** 1 sachet (7g paste) twice daily with milk or fresh pomegranate juice for 90 to 120 days

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Coenzyme Q10 | **200 mg** | Pure Ubiquinone 99% |
| 2 | L-Carnitine L-Tartrate | **500 mg** | Pure L-Carnitine 68% |
| 3 | Lycopene 10% | **25 mg** | Natural Tomato Lycopene Extract |
| 4 | Salab Misri (Orchis mascula) | **350 mg** | Glucomannan 15% |
| 5 | Safed Musli (Chlorophytum borivilianum) | **300 mg** | Saponins 20% |
| 6 | Zinc Monomethionine | **50 mg** | Elemental Zinc 10mg |
| 7 | Selenium Yeast | **40 mg** | Elemental Selenium 40mcg |

**Safety & Contraindications:** Hypercalcemia / Hypercalciuria • Severe renal disease

## ZAY-025: ManiVital Pro™

*Safoof-e-Mumsik-e-Mani-Shadeed*

**Form:** Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** ANDROLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

**Clinical Indications:** Surat-e-Inzal (Premature Ejaculation, IELT < 1 minute), Riqat-e-Mani (Seminal hyperviscosity/thinness)
**Standard Posology:** 1 stick sachet (5g) twice daily with lukewarm milk 1 hour before sleep

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Tukhm-e-Kahu (Lactuca sativa seeds) | **250 mg** | Lactucopicrin 1.5% |
| 2 | Tukhm-e-Khashkhash (Purified poppy seeds) | **250 mg** | Total Lipids & Alkaloids |
| 3 | Gond Kikar (Acacia arabica gum) | **300 mg** | Arabinogalactan 35% |
| 4 | Mochras (Bombax ceiba gum) | **200 mg** | Tannins 20% |
| 5 | Kushta Qalai (Tin calx) | **50 mg** | Purified Stannic Oxide complex |

**Safety & Contraindications:** None major; avoid combining with heavy CNS depressants

## ZAY-026: ProstaVora™

*Safoof-e-Mulayyim-e-Ghudda-e-Baristeht*

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** UROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Waram-e-Ghudda-e-Baristeht (Benign Prostatic Hyperplasia - BPH Grade 1 & 2, Nocturia, Urinary Hesitancy)
**Standard Posology:** 1 to 2 capsules twice daily after meals with water

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Saw Palmetto Extract (Serenoa repens) | **320 mg** | Fatty Acids 45% |
| 2 | Nettle Root (Urtica dioica) | **250 mg** | Beta-Sitosterol 0.8% |
| 3 | Gokshura (Tribulus terrestris) | **300 mg** | Saponins 40% |
| 4 | Varuna (Crataeva nurvala) | **250 mg** | Lupeol 1.5% |
| 5 | Pumpkin Seed Extract (Cucurbita pepo) | **200 mg** | Phytosterols 20% |

**Safety & Contraindications:** Prostate Cancer (mandatory PSA check prior to therapy) • Acute urinary retention requiring Foley catheterization

## ZAY-027: AndroVora™

*Majoon-e-Muqawwi-e-Khusyatain*

**Form:** Targeted HPMC Veg Capsules (60 Caps) **Axis:** ANDROLOGICAL **Track:** AYUSH CLASSICAL **Rx Required:** No

**Clinical Indications:** Late-onset Hypogonadism, Andropause, Sarcopenia, Testicular Axis Fatigue, Low Free Testosterone
**Standard Posology:** 1 to 2 capsules in the morning on empty stomach with warm milk

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Salab Gatta (Orchis latifolia) | **300 mg** | Bioactive Mucilage 20% |
| 2 | Khusyat-us-Salab (Testicular Bio-Extract) | **250 mg** | Standardized Peptide Fraction |
| 3 | Zafran (Crocus sativus) | **20 mg** | Crocin 3% |
| 4 | Asgandh (Withania somnifera) | **300 mg** | Withanolides 5% |
| 5 | Kushta Nuqra (Silver calx) | **30 mg** | Sub-micron Silver Particles |
| 6 | Maghz-e-Chilgoza (Pinus gerardiana) | **250 mg** | Pinolenic Acid 15% |

**Safety & Contraindications:** Active or suspected prostate carcinoma • Severe sleep apnea • Polycythemia (Hematocrit > 52%)

## ZAY-028: LeucoVora™

*Safoof-e-Daf-e-Sailan-ur-Reham-Shadeed*

**Form:** Micro-Granules (30 x 3g Daily Stick Sachets) **Axis:** GYNECOLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

**Clinical Indications:** Intractable Chronic Leucorrhoea, Cervical Erosion, Sacral backache associated with vaginal discharge
**Standard Posology:** 1 stick sachet (3g) twice daily with rice water (Maa-ul-Arz) 30 minutes before meals

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Lodhra (Symplocos racemosa) | **400 mg** | Loturine 1.5% |
| 2 | Ashok Chhal (Saraca asoca) | **350 mg** | Tannins 10% |
| 3 | Mochras (Bombax ceiba gum) | **300 mg** | Tannins & Mucilage 20% |
| 4 | Kushta Baiza-e-Murgh | **100 mg** | Egg Shell Micro-Calcified Calcium |
| 5 | Phitkari Biryan (Roasted alum) | **100 mg** | Purified Potash Alum |

**Safety & Contraindications:** Undiagnosed irregular genital bleeding • Malignancy of genital tract

## ZAY-029: OvaSync-PCOS™

*Safoof-e-Munazzim-e-Haiz*

**Form:** Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Ehtebas-e-Tams / Marz-e-Keesa-tul-Khusyatur-Reham (PCOS/PCOD, Anovulatory Cycles, Hyperandrogenism, Insulin Resistance)
**Standard Posology:** 1 stick sachet (5g) twice daily dissolved in 150ml water 20 minutes before meals for 3 to 6 consecutive cycles

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Myo-Inositol | **2000 mg** | Pure USP Grade (40:1 ratio match) |
| 2 | D-Chiro-Inositol | **50 mg** | Pure USP Grade (40:1 ratio match) |
| 3 | Kanchnar Chhal (Bauhinia variegata) | **350 mg** | Flavonoids 5% |
| 4 | Methi (Trigonella foenum-graecum) | **300 mg** | 4-Hydroxyisoleucine 20% |
| 5 | Haldi (Curcuma longa) | **200 mg** | Curcuminoids 95% |
| 6 | Dalchini (Cinnamomum verum) | **150 mg** | Polyphenols 10% |
| 7 | Filfil Siyah (Piper nigrum - Bio-enhancer Mu'in) | **15 mg** | Piperine 95% |

**Safety & Contraindications:** Pregnancy (once conception confirmed, switch to prenatal protocol) • Active ovarian cyst torsion requiring surgery

## ZAY-030: MensoCalm™

***Majoon-e-Muqawwi-e-Reham-Shadeed***

**Form:** HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Zof-e-Reham (Uterine Atony, Pelvic Floor Laxity, Dysmenorrhea, Luteal Phase Inadequacy)
**Standard Posology:** 1 to 2 capsules twice daily with warm milk

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Ashok Chhal (Saraca asoca) | **400 mg** | Catechins 10% |
| 2 | Shatavari (Asparagus racemosus) | **350 mg** | Shatavarins 10% |
| 3 | Supari Mudabbar (Purified Areca catechu) | **150 mg** | Arecoline detoxified <0.05% |
| 4 | Gond Katira (Astragalus gummifer) | **200 mg** | Tragacanthin 40% |
| 5 | Asl-us-Soos (Glycyrrhiza glabra) | **150 mg** | Glycyrrhizin 10% |

**Safety & Contraindications:** Acute active heavy bleeding (menorrhagia) during menstruation (pause during peak flow)

## ZAY-031: MenoVora™

***Safoof-e-Daf-e-Araz-e-Yas***

**Form:** Micro-Granules (30 x 3g Daily Stick Sachets) **Axis:** GYNECOLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

**Clinical Indications:** Sinn-e-Yas (Menopausal Syndrome, Vasomotor Hot Flashes, Night Sweats, Mood Swings, Accelerated Bone Demineralization)
**Standard Posology:** 1 stick sachet (3g) twice daily with lukewarm water after breakfast and dinner

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Shatavari (Asparagus racemosus) | **400 mg** | Shatavarins 10% |
| 2 | Black Cohosh (Actaea racemosa extract) | **100 mg** | Triterpene Glycosides 2.5% |
| 3 | Shankhpushpi (Convolvulus pluricaulis) | **300 mg** | Total Alkaloids 2.5% |
| 4 | Badranjboya (Melissa officinalis) | **200 mg** | Rosmarinic Acid 5% |
| 5 | Praval Pishti (Purified Coral Calx) | **150 mg** | Bioactive Calcium & Trace Minerals |

**Safety & Contraindications:** Estrogen receptor-positive breast cancer history without oncologist clearance • Severe active hepatic impairment

## ZAY-032: ConceiveVora™

***Safoof-e-Mualijat-e-Uqr-e-Nisa***

**Form:** Compressed Tablets (60 Tabs) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

**Clinical Indications:** Uqr-e-Nisa (Female Infertility, Diminished Ovarian Reserve, Poor Oocyte Quality, Thin Endometrial Lining)
**Standard Posology:** 1 to 2 tablets twice daily with warm milk starting on Day 5 of menstrual cycle continuously for 90 days

| # | Active Ingredient (Botanical Binomial / Unani) | Amount / Dose | Analytical Marker / Standardization |
|---|---|---|---|
| 1 | Shatavari (Asparagus racemosus) | **400 mg** | Shatavarins 10% |
| 2 | Shivlingi (Bryonia laciniosa seeds) | **250 mg** | Bryonin 2% |
| 3 | Putranjiva (Putranjiva roxburghii) | **250 mg** | Total Glycosides 3% |
| 4 | Ashok Chhal (Saraca asoca) | **300 mg** | Tannins 10% |
| 5 | Coenzyme Q10 | **100 mg** | Pure Ubiquinone 99% |
| 6 | L-Methylfolate (Active Folate) | **0.5 mg** | Pure Active L-5-MTHF |

**Safety & Contraindications:** Confirmed pregnancy (pause upon positive hCG, transition to maternal regimen) • Bilateral complete fallopian tube occlusion (tubal factor requires surgical or IVF resolution)