ZAYVORA Health OS™ — Clinical Formulary

32 Master Standardized Botanical & Classical Unani Formulations

Official Ingredients, Therapeutic Dosages, High-Performance Analytical Markers & Clinical Indications

Chief Clinician & IP Steward: Hakeem Dr. Irfan Ashraf (BUMS, AKTC AMU, 2002–2007; NCISM Reg: BUMS/AMU/2007)

Integrative Prescribing Architecture: This compendium details the 32 proprietary and modernized master formulations developed under the ZAYVORA Clinical Framework. Within the ZAYVORA Health OS Clinical Cockpit, clinicians can co-prescribe these 32 GMP-certified botanical formulations alongside classical single drugs (Mufradat), traditional pharmacopoeial compounds (Qarabadeen like Majun, Khamira, Arq, and Sharbat), as well as extemporaneous bedside compounds (Self-Nuskha Track). Every formulation features quantitative active ingredient dosing and HPLC assay markers.

SECTION A: CHRONIC DISEASE CLUSTER (NCDs)

ZAY-001: TensioCalm™ *Safoof-e-Tansiyat-ud-Dam*

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** CEREBROVASCULAR **Track:** AYUSH SCHEDULE E1 RX **Rx Required:** Yes

Clinical Indications: Essential Hypertension (Stage 1 & 2), Stress-induced systolic spikes, Zayt-e-Dam (blood tension)
Standard Posology: 3g twice daily with lukewarm water or Arq Gaozaban 30 mins after meals

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Asrol (Rauwolfia serpentina)	**250 mg**	Reserpine 1.0%
2	Ustukhuddus (Lavandula stoechas)	**200 mg**	Linalool 3.5%
3	Filfil Siyah (Piper nigrum)	**50 mg**	Piperine 95%
4	Kishneez Khushk (Coriandrum sativum)	**250 mg**	Volatile Oil 0.8%
5	Gul-e-Surkh (Rosa damascena)	**150 mg**	Total Phenolics 5.0%
6	Gaozaban (Borago officinalis)	**100 mg**	Mucilage & Flavonoids

Safety & Contraindications: Active peptic ulcer disease • Severe endogenous depression / suicidal ideation • Bradycardia (HR < 55 bpm) • Pregnancy & lactation (Absolute contraindication)

ZAY-002: Glucovora™ *Safoof-e-Qawi-e-Banas*

Form: Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** PANCREATIC **Track:** AYUSH CLASSICAL **Rx Required:** No

Clinical Indications: Ziabetus Shakari (Type 2 Diabetes Mellitus), Impaired Fasting Glucose, Peripheral Insulin Resistance
Standard Posology: 3g to 5g twice daily 20 minutes before breakfast and dinner with warm water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Jamun Seeds (Syzygium cumini)	**300 mg**	Jamboline & Tannins 15%
2	Karela (Momordica charantia)	**250 mg**	Charantin 2.5%
3	Methi (Trigonella foenum-graecum)	**200 mg**	4-Hydroxyisoleucine 20%
4	Gurmar (Gymnema sylvestre)	**250 mg**	Gymnemic Acids 25%
5	Tukhm-e-Hulba	**100 mg**	Saponins 10%
6	Kushta Baiza-e-Murgh	**50 mg**	Micro-calcified Elemental Calcium

Safety & Contraindications: Severe hypoglycemia prone patients without CGM • Diabetic Ketoacidosis (DKA) • Pregnancy gestational diabetes without specialist supervision

ZAY-003: CardioVora™ *Majoon-e-Muqawwi-e-Qalb*

Form: Majoon Granules (30 x 5g Daily Stick Sachets) **Axis:** CARDIOVASCULAR **Track:** AYUSH CLASSICAL **Rx Required:** No

Clinical Indications: Zof-e-Qalb (Cardiac weakness), Khafqan (Palpitations), Post-cardiac rehabilitation, Endothelial dysfunction
Standard Posology: 5g in the morning on empty stomach with milk or Arq Gulab

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Zafran (Crocus sativus)	**20 mg**	Crocin & Safranal 3.0%
2	Marwareed (Pearl calx)	**30 mg**	Bioactive Coral Carbonate
3	Yashab Sabz	**50 mg**	Purified Jade Calx
4	Arjun Chhal (Terminalia arjuna)	**400 mg**	Arjunic acid & Tannins 10%
5	Badranjboya (Melissa officinalis)	**200 mg**	Rosmarinic Acid 5%
6	Seb juice & Asl base	**3500 mg**	Natural Honey & Pectin Matrix

Safety & Contraindications: Unstable angina requiring immediate catheterization • Severe uncompensated aortic stenosis • Active hemorrhage

ZAY-004: LiverPrime™ *Safoof-e-Muqawwi-e-Jigar*

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** HEPATOBILIARY **Track:** AYUSH CLASSICAL **Rx Required:** No

Clinical Indications: Zof-e-Jigar, Non-Alcoholic Fatty Liver Disease (NAFLD/MASLD), Sluggish bile clearance, Elevated transaminases
Standard Posology: 3g twice daily 30 minutes after meals with warm water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Kasni (Cichorium intybus)	**350 mg**	Cichoric acid 2.0%
2	Mako (Solanum nigrum)	**300 mg**	Solanine alkaloids <0.1%, Polyphenols 8%
3	Tukhm-e-Kasoos (Cuscuta reflexa)	**150 mg**	Cuscutin 5%
4	Zarishk (Berberis vulgaris)	**200 mg**	Berberine 8%
5	Revand Chini (Rheum emodi)	**100 mg**	Emodin & Rhein 3.5%
6	Afsanteen (Artemisia absinthium)	**100 mg**	Absinthin 1.5%

Safety & Contraindications: Complete mechanical biliary obstruction • Fulminant hepatic failure • Pregnancy (due to Revand Chini emmenagogue properties)

ZAY-005: LipidoVora™ *Safoof-e-Islah-e-Dam*

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** METABOLIC **Track:** AYUSH CLASSICAL **Rx Required:** No

Clinical Indications: Dasaumat-ud-Dam (Hyperlipidemia, Dyslipidemia, elevated LDL/Triglycerides, low HDL)
Standard Posology: 2g to 3g twice daily after heavy meals with warm water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Lasan (Allium sativum extract)	**250 mg**	Allicin 2.0%
2	Guggulu (Commiphora mukul)	**300 mg**	Guggulsterones E & Z 2.5%
3	Amla (Phyllanthus emblica - Musleh for Guggulu)	**150 mg**	Tannins & Vitamin C 30%
4	Zanjabil (Zingiber officinale)	**150 mg**	Gingerols 5%
5	Halela Siyah (Terminalia chebula)	**150 mg**	Chebulinic acid 20%
6	Zeera Siyah (Carum carvi)	**150 mg**	Carvone 3%

Safety & Contraindications: Concurrent full-dose anticoagulant therapy (Warfarin/NOACs) without monitoring • Bleeding diathesis • Active thyroid crisis (Guggulu stimulates thyroid hormones)

ZAY-006: PulmoVora™ *Lauq-e-Muqawwi-e-Sadr*

Form: Effervescent Micro-Granules (30 Sachets) **Axis:** PULMONARY **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Zeequn-Nafs (Bronchial Asthma, Chronic Bronchitis, Spasmodic Cough, Post-viral mucosal congestion)
Standard Posology: 5g to 10g licked slowly from a spoon twice daily, followed by warm water or fennel tea

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Asl-us-Soos (Glycyrrhiza glabra)	**300 mg**	Glycyrrhizin 10%
2	Sapistan (Cordia latifolia)	**250 mg**	Polysaccharide mucilage 20%
3	Unnab (Ziziphus jujuba)	**200 mg**	Jujubosides 3%
4	Behidana (Cydonia oblonga)	**150 mg**	Pectin & Mucilage 25%
5	Banafsha (Viola odorata)	**100 mg**	Violanthin & Rutin 2%
6	Natural Honey Base	**4000 mg**	Pure Forest Flora

Safety & Contraindications: Severe uncontrolled hypertension (due to licorice mineralocorticoid activity in excessive doses) • Uncontrolled diabetes (requires Safoof dry form alternative) • Hypokalemia

ZAY-007: SynovoFlex™ *Safoof-e-Muhallil-e-Mafasil*

Form: Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** MUSCULOSKELETAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

Clinical Indications: Waja-ul-Mafasil (Osteoarthritis, Rheumatoid stiffness, Joint inflammation, Cartilage degradation)
Standard Posology: 3g twice daily with warm milk or lukewarm water after breakfast and dinner

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Suranjan Shirin (Colchicum autumnale - purified)	**150 mg**	Colchicine < 0.2%
2	Asgandh (Withania somnifera)	**300 mg**	Withanolides 5.0%
3	Zanjabil (Zingiber officinale)	**200 mg**	Gingerols 5%
4	Kundur (Boswellia serrata)	**250 mg**	AKBA (3-O-acetyl-11-keto-beta-boswellic acid) 30%
5	Filfil Daraz (Piper longum)	**100 mg**	Piperine 95%

Safety & Contraindications: Severe renal impairment (eGFR < 30 mL/min) • Pregnancy & lactation • Severe diarrhea or acute gastroenteritis

ZAY-008: NeuroVora™ *Majoon-e-Mufarrih-e-Arwah*

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** NEUROPSYCHIATRIC **Track:** AYUSH CLASSICAL **Rx Required:** No

Clinical Indications: Malikhuliya (Anxiety, Neurosis, Chronic Cortisol Dysregulation, Mental Burnout, Cognitive Fatigue)
Standard Posology: 5g twice daily in the morning and 1 hour before sleep with warm milk

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Brahmi (Bacopa monnieri)	**350 mg**	Bacosides A & B 20%
2	Shankhpushpi (Convolvulus pluricaulis)	**300 mg**	Total Alkaloids 2.5%
3	Ustukhuddus (Lavandula stoechas)	**200 mg**	Linalool 3.5%
4	Gaozaban (Borago officinalis)	**150 mg**	Flavonoids 2%
5	Badranjboya (Melissa officinalis)	**150 mg**	Rosmarinic acid 5%
6	Jadwar (Delphinium denudatum)	**50 mg**	Denudatine alkaloids 1%

Safety & Contraindications: Concomitant MAO-inhibitor therapy without clinical taper • Severe bipolar mania • Heavy daytime machinery operation until tolerance established

SECTION B: SPECIALTY & SYSTEMIC BRAND FORMULATIONS

ZAY-009: NeuroShield-Rx™ *Qurs-e-Taqwiyat-e-Quwwat-e-Baah*

Form: Habb / Coated Micro-Tablets (60 Tabs) **Axis:** ANDROLOGICAL **Track:** AYUSH SCHEDULE E1 RX **Rx Required:** Yes

Clinical Indications: Severe Neuro-Vascular Erectile Dysfunction (Zof-e-Baah Shadeed), Loss of Penile Tumescence
Standard Posology: 1 tablet at night with 250ml warm saffron milk 2 hours after meal. Maximum 3 tablets per week.

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Zafran (Crocus sativus)	**30 mg**	Crocin 3%
2	Jund Bedastar (Castoreum)	**50 mg**	Purified Castorin Complex
3	Regmahi (Scincus officinalis)	**50 mg**	Calcified Bio-Peptides
4	Kuchla Mudabbar (Purified Strychnos nux-vomica)	**15 mg**	Strychnine 1.15%
5	Salab Misri (Orchis mascula)	**300 mg**	Glucomannan 15%
6	Amber (Ambra grisea)	**10 mg**	Ambrein 25%

Safety & Contraindications: Severe uncontrolled hypertension (>180/110 mmHg) • Concurrent Nitrate therapy (Nitroglycerin, Isosorbide mononitrate) • History of ventricular arrhythmias or recent myocardial infarction (<6 months) • Pediatric age or female usage

ZAY-010: SpermoPro™ *Majoon-e-Taqwiyat-e-Mani-Shadeed*

Form: Majoon / Oral Paste (30 Sachets) **Axis:** ANDROLOGICAL **Track:** AYUSH CLASSICAL **Rx Required:** No

Clinical Indications: Severe Oligospermia (<10 million/ml), Asthenozoospermia, Teratozoospermia, Semen Viscosity & Volume Deficit
Standard Posology: 10g in the morning on empty stomach with 250ml full-fat lukewarm milk for 90 days minimum

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Salab Panja (Dactylorhiza hatagirea)	**300 mg**	Mucilaginous Glycoproteins 18%
2	Khulanjan (Alpinia galanga)	**200 mg**	Galangin 3%
3	Behman Surkh (Salvia haematodes)	**200 mg**	Salvianolic Acids 5%
4	Behman Safed (Centaurea behen)	**200 mg**	Total Sterols 2%
5	Maghz-e-Badam (Prunus amygdalus)	**400 mg**	Oleic & Linoleic Essential Lipids
6	Maghz-e-Pista (Pistacia vera)	**200 mg**	Phytosterols & Tocopherols
7	Zafran (Crocus sativus)	**15 mg**	Safranal 2%
8	Kushta Nuqra (Silver Calx)	**30 mg**	Sub-micron Silver Nanoparticles

Safety & Contraindications: Non-obstructive Azoospermia with elevated FSH (>30 mIU/mL) - requires genetic karyotyping first • Severe untreated varicocele Grade 3 (requires urological ligation evaluation)

ZAY-011: VigorVora™ *Safoof-e-Taqwiyat-e-Umumi-Lil-Rijal*

Form: Standardized Micro-Granules (30 Sachets) **Axis:** ANDROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: General male vitality, everyday physical endurance, mild fatigue, micronutrient repletion
Standard Posology: 3g or 2 capsules daily in the morning with water or milk

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Ashwagandha (Withania somnifera)	**300 mg**	Withanolides 5%
2	Gokshura (Tribulus terrestris)	**300 mg**	Protodioscin 40%
3	Safed Musli (Chlorophytum borivilianum)	**200 mg**	Saponins 20%
4	Shatavari (Asparagus racemosus)	**200 mg**	Shatavarins 10%
5	Shilajit (purified asphaltum)	**150 mg**	Fulvic Acid 60%
6	Akarkara (Anacyclus pyrethrum)	**100 mg**	Pellitorine 1.5%

Safety & Contraindications: None reported at recommended dietary levels

ZAY-012: SomnoVora™

Safoof-e-Taskeen-e-Dimagh

Form: Herbal Infusion / Decoction Elixir (200ml) **Axis:** NEUROPSYCHIATRIC **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Sahar (Insomnia), Disrupted sleep architecture, Elevated evening cortisol, Nocturnal restlessness
Standard Posology: 3g in warm milk or chamomile water 45 minutes before bedtime

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Ashwagandha (Withania somnifera)	**400 mg**	Withanolides 5% (high withanolide-A)
2	Tagar (Valeriana wallichii)	**300 mg**	Valerenic Acids 0.8%
3	Jatamansi (Nardostachys jatamansi)	**250 mg**	Jatamansone 2%
4	Chamomile Extract	**150 mg**	Apigenin 1.2%
5	Tukhm-e-Khashkhash (Poppy seeds - purified)	**200 mg**	Nutritional Lipid & Tryptophan Matrix

Safety & Contraindications: Concurrent use with high-dose benzodiazepines or z-drugs without doctor taper • Sleep apnea requiring nocturnal CPAP (must continue CPAP)

ZAY-013: VitalMani™

Safoof-e-Muwalid-e-Mani-Mutawassit

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** ANDROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Moderate Oligospermia (10-15 million/ml), Decreased seminal volume, Semen liquefaction delay
Standard Posology: 5g twice daily with warm milk

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Safed Musli (Chlorophytum borivilianum)	**350 mg**	Saponins 25%
2	Kaunch Beej (Mucuna pruriens)	**300 mg**	L-Dopa 10%
3	Talmakhana (Asteracantha longifolia)	**250 mg**	Mucilaginous Sterols 5%
4	Tukhm-e-Utangan (Blepharis edulis)	**200 mg**	Total Glycosides 4%
5	Gond Katira (Astragalus gummifer)	**150 mg**	Tragacanthin Polysaccharide

Safety & Contraindications: None major; avoid in severe acute prostatitis until resolved

---

ZAY-014: DermaVora-Hair™

Safoof-e-Munbit-e-Sha'r

Form: Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** DERMATOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Intisaar-ush-Sha'r (Hair thinning, Telogen Effluvium, Early Greying, Scalp follicular weakness)
Standard Posology: 3g daily in the morning with water; optionally paired with topical Roghan Baiza-e-Murgh

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Amla (Emblica officinalis)	**400 mg**	Tannins 30%, Vitamin C natural
2	Bhringraj (Eclipta alba)	**350 mg**	Wedelolactone 2%
3	Shikakai (Acacia concinna)	**150 mg**	Saponins 15%
4	Halela Siyah (Terminalia chebula)	**150 mg**	Polyphenols 20%
5	Tukhm-e-Kahu (Lactuca sativa seeds)	**100 mg**	Lactucin & Flavonoids

Safety & Contraindications: None reported

ZAY-015: LithoVora™ *Safoof-e-Mufattit-e-Hisat*

Form: Targeted Micro-Granules (30 x 5g Daily Sachets) **Axis:** UROLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

Clinical Indications: Hisat-e-Kulya wa Masana (Kidney and bladder calculi <8mm), Crystalluria, Burning micturition (Sozish-e-Baul)
Standard Posology: 3g twice daily with a full glass of water, minimum 3 liters daily fluid intake

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Kulthi (Macrotyloma uniflorum)	**400 mg**	Phytic Acid & Flavonoids 5%
2	Gokshura (Tribulus terrestris)	**350 mg**	Saponins 40%
3	Pashanbhed (Bergenia ligulata)	**300 mg**	Bergenin 8%
4	Hajr-ul-Yahood Bhasma (Lapis judaicus)	**150 mg**	Natural Calcium Silicate complex
5	Javakhar (Potassium carbonate from barley ash)	**100 mg**	Potassium Carbonate 80%

Safety & Contraindications: Obstructive uropathy with hydronephrosis • Stone diameter > 9mm (requires urological intervention) • Renal failure (eGFR < 30 mL/min)

ZAY-016: GynaeVora-L™ *Safoof-e-Qabiz-e-Reham*

Form: Micro-Calcified Tablets (60 Tabs) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Sailan-ur-Reham (Non-infective Leucorrhoea, Vaginal Discharge, Pelvic Congestion)
Standard Posology: 3g twice daily with rice water (Maa-ul-Arz) or lukewarm water after meals

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Lodhra (Symplocos racemosa)	**350 mg**	Total Alkaloids (Loturine) 1.5%
2	Mochras (Bombax ceiba gum)	**300 mg**	Tannins & Mucilage 20%
3	Ashok Chhal (Saraca asoca)	**350 mg**	Catechin & Tannins 10%
4	Gond Dhak (Butea monosperma gum)	**150 mg**	Butein & Tannic Acid 15%
5	Phitkari Biryan (Purified roasted alum)	**50 mg**	Purified Potash Alum

Safety & Contraindications: Trichomoniasis or bacterial vaginosis requiring immediate antimicrobial therapy • Suspected cervical intraepithelial neoplasia (CIN) without Pap smear • Pregnancy first trimester

---

ZAY-017: MetaboBurn-M™ *Safoof-e-Tahleel-e-Shahm*

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** METABOLIC **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Shahm-e-Mufrit (Central Obesity, Slow Basal Metabolic Rate, Visceral Adipose Tissue Excess)
Standard Posology: 3g twice daily 30 minutes before major meals with warm water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Garcinia cambogia	**350 mg**	Hydroxycitric Acid (HCA) 60%
2	Green Coffee Bean	**250 mg**	Chlorogenic Acid (CGA) 50%
3	Zeera Siyah (Carum carvi)	**200 mg**	Carvone 3%
4	Ajwain (Trachyspermum ammi)	**200 mg**	Thymol 2.5%
5	Filfil Siyah (Piper nigrum)	**100 mg**	Piperine 95%

Safety & Contraindications: Anorexia nervosa or underweight status (BMI < 18.5) • Pregnancy & lactation • Severe gastritis / peptic ulcer

---

ZAY-018: ThyroMet-W™

Safoof-e-Islah-e-Ghudda-e-Darqiya

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** ENDOCRINE **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Ghudda-e-Darqiya sluggishness (Subclinical Hypothyroidism, Cold intolerance, Myxedematous sluggishness)
Standard Posology: 3g twice daily with warm ginger infusion or lukewarm water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Kanchnar Chhal (Bauhinia variegata)	**400 mg**	Flavonoids 5%
2	Guggulu (Commiphora mukul)	**300 mg**	Guggulsterones 2.5%
3	Triphala (Terminalia chebula, bellerica, Emblica officinalis)	**250 mg**	Tannins 35%
4	Trikatu (Zingiber, Piper nigrum, Piper longum)	**150 mg**	Piperine & Gingerols 10%
5	Varuna (Crataeva nurvala)	**150 mg**	Lupeol 1.5%

Safety & Contraindications: Overt Hyperthyroidism / Thyrotoxicosis • Autoimmune Graves disease • Pregnancy

ZAY-019: FemmeDaily™

Safoof-e-Nisa

Form: Compressed Tablets (60 Tabs) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: General female vitality, nutritional anemia, premenstrual fatigue, hormonal equilibrium
Standard Posology: 3g daily in the morning with milk or warm water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Shatavari (Asparagus racemosus)	**400 mg**	Shatavarins 10%
2	Ashok Chhal (Saraca asoca)	**300 mg**	Tannins 10%
3	Lodhra (Symplocos racemosa)	**250 mg**	Loturine 1.5%
4	Giloy (Tinospora cordifolia)	**200 mg**	Bitters 3%
5	Iron Bhasma (Kushta Khabs-ul-Hadeed)	**50 mg**	Micro-calcified Elemental Iron

Safety & Contraindications: Hemochromatosis (iron overload)

ZAY-020: GlucoBalance™

Safoof-e-Daf-e-Ziabetus-Mutawassit

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** PANCREATIC **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Prediabetes (HbA1c 5.7–6.4%), Impaired fasting glucose, Postprandial glucose surges
Standard Posology: 3g twice daily 15 minutes before lunch and dinner

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Vijaysar (Pterocarpus marsupium)	**350 mg**	Marsupsin & Pterosupin 5%
2	Gurmar (Gymnema sylvestre)	**300 mg**	Gymnemic acids 25%
3	Methi (Trigonella foenum-graecum)	**250 mg**	Galactomannan 30%
4	Jamun (Syzygium cumini)	**200 mg**	Jamboline 10%
5	Dalchini (Cinnamomum verum)	**150 mg**	Polyphenols 10%

Safety & Contraindications: None major; monitor glucose when combined with prescription oral hypoglycemics

ZAY-021: ImmunoVora™

Safoof-e-Muqawwi-e-Tabiyat

Form: Purified Herbal Granules (30 Sachets) **Axis:** IMMUNOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Tabiyat Mudabbira-e-Badan enhancer, Recurrent seasonal infections, Post-infectious asthenia
Standard Posology: 3g once or twice daily with warm water or green tea

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Giloy (Tinospora cordifolia)	**400 mg**	Tinosporaside & Cordifolioside 3%
2	Tulsi (Ocimum sanctum)	**250 mg**	Ursolic acid 2.5%
3	Kalmegh (Andrographis paniculata)	**200 mg**	Andrographolide 10%
4	Amla (Emblica officinalis)	**300 mg**	Vitamin C & Tannins 30%
5	Haldi (Curcuma longa)	**150 mg**	Curcuminoids 95%
6	Filfil Siyah (Piper nigrum - Bio-enhancer Mu'in)	**20 mg**	Piperine 95%

Safety & Contraindications: Autoimmune flare states (active multiple sclerosis) without specialist review

ZAY-022: GastroVora™

Safoof-e-Islah-e-Amaa

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** GASTROINTESTINAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Zalaq-ul-Amaa / Nafkh-e-Shikam (Irritable Bowel Syndrome, Gut Dysbiosis, Postprandial Cramping & Flatulence)
Standard Posology: 5g twice daily 20 minutes after food with fresh buttermilk or water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Bilva (Aegle marmelos)	**400 mg**	Marmelosin & Tannins 10%
2	Ispaghul Husk (Plantago ovata)	**350 mg**	Soluble dietary fiber 85%
3	Saunf (Foeniculum vulgare)	**200 mg**	Anethole 2%
4	Pudina (Mentha piperita)	**150 mg**	Menthol 1.5%
5	Zeera Safed (Cuminum cyminum)	**150 mg**	Cuminaldehyde 2%

Safety & Contraindications: Acute bowel obstruction • Appendicitis symptoms • Fecal impaction

SECTION C: POSHIDA AMRAZ & CONTROLLED Rx SPECIALTIES

ZAY-023: NeuroVigor-Rx™

Habb-e-Azaraqi Mudabbar (Majoon-e-Muhrik-e-Baah)

Form: Coated Micro-Tablets (Alu-Alu Blister, 60 Tabs) **Axis:** ANDROLOGICAL **Track:** AYUSH SCHEDULE E1 RX **Rx Required:** Yes

Clinical Indications: Refractory Erectile Dysfunction, Severe Loss of Libido, Chronic Neuro-vascular Impotence
Standard Posology: 1 tablet at bedtime with 250ml full-cream milk. Maximum 3 times weekly. Strictly requires registered AYUSH practitioner prescription.

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Zafran (Crocus sativus)	**35 mg**	Crocin 3%
2	Kuchla Mudabbar (Purified Nux-vomica)	**20 mg**	Strychnine 1.15%
3	Salab Panja (Dactylorhiza hatagirea)	**350 mg**	Mucilaginous Glycoproteins 18%
4	Shingraf Mudabbar (Purified Cinnabar)	**15 mg**	Traditional detoxified mercuric sulfide compound
5	Darchini (Cinnamomum zeylanicum)	**100 mg**	Cinnamaldehyde 5%
6	Asgandh (Withania somnifera)	**250 mg**	Withanolides 5%

Safety & Contraindications: Severe cardiovascular disease, unstable angina, heart failure NYHA III/IV • Concurrent phosphodiesterase-5 inhibitors (Sildenafil, Tadalafil) without 24-hr washout • Uncontrolled hypertension (>170/105 mmHg) • Renal or hepatic failure

ZAY-024: SpermoVora™ *Safoof-e-Mujaddid-e-Nutfa-Shadeed*

Form: Single-Serve Paste Sachets (30 x 7g) **Axis:** ANDROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Severe Oligo-Astheno-Teratozoospermia (OAT Syndrome), Elevated DNA Fragmentation Index (DFI > 25%)
Standard Posology: 1 sachet (7g paste) twice daily with milk or fresh pomegranate juice for 90 to 120 days

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Coenzyme Q10	**200 mg**	Pure Ubiquinone 99%
2	L-Carnitine L-Tartrate	**500 mg**	Pure L-Carnitine 68%
3	Lycopene 10%	**25 mg**	Natural Tomato Lycopene Extract
4	Salab Misri (Orchis mascula)	**350 mg**	Glucomannan 15%
5	Safed Musli (Chlorophytum borivilianum)	**300 mg**	Saponins 20%
6	Zinc Monomethionine	**50 mg**	Elemental Zinc 10mg
7	Selenium Yeast	**40 mg**	Elemental Selenium 40mcg

Safety & Contraindications: Hypercalcemia / Hypercalciuria • Severe renal disease

ZAY-025: ManiVital Pro™ *Safoof-e-Mumsik-e-Mani-Shadeed*

Form: Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** ANDROLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

Clinical Indications: Surat-e-Inzal (Premature Ejaculation, IELT < 1 minute), Riqat-e-Mani (Seminal hyperviscosity/thinness)
Standard Posology: 5g twice daily with lukewarm milk 1 hour before sleep

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Tukhm-e-Kahu (Lactuca sativa seeds)	**250 mg**	Lactucopicrin 1.5%
2	Tukhm-e-Khashkhash (Purified poppy seeds)	**250 mg**	Total Lipids & Alkaloids
3	Gond Kikar (Acacia arabica gum)	**300 mg**	Arabinogalactan 35%
4	Mochras (Bombax ceiba gum)	**200 mg**	Tannins 20%
5	Kushta Qalai (Tin calx)	**50 mg**	Purified Stannic Oxide complex

Safety & Contraindications: None major; avoid combining with heavy CNS depressants

ZAY-026: ProstaVora™ *Safoof-e-Mulayyim-e-Ghudda-e-Baristeht*

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** UROLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Waram-e-Ghudda-e-Baristeht (Benign Prostatic Hyperplasia - BPH Grade 1 & 2, Nocturia, Urinary Hesitancy)
Standard Posology: 3g or 2 capsules twice daily after meals with water

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Saw Palmetto Extract (Serenoa repens)	**320 mg**	Fatty Acids 45%
2	Nettle Root (Urtica dioica)	**250 mg**	Beta-Sitosterol 0.8%
3	Gokshura (Tribulus terrestris)	**300 mg**	Saponins 40%
4	Varuna (Crataeva nurvala)	**250 mg**	Lupeol 1.5%
5	Pumpkin Seed Extract (Cucurbita pepo)	**200 mg**	Phytosterols 20%

Safety & Contraindications: Prostate Cancer (mandatory PSA check prior to therapy) • Acute urinary retention requiring Foley catheterization

ZAY-027: AndroVora™

Majoon-e-Muqawwi-e-Khusyatain

Form: Targeted HPMC Veg Capsules (60 Caps) **Axis:** ANDROLOGICAL **Track:** AYUSH CLASSICAL **Rx Required:** No

Clinical Indications: Late-onset Hypogonadism, Andropause, Sarcopenia, Testicular Axis Fatigue, Low Free Testosterone
Standard Posology: 5g in the morning on empty stomach with warm milk

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Salab Gatta (Orchis latifolia)	**300 mg**	Bioactive Mucilage 20%
2	Khusyat-us-Salab (Testicular Bio-Extract)	**250 mg**	Standardized Peptide Fraction
3	Zafran (Crocus sativus)	**20 mg**	Crocin 3%
4	Asgandh (Withania somnifera)	**300 mg**	Withanolides 5%
5	Kushta Nuqra (Silver calx)	**30 mg**	Sub-micron Silver Particles
6	Maghz-e-Chilgoza (Pinus gerardiana)	**250 mg**	Pinolenic Acid 15%

Safety & Contraindications: Active or suspected prostate carcinoma • Severe sleep apnea • Polycythemia (Hematocrit > 52%)

ZAY-028: LeucoVora™

Safoof-e-Daf-e-Sailan-ur-Reham-Shadeed

Form: Micro-Granules (30 x 3g Daily Stick Sachets) **Axis:** GYNECOLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

Clinical Indications: Intractable Chronic Leucorrhoea, Cervical Erosion, Sacral backache associated with vaginal discharge
Standard Posology: 3g twice daily with rice water (Maa-ul-Arz) 30 minutes before meals

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Lodhra (Symplocos racemosa)	**400 mg**	Loturine 1.5%
2	Ashok Chhal (Saraca asoca)	**350 mg**	Tannins 10%
3	Mochras (Bombax ceiba gum)	**300 mg**	Tannins & Mucilage 20%
4	Kushta Baiza-e-Murgh	**100 mg**	Egg Shell Micro-Calcified Calcium
5	Phitkari Biryan (Roasted alum)	**100 mg**	Purified Potash Alum

Safety & Contraindications: Undiagnosed irregular genital bleeding • Malignancy of genital tract

ZAY-029: OvaSync-PCOS™

Safoof-e-Munazzim-e-Haiz

Form: Micro-Granules (30 x 5g Daily Stick Sachets) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Ehtebas-e-Tams / Marz-e-Keesa-tul-Khusyatur-Reham (PCOS/PCOD, Anovulatory Cycles, Hyperandrogenism, Insulin Resistance)
Standard Posology: 4g (1 sachet) twice daily dissolved in 150ml water 20 minutes before meals for 3 to 6 consecutive cycles

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Myo-Inositol	**2000 mg**	Pure USP Grade (40:1 ratio match)
2	D-Chiro-Inositol	**50 mg**	Pure USP Grade (40:1 ratio match)
3	Kanchnar Chhal (Bauhinia variegata)	**350 mg**	Flavonoids 5%
4	Methi (Trigonella foenum-graecum)	**300 mg**	4-Hydroxyisoleucine 20%
5	Haldi (Curcuma longa)	**200 mg**	Curcuminoids 95%
6	Dalchini (Cinnamomum verum)	**150 mg**	Polyphenols 10%
7	Filfil Siyah (Piper nigrum - Bio-enhancer Mu'in)	**15 mg**	Piperine 95%

Safety & Contraindications: Pregnancy (once conception confirmed, switch to prenatal protocol) • Active ovarian cyst torsion requiring surgery

ZAY-030: MensoCalm™

Majoon-e-Muqawwi-e-Reham-Shadeed

Form: HPMC Veg Capsules (Alu-Alu Blister, 60 Caps) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Zof-e-Reham (Uterine Atony, Pelvic Floor Laxity, Dysmenorrhea, Luteal Phase Inadequacy)
Standard Posology: 5g in the morning with warm milk

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Ashok Chhal (Saraca asoca)	**400 mg**	Catechins 10%
2	Shatavari (Asparagus racemosus)	**350 mg**	Shatavarins 10%
3	Supari Mudabbar (Purified Areca catechu)	**150 mg**	Arecoline detoxified <0.05%
4	Gond Katira (Astragalus gummifer)	**200 mg**	Tragacanthin 40%
5	Asl-us-Soos (Glycyrrhiza glabra)	**150 mg**	Glycyrrhizin 10%

Safety & Contraindications: Acute active heavy bleeding (menorrhagia) during menstruation (pause during peak flow)

ZAY-031: MenoVora™

Safoof-e-Daf-e-Araz-e-Yas

Form: Micro-Granules (30 x 3g Daily Stick Sachets) **Axis:** GYNECOLOGICAL **Track:** AYUSH PROPRIETARY **Rx Required:** No

Clinical Indications: Sinn-e-Yas (Menopausal Syndrome, Vasomotor Hot Flashes, Night Sweats, Mood Swings, Accelerated Bone Demineralization)
Standard Posology: 3g twice daily with lukewarm water after breakfast and dinner

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Shatavari (Asparagus racemosus)	**400 mg**	Shatavarins 10%
2	Black Cohosh (Actaea racemosa extract)	**100 mg**	Triterpene Glycosides 2.5%
3	Shankhpushpi (Convolvulus pluricaulis)	**300 mg**	Total Alkaloids 2.5%
4	Badranjboya (Melissa officinalis)	**200 mg**	Rosmarinic Acid 5%
5	Praval Pishti (Purified Coral Calx)	**150 mg**	Bioactive Calcium & Trace Minerals

Safety & Contraindications: Estrogen receptor-positive breast cancer history without oncologist clearance • Severe active hepatic impairment

ZAY-032: ConceiveVora™

Safoof-e-Mualijat-e-Uqr-e-Nisa

Form: Compressed Tablets (60 Tabs) **Axis:** GYNECOLOGICAL **Track:** FSSAI NUTRACEUTICAL **Rx Required:** No

Clinical Indications: Uqr-e-Nisa (Female Infertility, Diminished Ovarian Reserve, Poor Oocyte Quality, Thin Endometrial Lining)
Standard Posology: 5g twice daily with warm milk starting on Day 5 of menstrual cycle continuously for 90 days

#	Active Ingredient (Botanical Binomial / Unani)	Amount / Dose	Analytical Marker / Standardization
1	Shatavari (Asparagus racemosus)	**400 mg**	Shatavarins 10%
2	Shivlingi (Bryonia laciniosa seeds)	**250 mg**	Bryonin 2%
3	Putranjiva (Putranjiva roxburghii)	**250 mg**	Total Glycosides 3%
4	Ashok Chhal (Saraca asoca)	**300 mg**	Tannins 10%
5	Coenzyme Q10	**100 mg**	Pure Ubiquinone 99%
6	L-Methylfolate (Active Folate)	**0.5 mg**	Pure Active L-5-MTHF

Safety & Contraindications: Confirmed pregnancy (pause upon positive hCG, transition to maternal regimen) • Bilateral complete fallopian tube occlusion (tubal factor requires surgical or IVF resolution)