

## **CalendarUI Migration**

# Introduction

---

This document provides installation and deployment information for administrators planning to migrate from “meetingroom” to “calendarui”.

The migration process is automatically executed when the “Calendar UI” configurator is launched.

# Software Requirements

---

The requirements must be met before the installation.

- Applet meetingroom V1.10.19+ installed
- Applet calendarui V1.10.10+ to be installed

# Applet migration

## 1. CalendarUI Installation


1.1. Go to the Innes Plugncast Server Web Interface with your internet browser.

<http://<host>/configuration>

The <host> is the IP address or DNS of your Innes PlugnCast Server.

1.2. Log-in as “Super Administrator”

1.3. Go to “Applets Manager” and click “Install” button.




1.4. Select your *calendair.saz* file and follow the installation steps.


## 2. CalendarUI Migration

2.1 Go to “Applets” tab.

2.2 Click “CalendarUI”. The configuration of “Calendar UI” is launched.



2.3 A dialog box informs you which domain accounts have been automatically migrated. This dialog box appears just once (no dialog box is shown if there aren't domain accounts to migrate).



### **3. Meetingroom Uninstallation**

3.1 Go to "Applets Manager".

3.2 Select "meetingroom" applet.

3.3 Click "Uninstall" button.

## Annex 1 - Migration Process

The migration process is executed **each time** de “Calendar UI” configurator is launched.

The migration process consists of two actions per domain account.

For each domain account:

### 1.1 Rename the folder

**<Innes PlugnCast Data Folder>**\Server\.accounts\**<domain>**\.applets\.meetingroom\

to:

**<Innes PlugnCast Data Folder>**\Server\.accounts\**<domain>**\.applets\.calendarui\

### 1.2 Rename the folder

**<Innes PlugnCast Data Folder>**\Server\.accounts\**<domain>**\.medias\.applets\.meetingroom\

to:

**<Innes PlugnCast Data Folder>**\Server\.accounts\**<domain>**\.medias\.applets\.calendarui\

The domain account path is:

**<Innes PlugnCast Data Folder>**\Server\.accounts\**<domain>**\

The **<Innes PlugnCast Data Folder>** is the data folder of Innes PlugnCast.

The <domain> is your currently domain.

## Examples

In these examples **<domain>** value is **innes.fr**.

### Vista Example

C:\Users\Public\Documents\Innes PlugnCast\Server\.accounts\innes.fr \

### XP Example

C:\Documents and Settings\All Users\Documents\Innes PlugnCast\Server\.accounts\ innes.fr\