Galaxy S25+ measurement sheet

Hold the phone upright, screen facing you. Top = the selfie-camera end. Button side = the long side with the keys.
"top → ring" = from the top edge to the NEAREST edge of the ring. Same idea for every "→". All values in mm.
Sticks out: measure across the phone over the ring (or key), then subtract A3 (or A2). Measure twice, write both if they differ.

Body

A1 Length, top to bottom (spec 158.4) _____ mm

A2 Width, side to side (spec 75.8) _____ mm

A3 Thickness, not at the cameras (spec 7.3) _____ mm

A4 Corner radius, seen from the front (page 2) _____ mm

A5 Height of the flat strip on the side frame _____ mm

Rear cameras and flash

B1 Top lens _____ top → ring | _____ btn side → ring | _____ ring Ø | _____ sticks out

B2 Middle lens _____ top → ring | _____ btn side → ring | _____ ring Ø | _____ sticks out

B3 Bottom lens _____ top → ring | _____ btn side → ring | _____ ring Ø | _____ sticks out

B4 Flash _____ top → flash | _____ btn side → flash | _____ Ø

Keys (button side)

C1 Volume key _____ top → key | _____ length | _____ height | _____ sticks out

C2 Power key _____ top → key | _____ length | _____ height | _____ sticks out

Bottom edge

D1 USB-C port _____ btn side → port | _____ width | _____ height

D2 Speaker grille _____ btn side → grille | _____ grille width | _____ hole Ø

D3 Microphone hole _____ btn side → hole | _____ Ø

D4 SIM tray (note if it's on the top) _____ btn side → tray | _____ length | _____ height

Top edge and other side

E1 Top hole nearer the button side _____ btn side → hole | _____ Ø

E2 Other top hole _____ btn side → hole | _____ Ø

E3 Anything else on the top edge? _____ notes

G1 Anything on the long side without keys? _____ notes

Front (only if the case covers the screen)


F1 Black border around the screen _____ sides | _____ top | _____ bottom

F2 Selfie camera hole _____ top → hole | _____ Ø

Corner radius gauge (A4)

1. Lay the phone screen-down and slide it until its long side touches line Y AND its bottom edge touches line X.
2. Look straight down at the corner. Arcs smaller than the phone's corner show in the gap; bigger ones hide under the phone.
3. The corner radius is between the largest arc you can still see and the next size up. A 0.5 mm error here only moves the corner of the case by 0.2 mm. Or take a photo straight down and send it to Claude.

Drawn for a printer that prints at 94.8%. The bar at the bottom must still measure 100 mm.





must measure exactly 100 mm - if not, reprint at 100% / Actual size

Outline check (A1, A2, A4)

Lay the phone screen-down inside the outline. It should just cover the solid line all the way round and leave the dashed line (0.5 mm outside) visible. Solid line showing at the corners = the phone's corners are rounder than the model.

Drawn for a printer that prints at 94.8%. The bar at the bottom must still measure 100 mm.






must measure exactly 100 mm - if not, reprint at 100% / Actual size

Back template (B1-B4, C1-C2)

Cut along the outline. Lay it on the back of the phone with the edges lined up and press gently round each camera:
every ring should sit inside its circle. Hold it against the button side to check the key marks. Note what's off and by how much.

Drawn for a printer that prints at 94.8%. The bar at the bottom must still measure 100 mm.



must measure exactly 100 mm - if not, reprint at 100% / Actual size