Galaxy S25+ measurement sheet

Hold the phone upright, screen facing you. Top = the selfie-camera end. Button side = the long side with the keys.
"top → ring" = from the top edge to the NEAREST edge of the ring. Same idea for every "→". All values in mm.
Sticks out: measure across the phone over the ring (or key), then subtract A3 (or A2). Measure twice, write both if they differ.

Body

A1 Length, top to bottom (spec 158.4)

_____ mm

A2 Width, side to side (spec 75.8)

_____ mm

A3 Thickness, not at the cameras (spec 7.3)

_____ mm

A4 Corner radius, seen from the front (page 2)

_____ mm

A5 Height of the flat strip on the side frame

_____ mm

Rear cameras and flash

B1 Top lens

_____ top → ring | _____ btn side → ring | _____ ring Ø | _____ sticks out

B2 Middle lens

_____ top → ring | _____ btn side → ring | _____ ring Ø | _____ sticks out

B3 Bottom lens

_____ top → ring | _____ btn side → ring | _____ ring Ø | _____ sticks out

B4 Flash

_____ top → flash | _____ btn side → flash | _____ Ø

Keys (button side)

C1 Volume key

_____ top → key | _____ length | _____ height | _____ sticks out

C2 Power key

_____ top → key | _____ length | _____ height | _____ sticks out

Bottom edge

D1 USB-C port

_____ btn side → port | _____ width | _____ height

D2 Speaker grille

_____ btn side → grille | _____ grille width | _____ hole Ø

D3 Microphone hole

_____ btn side → hole | _____ Ø

D4 SIM tray (note if it's on the top)

_____ btn side → tray | _____ length | _____ height

Top edge and other side

E1 Microphone hole

_____ btn side → hole | _____ Ø

E2 Anything else on the top edge?

_____ notes

G1 Anything on the long side without keys?

_____ notes

Front (only if the case covers the screen)

F1 Black border around the screen

_____ sides | _____ top | _____ bottom


F2 Selfie camera hole

_____ top → hole | _____ Ø

Corner radius gauge (A4)

1. Lay the phone screen-down and slide it until its long side touches line Y AND its bottom edge touches line X.
2. Look straight down at the corner. Arcs smaller than the phone's corner show in the gap; bigger ones hide under the phone.
3. The corner radius is between the largest arc you can still see and the next size up. A 0.5 mm error here only moves the corner of the case by 0.2 mm. Or take a photo straight down and send it to Claude.

CHECK FIRST: the bar at the bottom must measure 100 mm with calipers. If it doesn't, send Claude the number.




must measure exactly 100 mm - if not, reprint at 100% / Actual size

Outline check (A1, A2, A4)

Lay the phone screen-down inside the outline. It should just cover the solid line all the way round and leave the dashed line (0.5 mm outside) visible. Solid line showing at the corners = the phone's corners are rounder than the model.

CHECK FIRST: the bar at the bottom must measure 100 mm with calipers. If it doesn't, send Claude the number.




must measure exactly 100 mm - if not, reprint at 100% / Actual size

Back template (B1-B4, C1-C2)

Cut along the outline. Lay it on the back of the phone with the edges lined up and press gently round each camera: every ring should sit inside its circle. Hold it against the button side to check the key marks. Note what's off and by how much.

CHECK FIRST: the bar at the bottom must measure 100 mm with calipers. If it doesn't, send Claude the number.



must measure exactly 100 mm - if not, reprint at 100% / Actual size