

**THE AYURVEDIC PHARMACOPOEIA
OF INDIA**

**PART- I
SECOND EDITION**



**GOVERNMENT OF INDIA
MINISTRY OF HEALTH AND FAMILY WELFARE
DEPARTMENT OF INDIAN SYSTEMS OF MEDICINE
AND HOMOEOPATHY**

© 2003, Ministry of Health & Family Welfare
Government of India
Department of Indian Systems of Medicine & Homoeopathy

Price : Inland — Rs. 500
Foreign — US \$ 100

ISBN 81-901151-4-6

Printed by : NATIONAL INSTITUTE OF SCIENCE COMMUNICATION AND INFORMATION
RESOURCES, CSIR
Dr. K.S. Krishnan Marg, New Delhi – 1100012

On behalf of : GOVERNMENT OF INDIA
DEPARTMENT OF INDIAN SYSTEMS OF
MEDICINE & HOMOEOPATHY

Published by : THE CONTROLLER OF PUBLICATIONS
CIVIL LINES, DELHI - 110054



श्रीमती मालती एस. सिन्हा

Smt. Malti S. Sinha
SECRETARY

Tel. : 011-3715564

Fax. : 011-3327660

E-Mail: sec-smh@hub.nic.in



MEDICINAL PLANTS
FOR HEALTHY
LIVING

सचिव भारत सरकार

स्वास्थ्य एवं परिवार कल्याण मंत्रालय

भारतीय चिकित्सा पद्धति एवं होमियोपैथिक विभाग

रेड क्रॉस भवन, नई दिल्ली-110001

SECRETARY TO GOVERNMENT OF INDIA
MINISTRY OF HEALTH & FAMILY WELFARE
DEPTT. OF ISM & HOMOEOPATHY
RED CROSS BUILDING, NEW DELHI - 110001


FOREWORD

Ayurvedic Formulary of India (AFI), Part I comprises of 444 classical formulations of Ayurveda, which are the most commonly manufactured and used in the clinical practice of Ayurveda. Ayurvedic Formulary of India, Part I, First Edition was published in the year 1978 and was the first official document of its kind on Ayurvedic medicines. This document brought uniformity amongst the manufacturers to follow the same formula of ingredients in the same proportion. Subsequently, Ayurvedic Formulary of India, Part I was included in the First Schedule of the Drugs and Cosmetics Act, 1940 to give it a legal status.

The need to bring out the Second Edition of Ayurvedic Formulary of India, Part I was felt, as there were a lot of developments in the last 24 years after the document was used by the manufacturers. The Second Edition is an improved document, wherein the original *Shlokas* have been given alongwith the formulations for which English translation is carried out. The ambiguities in various parts of the plants used in the drugs which the users came across, have been clarified. The authentic botanical names of the drugs, permissible parts used in lieu of the non-available parts, approximate English names of the Ayurvedic terms etc. are some of the additions made in the Second Edition of Ayurvedic Formulary of India. All these features have made this document more user friendly not only for the Ayurvedic doctors but also for the scholars of other specialities.

This book has been prepared under the constant expert guidance of the Members of Ayurvedic Pharmacopoeia Committee by the technical staff of the Department of Indian Systems of Medicine & Homoeopathy associated with the Ayurvedic Pharmacopoeia work. Translation work and addition of Sanskrit references along with the English equivalents etc. required a lot of hard work and time of the experts which deserves appreciation. I hope that the Second Edition will not only be useful to the Ayurvedic doctors in India but also to experts in foreign countries where the interest of Ayurveda is growing.

I forward this book with great pleasure and appreciation.


(MALTI S. SINHA)

CONTENTS
PDF — PART ‘A’

	FORWARD	3
	LEGAL NOTICE	6
	GENERAL NOTICES	7
	TRANSLITERATION SYMBOLS	10
	ABBREVIATIONS FOR PARTS OF PLANTS	11
	PREFACE TO THE FIRST EDITION	13
	PREFACE TO SECOND EDITION	14
	INTRODUCTION	17
	INTRODUCTION TO E-BOOK	33
	FORMULARY COMPOUND FORMULATIONS	
1	ĀSAVA AND ARIṢṬA	34-101
2	ARKA	102-107
3	AVALEHA OR LEHA AND PĀKĀ	108-164
4	KVĀTHA CŪRṆA	165-202
5	GUGGULU	203-224
6	GHRṬA (SNEHAKALPA)	225-303
7	CŪRṆA	304-358
8	TAILA	359-460
9	DRĀVAKA	461-464
10	LAVAṆA KṢĀRA	465-481
11	LEPA	482-494
12	VATĪ AND GUṬIKĀ	497-552
13	VARTI, NETRABINDU AND AÑJANA	553-561
14	SATTVA	562-563
15	KŪPĪPAKVA RASĀYANA	564-576
16	PARPAṬĪ	577-585
17	PIṢṬĪ	585-586
18	BHASMA	587-652

19	MANDŪRA	653-656
20	RASAYOGA	657-740
21	LAUHA	741-756

LEGAL NOTICE

1. In India there are laws dealing with certain substances which are the subject of the monographs of compound formulations included in the Ayurvedic Formulary of India. These monographs should be read subject to the restrictions imposed by those wherever they are applicable.

2. It is expedient that enquiry be made in each case in order to ensure that the provisions of any law are being complied with.

3. In general, the provisions of the Drugs and Cosmetics Act (1940), Chapter IVA as are applicable to Ayurvedic Drugs and the Rules framed there under should be consulted.

4. Standards for the several single drugs of plant, animal and mineral origin included in the Pharmacopoeial List of Single Drugs included as an Appendix to the Ayurvedic Formulary have yet to be worked out. In the manufacture of medicines included in this Formulary, it should be ensured that the Vaidya - in - charge of the Pharmacy has reasonably satisfied himself about the identity and purity of the drugs.

5. Use of Substitute drugs (Pratinidhi dravyas), wherever the original drugs are not available, is permissible in the Ayurvedic classics and practice. It must, however, be ensured that only the substitutes as are mentioned in the texts or included in the Formulary are used.

6. Formulations included in the Ayurvedic Formulary may also be manufactured as per formulae given in various Ayurvedic Classics. The Ayurvedic Formulary has, however, included the most commonly accepted Formulae for the medical preparations included therein. It does not however preclude the Ayurvedic Pharmaceutical industry and the practitioners from manufacturing medicines on the basis of other formulae. But should the medicines be prepared according to the reference mentioned in the formulary, deviation in the details of the ingredients or their quantities is not permissible.

GENERAL NOTICE

Title : The title of this book, including supplements thereto, is the Ayurvedic Formulary of India, The word 'Formulary' wherever it occurs in the text, refers to the Ayurvedic Formulary of India.

Names of Drugs, Preparations and other Substances

Synonyms : While it is advisable that the Sanskrit titles and names should be employed in prescription, the more important or frequently used alternative names are given as synonyms. These synonyms are also titles, and substances or preparations so designated for use in medicine, have the same significance as the main titles.

Official : All names of drugs, formulations and processes mentioned in the Formulary will be deemed to be Sastriya and would be synonymous with the word "Official" and applies to any statement included in the General Notices, Monographs and Appendices of the Formulary.

Methods of Preparation: The General Method of Preparation has been given immediately preceding the individual Groups of Formulations. When there is a statement in the body of a monograph of the formulation that a substance will have to be prepared by a certain method, it indicates that the general method is modified to that extent. In some cases there are more than one method of preparation and new methods are constantly being evolved. What is intended is that, irrespective of the method of preparation, the resulting substances must comply with Formulary requirements

Doses : Doses mentioned in the Formulary are intended merely for general guidance and represent, unless otherwise stated, the average range of quantities per dose which are generally regarded as suitable for adults when administered orally. It is not to be regarded as binding upon the prescribers. The doses may in many cases be repeated three to four times in 24 hours. The medical practitioner will exercise his own judgment and act on his own responsibility in respect of the amount of any therapeutic agent he may prescribe or administer or the frequency of its administration. When, however an unusually large dose appears to have been prescribed, it shall be the duty of the pharmacist or dispenser to satisfy himself that the prescriber's intention has been correctly interpreted. If it is necessary

to administer a drug by a route other than oral, single dose for such administration is mentioned

Doses are expressed in the metric system of weights or measures. A conversion table is appended to the Formulary giving the classical Ayurvedic System of weights and measures and their metric equivalents.

It is to be noted that the relation between the doses in metric and Ayurvedic Systems set forth in the text is of only approximate equivalence. These equivalents are for the convenience of the prescriber and are sufficiently accurate for pharmaceutical or other purposes.

Weights and Measures : In the Formulary only the metric system of weights and measures is indicated.

Fluid measures are given in multiples or fractions of millilitre. The term 'ml' is used as short designation for the millilitre

When the term 'drop' is used, the measurement is to be made by means of a tube which delivers 1 gram of distilled water at 15° C, in 20 drops.

Metric measures are required by the Formulary to be graduated at 25° C., and all measurements involved in the analytical operations of the Formulary are intended, unless otherwise stated, to be made at that temperature.

Crude Drugs : Plant, animal and mineral drugs are required to be free from insects and other foreign matter, and from animal excreta, and to show no abnormal odour, colour, sliminess, mould or other evidence of deterioration.

Storage : The container and its closure must not interact physically or chemically with the substance which it holds so as to alter the strength, quality or purity of the substance. If interaction is unavoidable, the alteration must not be so great as to bring the substance below Formulary requirements. A well closed container must protect the contents from contamination by extraneous matter or moisture, from loss of the substance under ordinary

or customary conditions of handling, shipment, storage or sale. A tightly-closed container must protect the contents from contamination by extraneous matter or moisture, from loss of the substance and from efflorescence, deliquescence, or evaporation under the ordinary or customary conditions of handling, shipment, storage or sale, and shall be capable of tight reclosure. Where a tightly-closed container is specified, it may be replaced by hermetically - closed container. A hermetically closed container for a single dose of that substance must be impervious to air or any other gas under the ordinary or customary conditions of handling, shipment, storage or sale.

Indo-Romanic Equivalents of Devanagari Alphabets

अ	a		ट	ṭa
आ	ā		ठ	ṭha
इ	i		ड	ḍa
ई	ī		ढ	ḍha
उ	u		ण	ṇa
ऊ	ū		त	ta
ऋ	ṛ		थ	tha
ए	e		द	da
ओ	o		ध	dha
औ	au		न	na
ं	m̐		प	pa
:	h̐		फ	pha
क	ka		भ	bha
ख	kha		म	ma
ग	ga		य	ya
घ	gha		र	ra
ङ	ṅa		ल	la
च	ca		व	va
छ	cha		श	śa
ज	ja		स	sa
झ	jha		ष	ṣa
ञ	ña		ह	ha
			क्ष	kṣa
			ज्ञ	jña

Abbreviations for Parts of Plants

1	(A.R.)	Arial Roots
2	(Adr.)	Androecium
3	(Ar.)	Aril
4	(Bl.)	Bulb
5	(Cotdn.)	Cotyledon
6	(Dr.Fr.)	Dry Fruit
7	(Dr.Sd.)	Dry Seed
8	(Enm.)	Endosperm (Beeja Majja)
9	(Exd.)	Exudate
10	(Ext.)	Extract
11	(Fl.)	Flower
12	(Fl.Bd.)	Flower Bud
13	(Fr.)	Fruit
14	(Fr./Dr.Sd.)	Fruit / Dry Seed
15	(Fr./Fl.)	Fruit / Flower
16	(Fr./Rt.)	Fruit / Root
17	(Fr.P.)	Fruit Pulp
18	(Fr.R.)	Fruit Rind
19	(Ft.Exd.)	Fruit Exudate
20	(G.H.F)	Glands& Hair on Fruit
21	(Gl.)	Gall
22	(Hairs in the fruit)	Hairs in the fruit
23	(Ht.Wd.)	Heart Wood
24	(If.)	Inflorescence
25	(Kr.)	Kernel
26	(L.)	Latex
27	(L.R.)	Leaf Raches
28	(Lf.)	Leaf
29	(Lf./Pl.)	Leaf / Plant (Whole)
30	(Lf./Rt.)	Leaf / Root
31	(Lf.Bud.)	Leaf Bud
32	(Lf.Ext.)	Leaf Extract
33	(Lx.)	Latex
34	(Ol.)	Oil
35	(P.)	Pericarp
36	(Pl.)	Plant (Whole)
37	(Resin)	Resin
38	(Rt.)	Root
39	(Rt./Lf.)	Root / Leaf
40	(Rt./Pl.)	Root / Plant (Whole)
41	(Rt./Rz.)	Root / Rhizome
42	(Rt./St.Bk.)	Root / Stem Bark
43	(Rt.Bk.)	Root Bark

44	(Rt.Tr.)	Root Tuber
45	(Rz.)	Rhizome
46	(S.C.)	Silicacious Concretion
47	(Sd.)	Seed
48	(Sd./Pl.)	Seed / Plant (Whole)
49	(Solid Ext.)	Solid Extract
50	(St.)	Stem
51	(St. Bk.)	Stem Bark
52	(St./Lf.)	Stem / Leaf
53	(St./Rt.)	Stem / Root
54	(St.Bk.)	Stem Bark
55	(St.Ext.)	Stem Extract
56	(St.Tr)	Stem Tuber
57	(Stg.)	Stigma
58	(Stl./Stg.)	Style & Stigma
59	(Stmn.)	Stamens
60	(Sub.Ext.)	Sublimated Extract
61	(Sub.Rt.)	Substitute Root
62	(Sub.Rt.Tr.)	Substitute Root Tuber
63	(Sub.St.Bk.)	Substitute Stem Bark
64	(Tr.)	Tuber
65	(U.F.P)	Unripe Fruit Pulp
66	(Wl.Pl.)	Whole Plant

PREFACE TO FIRST EDITION

1. The Ayurvedic Pharmacopoeia Committee is glad to present the First Part of the Ayurvedic Formulary of India, which was one of the functions assigned to it. Every attempt has been made to include in it as many important formulations as are currently manufactured on a large scale in terms of value and in use throughout the country. Various organisations, institutions including pharmacies and individual Vaidyas, in the different regions were consulted before the Formulary was prepared. The Formulary, therefore represents the consensus of opinion of the Ayurvedic profession as a whole and as a consequence the Committee hopes it will be acceptable to the Profession at large. The committee urges the Central Government to recommend the adoption of this Formulary by all the Ayurvedic institutions maintained by Government in the states, as well as Semi-Government and other institutions managed by public voluntary organisations. The Committee hopes that, to start with, the Central Government will adopt it in its own institutions like the Central Government Health Scheme Ayurvedic Dispensaries, the Gujarat Ayurveda University and the Post Graduate Institute of Indian Medicine, Banaras Hindu University.

2. In the absence of adequate scientific standards of single drugs and compound formulations, a work which has only been recently started, the Committee has not been able to recommend standards for either of them. The Committee, while appreciating the efforts made by the Government to initiate work on standardisation is aware of the fact that steps taken so far have been inadequate and need to be further accelerated. Therefore the Committee very strongly recommends that the Government of India will expedite the establishment of Laboratories for standardisation work and setting up of drug farms where genuine and authentic drugs may be grown for this purpose. As Government is aware, the vast majority of the population in the country depends on drugs of indigenous origin. It is, therefore, necessary that standardisation of drugs should be taken up as a priority programme.

3. In addition to the establishment of drugs farms for genuine and authentic

drugs, the committee recommends that a National Herbarium and a Drug Museum should be established in the Fifth Plan.

4. The Committee expresses its thanks and appreciation to State Governments, Institutions and experts in Ayurveda and other sciences, for their unstinted co-operation and help in compiling this Formulary. The Committee also expresses its appreciation and thanks for the Secretariat Staff, who unsparingly gave of their best in this task.

A. N. NAMJOSHI Chairman

New Delhi 30th April 1976

PREFACE TO SECOND EDITION

The first edition of Ayurvedic Formulary of India (AFI) was published in the year 1978.

This was a unique attempt of its nature wherein the scattered information on various formulations in classical Ayurvedic books was compiled in such a way to make it suitable to develop pharmacopoeial standards and also to meet the requirements of Drugs and Cosmetics Act. During these 24 years, there has been significant increase in the information on Ayurvedic drugs, identification of constituents of the drugs, parts used, method of preparation and standardization of the products. At the same time new problems have also emerged in this sector. For example, the non-availability of some of the constituent drugs especially the roots and barks of various plants/trees; increase in the demand of Ayurvedic drugs leading to substitution! adulteration, imposition of new laws to protect environment as well as various plant species and the problems experienced by the pharmaceutical industry to prepare these formulations according to the classical descriptions mentioned in the first edition. Some of the ambiguities were also identified with regard to the parts used, method of preparation of the formulation as well as botanical identity of the

drugs.

To eliminate the ambiguities as well as to clarify other issues indicated above, the need for second edition was felt. The second edition of AFI as the following specific features:

- (i) List of single drugs of animal, mineral and plant origin has been prepared on the basis of the names appeared in the formulations. Their official names and English equivalents are given for easy identification.
- (ii) List of plant drugs has been edited as per botanical names of the plants appearing in the formulations for the convenience of the users, pharmacy experts and for the people who are not very much familiar with Ayurvedic terminology.
- (iii) List of Ayurvedic terms of therapeutic indications and their appropriate English equivalents have also been included in this edition.
- (iv) The therapeutic indications for the various formulations have also been indicated as mentioned in the original book of reference.
- (v) The original S lokas of reference from where the formulation has been derived have also been included with the formulations for ready reference.
- (vi) Keeping in mind the non-availability of roots and barks and regulating laws of the country, alternative parts of the plants have been indicated for the various formulations.

With the above said additions, the Second edition of AFI has become more informative and user friendly and of international standard for the global users. Now in addition to the Ayurvedic experts, other scientists can also make use of this book.

The Ayurvedic Pharmacopoeia Committee constituted by the Government of India vide letter No.X.19011/6/94-APC dated 6th January, 1998 and reconstituted vide letter No.X-19011/ 6/94-APC dated 21 st June, 2001 suggested the necessary additions, alterations in the First edition.

The efforts put in by the expert members and technical staff of Ayurvedic Pharmacopoeia Committee cell of the Deptt. of ISM & H deserve appreciation.

All the work especially preparing various annexures of English equivalents, botanical names, addition of Slokas, preparing list of ingredients as appear in the various formulations and proof reading of the additions, translation with dialectical marks was a herculean task, which requires a thorough knowledge of Ayurvedic Dravya Guna Vigyan, Botany and Sanskrit. This has become possible only with the constant efforts of Prof. v.v. Prasad, Dravya Guna Expert and Director, Rashtriya Ayurveda Vidyapeeth (RAV) & Member, Ayurvedic Pharmacopoeia Committee. Prof. Prasad and the staff of RAV also put in lot of efforts to give a final shape to this volume. They deserve special appreciation. Thanks are also due to Vaidya Tarachand Sharma for his cooperation in proof reading of Slokas of formulations and staff members of Rashtriya Ayurveda Vidyapeeth for all the help.

Dr. S.K. Sharma Advisor (Ayurveda),
Member Secretary,
Ayurveda Pharmacopoeia Committee.

INTRODUCTION

The system of Ayurveda, although at present mainly confined to India, has had a much wider re-organisation and prevalence in the past as early as dawn of human civilisation and Vedic period.

This system has undergone many vicissitudes in the course of its long and chequered history. However, it still remains the mainstay of medical relief to the majority of the people in this country. Even in the neighboring countries the system of Ayurveda is reported to be fairly prevalent. During the medieval period the system of Unani medicine was introduced and it was only in the sixteenth century A.D. that the western (allopathic) system came to be introduced in the country. However, Ayurveda continues to be the largest system of medical relief for the masses.

The system of Ayurveda embraces within its fold drugs of plant, animal and mineral origin, both single drugs and compound formulations. Although Ayurveda does not rule out any substance from being used as a potential source of medicine, presently about 1000 single drugs and 8000 compound formulations of recognised merit are in vogue. All the main classical works on Ayurveda, such as Caraka Samhita, Susruta Samhita, Astanga Sangraha and Astanga Hrdaya deal with drugs, their composition and action in addition to the other aspects of the medical system. Some of the Ayurvedic books known as Nighantu granthas like Dhanvantari nighantu, Kaiyadevanighantu, Bhavaprakasanighantu, Rajanighantu etc., deal mainly with single drugs, describing their habitat, characteristics and therapeutic action. Ayurvedic compound formulations are divided into two groups viz. (1) Kasthanusadhi (predominantly plant drug) and (2) Rasanusadhi (predominantly metals and minerals).

There are many authentic books on both the groups of compound formulations. While Sarangadhara Samhita, Cakradatta, Bhaisajyaratnavali, Sahasrayogam, Bharat Bhaisajya Ratnakara, etc. deal with both the groups of formulations, others like Rasendra Sarasangraha, Rasaratna Samuccaya, Rasaprakasa Sudhakara, Ayurvedaprakasa, Rasatarangini, Rasayogasagara etc. deal only with Rasanusadhi group of formulations.

There are several categories of Kasthanusadhi formulations such as Asavarista, Avaleha, Ghrita, Churna, Taila, etc., and of Rasanusadhis such as Bhasma, Pisti, Lauha, Mandura, Kupipakva Rasayana, etc., which are described in this volume.

Till recently Ayurvedic medicines used to be prepared by the practicing physician himself for the use of his patients. He was well qualified for identifying the single drugs and trained in the various processes of preparing the compound formulations because of his training in the Guruparampara system. The physician was at liberty to modify the composition of any preparation according to prevailing local conditions and with a view to serve the needs of any individual patient. In course of time, though the name of the formulation remained the same, variation in composition became an established practice. This resulted in the same preparation having different composition as well as different therapeutic indications. This inevitably resulted in a sort of confusion in the minds of unwary physicians who find themselves at a loss to choose an appropriate remedy. In the case of individual drugs, on account of various ecological factors, the same plant has varying properties depending upon the region, the climatic conditions of its growth. etc. The text is being interpreted in regional languages and conclusions drawn, as based on the

actual clinical experience of the physician in that region. Due to lapse of long period and the break of continuity over the ages, drugs which were at one time identified with one term have now been equated with others of the same name. All these factors have contributed, as in the case of formulations, to a state of uncertainty about the identity and use of the drugs.

The practice of the individual physician identifying drugs and preparing medicines himself for the use of his patients has been largely supplanted by the Pharmaceutical Industry. No longer, except in a few cases, does the physician, particularly in the urban area, undertake to prepare his own requirements of drugs; he prefers to purchase them straight from the market. Even the patient has become more sophisticated and prefers purchasing a readymade drug from a manufacturer instead of obtaining it from his own physician. On account of increasing urbanization, the tendency is towards more and more dependence on readymade preparations. The increasing needs of the population and the chronic shortage of authentic raw materials have made it incumbent that some sort of uniformity in the manufacture of Ayurvedic medicines should be brought about. Evolution of standards for Ayurvedic drugs, in the modern sense, considering the vast number of such drugs and their formulation, is a time-and money-consuming task, and will take considerable time for its achievement.

In view of the present trend of commercialisation in the preparation and marketing of Ayurvedic medicines and to ensure the interests of the profession and public, the Government of India considered it expedient to utilise the existing law which controls the standards of allopathic drugs, namely the Drugs and Cosmetics Act, 1940, to also control, in a limited measure, the Ayurvedic, Siddha and Unani drugs by amending the Act.

The Act was accordingly amended in 1964, to ensure only a limited control over the production and sale of these medicines, namely -

- 1 . The manufacture should be carried under prescribed hygienic conditions, under the supervision of a person having prescribed qualifications
2. The raw materials used in the preparation of drugs should be genuine and properly identified
3. The formula or the true list of all the ingredients contained in the drug, should be displayed on the label of every container.

Development of standards for the identity, quality and purity of single drugs, to start with, and of formulations, at a later stage, assume importance for the effective enforcement of the provisions of the Act. If the raw materials to be used in a medicine and stage by stage processes of manufacture are standardised, the final product, namely, the compound formulation can be expected to conform to uniform standards. The requirement that the list of ingredients be displayed on the label will enable analysts, in important cases, to verify label claims and to that extent will bind the manufacturer to make a true claim. Arrangements to evolve and lay down physical, chemical and biological tests, where necessary, to identify the drug and ascertain its quality, and to detect adulterations are an urgent necessity. Setting up of Drug Standardisation Research, Testing and Control Laboratories for Ayurvedic Medicines both at all-India and regional levels for this purpose is, therefore, essential. Several Committees appointed by the Government of India to Assess and Evaluate the Status and Practice of Ayurvedic Medicine have stressed the importance of preparing an Ayurvedic Pharmacopoeia.

Having regard to all these considerations, the Central Council of Ayurvedic Research

recommended the constitution of an Ayurvedic Pharmacopoeia Committee consisting of experts on Ayurveda and other sciences.

The Government of India accepted the recommendation of the Central Council of Ayurvedic Research and in their letter No. 14-8/62-ISM, dated the 20th September, 1962 constituted the First Ayurvedic Pharmacopoeia Committee consisting of the following experts for a period of three years with effect from the date of its first meeting : -

1. Col. Sir Ram Nath Chopra, Drugs Research Laboratory, Srinagar.	Chairman
2. Vaidya B. V. Gokhale, 39/14-15, Erandavane, Deccan Gymkhana, Poona - 4.	Member
3. Vaidya D. A. Kulkarni, Principal, Post Graduate Training Centre in Ayurveda Jamnagar.	Member
4. Kaviraj B. N. Sircar, 779 - 780, Nicholson Road, Kashmere Gate, Delhi-6.	Member
5. Shri A. N. Namjoshi, Navyug Mansion, 19 - A, Sleater Road, Bombay -7.	Member
6. Dr. B. B. Gaitonde, Professor of Pharmacology, Grant Medical College Bombay.	Member
7. Dr. C. G. Pandit, Director, Indian Council of Medical Research New Delhi.	Member
8. Dr. G. K. Karandikar, Dean, Medical College Aurangabad.	Member
9. Dr. G. S. Pendse, Honorary Director, Indian Drug Research Association 955, Sadashiv, Lakshmi Road, Poona - 2.	Member

10. Dr. M. V. Venkataraghavan, Chellakoti, Nungambakkam Madras - 34.	Member
11. Ayurvedacharya Kaladi K. Parameswaran Pillai, Lakshmi vilasam Vaid yasala, Vanchiyur, Trivandrum.	Member
12. Dr. V. Narayanaswamy, 70, Tana Street, Vepery, Madras - 7.	Member
13. Vaidya P. V. Dhamankar Shastri Pardeshi Lane, Panvel, District Colaba, Bombay.	Member
14. Shri S. K. Borkar, Drugs Controller (India), Directorate General of Health Services, New Delhi.	Member
15. Shri Bapalal G. Vaidya, Principal, O. H. Nazar Ayurveda Mahavidyalaya, Surat.	Member
16. Kumari Savita Satakopan, Drugs Control Laboratory, Near Polytechnic, Highway 8, Baroda.	Member
17. Vaidya Vasudev M. Dwivedi, Director of Ayurveda, Government of Gujarat, Ahmedabad.	Member
18. Shri P. V. Bhatt, M. Sc., Chemist, The Ayurveda Rasashala, Deccan Gymkhana, Poona - 4	Member
19. Vaidya Ram Sushil Singh, Assistant Director of Ayurveda, Directorate of Medical Services, (Ayurveda), Government of Uttar Pradesh.	Member
20. Dr. Y. Kondal Rao, Secretary, Indian Medical Practitioners'	Member

Co-operative Pharmacy & Stores Limited.
Adyar, Madras - 20

Member

21. Dr. V. Srinivasan, M. Sc. , M.B.B.S., Ph. D.,
Director
Sarabhai Chemicals Research Institute
Shahibag,
Ahmedabad - 4.

Member

22. Dr. C.Dwarakanath,
Advisor in Indian Systems of Medicine,
Ministry of Health
New Delhi.

Member Secretary

The Committee was assigned the following functions : -

I. To prepare an official Formulary in 2 parts :

- (a) Single drugs, of whose identity and therapeutic value there is no doubt; and
- (b) Compound preparations which are frequently used in Ayurvedic practice throughout country,

- 2. To provide standards for drugs and medicines of therapeutic usefulness or pharmaceutical necessity sufficiently used in the Ayurvedic practice.
- 3. To lay down tests for identity, quality and purity.
- 4. To ensure as far as possible uniformity, physical properties and active constituents ; and
- 5. To provide all other information regarding the distinguishing characteristics, methods of preparation, dosage, method of administration with various anupanas or vehicles and their toxicity.

During the first term of the Committee's existence, Dr. Sadgopal, Deputy Director, Indian Standards Institution was nominated as a Member in place of Shri P. V. Bhatt on the latter's demise; and Kaviraj P. K. Sen Gupta, Principal, Ashtanga Ayurveda College, Calcutta, was nominated as a Member vice Kaviraj B. N. Sircar who resigned on personal grounds.

After the completion of the first three years, since the work of preparation of the Ayurvedic Formulary was still in progress, the Government of India extended the life of the Committee by another three years, in their notification No. F.20-1 /66-RISM, dated 14-1-66 and again for a further period of six months in their notification No. F.1-1/69 - APC, dated 9th January 1969. Dr. P. N. V. Kurup, Adviser in Indian Systems of Medicine, became the ex-officio Member - Secretary with effect from 6th February 1967, Vice Dr. C. Dwarakanath, retired.

The Committee was reconstituted in 1972 under the chairmanship of Professor A. K Namjoshi. The Committee consists of the following: -

1. Prof. A. N. Namjoshi, M. Sc., MLA,
Minister for Education & Sports,
Maharashtra State,
Sachivalya, Bombay - 32 - *BR*.

Chairman

2. Vaidya Vasudev M. Dwivedi, "Maruti", 1. Master Society, Rajkot - 2	Member
3. The Drugs Controller (India), (Ex - Officio) Director General of Health Services, New Delhi.	Member
4. Kaviraj Purushotam Dev, Deputy Director (Ayurveda), Indian Medicine Pharmacy Buildings, Charminar, Hyderabad - 2.	Member
5. Shri S. Bhattacharya, Principal, Government Ayurvedic College, Gauhati.	Member
6. Vaidya R. R. Pathak, C/o Shri Baidyanath Ayurved Bhawan (Private) Limited, Baidyanath Bhavan Road, Patna - 1.	Member
7. Kumari Savita Satakopan Drugs Laboratory, National Highway No.8, Baroda - 2.	Member
8. Dr. M.N Kesavan Pillai, Hony. Director, Central Reseach Institute for Ayurveda, Cheruthuruthy, Via Shoranur, Kerala.	Member
9. Dr. R. D. Jaiswal, Joint Director of Ayurveda, Government of Madhya Pradesh, Bhopal.	Member
10. Dr. B. M. Sharma, Principal, Government College of Indian Medicine and Hospital, Bangalore - 2.	Member
11. Dr. T. V. Kasturi, Managing Editor, National Integrated Medical Association, 307, Erangere, Ashok Road, Mysore -1.	Member
12. Pt. Keerti Sharma Project Officer,	Member

Central Research Institute for Ayurveda,
Patiala.

Member

13. Dr. G. K. Bhatt,
Officer-in-charge,
Regional Research Institute for Ayurveda,
Madhovilas Palace,
Amer Road, Jaipur.

Member

14. Kaviraj K. P. Atreya,
Principal's Staff Quarter,
Ayurvedic Unani Tibbia College.
Karol Bagh,
New Delhi.

Member

15. Kaviraj Ashutosh Majumdar,
90/8 - Connaught Circus,
New Delhi - 1.

Member

16. Vaidya P. V. Sharma,
Professor of Dravyaguna,
Post Graduate Institute of Indian Medicine,
Institute of Medical Sciences,
Banaras Hindu University,
Varanasi.

Member

17. Dr. V. N. Sharma,
Professor of Pharmacology,
S.M.S. Medical College.
Jaipur (Rajasthan).

Member

18. Shri Prajapati Joshi,
Officer - in - charge
Amalgamated Units (C.C.R.I.M. & H.)
Government Pharmaceutical Laboratory,
Ranikhet.

Member

19. Dr. (Mrs.) Assema Chatterji
Professor of Chemistry,
Calcutta University, Calcutta.

Member

20. Dr. P. N. V. Kurup
Adviser,
Indigenous Systems of Medicine,
Department of Health,
Nirman Bhavan, New Delhi - 11.

Member Secretary

The Committee decided that the compilation of the Formulary should be undertaken as an immediate short term measure since this could be done with the existing knowledge and information available.

The Committee in compiling the Formulary has chosen 444 preparations pertaining to various categories on the basis of their wide use in the country. While the use of other preparations of a like nature or

character is not ruled out, the Committee hopes that adherence to the Formula and methods of manufacture adopted in this Formulary will be the first step to secure uniformity. The Formulary includes in it a cross section of the various categories of authentic preparations described in Ayurvedic Texts. Whereas every attempt has been made to include as many representative preparations as are appropriate, the inadvertent omission of any important preparation cannot be ruled out. The Committee hopes that such omissions, if any, will be rectified in future editions.

The Committee feels that the publication of the Formulary is the first step towards standardisation in the manufacture of Ayurvedic medicines.

The attempt, looking to the task ahead is limited but genuine. The Committee is fully aware of the stupendous task that lies before it in developing standards for Ayurvedic drugs and their formulations.

The task is difficult and time consuming ; the resources are limited but the urge and the need are great. The Committee hopes that the fruition of the limited attempt in the form of compilation of this Formulary will pave the way for the publication of a comprehensive Ayurvedic Pharmacopoeia in a not too distant future.

2. PROGRESS OF WORK

The first meeting of the Ayurvedic Pharmacopoeia Committee was inaugurated at Madras on the 10th January, 1963, by Dr. Sushila Nayar, the then Union Minister for Health, who urged the Committee to make available in the first instance an Official Ayurvedic Formulary, which will help in laying down the basis for the preparation of the Ayurvedic Pharmacopoeia later.

The Committee decided to elicit the opinion of expert Vaidyas and Ayurvedic Pharmacies and approved the Questionnaire framed for the purpose. The Chairman also set up expert SubCommittees consisting of members of the Committee and other experts as under :-

I. Clinical, Drugs and Medicinal Preparations Sub-Committee.

Functions:

- 1) To prepare a list of single drugs of proven medicinal value which can be administered either singly or enter into the composition of compound preparations ;
- 2) To prepare a list of compound preparations of established therapeutic value, drawn from authoritative classical texts, which are extensively used ; and
- 3) To classify (1) and (2) above as under :
 - (i) Therapeutic use wise
 - (ii) Kalpa wise.

Personal:

(1)	Dr. Y. Narayanaswamy	Chairman
(2)	Pandit P. Y. Dhamankar Shastri	Member
(3)	Dr. Kaladi K. Parameswaran Pillai	Member
(4)	Kaviraj B.N. Sircar	Member
(5)	Vaidya B. V. Gokhale	Member
(6)	Dr. C. Dwarakanath	Convenor

II. Drugs, Pharmacy, Pharmacognosy and Pharmacology

Sub - Committe.

Functions:

- (1) To scrutinise the pathas selected by the Clinical, Drugs and Medicinal Preparations Sub - Committee with reference to the successive stages of preparations and fixing standards at each stage ;
- (2) To deal among others, with problems arising out of the mechanisation of the manufacture of Ayurvedic medicinal preparations ;
- (3) To consider problems connected with the Pharmacognostical specifications and Pharmacological actions ; and
- (4) To prepare monographs and attend to other cognate matters.

Personnel;

- | | |
|----------------------------|----------|
| (1) Vaidya V.M. Dwivedi | Chairman |
| (2) Shri S.K. Borkar | Member |
| (3) Vaidya Bapalal G. Shah | Member |
| (4) Miss Savita Satakopan | Member |
| (5) Dr. B. B. Gaitonde | Member |
| (6) Dr. G. K. Karandikar | Member |
| (7) Shri A.N. Namjoshi | Member |
| (8) Dr. Y. Kondal Rao | Member |
| (9) Dr. C. Dwarakanath | Convener |

III. **Drugs Standardisation (Physical, Chemical and Biological) Sub - Committe.**

Functions:

- (1) To utilise the data provided by the two Sub-Committees above and get the same confirmed at the various Research Centres ;
- (2) The prescribe and lay down standards for the finished products on the basis of data received from various research units / Centres;
- (3) To prepare monographs on the final standards of the finished products.

Personnel:

- | | |
|-------------------------------|----------|
| (1) Dr. M. V. Venkataraghavan | Chairman |
| (2) Shri P. Y. Bhatt | Member |
| (3) Dr. G. S. Pendse | Member |
| (4) Dr. Ram Sushil Singh | Member |
| (5) Dr. Y. Kondal Rao | Member |
| (6) Dr. Srinivasan | Member |
| (7) Vaidya D. A. Kulkarni | Member |
| (8) Dr. C. Dwarakanath | Convenor |

IV. **Coordination Committee :**

Functions:

- (1) To coordinate the activities of different Sub-Committees ; and
- (2) To pay due regard to the problems involved in the application of the Drugs Act to Ayurvedic Medicinal preparations.

Personnel:

Dr. C.G. Pandit	Chairman
Dr. Y. Narayanaswamy	Member
Vaidya V.M Dwivedi	Member
Dr. M.V. Venkataraghavan	Member
Dr. C. Dwarakanath	Convener

During the period January, 1963 to November, 1963, the questionnaire was issued to over 1200 Vaidyas and 400 Ayurvedic Pharmacies. The views received were statistically analysed and brought up for the consideration of the Committee at its 2nd Meeting held in February, 1964. The Committee have general directions as to the method to be followed in the preparation of the Formulary and Pharmacopoeia and also decided to constitute the following additional SubCommittees :

(1) Weight and Measures Sub-Committee.

Functions:

To consider problems relating to Standardisation of weights and measures described in the Ayurvedic literature and workout their metric equivalents.

Personnel:

(1) Vaidya D. A. Kulkarni	Chairman
(2) Dr. G. S. Pendse	Member
(3) Dr. V. Narayanaswamy	Member
(4) Vaidya Ram Sushil Singh	Member
(5) Vaidya Shiv Kumar Mishra	Convener

(2) Sub-Committee to determine the Identity of Single Drugs.

Functions:

- (1) To determine the identity of drugs ;
- (2) To consider problems of drugs of doubtful identity ;
- (3) To recommend, where necessary, use of substitute drugs.

Personnel:

1. Vaidya B.G. Shah	Chairman
2. Vaidya Ram Sushil Singh	Member
3. Vaidya Priya Vrat Sharma	Member
4. Shri A.N. Namjoshi	Member
5. Shri Thakur Balwant Singh	Member
6. Vaidya Vishwanath Dwivedi	Member
7. Shri Ramesh Bedi	Convenor

In the preparation of the Formulary the Committee decided that with a view to give maximum coverage to drugs and medicines used in general practice, the First Edition should contain medicines that are (a) manufactured on a mass scale for commercial purpose and are best sellers and (b) popularly used by leading Ayurvedic Physicians in their day-to-day practice. This was with a view to ensure that standards may be evolved on priority basis for such medicines to enable the Government to apply the limited provisions of the Drugs and Cosmetics Act, 1940 (as amended in 1964) over Ayurvedic medicines.

In pursuance of the decisions mentioned above, leading Ayurvedic Pharmaceutical Industries were requested to furnish details relating to 10 best sellers of each category of medicines manufactured and sold by them. The data made available by the Pharmaceutical Institutions was considered and finalised by the Clinical, Drug and Medicinal Preparations Sub-Committee at its meeting held in October 1964.

The recommendations of the above Committee were considered by the Drugs, Pharmacy, Pharmacognosy and Pharmacology Sub-Committee in November, 1964 which, among others, suggested that the list of formulations may be circulated to eminent Ayurvedic practitioners requesting them to suggest any other formulation which they frequently employ in their practice. This procedure was approved by the Ayurvedic Pharmacopoeia Committee at its meeting held in December 1964. The data received from the Vaidyas was considered at Joint Meeting held in October, 1966 of the Vaidya Members of the two Sub-Committees mentioned above and their recommendations relating to number, details and category of formulations to be included in the Formulary were approved by the Co-ordination Committee at its meeting held in February, 1966.

Detailed formulae for each formulation were drafted by the Secretariat of the Committee and circulated to the Members at periodical intervals for scrutiny. It was, thereafter, decided to set up Expert Working Groups, consisting of members of the Ayurvedic Pharmacopoeia Committee and other regional experts drawn from Pharmaceutical industries and practitioners including teachers of the Ayurvedic colleges. Each of these Working Groups was assigned a group of formulations for detailed critical study and finalisation in the light of present day Pharmaceutical necessity and therapeutic efficacy. Details of the personnel of these Working Groups and the Group of formulations referred to them may be seen in the statement below :-

	Personnel:	Meeting at
I	1. Ayurvedacharya Kaladi K. Parameswaran Pillai	Trivandrum
	2. Dr. V. Narayanaswamy	
	3. Dr. M. V. Venkataraghavan	
	4. Vaidya Kumarakom Parameswaran Pillai	
	5. Panditharaj Trikkovil Achyutha Warriar	
	6. Ashtavaidya P. T. Narayana Moose	
	7. Shri P. K. Warriar	
	8. Shri K. V. Vaidyalingam	
	9. Shri P. V. Ramachandra Warriar	
	10. Shri P. Narayana Vaidyar	
	11. Vayaskara N. S. Moose	
	12. Dr. M. N. Kesavan Pillai	
	13. Dr. P. N. V. Kurup	
	14. Professor P. V. Varkey	
	15. Shri S. Raghunath Iyer	
II	1. Shri P. V. Dhamankar Shastri	Bombay
	2. Dr. Y. Kondal Rao	
	3. Shri N. B. Pandya	
	4. Vaidya V. B. Divakar	
	5. Vaidya S. P. Khare	
	6. Vaidya M. Y. Lele	
III	1. Dr. V. Narayanaswamy	Calcutta
	2. Shri Priya Vrat Sharma	
	3. Kaviraj Bikku Singh	
	4. Kaviraj Ram Dutta Sharma	

	5.	Vaidya Ganeswar Acharya Sharma	
	6.	Kaviraj Premananda Kavyatirtha	
	7.	Kaviraj M. L. Das Gupta	
	8.	Shri Ram Narain Vaid	
	9.	Vaidya Veni Prasad	
	10.	Kaviraj B. C. Nag	
	11.	Kaviraj Sukanta Kanta Roy	
	12.	Shri M. Das	
iv	I.	Ayurvedacharya Kaladi K. Parameswaran Pillai	Bangalore
	2.	Shri Ram Sushil Singh	
	3.	Shri K. N. Rama Iyer	
	4.	Dr. Y. Suryanarayan Rao	
	5.	Dr. S. Venkatanarayana Rao	
	6.	Dr. M. Mahadeva Shastri	
	7.	Dr. S. N. Madhava Swami	
	1.	Vaidya Vasudev M. Dwivedi	Jaipur
	2.	Vaidya D. A. Kulkarni	
	3.	Vaidya Rajeshwar Dutt Shastri	
	4.	Kaviraj A. Majumdar	
	5.	Vaidya Jairamdasji Swami	
	6.	Vaidya Chhaju Lal Sharma	
	7.	Vaidya Daulat Ram Chaturvedi	
	8.	Vaidya Ram Dutt Sharma	
	9.	Vaidya A. N. Shastri	

These Expert Working Groups carefully scrutinized and finalised each monograph of the Formulary taking due note of the suggestions of the members. The Reports of the Working Groups were considered by the co-ordination Committee at its Second Meeting held in September, 1967. To ensure uniformity in language the coordination Committee constituted an Editorial Committee consisting of Dr. V. Narayanaswamy and Vaidya Vasudev M. Dwivedi to edit the Formulary.

The first Part of the Ayurvedic Formulary of India was approved by the Ayurvedic Pharmacopoeia Committee at its fourth and final meeting held in May 1969. The Committee observed that publication of the Formulary without giving even preliminary standards for single Drugs and Compound formulations will not make it any different from existing classical literature. The Government of India accordingly assigned priority for Drug Research in the IV Plan and entrusted the work of standardisation to the Central Council of Research in Indian Medicine and Homoeopathy in 1970. The standards evolved are under scrutiny and would be published separately as an Addendum to the Formulary.

The Government of India reconstituted the Ayurvedic Pharmacopoeia Committee with Professor A. N. Namjoshi, M. Sc., M.L.A. (Maharashtra) as Chairman in 1973 for a term of 5 years. This Committee undertook a thorough scrutiny of the Formulary, through its Formulary SubCommittee consisting of

1.	Kaviraj R. R. Pathak	Chairman
2.	Vaidya Veni Madhav Shastri Joshi, Bombay.	Member
3.	Dr. P. K. Ezuthachan Calicut	Member
4.	Pandit Keerti Sharma, Patiala	Member

The Sub-Committee held a series of meetings in 1975. Shri P. V. Sharma, Senior Professor of Dravya Guna, Post Graduate Institute of Indian Medicine, Banaras Hindu University and Chairman of the Single Drugs Sub - Committee was also associated with this work. A major change made in the Formulary is that in each formula, the part of the single drugs is clearly spelt out.

The Committee places on record its appreciation of the valuable services rendered by the Chairman and Members of the First Committee. Thanks of the Committee are also due in no small measure to Dr. C. Dwarakanath (Member - Secretary 1963-1967) and Dr. P. N. V. Kurup (Member-Secretary 1967 onwards), Vaidya Bhagwan Dash, Deputy Advisor (Ayurveda), and Associate Secretary Vaidya Shiv Kumar Mishra, Assistant Adviser (Ayurveda), Shri G. Balakrishnan, Assistant Secretary and other staff of the Ayurvedic Pharmacopoeia Committee in the Ministry of Health and Family Planning.

Second edition of Ayurvedic Pharmacopoeia of India (English) was possible because of the contribution made by Chairmen and members of Ayurvedic Pharmacopoeia Committees reconstituted by Govt. of India vide Letter No.X-9011/6/94-APC dated 6th January 1998 and No X-19011/6/94-APC dated 21st June 2001

- | | |
|--|----------------------|
| 1. Vaidya I. Sanjeeva Rao,
Sri Sai Krupa,
5-8-293/A, Mahesh Nagar,
Chirag Ali Lane,
Hyderabad - 50000 I. | Chairman |
| Official Members: | |
| 2. Dr. Ashwini Kumar
Drugs Controller General (India),
Ministry of health & F.W.,
Nirman Bhawan, New Delhi. | Member (Ex-officio) |
| 3. Dr. R.U. Ahmed
The Director,
Pharmacopoeial Laboratory for Indian
Medicine (PLIM). CGO Complex,
Kamla Nehru Nagar, Ghaziabad. | Member (Ex -officio) |
| 4. Dr. G.Veluchamy
The Director,
Central Council for Research in Ayurveda
& Siddha (CCRAS), Ansundhan Bhavan,
61-65, Institutional Area, D-Block,
Janakpuri, New Delhi. | Member (Ex-officio) |
| 5. Managing Director. IMPCL,
Mohan, Via Ramnagar (UP), | Member (Ex-officio) |
| Non-Official Members : | |
| 6. Prof. S.S. Handa.
Director,
Regional Research Laboratory (CSIR),
Canal Road.
Jammu Tawi (J&K). | Member |
| 7. Ms. Savita Satakopan,
12, Maruti Apts ..
Block-2, Flat-A. Third Main Road,
Nanganallur.
Madras-600061. | Member |
| 8. Vd. Devendra Triguna,
143, Sarai Kale Khan,
Nizamuddin. New Delhi. | Member |

- | | | |
|-----|---|------------------|
| 9 | Vaidya B. Vaidyanathan,
No. I, Ganapathy.
1 st Street, Hawai Nagar,
Thiruvannamiyur,
Madras-600041. | Member |
| 10. | Dr. D.B. Ananatha Narayana,
262, Pocket-L, Sarita Vihar,
New Delhi-110044. | Member |
| 11. | Prof. D.D. Lucas,
Principal & Head of Dept. Dravyaguna,
Govt. Ayurvedic Medical College,
Dhanwantari Road, Bangalore-560009. | Member |
| 12. | Prof. VV Prasad,
Head of Dept. Dravyaguna,
S.V Ayurvedic College, Tirupathi (A.P.) | Member |
| 13. | Dr. C.K. Katiyar,
Dabur Research Foundation,
22-Site IV, Sahibabad-201 01 0. | Member |
| 14. | Dr. M.A. Iyengar,
Prof. of Pharmacognosy,
College of Pharmaceutical Sciences,
Kasturba Medical College,
Manipal-576119. | Member |
| 15. | Dr. M.K. Raina,
203, Rainbow Apartments,
Raheja Vihar, Powai, Bombay-400012. | Member |
| 16. | Dr. Balaji Tambe,
Chairman, ATM, Santulan,
Vill. (P.O.) Kurla, Pune,
Maharashtra. | Member |
| 17. | Dr. M.S. Ansari,
454-E, Kaila, Behind Masjid,
Ghaziabad (UP). | Member |
| 18. | Dr. S.K. Sharma,
Adviser (Ayurveda) i/c,
Minister (of Health & F.W.,
Department of ISM & H,
New Delhi. | Member-Secretary |

The contribution of Ayurvedic Pharmacopoeia Committee, reconstituted by Govt. of India vide Letter No. X-19011/6/94-APC dated 21st June 2001, in the final editing of the formulary is also acknowledged.

- | | | |
|-------------------|--|----------------------|
| 1 | Dr.P.D. Sethi, M.Pharm, Ph.D
B-140, Shivalik Enclave,
New Delhi-110017 | Chairman |
| Official Members; | | |
| 2. | Dr. Ashwini Kumar, <i>Ph.D</i> ..
Drugs Controller General (India),
Ministry of Health & F.W.,
Nirman Bhawan, New Delhi. | Member (Ex-officio) |
| 3. | Dr. R.U. Ahmed, <i>PhD</i> .
The Director,
Pharmacopoeial Laboratory for Indian
Medicine, Central Govt. Offices Complex,
Kamla Nehru Nagar, Ghaziabad-201 002. | Member (Ex-officio) |
| 4. | Dr. G. Yeluchamy, <i>MD.(S.)</i> | Member (Ex -officio) |

- The Director,
Central Council for Research in Ayurveda
& Siddha (CCRAS), Ansundhan Bhavan,
61-65, Institutional Area, D-Block,
Janakpuri, New Delhi.
5. Dr. Biswajit Mukherjee, *PhD.* Member (Ex-officio)
Managing Director, Indian Medicines and
Pharmaceuticals Ltd., Mohan, Uttaranchal.
- Non-Official Members :
6. Prof. S.S. Handa, *M.Pharm, PhD.*, Member
F-7, 3rd Floor, Lajpat Nagar-III,
New Delhi-110024.
7. Ms. Savita Satakopan, *M.Sc.* Member
40-A, I st Main Road (Opp. Pillayar Koil),
Nanganallur, Chennai-600061.
8. Yaidya Devendra Triguna, *Ayurvedacharya* Member
143, Saria Kele Khan,
Nizamuddin, New Delhi.
9. Vaidya I. Sanjeeva Rao, *D.Ay M.* Member
Sri Sai Krupa,
5-8-293/ A - Mahesh Nagar,
Chirag Ali Lane,
Haderabad - 500001.
10. Dr. Madhavan Kutti Warriar, *M.D. (Ay)* Member
Arya Yaidya Sala,
Malappuram Distt.,
Kottakkal - 676503. (Kerala)
11. Dr. G.N. Tiwari, *M.D. (Ay) , PhD.* Member
Shri Ayurveda Mahavidyalaya,
Nagpur.
12. Dr. V.V. Prasad, *Md.(Ay), PhD.* Member
Director, RAY;
Dhanwantari Bhavan, Road No. 66,
Punjabi Bagh (West), New Delhi- 110026.
13. Dr. M.R. Uniyal, Member
Former Director, CRIA (CCRAS, Patiala)
and presently - Director (Drugs),
Maharishi Ayurved Products,
17/18. Noida Export. Processing Zone.
Noida - 201305 (U .P.).
14. Dr. (Prof.) S.S. Dixit, *PhD.* , HOD, Rasashastra Member
Institute of Medical Sciences,
Banaras Hindu University,
Varanasi - 221005.
15. Vaidya D.R. Acharya, *GAMS, PhD.*, Member
Former Principal, Govt. Ayurvedic College
Paprola, P.O. Paprola, Himachal Pradesh - 176115.
16. Vaidya Sidhinandan Mishra, *GAMS, PhD.*, Member
Former Director, Ayurvedic Pharmacy,
G.A.U. Jamnagar (presently at Varanasi)
17. Dr. M.A. Iyengar, *M.Pharm., PhD.* Member
Prof. of Pharmacognosy,
College of Pharmaceutical Sciences,
Kasturba Medical College,

- Manipal - 576119.
18. Dr. M.K. Raina, *M.Sc., PhD.*, Member
203, Rainbow Apartments,
Raheja Vihar, Powai, Mumbai - 400012.
 19. Dr. K.K. Sharma, *M.Sc., PhD.* Member
Scientist F, Wadis Himalaya Institute of
Geology, Dehradun.
 20. Dr. Narender Nath Mehrotra, *M.Sc., PhD.*, Member
Sr. Scientist (E-II),
National Information Centre for Drugs &
Pharmaceuticals, Central Drug Research
Institute, Lucknow.
 21. Dr. M.S. Ansari, *M.Sc. . PhD.*, Member
454, Kaila, Behind Masjid,
Ghaziabad, U.P.
 22. Dr. (Mrs.) Shanta Mehrota, *MSc., PhD.* Member
Incharge of the Drug Standardization Unit,
National Botanical Research Institute
(CSIR), Rana Pratap Marg, P.B.No. 436,
Lucknow - 226001.
 23. Dr. C.K. Katiyar, *M.D. (Ay.) , PhD.* Member
Medical Adviser,
Dabur India Limited,
22 - Site IV, Sahibabad - 201010.
 24. Dr. G.C. Parikh, M. Pharma, Member
Managing Director,
Zandu Pharmaceutical Works Ltd.,
70. Gokhale Road South,
Dadar, Mumbai - 400025.
 25. Dr. K.C. Chuneekar, Ph.D. Member
18/7, Ratan Phatak,
Varanasi.
 26. Dr. S.K. Sharma, M.D. (Ay) , Ph.D. Member - Secretary
Adviser (Ayurveda),
Ministry of Health & FW.,
Department of ISM & H,
Red Cross Building, New Delhi - 110001.

The valuable services rendered by the staff of Ayurvedic Pharmacopoeia Committee.
Dr. J. Pandey, Dy. Adviser and Dr. S.S. Savrikar, Adviser (Ayurveda) in the preparation of this edition is
placed on record with appreciation.

Introduction to Electronic Version of The Ayurvedic Formulary of India
(AFI e-Book Ver.1.0)

We are living in the age of Information revolution and the users are expecting the print material to be available in digitized electronic format. Keeping in view of the enormous demand for these books and considering the global requirements the Ayurvedic Pharmacopial Committee felt the necessity to prepare the digitized version of these books. In the process it has summoned Indian Institute of History of Medicine (IIHM) to design and develop the e-Book software of AFI part I and II bundled in One CD. This product is the result of an innovative painstaking work by the institute. The Unique features of the software are:

1. Access the information from two parts of the book (Part-I & II) at one click.
2. Covers total of 634 formulae (444 - Part I, 190 - Part-II) in one CD.
3. Convenient arrangement of the details of the formulae in the form of Compound formulations by dosage forms viz. asava, arishta, arka, avaleha, kwatha chuma, guggulu, ghrita, chuma, taila, lepa, vati, anjara, parpati, pishti, bhasma, mandura and louha
4. Availability of complete original reference of the formula in the form of slokas in devanagari script along with indications (Sloka part containing indications is an added feature in e-Book)
5. Names of the formulae, ingredients, indications in *diacritical font* to avoid ambiguity.
6. Detailed list of Single drug formulary searchable by Animal origin, Mineral origin and Plant origin drugs along with their equivalent English/ Scientific/ Botanical terminology.
7. Arrangement of Appendices in an easy accessible manner by different categories viz., Paribhasha (Definitions), Shodhana (Refining) methods etc.,
8. **Extensive dynamic search option** - by random searching and an advanced search by category i.e by Formula Name, Number, Ingredients, English/ Scientific/ Botanical Name, Plant part used, Therapeutic Uses / Disease condition / Symptom / Equivalent English Terms & etc.,

We congratulate the team IIHM for successfully completing this task inspite of many hardships. Hope this spirit will continue and we can expect better products of this genere in future too.

We are offering this electronic version of AFI for the use of pharmacists, scientists, research scholars, students and general readers and expect valuable feed back . Your suggestions are most welcome and will help us improve the product and come up with better versions in future.

Dr. Ala Narayana
Director,
Indian Institute of History of Medicine
(IIHM),
3rd Floor, OMC Building, Putlibowli,
Hyderabad.

Dr. G. S. Lavekar
Director,
Central Council for Research in Ayurveda
and Siddha (CCRAS),
New Delhi.
e-mail: iihm_ccras@yahoo.co.in

1. ĀSAVA AND ARIṢṬA

Definition

Āsavas and Ariṣṭas are medicinal preparations made by soaking the drugs, either in powder form or in the form of decoction (Kaṣāya), in a solution of sugar or jaggery, as the case may be, for a specified period of time, during which it undergoes a process of fermentation generating alcohol, thus facilitating the extraction of the active principles contained in the drugs. The alcohol, so generated, also serves as a preservative.

Method of preparation

1. Ariṣṭa

The drugs mentioned in the texts are coarsely (Yavakūṭa) powdered and Kāṣāya is prepared. The Kaṣāya is strained and kept in the fermentation pot, vessel or barrel. Sugar, jaggery or honey¹, according to the formula, is dissolved, boiled, filtered and added. Drugs mentioned as Prakṣepa Dravyas are finely powdered and added. At the end, Dhātakī Puṣpa, if included in the formula, should be properly cleaned and added. The mouth of the pot, vessel or barrel is covered with an earthen lid and the edges sealed with clay-smeared cloth wound in seven consecutive layers. The container is kept either in a heap of paddy, so as to ensure that for the duration of fermentation, as far as possible, a constant temperature may impede or accelerate the fermentation.

After the specified period, the lid is removed, and the contents examined to ascertain whether the process of fermentation (Sandhāna) has been completed. The fluid is first decanted and then strained after two or three days. When the fine suspended particles settle down, it is strained again and bottled.

2. Āsava

The required quantity of water, to which jaggery or sugar as prescribed in the formula is added, is boiled and cooled. This is poured into the fermentation pot, vessel or barrel. Fine powders of the drugs mentioned in the formula are added. The container is covered with a lid and the edges are sealed with clay-smeared cloth wound in seven consecutive layers. The rest of the process is as in the case of Ariṣṭa.

General precautions

If the fermentation is to be carried in an earthen vessel, it should not be new. Water should be boiled first in the vessel. Absolute cleanliness is required during the process. Each time, the inner surface of the fermentation vessel should be fumigated with Pippalī Cūrṇa and smeared with ghee before the liquids poured into it. (In large scale manufacture, wooden-vats, porcelain-jars or metal vessels are used in place of earthen vessels).

Characteristics

The filtered Āsava or Ariṣṭa should be clear without froth at the top. It should not become sour (cukra). The preparation has the characteristic of aromatic alcoholic odour.

Preservation

Āsavas and Ariṣṭas can be kept indefinitely. They should be kept in well-stoppered bottles or jars.

Note:

1. Honey, wherever mentioned, should be added as such without being dissolved or boiled.

1	ABHAYĀRIṢṬA	Bhaiṣajyaratnāvalī, Arśorogādhikāra	105-110
2	AMṚTĀRIṢṬA	Bhaiṣajyaratnāvalī, Jvarādhikāra	690-693
3	AYASKṚTI	Aṣṭāṅgahr̥daya, Cikitsāsthāna	Adhyāya 12:28-31 1/2
4	ARAVINDĀSAVA	Bhaiṣajyaratnāvalī, Bālarogādhikāra	185-189
5	AŚOKĀRIṢṬA	Bhaiṣajyaratnāvalī, Str īrogādhikāra	114-117
6	AŚVAGANDHĀDYARIṢṬA	Bhaiṣajyaratnāvalī, M ūrccādhikāra	13-19
7	AHIPHENĀSAVA	Bhaiṣajyaratnāvalī, At īsārādhikāra;	100-101
8	UŚĪRĀSAVA	Bhaiṣajyaratnāvalī, Raktapittādhikāra	137-141
9	KANAKĀSAVA	Bhaiṣajyaratnāvalī, Hikkāśvāsadhikāra	98-102
10	KARPŪRĀSAVA	Bhaiṣajyaratnāvalī, Agnimāndyādirogādhikāra;	296-297
11	KUṬAJĀRIṢṬA	Bhaiṣajyaratnāvalī, At īsārādhikāra	97-99
12	KUMĀRYĀSAVA (A)	Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya	10; 18-27 1/2
13	KUMĀRYĀSAVA (B)	Yogarātnākara, Gulmacikitsā	Page 527
14	KHADIRĀRIṢṬA	Śarṅgadharasamhitā, Madhyamakhaṇḍa,	60-65

		Adhyāya 10	
15	CANDANĀSAVA	Bhaiṣajyaratnāvalī, Śukramehādhikāra	34-38
16	JĪRAKĀDYARIṢṬA	Bhaiṣajyaratnāvalī, Str īrogādhikāra	492-495
17	DANTYĀDYARIṢṬA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 8	69
18	DAŚAMŪLARIṢṬA	Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 10	78-92
19	DEVADĀRVARIṢṬA	Bhaiṣajyaratnāvalī, Pramehādhikāra	241-247
20	DRĀKṢĀRIṢṬA	Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 10	69-72 1/2
21	PĀRTHĀDYARIṢṬA (Synonym: Arjunāriṣṭa)	Bhaiṣajyaratnāvalī, H r̥drogādhikāra	73-75
22	PIPPALYĀDYĀSAVA	Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 10	28-33
23	PUNARNAVĀSAVA	Bhaiṣajyaratnāvalī, Śoṭharogādhikāra	197-201
24	BALĀRIṢṬA	Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra	569-572
25	MADHŪKĀSAVA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 10	47-50
26	MUSTAKĀRIṢṬA	Bhaiṣajyaratnāvalī, Agnimādyādirogādhikāra	108-111
27	MṚGAMADĀSAVA	Bhaiṣajyaratnāvalī, Jvarādhikāra	706-708

28	MṚTASĀÑJĪVANĪ SURĀ	Bhaiṣajyaratnāvalī, Jvarādhikāra	694-705
29	MṚDVĪKĀRIṢṬA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 10	39-43 1/2
30	RODHRĀSAVA (synonym :Lodhrāsava)	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 12	24-27 1/2
31	ROHĪTAKĀRIṢṬA	Bhaiṣajyaratnāvalī, Pl īhāyakṛdrogādhikāra	84-87
32	LOHĀSAVA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 10	34-36
33	VĀSAKĀSAVA (synonyms : Vāsakāriṣṭa, Vāsāriṣṭa)	Gadanigraha, Prayoga Khaṇḍa, Āsavādhikāra	152-154
34	VIDAṆGĀRIṢṬA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 10	47-52
35	ŚRĪKHAṆḌĀSAVA	Bhaiṣajyaratnāvalī, Madātyayādhikāra	24-26 1/2
36	SĀRASVATĀRIṢṬA	Bhaiṣajyaratnāvalī, Rasāyanādhikāra	178-191
37	SĀRIVĀDYĀSAVA	Bhaiṣajyaratnāvalī, Pramehapiḍakādhikāra	22-27
1	ABHAYĀRIṢṬA	Bhaiṣajyaratnāvalī, Arśorogādhikāra	105-110

1 : 1 ABHAYĀRIṢṬA

(Bhaiṣajyaratnāvalī, Arśorogādhikāra: 105-110)

अभयायास्तुलामेकां मृद्वीकाऽर्द्धतुलां तथा ।
विडङ्गस्य दशपलं मधूककुसुमस्य च ॥१०५॥
चतुर्द्रोणे जले पक्त्वा द्रोणमेवावशेषयेत् ।
शीतीभूते रसे तस्मिन् पूते गुडतुलां क्षिपेत् ॥१०६॥
श्वदंष्ट्रां त्रिवृतां धान्यं धातकीमिन्द्रवारुणीम् ।
चव्यं मधुरिकां शुण्ठीं दन्तीं मोचरसं तथा ॥१०७॥
पलयुग्ममितं सर्वं पात्रे महति मृन्मये ।
क्षिप्त्वा संरुध्य तत्पात्रं मासमात्रं निधापयेत् ॥१०८॥
ततो जातरसं ज्ञात्वा परिस्राव्य रसं नयेत् ।
बलं कोष्ठञ्च वह्निञ्च वीक्ष्य मात्रां प्रयोजयेत् ॥१०९॥
अर्शासि नाशयेच्छीघ्रं तथाष्टाबुदराणि च ।
वर्चोमूत्रविबन्धघ्नो वह्निं सन्दीपयेत् परम् ॥११०॥
(भैषज्यरत्नावली, अर्शोरोगाधिकार, १०५-११०)

1.	Abhayā (Harītakī)	(P.)	4.800 kg
2.	Mṛdvīkā (Drākṣā)	(Dr.Fr.)	2.400 kg
3.	Viḍaṅga	(Fr.)	480 g
4.	Madhūka Kusuma	(Fl.)	480 g
5.	Water for decoction		49.152 l
	reduced to		12.288 l
6.	Guḍa		4.800 kg
7.	Śvadamṣṭra (Gokṣura)	(Fr.)	96 g
8.	Trivṛtā (Trivṛt)	(Rt.)	96 g
9.	Dhānya (Dhānyaka)	(Fr.)	96 g
10.	Dhātakī	(Fl.)	96 g
11.	Indravāruṇī	(Rt.)	96 g
12.	Cavya	(St.)	96 g

13.	Madhurika (Miśreya)	(Fr.)	96	g
14.	Śunṭhī	(Rz.)	96	g
15.	Dantī	(Rt.)	96	g
16.	Mocarasa (Śalmalī)	(Exd.)	96	g

Dose

12 to 24 ml

Important Therapeutic Uses

Arśa (Haemorrhoids), Udara (Diseases of abdomen / enlargement of abdomen), Mūtra Vibandha (Retention of urine), Agnimāndya (Digestive impairment), Varcovibandha (Impaction due to Hard stools)

1 : 2 AMṚTĀRIṢṬA

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 690-693)

अमृतायाः पलशतं दशमूल्यास्तथैव च ।
पादावशिष्टं पक्त्वा च चतुर्द्रोणे जले भिषक् ॥६९०॥
गुडस्य त्रितुलाः सिद्धे क्वाथे शीते क्षिपेत्पुनः ।
अजाज्याः षोडशपलं द्विपलं रक्तपुष्पकम् ॥६९१॥
सप्तच्छदं तथा व्योषं नागकेशरमब्दकम् ।
कट्वीप्रतिविषे वत्सबीजञ्च पलसम्मितम् ॥६९२॥
सर्वमेकीकृतं भाण्डे निदध्यान्मासमात्रकम् ।
अमृतारिष्ट इत्येष प्रोक्तो ज्वरकुलान्तकृत् ॥६९३॥
(भैषज्यरत्नावली, ज्वराधिकारः ६९०-६९३)

1.	Amṛtā (Guḍuci)	(St.)	4.800	kg
2.	Bilva	(Rt./ St.Bk)	480	g
3.	Śyonāka	(Rt./ St.Bk)	480	g
4.	Gambhārī	(Rt./ St.Bk)	480	g

5.	Pāṭalā	(Rt. / St.Bk)	480	g
6.	Agnimantha	(Rt. / St.Bk)	480	g
7.	Śālaparṇi	(Pl.)	480	g
8.	Prśniparṇī	(Pl.)	480	g
9.	Bṛhatī	(Pl.)	480	g
10.	Kaṇṭakārī	(Pl.)	480	g
11.	Gokṣura	(Pl.)	480	g
12.	Water for decoction		49.152 l.	
	reduced to		12.288 l.	
13.	Guḍa		14.400 kg	
Prakṣepa Dravyas				
14.	Ajājī (Sveta jīraka)	(Fr.)	768	g
15.	Raktapuṣpaka (Parpata)	(Pl.)	96	g
16.	Saptacchadā (Saptaparna)	(St.Bk.)	48	g
17.	Śunṭhī	(Rz.)	48	g
18.	Marica	(Frt.)	48	g
19.	Pippalī	(Frt.)	48	g
20.	Nāgakeśara	(Stmn.)	48	g
21.	Abda (Musta)	(Rz.)	48	g
22.	Kaṭvī (Katuka)	(Rz.)	48	g
23.	Prativiṣā (Ativisha)	(Rt.)	48	g
24.	Vatsabija (IndraYava)	(Sd.)	48	g

Dose

12 to 24 ml

Important Therapeutic Uses

All types of Jvara (Fever)

1 : 3 AYASKṚTI

(Aṣṭāṅgahr̥daya, Cikitsāsthāna: Adhyāya 12:28-31 1/2)

साधयेदसनादीनां पलानां विंशतिं पृथक् ।।२८।।
 द्विवहेऽपां क्षिपेत्तत्र पादस्थे द्वे शते गुडात् ।
 क्षौद्राढकार्धं पलिकं वत्सकादि च कल्कितम् ।।२९।।
 तत्क्षौद्रपिप्पलीचूर्णप्रदिग्धे घृतभाजने ।
 स्थितं दृढे जतुसृते यवराशौ निधापयेत् ।।३०।।
 खदिराङ्गारतप्तानि बहुशोऽत्र निमज्जयेत् ।
 तनूनि तीक्ष्णलोहस्य पत्राण्यालोहसङ्क्षयात् ।।३१।।
 अयस्कृतिः स्थिता पीता पूर्वस्मादधिका गुणैः ।
 (अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १२: २८-३१ १/२)

1.	Asana	(Ht.Wd.)	960	g
2.	Tiniśa	(Ht.Wd.)	960	g
3.	Bhūrja	(St.Bk.)	960	g
4.	Śvetavāha (Arjuna)	(St.Bk.)	960	g
5.	Prakirya (Latā Karañja)	(Sd.)	960	g
6.	Khadira	(Ht.Wd.)	960	g
7.	Kadara (Śveta Khadira)	(Ht.Wd.)	960	g
8.	Bhaṇḍī (Śirīṣa)	(St.Bk.)	960	g
9.	Śiṃśapa	(Ht.Wd.)	960	g
10.	Meṣaśṛṅgī	(Lf.)	960	g
11.	Pītacandana	(Ht.Wd.)	960	g
12.	Raktacandana	(Ht.Wd.)	960	g
13.	Śvetacandana	(Ht.Wd.)	960	g
14.	Tāla	(Fl.)	960	g
15.	Palāśa	(Sd.)	960	g
16.	Joṅgaka (Agaru)	(Ht.Wd.)	960	g
17.	Śāka	(Ht.Wd.)	960	g

18.	Śāla	(Ht.Wd.)	960	g	
19.	Kramuka	(Sd.)		960	g
20.	Dhava	(St.Bk.)	960	g	
21.	Kaliṅga (Kuṭaja)	(Sd.)		960	g
22.	Chāgakarṇa (Ajākarnā)	(Ht.Wd.)	960	g	
23.	Aśvakarṇa	(Ht.Wd.)	960	g	
24.	Water for decoction		98.304	l.	
	reduced to		24.576	l.	
25.	Guda		9.600	kg	
	Prakṣepa Dravyas				
26.	Kṣaudra (Madhu)		1.536	kg	
27.	Vatsaka (Kuṭaja)	(St.Bk.)	48	g	
28.	Mūrvā	(Rt.)	48	g	
29.	Bhārṅgī	(Rt.)	48	g	
30.	Kaṭukā	(Rz.)	48	g	
31.	Marica	(Fr.)	48	g	
32.	Ghuṇapriya (Ativiṣā)	(Rt.)	48	g	
33.	Gandīra	(Rz.)	48	g	
34.	Elā (Sūkṣmailā)	(Sd.)		48	g
35.	Pāṭhā	(Rt.)	48	g	
36.	Ajājī (Śveta jīraka)	(Fr .)	48	g	
37.	Kaṭvaṅga (Araluka)	(St.Bk.)	48	g	
38.	Ajamoā (Ajamodā)	(Fr.)	48	g	
39.	Siddhārtha (Sarṣapa)	(Sd.)		48	g
40.	Vacā	(Rz.)	48	g	
41.	Jīraka	(Fr.)	48	g	
42.	Hiṅgu	(Exd.)	48	g	
43.	Viḍaṅga	(Fr.)	48	g	
44.	Paśugaṇḍha	(Rt.)	48	g	

45.	Pippalī	(Fr.)	48	g
46.	Pippalī mūla	(Rt.)	48	g
47.	Cavya	(St.)	48	g
48.	Citraka	(Rt.)	48	g
49.	Nāgara (Śunthī)	(Rz.)	48	g
50.	Tikṣṇaloḥa Patra (Lauha)		768	g
	Pralepana Dravyas - for internal coating			
51.	Pippalī Cūrṇa	(Fr.)	Q.S.	
52.	Kṣaudra		Q.S.	
53.	Ghṛta		Q.S.	
	for external coating			
54.	Jatu (Lākṣa)	(Res.Enc)	Q.S.	

Note: The quantity of Iron sheets is not mentioned in Aṣṭāṅgahr̥daya, Arum̐datta in his commentary mentioned the quantity as one Prastha (768 g) for a similar preparation.

Special Method of Preparation

Decoction of Asanādi Gaṇa (drugs 1 to 23) is first prepared. Jaggery and honey (drugs 25 and 26) are added to the decoction. Kalka of Vatsakādi Gaṇa Drayas (drugs 27 to 49) is made separately and added to the decoction. The decoction is then poured into

Dose

12 to 24 ml

Important Therapeutic Uses

Pāṇḍu (Anaemia), Prameha (Urinary disorders), Arśa (Haemorrhoids), Śvitra (Leucoderma/Vitiligo), Kuṣṭha (Diseases of skin), Aruci (Tastelessness), Kṛmi (Helminthiasis/Worm infestation), Grahaṇī (Malabsorption syndrome), Sthaulya (Obesity)

1 : 4 ARAVINDĀSAVA

(Bhaiṣajyaratnāvalī, Bālarogādhikāra : 185-189)

अरविन्दमुशीरञ्च काश्मरीं नीलमुत्पलम्।
 मंजिष्ठैला बलामांसीरम्बुदं शारिवां शिवाम्॥१८५॥
 विभीतकवचाधात्रीः शटीं श्यामां सनीलिनीम्।
 पटोलं पर्पटं पार्थं मधूकं मधुकं मुराम्॥१८६॥
 पलमानेन संगृह्य द्राक्षायाः पलविंशतिम्।
 धातकीं षोडशपलां जलद्रोणद्वये क्षिपेत्॥१८७॥
 शर्करायास्तुलां तत्र तुलार्द्धं माक्षिकस्य च।
 मासं संस्थापयेद् भाण्डे मृत्तिकापरिनिर्मिते॥१८८॥
 बालानां सर्वरोगघ्नो बलपुष्ट्यग्निवर्द्धनः।
 अरविन्दासवः प्रोक्त आयुष्यो ग्रहदोषहृत् ॥१८९॥
 (भैषज्यरत्नावली, बालरोगाधिकार, १८५-१८९)

1.	Aravinda (Kamala)	(Fl.)	48	g
2.	Uśīra	(Rt.)	48	g
3.	Kāśmarī (Gambhārī)	(Fr.)	48	g
4.	Nīlotpala (Utpala)	(Fl.)	48	g
5.	Mañjiṣṭhā	(Rt.)	48	g
6.	Elā (Sūkṣmailā)	(Sd.)	48	g
7.	Balā	(Rt.)	48	g
8.	Māṃsī (Jaṭāmāṃsī)	(Rz.)	48	g
9.	Ambuda (Mustā)	(Rz.)	48	g
10.	Śāriva (Śveta Śārivā)	(Rt.)	48	g
11.	Śivā (Harītakī)	(P.)	48	g
12.	Bibhīta (Bibhītaka)	(P.)	48	g
13.	Vacā	(Rz.)	48	g
14.	Dhātrī (Āmalakī)	(P.)	48	g
15.	Śaṭhī (Śaṭī)	(Rz.)	48	g
16.	Śyāmā (Trivṛt)	(Rt.)	48	g
17.	Nīlinī (Nīlī)	(Rt.)	48	g
18.	Paṭola	(Lf. /Pl.)	48	g

19.	Parpaṭa	(Pl.)	48	g
20.	Pārtha (Arjuna)	(St. Bk.)	48	g
21.	Madhūka	(Fl.)	48	g
22.	Madhuka (Yaṣṭī)	(Rt.)	48	g
23.	Murā	(Rt.)	48	g
24.	Drākṣā	(Dr. Fr.)	960	g
25.	Dhātakī	(Fl.)	768	g
26.	Water		24.576	l
27.	Śarkarā		4.800	kg
28.	Mākṣika (Madhu)		2.400	kg

Note: Śveta Tṛvṛt may be used as a substitute for Nīlinī

Dose

3 to 12 ml

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Kārśya (Emaciation), Balakṣaya (Loss of strength / immunity), Sarva Bālaroga (All types of Pediatric conditions), Graha Doṣa (Psychosis)

1 : 5 AŚOKĀRIṢṬA

(Bhaiṣajyaratnāvalī, Strīrogādhikāra: 114-117)

अशोकस्य तुलामेकाञ्चतुर्द्रोणे जले पचेत् ।
पादशेषे रसे पूते शीते पलशतद्वयम् ॥११४॥
दद्याद् गुडस्य धातक्याः पलषोडशिकं मतम् ।
अजाजी मुस्तकं शुण्ठीं दार्व्युत्पलफलत्रिकम् ॥११५॥
आम्रास्थि जीरकं वासां चन्दनञ्च विनिक्षिपेत् ।

चूर्णयित्वा पलांशेन ततो भाण्डे निधापयेत् ।।११६।।
मासादूद्ध्वञ्च पीत्वैनमसृग्दररुजां जयेत् ।
ज्वरञ्च रक्तपित्तार्शो मन्दाग्नित्वमरोचकम् ।।
मेहशोथारुचिहरस्त्वशोकारिष्टसंज्ञितः ।।११७।।
(भैषज्यरत्नावली, स्त्रीरोगाधिकार ११४-११७)

1.	Aśoka	(St.Bk.)	4.800	kg
2.	Water for decoction		49.152	l
	reduced to		12.288	l
3.	Guḍa		9.600	kg
	Prakṣepa Dravyas			
4.	Dhātakī	(Fl.)	768	g
5.	Ajājī (Śveta jīraka)	(Fr.)	48	g
6.	Mustaka (Mustā)	(Rz.)	48	g
7.	Śunṭhī	(Rz.)	48	g
8.	Dārvī (Dāruharidrā)	(St.)	48	g
9.	Utpala	(Fl.)	48	g
10.	Harītakī	(P.)	48	g
11.	Bibhītaka	(P.)	48	g
12.	Āmalakī	(P.)	48	g
13.	Āmrāsthī (Āmra)	(Enm.)	48	g
14.	Jīraka (Śveta jīraka)	(Fr.)	48	g
15.	Vāsā	(Rt.)	48	g
16.	Candana (Śveta candana)	(Ht.Wd.)	48	g

Dose

12 to 24 ml

Important Therapeutic Uses

Asṛgdara Rujā (Dysmenorrhoea), Yonirujā (Vaginal Pain), Śveta Pradara

(Leucorrhoea), Jvara (Fever), Raktapitta (Bleeding disorder), Arśa (Haemorrhoids), Mandāgni (Impaired digestive fire), Arocaka (Tastelessness), Meha (Excessive flow of urine), Śōtha (Inflammation)

1 : 6 AŚVAGANDHĀDYARIṢṬA
(Bhaiṣajyaratnāvalī, Mūrcchādhikāra: 13-19)

तुलाद्धं चाश्वगन्धाया मुसल्याः पलविंशतिः ।
मज्जिष्ठाया हरीतक्या रजन्योर्मधुकस्य च ॥१३॥
रास्नाविदारीपार्थानां मुस्तकत्रिवृतोरपि ।
भागान् दशपलान् दद्यादनन्ताश्यामयोस्तथा ॥१४॥
चन्दनद्वितयस्यापि वचायाश्चित्रकस्य च ।
भागानष्टपलान् क्षुण्णानष्टद्रोणेऽम्भसः पचेत् ॥१५॥
द्रोणशेषे कषायेऽस्मिन् पूते शीते प्रदापयेत् ।
धातक्याः षोडशपलं माक्षिकस्य तुलात्रयम् ॥१६॥
व्योषं तु द्विपलं ग्राह्यं त्रिजातकचतुः पलम् ।
चतुःपलं प्रियङ्गुश्च द्विपलं नागकेशरम् ॥१७॥
मासादूर्ध्वं पिबेदेनं पलाद्धपरिमाणतः ।
मूर्च्छामपस्मृतिं शोषमुन्मादमपि दारुणम् ॥१८॥
काश्यमर्शासि मन्दत्वमग्नेर्वातभवान् गदान् ।
अश्वगन्धाद्यरिष्टोऽयं पीतो हन्यादसंशयम् ॥१९॥
(भैषज्यरत्नावली, मूर्च्छाधिकारः; १३-१९)

1.	Aśvagandhā	(Rt.)	2.400	kg
2.	Musalī	(Rt.)	960	g
3.	Mañjiṣṭha (Mañjiṣṭhā)	(Rt.)	480	g
4.	Harītakī	(P. b)	480	g
5.	Haridrā	(Rz.)	480	g
6.	Dāruharidrā	(St.)	480	g

7.	Madhuka (Yaṣṭī)	(Rt.)	480	g
8.	Rāsnā	(Rt./Lf.)	480	g
9.	Vidārī	(Rt.Tr.)	480	g
10.	Pārtha (Arjuna)	(St.Bk.)	480	g
11.	Mustaka (Mustā)	(Rz.)	480	g
12.	Trivṛt	(Rt.)	480	g
13.	Anantā (Śvētasārivā)	(Rt.)	384	g
14.	Śyāmā (Kṛṣṇa Śārivā)	(Rt.)	384	g
15.	Śveta candana	(Ht.Wd.)	384	g
16.	Rakta candana	(Ht.Wd.)	384	g
17.	Vacā	(Rz.)	384	g
18.	Citraka	(Rt.)	384	g
19.	Water for decoction		98.304 l	
	reduced to		12.288 l	
	Prakṣepa Dravyas			
20.	Mākṣika (Madhu)		14.400	kg
21.	Dhātakī	(Fl.)	768	g
22.	Śunṭhī	(Rz.)	96	g
23.	Marica	(Fr.)	96	g
24.	Pippalī	(Fr.)	96	g
25.	Tvak	(St.Bk.)	192	g
26.	Elā (Sūkṣmailā)	(Sd.)	192	g
27.	Patra (Tejapatra)	(Lf.)	192	g
28.	Priyaṅgu	(Fl.)	192	g
29.	Nāga (Nāgakeśara)	(Stmn.)	96	g

Dose

12 to 24 ml

Important Therapeutic Uses

Mūrcchā (Syncope), Apasmāra (Epilepsy), Śoṣa (Cachexia), Unmāda (Mania/Psychosis), Kārśya (Emaciation), Arśa (Haemorrhoids), Agnimāndya (Digestive impairment), Vātaroga (Disease due to Vāta doṣa)

1 : 7 AHIPHENĀSAVA

(Bhaiṣajyaratnāvalī, Atīśārādhikāra;: 100-101)

तुलां मधूकमद्यस्य शुभे भाण्डे परिक्षिपेत् ।
फणिफेनस्य कुडवं मुस्तकं पलसम्मितम् ॥१००॥
जातीफलञ्चैन्द्रयवं तथैलां तत्र दापयेत् ।
रुद्ध्वा भाण्डं मासमात्रं यत्नतः परिरक्षयेत् ।
हन्त्यतीसारमत्युग्रं विसूचीमपि दारुणाम् ॥१०१॥
(भैषज्यरत्नावली, अतिसाराधिकार, १००-१०१)

1.	Madhūka madya (Madhūka) (Fl.)	4.800	1
2.	Phaṇīphena (Ahiphena) (Exd.)	192	g
3.	Mustaka (Mustā) (Rz.)	48	g
4.	Jātīphala (Sd.)	48	g
5.	IndraYava (Kuṭaja) (Sd.)	48	g
6.	Elā (Sūkṣmailā) (Sd.)	48	g

Special Method of Preparation

In Madhūka madya drugs from 2 to 6 are added and allowed to remain in a closed pot for a month before use. Note: Madhūka madya : Madhūka flowers are fermented with water and Madya is distilled.

Dose

5 to 10 drops

Important Therapeutic Uses

Ugra Atīśāra (Severe Diarrhoea), Dāruṇa Viṣūcikā (Severe gastro enteritis),

1 : 8 UŚĪRĀSAVA

(Bhaiṣajyaratnāvalī, Raktapittādhikāra: 137-141)

उशीरं बालकं पद्मं काश्मर्यं नीलमुत्पलम् ।
प्रियङ्गु पद्मकं लोध्रं मज्जिष्ठां धन्वयासकम् ॥१३७॥
पाठां किराततित्तञ्च न्यग्रोधोदुम्बरं शटीम् ।
पर्पटं पुण्डरीकं च पटोलं काञ्चनारकम् ॥१३८॥
जम्बूशाल्मलिनिर्यासं प्रत्येकं पलसम्मितम् ।
सर्वं सुचूर्णितं कृत्वा द्राक्षायाः पलविंशतिम् ॥१३९॥
धातकीं षोडशपलां जलद्रोणद्वये क्षिपेत् ।
शर्करायास्तुलां दत्वा क्षौद्रस्यार्द्धतुलां तथा ॥१४०॥
मासं संस्थापयेद् भाण्डे मांसीमरिचधूपिते ।
उशीरासव इत्येष रक्तपित्तविनाशनः ॥
पाण्डुकुष्ठप्रमेहार्शः कृमिशोथहरस्तथा ॥१४१॥
(भैषज्यरत्नावली, रक्तपित्ताधिकार; १३७-१४१)

1.	Uśīra	(Rt.)	48	g
2.	Bālaka (Hrīvera)	(Rt.)	48	g
3.	Padma	(Fl.)	48	g
4.	Kāśmarya (Gambhārī)	(St.Bk.)	48	g
5.	Nīlotpala (Utpala)	(Fl.)	48	g
6.	Priyaṅgu	(Fl.)	48	g
7.	Padmaka	(St.)	48	g

8.	Lodhra	(St.Bk.)	48	g
9.	Mañjiṣṭhā	(Rt.)	48	g
10.	Dhanvayāsa	(Pl.)	48	g
11.	Pāṭhā	(Rt./Pl.)	48	g
12.	Kirātatikta	(Pl.)	48	g
13.	Nyagrodha	(St.Bk.)	48	g
14.	Udumbara	(St.Bk.)	48	g
15.	Śaṭī	(Rz.)	48	g
16.	Parpaṭa	(Pl.)	48	g
17.	Puṇḍarīka (Kamala)	(Fl.)	48	g
18.	Paṭola	(Lf./Pl.)	48	g
19.	Kāñcanāraka (Kāñcanāra)	(St.Bk.)	48	g
20.	Jambū	(St.Bk.)	48	g
21.	Śālmali niryāsa (Śālmali)	(Exd.)	48	g
22.	Drākṣā	(Dr.Fr.)	960	g
23.	Dhātakī	(Fl.)	768	g
24.	Water		24.576	l
25.	Śarkarā		4.800	kg
26.	Kṣaudra (Madhu)		2.400	kg
27.	Māṃsī (Jaṭāmāṃsī)	(Rt.)	Q.S.	for dhupana
28.	Marica	(Fr.)	Q.S.	for dhupana

Dose

12 to 24 ml

Important Therapeutic Uses

Raktapitta (Bleeding disorder), Pāṇḍu (Anaemia), Kuṣṭha (Diseases of skin), Prameha (Urinary disorders), Arśa (Haemorrhoids), Kṛmi (Helminthiasis/Worm infestation), Śoṭha (Inflammation)

Special Precaution

The pot is fumigated with smoke of Māmsī and marica

1 : 9 KANAKĀSAVA

(Bhaiṣajyaratnāvalī, Hikkāśvāsdhikāra: 98-102)

सङ्क्षुद्य कनकं शाखामूलपत्रफलैः सह ।
ततश्चतुष्पलं ग्राह्यं वृषमूलत्वचस्तथा ॥९८॥
मधूकं मागधी व्याघ्री केशरं विश्वभेषजम् ।
भाङ्गी तालीशपत्रञ्च सञ्चूर्ण्येषां पलद्वयम् ॥९९॥
सङ्गृह्य धातकीप्रस्थं द्राक्षायाः पलविंशतिम् ।
जलद्रोणद्वयं दत्त्वा शर्करायास्तुलां तथा ॥१००॥
क्षौद्रस्यार्द्धतुलाञ्चापि सर्वं सम्मिश्र्य यत्नतः ।
भाण्डे निक्षिप्य चावृत्य निदध्यान्मासमात्रकम् ॥१०१॥
निहन्ति निखिलान् श्वासान् कासं यक्ष्माणमेव च ।
क्षतक्षीणं ज्वरं जीर्णं रक्तपित्तमुरःक्षतम् ॥१०२॥
(भैषज्यरत्नावली, हिककाश्वासाधिकार; ९८-१०२)

1.	Kanaka (Dhattūra)	(Pl.)	192	g
2.	Vṛṣamūla tvak (Vāsā)	(Rt.)	192	g
3.	Madhuka (Yaṣṭī)	(Rt.)	96	g
4.	Māgadhi (Pippalī)	(Fr.)	96	g
5.	Vyāghri (Kaṇṭakārī)	(Pl.)	96	g
6.	Keśara (Nāgakeśara)	(Stmn.)	96	g
7.	Viśvabheṣaja (Śuṇṭhī)	(Rz.)	96	g
8.	Bhārṅgī	(Rt.)	96	g
9.	Tālīśapatra (Tālīsa)	(Lf.)	96	g
10.	Dhātakī	(Fl.)	768	g

11.	Drākṣā	(Dr.Fr.)	960	g
12.	Water		24.576	l
13.	Śarkarā		4.800	kg
14.	Kṣaudra (Madhu)		2.400	kg

Dose

12 to 24 ml

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Rājayakṣmā (Tuberculosis), Kṣata Kṣīṇa (Debility due to chest injury)

1 : 10 KARPŪRĀSAVA

(Bhaiṣajyaratnāvalī, Agnimāndyādirogādhikāra; : 296-297)

तुलां प्रसन्नां परिगृह्य शुद्धां पलाष्टकं चोदुपतेः क्षिपेच्च
 एला च सूक्ष्मा घनशृंगवेरे यमानिका वेल्लजमत्र सर्वम्
 पलप्रमाणं पिहिते च भाण्डे मासं निदध्याद् भिषगत्र यत्नात् ।
 विसूचिकायाः परमौषधं तन्निहन्ति चान्यान् विविधान् विकारान् ॥
 (भैषज्यरत्नावली, अग्निमान्द्यादि रोगाधिकार २९६-२९६१/२)

1.	Prasannā		4.800	l
2.	Udupati (Karpūra)	(Sub.Ext.)	384	g
3.	Elā (Sūkṣmailā)	(Sd.)	48	g
4.	Ghana (Mustā)	(Rz.)	48	g
5.	Śrīṅgaverā (Śuṅṭhī)	(Rz.)	48	g
6.	Yamānikā (Yavānī)	(Fr.)	48	g
7.	Vellaja (Marica)	(Fr.)	48	g

Dose

5 to 10 drops

Important Therapeutic Uses

Atīsāra (Diarrhoea), Viṣūcikā (Gastro-enteritis with piercing pain), Udararoga (Ascites), Kaphavikāra (Disorders due to vitiation of Kapha doṣa)

1 : 11 KUṬAJĀRIṢṬA

(Bhaiṣajyaratnāvalī, Atīsārādhikāra: 97-99)

तुलां कुटजमूलस्य मृद्वीकाद्धतुलां तथा ।
मधूकपुष्पकाशमर्योर्भागान् दशपलोन्मितान् ॥९७॥
चतुर्द्रोणेऽम्भसः पक्त्वा द्रोणञ्चैवावशेषितम् ।
धातक्या विंशतिपलं गुडस्य च तुलां क्षिपेत् ॥९८॥
मासमात्रं स्थितो भाण्डे कुटजारिष्टसंज्ञितः ।
ज्वरान् प्रशमयेत् सर्वान् कुर्यात्तीक्ष्णं धनञ्जयम् ॥
दुर्वारां ग्रहणीं हन्ति रक्तातीसारमुल्बणम् ॥९९॥
(भैषज्यरत्नावली, अतीसाराधिकार, ९७-९९)

1.	Kuṭajamūla (Kuṭaja)	(St. Bk.)	4.800 kg
2.	Mṛdvīkā (Drākṣā)	(Dr. Fr.)	2.400 kg
3.	Madhūka Kusuma	(Fl.)	480 g
4.	Kāśmarī (Gambhārī)	(St. Bk.)	480 g
5.	Water for decoction		49.152 l
	reduced to		12.288 l
6.	Guḍa		4.800 kg
	Prakṣepa Dravyas		
7.	Dhātakī	(Fl.)	960 g

Dose

12 to 24 ml

Important Therapeutic Uses

Jvara (Fever), Grahanī (Malabsorption syndrome), Raktātīśāra (Diarrhoea with Bleeding), Agnimāndya (Digestive impairment)

1 : 12 KUMĀRYĀSAVA (A)

(Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya : 10; 18-27 1/2)

सुपक्वरससंशुद्धं कुमार्याः पत्रमाहरेत् ॥१८॥
यत्नेन रसमादाय पात्रे पाषाणमृन्मये ।
द्रोणे गुडतुलां दत्त्वा घृतभाण्डे निधापयेत् ॥१९॥
माक्षिकं पक्वलोहं च तस्मिन्नर्धतुलां क्षिपेत् ।
कटुत्रिकं लवङ्गं च चातुर्जातकमेव च ॥२०॥
चित्रकं पिप्पलीमूलं विडङ्गं गजपिप्पली ।
चविकं हपुषा धान्यं क्रमुकं कटुरोहिणी ॥२१॥
मुस्ता फलत्रिकं रास्ना देवदारु निशाद्वयम् ।
मूर्वा मधुरसा दन्ती मूलं पुष्करसम्भवम् ॥२२॥
बला चातिबला चैव कपिकच्छुस्त्रिकण्टकम् ।
शतपुष्पा हिङ्गुपत्री आकल्लकमुटिङ्गणम् ॥२३॥
पुनर्नवाद्वयं लोध्रं धातुमाक्षिकमेव च ।
एषां चार्धपलं दत्त्वा धातक्यास्तु पलाष्टकम् ॥२४॥
पलं चार्धपलं चैव पलद्वयमुदाहृतम् ।
वपुर्वयःप्रमाणेन बलवर्णाग्निदीपनम् ॥२५॥
बृंहणं रोचनं वृष्यं पक्तिशूलनिवारणम् ।
अष्टावुदरजान् रोगान् क्षयमुग्रं च नाशयेत् ॥२६॥
विंशतिं मेहजान् रोगानुदावर्तमपस्मृतिम् ।
मूत्रकृच्छ्रमपस्मारं शुक्रदोषं तथाश्मरीम् ॥२७॥
क्रिमिजं रक्तपित्तं च नाशयेत् तु न संशयः ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय १०; १८-२७ १/२)

1.	Kumārī rasa (Kumārī)	(Lf.)	12.288 l	
2.	Guḍa		4.800	kg
3.	Mākṣika (Madhu)		2.400	kg
4.	Pakva Loha (Lauha)-bhasma		24	g
5.	Śuṇṭhī	(Rz.)	24	g
6.	Marica	(Fr.)	24	g
7.	Pippalī	(Fr.)	24	g
8.	Lavaṅga	(Fl. Bd.)	24	g
9.	Tvak	(St. Bk.)	24	g
10.	Elā (Sūkṣmailā)	(Sd.)	24	g
11.	Patra (Tejapatra)	(Lf.)	24	g
12.	Nāgakēśara	(Stmn.)	24	g
13.	Citraka	(Rt.)	24	g
14.	Pippalīmūla	(Rt.)	24	g
15.	Vidaṅga	(Fr.)	24	g
16.	Gajapippalī	(Fr.)	24	g
17.	Cavikā (Cavya)	(St.)	24	g
18.	Hapuṣā	(Fr.)	24	g
19.	Dhānya (Dhānyaka)	(Fr.)	24	g
20.	Kramuka (Pūga)	(Sd.)	24	g
21.	Kaṭurohiṇī (Kaṭukā)	(Rz.)	24	g
22.	Mustā	(Rz.)	24	g
23.	Harītakī	(P.)	24	g
24.	Bibhītaka	(P.)	24	g
25.	Āmalakī	(P.)	24	g
26.	Rāsnā	(Rt./ Lf.)	24	g
27.	Devadāru	(Ht. Wd.)	24	g
28.	Haridrā	(Rz.)	24	g

29.	Dāruharidrā	(St.)	24	g
30.	Mūrvā	(Rt.)	24	g
31.	Madhursā (Yaṣṭī)	(Rt.)	24	g
32.	Dantī	(Rt.)	24	g
33.	Puṣkaramūla (Puṣkara)	(Rt.)	24	g
34.	Balā	(Rt.)	24	g
35.	Atibalā	(Rt.)	24	g
36.	Kapikacchū (Ātmaguptā)	(Sd.)	24	g
37.	Trikaṇṭaka (Gokṣura)	(Fr.)	24	g
38.	Śatapuspā (Śatāhvā)	(Fr.)	24	g
39.	Hiṅgupatrī	(Lf.)	24	g
40.	Ākallaka (Ākarakarabha)	(Rt.)	24	g
41.	Uṭiṅgaṇa	(Sd.)	24	g
42.	Śveta Punarnvā	(Rt.)	24	g
43.	Rakta Punarnavā	(Rt.)	24	g
44.	Lodhra	(St.Bk.)	24	g
45.	Dhātumākṣika (Mākṣika) bhasma		24	g
46.	Dhātakī	(Fl.)	384	g

Special Method of Preparation

Kumāri is cut into bits and the skin is removed. The pulp is put into a vessel and some quantity of Triphalā powder is added to liquify the pulp quickly. Then the fluid is strained. To this fluid, the rest of the drugs are added. The loha bhasma is added

Dose

12 to 24 ml

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Pakṣiśūla (Duodenal ulcer), Parīṇāma Śūla (Duodenal ulcer), Udāvarta (Condition in which there is upward movement of vayu), Mūtrakṛcchra (Dysuria), Prameha (Urinary disorders), Aśmarī (Calculus), Raktapitta (Bleeding disorder), Apasmāra (Epilepsy), Śukra Doṣa (Vitiation of semen), Kṛmi

(Helminthiasis/Worm infestation), Smṛti Kṣaya (Loss of memory), Daurbalya (Weakness), Udara (Diseases of abdomen / enlargement of abdomen), Kārśya (Emaciation), Kṣaya (Pthisis), Aruci (Tastelessness), Vaivarnya (Discolouration)

1 : 13 KUMĀRYĀSAVA (B)

(Yogarātnākara, Gulmacikitsā: Page 527)

कुमार्याश्च रसद्रोणे गुडं पलशतं तथा ।
तुलाङ्घ्रि सङ्ख्यां विजयां क्वाथयेत्तज्जलामणे ॥११॥
चतुर्थांशावशेषे तु पूते तस्मिन्निधापयेत् ।
मधुनश्चाऽऽढकं दत्त्वा धातक्या द्विपलाष्टकम् ॥१२॥
स्निग्धभाण्डे विनिक्षिप्य कल्कं चैव प्रदापयेत् ।
जातीफलं लवङ्गं च कङ्कोलं च कबाबकम् ॥१३॥
जटिलाचव्यचित्रं च जातिपत्री सकर्कटम् ।
अक्षं पुष्करमूलं च प्रत्येकं च पलं पलम् ॥१४॥
मृतं शुल्वं तथा लोहं शुक्तिमात्रं प्रदापयेत् ।
(योगरत्नाकर, गुल्मचिकित्सा; पृष्ठ ५२७)

1.	Kumārī rasa (Kumārī)	(Lf.)	12.288 l	
2.	Guḍa		4.800 kg	
3.	Vijayā (Harītakī)	(P.)	1.200 kg	
4.	Water for decoction		12.288 l	
	reduced to		3.072 l	
5.	Madhu		3.072 kg	
6.	Dhātakī	(Fl.)	768 g	
7.	Jātīphala	(Sd.)	48 g	
8.	Lavaṅga	(Fl.Bd.)	48 g	
9.	Kaṅkola	(Fr.)	48 g	
10.	Kabābaka	(Fr.)	48 g	

11.	Jaṭilā (Jaṭāmāṃsī)	(Rt./Rz.)	48	g
12.	Cavya	(St.)	48	g
13.	Citrā (Eraṇḍa)	(Rt.)	48	g
14.	Jātīpatrī (Jātīphala)	(Ar.)	48	g
15.	Karkāṭa (Karkāṭaśṅgī)	(Gl.)	48	g
16.	Akṣa (Bibhītaka)	(P.)	48	g
17.	Puṣkaramūla (Puṣkara)	(Rt.)	48	g
18.	Mṛta Śulva (Tamra bhasma)		48	g
19.	Mṛta Loha (Lauha bhasma)		24	g

Dose

12 to 24 ml

Important Therapeutic Uses

, Gulma (Abdominal lump), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Arśa (Haemorrhoids), Vāta Vyādhi (Disease due to Vāta doṣa), Apasmāra (Epilepsy), Kṣaya (Pthisis), Udara (Diseases of abdomen / enlargement of abdomen), Manyāroga (Diseases of Neck), Agnimāndya (Digestive impairment), Koṣṭha Śūla (Pain in abdomen), Naṣṭa Puṣpa (Amenorrhoea)

1 : 14 KHADIRĀRIṢṬA

(Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 10: 60-65)

खदिरस्य तुलार्धं तु देवदारु च तत्समम् ।
 बाकुची द्वादशपला दार्वी स्यात् पलविंशतिः ॥६०॥
 त्रिफला विंशतिपला ह्यष्टद्रोणेऽम्भसः पचेत् ।
 कषाये द्रोणशेषे च पूते शीते विनिक्षिपेत् ॥६१॥
 तुलाद्वयं माक्षिकस्य तुलैका शर्करा मता ।
 धातक्या विंशतिपलं कङ्कोलं नागकेशरम् ॥६२॥
 जातीफलं लवङ्गैलात्वक्पत्राणि पृथक् पृथक् ।

पलोन्मितानि कृष्णाया दद्यात् पलचतुष्टयम् ।।६३।।
 घृतभाण्डे विनिक्षिप्य मासादूर्ध्वं पिबेन्नरः ।
 महाकुष्ठानि हृद्रोगं पाण्डुरोगार्बुदे तथा ।।६४।।
 गुल्मं ग्रन्थिं कृमीन् कासं श्वासं प्लीहोदरं जयेत् ।
 एष वै खदिरारिष्टः सर्वकुष्ठनिवारणः ।।६५।।
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय १०; ६०-६५)

1.	Khadira	(Ht. Wd.)	2.400	kg	
2.	Devadāru	(Ht. Wd.)	2.400	kg	
3.	Bākucī	(Sd.)	576	g	
4.	Dārvī (Dāruharidrā)	(St.)	960	g	
5.	Harītakī	(P.)	960	g	
6.	Bibhītaka	(P.)	960	g	
7.	Āmalakī	(P.)	960	g	
8.	Water for decoction		98.304	l	
	reduced to		12.288	l	
9.	Mākṣika (Madhu)		9.600	kg	
10.	Śarkarā		4.800	kg	
	Prakṣepa Dravyas				
11.	Dhātakī	(Fl.)	960	g	
12.	Kaṅkola	(Fr.)	48	g	
13.	Nāgakēśara	(Stmn.)	48	g	
14.	Jātīphala	(Sd.)	48	g	
15.	Lavaṅga	(Fl.Bd.)	48	g	
16.	Elā (Sūkṣmailā)	(Sd.)	48	g	
17.	Tvak	(St.Bk.)	48	g	
18.	Patra (Tejapatra)	(Lf.)	48	g	
19.	Kṛṣṇā (Pippalī)	(Fr.)	192	g	

Dose

12 to 24 ml

Important Therapeutic Uses

Granthi (Cyst), Gulma (Abdominal lump), Kṛmi (Helminthiasis/Worm infestation), Plīhodara (Disorder of Spleen, Ascites associated with spleenomegaly), Arbuda (Tumor), Pāṇḍu Roga (Anaemia), Mahākuṣṭha (Group of major skin diseases), Hṛdroga (Heart disease), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma)

1 : 15 CANDANĀSAVA

(Bhaiṣajyaratnāvalī, Śukramehādhikāra: 34-38)

चन्दनं बालकं मुस्तं गम्भारीं नीलमुत्पलम् ।
प्रियङ्गुं पद्मकं लोध्रं मज्जिष्ठां रक्तचन्दनम् ॥३४॥
पाठां किराततित्तञ्च न्यग्रोधं पिप्पलीं शटीम् ।
पर्पटं मधुकं रास्नां पटोलं काञ्चनारकम् ॥३५॥
आम्रत्वचं मोचरसं प्रत्येकं पलमात्रकम् ।
धातकीं षोडशपलां द्राक्षायाः पलविंशतिम् ॥३६॥
जलद्रोणद्वये क्षिप्त्वा शर्करायास्तुलां तथा ।
गुडस्यार्द्धतुलञ्चापि मासं भाण्डे निधापयेत् ॥३७॥
चन्दनासव इत्येष शुक्रमेहविनाशनः ।
बलपुष्टिकरो हृद्यो वह्निसन्दीपनः परः ॥३८॥
(भैषज्यरत्नावली शुक्रमेहाधिकार ३४-३८)

1.	Candana (Śveta candana)	(Ht. Wd.)	48	g
2.	Bālaka (Hrīvera)	(Rt.)	48	g
3.	Mustā	(Rz.)	48	g
4.	Gambhārī	(St. Bk.)	48	g
5.	Nīlōtpala (Utpala)	(Fl.)	48	g
6.	Priyaṅgu	(Fl.)	48	g

7.	Padmaka	(St.)	48	g
8.	Lodhra	(St. Bk.)	48	g
9.	Mañjiṣṭhā	(Rt.)	48	g
10.	Rakta Candana	(Ht. Wd.)	48	g
11.	Pāṭhā	(Rt. /Pl.)	48	g
12.	Kirātatikta	(Pl.)	48	g
13.	Nyagrōdha	(St. Bk.)	48	g
14.	Pippalī	(Fr.)	48	g
15.	Śaṭī	(Rz.)	48	g
16.	Parpaṭa	(Pl.)	48	g
17.	Madhūka	(Fl.)	48	g
18.	Rāsnā	(Rt./Pl)	48	g
19.	Paṭola	(Lf.)	48	g
20.	Kāñcanāraka (Kācanāra)	(St.Bk.)	48	g
21.	Āmrātvak (Āmra)	(St.Bk.)	48	g
22.	Mocarasa (Śālmali)	(Exd.)	48	g
23.	Dhātakī	(Fl.)	768	g
24.	Drākṣā	(Dr.Fr.)	960	g
25.	Water		24.576	g
26.	Śarkarā		4.800	kg
27.	Guḍa		2.400	kg

Dose

12 to 24 ml

Important Therapeutic Uses

Śukrameha (Spermatorrhoea), Mūtrakṛcchra (Dysuria), Hṛdroga (Heart disease), Balakṣaya (Loss of strength / immunity), Kārśya (Emaciation), Agnimāndya (Digestive impairment)

1 : 16 JĪRAKĀDYARIṢṬA

(Bhaiṣajyaratnāvalī, Strīrogādhikāra : 492-495)

जीरकस्य तुलाद्वन्द्वं चतुर्द्रोणजले पचेत् ।
 द्रोणशेषे क्षिपेत्तत्र तुलात्रयमितं गुडम् ॥४९२॥
 धातकीं षोडशपलां शुण्ठीञ्च द्विपलोन्मिताम् ।
 जातीफलं मुस्तकञ्च चातुर्जातं यमानिकाम् ॥४९३॥
 कक्कोलं देवपुष्पञ्च पलमानेन निक्षिपेत् ।
 मासं संस्थाप्य भाण्डे च मृत्तिकापरिनिर्मिते ॥४९४॥
 ततः कल्कान् विनिर्हृत्य पाययेत् कर्षमात्रया ।
 अरिष्टो जीरकाख्योऽयं निहन्यात् सूतिकामयान् ॥
 ग्रहणीमतिसारञ्च तथा वह्नेश्च वैकृतम् ॥४९५॥
 (भैषज्यरत्नावली, स्त्रीरोगाधिकार, ४९२-४९५)

1.	Jīraka (Śveta jīraka)	(Fr.)	9.600 kg
2.	Water for decoction		49.152 l
	reduced to		12.288 l
3.	Guḍa		14.400 kg
4.	Dhātakī	(Fl.)	768 g
5.	Śuṇṭhī	(Rz.)	96 g
6.	Jātīphala	(Sd.)	48 g
7.	Mustaka (Mustā)	(Rz.)	48 g
8.	Elā (Sūkṣmailā)	(Sd.)	48 g
9.	Patra (Tejapatra)	(Lf.)	48 g
10.	Tvak	(St. Bk.)	48 g
11.	Nāgakēśara	(Stmn.)	48 g
12.	Yamānikā (Yavānī)	(Fr.)	48 g
13.	Kakkola (Kaṅkola)	(Fr.)	48 g
14.	Devapuṣpa (Lavaṅga)	(Fl. Bd.)	48 g

12 to 24 ml

Important Therapeutic Uses

Sūtikāroga (Post partum disorder puerperal disorders), Agnimāndya (Digestive impairment), Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome)

1 : 17 DANTYĀDYARIṢṬA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 8 : 69)

जलद्रोणे पचेदन्तीदशमूलवराग्निकान् ॥६८॥

पालिकान्पादशेषे तु क्षिपेद् गुडतुलां परम्।

पूर्ववत्सर्वमस्य स्यादानुलोमितरस्त्वयम् ॥६९॥

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ८; ६८-६९)

1.	Dantī	(Rt.)	48	g
2.	Bilva	(Rt./St.Bk.)	48	g
3.	Śyonāka	(Rt./St.Bk.)	48	g
4.	Gambhārī	(Rt./St.Bk.)	48	g
5.	Pāṭalā	(Rt./St.Bk.)	48	g
6.	Agnimantha	(Rt./St.Bk.)	48	g
7.	Śālaparṇī	(Pl.)	48	g
8.	Pr̥śniparṇī	(Pl.)	48	g
9.	Br̥hatī	(Pl.)	48	g
10.	Kaṇṭakārikā (Kaṇṭakārī)	(Pl.)	48	g
11.	Gokṣuraka (Gokṣura)	(Pl.)	48	g
12.	Harītakī	(P.)	48	g
13.	Bibhītaka	(P.)	48	g
14.	Āmalakī	(P.)	48	g

15.	Agni (Citṛaka)	(Rt.)	48 g
16.	Water for decoction		12.288 l
	reduced to		3.072 l
17.	Guḍa		4.800 kg
	Prakṣepa Dravyas		
18.	Dhātākī		768 g

Dose

12 to 24 ml

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Kṛmi (Helminthiasis/Worm infestation), Plīhā Roga (Splenic disease), Śoṭha (Inflammation), Gara Viṣa (Slow / accumulated poison), Arśa (Haemorrhoids), Guda Roga (Anorectal disease), Pāṇḍu (Anaemia), Kuṣṭha (Diseases of skin), Udara (Diseases of abdomen / enlargement of abdomen), Jvara (Fever), Hṛdroga (Heart disease), Yakṣmā (Tuberculosis), Chardi (Emesis)

Special Precaution

Note: Though dhātākī is not mentioned in the text, Aruṇadatta in his commentary mentions the inclusion of this drug. The period of sandhāna should be 15 days only.

1 : 18 DAŚAMŪLĀRIṢṬA

(Śarṅgadharaśaṃhitā, Madhyamakhaṇḍa, Adhyāya 10: 78-92)

दशमूलानि कुर्वीत भागैः पञ्चपलैः पृथक् ।।७८।।
 पञ्चविंशत्पलं कुर्याच्चित्रकं पौष्करं तथा ।
 कुर्याद् विंशत्पलं लोध्रं गुडूची तत्समा भवेत् ।।७९।।
 पलैः षोडशभिर्धात्री रविसङ्ख्यैर्दुरालभा ।
 खदिरो बीजसारश्च पथ्या चेति पृथक्पलैः ।।८०।।

अष्टभिर्गणितैः कुष्ठं मज्जिष्ठा देवदारु च ।
 विडङ्गं मधुकं भाङ्गी कपित्थोऽक्षः पुनर्नवा ॥८१॥
 चव्यं मांसी प्रियङ्गुश्च सारिवा कृष्णजीरकम् ।
 त्रिवृता रेणुकं रास्ना पिप्पली क्रमुकः शठी ॥८२॥
 हरिद्रा शतपुष्पा च पद्मकं नागकेशरम् ।
 मुस्तमिन्द्रयवः शृङ्गी जीवकर्षभकौ तथा ॥८३॥
 मेदा चान्या महामेदा काकोल्यौ ऋद्धिवृद्धिके ।
 कुर्यात् पृथग् द्विपलिकान् पचेदष्टगुणे जले ॥८४॥
 चतुर्थांशं शृतं नीत्वा मृद्भाण्डे सन्निधापयेत् ।
 चतुःषष्टिपलां द्राक्षां पचेन्नीरे चतुर्गुणे ॥८५॥
 त्रिपादशेषं शीतं च पूर्वक्वाथे शृतं क्षिपेत् ।
 द्वात्रिंशत्पलिकं क्षौद्रं दद्याद् गुडचतुःशतम् ॥८६॥
 त्रिंशत्पलानि धातक्याः कङ्कोलं जलचन्दनम् ।
 जातीफलं लवङ्गं च त्वगेलापत्रकेशरम् ॥८७॥
 पिप्पली चेति सञ्चूर्ण्य भागैर्द्विपलिकैः पृथक् ।
 शाणमात्रां च कस्तूरीं सर्वमेकत्र निक्षिपेत् ॥८८॥
 भूमौ निखातयेद् भाण्डं ततो जातरसं पिबेत् ।
 कतकस्य फलं क्षिप्त्वा रसं निर्मलतां नयेत् ॥८९॥
 ग्रहणीमरुचिं श्वासं कासं गुल्मं भगन्दरम् ।
 वातव्याधिं क्षयं छर्दि पाण्डुरोगं च कामलाम् ॥९०॥
 कुष्ठान्यर्शांसि मेहांश्च मन्दाग्निमुदराणि च ।
 शर्करामश्मरीं मूत्रकृच्छ्रं धातुक्षयं जयेत् ॥९१॥
 कृशानां पुष्टिजननो वन्ध्यानां गर्भदः परः ।
 अरिष्टो दशमूलाख्यस्तेजःशुक्रबलप्रदः ॥९२॥
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय १०; ७८-९२)

1.	Bilva	(Rt./St. Bk)	240	g
2.	Śyonāka	(Rt./St. Bk)	240	g
3.	Gambhārī	(Rt./St. Bk)	240	g
4.	Pāṭalā	(Rt./St. Bk)	240	g
5.	Agnimantha	(Rt./St. Bk)	240	g

6.	Śālaparnī	(Pl.)	240	g
7.	Prśniparnī	(Pl.)	240	g
8.	Bṛhatī	(Pl.)	240	g
9.	Kaṇṭakārī	(Pl.)	240	g
10.	Gokṣura	(Pl.)	240	g
11.	Citraka	(Rt.)	1.200	kg
12.	Pauṣkara (Puṣkara)	(Rt.)	1.200	kg
13.	Lodhra	(St. Bk.)	960	g
14.	Guḍūcī	(St.)	960	g
15.	Dhātrī (Āmalakī)	(P.)	768	g
16.	Durālabhā (Dhanvayāsa)	(Pl.)	576	g
17.	Khadira	(Ht. Wd.)	384	g
18.	Bījasāra (Asana)	(Ht. Wd.)	384	g
19.	Pathyā (Harītakī)	(P.)	384	g
20.	Kuṣṭha	(Rt.)	96	g
21.	Mañjiṣṭhā	(Rt.)	96	g
22.	Devadāru	(Ht. Wd.)	96	g
23.	Viḍaṅga	(Fr.)	96	g
24.	Madhuka (Yaṣṭī)	(Rt.)	96	g
25.	Bhārṅgī	(Rt.)	96	g
26.	Kapittha	(Fr. P.)	96	g
27.	Akṣa (Bibhītaka)	(P.)	96	g
28.	Punarnavā (Raktapunarnavā)	(Rt.)	96	g
29.	Cavya	(St.)	96	g
30.	Māṃsī (Jaṭāmāṃsī)	(Rt./ Rz.)	96	g
31.	Priyaṅgu	(Fl.)	96	g
32.	Sāriṇī (Śveta Sāriṇī)	(Rt.)	96	g
33.	Kṛṣṇajīraka	(Fr.)	96	g
34.	Trivṛt	(Rt.)	96	g

35.	Reṇuka (Hareṇūkā)	(Sd.)	96	g
36.	Rāsnā	(Rt./lf.)	96	g
37.	Pippalī	(Fr.)	96	g
38.	Kramuka (Pūga)	(Sd.)	96	g
39.	Śaṭhī (Śaṭī)	(Rz.)	96	g
40.	Haridrā	(Rz.)	96	g
41.	Śatapuspā (Śatāhvā)	(Fr.)	96	g
42.	Padmaka	(St.)	96	g
43.	Nāga (Nāgakeśara)	(Stmn.)	96	g
44.	Mustā	(Rz.)	96	g
45.	IndraYava (Kuṭaja)	(Sd.)	96	g
46.	Śṛṅgī (Karkāṭaśṛṅgī)	(Gl.)	96	g
47.	Jīvaka	(Rt.Tr.)	96	g
48.	Rṣabhaka	(Rt.Tr.)	96	g
49.	Medā	(Rt.Tr.)	96	g
50.	Mahāmeda	(Rt.Tr.)	96	g
51.	Kākoli	(Sub.Rt.)	96	g
52.	Kṣīrakākoli	(Sub.Rt.)	96	g
53.	Rḍdhi	(Sub.Rt.Tr.)	96	g
54.	Vṛddhika (Vṛddhi)	(Sub.Rt.Tr.)	96	g
55.	Water for decoction		100.608 l	
	reduced to		25.152 l	
56.	Drākṣā	(Dr.Fr.)	3.072	kg
57.	Water for decoction		12.288 l	
	reduced to		9.216 l	
58.	Kṣaudra (Madhu)		1.536	kg
59.	Guḍa		19.200	kg
	Prakṣepa Dravyas			
60.	Dhātakī	(Fl.)	1.440	kg

61.	Kaṅkola	(Fr.)	96	g
62.	Jala (Hrīvēra)	(Rt.)	96	g
63.	Candana (Śveta candana)	(Ht.Wd.)	96	g
64.	Jātīphala	(Sd.)	96	g
65.	Lavaṅga	(Fl.Bd.)	96	g
66.	Tvak	(St.Bk.)	96	g
67.	Elā (Sūkṣmailā)	(Sd.)	96	g
68.	Patra (Tejapatra)	(Lf.)	96	g
69.	Keśara (Nāgakeśara)	(Stmn.)	96	g
70.	Pippalī	(Fr.)	96	g
71.	Kastūrī (Mṛgamada)		3	g
72.	Katakaphala (Kataka)	(Sd.)		Q.S.for cleaning

Special Method of Preparation

Decoction of drugs 1 to 54 is prepared first. Decoction of Drākṣā is prepared separately and mixed with the first decoction. There after, Prakṣepa Dravyas (drugs 60 to 70) are powdered and added. Kastūrī is made into a paste with a small quantity of Ar

Dose

12 to 24 ml

Important Therapeutic Uses

Aruci (Tastelessness), Chardi (Emesis), Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣaya (Pthisis), Dhātu Kṣaya (Tissue wasting), Vāta Vyādhi (Disease due to Vāta doṣa), Arśa (Haemorrhoids), Bhagandara (Fistula-in-ano), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Kuṣṭha (Diseases of skin), Meha (Excessive flow of urine), Agnimāndya (Digestive impairment), Udara (Diseases of abdomen / enlargement of abdomen), Śarkarā (Gravel in urine), Aśmarī (Calculus), M ūtrakṛcchra (Dysuria), Vandhyatva (Infertility), Kārśya (Emaciation), Śukra Kṣaya (Deficiency of semen), Daurbalya (Weakness)

1 : 19 DEVADĀRVĀRIṢṬA

(Bhaiṣajyaratnāvalī, Pramehādhikāra: 241-247)

तुलार्द्धं देवदारु स्याद्वासायाः पलविंशतिः ।
मज्जिष्ठेन्द्रयवा दन्ती तगरं रजनीद्वयम् ॥२४१॥
रास्ना कृमिघ्नं मुस्तञ्च शिरीषं खदिरार्जुनौ ।
भागान् दशपलान्दद्याद्यवान्या वत्सकस्य च ॥२४२॥
चन्दनस्य गुडूच्याश्च रोहिण्याश्चित्रकस्य च ।
भागानष्टपलानेतानष्टद्रोणेऽम्भसः पचेत् ॥२४३॥
द्रोणशेषे कषाये च पूते शीते प्रदापयेत् ।
धातक्याः षोडशपलं माक्षिकस्य तुलात्रयम् ॥२४४॥
व्योषस्य द्विपलं दद्यात् त्रिजातकचतुष्पलम् ।
चतुष्पलं प्रियङ्गोश्च द्विपलं नागकेशरम् ॥२४५॥
सर्वाण्येतानि सञ्चूर्ण्य घृतभाण्डे निधापयेत् ।
मासादूर्ध्वं पिबेदेनं प्रमेहं हन्ति दुस्तरम् ॥२४६॥
वातरोगग्रहण्यर्शो मूत्रकृच्छ्राणि नाशयेत् ।
देवदार्वादिकोऽरिष्टो दद्रुकुष्ठविनाशनः २४७ ॥
(भैषज्यरत्नावली, प्रमेहाधिकारः; २४१-२४७)

1.	Devadāru	(Ht. Wd.)	2.400	kg
2.	Vāsā	(Rt.)	960	g
3.	Mañjiṣṭhā	(Rt.)	480	g
4.	IndraYava (Kuṭaja)	(Sd.)	480	g
5.	Dantī	(Rt.)	480	g
6.	Tagara	(Rt.)	480	g
7.	Haridrā	(Rz.)	480	g
8.	Dāruharidrā	(St.)	480	g
9.	Rāsnā	(Rt./Lf.)	480	g
10.	Kṛmighna (Viḍaṅga)	(Fr.)	480	g
11.	Mustā	(Rz.)	480	g

12.	Śirīṣa	(St. Bk.)	480	g
13.	Khadira	(Ht. Wd.)	480	g
14.	Arjuna	(St. Bk.)	480	g
15.	Yavānī	(Fr.)	384	g
16.	Vatsaka (Kuṭaja)	(St. Bk.)	384	g
17.	Candana (Śveta Candana)	(Ht. Wd.)	384	g
18.	Guḍūcī	(St.)	384	g
19.	Rohiṇī (Kaṭukā)	(Rt./Rz.)	384	g
20.	Citraka	(Rt.)	384	g
21.	Water for decoction		98.304 l	
	reduced to		12.288 l	
22.	Dhātakī	(Fl.)	768	g
23.	Mākṣika (Madhu)		14.400	kg
	Prakṣepa Dravyas			
24.	Śunthī	(Rz.)	96	g
25.	Marica	(Fr.)	96	g
26.	Pippalī	(Fr.)	96	g
27.	Tvak	(St. Bk.)	192	g
28.	Elā (Sūkṣmailā)	(Sd.)	192	g
29.	Patra (Tejapatra)	(Lf.)	192	g
30.	Priyaṅgu	(Fl.)	192	g
31.	Nāgakeśara	(Stmn.)	96	g

Dose

12 to 24 ml

Important Therapeutic Uses

Prameha (Urinary disorders), Vātaroga (Disease due to Vāta doṣa), Arśa (Haemorrhoids), Mūtrakṛcchra (Dysuria), Dadrukuṣṭha (Taeniasis), Grahaṇī (Malabsorption syndrome)

1 : 20 DRĀKṢĀRIṢṬA

(Śarṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 10: 69-72 1/2)

द्राक्षातुलार्धं द्विट्रोणे जलस्य विपचेत् सुधीः ।।६९।।
पादशेषे कषाये च पूते शीते विनिक्षिपेत् ।
गुडस्य द्वितुलां तत्र त्वगेलापत्रकेशरम् ।।७०।।
प्रियङ्गुर्मरिचं कृष्णा विडङ्गं चेति चूर्णयेत् ।
पृथक्पलोन्मितैर्भागैस्ततो भाण्डे निधापयेत् ।।७१।।
समन्ततो घट्टयित्वा पिबेज्जातरसं ततः ।
उरःक्षतं क्षयं हन्ति कासश्वासगलामयान् ।।७२।।
द्राक्षारिष्टाह्वयः प्रोक्तो बलकृन्मलशोधनः ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय १०; ६९-७२ १/२)

1.	Drākṣā	(Dr. Fr.)	2.400	kg
2.	Water for Decoction		49.152	l
	reduced to		12.288	l
3.	Guḍa		9.600	kg
	Prakṣepa Dravyas			
4.	Tvak	(St.Bk.)	48	g
5.	Elā (Sūkṣmailā)	(Sd.)	48	g
6.	Patra (Tejapatra)	(Lf.)	48	g
7.	Keśara (Nāgakeśara)	(Stmn.)	48	g
8.	Priyaṅgu	(Fl.)	48	g
9.	Marica	(Fr.)	48	g
10.	Kṛṣṇā (Pippalī)	(Fr.)	48	g
11.	Viḍaṅga	(Fr.)	48	g
12.	Dhātakī	(Fl.)	48	g

Dose

12 to 24 ml

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Urahkṣata (Chest wound / injured chest/ disease of lungs), Kṣaya (Pthisis), Malaśodhaka (Laxative), Daurbalya (Weakness), Gala Roga (Diseases of throat)

Special Precaution

Note:(1) Since the quantity of water mentioned in the text (24.56 litres) is insufficient to dissolve the guda, 49.192 litres of water is used in this formula (2) To aid the process of Sandhāna 384 g. of dhātaki is added in this formulation, on the lines of Mṛdrīriṣṭa by the same author

1 : 21 PĀRTHĀDYARIṢṬA (Synonym: Arjunāriṣṭa)

(Bhaiṣajyaratnāvalī, Hṛdrogādhikāra: 73-75)

पार्थत्वचस्तुलामेकां मृद्वीकाद्धतुलां तथा ।
भागं मधूकपुष्पस्य पलविंशतिसम्मितम् ॥७३॥
चतुर्दोणेऽम्भसः पक्त्वा द्रोणमेवावशेषयेत् ।
धातक्या विंशतिपलं गुडस्य च तुलां क्षिपेत् ॥७४॥
मासमात्रं स्थितो भाण्डे भवेत्पार्थाद्यरिष्टकः ।
हृत्फुफ्फुसगदान् सर्वान् हन्त्ययं बलवीर्यकृत् ॥७५॥
(भैषज्यरत्नावली, हृद्रोगाधिकार; ७३-७५)

1.	Pārtha (Arjuna) tvak	(St. Bk.)	4.800 kg
2.	Mṛdvīkā (Drākṣā)	(Dr. Fr.)	2.400 kg
3.	Madhūka	(Fl.)	960 g
4.	Water for Decoction		49.152 l

	reduced to	12.288 l
5.	Dhātakī (Fl.)	960 g
6.	Guḍa	4.800 kg

Dose

12 to 24 ml

Important Therapeutic Uses

Hṛdroga (Heart disease), Phupphusa Roga (Lung disorders), Balakṣaya (Loss of strength / immunity), Vīryakṣaya (Azoospermia)

1 : 22 PIPPALYĀDYĀSAVA

(Śarṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 10: 28-33)

पिप्पली मरिचं चव्यं हरिद्रा चित्रको घनः ॥२८॥
 विडङ्गं क्रमुको लोध्रः पाठा धात्र्येलवालुकम् ।
 उशीरं चन्दनं कुष्ठं लवङ्गं तगरं तथा ॥२९॥
 मांसी त्वगेलापत्रं च प्रियङ्गुर्नागकेशरम् ।
 एषामर्धपलान् भागान् सूक्ष्मचूर्णीकृताञ्छुभान् ॥३०॥
 जलद्रोणद्वये क्षिप्त्वा दद्याद् गुडतुलात्रयम् ।
 पलानि दश धातक्या द्राक्षा षष्टिपला भवेत् ॥३१॥
 एतान्येकत्र संयोज्य मृद्भाण्डे च विनिक्षिपेत् ।
 ज्ञात्वाऽऽगतरसं तस्य पाययेदग्न्यपेक्षया ॥३२॥
 क्षयं गुल्मोदरं काश्यं ग्रहणीं पाण्डुतां तथा ।
 अर्शांसि नाशयेच्छीघ्रं पिप्पल्याद्यासवस्त्वयम् ॥३३॥
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय १०; २८-३३)

1.	Pippalī	(Fr.)	24	g
2.	Marica	(Fr.)	24	g
3.	Cavya	(St.)	24	g

4.	Haridrā	(Rz.)	24	g
5.	Citraka	(Rt.)	24	g
6.	Ghana (Mustā)	(Rz.)	24	g
7.	Viḍaṅga	(Fr.)	24	g
8.	Kramuka (Pūga)	(Sd.)	24	g
9.	Lodhra	(St. Bk.)	24	g
10.	Pāṭhā	(Rt./Pl.)	24	g
11.	Dhātrī (Āmalakī)	(P.)	24	g
12.	Elavāluka	(St. Bk.)	24	g
13.	Uśīra	(Rt.)	24	g
14.	Candana (Śveta candana)	(St. Bk.)	24	g
15.	Kuṣṭha	(Rt.)	24	g
16.	Lavaṅga	(Fl. Bd.)	24	g
17.	Tagara	(Rz.)	24	g
18.	Māṃsī (Jaṭāmāṃsī)	(Rz.)	24	g
19.	Tvak	(St.Bk.)	24	g
20.	Elā (Sūkṣmailā)	(Sd.)	24	g
21.	Patra (Tejapatra)	(Lf.)	24	g
22.	Priyaṅgu	(Fl.)	24	g
23.	Nāgakēśara	(Stmn.)	24	g
24.	Water		24.576 l	
25.	Guḍa		14.400 kg	
26.	Dhātakī	(Fl.)	480	g
27.	Drākṣā	(Dr.Fr.)	22.880	kg

Dose

12 to 24 ml

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Kārśya (Emaciation),

Kṣaya (Pthisis), Arśa (Haemorrhoids), Udara (Diseases of abdomen / enlargement of abdomen), Pāṇḍu (Anaemia)

1 : 23 PUNARNAVĀSAVA

(Bhaiṣajyaratnāvalī, Śoṭharogādhikāra: 197-201)

त्रिकटु त्रिफलां दार्वीं श्वदंष्ट्रां बृहतीद्वयम् ।
वासामेरण्डमूलञ्च कटुकीं गजपिप्पलीम् ॥१९७॥
शोथघ्नीं पिचुमर्दञ्च गुडूचीं शुष्कमूलकम् ।
दुरालभां पटोलञ्च पलांशेन विचूर्णयेत् ॥१९८॥
धातकीं षोडशपलां द्राक्षायाः पलविंशतिम् ।
तुलामानां सितां दत्त्वा माक्षिकार्द्धतुलां तथा ॥१९९॥
जलद्रोणद्वयं क्षिप्त्वा मासं भाण्डे निधापयेत् ।
पुनर्नवासवो ह्येष शोथोदरविनाशनः ॥२००॥
प्लीहानम्लपित्तञ्च यकृद्गुल्मज्वरादिकान् ।
कृच्छ्रसाध्यामयान् सर्वान् नाशयेन्नात्र संशयः ॥२०१॥
(भैषज्यरत्नावली, शोथरोगाधिकार; १९७-२०१)

1.	Śunthī	(Rz.)	48	g
2.	Marica	(Fr.)	48	g
3.	Pippalī	(Fr.)	48	g
4.	Harītakī	(P.)	48	g
5.	Bibhītaka	(P.)	48	g
6.	Āmalakī	(P.)	48	g
7.	Dārvī (Dāruharidrā)	(St.)	48	g
8.	Śvadamṣṭrā (Gokṣura)	(Fr.)	48	g
9.	Bṛhatī	(Rt.)	48	g
10.	Kaṇṭakārī	(Pl.)	48	g
11.	Vāsāmūla (Vāsā)	(Rt.)	48	g

12.	Eraṇḍamūla (Eraṇḍa)	(Rt.)	48	g
13.	Kaṭukā	(Rt./Rz.)	48	g
14.	Gajapippalī	(Fr.)	48	g
15.	Śothaghnī (Punarnavā)	(Rt.)	48	g
16.	Picumarda (Nimba)	(St.Bk.)	48	g
17.	Guḍūcī	(St.)	48	g
18.	Śuṣka Mūlaka (Mūlaka)	(Rt.)	48	g
19.	Durālabhā	(Rt.)	48	g
20.	Paṭola	(L.)	48	g
21.	Dhātakī	(Fl.)	768	g
22.	Drākṣā	(Dr.Fr.)	960	g
23.	Sitā		4.800	kg
24.	Mākṣika (Madhu)		2.400	kg
25.	Water		24.576 l	

Dose

12 to 24 ml

Important Therapeutic Uses

Amlapitta (Dyspepsia), Gulma (Abdominal lump), Udara (Diseases of abdomen / enlargement of abdomen), Śoṭha (Inflammation), Plīhā-Yakṛdroga (Disorder of Spleen and Liver), Sarva Kṛcchra Sādhya Roga (All types of disorders with difficult prognosis)

1 : 24 BALĀRIṢṬA

(Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra: 569-572)

बलाश्वगन्धयोग्राह्यं पृथक् पलशतं शुभम् ।
चतुर्द्रोणे जले पक्त्वा द्रोणमेवावशेषयेत् ॥५६९॥
शीते तस्मिन् रसे पूते क्षिपेद् गुडतुलात्रयम् ।

धातकीं षोडशपलां पयस्यां द्विपलांशिकाम् ।।५७०।।
 पञ्चाङ्गुलपलद्वन्द्वं रास्नामेलां प्रसारणीम् ।
 देवपुष्पमुशीरञ्च श्वदंष्ट्राञ्च पलांशिकाम् ।।५७१।।
 मासं भाण्डे स्थितस्त्वेष बलारिष्टो महाफलः ।
 हन्त्युग्रान् वातजान् रोगान् बलपुष्ट्यग्निवर्द्धनः ।।५७२।।

1.	Balā	(Rt.)	4.800	kg
2.	Aśvagandhā	(Rt.)	4.800	kg
3.	Water for Decoction		49.152	l
	reduced to		12.288	l
4.	Guḍa		14.400	kg
	Prakṣepa Dravyas			
5.	Dhātakī	(Fl.)	768	g
6.	Payasya (Kśīra vidārī)	(Sub.Rt.)	96	g
7.	Pañcāṅgula (Eraṇḍa)	(Rt.)	96	g
8.	Rāsnā	(Rt./Lf.)	48	g
9.	Elā (Sūkṣmailā)	(Sd.)	48	g
10.	Prasārīṇī	(Pl.)	48	g
11.	Dēvapuspaka (Lavaṅga)	(Fl.Bd.)	48	g
12.	Uśīra	(Rt.)	48	g
13.	Śvadamṣṭrā (Gokṣura)	(Fr.)	48	g

Dose

12 to 24 ml

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Daurbalya (Weakness), Vātajaroga (Disease due to Vāta doṣa), Kārśya (Emaciation)

1 : 25 MADHŪKĀSAVA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 10: 47-50)

द्रोणं मधूकपुष्पाणां विडङ्गं च ततोऽर्धतः ।
चित्रकस्य ततोऽर्धं च तथा भल्लातकाढकम् ॥४७॥
मज्जिष्ठाऽष्टपलं चैतज्जलद्रोणत्रये पचेत् ।
द्रोणशेषं स्रुतं शीतं मध्वर्धाढकसंयुतम् ॥४८॥
एलामृणालागुरुभिश्चन्दनेन च रुषिते ।
कुम्भे मासं स्थितं जातमासवं तं प्रयोजयेत् ॥४९॥
ग्रहणीं दीपयत्येष बृंहणः पित्तरक्तनुत् ।
शोषकुष्ठकिलासानां प्रमेहाणां च नाशनः ॥५०॥
(अष्टांगहृदय चिकित्सास्थान, अध्याय १०; ४७-५०)

1.	Madhūka	(Fl.)	12.288 kg
2.	Vidaṅga	(Fr.)	6.144 kg
3.	Citraka	(Rt.)	3.072 kg
4.	Bhallāataka-śuddha	(Fr.)	3.072 kg
5.	Mañjiṣṭhā	(Rt.)	384 g
6.	Water for Decoction		36.864 l
	reduced to		12.288 l
7.	Madhu		1.536 kg
8.	Elā (Sūkṣmailā)	(Sd.)	
9.	Mṛṇāla (kamala)	(St.)	
10.	Aguru	(Ht. Wd.)	
11.	Candana (Śveta candana)	(Ht. Wd.)	
Drugs 8 to 11 (Q.S. as paste)			

Dose

12 to 24 ml

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Pittavikāra (Disorder of Pitta doṣa), Prameha (Urinary disorders), Kuṣṭha (Diseases of skin), Kilāsa (Vitiligo), Raktavikāra (Disorders of blood), Agnimāndya (Digestive impairment), Kārśya (Emaciation), Śoṣa (Cachexia)

Special Precaution

Note: The prepared kalka of drugs 8 to 11 is smeared in the inner surface of the pot and dried in the sun.

1 : 26 MUSTAKĀRIṢṬA

(Bhaiṣajyaratnāvalī, Agnimādyādirogādhikāra: 108-111)

मुस्तकस्य तुलाद्वन्द्वं चतुर्द्रोणेऽम्बुनः पचेत् ।
 पादशेषे रसे तस्मिन् क्षिपेद् गुडतुलात्रयम् ॥१०८॥
 धातकीं षोडशपलां यमानीं विश्वभेषजम् ।
 मरिचं देवपुष्पञ्च मेथीं वह्निञ्च जीरकम् ॥१०९॥
 पलयुग्ममितं क्षिप्त्वा रुद्धभाण्डे निधापयेत् ।
 संस्थाप्य मासमात्रन्तु ततः संस्त्रावयेद्भिषक् ॥११०॥
 अजीर्णमग्निमान्द्यञ्च विसूचीमपि दारुणाम् ।
 ग्रहणीं विविधा हन्ति नात्र कार्या विचारणा ॥१११॥
 (भैषज्यरत्नावली, अग्निमान्द्यादिरोगाधिकार १०८-१११)

1.	Mustaka (Mustā)	(Rz.)	9.600 kg
2.	Water for Decoction		49.152 l
	reduced to		12.288 l
3.	Guḍa		14.400 kg
4.	Dhātakī	(Fl.)	768 g
5.	Yamānī (Yavānī)	(Fr.)	96 g
6.	Viśvabheṣaja (Śuṇṭhī)	(Rz.)	96 g
7.	Marica	(Fr.)	96 g

8.	Dēvapuşpa (Lavaṅga)	(Fl. Bd.)	96	g
9.	Mēthī	(Sd.)	96	g
10.	Vahni (Citraka)	(Rt.)	96	g
11.	Jīraka (Śveta jīraka)	(Fr.)	96	g

Dose

12 to 24 ml

Important Therapeutic Uses

Ajīrṇa (Dyspepsia), Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome), Viṣūcikā (Gastro-enteritis with piercing pain)

1 : 27 MRGAMADĀSAVA

(Bhaiṣajyaratnāvalī, Jvarādhikāra : 706-708)

मृतसज्जीवनी ग्राह्या पञ्चाशत्पलसम्मिता । ॐ
 कस्तूरीकुडवं तत्र मरिचं देवपुष्पकम् ॥७०६॥
 जातीफलं पिप्पलीत्वग्भागं द्विपलिकं तथा ।
 मृद्भाण्डे तु विनिक्षिप्य निरुध्य तन्मुखं दृढम् ॥७०७॥
 सप्ताहं स्थापयेद्यत्नात् पूतीकुर्याच्च वाससा ।
 विसूचिकायां हिक्कायां त्रिदोषप्रभवे ज्वरे ।
 वीक्ष्य कोष्ठं बलञ्चैव भिषङ्मात्रां प्रयोजयेत् ॥७०८॥
 (भैषज्यरत्नावली, ज्वराधिकार, ७०६-७०८)

1.	Mṛtasañjīvanī -surā		2.400	kg
2.	Kastūrī (Mṛgamada)		192	g
3.	Marica	(Fr.)	96	g
4.	Dēvapuşpaka (Lavaṅga)	(Fl. Bd.)	96	g
5.	Jātīphala	(Sd.)	96	g
6.	Pippalī	(Fr.)	96	g

Dose

5 - 10 drops

Important Therapeutic Uses

Viṣūcikā (Gastro-enteritis with piercing pain), Hikkā (Hiccup), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

Special Precaution

The Drugs are kept in an earthen vessel and its mouth closed by clay smeared cloth and kept for 7 days only.

1 : 28 MṚTASAÑJĪVANĪ SURĀ

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 694-705)

गुडं द्रोणसमं ग्राह्यं वर्षादूर्ध्वं पुरातनम् ।
 बावरीत्वचमादाय दापयेत् पलविंशतिम् ॥६९४॥
 दाडिमं वृषमोचञ्च वराक्रान्तारुणा तथा ।
 अश्वगन्धा देवदारु बिल्वशयोनाकपाटलाः ॥६९५॥
 शालपर्णी पृश्निपर्णी बृहतीद्वयगोक्षुरम् ।
 विशाला बदरी चित्रं स्वयङ्गुप्ता पुनर्नवा ॥६९६॥
 एषां दशपलान् भागान् कुट्टयित्वा उदूखले ।
 सुगम्भीरे च मृद्भाण्डे तोयमष्टगुणं क्षिपेत् ॥६९७॥
 गुडसङ्गोलनं कृत्वा एतैः सम्पूरयेद् बुधः ।
 मुखे शरावकं दत्वा रक्षयेद्दिनविंशतिम् ॥६९८॥
 षोडशादिवसादूर्ध्वं द्रव्याणीमानि दापयेत् ।
 पूगप्रस्थद्वयं चात्र कुट्टयित्वा विनिक्षिपेत् ॥६९९॥
 धुस्तूरं देवपुष्पञ्च पद्मकोशीरचन्दनम् ।
 शतपुष्पा यमानी च मरिचं जीरकद्वयम् ॥७००॥

शठी मासी त्वगेला च सजातीफलमुस्तकम् ।
 ग्रन्थिपर्णी तथा शुण्ठी मेथी मेषी च चन्दनम् ॥७०१॥
 एषां द्विपलिकान् भागान् कुट्टयित्वा विनिक्षिपेत् ।
 मृण्मये मोचिकायन्त्रे मयूराख्येऽपि यन्त्रके ॥७०२॥
 यथाविधिप्रकारेण चालनं दापयेद् बुधः ।
 बुद्धिमान् सौजलं कृत्वा उद्धरेद्विधिवत्सुराम् ॥७०३॥
 एतन्मद्यं पिबेन्नित्यं यथाधातुवयः क्रमम् ।
 देहदाढ्यकरं पुष्टिबलवर्णाग्निवर्द्धनम् ॥७०४॥
 सन्निपाते ज्वरे घोरे विसूच्याञ्च मुहुर्मुहुः ।
 शीते देहे प्रयोज्येयं मृतसञ्जीवनी सुरा ॥७०५॥
 (भैषज्यरत्नावली, ज्वराधिकार, ६९४-७०५)

1.	Purātana guḍa		12.288 kg
2.	Bāvarī (Babbūla) Tvak	(St. Bk.)	960 g
3.	Dādima	(Fr. R.)	480 g
4.	Vṛṣa (Vāsā) Tvak	(St. Bk.)	480 g
5.	Moca (Śālmalī)	(Exd.)	480 g
6.	Varākrāntā (Lajjālu)	(Pl.)	480 g
7.	Aruṇā (Ativiṣā)	(Rt.)	480 g
8.	Aśvagandhā	(Rt.)	480 g
9.	Dēvadāru	(Ht. Wd.)	480 g
10.	Bilva	(Rt./St. Bk.)	480 g
11.	Śyonāka	(Rt./St. Bk.)	480 g
12.	Pāṭalā	(Rt./St. Bk.)	480 g
13.	Śālaparṇī	(Pl.)	480 g
14.	Prśniparṇī	(Pl.)	480 g
15.	Bṛhatī	(Pl.)	480 g
16.	Kaṇṭakārī	(Pl.)	480 g
17.	Gokṣura	(Pl.)	480 g
18.	Viśāla (Rakta-Indravāruṇī)	(Pl.)	480 g

19.	Badarī (Kola)	(St. Bk.)	480	g
20.	Citra (Eraṇḍa)	(Rt.)	480	g
21.	Svayaṅguptā (Kapikacchū)	(Sd.)	480	g
22.	Punarnavā (Raktapunarnavā)	(Pl.)	480	g
23.	Water		182.784	l
24.	Pūga	(Sd.)	1.536	kg
25.	Dhustūra (Dhattūra)	(Sd.)	96	g
26.	Dēvapuşpa (Lavaṅga)	(Fl. Bd.)	96	g
27.	Padmaka	(Ht. Wd.)	96	g
28.	Uśīra	(Rt.)	96	g
29.	Candana (Raktacandana)	(Ht. Wd.)	96	g
30.	Śatapuşpā (Śatāhvā)	(Fr.)	96	g
31.	Yamānī (Yavānī)	(Fr.)	96	g
32.	Marica	(Fr.)	96	g
33.	Kṛṣṇajīraka	(Fr.)	96	g
34.	Śveta jīraka	(Fr.)	96	g
35.	Śaṭhī (Śaṭī)	(Rz.)	96	g
36.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	96	g
37.	Tvak	(St.Bk.)	96	g
38.	Elā (Sūkṣmailā)	(Sd.)	96	g
39.	Jātīphala	(Sd.)	96	g
40.	Mustaka (Mustā)	(Rz.)	96	g
41.	Granthiparnī	(Pl.)	96	g
42.	Śuṇṭhī	(Rz.)	96	g
43.	Mēthī	(Sd.)	96	g
44.	Mēṣī (Mēṣaśṛṅgi)	(Pl.)	96	g
45.	Candana (Śveta candana)	(Ht. Wd.)	96	g

Dose

20 - 60 Drops

Important Therapeutic Uses

Viṣūcikā (Gastro-enteritis with piercing pain), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Dehaśīthilatā (Unenergetic body), Daurbalya (Weakness), Kārśya (Emaciation), Agnimāndya (Digestive impairment)

Special Precaution

Purāṭana Guḍa is dissolved in water to which coarsely powdered drugs at 2 to 22 are added. The mouth of the vessel is covered with a lid, sealed and kept in a heap of grains. Powders of drugs 24 to 44 are added to the mixture after sixteen days and kept in a heap of grains for another 4 days. Thereafter, this is distilled in a Mayūra or Baka Yantra or Mocikā Yantra.

1 : 29 MRDVĪKĀRIṢṬA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 10: 39-43 1/2)

मृद्वीकायाः पलशतं चतुर्द्रोणेऽम्भसः पचेत् ।
द्रोणशेषे सुशीते च पूते तस्मिन् प्रदापयेत् ॥३९॥
तुले द्वे क्षौद्रखण्डाभ्यां धातक्याः प्रस्थमेव च ।
कङ्कोलकं लवङ्गं च फलं जात्यास्तथैव च ॥४०॥
पलांशकं च मरिचत्वगेलापत्रकेसरम् ।
पिप्पली चित्रकं चव्यं पिप्पलीमूलरेणुके ॥४१॥
घृतभाण्डे विनिक्षिप्य चन्दनागरुधूपिते ।
कर्पूरवासितो ह्येष ग्रहण्या दीपनः परः ॥४२॥
अर्शसां नाशने श्रेष्ठ उदावर्तस्य गुल्मनुत् ।
जठरक्रिमिकुष्ठानि व्रणास्तु विविधास्तथा ॥४३॥
अक्षिरोगशिरोरोगगलरोगांश्च नाशयेत् ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय; ३९-४३ १/२)

1. Mrdvikā

(Dr. Fr.)

4.800 kg

2.	Water for Decoction		49.152 l	
	reduced to		12.288 l	
3.	Kṣaudra (Madhu)		4.800 kg	
4.	Khaṇḍa		4.800 kg	
	Prakṣepa Dravyas			
5.	Dhātākī	(Fl.)	768 g	
6.	Kaṅkolaka (Kaṅkola)	(Sd.)	48 g	
7.	Lavaṅga	(Fl. Bd.)	48 g	
8.	Jātīphala	(Sd.)	48 g	
9.	Marica	(Fr.)	48 g	
10.	Tvak	(St. Bk.)	48 g	
11.	Elā (Sūkṣmailā)	(Sd.)	48 g	
12.	Patra (Tejapatra)	(Lf.)	48 g	
13.	Keśara (Nāgakeśara)	(Stmn.)	48 g	
14.	Pippalī	(Fr.)	48 g	
15.	Citraka	(Rt.)	48 g	
16.	Cavya	(St.)	48 g	
17.	Pippalīmūla (Pippalī)	(Rt.)	48 g	
18.	Reṇuka (Hareṇūkā)	(Sd.)	48 g	
19.	Candana (Śveta Candana)	(Ht. Wd.)	48 g	
20.	Agaru	(Ht. Wd.)	48 g	
21.	Karpūra	(Sub. Ext.)	48 g	

Dose

12 to 24 ml

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Akṣiroga (Eye disease), Śīroroga (Disease of head), Gala Roga (Diseases of throat), Vraṇa (Ulcer), Arśa (Haemorrhoids), Agnimāndya (Digestive impairment), Udāvarta (Condition in which there

is upward movement of vayu), Kṛmi (Helminthiasis/Worm infestation), Kuṣṭha (Diseases of skin)

Special Precaution

Note: The pot, before use, should be fumigated with candana and agaru. After straining the āsava, karpūra is added for fragrance.

1 : 30 RODHRĀSAVA (synonym :Lodhrāśava)

(Aṣṭāṅgahṛdaya, Cikitsāsthāna, Adhyāya 12: 24-27 1/2)

रोध्रमूर्वाशठीवेल्लभाङ्गीनतनखप्लवान् ।।२४।।
कलिङ्गकुष्ठक्रमुकप्रियङ्गवतिविषाऽग्निकान् ।
द्वे विशाले चतुर्जातं भूनिम्बं कटुरोहिणीम् ।।२५।।
यवानीं पौष्करं पाठां ग्रन्थिं चव्यं फलत्रयम् ।
कर्षाशमम्बुकलशे पादशेषे स्रुते हिमे ।।२६।।
द्वौ प्रस्थौ माक्षिकात्क्षिप्त्वा रक्षेत्पक्षमुपेक्षया ।
रोध्रासवोऽयं मेहार्शःश्वित्रकुष्ठारुचिकृमीन् ।।२७।।
पाण्डुत्वं ग्रहणीदोषं स्थूलतां च नियच्छति ।
(अष्टाङ्गहृदय चिकित्सास्थान, अध्याय १२, २४-२७ १/२)

1.	Rodhra (Lodhra)	(St. Bk.)	12	g
2.	Mūrvā	(Rt.)	12	g
3.	Śaṭhī (Śaṭī)	(Rz.)	12	g
4.	Vella (Viḍaṅga)	(Fr.)	12	g
5.	Bhārṅgī	(Rt.)	12	g
6.	Nata (Tagara)	(Rz.)	12	g
7.	Nakha (Vyāghranakha)	(Fr.)	12	g
8.	Plava (Mustā)	(Rz.)	12	g
9.	Kaliṅga (Kuṭaja)	(Sd.)	12	g

10.	Kuṣṭha	(Rt.)	12	g
11.	Kramuka (Pūga)	(Sd.)	12	g
12.	Priyaṅgu	(Fl.)	12	g
13.	Ativiṣā	(Rt.Tr.)	12	g
14.	Agni (Citraka)	(Rt.)	12	g
15.	Viśālā (Rakta-Indravāruṇī)	(Fr.)	12	g
16.	Viśālā (pīta-Indravāruṇī)	(Fr.)	12	g
17.	Tvak	(St.Bk.)	12	g
18.	Elā (Sūkṣmailā)	(Sd.)	12	g
19.	Patra (Tejapatra)	(Lf.)	12	g
20.	Nāgakēśara	(Stmn.)	12	g
21.	Bhūnimba	(Pl.)	12	g
22.	Kaṭurohiṇī (Kaṭukā)	(Rt./Rz.)	12	g
23.	Yavānī	(Fr.)	12	g
24.	Pauṣkara (Puṣkara)	(Rt.)	12	g
25.	Pāṭhā	(Rt.)	12	g
26.	Granthi	(Rt.)	12	g
27.	Cavya	(St.)	12	g
28.	Harītakī	(P.)	12	g
29.	Bibhītaka	(P.)	12	g
30.	Āmalakī	(P.)	12	g
31.	Water for Decoction		12.288	l
	reduced to		3.072	l
32.	Mākṣika (Madhu)		1.536	kg

Dose

12 to 24 ml

Important Therapeutic Uses

Meha (Excessive flow of urine), Aruci (Tastelessness), Grahaṇī (Malabsorption)

syndrome), Pāṇḍu (Anaemia), Garbhāśayarōga (Disorders of Uterus), Arśa (Haemorrhoids), Śvitra (Leucoderma/Vitiligo), Agnimāndya (Digestive impairment), Plīhā (Splenic disease), Kuṣṭha (Diseases of skin), Kaṇḍū (Itching), Kṛmi (Helminthiasis/Worm infestation), Sthaulya (Obesity)

1 : 31 ROHĪTAKĀRIṢṬA

(Bhaiṣajyaratnāvalī, Plīhāyakṛdrogādhikāra: 84-87)

रोहीतकतुलामेकाञ्चतुर्द्रोणे जले पचेत् ।
पादशेषे रसे पूते शीते पलशतद्वयम् ॥८४॥
दद्याद् गुडस्य धातक्याः पलषोडशिका मता ।
पञ्चकोलं त्रिजातञ्च त्रिफलाञ्च विनिक्षिपेत् ॥८५॥
चूर्णयित्वा पलांशेन ततो भाण्डे निधापयेत् ।
मासादूर्ध्वञ्च पिबतां सर्वोदररुजां जयेत् ॥८६॥
प्लीहगुल्मोदराष्टीलाग्रहण्यर्शांसि कामलाम् ।
कुष्ठशोफारुचिहरो रोहीतारिष्टसंज्ञितः ॥८७॥
(भैषज्यरत्नावली, प्लीहयकृद्रोगाधिकार; ८४-८७)

1.	Rohīṭaka	(St. Bk.)	4.800	kg
2.	Water for Decoction		49.152	l
	reduced to		12.288	l
3.	Guḍa		9.600	kg
	Prakṣepa Dravyas			
4.	Dhāṭakī	(Fl.)	768	g
5.	Pippalī	(Fr.)	48	g
6.	Pippalīmūla (Pippalī)	(Rt.)	48	g
7.	Cavya	(St.)	48	g
8.	Citraka	(Rt.)	48	g
9.	Śunṭhī	(Rz.)	48	g

10.	Tvak	(St. Bk.)	48	g
11.	Elā (Sūkṣmailā)	(Sd.)	48	g
12.	Patra (Tejapatra)	(Lf.)	48	g
13.	Harītakī	(P.)	48	g
14.	Bibhītaka	(P.)	48	g
15.	Āmlaka (Āmalakī)	(P.)	48	g

Dose

12 to 24 ml

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Plīhā (Splenic disease), Aṣṭhīlā (Prostatic Hyperplasia), Udararujā (Pain in the abdomen), Arśa (Haemorrhoids), Kāmalā (Jaundice), Kuṣṭha (Diseases of skin), Śōtha (Inflammation), Aruci (Tastelessness)

1 : 32 LOHĀSAVA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 10: 34-36)

लोहचूर्णं त्रिकटुकं त्रिफलां च यवानिकाम् ।
विडङ्गं मुस्तकं चित्रं चतुःसङ्ख्यापलं पृथक् ॥३४॥
धातकीकुसुमानां तु प्रक्षिपेत् पलविंशतिम् ।
चूर्णीकृत्य ततः क्षौद्रं चतुःषष्टिपलं क्षिपेत् ॥३५॥
दद्याद् गुडतुलां तत्र जलद्रोणद्वयं तथा ।
घृतभाण्डे विनिक्षिप्य निदध्यान्मासमात्रकम् ॥३६॥
लोहासवममुं मर्त्यः पिबेद् वह्निकरं परम् ।
पाण्डुश्वयथुगुल्मानि जठराण्यर्शसां रुजम् ॥३७॥
कुष्ठं प्लीहामयं कण्डूं कासं श्वासं भगन्दरम् ।
अरोचकं च ग्रहणीं हृद्रोगं च विनाशयेत् ॥३८॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय १०; ३४-३८)

1.	Loha cūrṇa - śodhita (Lauha)		192 g
2.	Śuṇṭhī	(Rz.)	192 g
3.	Marica	(Fr.)	192 g
4.	Pippalī	(Fr.)	192 g
5.	Harītakī	(P.)	192 g
6.	Bibhītaka	(P.)	192 g
7.	Āmlaka (Āmalakī)	(P.)	192 g
8.	Yavānika (Yavānī)	(Fr.)	192 g
9.	Viḍaṅga	(Fr.)	192 g
10.	Mustaka (Mustā)	(Rz.)	192 g
11.	Citra (Eraṇḍa)	(Rt.)	192 g
12.	Dhātakī	(Fl.)	192 g
13.	Kṣaudra (Madhu)		3.072 kg
14.	Guḍa		4.800 kg
15.	Water		24.576 l

Dose

12 to 24 ml

Important Therapeutic Uses

Jāṭhara (Stomach), Pāṇḍu (Anaemia), Śvayathu (Oedema), Gulma (Abdominal lump), Arśa (Haemorrhoids), Agnimāndya (Digestive impairment), Plīhā (Splenic disease), Kuṣṭha (Diseases of skin), Kaṇḍū (Itching), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Bhagandara (Fistula-in-ano), Aruci (Tastelessness), Grahaṇī (Malabsorption syndrome), Hṛdroga (Heart disease)

1 : 33 VĀSAKĀSAVA (synonyms : Vāsakāriṣṭa, Vāsāriṣṭa)

(Gadanigraha, Prayoga Khaṇḍa, Āsavādhīkāra: 152-154)

(पर्यायः वासकारिष्ट, वासारिष्ट)
 वासकस्य तुले द्वे तु द्विद्रोणेऽपां विपाचयेत् ।
 कृत्वा द्रोणार्धशेषं तु पूते शीते प्रदापयेत् ॥१५२॥
 गुडस्यैकां तुलां तत्र धातक्यास्तु पलाष्टकम् ।
 क्षिपेच्चूर्णीकृतं तस्मिन् त्वगेलापत्रकेसरम् ॥१५३॥
 कंकोल व्योषतोयानि पलिकान्युपकल्पयेत् ।
 सम्यक्पक्वंतो ज्ञात्वा पक्षादूर्ध्वं पिबेदमुम् ॥१५४॥
 (गदनिग्रह, प्रयोगखण्ड, आसवाधिकार, १५२-१५४)

1.	Vāsaka (Vāsā)	(Pl.)	9.600	kg
2.	Water for Decoction		24.576	l
	reduced to		6.144	l
3.	Guḍa		4.800	kg
4.	Dhātakī	(Fl.)	384	g
5.	Tvak	(St. Bk.)	48	g
6.	Elā (Sūkṣmailā)	(Sd.)	48	g
7.	Patra (Tejapatra)	(Lf.)	48	g
8.	Kesara (Nāgakēśara)	(Stmn.)	48	g
9.	Kaṅkola	(Fr.)	48	g
10.	Śunthī	(Rz.)	48	g
11.	Marica	(Fr.)	48	g
12.	Pippalī	(Fr.)	48	g
13.	Toya (Hrīvera)	(Rt.)	48	g

Dose

12 to 24 ml

Important Therapeutic Uses

Kāsa (Cough), Raktapitta (Bleeding disorder), Kṣaya (Pthisis), Śōtha (Inflammation), Śvāsa (Dyspnoea/Asthma)

1 : 34 VIDAṄGĀRIṢṬA

(Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 10: 47-52)

विडङ्गं ग्रन्थिकं रास्ना कुटजत्वक्फलानि च ॥४७॥
 पाठैलवालुकं धात्री भागान् पञ्चपलान् पृथक् ।
 अष्टद्रोणेऽम्भसः पक्त्वा कुर्याद् द्रोणावशेषितम् ॥४८॥
 पूते शीते क्षिपेत् तत्र क्षौद्रं पलशतत्रयम् ।
 धातकीं विंशतिपलां त्रिजातं द्विपलं तथा ॥४९॥
 प्रियङ्गुकाञ्चनाराणां सलोध्राणां पलं पलम् ।
 व्योषस्य च पलान्यष्टौ चूर्णीकृत्य प्रदापयेत् ॥५०॥
 घृतभाण्डे विनिक्षिप्य मासमेकं निधापयेत् ।
 ततः पिबेद् यथार्हं तु जयेद् विद्रधिमुत्थितम् ॥५१॥
 ऊरुस्तम्भाश्मरीमेहान् प्रत्यष्टीलाभगन्दरान् ।
 गण्डमालां हनुस्तम्भं विडङ्गारिष्टसंज्ञकम् ॥५२॥
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय १०; ४७-५२)

1.	Vidaṅga	(Fr.)	240	g
2.	Granthikā (Pippalī)	(Rt.)	240	g
3.	Rāsnā	(Rt./Lf.)	240	g
4.	Kuṭaja-Tvak (Kuṭaja)	(St. Bk.)	240	g
5.	Kuṭaja-Phala (Kuṭaja)	(Sd.)	240	g
6.	Pāṭhā	(Rt.)	240	g
7.	Elavāluka	(St. Bk.)	240	g
8.	Dhātrī (Āmalakī)	(P.)	240	g
9.	Water for Decoction		98.304 l	
	reduced to		12.288 l	
10.	Kṣaudra (Madhu)		14.400	kg
11.	Dhātakī	(Fl.)	960	g

12.	Tvak	(St. Bk.)	96	g
13.	Elā (Sūkṣmailā)	(Sd.)	96	g
14.	Patra (Tejapatra)	(Lf.)	96	g
15.	Priyaṅgu	(Fl.)	48	g
16.	Kāñcanāra	(St. Bk.)	48	g
17.	Lodhra	(St. Bk.)	48	g
18.	Śunṭhī	(Rz.)	384	g
19.	Marica	(Fr.)	384	g
20.	Pippalī	(Fr.)	384	g

Dose

12 to 24 ml

Important Therapeutic Uses

Ūrustambha (Stiffness in thigh muscles), Vidradhi (Abscess), Gaṇḍamālā (Cervical lymphadenitis), Bhagandara (Fistula-in-ano), Aśmarī (Calculus), Meha (Excessive flow of urine), Pratyāṣṭhīlā (Distended, Rigid abdomen resembling paralytic Ileus), Hanustambha (Lock jaw)

1 : 35 ŚRĪKHAṆḌĀSAVA

(Bhaiṣajyaratnāvalī, Madātyayādhikāra: 24-26 1/2)

श्रीखण्डं मरिचं मांसी रजन्यौ चित्रकं घनम् ।
उशीरं तगरद्राक्षां चन्दनं नागकेशरम् ॥२४॥
पाठां धात्री कणां चव्यं लवङ्गञ्चैलवालुकम् ।
लोध्रञ्चार्धपलोन्मानं जलद्रोणद्वये क्षिपेत् ॥२५॥
द्राक्षां षष्टिपलां तत्र गुडस्य च तुलात्रयम् ।
धातकीं द्वादशपलाञ्चैकत्र परियोजयेत् ॥२६॥
मासं संस्थाप्य मृद्भाण्डे वस्त्रपूतं रसं नयेत् ।

(भैषज्यरत्नावली, मदात्ययाधिकार:२४-२६१/२)

1.	Śrīkhaṇḍa (Śvetacandana)	(Ht.Wd.)	24	g
2.	Marica	(Fr.)	24	g
3.	Māṃsī	(Rt./Rz.)	24	g
4.	Haridrā	(Rz.)	24	g
5.	Dāruharidrā	(St.)	24	g
6.	Citraka	(Rt.)	24	g
7.	Ghana (Mustā)	(Rz.)	24	g
8.	Uśīra	(Rt.)	24	g
9.	Tagara (Tagara)	(Rz.)	24	g
10.	Drākṣā	(Dr.Fr.)	24	g
11.	Candana (Raktacandana)	(Ht.Wd.)	24	g
12.	Nāgakēśara	(Stmn.)	24	g
13.	Pāṭhā	(Rt.)	24	g
14.	Dhātrī (Āmalakī)	(P.)	24	g
15.	Kaṇā (Pippalī)	(Fr.)	24	g
16.	Cavya	(St.)	24	g
17.	Lavaṅga	(Fl.Bd.)	24	g
18.	Elavāluka	(St.Bk.)	24	g
19.	Lodhra	(St.Bk.)	24	g
20.	Water		24.576 l	
21.	Drākṣā	(Dr.Fr.)	2.880	kg
22.	Guḍa		14.400	kg
23.	Dhātakī	(Fl.)	576	g

Dose

12 to 24 ml

Important Therapeutic Uses

Pānātyaya (Acute alcoholism), Mada (Intoxication), Pānavibhrama (Delirium due to alcohol intoxication), Pānājīrṇa (Alcoholic intoxication)

1 : 36 SĀRASVATĀRIṢṬA

(Bhaiṣajyaratnāvalī, Rasāyanādhikāra : 178-191)

समूलपत्रशाखाया ब्राह्म्याः ब्राह्ममुहूर्तके ।
गृहीत्वा विंशतिपलं पुष्पयोगे शतावरी ॥१७८॥
विदारिकाभयोशीराण्यार्द्रकञ्च तथा मिशिः ।
पञ्च पञ्च पलान्येषां जलद्रोणे पचेद्भिषक् ॥१७९॥
पादावशेषे विस्राव्य रसं वस्त्रेण गालयेत् ।
माक्षिकस्य दशपलं सितायाः पञ्चविंशतिः ॥१८०॥
धातकी पञ्चपलिका रेणुका त्रिवृता कणा ।
देवपुष्पं वचा कुष्ठं वाजिगन्धा विभीतकी ॥१८१॥
अमृतैला विडङ्गं त्वक् प्रत्येकं कर्षसम्मितम् ।
क्वाथे तस्मिन् समस्तानि समाक्षिप्य प्रयत्नतः ॥१८२॥
स्वर्णकुम्भे निदध्याद्वा नवे मृद्भाजनेऽपि वा ।
स्वर्णस्य तनु पत्रञ्च क्षिप्त्वाऽस्मिन् कर्षसम्मितम् ॥१८३॥
मासाज्जातरसं दृष्ट्वा हेमपत्रे क्षयं गते ।
वाससा च परिस्राव्य स्थापयेद् घृतभाजने ॥१८४॥
सारस्वताभिधोऽरिष्ट एषोऽमृतसमः पुरा ।
शिष्याणामुपकारार्थं धन्वन्तरिविनिर्मितः ॥१८५॥
आयुर्वीर्यं स्मृतिं मेधां बलं कान्तिं विवर्द्धयेत् ।
वाग्विशुद्धिकरो हृद्यो रसायनवरः स्मृतः ॥१८६॥
बालकानाञ्च यूनाञ्च वृद्धानाञ्च सदा हितः ।
नरनारीहितो नित्यं परमोजस्करो मतः ॥१८७॥
वारयेत्स्वरकार्कश्यं तथा चास्पष्टभाषणम् ।
स्वरं परभृतस्येव जनयेत्सेवनात् सदा ॥१८८॥
रजोदोषेण दुष्टानां योषितां शुक्रदोषिणाम् ।

पुंसाञ्चापि शुभकरः सर्वदोषहरो मतः॥१८९॥
 अत्यध्ययनगीतादिक्षीणस्मृतिबला नराः।
 लभन्ते चित्तसन्तोषं स्मृतिञ्चास्य निषेवणात्॥१९०॥
 पयसा सह पातव्योऽरिष्टोऽयं शाणमानतः।
 मासाभ्यां रोगहृच्चापि शरदा सर्वसिद्धिदः॥१९१॥
 (भैषज्यरत्नावली, रसायनाधिकार १७८-१९१)

1.	Brāhmi	(Pl.)	960	g
2.	Śatavarī	(Rt.)	240	g
3.	Vidārīkā (Vidārī)	(Rt.Tr.)	240	g
4.	Abhayā (Harītakī)	(P.)	240	g
5.	Uśīra	(Rt.)	240	g
6.	Ārdraka (Śuṇṭhī)	(Rz.)	240	g
7.	Miśi (Miśrēyā)	(Fr.)	240	g
8.	Water for Decoction		12.288	l
	reduced to		3.072	l
9.	Mākṣika (Madhu)		480	g
10.	Sitā		1.200	kg
11.	Dhātakī	(Fl.)	240	g
12.	Reṇukā	(Sd.)	12	g
13.	Trivṛtā (Trivṛt)	(Rt.)	12	g
14.	Kaṇā (Pippalī)	(Fr.)	12	g
15.	Dēvapuşpa (Lavaṅga)	(Fl.Bd.)	12	g
16.	Vacā	(Rz.)	12	g
17.	Kuṣṭha	(Rt.)	12	g
18.	Vājigandhā (Aśvagandhā)	(Rt.)	12	g
19.	Vibhītaka	(P.)	12	g
20.	Amṛtā (Guḍūcī)	(St.)	12	g
21.	Elā (Sūkṣmailā)	(Sd.)	12	g
22.	Vidaṅga	(Fr.)	12	g

23.	Tvak	(St.Bk.)	12	g
24.	Svarṇapatra		12	g

Dose

12 to 24 ml

Important Therapeutic Uses

Śukra Doṣa (Vitiation of semen), Apasmāra (Epilepsy), Mānasa Doṣa (Mental disorders), Ojākṣaya (Loss of body strength (immunity)), Svarakārśya (Aphasia), Aspaṣṭabhāṣaṇa (Incoherent speech), Smṛtikṣīṇa (Decrease in memory), Rajodoṣa (Menstrual disorder)

Special Precaution

Note: Svarṇa bhasma or Svarṇa Saindhava as described in Rasa tarangīṇi may be used in place of Svarṇapatra

1 : 37 SĀRIVĀDYĀSAVA

(Bhaiṣajyaratnāvalī, Pramehapiḍakādhikāra: 22-27)

शारिवां मुस्तकं लोध्रं न्यग्रोधं पिप्पलं शटीम् ।
 अनन्तां पद्मकं बालं पाठां धात्रीं गुडूचिकाम् ॥२२॥
 उशीरं चन्दनद्वन्द्वं यमानीं कटुरोहिणीम् ।
 पत्रमेलाद्वयं कुष्ठं स्वर्णपत्रीं हरीतकीम् ॥२३॥
 एषां चतुःपलान् भागान् सूक्ष्मचूर्णीकृतान् शुभान् ।
 जलद्रोणद्वये क्षिप्त्वा दद्याद् गुडतुलात्रयम् ॥२४॥
 पलानि दश धातक्या द्राक्षां षष्टिपलां तथा ।
 मासं संस्थापयेद् भाण्डे संवृते मृण्मये शुभे ॥२५॥
 शारिवाद्यासवस्यास्य पानान्मेहाश्च विंशतिः ।
 शराविकादयः सर्वाः पिडकास्तत्कृताश्च याः ॥२६॥
 औपदंशिकरोगाश्च वातरक्तं भगन्दरम् ।

सर्व एते शमं यान्ति व्याधयो नात्र संशयः ॥२७॥

1.	Śāriva (Śveta Śārivā)	(Rt.)	192	g
2.	Mustaka (Mustā)	(Rz.)	192	g
3.	Lodhra	(St. Bk.)	192	g
4.	Nyagrōdha	(St. Bk.)	192	g
5.	Pippala (Aśvattha)	(St. Bk.)	192	g
6.	Śaṭī	(Rz.)	192	g
7.	Anantā (śvētasārivā)	(Rt.)	192	g
8.	Padmaka	(St.)	192	g
9.	Bāla (Hrīvera)	(Rt.)	192	g
10.	Pāṭhā	(Rt.)	192	g
11.	Dhātrī (Āmalakī)	(P.)	192	g
12.	Guḍūcikā (Guḍucī)	(St.)	192	g
13.	Uśīra	(Rt.)	192	g
14.	Śvetacandana	(Ht. Wd.)	192	g
15.	Raktacandana	(Ht. Wd.)	192	g
16.	Yamānī (Yavānī)	(Fr.)	192	g
17.	Kaṭurohinī (Kaṭukā)	(Rt./Rz.)	192	g
18.	Patra (Tejapatra)	(Lf.)	192	g
19.	Sthūlailā	(Sd.)	192	g
20.	Sūkṣmailā	(Sd.)	192	g
21.	Kuṣṭha	(Rt.)	192	g
22.	Svarṇapatrī	(Lf.)	192	g
23.	Harītakī	(P.)	192	g
24.	Water		24.576 l	
25.	Guḍa		14.400 kg	
26.	Dhātakī	(Fl.)	480	g
27.	Drākṣā	(Dr. Fr.)	2.800	kg

Dose

12 to 24 ml

Important Therapeutic Uses

Vātarakta (Gout), Meha (Excessive flow of urine), Prameha Piḍakā (Diabetic carbuncle), Upadaṃśa (Syphilis/Soft chancre), Bhagandara (Fistula-in-ano), Raktavikāra (Disorders of blood), Daurbalya (Weakness), Agnimāndya (Digestive impairment)

2. ARKA

Definition

Arka is a liquid preparation obtained by distillation of certain liquids or drugs soaked in water using the Arkayatra or any convenient modern distillation apparatus.

Method of preparation

The drugs are cleaned and coarsely powdered. Some quantity of water is added to the drugs for soaking and kept over-night. This makes the drugs soft and when boiled releases the essential volatile principles easily. The following morning it is poured into the Arka yantra and the remaining water is added and boiled. The vapour is condensed and collected in a receiver. In the beginning, the vapour consists of only steam and may not contain the essential principles of the drugs. It should therefore be discarded. The last portion also may not contain therapeutically essential substance and should be discarded. The aliquots collected in between contain the active ingredients and may be mixed together to ensure uniformity of the arka.

Characteristics

Arka is a suspension of the distillate in water having slight turbidity and colour according to the nature of the drugs used and smell of the predominant drug.

1	AJAMODĀRKA	Arkaprakāśa, Śataka 3	7
2	KARPŪRĀDYARKA	Arkaprakāśa, Śataka 4	18-22 1/2
3	JATĀMĀMSYĀRKA	Arkaprakāśa, Śataka 4	22 1/2
4	MISREYĀRKA	Arkaprakāśa, Śataka 3	10

2 : 1 AJAMODĀRKA

(Arkaprakāśa, Śataka 3: 7)

अजमोदोद्भवो वातकफापहा बस्तिशोधनः ॥७॥
(अर्कप्रकाश, शतक ३; ७)

1.	Ajamoda	(Fr.)	1	kg
2.	Water for Soaking and for preparation of arka		18.0	l
3.	Distillate Recovered as Arka		15	l

Note: Quantity of water used for preparation and distillate recovered as Arka is based on R.R.L. Jammu's findings approved by A.P.C.

Dose

12 to 24 ml

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Ajīrṇa (Dyspepsia), Bastiroga (Diseases of urinary system), Vātakapharoga (Disease due to Vāta Kapha doṣa)

2 : 2 KARPŪRĀDYARKA

(Arkaprakāśa, Śataka 4: 18-22 1/2)

कर्पूरोमृगनाभिश्च कस्तूरीलतिका तथा
गन्धमार्जारवीर्यं च श्रीखण्डं पीतचन्दनम् ॥१८॥
कालीयकं च रक्ताङ्गं पतङ्गमगुरुद्वयम् ॥
देवदारुश्च सरलस्तगरं पद्मकं पुरः ॥१९॥
सारनिर्यासकी रालः कुन्दुरश्च शिलारसः ॥
सिल्हकश्च लवङ्गं च जातीपत्रीफलं तथा ॥२०॥
एलाद्वयं दारुचीनी त्वक्पत्रं नागकेसरम् ॥
बालकं वीरणं मांसी कुङ्कुमं रोचना नखः ॥२१॥

सुगन्धिवीरणां बाला जटामांसी मुराघनः ।।
शटी कर्चूर एकांगी सुगन्धोऽयं गणोत्तमः ।।२२।।
विधिनिष्कासितो योर्को रुच्यः पाचनदीपनः ।
(अर्कप्रकाश, शतक ४, १८-२२१/२)

1.	Karpūra	(Sub. Ext.)	76.8	g
2.	Mṛganābhi (Mṛgamada)		76.8	g
3.	Kastūrīlatikā	(Sd.)	76.8	g
4.	Gandhamārjāra vīrya		76.8	g
5.	Śrīkhaṇḍa (Śvetacandana)	(Ht. Wd.)	76.8	g
6.	Pītacandana	(Ht. Wd.)	76.8	g
7.	Kālīyaka (Candana bheda)	(Ht. Wd.)	76.8	g
8.	Raktāṅga (Raktacandana)	(Ht. Wd.)	76.8	g
9.	Pataṅga	(Ht. Wd.)	76.8	g
10.	Agaru (Agaru)	(Ht. Wd.)	76.8	g
11.	Kṛṣṇāgaru (Agaru bheda)	(Ht. Wd.)	76.8	g
12.	Devadāru	(Ht. Wd.)	76.8	g
13.	Sarala	(Ht. Wd.)	76.8	g
14.	Tagara	(Rz.)	76.8	g
15.	Padmaka	(St.)	76.8	g
16.	Purā (Guggulu)	(O.R.)	76.8	g
17.	Sāraniryāsakī	(Exd.)	76.8	g
18.	Rāla (Śāla)	(Exd.)	76.8	g
19.	Kuṇḍara (Kuṇḍuru)	(Exd.)	76.8	g
20.	Śilārasa (Śilājatu)	(Exd.)	76.8	g
21.	Silhaka (Turuṣka)	(Exd.)	76.8	g
22.	Lavaṅga	(Fl. Bd.)	76.8	g
23.	Jātīpatri (Jātīphala)	(Ar.)	76.8	g
24.	Jātīphala	(Sd.)	76.8	g
25.	Sthūlailā	(Sd.)	76.8	g

26.	Sūkṣmailā	(Sd.)	76.8	g
27.	Dāruciṇī (Tvak)	(St. Bk.)	76.8	g
28.	Tvakpatra (Tejapatra)	(Lf.)	76.8	g
29.	Nāgakēśara	(Stmn.)	76.8	g
30.	Bālaka (Hrīvera)	(Rt.)	76.8	g
31.	Vīraṇa (Uśīra)	(Rt.)	76.8	g
32.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	76.8	g
33.	Kuṅkuma	(Stl./Stg)	76.8	g
34.	Rōcana (Gorocana)		76.8	g
35.	Nakha (Vyāghranakha)	(Fr.)	76.8	g
36.	Kuśa	(Rt.)	76.8	g
37.	Kāśa	(Rt.)	76.8	g
38.	Darbha	(Rt.)	76.8	g
39.	Katṭṛṇa	(Rt.)	76.8	g
40.	Bhūṭṛṇa	(Rt.)	76.8	g
41.	Śveta dūrvā	(Rt.)	76.8	g
42.	Nīla dūrvā	(Rt.)	76.8	g
43.	Gandhadūrvā	(Rt.)	76.8	g
44.	Bālā (Sugandha Bālā)	(Rt.)	76.8	g
45.	Jaṭāmāṃsī	(Rt.)	76.8	g
46.	Mūrvā	(Rt.)	76.8	g
47.	Ghana (Mustā)	(Rz.)	76.8	g
48.	Śaṭī	(Rz.)	76.8	g
49.	Karcūra	(Rz.)	76.8	g
50.	Ekāṅgī (Śveta candana)	(Ht. Wd.)	76.8	g
51.	Water for soaking		7.680	l
52.	Water for preparation of Arka		5.360	l

Dose

6 to 12 ml

Important Therapeutic Uses

Arocaka (Tastelessness), Agnimāndya (Digestive impairment), Mukha Daurgandhya (Halitosis), Hṛdroga (Heart disease), Medoroga (Obesity)

2 : 3 JAṬĀMĀMSYĀRKA

(Arkaprakāśa, Śataka 4: 22 1/2)

सुगन्धवीरणं बांला जटामांसी मुरा घनः ।
सटीकचूर्णएकांगी सुगन्धोऽयं गुणोत्तमः ॥२२॥
विधिनिष्कासितो योऽर्को रुच्यः पाचनदीपनः ।
(अर्कप्रकाश, शतक ४; २२१/२)

1.	Jaṭāmāmsī	(Rt./Rz.)	1	kg
2.	Water for soaking and preparation of arka		25.0	l.
3.	Distillate recovered as arka		15.0	l.

Special Method of Preparation

Quantity of water used to prepare and distillate recovered as Arka is based on R.R.L Jammu's findings approved by A.P.C.

Dose

12 to 24 ml

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Arocaka (Tastelessness), Mukha Daurgandhya (Halitosis), Unmāda (Mania/Psychosis), Apasmāra (Epilepsy)

2 : 4 MĪŚREYĀRKA

(Arkaprakāśa, Śataka 3: 10)

मिश्रेयाया वह्निमान्द्ययोनिशूलकृमीन् हरेत् ।।

(अर्कप्रकाश, शतक ३:१०)

1.	Miśrēyā	(Fr.)	1.0	kg
2.	Water for soaking and preparation of arka		7.0	l.
3.	Distillate recovered as arka		5.0	l.

Dose

12 to 24 ml

Important Therapeutic Uses

Mandāgni (Impaired digestive fire), Ādhmāna (Flatulence with gurgling sound), Śūla (Colicky Pain), Kṛmi (Helminthiasis/Worm infestation), Yoniśūla (Pain in female genital tract)

Special Precaution

Note: Quantity of water used to prepare and distillate recovered as arka is based on R.R.L.

Jammu's findings approved by A.P.C.

3. AVALEHA OR LEHA AND PĀKĀ

Definition

Avaleha or Lehya is a semi-solid preparation of drugs, prepared with addition of jaggery, sugar or sugar-candy and boiled with prescribed drug juice or decoction. They are also known as Modaka, Guḍa, Khaṇḍa, Rasāyana, Leha etc.

Method of preparation

There preparations generally have (1) Kaṣāya or other liquids, (2) jaggery, sugar or sugar-candy, (3) powders or pulps of certain drugs; and (4) ghee or oil and honey. Jaggery, sugar or sugar-candy is dissolved in the liquid and strained to remove the foreign particles. This solution is boiled over a moderate fire. When the Pāka (Phāṇita) is thready (tantuvat) when pressed between two fingers or when it sinks in water without getting easily dissolved, it should be removed from the fire. Fine powders of drugs are then added in small quantities and stirred continuously and vigorously to form a homogenous mixture. Ghee or oil, if mentioned, is added while the preparation is still hot and mixed well. Honey, if mentioned is added when the preparation is cool and mixed well.

Characteristics

The Lehya should neither be hard nor be a thick fluid. When pulp of the drugs is added and ghee or oil is present in the preparation, this can be rolled between the fingers. Growth of fungus over it or fermentation is, among others, signs of deterioration. When metals are mentioned, the bhasmas of the metals are used. In the case of drugs like Bhallātaka, purified drugs alone are included in the preparation. The colour and smell depend on the drugs used.

Preservation and Storage

The Lehya should be kept in glass or porcelain jars. It can also be kept in a metal container which does not react with it. Normally, Lehyas should be used within one year.

1	AGASTYA HARĪTAKĪ RASAYANA (Synonym : Agastya HarĪtakī)	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 3	125-130 1/2
2	AŚVAGANDHĀDI LEHYA	Pharmacopoeia of Hospital of Integrated Medicine, Madras, Section VII	page 93
3	ELĀDYA MODAKA	Bhaiṣajyaratnāvalī, Madātyayādhikāra	17-20
4	KANṬAKĀRYA VALEHA	Śārṅgadharasamhitā, Madhyama Khaṇḍa Adhyāya 8	5-9
5	KALYĀṆAKA GUḌA	Aṣṭāṅgahr̥daya, Kalpasthāna, Adhyāya 2	17-18 1/2
6	KUṬAJĀ VALEHA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 8	38-44 1/2
7	KŪṢMĀṆḌAKA RASĀYANA (Synonym: Kuṣmāṇḍa Khaṇḍa)	Bhaiṣajyaratnāvalī, Raktapittādhikāra	45-51
8	GUḌAPIPPALI	Bhaiṣajyaratnāvalī, Plīhāyakṛdrogādh īkara	44-48
9	GUḌŪCYĀDI MODAKA	Yogaratanākara, Rājayaḥśmācikitsā	page 328
10	CITRAKA HARĪTAKĪ	Bhaiṣajyaratnāvalī, Nāsārogādhikāra	31-33
11	CYAVANAPRĀŚA	Carakasamhitā, Cikitsāsthāna, Adhyāya 1(1)	62-74
12	JĪRAKĀDI MODAKA	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	250-260
13	DANTĪ HARĪTAKĪ	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14	92-96 1/2
14	DAŚAMŪLA HARĪTAKĪ	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 17	14 -16
15	DRĀKṢĀ VALEHA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 16	29-31

16	NĀRIKELA KHAṆḌA	Bhaīṣajyaratnāvalī, Śūlarogādhikāra	168-169
17	PŪGAKHAṆḌA	Bhaīṣajyaratnāvalī, Śūlarogādhikāra	196-199
18	BILVĀDI LEHA	Sahasrayoga, Lehaprakaraṇa 1	
19	MADHUSNUHĪ RASĀYANA	Sahasrayoga, Lehaprakaraṇa	41
20	BRĀHMA RASĀYANA	Aṣṭāṅgahṛdaya, Uttarasthāna, Adhyāya 39	15-23
21	BHALLĀTAKĀDI MODAKA	Bhaīṣajyaratnāvalī, Arśorogādhikāra: 74	
22	BHĀRṆGĪ GUḌA	Bhaiṣajyaratnāvalī, Hikkāśvāsādhikāra	29-34
23	MĀṆIBHADRA YOGA (synonym: Maṇībhadrā Guḍa)	Aṣṭāṅgahṛdaya; Cikitsāsthāna, Adhyāya	19:32
24	MRDVĪKĀDI LEHYA	Aṣṭāṅgahṛdaya; Cikitsāsthāna, Adhyāya 3	30
25	LAGHU CIṆCĀDIKĀ LEHYA	Sahśrayoga, Lehaprakaraṇa: 9	
26	VĀSĀVALEHA	Bhaiṣajyaratnāvalī, Rājayakṣmādhikāra	82-84
27	ŚATĀVARĪ GUḌA	Sahasrayoga, Lehaprakaraṇa; 7(3)	
28	ŚIVĀ GUṬIKĀ	Aṣṭāṅgasāgraha, Uttarasthāna, Adhyāya 49	193
29	SŪRANĀVALEHA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 8	29 1/2
30	SAUBHĀGYAŚUNṬHĪ	Bhaiṣajyaratnāvalī, Strīrogādhikāra	396-399
31	HARIDRĀKHAṆḌA	Bhaiṣajyaratnāvalī, Śītapittodardakoṭhādhikāra : 12-16	
32	HR̥DYAVIRECANA LEHA	Aṣṭāṅgahṛdaya, Kalpasiddhisthāna, Adhyāya 2	9 1/2

3 : 1 AGASTYA HARĪTAKĪ RASAYANA (Synonym : Agastya Harītak

i)

(Aṣṭāṅgahrdaya, Cikitsāsthāna, Adhyāya 3: 125-130 1/2)

दशमूलं स्वयङ्गुप्तां शङ्खपुष्पीं शठीं बलाम् ।।१२५।।
हस्तिपिप्पल्यपामार्गपिप्पलीमूलचित्रकान् ।
भाङ्गीं पुष्करमूलं च द्विपलांशाद् यवाढकम् ।।१२६।।
हरीतकीशतं चैव जले पञ्चाढके पचेत् ।
यवस्विन्ने कषायन्तं पूतं तच्चाभयाशतम् ।।१२७।।
पचेद् गुडतुलां दत्त्वा कुडवं च पृथग्घृतात् ।
तैलात्सपिप्पलीचूर्णात्सिद्धशीते च माक्षिकात् ।।१२८।।
लेहं द्वे चाभये नित्यमतः खादेद्रसायनात् ।
तद्वलीपलितं हन्याद्वर्णायुर्बलवर्धनम् ।।१२९।।
पञ्चकासान् क्षयं श्वासं सहिध्मं विषमज्वरम् ।
मेहगुल्मग्रहण्यर्शोहृद्रोगारुचिपीनसान् ।।१३०।।
अगस्तिविहितं धन्यमिदं श्रेष्ठं रसायनम् ।
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ३; १२५-१३० १/२)

1.	Bilva	(Rt./St. Bk.)	96	g
2.	Śyonāka	(Rt./St. Bk.)	96	g
3.	Gambhārī	(Rt./St. Bk.)	96	g
4.	Pāṭalā	(Rt./St. Bk.)	96	g
5.	Agnimantha	(Rt./St. Bk.)	96	g
6.	Śālaparnī	(Pl.)	96	g
7.	Prśniparnī	(Pl.)	96	g
8.	Bṛhatī	(Pl.)	96	g
9.	Kaṇṭakārī	(Pl.)	96	g
10.	Gokṣura	(Pl.)	96	g
11.	Svayaṅguptā (Ātmaguptā)	(Sd.)	96	g
12.	Śaṅkhapuṣpī	(Pl.)	96	g

13.	Śaṭhī (Śaṭī)	(Rz.)	96	g
14.	Balā	(Rt.)	96	g
15.	Hastipippalī (Gajapippalī)	(Fr.)	96	g
16.	Apāmārga	(Rt.)	96	g
17.	Pippalīmūla (Pippalī)	(Rt.)	96	g
18.	Citraka	(Rt.)	96	g
19.	Bhārṅgī	(Rt.)	96	g
20.	Puṣkaramūla (Puṣkara)	(Rt.)	96	g
21.	Yava	(Sd.)	3.072	kg
22.	Harītakī	(P.)	1.200	kg
23.	Water for Decoction		15.360	l.
	reduced to		3.840	l.
24.	Guḍa		4.800	kg
25.	Ghṛta		192	g
26.	Taila (Tila)	(Ol.)	192	g
27.	Pippalī-cūrṇa	(Fr.)	192	g
28.	Mākṣika (Madhu)		192	g

Special Method of Preparation

Note: The text mentions the quantity of Haritaki as 100. The weight of one Haritaki is equivalent to 12 g therefore 1.2 kg Haritaki is taken in place of 100 no's. The drugs 1 to 20 are coarsely powdered and kept in a vessel. The specified quantity of water

Dose

6 to 12 g

Anupāna

Warm water or Milk

Important Therapeutic Uses

Hikkā (Hiccup), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣaya (Pthisis), Viṣamajvara (Intermittent fever), Valī Palita (Wrinkles in skin and graying of hair), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator

properties)

3 : 2 AŚVAGANDHĀDI LEHYA

(Pharmacopoeia of Hospital of Integrated Medicine, Madras, Section VII: page 93)

1.	Śarkarā		1.356	kg
2.	Aśvagandhā	(Rt.)	192	g
3.	Śārivā (Śveta Śārivā)	(Rt.)	192	g
4.	Jīraka (Śveta jīraka)	(Fr.)	192	g
5.	madhusnuhī	(Rt.Tr.)	192	g
6.	Drākṣā	(Dr.Fr.)	192	g
7.	Ghṛta		226	g
8.	Honey		452	g
9.	Elā (Sūkṣmailā)	(Sd.)	24	g
10.	Water		452	g

Dose

6 to 12 g

Anupāna

milk

Important Therapeutic Uses

Raktavikāra (Disorders of blood), Kṛśatva (Emaciation), Arśa (Haemorrhoids), Upadaṃśa (Syphilis/Soft chancre), Used as Balya, Rasāyana, Vājīkaraṇa (Improves strength, Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties and Aphrodisiac)

3 : 3 ELĀDYA MODAKA

एलां मधूकमग्निञ्च रजन्यौ द्वे फलत्रयम् ।
रक्तशालिं कणां द्राक्षां खर्जूरञ्च तिलं यवान् ॥१७॥
विदारीं गोक्षुरं बीजं त्रिवृताञ्च शतावरीम् ।
सञ्चूर्ण्य मोदकं कुर्यात् सितया द्विप्रमाणया ॥१८॥
धारोष्णेनापि पयसा मुद्गयूषेण वा समम् ।
पिबेदक्षप्रमाणन्तु प्रातर्नत्वाम्बिकां गदी ॥१९॥
मद्यपानसमुत्थानां विकारा निखिला अपि ।
सेवनादस्य नश्यन्ति व्याधयोऽन्ये च दारुणाः ॥२०॥
(भैषज्यरत्नावली, मदात्ययाधिकार; १७-२०)

1.	Elā (Sūkṣmailā)	(Sd.)	1	part
2.	Madhūka	(Fl.)	1	part
3.	Agni (Citraka)	(Rt.)	1	part
4.	Haridrā	(Rz.)	1	part
5.	Dāruharidrā	(St.)	1	part
6.	Harītakī	(P.)	1	part
7.	Bibhītaka	(P.)	1	part
8.	Āmalakī	(P.)	1	part
9.	Raktaśāli (Śāli)	(Sd.)	1	part
10.	Kaṇā (Pippalī)	(Fr.)	1	part
11.	Drākṣā	(Dr.Fr.)	1	part
12.	Kharjūra	(Fr.)	1	part
13.	Tila	(Sd.)	1	part
14.	Yava	(Sd.)	1	part
15.	Vidārī	(Rt.Tr.)	1	part
16.	Gokṣura bīja (Gokṣura)	(Fr.)	1	part
17.	Trivṛtā (Trivṛt)	(Rt.)	1	part
18.	Sitā		36	part

Dose

12 g

Anupāna

Fresh Milk, Mudga yūṣa

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Chardi (Emesis), Madātyaya (Alcoholism),
Madyapānaja Vikāra (Ailments due to Intoxication of Fermented liquids)

Special Precaution

Note: there is no mention of pāka in this preparation. Avaleha pāka with sugar and water (ingredients 19 and 20) is prepared first and the powders of all other ingredients are added. This facilitates preservation over longer period.

3 : 4 KANṬAKĀRYA VALEHA

(Śārṅgadharasamhitā, Madhyama Khaṇḍa Adhyāya 8: 5-9)

कण्टकारीतुलां नीरद्रोणे पक्त्वा कषायकम् ।
पादशेषं गृहीत्वा च तस्मिंश्चूर्णानि दापयेत् ॥५॥
पृथक्पलानि चैतानि गुडूचीचव्यचित्रकाः ।
मुस्तं कर्कटशृङ्गी च त्र्यूषणं धन्वयासकः ॥६॥
भाङ्गी रास्ना शठी चैव शर्करा पलविंशतिः ।
प्रत्येकं च पलान्यष्टौ प्रदद्याद् घृततैलयोः ॥७॥
पक्त्वा लेहत्वमानीय शीते मधुपलाष्टकम् ।
चतुष्पलं तुगाक्षीर्याः पिप्पलीनां चतुष्पलम् ॥८॥
क्षिप्त्वा निदध्यात् सुदृढे मृण्मये भाजने शुभे ।
लेहोऽयं हन्ति हिक्कार्तिश्वासकासानशेषतः ॥९॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ८; ५-९)

1. Kanṭakārī

(Pl.)

4.800 kg

2.	Water for Decoction		12.288 l	
	reduced to		3.072 l	
3.	Guḍūcī	(St.)	48	g
4.	Cavya	(St.)	48	g
5.	Citraka	(Rt.)	48	g
6.	Mustā	(Rz.)	48	g
7.	Karkataśṛṅgī	(Gl.)	48	g
8.	Śuṇṭhī	(Rz.)	48	g
9.	Marica	(Fr.)	48	g
10.	Pippalī	(Fr.)	48	g
11.	Dhanvayāsaka	(Pl.)	48	g
12.	Bhārṅgī	(Rt.)	48	g
13.	Rāsnā	(Rt./Lf.)	48	g
14.	Śaṭhī (Śaṭī)	(Rz.)	48	g
15.	Śarkarā		960	g
16.	Ghṛta		384	g
17.	Taila (Tila)	(Ol.)	384	g
18.	Madhu		384	g
19.	Tvagakṣīrī (Vaṃśa)	(S.C.)	192	g
20.	Pippalī	(Fr.)	192	g

Dose

6 to 12 g

Anupāna

Milk, water

Important Therapeutic Uses

Hikkā (Hiccup), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Śūla (Colicky Pain)

3 : 5 KALYĀṆAKA GUḌA

(Aṣṭāṅgahr̥daya, Kalpasthāna, Adhyāya 2: 17-18 1/2)

विडङ्गपिप्पलीमूलत्रिफलाधान्यचित्रकम् ।
 मरिचेन्द्रयवाजाजीपिप्पलीहस्तिपिप्पलीः ॥१७॥
 दीप्यकं पञ्चलवणं चूर्णितं कार्षिकं पृथक् ।
 तिलतैलत्रिवृच्चूर्णभागौ चाष्टपलोन्मितौ ॥१८॥
 धात्रीफलरसप्रस्थांस्त्रीन् गुडार्धतुलान्वितान् ।
 पक्त्वा मृद्वग्निना खादेत्ततो मात्रामयन्त्रणः ॥१९॥
 कुष्ठार्शःकामलागुल्ममेहोदरभगन्दरान् ।
 ग्रहणीपाण्डुरोगांश्च हन्ति पुंसवनश्च सः ॥२०॥
 गुडः कल्याणको नाम सर्वेष्वृतुषु यौगिकः ।
 (अष्टांगहृदय, कल्पसिद्धिस्थान, अध्याय २; १७-२० १/२)

1.	Vidaṅga	(Fr.)	12	g
2.	Pippalīmūla (Pippalī)	(Rt.)	12	g
3.	Harītakī	(P.)	12	g
4.	Bibhītaka	(P.)	12	g
5.	Āmalakī	(P.)	12	g
6.	Dhānyaka	(Fr.)	12	g
7.	Citraka	(Rt.)	12	g
8.	Marica	(Fr.)	12	g
9.	IndraYava (Kuṭaja)	(Sd.)	12	g
10.	Ajājī (Śveta jīraka)	(Fr.)	12	g
11.	Pippalī	(Fr.)	12	g
12.	Hastipippalī (Gajapippalī)	(Fr.)	12	g
13.	Dīpyaka (Yavāni)	(Fr.)	12	g
14.	Sauvarcala Lavaṇa		12	g
15.	Saindhava Lavaṇa		12	g
16.	Viḍa Lavaṇa		12	g

17.	Sāmudra Lavaṇa	12	g
18.	Audbhida Lavaṇa	12	g
19.	Tila-taila (Ol.)	384	g
20.	Trivṛt-cūrṇa (Rt.)	384	g
21.	Dhātrī phala rasa (Āmalakī) (P.)	2.304	l.
22.	Guḍa	2.400	kg

Dose

6 to 12 g

Anupāna

Water, milk

Important Therapeutic Uses

Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Kāmalā (Jaundice), Bhagandara (Fistula-in-ano), Arśa (Haemorrhoids), Kuṣṭha (Diseases of skin), Meha (Excessive flow of urine), Grahaṇī (Malabsorption syndrome), Pāṇḍu (Anaemia), used in Pūṃsavanakriyā

3 : 6 KUṬAJĀVALEHA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 8 : 38-44 1/2)

कुटजत्वक्तुलां द्रोणे जलस्य विपचेत् सुधीः ।
 कषायं पादशेषं च गृह्णीयाद् वस्त्रगालितम् ॥३८॥
 त्रिंशत्पलं गुडस्यात्र दत्त्वा च विपचेत् पुनः ।
 सान्द्रत्वमागतं ज्ञात्वा चूर्णानीमानि दापयेत् ॥३९॥
 रसाञ्जनं मोचरसं त्रिकटु त्रिफलां तथा ।
 लज्जालुं चित्रकं पाठां बिल्वमिन्द्रयवं वचाम् ॥४०॥
 भल्लातकं प्रतिविषां विडङ्गानि च बालकम् ।
 प्रत्येकं पलसम्मानं घृतस्य कुडवं तथा ॥४१॥
 सिद्धशीते ततो दद्यान्मधुनः कुडवं तथा ।

जयेदेषोऽवलेहस्तु सर्वाण्यर्शांसि वेगतः ॥४२॥

दुर्नामप्रभवान् रोगानतीसारमरोचकम् ।

ग्रहणीं पाण्डुरोगं च रक्तपित्तं च कामलाम् ॥४३॥

अम्लपित्तं तथा शोथं कार्श्यं चैव प्रवाहिकाम् ।

अनुपाने प्रयोक्तव्यमाजं तक्रं पयो दधि ॥४४॥

घृतं जलं वा जीर्णं च पथ्यभोजी भवेन्नरः ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ८; ३८-४४ १/२)

1.	Kuṭaja-Tvak (Kuṭaja)	(St. Bk.)	4.800	kg
2.	Water for Decoction		12.288	l.
	reduced to		3.072	l.
3.	Guḍa		1.440	kg
4.	Rasāñjana (Dāruharidrā)	(St.Ext.)	48	g
5.	Mocarasa (Śālmālī)	(Exd.)	48	g
6.	Śuṇṭhī	(Rz.)	48	g
7.	Marica	(Fr.)	48	g
8.	Pippalī	(Fr.)	48	g
9.	Harītakī	(P.)	48	g
10.	Bibhītaka	(P.)	48	g
11.	Āmalakī	(P.)	48	g
12.	Lajjālu	(Pl.)	48	g
13.	Citraka	(Rt.)	48	g
14.	Pāṭhā	(Rt.)	48	g
15.	Bilva	(Fr.R.)	48	g
16.	IndraYava (Kuṭaja)	(Sd.)	48	g
17.	Tvak	(St. Bk.)	48	g
18.	Bhallātaka-śuddha	(Sd.)	48	g
19.	Prativiṣā (Atīviṣā)	(Rt.)	48	g
20.	Viḍaṅga	(Fr.)	48	g
21.	Bālaka (Hrīvera)	(Rt.)	48	g

22.	Ghṛta	192	g
23.	Madhu	192	g

Dose

6 to 12 g

Anupāna

Water, Butter-milk, Ghṛta

Important Therapeutic Uses

Amlapitta (Dyspepsia), Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Pravāhikā (Dysentery), Raktapitta (Bleeding disorder), Arśa (Haemorrhoids), Aruci (Tastelessness), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Śōtha (Inflammation), Kārśya (Emaciation)

3 : 7 KŪṢMĀṆḌAKA RASĀYANA (Synonym: Kuṣmāṇḍa Khaṇḍa)

(Bhaiṣajyaratnāvalī, Raktapittādhikāra: 45-51)

कूष्माण्डकात्पलशतं सुस्विन्नं निष्कुलीकृतम् ।
 पचेत्तप्ते घृतप्रस्थे शनैस्ताम्रमये दृढे ॥४५॥
 यदा मधुनिभः पाकस्तदा खण्डशतं न्यसेत् ।
 पिप्पलीशृङ्गवेराभ्यां द्वे पले जीरकस्य च ॥४६॥
 त्वगेलापत्रमरिचधान्यकानां पलार्द्धकम् ।
 न्यसेच्चूर्णीकृतं तत्तु दर्व्या सङ्घट्टयेत्पुनः ॥४७॥
 तत्पक्वं स्थापयेद् भाण्डे दत्त्वा क्षौद्रं घृतार्द्धकम् ।
 तद्यथाग्निबलं खादेद्रक्तपित्ती क्षतक्षयी ॥४८॥
 कासश्वासतमश्छर्दितृष्णाज्वरनिपीडितः ।
 वृष्यं पुनर्नवकरं बलवर्णप्रसादनम् ॥४९॥
 उरःसन्धानकरणं बृंहणं स्वरवर्द्धनम् ।
 अश्विभ्यां निर्मितं श्रेष्ठं कूष्माण्डकरसायनम् ॥५०॥
 खण्डामलकमानानुसारात् कूष्माण्डकद्रवात् ।

पात्रं पाकाय दातव्यं यावान्चात्र रसो भवेत् ।।५१।।
(भैषज्यरत्नावली, रक्तपित्ताधिकार; ४५-५१)

1.	Kūṣmāṇḍa	(Fr.)	4.800	kg
2.	Ghṛta		768	g
3.	Khaṇḍa		4.800	kg
4.	Pippalī	(Fr.)	96	g
5.	Śṛṅgavera (Śuṇṭhī)	(Rz.)	96	g
6.	Jīraka (Śveta jīraka)	(Fr.)	96	g
7.	Tvak	(St.Bk.)	24	g
8.	Elā (Sūkṣmailā)	(Sd.)	24	g
9.	Patra (Tejapatra)	(Lf.)	24	g
10.	Marica	(Fr.)	24	g
11.	Dhānya (Dhānyaka)	(Fr.)	24	g
12.	Kṣaudra (Madhu)		384	g

Special Method of Preparation

Kūṣmāṇḍa is cut into pieces, and the skin and seeds are removed. Thereafter, it is cut into smaller pieces and boiled in a small quantity of water. The fluid is strained and kept separately. The pulp is made into a paste and bundled in a peice of cloth

Dose

6 to 12 g

Anupāna

Water, Milk

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Urahkṣata (Chest wound / injured chest/disease of lungs), Kṣaya (Pthisis), Purāṇajvara (Chronic fever), Raktapitta (Bleeding disorder), Chardi (Emesis), Tṛṣṇā (Thirst), Jvara (Fever), Śukra Kṣaya (Deficiency of semen), Daurbalya (Weakness), Kārśya (Emaciation), Svarabheda (Hoarseness of voice), Vaivarṇya (Discolouration)

3 : 8 GUḌAPIPPALI

(Bhaiṣajyaratnāvalī, Plīhāyakṛdrogādhīkara : 44-48)

विडङ्गं त्र्यूषणं कुष्ठं हिङ्गुलवणपञ्चकम् ।
 त्रिक्षारं फेनकं वह्निः श्रेयसी चोपकुञ्चिका ॥४४॥
 तालपुष्पोद्भवं क्षारं नाड्यः कूष्माण्डकस्य च ।
 अपामार्गस्य चिञ्चायाश्चूर्णानि चिक्कणानि च ॥४५॥
 सर्वचूर्णसमं देयं चूर्णमत्र कणोद्भवम् ।
 एतस्माद् द्विगुणाच्चूर्णात्पुराणो द्विगुणो गुडः ॥४६॥
 मर्दयित्वा दृढे पात्रे मोदकानुपकल्पयेत् ।
 भक्षयेदुष्णतोयेन प्लीहानं हन्ति दुस्तरम् ॥४७॥
 यकृतं पञ्चगुल्मञ्च ह्युदरं सर्वरूपकम् ।
 जीर्णज्वरं तथा शोथं कासं पञ्चविधं तथा ।
 अश्विभ्यां निर्मिता श्रेष्ठा बालानां गुडपिप्पली ॥४८॥
 (भैषज्यरत्नावली, प्लीहयकृद्रोगाधिकार; ४४-४८)

1.	Vidaṅga	(Fr.)	1	part
2.	Śuṅṭhī	(Rz.)	1	part
3.	Marica	(Fr.)	1	part
4.	Pippalī	(Fr.)	1	part
5.	Kuṣṭha	(Rt.)	1	part
6.	Hiṅgu	(Exd.)	1	part
7.	Sauvarcala Lavaṇa		1	part
8.	Saindhava Lavaṇa		1	part
9.	Vida Lavaṇa		1	part
10.	Sāmudra Lavaṇa		1	part
11.	Audbhida Lavaṇa		1	part
12.	Svarjikṣāra		1	part

13.	Yava kṣāra (Yava)	(Pl.)	1	part
14.	Taṅkaṇa		1	part
15.	Phenaka (Samudraphena)		1	part
16.	Vahni (Citraka)	(Rt.)	1	part
17.	Śreyasi (Gajapippalī)	(Fr.)	1	part
18.	Upakuñcikā	(Fr.)	1	part
19.	Tālapuṣṭodbhava kṣāra (Tāla)(Fl.)		1	part
20.	Kūṣmāṇḍanāḍī kṣāra (Kūṣmāṇḍa) (Fr.)		1	part
21.	Apāmārga kṣāra (Apāmārga)	(Pl.)	1	part
22.	Cincā kṣāra (Ciñcā)	(Sd.)	1	part
23.	Kaṇā (Pippalī)	(Fr.)	22	Part
24.	Purātana guḍa		88	Parts

Special Method of Preparation

Ingredients 1 to 23 are finely powdered, added to the Guḍa and kneaded well in a mortar with pestle to form a homogenous mixture.

Dose

6 to 12 g

Anupāna

Water, Milk

Important Therapeutic Uses

Plīhā Roga (Splenic disease), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Kāsa (Cough), Jīrṇajvara (Chronic fever), Śōtha (Inflammation), Yakṛd roga, Good for children

3 : 9 GUḌŪCYĀDI MODAKA

(Yogaratanākara, Rājayaḥṣmācikitsā: page 328)

गुडूचीं खण्डशः कृत्वा कुट्टयित्वा सुमर्दयेत् ।

वस्त्रेण विधृतं तोयं स्नावयेत्तच्छनैः शनैः ॥१॥
 शुद्धशङ्खनिभं चूर्णमेतैः संमिश्रयेद्भिषक् ।
 उशीरं बालकं पत्रं कुष्ठं धात्रीं च मौसलीम् ॥२॥
 एलां हरेणुका द्राक्षां कुङ्कुमं नागकेसरम् ।
 पद्मकन्दं च कर्पूरं चन्दनद्वयमिश्रितम् ॥३॥
 व्योषं च मधुलाजांश्च अश्वगन्धां शतावरीम् ।
 गोक्षुरं मर्कटाख्यं च जातीकङ्कोलचोरकम् ॥४॥
 रसाभ्रवङ्गलोहश्च संमिश्रं कारयेद् बुधः ।
 एतानि समभागानि द्विगुणामृतशर्करा ॥५॥
 मत्स्यण्डाज्यमधूपेतं भक्षयेत्प्रातरुत्थितः ।
 (योगरत्नाकर, राजयक्ष्मचिकित्सा; पृष्ठ ३८२)

1.	Amṛtā (Guḍūcī)	(St.)	62	Parts
2.	Uśīra	(Rt.)	1	Part
3.	Vāsaka (Vāsā)	(Rt.)	1	Part
4.	Patra (Tejapatra)	(Lf.)	1	Part
5.	Kuṣṭha	(Rt.)	1	Part
6.	Dhātrī (Āmalakī)	(P.)	1	Part
7.	Musalī	(Rt. Tr.)	1	Part
8.	Elā (Sūkṣmailā)	(Sd.)	1	Part
9.	Hareṇukā (Reṇukā)	(Sd.)	1	Part
10.	Drākṣā	(Dr. Fr.)	1	Part
11.	Kuṅkuma	(Stl./Stg)	1	Part
12.	Nāgakēśara	(Stmn.)	1	Part
13.	Padma kanda (Kamala)	(Rt. Tr.)	1	Part
14.	Karpūra	(Sub. Ext.)	1	Part
15.	Śvetacandana	(Ht. Wd.)	1	Part
16.	Raktacandana	(Ht. Wd.)	1	Part
17.	Śunṭhī	(Rz.)	1	Part
18.	Marica	(Fr.)	1	Part

19.	Pippalī	(Fr.)	1	Part
20.	Madhu		1	Part
21.	Lājā (Sālī)	(Sd.)	1	Part
22.	Aśvagandhā	(Rt.)	1	Part
23.	Śatavarī	(Rt.)	1	Part
24.	Gokṣura	(Fr.)	1	Part
25.	Markaṭākhya (Ātmaguptā)	(Sd.)	1	Part
26.	Jātī (Jātīphala)	(Sd.)	1	Part
27.	Kaṅkola	(Fr.)	1	Part
28.	Coraka	(Rt.)	1	Part
29.	Rasa (Pārada) Rasa Sindūra		1	Part
30.	Abhra (Abhraka) bhasma		1	Part
31.	Vaṅga bhasma		1	Part
32.	Loha (Lauha) bhasma		1	Part

Dose

6 to 12 g

Anupāna

Ghee, Honey And Sugar candy

Important Therapeutic Uses

Mūtrāghāta (Urinary obstruction), Mūtrakṛcchra (Dysuria), Pādādāha (Burning sensation of feet), Kṣaya (Pthisis), Somaroga (Polyuria in females), Asṛgdara (Menorrhagia or Metrorrhagia or both), Raktapitta (Bleeding disorder), Vātakunḍalikā (Scanty and painful flow of urine), used as a Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

Special Precaution

Note: Fine powders of ingredients 1 to 28 are mixed with ingredients 29 to 32

3 : 10 CITRAKA HARĪTAKĪ

(Bhaiṣajyaratnāvalī, Nāsārogaḍhikāra: 31-33)

चित्रकस्यामलक्याश्च गुडूच्या दशमूलजम् ।
 शतं शतं रसं दत्त्वा पथ्याचूर्णाढकं गुडात् ॥३१॥
 शतं पचेद् घनीभूते पलद्वादशकं क्षिपेत् ।
 व्योषत्रिजातयोः क्षारात् पलाद्धमपरेऽहनि ॥३२॥
 प्रस्थाद्धं मधुनो दत्त्वा यथाग्न्यद्यादयन्त्रणः ।
 वृद्धयेऽग्नेः क्षयं कासं पीनसं दुस्तरं कृमीन् ॥
 गुल्मोदावर्तदुर्नामश्वासान् हन्ति सुदारुणान् ॥३३॥
 (भैषज्यरत्नावली, नासारोगाधिकार; ३१-३३)

1.	Citraka-kvātha	(Rt.)	4.800	l.
2.	Āmalakī kvātha (Āmalakī)	(Pl.)	4.800	l.
3.	Guḍūcī Rasa kvātha (Guḍūcī)	(St.)	4.800	l.
4.	Daśāmūlarasa kvāta			
	Bṛhat pancamūla	(Rt./St .Bk.)	2.400	l.
	Laghu pancamūla	(Pl.)	2.400	l.
5.	Pathyā (Harītakī) cūrṇa	(P.)	3.072	kg
6.	Guḍa		4.800	kg
7.	Śunthī	(Rz.)	96	g
8.	Marica	(Fr.)	96	g
9.	Pippalī	(Fr.)	96	g
10.	Tvak	(St. Bk.)	96	g
11.	Elā (Sūkṣmailā)	(Sd.)	96	g
12.	Patra (Tejapatra)	(Lf.)	96	g
13.	Kṣāra (Yava)	(Pl.)	24	g
14.	Madhu		384	g

Dose

6 - 12 g

Anupāna

Milk

Important Therapeutic Uses

Gulma (Abdominal lump), Udāvarta (Condition in which there is upward movement of vayu), Pīnasa (Chronic rhinitis/sinusitis), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Arśa (Haemorrhoids), Agnimāndya (Digestive impairment), Kṣaya (Pthisis), Kṛmi (Helminthiasis/Worm infestation)

3 : 11 CYAVANAPRĀŚA

(Carakasamhitā, Cikitsāsthāna, Adhyāya 1(1): 62-74)

बिल्वोऽग्निमन्थः श्योनाकः काश्मर्यः पाटलिर्बला ।
पर्णश्चतस्रः पिप्पल्यः श्वदंष्ट्रा बृहतीद्वयम् ॥६२॥
शृङ्गी तामलकी द्राक्षा जीवन्ती पुष्करागुरु ।
अभया चामृता ऋद्धिर्जीवकर्षभकौ शटी ॥६३॥
मुस्तं पुनर्नवा मेदा सैला चन्दनमुत्पलम् ।
विदारी वृषमूलानि काकोली काकनासिका ॥६४॥
एषां पलोन्मितान् भागाञ्छतान्यामलकस्य च ।
पञ्च दद्यात्तदैकध्वं जलद्रोणे विपाचयेत् ॥६५॥
ज्ञात्वा गतरसान्येतान्यौषधान्यथ तं रसम् ।
तच्चामलकमुद्धृत्य निष्कुलं तैलसर्पिषोः ॥६६॥
पलद्वादशके भृष्ट्वा दत्त्वा चार्धतुलां भिषक् ।
मत्स्यण्डिकायाः पूताया लेहवत्साधु साधयेत् ॥६७॥
षट्पलं मधुनश्चात्र सिद्धशीते प्रदापयेत् ।
चतुष्पलं तुगाक्षीर्याः पिप्पलीद्विपलं तथा ॥६८॥
पलमेकं निदध्याच्च त्वगेलापत्रकेशरात् ।
इत्ययं च्यवनप्राशः परमुक्तो रसायनः ॥६९॥

कासश्वासहरश्चैव विशेषेणोपदिश्यते ।
क्षीणक्षतानां वृद्धानां बालानां चाङ्गवर्धनः ॥७०॥
स्वरक्षयमुरोरोगं हृद्रोगं वातशोणितम् ।
पिपासां मूत्रशुक्रस्थान् दोषांश्चाप्यपकर्षति ॥७१॥
अस्य मात्रां प्रयुञ्जीत योपरुन्ध्यान्न भोजनम् ।
अस्य प्रयोगाच्च्यवनः सुवृद्धोऽभूत् पुनर्युवा ॥७२॥
मेधां स्मृतिं कान्तिमनामयत्वमायुःप्रकर्षं बलमिन्द्रियाणाम् ।
स्त्रीषु प्रहर्षं परमग्निवृद्धिं वर्णप्रसादं पवनानुलोम्यम् ॥७३॥
रसायनस्यास्य नरः प्रयोगाल्लभेत जीर्णोऽपि कुटीप्रवेशात् ।
जराकृतं रूपमपास्य सर्वं बिभर्ति रूपं नवयौवनस्य ॥७४॥
(चरकसंहिता, चिकित्सास्थान, अध्याय १ (१); ६२-७४)

1.	Bilva	(Rt./St. Bk.)	48	g
2.	Agnimantha	(Rt./St. Bk.)	48	g
3.	Śyonāka	(Rt./St. Bk.)	48	g
4.	Kāśmarī (Gambhārī)	(Rt./St. Bk.)	48	g
5.	Pāṭalī (Pāṭalā)	(Rt./St. Bk.)	48	g
6.	Balā	(Pl.)	48	g
7.	Śālaparṇī	(Pl.)	48	g
8.	Prśniparṇī	(Pl.)	48	g
9.	Mudgaparṇī	(Pl.)	48	g
10.	Māṣaparṇī	(Pl.)	48	g
11.	Pippalī	(Fr.)	48	g
12.	Śvadamṣṭrā (Gokṣura)	(Pl.)	48	g
13.	Br̥hatī	(Pl.)	48	g
14.	Kaṇṭakārī	(Pl.)	48	g
15.	Śṛṅgī (Karkaṭaśṛṅgī)	(Gl.)	48	g
16.	TĀmalakī	(Pl.)	48	g
17.	Drākṣā	(Dr.Fr.)	48	g
18.	Jīvantī	(Rt.)	48	g

19.	Puṣkara	(Rt.)	48	g
20.	Aguru	(Ht.Wd.)	48	g
21.	Abhayā (Harītakī)	(P.)	48	g
22.	Amṛtā (Guḍūcī)	(St.)	48	g
23.	Rddhi	(Sub.Rt. Tr.)	48	g
24.	Jīvaka	(Rt. Tr.)	48	g
25.	Rṣabhaka	(Rt. Tr.)	48	g
26.	Śaṭī	(Rz.)	48	g
27.	Mustā	(Rz.)	48	g
28.	Punarnavā (Raktapunarnavā)	(Pl.)	48	g
29.	Medā	(Rt. Tr.)	48	g
30.	Elā (Sūkṣmailā)	(Sd.)	48	g
31.	Candana (Śveta candana)	(Ht. Wd.)	48	g
32.	Utpala	(Fl.)	48	g
33.	Vidārī	(Rt. Tr.)	48	g
34.	Vṛṣamūla (Vāsā)	(Rt.)	48	g
35.	Kākōlī	(Sub. Rt.)	48	g
36.	Kākanāsikā	(Fr.)	48	g
37.	Āmlaka (Āmalakī)	(Fr.)	500	in number
38.	Water for decoction		12.288 l.	
	reduced to		3.072 l.	
39.	Ghṛta		288	g
40.	Taila (Tila)	(Ol.)	288	g
41.	Matsyāṇḍikā		2.400	kg
42.	Madhu		288	g
43.	Tugākṣīrī (Vaṁśa)	(S.C.)	192	g
44.	Pippalī	(Fr.)	96	g
45.	Tvak	(St. Bk.)	48	g
46.	Elā (Sūkṣmailā)	(Sd.)	48	g

47.	Patra (Tejapatra)	(Lf.)	48	g
48.	Kesara (Nāgakēśara)	(Stmn.)	48	g

Special Method of Preparation

Ripe fresh Āmalakis are bundle in a piece of cloth. Ingredients 1 to 38 are coarsely powdered and put in a vessel. water is added and the Āmalakī bundle is immersed by suspension in the vessel and boiled till the water is reduced to one fourth. The Ā

Dose

12 to 24 g

Anupāna

Water, Milk

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣata Kṣīṇa (Debility due to chest injury), Svarabheda (Hoarseness of voice), Kṣaya (Pthisis), Hṛdroga (Heart disease), Agnimāndya (Digestive impairment), Uroroga (Disease of thorax), Vātarakta (Gout), Pipāsā (Thirst), Mūtraroga (Urinary diseases), Śukra Doṣa (Vitiation of semen), Jarā (Senility/Progeriasis), used as Rasāyana, Medhya, Smṛtiprada (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties, Brain Tonic / Nootropic, Improves memory)

3 : 12 JĪRAKĀDI MODAKA

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra: 250-260)

श्लक्ष्णचूर्णीकृतं जीरं पलाष्टकमितं शुभम् ।
तदद्धं विजयाबीजं भर्जितं वस्त्रपूतकम् ॥२५०॥
अयश्चूर्णं तथा वङ्गमभ्रकं कर्षमानतः ।
मधूरिका च तालीशं जातीकोषफले तथा ॥२५१॥
धन्याकं त्रिफला चैव चातुर्जातलवङ्गकम् ।
शैलेयं चन्दने द्वे च मांसी द्राक्षा शटी तथा ॥२५२॥
टङ्गणं कुन्दुर्यष्टी तुगा कक्कोलबालकम् ।

गाङ्गेरुस्त्रिकटुश्चैव धातकीबिल्वमर्जुनम् ॥२५३॥
 शतपुष्पा देवदारु कर्पूरं सप्रियङ्गुकम् ।
 जीरकं शाल्मलञ्चैव कटुका पद्मनालुके ॥२५४॥
 एषां कर्षसमं चूर्णं गृह्णीयात्कुशलो भिषक् ।
 शर्करामधुनाज्येन मोदकञ्च विनिर्मितम् ॥२५५॥
 खादेच्छाणमितं तस्य प्रत्यहं प्रातरुत्थितः ।
 शीततोयानुपानेन सर्वग्रहणिकां जयेत् ॥२५६॥
 आमदोषावृते पित्ते वह्निमान्द्ये तथैव च ।
 रक्तातिसारेऽतीसारे प्रयोज्यं विषमज्वरे ॥२५७॥
 सशब्दं घोरगम्भीरं हन्ति सद्यो न संशयः ।
 अम्लपित्तकृतं दोषमुदरं सर्वरूपिणम् ॥२५८॥
 सर्वातिसारशमनं सङ्ग्रहग्रहणीं जयेत् ।
 एकजं द्वन्द्वञ्चैव दोषत्रयकृतं तथा ॥२५९॥
 विकारं कोष्ठजञ्चैव हन्ति शूलमरोचकम् ।
 भाषितं वृष्णिनाथेन जन्तूनां हितकारणम् ॥२६०॥
 (भैषज्यरत्नावली, ग्रहणीरोगाधिकार; २५०-२६०)

1.	Jīraka (Śveta jīraka) cūrna	(Fr.)	384 g	
2.	Bharjita Vijayā (Bhaṅgā)	(Sd.)		192 g
3.	Ayasa (Lauha) cūrna		12 g	
4.	Vaṅga bhasma		12 g	
5.	Abhraka bhasma		12 g	
6.	Madhūrika (miśreya)	(Fr.)	12 g	
7.	Tālīśapatra (Tālīsa)	(Lf.)	12 g	
8.	Jātikōśa (Jātīphala)	(Ar.)		12 g
9.	Jātīphala	(Sd.)		12 g
10.	Dhānyaka	(Fr.)	12 g	
11.	Harītakī	(P.)	12 g	
12.	Bibhītaka	(P.)	12 g	
13.	Āmalakī	(P.)	12 g	
14.	Tvak	(St.Bk.)	12 g	

15.	Elā (Sūkṣmailā)	(Sd.)	12 g
16.	Patra (Tejapatra)	(Lf.)	12 g
17.	Nāgakēśara	(Stmn.)	12 g
18.	Lavaṅgaka (Lavaṅga)	(Fl.Bd.)	12 g
19.	Śaileya	(Pl.)	12 g
20.	Śveta Candana (Candana)	(Ht. Wd.)	12 g
21.	Raktacandana	(Ht. Wd.)	12 g
22.	Māṃsī (Jaṭāmāṃsī)	(Rt./ Rz.)	12 g
23.	Drākṣā	(Dr. Fr.)	12 g
24.	Śaṭī	(Rz.)	12 g
25.	Taṅkaṇa		12 g
26.	Kunduru (Śallakī)	(Exd.)	12 g
27.	Yaṣṭī	(Rt.)	12 g
28.	Tugā (Vaṃśa)	(S.C.)	12 g
29.	Kakkola (Kaṅkola)	(Fr.)	12 g
30.	Bālaka (Hrīvera)	(Rt.)	12 g
31.	Gāgeru	(St. Bk.)	12 g
32.	Śuṇṭhī ()	(Rz.)	12 g
33.	Marica	(Fr.)	12 g
34.	Pippalī	(Fr.)	12 g
35.	Dhātakī	(Fl.)	12 g
36.	Bilva	(Fr.P.)	12 g
37.	Arjuna	(St. Bk.)	12 g
38.	Śatapuspā (Śatāhvā)	(Fr.)	12 g
39.	Devadāru	(Ht. Wd.)	12 g
40.	Priyaṅguka (Priyaṅgu)	(Fl.)	12 g
41.	Karpūra	(Sub. Ext.)	12 g
42.	Jīraka (Śveta jīraka)	(Fr.)	12 g
43.	Śālmala (Śālmālī)	(St. Bk.)	12 g

44.	Kaṭukā	(Rt./Rz.)	12 g
45.	Padma (Padmakāṣṭha)	(St.)	12 g
46.	Nāluka (Tvak bheda)	(St. Bk.)	12 g

Dose

10 to 24 g

Anupāna

Honey, Ghee and Sugar

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Amlapitta (Dyspepsia), Pittātīśāra (Diarrhoea due to Pitta doṣa), Raktātīśāra (Diarrhoea with Bleeding), Aruci (Tastelessness), Āmavāta (Rheumatism), Grahaṇī (Malabsorption syndrome), Sāmadoṣa (Doṣa afflicted by Āma), Śūla (Colicky Pain), Atīśāra (Diarrhoea), Viṣamajvara (Intermittent fever), Udara (Diseases of abdomen / enlargement of abdomen), Koṣṭha Vikāra (Disorders of abdomen), Āṭopa (Gurgling found in abdomen with pain)

3 : 13 DANTĪ HARĪTAKĪ

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya14: 92-96 1/2)

द्रोणेऽम्भसः पचेदन्त्याः पलानां पञ्चविंशतिम् ।
चित्रकस्य तथा पथ्यास्तावतीस्तद्रसे स्रुते ॥९२॥
द्विप्रस्थे साधयेत्पूते क्षिपेदन्तीसमं गुडम् ।
तैलात्पलानि चत्वारि त्रिवृतायाश्च चूर्णतः ॥९३॥
कणाकर्षौ तथा शुण्ठ्याः सिद्धे लेहे तु शीतले ।
मधु तैलसमं दद्याच्चतुर्जाताच्चतुर्थिकाम् ॥९४॥
अतो हरीतकीमेकां सावलेहपलामदन् ।
सुखं विरिच्यते स्निग्धो दोषप्रस्थमनामयः ॥९५॥
गुल्महृद्रोगदुर्नामशोफाऽऽनाहगरोदरान् ।

कुष्ठोत्क्लेशारुचिप्लीहग्रहणीविषमज्वरान् ।।९६।।

घ्नन्ति दन्तीहरीतक्यः पाण्डुतां च सकामलाम्।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १४; ९२-९६ १/२)

1.	Dantī Mūla	(Rt.)	1.200	kg
2.	Citraka	(Rt.)	1.200	kg
3.	Pathyā (Harītakī)	(P.)	1.200	kg
4.	Water for decoction		12.288	l.
	reduced to		1.536	l.
5.	Guḍa		1.200	kg
6.	Taila (Tila)	(Ol.)	192	g
7.	Trivṛtā (trivṛt)	(Rt.)	192	g
8.	Kaṇā (Pippalī)	(Fr.)	24	g
9.	Śunthī	(Rz.)	24	g
10.	Madhu		192	g
11.	Tvak	(St.Bk.)	12	g
12.	Elā (Sūkṣmailā)	(Sd.)	12	g
13.	Patra (Tejapatra)	(Lf.)	12	g
14.	Nāgakēśara	(Stmn.)	12	g

Note: The text mentions the quantity of Harītakī as 100. The weight of one Haritaki is 12 g therefore 1.2 kg Harītakī is taken in place of 100 numbers. The ingredients 1 and 2 are coarsely powdered and kept in a vessel. The specified quantity of water is added and mixed with the powder Harītakī is bundled in a piece of cloth which is immersed by suspension, as in Dolā yantra. The mixture is boiled till the Harītakī is soft. The bundle is then removed. The Harītakī and jaggery are added to the decoction and boiled to the required Pāka, at which stage taila and the fine powders (drugs 7 to 14) are added. By this process, the finished product may not be preserved for a long period.

Dose

1/2 to 1 Harītakī and 12 to 24g. of Leha

Anupāna

Water

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Arocaka (Tastelessness), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Plīhā Roga (Splenic disease), Viṣamajvara (Intermittent fever), Kāmalā (Jaundice), Hṛdroga (Heart disease), Arśa (Haemorrhoids), Śōpha (Oedema), Gara (Slow / accumulated poison), Udara (Diseases of abdomen / enlargement of abdomen), Kuṣṭha (Diseases of skin), Utkleśa (Nausea), Pāṇḍu (Anaemia), Used as Virecaka (Purgative)

3 : 14 DAŚAMŪLA HARĪTAKĪ

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 17: 14 -16)

दशमूलकषायस्य कंसे पथ्याशतं पचेत् ॥१४॥
दत्त्वा गुडतुलां तस्मिन् लेहे दद्याद्विचूर्णितम् ।
त्रिजातकं त्रिकटुकं किञ्चिच्च यवशूकजम् ॥१५॥
प्रस्थार्धं च हिमे क्षौद्रात् तन्निहन्त्युपयोजितम् ।
प्रवृद्धशोफज्वरमेहगुल्मकार्श्यामवाताम्लकरक्तपित्तम् ।
वैवर्ण्यमूत्रानिलशुक्रदोषश्वासारुचिप्लीहगरोदरं च १६॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १७; १४-१६)

1.	Daśamūla kaṣhāya	3.072 l.
	Br̥hatpañcamūla	(Rt./St. Bk.)
	Laghu pañcamūla	(Pl.)
2.	Pathyā (Harītakī)	(Fr.P.) 100 in number
3.	Guḍa	4.800 kg
4.	Elā (Sūkṣmailā)	(Sd.) 48 g
5.	Tvak	(St. Bk.) 48 g

6.	Patra (Tejapatra)	(Lf.)	48	g
7.	Śunṭhī	(Rz.)	48	g
8.	Marica	(Fr.)	48	g
9.	Pippalī	(Fr.)	48	g
10.	Yava śūkaja -Yavakṣāra (Yava)	(Pl.)	12	g
11.	Kṣaudra (Madhu)		384	g

Dose

6 to 12 g

Anupāna

Water, Milk

Important Therapeutic Uses

Śopha (Oedema), Arocaka (Tastelessness), Gara-Udararoga (Abdominal disorder due to slow / accumulated poison), Gulma (Abdominal lump), Plīhā Roga (Splenic disease), Vaivarṇya (Discolouration), Mūtrakṛcchra (Dysuria), Śukra Doṣa (Vitiation of semen), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Meha (Excessive flow of urine), Kārśya (Emaciation), Raktapitta (Bleeding disorder), Āmavāta (Rheumatism)

3 : 15 DRĀKṢĀVALEHA

(Aṣṭāṅgahrdaya, Cikitsāsthāna, Adhyāya 16: 29-31)

द्राक्षाप्रस्थं कणाप्रस्थं शर्करार्धतुलां तथा ॥२९॥
द्विपलं मधुकं शुण्ठीं त्वक्क्षीरीं च विचूर्णिताम् ।
धात्रीफलरसद्रोणे तत्क्षिप्त्वा लेहवत्पचेत् ॥३०॥
शीतान्मधुप्रस्थयुताद् लिह्यात्पाणितलं ततः ।
हलीमकं पाण्डुरोगं कामलां च नियच्छति ॥३१॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १६; २९-३१)

1.	Drākṣā	(Dr. Fr.)	768	g
----	--------	-----------	-----	---

2.	Kaṇā (Pippalī)	(Fr.)	768 g
3.	Śarkarā		2.800 kg
4.	Madhuka (Yaṣṭī)	(Rt.)	96 g
5.	Śunṭhī	(Rz.)	96 g
6.	Tvak Kṣīrī (Vaṃśa)	(S.C.)	96 g
7.	Dhātrī (Āmalakī) phala rasa	(P.)	12.288 l.
8.	Madhu		768 g

Dose

6 to 12 g.

Anupāna

Water, Milk

Important Therapeutic Uses

Pāṇḍu (Anaemia), Kāmalā (Jaundice), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice)

3 : 16 NĀRIKELA KHAṆḌA

(Bhaīṣajyaratnāvalī, Śūlarogādhikāra : 168-169)

कुडवमितमिह स्यान्नारिकेलं सुपिष्टं पलपरिमितसर्पिः पाचितं खण्डतुल्यम् ।
निजपयसि तदेतत् प्रस्थमात्रे विपक्वं गुडवदथ सुशीते शाणभागान् क्षिपेच्च
॥१६८॥

धन्याकपिप्पलिपयोदतुगाद्विजीरान् शाणं त्रिजातमिभकेशरवद्विचूर्णम् ।
हन्त्यम्लपित्तमरुचिं क्षतमस्रपित्तं शूलं वमिं सकलपौरुषकारि हारि ॥१६९॥
(भैषज्यरत्नावली, शूलरोगाधिकार; १६८-१६९)

1.	Nārikela	(Enm.)	192 g
2.	Sarpi (Goghṛta)		48 g
3.	khaṇḍa		192 g

4.	Nārikela paya (Nārikela)	(Enm.)	768	g
5.	Dhanyāka (Dhānyaka)	(Fr.)	3	g
6.	Pippalī	(Fr.)	3	g
7.	Payōda (Mustā)	(Rz.)	3	g
8.	Tuga (Vaṃśa Locana)	(S.C.)	3	g
9.	Śveta Jīraka (Jīraka)	(Fr.)	3	g
10.	Kṛṣṇa Jīraka	(Fr.)	3	g
11.	Tvak	(St. Bk.)	3	g
12.	Tejapatra	(Lf.)	3	g
13.	Elā (Sūkṣmailā)	(Sd.)	3	g
14.	Ibhakeśara (Nāgakeśara)	(Stmn.)	3	g

Special Method of Preparation

The Nārikela is made into a paste and is roasted in ghee till the colour becomes brown. lehya Pāka is made with Khaṇḍa (Śarkarā) in Nārikela water. The powders of other drugs are then added and mixed well.

Dose

6 to 12 g

Anupāna

Water

Important Therapeutic Uses

Aruci (Tastelessness), Vami (Vomiting), Śūla (Colicky Pain), Amlapitta (Dyspepsia), Raktapitta (Bleeding disorder), Kṣata (Wound), Kṣaya (Pthisis), Daurbalya (Weakness)

3 : 17 PŪGAKHAṆḌA

(Bhaīṣajyaratnāvalī, Śūlarogādhikāra : 196-199)

छित्त्वा पूगफलं दृढं परिणतं पक्त्वा च दुग्धाम्बुभिः
प्रक्षाल्यातपशोषितं वसुपलं ग्राह्यं ततश्चूर्णितात् ।

तत्सर्पिःकुडवे विपाच्य हि वरीधात्रीरसौ द्रव्यञ्जली
 द्वे प्रस्थे पयसः प्रदाय विपचेन्मन्दं तुलाद्धां सिताम् ॥१९६॥
 हेमाम्भोधरचन्दनं त्रिकटुकं धात्रीप्रियालास्थिजौ
 मज्जानौ त्रिसुगन्धि जीरकयुगं शृङ्गाटकं वंशजा ।
 जातीकोषफले लवङ्गमपरं धान्याककक्कोलकम्
 नाकूली तगराम्बु वीरणशिफा भृङ्गाश्वगन्धे तथा ॥१९७॥
 सर्वं द्रव्यक्षमितं विचूर्ण्य विधिना पाके तु मन्दे ततः
 प्रक्षिप्याथ विघट्टयन् मुहुरिदं द्रव्यावतार्य क्षणात् ।
 सिद्धं वीक्ष्य विधारयेदवहितः स्निग्धेऽथ मृद्भाजने
 खादेत्प्रातरिदं जरामयहरं वृष्यं बुधस्तोलकम् ॥१९८॥
 शूलाजीर्णगुदप्रवाहरुधिरं दुष्टाम्लपित्तं जयेद्
 यक्ष्मक्षीणहितं महाग्निजननं तृट्छर्दिमूर्च्छापहम् ।
 पाण्डुघ्नं बलवर्णदृष्टिकरणं गर्भप्रदं योषिता-
 मेतत् पूगरसायनं प्रदरनुद् विण्मूत्रसङ्गापहम् ॥१९९॥
 (भैषज्यरत्नावली, शूलरोगाधिकार; १९६-१९९)

1.	Pūga phala(Pūga) dugdhāmbusiddha (Sd.)	384	g
2.	Sarpi (Goghṛta)	192	g
3.	Varī rasa (Satāvarī) (Rt.)	384	ml.
4.	Dhātrī rasa (Āmalakī) (Fr.)	384	ml.
5.	Payasa (Godugdha)	1.536	l.
6.	Sitā	2.400	kg
7.	Hema (Nāgakeśara) (Stmn.)	24	g
8.	Ambhodhara (Mustā) (Rz.)	24	g
9.	Candana (Śveta candana) (Ht.Wd.)	24	g
10.	Śunthī (Rz.)	24	g
11.	Marica (Fr.)	24	g
12.	Pippalī (Fr.)	24	g
13.	Dhātrī asthimajja (Āmalakī) (Enm.)	24	g
14.	Piyāla asthimajja (Priyāla) (Enm.)	24	g

15.	Tvak	(St.Bk.)	24	g
16.	Elā (Sūkṣmailā)	(Sd.)	24	g
17.	Patra (Tejapatra)	(Lf.)	24	g
18.	Śveta Jīraka	(Fr.)	24	g
19.	Kṛṣṇa Jīraka	(Fr.)	24	g
20.	Śṛṅgāṭaka	(Enm.)	24	g
21.	Vamśaja (Vamśa)	(S.C.)	24	g
22.	Jātīphala	(Sd.)	24	g
23.	Jātikōṣa (Jātīphala)	(Ar.)	24	g
24.	Lavaṅga	(Fl.Bd.)	24	g
25.	Dhānyaka	(Fr.)	24	g
26.	Kakkola (Kaṅkola)	(Fr.)	24	g
27.	Nākulī (Īśvarī)	(Rt.)	24	g
28.	Tagara	(Rz.)	24	g
29.	Ambu (Hrīvēra)	(Rt.)	24	g
30.	Vīraṇāsiphā (Uśīra)	(Rt.)	24	g
31.	Bhṛṅga (Bhṛṅgarāja)	(Pl.)	24	g
32.	Aśvagandhā	(Rt.)	24	g

Dose

6 to 12 g

Anupāna

Water

Important Therapeutic Uses

Chardi (Emesis), Śūla (Colicky Pain), Amlapitta (Dyspepsia), Mūrcchā (Syncope), Vandhyāroga (Infertility), Pradara (Excessive vaginal discharge), Pāṇḍu (Anaemia), Raktārśa (Bleeding haemorrhoids), Garbhadoṣa (Foetal anomaly), Jarā (Senility/Progeriasis), Śukrakṣaya (Oligospermia), Agnimāndya (Digestive impairment), Tṛṭ (Thirst), Daurbalya (Weakness), Ajīrṇa (Dyspepsia), Viṭsaṅga (Constipation), Mūtrasaṅga (Obstruction in

urinary tract), Yakṣmā (Tuberculosis), Improves Bala, Varṇa, Dr̥ṣṭi (Improves strength, complexion, vision power)

3 : 18 BILVĀDI LEHA

(Sahasrayoga, Lehaprakaraṇa 1)

बिल्वार्धाढकमम्भसोऽर्धकलशे पक्त्वा पदस्थे रसे
सिद्धं जीर्णगुडस्य षोडशपलं चूर्णीकृतैस्सर्वतः।
कर्षाशैर्धनधान्यजीरकत्रुटीत्वक्केसरत्र्यूषणैः
लेहश्छर्दिररोचकाग्निसदनश्वासप्रसेकापहः ।
(सहस्रयोग, लेहप्रकरण; १)

1.	Bilva - mūla	(Rt.)	1.536 kg
2.	Water for decoction		12.288 l.
	reduced to		3.072 l.
3.	Jīrṇa Guḍa (Guḍa)		768 g
4.	Ghana (Mustā)	(Rz.)	12 g
5.	Dhānyāka (Dhānyaka)	(Fr.)	12 g
6.	Jīraka (Śveta jīraka)	(Fr.)	12 g
7.	Truṭi (Sūkṣmailā)	(Sd.)	12 g
8.	Tvak	(St.Bk.)	12 g
9.	Kesara (Nāgakēśara)	(Stmn.)	12 g
10.	Śunṭhī	(Rz.)	12 g
11.	Marica	(Fr.)	12 g
12.	Pippalī	(Fr.)	12 g

Anupāna

To lick the drug many times in small quantities.

Important Therapeutic Uses

Aruci (Tastelessness), Agnimāndya (Digestive impairment), Praseka (Excessive salivation), Chardi (Emesis)

3 : 19 MADHUSNUHĪ RASĀYANA

(Sahasrayoga, Lehaprakaraṇa: 41)

त्रिकटुत्रिफलात्रिजातजातीफलपत्राग्निरालधान्यकानि ।
त्रियवानीविडङ्गचव्यकुष्ठत्रिवृद्ग्रन्थिकं वाजिगन्धायुतानि ॥
सभार्ङ्गितेजोवतिकेसराणि निष्कद्वयोन्मानविचूर्णितानि ।
संशुद्धगन्धोपलमाहिषाक्षमधुस्नुहीनां च चतुष्पलानि ॥
द्विषट्पलोन्मानघृते विपक्वे सिता पलद्वादशकं क्षिपेच्च ।
ततोन्मथित्वा तु खजेन तस्मिन् सुपाकमायाति ततोऽवतार्य ॥
पूर्वोक्तचूर्णानि विकीर्य शीते गन्धोपलस्यापि रजांसि दत्वा ॥
संयोज्य सम्यक्च सुशीतलेऽस्मिन् प्रस्थं प्रदद्यान्मधुनः सुपात्रे ।
विन्यस्य गुप्तं तु रसायनं तत् प्रातर्लिहेत्कर्षयुतं हिताशी ।
कुष्ठं किलासं पिटकान्प्रमेहान् भगङ्दरार्शोऽर्बुदगण्डमालाः ॥
निहन्ति कण्ड्वामयवातरक्तपित्तोद्भवान्गुह्यभवान्ब्रणांश्च ।
रसायनोऽयं मुनिना कृतश्च मधुस्नुहीनामक एष मुख्यः ॥
(सहस्रयोग, लेहप्रकरण; ४१)

1.	Śuṇṭhī	(Rz.)	6	g
2.	Marica	(Fr.)	6	g
3.	Pippalī	(Fr.)	6	g
4.	Harītakī	(P.)	6	g
5.	Bibhītaka	(P.)	6	g
6.	Āmalakī	(P.)	6	g

7.	Tvak	(St. Bk.)	6	g
8.	Elā (Sūkṣmailā)	(Sd.)	6	g
9.	Patra (Tejapatra)	(Lf.)	6	g
10.	Jātīphala	(Sd.)	6	g
11.	Jātīpatri (Jātīphala)	(Ar.)	6	g
12.	Agni (Citraka)	(Rt.)	6	g
13.	Varāla (Lavaṅga)	(Fl. Bd.)	6	g
14.	Dhānyaka	(Fr.)	6	g
15.	Śveta Jīraka	(Fr.)	6	g
16.	Kṛṣṇajīraka	(Fr.)	6	g
17.	Vanya Jīraka	(Fr.)	6	g
18.	Vidaṅga	(Fr.)	6	g
19.	Cavya	(St.)	6	g
20.	Kuṣṭha	(Rt.)	6	g
21.	Trivṛtā (Trivṛt)	(Rt.)	6	g
22.	Granthika (Pippali)Pippali Mula	(Rt.)	6	g
23.	Vājigandhā (Aśvagandhā)	(Rt.)	6	g
24.	Bhārṅgī	(Rt.)	6	g
25.	Tejovati- bīja	(Sd.)	6	g
26.	Kesara (Nāgakēśara)	(Stmn.)	6	g
27.	Śuddha gandhaka (gandhaka)		192	g
28.	Mahiṣākṣa (Guggulu) Śodhita	(Exd.)	192	g
29.	Madhusnuhī- Śodhita	(Rt. Tr.)	192	g
30.	Ghṛta (Goghṛta)		576	g
31.	Sitā		576	g
32.	Madhu		576	g

Special Method of Preparation

Water sufficient to make lehya Pāka is added to sugar and boiled. Fine powders of ingredients 1 to 26 are added to the lehya Pāka and mixed well. Pāka and fine powders of

ingredients 27,28 and 29 are added when lehya Pāka is warm. When the mixture is co
Dose

12 g

Important Therapeutic Uses

Prameha Piḍakā (Diabetic carbuncle), Arbuda (Tumor), Gaṇḍamālā (Cervical lymphadenitis), Bhagandara (Fistula-in-ano), Guhyavraṇa (Ulcer in genitalia), Vātarakta (Gout), Kuṣṭha (Diseases of skin), Kilāsa (Vitiligo), Arśa (Haemorrhoids), Prameha (Urinary disorders), Kaṇḍū (Itching), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

3 : 20 BRĀHMA RASĀYANA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 39 : 15-23)

पथ्यासहस्रं त्रिगुणधात्रीफलसमन्वितम् ।
पञ्चानां पञ्चमूलानां सार्धं पलशतद्वयम् ॥१५॥
जले दशगुणे पक्त्वा दशभागस्थिते रसे ।
आपोथ्य कृत्वा व्यस्थीनि विजयामलकान्यथ ॥१६॥
विनीय तस्मिन्निर्यूहे योजयेत्कुडवांशकम् ।
त्वगेलामुस्तरजनीपिप्पल्यगुरुचन्दनम् ॥१७॥
मण्डूकपर्णीकनकशङ्खपुष्पीवचाप्लवम् ।
यष्ट्याह्वयं विडङ्गं च चूर्णितं तुलयाधिकम् ॥१८॥
सितोपलार्धभारं च पात्राणि त्रीणि सर्पिषः ।
द्वे च तैलात्पचेत्सर्वं तदग्नौ लेहतां गतम् ॥१९॥
अवतीर्णं हिमं युञ्ज्याद्विशैः क्षौद्रशतैस्त्रिभिः ।
ततः खजेन मथितं निदध्याद् घृतभाजने ॥२०॥
या नोपरुन्ध्यादाहारमेकं मात्रास्य सा स्मृता ।
षष्टिकः पयसा चाऽत्र जीर्णे भोजनमिष्यते ॥२१॥
वैखानसा वालखिल्यास्तथा चाऽन्ये तपोधनाः ।
ब्रह्मणा विहितं धन्यमिदं प्राश्य रसायनम् ॥२२॥

तन्द्राश्रमक्लमवलीपलितामयवर्जिताः ।

मेधास्मृतिबलोपेता बभूवुरमितायुषः ॥२३॥

(अष्टाङ्गहृदय, उत्तरस्थान, अध्याय ३९; १५-२३)

1.	Pathyā (Harītakī)	(P.)	1000	in number
2.	Dhātrīphala (Āmalakī)	(P.)	3000	in number
3.	Bilva	(Rt./St.Bk.)	480	g
4.	Śyonāka	(Rt./St.Bk.)	480	g
5.	Gambhārī	(Rt./St.Bk.)	480	g
6.	Pāṭalā	(Rt./St.Bk.)	480	g
7.	Gaṇikārikā (Agnimantha)	(Rt./St.Bk.)	480	g
8.	Śālaparṇī	(Pl.)	480	g
9.	Prśniparṇī	(Pl.)	480	g
10.	Br̥hatī	(Pl.)	480	g
11.	Kaṇṭakārī	(Pl.)	480	g
12.	Gokṣura	(Rt.)	480	g
13.	Balā	(Rt.)	480	g
14.	Punarnavā (Rakta Punarnavā)	(Rt.)	480	g
15.	Eraṇḍa	(Rt.)	480	g
16.	Māṣaparṇī	(Pl.)	480	g
17.	Mudgaparṇī	(Pl.)	480	g
18.	Śatavarī	(Rt.)	480	g
19.	Medā	(Rt.Tr.)	480	g
20.	Jīvantī	(Pl.)	480	g
21.	Jīvaka	(Rt.Tr.)	480	g
22.	R̥ṣabhaka	(Rt.Tr.)	480	g
23.	Śalī	(Rt.)	480	g
24.	Kāśa	(Rt.)	480	g
25.	Śara	(Rt.)	480	g

26.	Darbha	(Rt.)	480	g
27.	Ikṣu	(Rt.)	480	g
28.	Water for decoction		120	l.
	reduced to		12	l.
29.	Tvak	(St.Bk.)	192	g
30.	Elā (Sūkṣmailā)	(Sd.)	192	g
31.	Musta (Mustā)	(Rz.)	192	g
32.	Rajanī (Haridrā)	(Rz.)	192	g
33.	Pippalī	(Fr.)	192	g
34.	Agaru (Agaru)	(Ht.Wd.)	192	g
35.	Candana (Śveta candana)	(Ht.Wd.)	192	g
36.	Maṇḍūkaparṇī	(Pl.)	192	g
37.	Kanaka (Nāgakēśara)	(Stmn.)	192	g
38.	Śaṅkhaṣpī	(Pl.)	192	g
39.	Vacā	(Rz.)	192	g
40.	Kaivartamustā (Plava)	(Rz.)	192	g
41.	Yāṣṭyāhvaya (Yāṣṭī)	(Rt.)	192	g
42.	Viḍaṅga	(Fr.)	192	g
43.	Sitopalā		48	kg
44.	Sarpi (gr̥ta)		9.219	kg
45.	Taila	(Ol.)	6.144	kg
46.	Kṣudrā		15.360	kg

Special Method of Preparation

Ripe fresh Harītakī and Āmalakī are bundled in a piece of cloth. Ingredients 3 to 27 are coarsely powdered and put in a vessel. Water in the specified quantity is added and the bundle containing Harītakī and Āmalakī is immersed by suspension in the vessel

Dose

12g

Anupāna

Water, Milk

Important Therapeutic Uses

Tandrā (Lassitude), Śrama (Fatigue/lethargy), Klama (Tiredness without exertion/Langour), Manodaurbalya (Mental weakness), Jarā (Senility/Progeriasis), Valī Palita (Wrinkles in skin and graying of hair), Smṛtibhrama (Impairment of memory)

3 : 21 BHALLĀTAKĀDI MODAKA

(Bhaṭṭasajyaratnāvalī, Arśorogādhikāra: 74)

भल्लातकं तिलं पथ्याचूर्णं गुडसमन्वितम् ।
मोदकं भक्षयेन्माषद्वयं पित्तार्शसां जये ॥७४॥
(भैषज्यरत्नावली, अर्शोरोगाधिकार; ७४)

1.	Bhallāta Śuddha	(Fr.)	1	part
2.	Tila	(Sd.)	1	part
3.	Pathyā (Harītakī)	(P.)	1	part
4.	Gūḍa		1	part

Special Method of Preparation

Fine powders of drugs 1 to 3 are kneaded with jaggery.

Dose

2 g

Anupāna

Water, Milk

Important Therapeutic Uses

Pittārśa (Piles due to Pitta doṣa)

3 : 22 BHĀRṄGĪ GUḌA

शतं सङ्गृह्य भाङ्ग्यस्तु दशमूल्यास्तथा शतम् ।
शतं हरीतकीनाञ्च पचेत्तोये चतुर्गुणे ॥२९॥
पादावशेषे तस्मिंस्तु रसे वस्त्रपरिस्रुते ।
आलोड्य च तुलां पूतां गुडस्य त्वभयां ततः ॥३०॥
पुनः पचेन्मृदावग्नौ यावल्लेहत्वमागतम् ।
शीते च मधुनश्चात्र षट्पलानि प्रदापयेत् ॥३१॥
त्रिकटु त्रिसुगन्धिं च पलिकानि पृथक् पृथक् ।
कर्षद्वयं यवक्षारं सञ्चूर्ण्य प्रक्षिपेत्ततः ॥३२॥
भक्षयेदभयामेकां लेहस्य कर्षकं लिहेत् ।
श्वासं सुदारुणं हन्ति कासं पञ्चविधं तथा ।
स्वरवर्णप्रदो ह्येष जठराग्नेश्च दीपनः ॥३३॥
पलोल्लेखागते माने न द्वैगुण्यमिहेष्यते ।
हरीतकीशतस्यात्र प्रस्थत्वादाढकं जलम् ॥३४॥
(भैषज्यरत्नावली, हिककाश्वासाधिकार; २९-३४)

1.	Bhārṅgī	(St. Bk.)	4.800 kg
2.	Bilva	(Rt./St. Bk.)	480 g
3.	Śyonāka	(Rt./St. Bk.)	480 g
4.	Gambhārī	(Rt./St. Bk.)	480 g
5.	Pāṭalā	(Rt./St. Bk.)	480 g
6.	Gaṇikārikā (Agnimantha)	(Rt./St. Bk.)	480 g
7.	Śālaparṇī	(Pl.)	480 g
8.	Prśniparṇī	(Pl.)	480 g
9.	Bṛhatī	(Pl.)	480 g
10.	Kaṇṭakāri (Kaṇṭakārī)	(Pl.)	480 g
11.	Gokṣura	(Pl.)	480 g
12.	Harītakī	(P.)	4.800 kg
13.	Water for decoction		57.600 l.

	reduced to	14.400 l.
14.	Guḍa	4.800 Kg
15.	Madhu	288 g
16.	Śuṇṭhī (Rz.)	48 g
17.	Marica (Fr.)	48 g
18.	Pippalī (Fr.)	48 g
19.	Tvak (St. Bk.)	48 g
20.	Elā (Sūkṣmailā) (sd.)	48 g
21.	Patra (Tejapatra) (Lf.)	48 g
22.	Yavakṣāra (Yava)	24 g

Special Method of Preparation

The ingredients, 1 to 11 are coarsely powdered and kept in a vessel. The specified quantity of water is added and mixed to the powder. Harītakī (ingredient 12) is bundled in a piece of cloth which is immersed by suspension, as in Dolā yantra. The mixture

Dose

1 Harītakī and 6 g. of Lehya or 12 g. of Lehya.

Anupāna

Milk, Water

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma),
Vaivarnya (Discolouration), Svarabheda (Hoarseness of voice)

3 : 23 MĀṆIBHADRA YOGA (synonym: Maṇībhadrā Guḍa)

(Aṣṭāṅgahr̥daya; Cikitsāsthāna, Adhyāya : 19:32)

विडङ्गसारामलकाभयानां पलत्रयं त्रीणि पलानि कुम्भात् ।
गुडस्य च द्वादश मासमेष जितात्मनां हन्त्युपयुज्यमानः ॥३१॥
कुष्ठं श्वित्रं श्वासकासोदराशोमेहप्लीहग्रन्थिरुग्जन्तुगुल्मान् ।

सिद्धं योगं प्राह यक्षो मुमुक्षोर्भिक्षोः प्राणान्माणिभद्रः किलेमम् ।।३२।।
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १९; ३१-३२)

1.	Vidaṅga sāra(Vidaṅga)	(Fr.)	48	g
2.	Āmalakī	(P.)	48	g
3.	Abhayā (Harītakī)	(P.)	48	g
4.	Kumbha (Tṛvṛta)	(Rt.)	144	g
5.	Guda		576	g

Special Method of Preparation

First method Lehya Pāka is made by adding water to jaggery and boiled. To this, powders of other drugs(1 to 4) are added and mixed well. Second Method Powders of drugs 1 to 4 are added to the jaggery and kneaded well in mortar with pestle.

Dose

6g

Anupāna

Water, Milk

Important Therapeutic Uses

Kuṣṭha (Diseases of skin), Śvitra (Leucoderma/Vitiligo), Udara (Diseases of abdomen / enlargement of abdomen), Plīhā (Splenic disease), Kṛmi (Helminthiasis/Worm infestation), Granthiruk (Pain in cyst), Arśa (Haemorrhoids), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Meha (Excessive flow of urine), Gulma (Abdominal lump)

3 : 24 MR̥DVĪKĀDI LEHYA

(Aṣṭāṅgahr̥daya; Cikitsāsthāna, Adhyāya 3: 30)

मृद्वीकार्धशतं त्रिंशत्पिप्पलीः शर्करा पलम् ।
लेहयेन्मधुना गौर्वा क्षीरपस्य शकृद्रसम् ।।३०।।
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ३; ३०)

1.	Mṛdvīkā (Drākṣā)	(Dr. Fr.)	50	in number
2.	Pippalī	(Fr.)	30	in number
3.	Śarkarā		48	g
4.	Madhu		Q.S.	

Special Method of Preparation

All ingredients are ground well with madhu in a stone mortar (khalva).

Dose

12 to 24 g (in divided doses)

Anupāna

Water, Milk

Important Therapeutic Uses

Kāsa (Cough)

3 : 25 LAGHU CIÑCĀDIKĀ LEHYA

(Sahśrayoga, Lehaprakaraṇa: 9)

प्रकुञ्चो जीर्णचिञ्चायाः पञ्च जीर्णगुडस्य च ।
दश लोहस्य किट्टस्य द्वौ द्वौ विश्वविडङ्गयोः ॥
चीनोषणत्र्यूषणानां श्रेष्ठजीरकयुग्मयोः ।
त्रिजातयष्टीरास्नानां जातीफलदलस्य च ॥
एतेषां पृथगर्धार्धं योजयेन्मतिमान्भिषक् ।
एष चिञ्चादिको नाम लेहो माक्षिकसेवितः ॥
तक्रेण वा रुचिकरः दीपनः पाण्डुनाशनः ।
त्वगादिषु च पीतत्वं दाहतृष्णोष्णकामिलाः ॥
अम्लकं श्वासवैगन्ध्यं घोरानन्यांश्च वायुजान् ।
दशरात्रादतिक्रान्तं ज्वरं चाशु निवर्तयेत् ॥
(सहस्रयोग, लेह प्रकरण; ९)

1.	Jīrṇa Ciñcā (Ciñcā)	(Fr.P.)	48	g
2.	Jīrṇa Guḍa (Guḍa)		240	g
3.	Lohakīṭṭa (Maṇḍūra)		480	g
4.	Bilva	(Rt./St. Bk.)	96	g
5.	Vidaṅga	(Fr.)	96	g
6.	Cīnoṣaṇa (Kaṅkola)	(Fr.)	24	g
7.	Śuṇṭhī	(Rz.)	24	g
8.	Marica	(Fr.)	24	g
9.	Pippalī	(Fr.)	24	g
10.	Harītakī	(P.)	24	g
11.	Bibhītaka	(P.)	24	g
12.	Āmalakī	(P.)	24	g
13.	Śveta Jīraka	(Fr.)	24	g
14.	Kṛṣṇa Jīraka	(Fr.)	24	g
15.	Tvak	(St. Bk.)	24	g
16.	Elā (Sūkṣmailā)	(Sd.)	24	g
17.	Patra (Tejapatra)	(Lf.)	24	g
18.	Yaṣṭī	(Rt.)	24	g
19.	Rāsnā	(Rt./Lf.)	24	g
20.	Jātīphala	(Sd.)	24	g
21.	Jātidala (jāti phala)	(Ar.)	24	g

Special Method of Preparation

Drugs 4 to 21 are finely powdered. Loha Kīṭṭa (No.3) then added to the powder.

Ciñcāphala is cleaned, when the seeds and fibres are removed. The powder, the pulp of C
iñcāphala and Jīrṇaguḍa are mixed well to the consistency of a soft mass in a wooden o

Dose

6g

Anupāna

Butter milk

Important Therapeutic Uses

Pāṇḍu (Anaemia), Kāmalā (Jaundice), Śvāsa (Dyspnoea/Asthma), Dāha (Burning sensation)

3 : 26 VĀSĀVALEHA

(Bhaiṣajyaratnāvalī, Rājayaḥṣmādhikāra: 82-84)

वासकस्वरसप्रस्थे सितामष्टपलोन्मिताम् ।
सर्पिषो द्विपलं दत्त्वा पिप्पलीद्विपलं तथा ॥८२॥
पचेल्लेहत्वमायाते शीते मधु पलाष्टकम् ।
दत्त्वावतारयेद्वैद्यो मात्रया लेह उत्तमः ॥८३॥
निहन्ति राजयक्ष्माणं कासं श्वासं सुदारुणम् ।
पार्श्वशूलञ्च हृच्छूलं रक्तपित्तज्वरं तथा ॥८४॥
(भैषज्यरत्नावली, राजयक्ष्माधिकार; ८२-८४)

1.	Vāsā Svarasa(Vāsā)	(Lf.)	768	g
2.	Sitā		384	g
3.	Sarpi (Goghṛta)		96	g
4.	Pippalī	(Fr.)	96	g
5.	Madhu		384	g

Dose

6 to 12 g

Anupāna

Milk, Water

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Raktapitta (Bleeding disorder), Rājayaḥṣmā (Tuberculosis), Pārśva Śūla (Intercostal neuralgia and pleurodynia),

3 : 27 ŚATĀVARĪ GUḌA

(Sahasrayoga, Lehaprakaraṇa; 7(3))

गुडाढकेन संसृज्य शतावर्या रसाढकम् ।
घृतप्रस्थं समावाप्य शनैर्मृद्वग्निना पचेत् ।।
विश्वैलामुसलीपाठाश्वदंष्ट्रासारिवाद्वयैः ।
वस्वज्जडाविदारीभिर्मागधीमधुकाद्रिजैः ।।
अक्षांशैश्चूर्णितैः सम्यग्लेहे सिद्धेऽवतारिते ।
कुडवं च तुगाक्षीर्या शर्करायाश्चतुष्पलम् ।।
तल्लेहं स्वनुगुप्तं तु सप्तरात्रं निधापयेत् ।
प्रलिह्यात्प्रातरुत्थाय यथाग्निबलमातुरः ।।
विंशतिं मूत्रकृच्छ्राणां प्रमेहाणां च विंशतिम् ।
वातपित्तमसृक्पित्तं मूढवातं हलीमकम् ।।
क्षतं क्षयं पाददाहं कामिलामुद्धतामपि ।
योनिदोषं रजोदोषमस्थिस्रावमसृग्दरम् ।।
वातपित्तकृतान् रोगान् अन्यान्पि च नाशयेत् ।
शतावरीगुडाख्यं तु रसायनमनुत्तमम् ।।
(सहस्रयोग, लेहप्रकरण; ७ (३))

1.	Guḍa	(St.)	3.072	kg
2.	Śatavarī rasa	(Rt.Tr.)	3.072	kg
3.	Ghṛta (Goghṛta)		768	g
4.	Viśvā (Śunṭhī)	(Rz.)	12	g
5.	Elā (Sūkṣmailā)	(Sd.)	12	g
6.	Musalī	(Rt.Tr.)	12	g
7.	Pāṭhā	(Rt.)	12	g
8.	Śvadamṣṭrā (Gokṣura)	(Fr.)	12	g

9.	Kṛṣṇasārivā	(Rt.)	12	g
10.	Śveta Sārivā	(Rt.)	12	g
11.	Vasu (Vasuka)	(Pl.)	12	g
12.	Ajjaḍā (Tāmalakī)	(Pl.)	12	g
13.	Vidārī	(Rt.Tr.)	12	g
14.	Māgadhī (Pippalī)	(Fr.)	12	g
15.	Madhuka (Yaṣṭī)	(Rt.)	12	g
16.	Adrija (Gomūtra Śilājatu)		12	g
17.	Tugākṣīrī (Vaṃśa)	(S.C.)	192	g
18.	Śarkarā		192	g

Dose

6g

Anupāna

Milk

Important Therapeutic Uses

Mūtrakṛcchra (Dysuria), Raktapitta (Bleeding disorder), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Kṣaya (Pthisis), Pādadāha (Burning sensation of feet), Yonidoṣa (Disorder of female genital tract), Asṛgdara (Menorrhagia or Metrorrhagia or both), Prameha (Urinary disorders), Mūḍha Vāta (Obstructed movement of Vāta doṣa), Kāmalā (Jaundice), Rajodoṣa (Menstrual disorder), Asthi Srāva (Discharge from bones), Vātapitta Roga (Disease due to Vāta doṣa and Pitta doṣa), used as a Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

3 : 28 ŚIVĀ GUṬIKĀ

(Aṣṭāṅgasāṅgraha, Uttarasthāna, Adhyāya 49 : 193)

शिलाह्वात् षोडशपलं त्रिस्त्रिरेकत्र भावयेत् ।
 वराया दशमूलस्य गुलूच्याः कर्कशस्य च ॥
 बलाया मधुयष्ट्याश्च रसे गव्ये च वारिणि ।
 क्षीरेसकृत्क्रमेणैवं सप्तकृत्वस्तथा पुनः ॥
 काकोलियुग्मघनपुष्करवह्निरास्ना ।
 मेदायुगर्द्धिचविकागजपिप्पलीनाम् ॥
 पाठाद्विजीवकनिकुम्भविदारियुग्म ।
 वीरावरीमधुफलांशुमतीद्वयानाम् ॥
 पलिकानामब्दोणे सिद्धानां पादशेषिते क्वाथे ।
 भावितमित्थं गिरिजं द्विपलैश्चूर्णीकृतैर्युञ्ज्यात् ॥
 कर्कटशृङ्गी धात्री व्योषैस्तालीसपत्रकुडुबेन ।
 चूर्णपलेन विदार्या स्त्वक्षीर्याः कर्षयुग्मेन ॥
 द्विपलेन चतुर्जातातैलघृतक्षौद्रशर्कराभिश्च ।
 द्विपलादिद्विगुणाभिः कार्या गुलिकास्ततोऽक्षसमाः ।
 ताः शुष्का नवकुम्भे जातीपुष्पाधिवासिते स्थाप्याः ॥
 तासामेकां खादेत् प्रतिदिनमनुपानमत्रेष्टम् ॥
 क्षीररसडाडिमाम्भो मार्द्वीकसुरासवान्यतमम् ।
 जीर्णेन्नलघुभोज्यं यूषपयः पिशितनिर्यूहैः ॥
 सप्ताहमात्रमेवं सर्वाङ्गीनः कमात् भवेत् परतः ।
 भक्तस्यान्ते प्राग्वा गुलिकानविरुध्यते सैषा ॥
 निरपायाभूरिफला परिहारसुखोपयोजिता जयति ।
 प्रबलमपि वातशोणितमूरुस्तम्भं ज्वरं दीर्घम् ॥
 भगमूत्रशुक्लदोष प्लीहयकृद्रक्तपाण्डुहृद्रोगान् ।
 वर्ध्मवमि गुल्मपीनसहिध्माकासारुचिश्वासान् ॥
 विद्रधिमुदरं कुष्ठं श्वित्रं जाड्यं क्षयं मदं मूर्च्छाम् ।
 उन्मादमपस्मारं मुखनेत्रशिरोगदांस्तांस्तान् ॥
 आनाहमतीसारं हलीमकं कामिला ग्रहणिरोगान् ।
 ग्रन्थ्यर्बुदान् सपिटकान् भगन्दरं गण्डमालां च ॥
 अतिकाश्यमतीस्थौल्यं स्वेदमथ श्लीपदं गुदे कीलान् ।
 दंष्ट्राविषं समूलं गरप्रयोगान् सुघोरांश्च ॥
 अभिचारमरातिकृतं दुःस्वप्नं भौतिकीं तथा बाधाम् ।

पाप्मालक्ष्मीं चयेयं गुलिका शमयेच्छिवा नाम्ना ।।
वृष्याऽऽयुष्याधन्या कान्तियशः श्रीविबोधिनी मेध्या ।
कुरुते नृपवल्लभतां जयं विवादे च वक्त्रस्था ।।
जितखलतिवलीपलिता जीवयतिसुखं शतद्वयं शरदाम् ।
वर्षद्वयप्रयोगाद्वर्षशतचतुष्टयं जीवेत् ।।
(अष्टाङ्गहृदय, उत्तरस्थान, अध्याय ४९; १९३)

1.	Śilājatu		768	g
2.	Varākvātha (triphalā)	(P.)	Q.S.	
3.	Daśamūla kvātha		Q.S.	
	Bṛhatpañcamūla	(Rt./St. Bk.)		
	Laghu pañcamūla	(Pl.)		
4.	Guḍūcī kvātha	(St.)	Q.S.	
5.	Karkaśa kvātha (Paṭola)	(Rt.)	Q.S.	
6.	Balā kvātha (Balā)	(Rt.)	Q.S.	
7.	Madhuyaṣṭī (Yaṣṭī)	(Rt.)	Q.S.	
8.	Gomūtra		Q.S.	
9.	Kṣīra (Godugdha)		Q.S.	
10.	Kākoli	(Sub. Rt.)	48	g
11.	Kṣīrakākoli	(Sub. Rt.)	48	g
12.	Ghana (Mustā)	(Rz.)	48	g
13.	Puṣkara	(Rt.)	48	g
14.	Vahni (Citraka)	(Rt.)	48	g
15.	Rāsnā	(Lf/Rt)	48	g
16.	Medā	(Rt. Tr.)	48	g
17.	Mahāmēda	(Rt. Tr.)	48	g
18.	Rddhi	(Sub.Rt.Tr.)	48	g
19.	Cavikā (Cavya)	(St.)	48	g
20.	Gajapippalī	(Fr.)	48	g
21.	Pāṭhā	(Rt.Tr.)	48	g

22.	Jīvaka	(Rt.Tr.)	48	g	
23.	R̥ṣabhaka	(Sub.Rt.Tr.)	48	g	
24.	Nikumbha (Dantī)	(Rt.)	48	g	
25.	Vidārī	(Rt.Tr.)	48	g	
26.	Kṣīravidāri	(Rt.Tr.)	48	g	
27.	Vīrā	(Rt.)	48	g	
28.	Varī (Śatāvarī)	(Rt.)	48	g	
29.	Madhuphala (Nārikēla)	(Enm.)	48	g	
30.	Śālaparnī	(Pl.)	48	g	
31.	Pr̥śniparnī	(Pl.)	48	g	
32.	Water for decoction		12.288 l.		
	reduced to		3.072 l.		
33.	Karkataśṛṅgī	(Gl.)	96	g	
34.	Dhātrī (Āmalakī)	(P.)	96	g	
35.	Śunthī	(Rz.)	96	g	
36.	Marica	(Fr.)	96	g	
37.	Pippalī	(Fr.)	96	g	
38.	Tālīśapatra (Tālīsa)	(Lf.)	192	g	
39.	Vidārī cūrṇa	(Rt.Tr.)	48	g	
40.	Tvak Kṣīrī (Vaṃśa)	(S.C.)	24	g	
41.	Tvak	(St.Bk.)	96	g	
42.	Elā (Sūkṣmailā)	(Sd.)	96	g	
43.	Patra (Tejapatra)	(Lf.)	96	g	
44.	Nāgakēśara	(Stmn.)	96	g	
45.	Taila (Tila)	(Sd.)	96	g	
46.	Ghṛta (Goghṛta)		192	g	
47.	Kṣaudra (Madhu)		384	g	
48.	Śarkarā		768	g	
49.	Jāti puṣpa (jāti)	(Fl.)	Q.S. for	fragrance	

Dose

12 g

Anupāna

Milk, Māṃsarasa, Dāḍimarasa, Mr̥dvīka And Suitable Āsava and Ariṣṭas

Important Therapeutic Uses

Yakṛtplīhāroga (Disorder of Liver and Spleen), Udara (Diseases of abdomen / enlargement of abdomen), Hidhmā (Hiccup), Vardhma (Hernia), Gulma (Abdominal lump), Pīnasa (Chronic rhinitis/sinusitis), Kāsa (Cough), Pāṇḍu Roga (Anaemia), Hṛdroga (Heart disease), Vami (Vomiting), Vātaśonita (Gout), Ūrustambha (Stiffness in thigh muscles), Apasmāra (Epilepsy), Unmāda (Mania/Psychosis), Kuṣṭha (Diseases of skin)

3 : 29 SŪRANĀVALEHA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 8: 29 1/2)

युक्त्या कूष्माण्डखण्डस्य सूरणं विपचेत् सुधीः ॥२९॥
अर्शसां मूढवातानां मन्दाग्नीनां च युज्यते ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ८; २९ १/२)

1.	Sūraṇa	(St. Tr)	4.800	kg
2.	Water for decoction		9.600	l.
	reduced to		4.800	l.
3.	Ghṛta (Goghṛta)		384	g
4.	Khaṇḍa		4.800	kg
5.	Pippalī	(Fr .)	96	g
6.	Śunṭhī	(Rz.)	96	g
7.	Jīvaka	(Fr.)	96	g
8.	Dhānyāka (Dhānyaka)	(Fr.)	24	g
9.	Patra (Tejapatra)	(Lf.)	24	g

10.	Elā (Sūkṣmailā)	(Sd.)	24	g
11.	Marica	(Fr.)	24	g
12.	Tvak	(St. Bk.)	24	g
13.	Kṣaudra (Madhu)		192	g

Special Method of Preparation

This is to be prepared by the same process as of Kūṣmāṇḍāvalēha described in Śārṅgadharasamhitā, Madhyamakhaḍḍa, Adhyaya 8; 22-28.

Dose

6 to 12g

Anupāna

Water, Milk

Important Therapeutic Uses

Mandāgni (Impaired digestive fire), Mūḍha Vāta (Obstructed movement of Vāta doṣa), Arśa (Haemorrhoids)

3 : 30 SAUBHĀGYAŚUNṬHĪ

(Bhaiṣajyaratnāvali, Strīrogādhikāra: 396-399)

कशेरुशृङ्गाटवराटमुस्तं द्विजीरकं जातिफलं सकोषम् ।
लवङ्गशैलेयसनागपुष्पं पत्रं वराङ्गं शटिधातकी च ॥३९६॥
एला शताह्वा धनिकेभपिप्पली सपिप्पली सोषणका शतावरी ।
प्रत्येकमेषामिह कर्षयुग्मं लौहं तथाभ्रं पलभागयुक्तम् ॥३९७॥
महौषधाच्चूर्णपलानि चाष्टौ पलानि त्रिंशत्सितशर्करायाः ।
पलानि चाष्टावपि सर्पिषश्च प्रस्थद्वयं क्षीरमिह प्रयुक्तम् ॥३९८॥
पचेद्विधिज्ञः परमादरेण खादेदिदं शाणमथापि कोलम् ।
कर्षोन्मितं वापि समीक्ष्य शस्तं सौभाग्यशुण्ठी कथिता भिषग्भिः ॥
अग्निप्रदा सूतिगदापहा च सर्वातिसारग्रहणीहरा च ॥३९९॥
(भैषज्यरत्नावली, स्त्रीरोगाधिकार; ३९६-३९९)

1.	Kaśēru	(Rt. Tr.)	24	g	
2.	Śṛṅgāṭa (Śṛṅgāṭaka)	(Fr.)	24	g	
3.	Varāṭa (Kamala)	(Sd.)		24	g
4.	Musta (Mustā)	(Rz.)		24	g
5.	Śveta Jīraka	(Fr.)	24	g	
6.	Kṛṣṇa Jīraka	(Fr.)	24	g	
7.	Jātīphala	(Sd.)		24	g
8.	Jātīkōṣa (Jātīphala)	(Ar.)		24	g
9.	Lavaṅga	(Fl. Bd)	24	g	
10.	Śaileya	(Pl.)	24	g	
11.	Nāgapuṣpa (Nāgakeśara)	(Stmn.)	24	g	
12.	Patra (Tejapatra)	(Lf.)	24	g	
13.	Varāṅga (Tvak)	(St. Bk.)	24	g	
14.	Śaṭī	(Rz.)	24	g	
15.	Dhātakī	(Fl.)	24	g	
16.	Elā (Sūkṣmailā)	(Sd.)		24	g
17.	Śatāhvā	(Fr.)	24	g	
18.	Dhānikā (Dhānyaka)	(Fr.)	24	g	
19.	Ibhappalī (Gajappalī)	(Fr.)	24	g	
20.	Pippalī	(Fr.)	24	g	
21.	Ūṣaṇa (Marica)	(Fr.)	24	g	
22.	Śatāvarī	(Rt. Tr)	24	g	
23.	Lauha bhasma		48	g	
24.	Abhraka (abhra) bhasma		48	g	
25.	Mahaṣadha (Śunthī)	(Rz.)	384	g	
26.	Sitā		1.440	kg	
27.	Sarpi (Goghṛta)		384	g	
28.	Kṣīra		1.536	l.	

Dose

12 g

Anupāna

Water, Milk

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Sūtīkāroga (Post partum disorder puerperal disorders), To prevent post delivery problems of impaired lactation, body pains, arthritis, fever, oedema and kāsa

3 : 31 HARIDRĀKHAṆḌA

(Bhīṣajyaratnāvalī, Śītapittodardakoṭhādhikāra : 12-16)

हरिद्रायाः पलान्यष्टौ षट्पलं हविषस्तथा ।
क्षीराढकेन संयुक्तं खण्डस्यार्द्धशतं तथा ॥१२॥
पचेन्मृद्वग्निना वैद्यो भाजने मृण्मये दृढे ।
त्रिकटुश्च त्रिजातञ्च कृमिघ्नं त्रिवृता तथा ॥१३॥
त्रिफला केशरं मुस्तं लौहं प्रति पलं पलम् ।
सञ्चूर्ण्य प्रक्षिपेत्तत्र तोलकार्द्धन्तु भक्षयेत् ॥१४॥
कण्डूविस्फोटदद्रूणां नाशनं परमौषधम् ।
प्रतप्तकाञ्चनाभासो देहो भवति नान्यथा ॥१५॥
शीतपित्तोदर्दकोठान् सप्ताहादेव नाशयेत् ।
हरिद्रानामतः खण्डः कण्डूना परमौषधम् ॥१६॥
(भैषज्यरत्नावली, शीतपित्तोदर्दकोठाधिकार; १२-१६)

1.	Haridrā	(Rz.)	384 g
2.	Haviṣa (Goghr̥ta)		288 g
3.	Kṣīra (Godugdha)		3.072 l.
4.	Khaṇḍa		2.400 kg

5.	Śunṭhī	(Rz.)	48	g
6.	Marica	(Fr.)	48	g
7.	Pippalī	(Fr.)	48	g
8.	Tvak	(St. Bk.)	48	g
9.	Elā (Sūkṣmailā)	(Sd.)	48	g
10.	Patra (Tejapatra)	(Lf.)	48	g
11.	Kṛmighna (Viḍaṅga)	(Fr.)	48	g
12.	Trivṛtā (Trivṛt)	(Rt.)	48	g
13.	Harītakī	(P.)	48	g
14.	Bibhītaka	(P.)	48	g
15.	Āmalakī	(P.)	48	g
16.	Kesara (Nāgakēśara)	(Stmn.)	48	g
17.	Mustā	(Rt. Tr.)	48	g
18.	Lauha- bhasma		48	g

Dose

6g

Anupāna

Water, Milk

Important Therapeutic Uses

Śītapitta (Urticaria), Kaṇḍū (Itching), Visphoṭa (Blister), Dadru (Taeniasis), Udarda (Urticaria), Koṭha (Urticaria)

3 : 32 HRDYAVIRECANA LEHA

(Aṣṭāṅgahr̥daya, Kalpasiddhisthāna, Adhyāya 2: 9 1/2)

त्रिवृत्कल्ककषायेण साधितः ससितो हिमः ॥९॥

मधुत्रिजातसंयुक्तो लेहो हृद्यं विरेचनम् ।

(अष्टांगहृदय, कल्पसिद्धिस्थान, अध्याय २; ९ १/२)

1.	Trivṛt	(Rt.)	4.800	kg
2.	Water for decoction		49.152	l.
	reduced to		12.288	l.
3.	Sitā		1.920	kg
4.	Madhu		960	g
5.	Tvak	(St. Bk.)	192	g
6.	Elā (Sūkṣmailā)	(Sd.)	192	g
7.	Patra (Tejapatra)	(Lf.)	192	g

Special Method of Preparation

Decoction of Trivṛt is prepared. Sitā is added to the decoction and boiled to tanu Pāka. Powders of drugs 5 to 7 are added and mixed well. When cool, honey is added.

Dose

12 g

Anupāna

Water

Important Therapeutic Uses

Vibandha (Constipation), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Ūrustambha (Stiffness in thigh muscles), Pipāsā (Thirst), Dāha (Burning sensation), It is a Hṛdyavirecaka (laxative)

4. KVĀTHA CŪRṆA

Definition

Certain drugs or combination of drugs are made into coarse powder (Yavakūṭa) and kept for preparation of Kaṣāya. Such powders are called Kvātha Cūrṇa.

Method of preparation

Drugs are cleaned and dried. They are coarsely powdered (Yavakūṭa), weighed as per formula, and then mixed well.

Characteristics and preservation

Kvātha Cūrṇas retain potency for one year (1) and should be kept in an air tight container. They are also called Śṛta, Niryūha and Kaṣāya. Kvātha Cūrṇa can be used for preparing Kaṣāya, Hima, Phāṇṭa, etc.

Note:

1. Kvātha Cūrṇas retain potency for one year is according to Śārṅgadharasaṃhitā, Prathamakhaṇḍa, Adhyāya 1; sloka 51-53, with commentary of Aḍhamalla.

1	AMṚTOTTARA KVĀTHA CŪRṆA (synonym: Nāgarādi Kvātha Cūrṇa)	Sahasrayoga, Kaṣāyaprakaraṇa: 30	
2	ARDHABILVA KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakaraṇa: 329	
3	AṢṬAVARGA KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakaraṇa	389
3	ĀRAGVADHĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahrdaya, Sūtrasthāna Adhyāya 15	17
5	GANDHARVAHASTĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakaraṇa: 394	
6	CĀTURBHADRA KVĀTHA CŪRṆA	Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra	13
7	CHINNODBHAVĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakaraṇa: 38	
8	TRĀYANTYĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahrdaya, Cikitsāsthāna, Adhyāya 13	11-12 1/2

9	DAŚAMŪLA KAṬUTRAYA KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	107
10	DAŚAMŪLA KVĀTHA CŪRṆA	Bhaiṣajyaratnāvalī, Kāsarogādhikāra	13-15
11	DAŚAMŪLAPAṆCAKOLĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	307
12	DĀRUNĀGARĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	34
13	DRĀKṢĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 1	55-58
14	NĀYOPĀYAM KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	473
15	NIMBĀDI KVĀTHA CŪRṆA	Cakradatta, Jvaracikitsā	101
16	NYAGRODHĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahr̥daya, Sūtrasthāna, Adhyāya 15	42
17	PAṬOLĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahr̥daya, Sūtrasthāna, Adhyāya 15	15
18	PAṬOLAMŪLĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 19	28
19	PAÑCATIKTA KVĀTHA CŪRṆA	Cakradatta, Jvaracikitsā	132
20	PĀCANĀMṚTA KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	39
21	PUNARNAVĀDI KVĀTHA CŪRṆA	Bhaiṣajyaratnāvalī, Udararogādhikāra	43-44
22	PUNARNAVĀṢṬAKA KVĀTHA CŪRṆA	Cakradatta, Śothacikitsā	10
23	BALĀJĪRAKĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	108
24	BRĤHANMAÑJĪṢṬHĀDI KVĀTHA CŪRṆA	Sarṅgadharasamhitā; Madhyamakhaṇḍa: Adhyāya 2	137-142 1/2
25	BHĀRNGYĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	36
26	MUSTĀKARAṆJĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	208
27	RĀSNĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	396
28	RĀSNĀDI KVĀTHA CŪRṆA (MAHĀ)	Sarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 2	89-95
29	RĀSNAIRANDĀDI KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	428
30	VĀSĀGUḍŪCYĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 16	13

31	VIDĀRYĀDI KVĀTHA CŪRṆA	Aṣṭāṅgahr̥daya, Sūtrasthāna, Adhyāya 15	9-10
32	ṢAḌAṅGA KVĀTHA CŪRṆA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 1	15 1/2
33	SAPTASĀRA KVĀTHA CŪRṆA	Sahasrayoga, Kaṣāyaprakarāṇa	284

4 : 1 AMṚTOTTARA KVĀTHA CŪRṆA (synonym: Nāgarādi Kvātha Cūrṇa)

(Sahasrayoga, Kaṣāyaprakaraṇa: 30)

नागरामृतहरीतकीक्रमान्नामहस्तनयनाङ्घ्रिभागशः ।
साधुसिद्धमुदकं सशर्करं नाशयत्यखिलदोषजं ज्वरम् ॥
(सहस्रयोग, कषायप्रकरण; ३०)

1.	Nāgara (Śunthī)	(Rz.)	2	parts
2.	Amṛtā (Guḍūcī)	(St.)	6	parts
3.	Harītakī	(P.)	4	parts

Prakṣepa Dravyas

Śarkarā

Dose

48 g

Important Therapeutic Uses

Jīrṇajvara (Chronic fever), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

4 : 2 ARDHABILVA KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 329)

विश्वभैषजभूनिम्बापामार्गदुरालभे ।
प्रत्येकमर्धकर्षं स्यादर्धबिल्वपुनर्नवा
एभिः कृतः कषायस्तु हन्ति शोफं निषेवितः ।
(सहस्रयोग, कषायप्रकरण; ३२९)

1.	Cukku(s.y) (Śunthī)	(Rz.)
2.	Cuṇḍā(s.y) (Bṛhatī bheda) mūla	(Rt.)

- | | | |
|----|-------------------------------------|---------------------------------------|
| 3. | Kaṭalāti(s.y) (Apāmārga) | (Rt.) |
| 4. | Tūvā (Durālabhā) Mūla | (Rt.) |
| 5. | Tazutāma(S.y) (Raktapunarnavā) Mūla | (Rt.) |
| | 24 | g (drugs 1 to 5 in equal proportion.) |

Dose

48 g

Important Therapeutic Uses

Malabandha (Constipation), Śopha (Oedema)

4 : 3 AṢṬAVARGA KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa : 389)

बलासहचरैरण्डाऽशुण्ठीरास्नासुरद्रुमैः
ससिन्दुवारलशुनैः
(सहस्रयोग, कषायप्रकरण; ३८९)

- | | | | | |
|----|---------------------------|-----------|---|------|
| 1. | Balā | (Rt.) | 1 | part |
| 2. | Sahacara | (Pl.) | 1 | part |
| 3. | Eraṇḍa | (Rt.) | 1 | part |
| 4. | Śuṇṭhī | (Rz.) | 1 | part |
| 5. | Rāsnā | (Rt./Lf.) | 1 | part |
| 6. | Suradruma (Devadāru) | (Ht. Wd.) | 1 | part |
| 7. | Sinduvāra (Nirguṇḍī) mūla | (Rt.) | 1 | part |
| 8. | Laśuna | (Bl.) | 1 | part |

Dose

48 g

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa)

4 : 3 ĀRAGVADHĀDI KVĀTHA CŪRṆA

(Aṣṭāṅgahr̥daya, Sūtrasthāna Adhayāya 15: 17)

आरग्वधेन्द्रयवपाटलिकाकतिका-

निम्बामृतामधुरसास्त्रुववृक्षपाठाः ।

भूनिम्बसैर्यकपटोलकरञ्जयुग्म-

सप्तच्छदाग्निसुषवीफलबाणघोण्टाः ॥१७॥

(अष्टाङ्गहृदय, सूत्रस्थान, अध्याय १५:१७)

1.	Āragvadha	(Fr. P.)	1	part
2.	IndraYava (Kuṭaja)	(Sd.)	1	part
3.	Pāṭalī (Pāṭalā)		1	part
4.	Kākatiktā	(Rt.)	1	part
5.	Nimba	(St. Bk.)	1	part
6.	Amṛtā (Guḍūcī)	(St.)	1	part
7.	Madhurasā (Mūrvā)	(Rt.)	1	part
8.	Sruvavṛkṣa	(St. Bk.)	1	part
9.	Pāṭhā	(Rt.)	1	part
10.	Bhūnimba (Kirātatikta)	(Pl.)	1	part
11.	Sairyaka (Sahacara)	(Pl.)	1	part
12.	Paṭola	(Pl.)	1	part
13.	Karañja	(Rt.)	1	part
14.	Cirabilva	(Lf.)	1	part
15.	Saptacchadā (Saptaparnā)	(St. Bk.)	1	part
16.	Agni (Citraka)	(Rt.)	1	part
17.	Suṣavi (Upakuñcikā)	(Fr.)	1	part

18.	Phala (Madana)	(Fr.)	1	part
19.	Bāṇa (Sahacara bheda)	(Pl.)	1	part
20.	Ghoṇṭā	(Sd.)	1	part

Dose

48 g

Important Therapeutic Uses

Chardi (Emesis), Viṣavikāra (Morbidity due to Poisonous substance), Kaphavikāra (Disorders due to vitiation of Kapha doṣa), Prameha (Urinary disorders), Kaṇḍū (Itching), Duṣṭa Vraṇa (Non-healing ulcer), Kuṣṭha (Diseases of skin)

4 : 5 GANDHARVAHASTĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 394)

गन्धर्वहस्तचिरबिल्वहुताशविश्वपथ्यापुनर्नवा यवासकभूमितालैः ।
क्वाथः ससैन्धवगुडो पवनस्य शान्त्यै वह्नेर्बलाय रुचये मलशोधनाय ॥
(सहस्रयोग, कषायप्रकरण; ३९४)

1.	Gandharvahasta (Eraṇḍa)	(Rt.)	1	part
2.	Cirabilva	(Lf.)	1	part
3.	Hutāśa (Citraka)	(Rt.)	1	part
4.	Viśva (Śuṇṭhī)	(Rz.)	1	part
5.	Pathyā (Harītakī)	(P.)	1	part
6.	Punarnava (Rakta Punarnavā)	(Rt.)	1	part
7.	Yavāśaka (Yavāsaka)	(Pl.)	1	part
8.	Bhūmitāla (Tālamūlī)	(Rt.)	1	part

Special Method of Preparation

Tender leaves instead of the seed of Cirabilva is used in some places.

Direction

Prakṣēpa Dravaya :Saindhava Lavaṇa, and Guḍa

Dose

48 g

Anupāna

Important Therapeutic Uses

Aruci (Tastelessness), Agnimāndya (Digestive impairment), Malabandha (Constipation), Vātaroga (Disease due to Vāta doṣa)

4 : 6 CĀTURBHADRA KVĀTHA CŪRṆA

(Bhaṭṭasajyaratnāvalī, Grahaṇīrogādhikāra: 13)

गुडूच्यतिविषाशुण्ठीमुस्तैः क्वाथः कृतो जयेत् ।
आमानुपक्तां ग्रहणीं ग्राही दीपनपाचनः ॥१३॥
(भैषज्यरत्नावली, ग्रहणीरोगाधिकार; १३)

1.	Guḍūcī	(St.)	1	part
2.	Ativiṣā	(Rt.)	1	part
3.	Śuṇṭhī	(Rz.)	1	part
4.	Musta (Mustā)	(Rz.)	1	part

Prakṣepa Dravyas: Śuṇṭhi, Jīraka

Dose

48 g

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Āmagrahaṇī (Sprue associated with indigestion), Ajīrṇa (Dyspepsia)

4 : 7 CHINNODBHAVĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 38)

छिन्नोद्भवावृषकिरातकपर्पटानाम्
शुण्ठ्या बलाहकयवासकयोः क्रमेण ।
एकद्वयत्रितयभागकृतः कषायः
सम्मूर्च्छितज्वरमपोहति सन्निपातम् ॥
(सहस्रयोग, कषायप्रकरण; ३८)

1.	Chinnōdbhavā (Guḍūcī)	(St.)	1	part
2.	Vṛṣa (Vāsā)	(Rt.)	1	part
3.	Kirātaka (Kirātatikta)	(Pl.)	1	part
4.	Parpaṭa	(Pl.)	1	part
5.	Śuṇṭhī	(Rz.)	2	parts
6.	Valāhaka (Mustā)	(Rz.)	3	parts
7.	Yavāsaka	(Pl.)	3	parts

Dose

48 g

Important Therapeutic Uses

Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

4 : 8 TRĀYANTYĀDI KVĀTHA CŪRṆA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 13 : 11-12 1/2)

त्रायन्तीत्रिफलानिम्बकटुकामधुकं समम् ।
त्रिवृत्पटोलमूलाभ्यां चत्वारोऽशाः पृथक् पृथक् ॥११॥

मसूरात्रिस्तुषादष्टौ तत्क्वाथः सघृतो जयेत् ।

विद्रधीगुल्मवीसर्पदाहमोहमदज्वरान् ॥१२॥

तृणमूर्च्छाच्छर्दिहृद्रोगपित्तासृक्कुष्ठकामलाः ।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १३; ११-१२ १/२)

1.	Trāyantī	(Pl.)	1	part
2.	Harītakī	(P.)	1	part
3.	Bibhītaka	(P.)	1	part
4.	Āmalakī	(P.)	1	part
5.	Nimba	(St.Bk.)	1	part
6.	Kaṭukā	(Rz.)	1	part
7.	Madhuka (Yaṣṭī)	(Rt.)	1	part
8.	Trivṛt	(Rt.)	4	Parts
9.	Paṭola	(Rt.)	4	Parts
10.	Nistuṣa Masūra (Masūra)	(Sd.)	8	Parts

Prakṣēpa Dravaya: Gr̥ta

Dose

48 g

Important Therapeutic Uses

Vidradhi (Abscess), Gulma (Abdominal lump), Chardi (Emesis), Tṛṣṇā (Thirst), Dāha (Burning sensation), Jvara (Fever), Visarpa (Erysipelas), Raktapitta (Bleeding disorder), Hṛdroga (Heart disease), Moha (Delusion), Mada (Intoxication), Mūrcchā (Syncope), Kuṣṭha (Diseases of skin), Kāmalā (Jaundice)

4 : 9 DAŚAMŪLA KAṬUTRAYA KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa : 107)

दशमूलकटुत्रयी सवृषैश्च क्वथितं क्षौद्रयुतं प्रपीतमम्भः ।
 श्वसनानिलकासपार्श्वपृष्ठत्रिकमूर्धासरुजासु संप्रतिष्ठः ॥
 (सहस्रयोग, कषायप्रकरण; १०७)

1.	Bilva	(Rt./St. Bk.)	1	part
2.	Śyonāka	(Rt./St. Bk.)	1	part
3.	Gambhārī	(Rt./St. Bk.)	1	part
4.	Pāṭalā	(Rt./St. Bk.)	1	part
5.	Agnimantha	(Rt./St. Bk.)	1	part
6.	Śālaparnī	(Pl.)	1	part
7.	Prśniparnī	(Pl.)	1	part
8.	Bṛhatī	(Pl.)	1	part
9.	Kaṇṭakārī	(Pl.)	1	part
10.	Gokṣura	(Pl.)	1	part
11.	Śuṇṭhī	(Rz.)	1	part
12.	Marica	(Fr.)	1	part
13.	Pippalī	(Fr.)	1	part
14.	Vṛṣa (Vāsā)	(Rt.)	1	part

Prakṣēpa Dravaya-honey

Dose

48 g

Important Therapeutic Uses

Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Pārśvarujā (Intercostal neuralgia and pleurodynia), Vātaroga (Disease due to Vāta doṣa), Trika Rujā (Pain in sacral region), Pṛṣṭha Rujā (Pain in the lower back), Śīrorujā (Headache)

4 : 10 DAŚAMŪLA KVĀTHA CŪRṆA

पार्श्वशूले ज्वरे श्वासे कासे श्लेष्मसमुद्भवे ।
पिप्पलीचूर्णसंयुतं दशमूलीजलं पिबेत् ॥१३॥
पौष्करं कट्फलं भाङ्गीविश्वपिप्पलिसाधितम् ।
पिबेत्क्वाथं कफोद्रेके कासे श्वासे च हृद्ग्रहे ॥१४॥
पञ्चकोलैः शृतं क्षीरं कफघ्नं लघु शस्यते ।
श्वासकासज्वरहरं बलवर्णाग्निवर्द्धनम् ॥१५॥
(भैषज्यरत्नावली, कासरोगाधिकार; १३-१५)

1.	Śālaparṇī	(Pl.)	1	part
2.	Prśniparṇī	(Pl.)	1	part
3.	Br̥hatī	(Pl.)	1	part
4.	Kaṇṭakārikā (Kaṇṭakārī)	(Pl.)	1	part
5.	Gokṣura	(Pl.)	1	part
6.	Bilva	(Rt./St. Bk.)	1	part
7.	Agnimantha	(Rt./St. Bk.)	1	part
8.	Śyonāka	(Rt./St. Bk.)	1	part
9.	Kāśmarī (Gambhārī)	(Rt./St. Bk.)	1	part
10.	Pāṭalā	(Rt./St. Bk.)	1	part

Prakṣēpa Dravaya-Pippalī Cūrṇa

Dose

48 g

Important Therapeutic Uses

Pārśva Śūla (Intercostal neuralgia and pleurodynia), Jvara (Fever), Śvāsa (Dyspnoea/Asthma), Kaphaja Kāsa (Cough due to Kapha doṣa)

4 : 11 DAŚAMŪLAPAṆCAKOLĀDI KVĀTHA CŪRṆA

दशमूलपञ्चकोलत्रिफलादन्तीत्रिवृत्सिद्धम् ।
तोयमशेषं क्षपयेज्जठराण्यपि जातपायांसि ।।
(सहस्रयोग, कषायप्रकरण; ३०७)

1.	Bilva	(Rt./St. Bk.)	1	part
2.	Śyonāka	(Rt./St. Bk.)	1	part
3.	Gambhārī	(Rt./St. Bk.)	1	part
4.	Pāṭalā	(Rt./St. Bk.)	1	part
5.	Agnimantha	(Rt./St. Bk.)	1	part
6.	Śālaparnī	(Pl.)	1	part
7.	Prśniparnī	(Pl.)	1	part
8.	Bṛhatī	(Pl.)	1	part
9.	Kaṇṭakārī	(Pl.)	1	part
10.	Gokṣura	(Pl.)	1	part
11.	Pippalī	(Fr.)	1	part
12.	Pippalīmūla (Pippalī)	(Rt.)	1	part
13.	Cavya	(St.)	1	part
14.	Citraka	(Rt.)	1	part
15.	Nāgara (Śunthī)	(Rz.)	1	part
16.	Harītakī	(P.)	1	part
17.	Bibhītaka	(P.)	1	part
18.	Āmalakī	(P.)	1	part
19.	Dantī	(Rt.)	1	part
20.	Trivṛt	(Rt.)	1	part

Dose

48 g

Important Therapeutic Uses

Udararoga (Ascites), Udakodara (Ascites)

4 : 12 DĀRUNĀGARĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaśāyaprakaraṇa: 34)

दारुनागरभूनिम्बधान्यवासाकलिङ्गकैः ।
गजाह्वादशमूलाब्दैर्मृत्युकल्पं ज्वरं जयेत् ॥
(सहस्रयोग, कषायप्रकरण; ३४)

1.	Daru (Devadaru)	(Ht.Wd.)	1	part
2.	Nāgarā (śunthī)	(Rz.)	1	part
3.	Bhūnimba (Kirātatikta)	(Pl.)	1	part
4.	Dhānya (Dhānyaka)	(Fr.)	1	part
5.	Vāsā	(Rt.)	1	part
6.	Kaliṅgaka (Kuṭaja)	(Sd.)	1	part
7.	Gajāhva (Gajapippalī)	(Fr.)	1	part
8.	Bilva	(Rt./St.Bk.)	1	part
9.	Śyonāka	(Rt./St.Bk.)	1	part
10.	Gambhārī	(Rt./St.Bk.)	1	part
11.	Pāṭalā	(Rt./St.Bk.)	1	part
12.	Agnimantha	(Rt./St.Bk.)	1	part
13.	Śālaparṇī	(Pl.)	1	part
14.	Prśniparṇī	(Pl.)	1	part
15.	Bṛhatī	(Pl.)	1	part
16.	Kaṇṭakārī	(Pl.)	1	part
17.	Gokṣura	(Pl.)	1	part
18.	Abda (Mustā)	(Rz.)	1	part

Dose

48 g

Important Therapeutic Uses

Jvara (Fever), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

4 : 13 DRĀKṢĀDI KVĀTHA CŪRṆA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 1 : 55-58)

द्राक्षामधूकमधुकं रोध्रकाश्मर्यसारिवाः ॥५५॥

मुस्तामलकह्रीबेरपद्मकेसरपद्मकम् ।

मृणालचन्दनोशीरनीलोत्पलपरुषकम् ॥५६॥

फाण्टो हिमो वा द्राक्षादिर्जातीकुसुमवासितः ।

युक्तो मधुसितालाजैर्जयत्यनिलपित्तजम् ॥५७॥

ज्वरं मदात्ययं छर्दिं मूच्छां दाहं श्रमं भ्रमम् ।

ऊर्ध्वगं रक्तपितं च पिपासां कामलामपि ॥५८॥

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १; ५५-५८)

1.	Drākṣā	(Dr. Fr.)	1 Part
2.	Madhūka	(Fl.)	1 Part
3.	Madhūka (Yaṣṭī)	(Rt.)	1 Part
4.	Rodhra (Lodhra)	(St. Bk.)	1 Part
5.	Kāśmarya (Gambhārī)	(Fr.)	1 Part
6.	Sāriva (Śveta Sārivā)	(Rz.)	1 Part
7.	Mustā	(Rz.)	1 Part
8.	Āmalakī	(P.)	1 Part
9.	Hrībera (Hrīvera)	(Rt.)	1 Part
10.	Padma kesara (kamala)	(Adr.)	1 Part
11.	Padmaka	(Ht. Wd.)	1 Part

12.	Mṛṇāla	(St.)	1 Part
13.	Candana (Śveta candana)	(Ht. Wd.)	1 Part
14.	Uśīra	(Rt.)	1 Part
15.	Nīlotpala (Utpala)	(Fl.)	1 Part
16.	Parūṣaka	(Fr.)	1 Part
17.	Jātīkusuma (Jātī)	(Fl.)	1 Part

Dose

48g

Anupāna

Honey, Sitā, Lāja

Important Therapeutic Uses

Chardi (Emesis), Dāha (Burning sensation), Vātapitta Jvara (Fever due to Vāta doṣa and Pitta doṣa), Ūrdhvāṅga Ratkapitta (Bleeding from orifices of the upper part of the body), Mūrcchā (Syncope), Madātyaya (Alcoholism), Śrama (Fatigue/lethargy), Bhrama (Vertigo), Pipāsā (Thirst), Kāmalā (Jaundice)

4 : 14 NĀYOPĀYAM KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 473)

बलायाः दशभिर्भागैर्द्वाभ्यां जीरकविश्वयोः ।

सिद्धः क्वाथो नयोपायः श्वासहिध्माहरः परम् ॥

(सहस्रयोग, कषायप्रकरण; ४७३)

1.	Balā (Balā mūla)	(Rt.)	10 Part
2.	Jīraka (Śveta jīraka)	(Fr.)	2 Part
3.	Viśvā (Śuṇṭhī)	(Rz.)	2 Part

Dose

48 g

Important Therapeutic Uses

Hikkā (Hiccup), Tamaka Śvāsa (Bronchial asthma)

4 : 15 NIMBĀDI KVĀTHA CŪRṆA

(Cakradatta, Jvaracikitsā: 101)

निम्बविश्वामृतादारु शटी भूनिम्बपौष्करम् ।
पिप्पल्यौ बृहती चेति क्वाथो हन्ति कफज्वरम् ॥१०४॥
(चक्रदत्त, ज्वरचिकित्सा; १०४)

1.	Nimba	(St.Bk.)	1 Part
2.	Viśvā (Śuṇṭhī)	(Rz.)	1 Part
3.	Amṛtā (Guḍūcī)	(St.)	1 Part
4.	Dāru (Devadāru)	(Ht.Wd.)	1 Part
5.	Śaṭī	(Rz.)	1 Part
6.	Bhūnimba (Kirātatikta)	(Pl.)	1 Part
7.	Pauṣkara(Puṣkara)	(Rt.)	1 Part
8.	Pippalī	(Fr.)	1 Part
9.	Gajapippalī	(Fr.)	1 Part
10.	Bṛhatī	(Pl.)	1 Part

Prakṣepa dravya: Honey

Dose

48 g

Important Therapeutic Uses

Kapha Jvara (Fever due to Kapha doṣa)

4 : 16 NYAGRODHĀDI KVĀTHA CŪRṆA

(Aṣṭāṅgahr̥daya, Sūtrasthāna, Adhyāya 15: 42)

न्यग्रोधपिप्पलसदाफलरोध्रयुग्मं जम्बूद्वयार्जुनकपीतनसोमवल्काः ।
प्लक्षाम्रवज्जुलपियालपलाशनन्दी कोलीकदम्बविरलामधुकं मधूकम् ॥४१॥
न्यग्रोधादिर्गणो व्रण्यः सङ्ग्राही भग्नसाधनः ।
मेदःपित्तास्रतृड्दाहयोनिरोगनिर्हणः ॥४२॥
(अष्टाङ्गहृदय, सूत्रस्थान, अध्याय १५; ४१-४२)

1.	Nyagrodha	(St. Bk.)	1 Part
2.	Pippala (Aśvattha)	(St. Bk.)	1 Part
3.	Sadāphala (Udumbara)	(St. Bk.)	1 Part
4.	Sabara lodhra(Lodhra)	(St. Bk.)	1 Part
5.	Pattika lodhra(Lodhra)	(St. Bk.)	1 Part
6.	Mahā jambū	(St. Bk.)	1 Part
7.	Kṣudra jambū	(St. Bk.)	1 Part
8.	Arjuna	(St. Bk.)	1 Part
9.	Kapīṭana	(St. Bk.)	1 Part
10.	Somavalka (Kaṭphala)	(St. Bk.)	1 Part
11.	Plakṣa	(St. Bk.)	1 Part
12.	Āmra	(St. Bk.)	1 Part
13.	Vañjula	(St. Bk.)	1 Part
14.	Piyāla (Priyāla)	(St. Bk.)	1 Part
15.	Palāśa	(St. Bk.)	1 Part
16.	Nandi	(St. Bk.)	1 Part
17.	Kolī (Kola)	(St. Bk.)	1 Part
18.	Kadamba	(St. Bk.)	1 Part
19.	Viralā(Tinduka)	(St. Bk.)	1 Part

20.	Madhuka (Yaṣṭī)	(Rt.)	1 Part
21.	Madhūka	(Fl.)	1 Part

Dose

48 g

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Trṣṇā (Thirst), Raktapitta (Bleeding disorder), Vraṇa (Ulcer), Sthaulya (Obesity), Yoniroga (Disease of female genital tract), Asthi Bhagna (Bone fracture)

4 : 17 PAṬOLĀDI KVĀTHA CŪRṆA

(Aṣṭāṅgahrdaya, Sūtrasthāna, Adhyāya 15: 15)

पटोलकटुरोहिणीचन्दनं मधुस्रवगुडूचिपाठान्वितम् ।
निहन्ति कफपित्तकुष्ठज्वरान् विषं वमिमरोचकं कामलाम् ॥१५॥
(अष्टाङ्गहृदय, सूत्रस्थान, अध्याय १५; १५)

1.	Paṭola	(Lf.)	1 Part
2.	Kaṭurohiṇī (Kaṭukā)	(Rz.)	1 Part
3.	Candana (Śveta candana)	(Ht. Wd.)	1 Part
4.	Madhusrava (Mūrvā)	(Rt.)	1 Part
5.	Guḍūcī	(St.)	1 Part
6.	Pāṭhā	(Rt.)	1 Part

Prakṣepa dravya: Pippali Cūrṇa, Honey

Dose

48 g

Important Therapeutic Uses

Arocaka (Tastelessness), Chardi (Emesis), Jvara (Fever), Kāmalā (Jaundice),
Kaphapitta Kuṣṭha (Skin disease caused by Kapha and Pitta doṣa), Viṣa (Poison)

4 : 18 PAṬOLAMŪLĀDI KVĀTHA CŪRṆA

(Aṣṭaṅgahr̥daya, Cikitsāsthāna, Adhyāya 19: 28)

पटोलमूलत्रिफलाविशालाः पृथक्त्रिभागापचितत्रिशाणाः ।
स्युस्त्रायमाणा कटुरोहिणी च भागार्धिके नागरपादयुक्ते ॥२८॥
एतत्पलं जर्जरितं विपक्वं जले पिबेद्दोषविशोधनाय ।
जीर्णे रसैर्धन्वमृगद्विजानां पुराणशाल्योदनमाददीत ॥२९॥
कुष्ठं किलासं ग्रहणीप्रदोषमर्शांसि कृच्छ्राणि हलीमकं च ।
षड्रात्रियोगेन निहन्ति चैतद् हृद्वस्तिशूलं विषमज्वरं च ॥३०॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १९; २८-३०)

1.	Paṭola	(Pl.)	6.75 g
2.	Harītakī	(P.)	6.75 g
3.	Bibhītaka	(P.)	6.75 g
4.	Āmalakī	(P.)	6.75 g
5.	Viśālā (Indravaruṇī)	(Rt.)	6.75 g
6.	Trāyamāṇa	(Pl.)	1.5 g
7.	Kaṭurohiṇī (Kaṭukā)	(Rz.)	1.5 g
8.	Nāgara (Śunthī)	(Rz.)	0.75 g

Prakṣepa dravya: Honey

Dose

48 g

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Viṣamajvara (Intermittent fever), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Arśa (Haemorrhoids), Kuṣṭha (Diseases of skin), Kilāsa (Vitiligo), Hṛdroga (Heart disease), Vastiśūla (Pain in urinary bladder)

4 : 19 PAÑCATIKTA KVĀTHA CŪRṆA

(Cakradatta, Jvaracikitsā: 132)

क्षुद्रामृताभ्यां सह नागरेण सपौष्करञ्चैव किराततित्तम् ।
पिबेत् कषायन्त्विह पञ्चतित्तं ज्वरं निहन्त्यष्टविधं समग्रम् ॥१३२॥
(चक्रदत्त, ज्वरचिकित्सा; १३२)

1.	Kṣudrā (Kaṇṭakārī)	(Pl.)	1 Part
2.	Amṛtā (Guḍūcī)	(Pl.)	1 Part
3.	Nāgara (Śunthī)	(Rz.)	1 Part
4.	Pauṣkara(Puṣkara)	(Rt.)	1 Part
5.	Kirātatikta	(Pl.)	1 Part

Prakṣepa dravya: Honey

Dose

48 g

Important Therapeutic Uses

Jvara (Fever)

4 : 20 PĀCANĀMṚTA KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 39)

अमृतोशीरवासाब्दविश्वभूनिम्बबालकैः
सपर्पटकधान्याकधन्वयासविपाचितम् ।।
(सहस्रयोग, कषायप्रकरण ३९)

1.	Amṛtā (Guḍūcī)	(St.)	1 Part
2.	Uśīra	(Rt.)	1 Part
3.	Pāṭhā	(Rt.)	1 Part
4.	Abda (Mustā)	(Rz.)	1 Part
5.	Viśvā (Śuṇṭhī)	(Rz.)	1 Part
6.	Bhūnimba (Kirātatikta)	(Pl.)	1 Part
7.	Bālaka (Hrīvera)	(Rt.)	1 Part
8.	Parpaṭaka (Parpaṭa)	(Pl.)	1 Part
9.	Dhānyāka (Dhānyaka)	(Fr.)	1 Part
10.	Dhanvayāsa	(Pl.)	1 Part

Dose

48g

Important Therapeutic Uses

Āmajvara (Fever due to indigestion)

4 : 21 PUNARNAVĀDI KVĀTHA CŪRṆA

(Bhaiṣajyaratnāvalī, Udararogādhikāra: 43-44)

पुनर्नवा दारु निशा सतिक्ता पटोलपथ्यापिचुमर्दमुस्ताः ।
सनागरच्छिन्नरुहेति सर्वः कृतः कषायो विधिना विधिज्ञैः ।।४३।।
गोमूत्रयुग्गुगुलुना च युक्तः पीतः प्रभाते नियतं नराणाम् ।
सर्वाङ्गशोथोदरकासशूलश्वासान्वितं पाण्डुगदं निहन्ति ।।४४।।
(भैषज्यरत्नावली, उदररोगाधिकार; ४३-४४)

1.	Punarnavā (Rakta Punarnavā) (Pl.)	1 Part
2.	Dāru (Devadāru) (Ht.Wd.)	1 Part
3.	Niṣā (Haridrā) (Rz.)	1 Part
4.	Tiktā (Kaṭukā) (Rz.)	1 Part
5.	Paṭola (Pl.)	1 Part
6.	Pathyā (Harītakī) (P.)	1 Part
7.	Picumarda (Nimba) (St.Bk.)	1 Part
8.	Mustā (Rz.)	1 Part
9.	Nāgarā (Śunthī) (Rz.)	1 Part
10.	Chinnaruhā (Guḍūcī) (St.)	1 Part

Prakṣepa dravya: Guggula, Gomūtra

Dose

48 g

Anupāna

Important Therapeutic Uses

Sarvāṅgaśoṭha (Generalized tremors), Udararoga (Ascites), Kāsa (Cough), Śūla (Colicky Pain), Śvāsa (Dyspnoea/Asthma), Pāṇḍu (Anaemia)

4 : 22 PUNARNAVĀṢṬAKA KVĀTHA CŪRṆA

(Cakradatta, Śoṭhacikitsā: 10)

पुनर्नवानिम्बपटोलशुण्ठीतित्तामृतादार्वभयाकषायः ।

सर्वाङ्गशोथोदरकासशूलं श्वासान्वितं पाण्डुगदं निहन्ति ॥१०॥

(चक्रदत्त, शोथचिकित्सा १०)

1.	Punarnavā (Rakta Punarnavā) (Pl.)	1 Part
2.	Nimba (St. Bk.)	1 Part
3.	Paṭola (Lf.)	1 Part
4.	Śunṭhī (Rz.)	1 Part
5.	Tiktā (Katukā) (Rz.)	1 Part
6.	Amṛtā (Guḍūcī) (St.)	1 Part
7.	Dāru (Devadāru) (Ht. Wd.)	1 Part
8.	Abhayā (Harītakī) (P.)	1 Part

Dose

48 g

Important Therapeutic Uses

Udararoga (Ascites), Sarvāṅga Śōtha (Anasarca), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Śūla (Colicky Pain)

4 : 23 BALĀJĪRAKĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 108)

बलाजीरकबिल्वाब्दवृषविश्वसुरद्रुमैः ।
गुहेक्षुलाजसहितैः निष्क्वाथः श्वासकासहा ॥
(सहस्रयोग, कषायप्रकरण; १०८)

1.	Balā (Rt.)	1 Part
2.	Jīraka (Śveta jīraka) (Fr.)	1 Part
3.	Bilva (Rt./St. Bk.)	1 Part
4.	Abda (Mustā) (Rz.)	1 Part
5.	Vṛsa mūla (Vāsā) (Rt.)	1 Part
6.	Viśvā (Śunṭhī) (Rz.)	1 Part

7.	Suradruma (Devadāru)	(Ht. Wd.)	1 Part
8.	Guhā (Śāli)	(Pl.)	1 Part
9.	Ikṣu	(Rt.)	1 Part
10.	Lāja (śāli)	(Sd.)	1 Part

Prakṣēpa dravya: Honey

Dose

48 g

Important Therapeutic Uses

Kāsa (Cough), Tamaka Śvāsa (Bronchial asthma)

4 : 24 BRĤHANMAÑJIṢṬHĀDI KVĀTHA CŪRṆA

(Sarıgadharasamhitā; Madhyamakhaṇḍa: Adhyāya 2: 137-142 1/2)

मज्जिष्ठामुस्तकुटजगुडूचीकुष्ठनागरैः ॥१३७॥
भाङ्गीक्षुद्रावचानिम्बनिशाद्वयफलत्रिकैः ।
पटोलकटुकीमूर्वाविडङ्गासनचित्रकैः ॥१३८॥
शतावरीत्रायमाणाकृष्णेन्द्रयववासकैः ।
भृङ्गराजमहादारुपाठाखदिरचन्दनैः ॥१३९॥
त्रिवृद्वरुणकैरातबाकुचीकृतमालकैः ।
शाखोटकमहानिम्बकरज्जातिविषाजलैः ॥१४०॥
इन्द्रवारुणिकानन्तासारिवापर्पटैः समैः ।
एभिः कृतं पिबेत् क्वाथं कणागुग्गुलुसंयुतम् ॥१४१॥
अष्टादशसु कुष्ठेषु वातरक्तार्दिते तथा ।
उपदंशे श्लीपदे च प्रसुप्तौ पक्षघातके ॥१४२॥
मेदोदोषे नेत्ररोगे मज्जिष्ठादिः प्रशस्यते ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय २; १३७-१४२ १/२)

1.	Mañjiṣṭhā	(Rt.)	1 Part
2.	Musta (Mustā)	(Rz.)	1 Part
3.	Kuṭaja	(St. Bk.)	1 Part
4.	Guḍūcī	(St.)	1 Part
5.	kuṣṭha	(Rt.)	1 Part
6.	Nāgara (śuṇṭhī)	(Rz.)	1 Part
7.	Bhārṅgī	(Rt.)	1 Part
8.	Kṣudrā (Kaṇṭakārī)	(Pl.)	1 Part
9.	Vacā	(Rz.)	1 Part
10.	Nimba	(St. Bk.)	1 Part
11.	Haridrā	(Rz.)	1 Part
12.	Dāruharidrā	(St.)	1 Part
13.	Harītakī	(P.)	1 Part
14.	Bibhītaka	(P.)	1 Part
15.	Āmalakī	(P.)	1 Part
16.	Paṭola	(Pl.)	1 Part
17.	Kaṭukā	(Rz.)	1 Part
18.	mūrvā	(Rt.)	1 Part
19.	Vidaṅga	(Fr.)	1 Part
20.	Asana	(Ht. Wd.)	1 Part
21.	Citraka	(Rt.)	1 Part
22.	Śatāvarī	(Rt. Tr.)	1 Part
23.	Trāyamāṇa	(Pl.)	1 Part
24.	Kṛṣṇā (Pippalī)	(Fr.)	1 Part
25.	IndraYava (Kuṭaja)	(Sd.)	1 Part
26.	Vāsaka (Vāsā)	(Rt.)	1 Part
27.	Bhṛṅgarāja	(Pl.)	1 Part
28.	Mahādāru (Dēvadāru)	(Ht. Wd.)	1 Part
29.	Pāṭhā	(Rt.)	1 Part

30.	Khadira	(Ht. Wd.)	1 Part
31.	Candana (Śveta candana)	(Ht. Wd.)	1 Part
32.	Trivṛt	(Rt.)	1 Part
33.	Varuṇa	(St. Bk.)	1 Part
34.	Kairāta (Kirātatikta)	(Pl.)	1 Part
35.	Bākucī	(Sd.)	1 Part
36.	Kṛtamālaka (Āragvadha)	(Fr.P.)	1 Part
37.	Śākhoṭaka	(St. Bk.)	1 Part
38.	Mahā Nimba	(St. Bk.)	1 Part
39.	Karañja	(St. Bk.)	1 Part
40.	Ativiṣā	(Rt.)	1 Part
41.	Jala (Hrīvēra)	(Rt.)	1 Part
42.	Indravāruṇikā (Indravāruṇī)	(Rt.)	1 Part
43.	Anantā (Śvētasārivā)	(Rt.)	1 Part
44.	Sāriṇa (Kṛṣṇa Sārivā)	(Rt.)	1 Part
45.	Parpaṭa	(Pl.)	1 Part

Prakṣepa dravya: Pippalī, Guggulu

Dose

48 g

Anupāna

Important Therapeutic Uses

Vātarakta (Gout), Kuṣṭha (Diseases of skin), Upadaṃśa (Syphilis/Soft chancre), Ślīpāda (Filariasis), Ardita (Facial palsy), Pakṣāghāta (Paralysis/Hemiplegia), Medodoṣa (Disorder of adipose tissue), Netraroga (Eye disorder)

4 : 25 BHĀRNGYĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 36)

भाङ्ग्यर्ग्यद्वर्पटकधान्ययवासविश्वभूनिम्बकुष्ठकणसिंह्यमृताकषायः ।
जीर्णज्वरं सततसन्ततके निहन्यादन्येद्युगं सह तृतीयचतुर्थकाभ्याम् ।।
(सहस्रयोग, कषायप्रकरण; ३६)

1.	Bhārngī	(Rt.)	1 Part
2.	Abda (Mustā)	(Rz.)	1 Part
3.	Parpaṭaka (Parpaṭa)	(Pl.)	1 Part
4.	Dhānya (Dhānyaka)	(Fr.)	1 Part
5.	Yāvāsa (Yavāsaka)	(Pl.)	1 Part
6.	Viśvā (Śuṇṭhī)	(Rz.)	1 Part
7.	Bhūnimba (Kirātatikta)	(Pl.)	1 Part
8.	kuṣṭha	(Rt.)	1 Part
9.	Kaṇā (Pippalī)	(Pl.)	1 Part
10.	Simhī (Bṛhatī)	(Pl.)	1 Part
11.	Amṛtā (Guḍūcī)	(St.)	1 Part

Dose

48 g

Important Therapeutic Uses

Viṣamajvara (Intermittent fever), Jīrṇajvara (Chronic fever)

4 : 26 MUSTĀKARAṆJĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 208)

मुस्ताकरंजातिविषाग्निबिल्वमहौषधग्रन्थिकवत्सकानाम् ।
 क्वाथो रुणद्ध्याममथो निरामं प्रवृद्धशूलं त्वतिसारमुग्रम् ॥
 (सहस्रयोग, कषायप्रकरण; २०८)

1.	Mustā	(Rz.)	1 Part
2.	Karañja	(St.Bk.)	1 Part
3.	Ativiṣā	(Rt.)	1 Part
4.	Agni (Citraka)	(Rt.)	1 Part
5.	Bilva	(Rt./St.Bk.)	1 Part
6.	Mahaṣadha (śunthī)	(Rz.)	1 Part
7.	Granthika pippalimūla (pippalī)	(Rt.)	1 Part
8.	Vatsaka (Kuṭaja)	(Sd.)	1 Part

Dose

48g

Anupāna

Śunthī, Jīrakacūrṇa, Honey

Important Therapeutic Uses

Atīsāra (Diarrhoea), Śūla (Colicky Pain)

4 : 27 RĀSNĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 396)

रास्नातामलकीवृषागरुशठीचित्राब्दचव्याश्मभित् ।
 धात्रीभार्ङ्गपटोलपुष्करनिशासैरीयविश्वग्निभिः ॥
 निष्वक्वाथो दशमूलदारुसहितः पीतः कदुष्णो नृणाम् ॥
 हन्यात्सैन्धवखण्डशौण्डिसहितो वातं त्रिदोषोत्तरम् ॥
 (सहस्रयोग, कषायप्रकरण; ३९६)

1.	Rāsnā	(Rt./Lf.)	1 Part
----	-------	-----------	--------

2.	TĀmalakī (BhūmyĀmalakī)	(Pl.)	1 Part
3.	Vṛṣa (Vāsā)	(Rt.)	1 Part
4.	Aguru (Agaru)	(Ht. Wd.)	1 Part
5.	Śaṭhī (Śaṭī)	(Rz.)	1 Part
6.	Citra (Eraṇḍa)	(Rz.)	1 Part
7.	Abda (Mustā)	(Rz.)	1 Part
8.	Cavya	(St.)	1 Part
9.	Aśmabhit (Pāṣāṇabhēda)	(Rz.)	1 Part
10.	Dhātrī (Āmalakī)	(P.)	1 Part
11.	Bhārṅgī	(Rt.)	1 Part
12.	Paṭola	(Pl.)	1 Part
13.	Puṣkara	(Rt.)	1 Part
14.	Niśā (Haridrā)	(Rz.)	1 Part
15.	Sairīya (Sahacara)	(Pl.)	1 Part
16.	Viśvā (Śuṇṭhī)	(Rz.)	1 Part
17.	Agni (Citraka)	(Rt.)	1 Part
18.	Bilva	(St. Bk.)	1 Part
19.	Śyonāka	(St. Bk.)	1 Part
20.	Gambhārī	(St. Bk.)	1 Part
21.	Pāṭalā	(St. Bk.)	1 Part
22.	Agnimantha	(St. Bk.)	1 Part
23.	Śālaparnī	(Pl.)	1 Part
24.	Prśniparnī	(Pl.)	1 Part
25.	Br̥hatī	(Pl.)	1 Part
26.	Kaṇṭakārī	(Pl.)	1 Part
27.	Gokṣura	(Pl.)	1 Part
28.	Dāru (Devadāru)	(Ht. Wd.)	1 Part

Prakṣepa dravya: Saindhava Lavaṇa, Khaṇḍa, Pippalī

Dose

48 g

Important Therapeutic Uses

Āmavāta (Rheumatism), Vātaroga (Disease due to Vāta doṣa)

4 : 28 RĀSNĀDI KVĀTHA CŪRṆA (MAHĀ)

(Sārṅgadharasamhitā, Madhymakhaṇḍa, Adhyāya 2: 89-95)

रास्ना द्विगुणभागा स्यादेकभागास्ततः परे ।
धन्वयासबलैरण्डदेवदारुशठीवचाः ॥८९॥
वासको नागरं पथ्या चव्या मुस्ता पुनर्नवा ।
गुडूची वृद्धदारुश्च शतपुष्पा च गोक्षुरः ॥९०॥
अश्वगन्धा प्रतिविषा कृतमालः शतावरी ।
कृष्णा सहचरश्चैव धान्यकं बृहतीद्वयम् ॥९१॥
एभिः कृतं पिबेत् क्वाथं शुण्ठीचूर्णेन संयुतम् ।
कृष्णाचूर्णेन वा योगराजगुग्गुलुनाथवा ॥९२॥
अजमोदादिना वापि तैलेनैरण्डजेन वा ।
सर्वाङ्गकम्पे कुब्जत्वे पक्षाघातेऽपबाहुके ॥९३॥
गृध्रस्यामामवाते च श्लीपदे चापतानके ।
अन्त्रवृद्धौ तथाध्माने जङ्घाजानुगतेऽर्दिते ॥९४॥
शुक्रामये मेद्वरोगे वन्ध्यायोन्यामयेषु च ।
महारास्नादिराख्यातो ब्रह्मणा गर्भकारणम् ॥९५॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय २; ८९-९५)

1.	Rāsnā	(Rt./Lf.)	50 Parts
2.	Dhanvayāsa	(Pl.)	1 Part
3.	Balā	(Pl.)	1 Part
4.	Eraṇḍa-mūla	(Rt.)	1 Part

5.	Devadāru	(Ht. Wd.)	1 Part
6.	Śaṭhī (Śaṭī)	(Rz.)	1 Part
7.	Vacā	(Rz.)	1 Part
8.	Vāsaka (Vāsā)	(Rt.)	1 Part
9.	Nāgara (uṇṭhī)	(Rz.)	1 Part
10.	Pathyā (Harītakī)	(P.)	1 Part
11.	Cavya	(St.)	1 Part
12.	Mustā	(Rz.)	1 Part
13.	Punarnavā (Rakta Punarnavā)	(Rt.)	1 Part
14.	Guḍūcī	(St.)	1 Part
15.	Vṛddhadāru	(Rt.)	1 Part
16.	Śatapuspā (Śatāhvā)	(Fr.)	1 Part
17.	Gokṣura	(Fr.)	1 Part
18.	Aśvagandhā	(Rt.)	1 Part
19.	Prativiṣā (Ativiṣā)	(Rt.)	1 Part
20.	Kṛtamāla (Āragvadha)	(Fr.P.)	1 Part
21.	Śatāvari	(Rt.Tr.)	1 Part
22.	Kṛṣṇā (Pippalī)	(Fr.)	1 Part
23.	Sahacara	(Pl.)	1 Part
24.	Dhānyaka	(Fr.)	1 Part
25.	Kaṇṭakārī	(Pl.)	1 Part
26.	Bṛhatī	(Pl.)	1 Part

Prkṣepa dravya: Śuṇṭhī Cūrṇa, Pippalī Cūrṇa. Ajamodādi Cūrṇa, Eraṇḍa Taila

Dose

48 g

Important Therapeutic Uses

Sarvāṅga Kampa (Generalized tremors), Kubja Vāta (Kyphosis), Pakṣāghāta (Paralysis/Hemiplegia), Gṛdhrasī (Sciatica), Āmavāta (Rheumatism), Ślīpāda (Filariasis), Avabāhuka (Brachialgia), Apatānaka (Tetanic convulsions), Āntra Vṛddhi (Hernia), Ādhmāna (Flatulence with gurgling sound), Jaṅghā Jānugata Vāta (Pain in calf and knee), Ardita (Facial palsy), Śukraroga (Diseases of semen), Meḍhraroga (Penile diseases), Vandhyatva (Infertility), Yoniroga (Disease of female genital tract)

4 : 29 RĀSNAIRANḌĀDI KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 428)

रासनैरण्डबलासहचरवरीदुःस्पर्शवासामृता-
 देवाह्वातिविषाघनेक्षुरशठीविश्वैः कषायः शृतः ।
 सर्पिस्तैलविमिश्रितः प्रशमयेद् वायुं सशूलं तथा
 जङ्घोरुत्रिकपृष्ठपार्श्वहनुगं शोफं च वातास्रजम् ॥
 (सहस्रयोग, कषायप्रकरण; ४२८)

1.	Rāsnā	(Rt./Lf.)	1 Part
2.	Eraṇḍa	(Rt.)	1 Part
3.	Balā	(Rt.)	1 Part
4.	Sahacara	(Pl.)	1 Part
5.	Varī (Śatāvarī)	(Rt.)	1 Part
6.	Dṛsparsā	(Pl.)	1 Part
7.	Vāsā	(Rt.)	1 Part
8.	Amṛtā (Guḍūcī)	(St.)	1 Part
9.	Devāhva (Devadāru)	(Ht.Wd.)	1 Part
10.	Ativiṣā	(Rt.Tr.)	1 Part
11.	Ghana (Mustā)	(Rz.)	1 Part
12.	Ikṣura (Kokilākṣa)-mūla	(Rt.)	1 Part
13.	Śaṭhī (Śaṭī)	(Rz.)	1 Part
14.	Viśvā (Śuṇṭhī)	(Rz.)	1 Part

Prakṣepa dravya: Sarpi, Eraṇdataila

Dose

48 g

Important Therapeutic Uses

Vātarakta (Gout), Vātaśūla (Pain due to Vāta doṣa), Raktavātaja Śopha (Inflammation due to Rakta and Vāta doṣa), Jaṅghā Śopha (Swelling in the thigh), Trika Śopha (Swelling in sacral region), Ūru Śopha (Swollen thighs), Hanuśopha (Swollen Jaw), Pārśva Śopha (Pleural effusion)

4 : 30 VĀSĀGUḌŪCYĀDI KVĀTHA CŪRṆA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 16: 13)

वासागुडूचीत्रिफलाकट्वीभूनिम्बनिम्बजः ।

क्वाथः क्षौद्रयुतो हन्ति पाण्डुपित्तास्रकामलाः ॥१३॥

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १६; १३)

1.	Vāsā	(Rt.)	1 Part
2.	Guḍūcī	(St.)	1 Part
3.	Harītakī	(P.)	1 Part
4.	Bibhītaka	(P.)	1 Part
5.	Āmalakī	(P.)	1 Part
6.	Kaṭvī (Kaṭukā)	(Rt./Rz.)	1 Part
7.	Bhūnimba (Kirātatikta)	(Pl.)	1 Part
8.	Nimba	(St. Bk.)	1 Part

Prakṣepa dravya: Honey

Dose

48 g

Important Therapeutic Uses

Pāṇḍu (Anaemia), Raktapitta (Bleeding disorder), Kāmalā (Jaundice)

4 : 31 VIDĀRYĀDI KVĀTHA CŪRṆA

(Aṣṭāṅgahr̥daya, Sūtrasthāna, Adhyāya 15: 9-10)

विदारिपञ्चाङ्गुलवृश्चिकालीवृश्चीवदेवाह्वयशूर्पपर्ण्यः ।

कण्डूकरी जीवनह्रस्वसंज्ञे द्वे पञ्चके गोपसुता त्रिपादी ॥९॥

विदार्यादिरयं हृद्यो बृंहणो वातपित्तहा ।

शोषगुल्माङ्गमर्दोर्ध्वश्वासकासहरो गणः ॥१०॥

(अष्टाङ्गहृदय, सूत्रस्थान, अध्याय १५; ९-१०)

1.	Vidārī	(Rt. Tr.)	1 Part
2.	Pañcāṅgula (Eraṇḍa)	(Rt.)	1 Part
3.	Vṛścikālī (Meṣaśṛṅgī)	(Pl.)	1 Part
4.	Vṛścīva (Śvetapunarnavā)	(Rt.)	1 Part
5.	Devāhvaya (devadāru)	(Ht. Wd.)	1 Part
6.	Māṣaparnī	(Pl.)	1 Part
7.	Mudgaparnī	(Pl.)	1 Part
8.	Kaṇḍūkarī (Ātmaguptā)	(Sd.)	1 Part
9.	Abhīru (Śatāvarī)	(Rt.)	1 Part
10.	Vīra (Kṣīra vidarī)	(Rt. Tr.)	1 Part
11.	Jīvantī	(Rt.)	1 Part
12.	Jīvaka	(Sub. Rt.)	1 Part
13.	Rṣabhaka	(Sub. Rt.)	1 Part
14.	Bṛhatī	(Pl.)	1 Part
15.	Prśniparnī	(Pl.)	1 Part

16.	Śālaparnī	(Pl.)	1 Part
17.	Gokṣura	(Pl.)	1 Part
18.	Kaṇṭakārī	(Pl.)	1 Part
19.	Gopasutā (śveta Sārivā)	(Pl.)	1 Part
20.	Tripādī (Haṃsarāja)	(Pl.)	1 Part

Dose

48 g

Important Therapeutic Uses

Gulma (Abdominal lump), Kāsa (Cough), Ūrdhvaśvāsā (Shallow breathing/ Shortness of breath), Kṣaya (Pthisis), Kārśya (Emaciation), Śoṣa (Cachexia), Aṅgamarda (Body ache)

4 : 32 ṢAḌAṄGA KVĀTHA CŪRṆA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 1: 15 1/2)

घनचन्दनशुण्ठ्यम्बुपर्पटोशीरसाधितम् ।।१५।।

शीतं तेभ्यो हितं तोयं पाचनं तृड्ज्वरापहम् ।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १; १५ १/२)

1.	Ghana (Mustā)	(Rz.)	1 Part
2.	Candana (Śveta candana)	(Ht.Wd.)	1 Part
3.	Śunthī	(Rz.)	1 Part
4.	Ambu (Hrīvera)	(Rt.)	1 Part
5.	Parpaṭa	(Pl.)	1 Part
6.	Uśīra	(Pl.)	1 Part

Dose

48 g

Important Therapeutic Uses

Tr̥ṣṇā (Thirst), Jvara (Fever)

4 : 33 SAPTASĀRA KVĀTHA CŪRṆA

(Sahasrayoga, Kaṣāyaprakaraṇa: 284)

वर्षाभूबिल्वखल्बोरुबुसहचरशुण्ठ्यग्निमन्थैः कषायः
पातव्यः सप्तसारो गुडकणपटुहिङ्ग्वाज्ययुक्तो यथार्हम् ।।
विड्बन्धं वह्निमान्द्यं रुजमतिमहतीं योनिहृत्कुक्षिपृष्ठ
श्रोणीदेशेषु सद्यः शमयति जठराष्टीलकप्लीहगुल्मान् ।।
(सहस्रयोग, कषायप्रकरण; २८४)

1.	Varṣābhū (Raktapunarnavā)	(Rt.)	1 Part
2.	Bilva	(Rt./St.Bk.)	1 Part
3.	Khalva-purāṇa (Kulattha)	(Sd.)	1 Part
4.	Urubu (Eraṇḍa)	(Rt.)	1 Part
5.	Sahacara	(Pl.)	1 Part
6.	Sunṭhī	(Rz.)	1 Part
7.	Agnimantha	(Rt./St.Bk.)	1 Part

Prakṣepa dravya: Guḍa, Kaṇā (Pippalī), Saindhava, Hiṅgu, Sarpi

Dose

48 g

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Malabandha (Constipation), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Plīhā (Splenic disease), Rajo Śūla (Dysmenorrhea), Hṛdayaśūla (Angina pectoris), Pārśva Śūla (Intercostal neuralgia)

and pleurodynia), Pr̥ṣṭha Śūla (Backache), Śron̐ī Śūla (Pain in pelvic region), Aṣṭhīlā (Prostatic Hyperplasia)

5. GUGGULU

Definition

Guggulu is an exudate (Niryāsa) obtained from the plant *Commiphora mukul*. Preparations having the exudate as main effective ingredient are known as Guggulu. There are five different varieties of Guggulu described in the texts. However, two of the varieties, namely Mahiṣākṣa And Kānaka Guggulu are usually preferred for medicinal preparations. Mahiṣākṣa Guggulu is dark greenish brown and Kānaka Guggulu is yellowish brown in colour.

Process of Śódhana

- (1) Sand stone, glass etc. are first removed.
- (2) It is then broken into small pieces.
- (3) It is thereafter bundled in a piece of the cloth and boiled in Dolā Yantra containing any one of the following fluids.
 - (a) Gomūtra
 - (b) Triphalākaṣāya.
 - (c) Vāsāpatra Kaṣāya.
 - (d) Vāsāpatra Svarasa.
 - (e) Nirguṇḍīpatra Svarasa with Haridrā Cūrṇa; And
 - (f) Dugdha.

The boiling is continued till the Guggulu becomes a soft mass. It is then taken out of the cloth and spread over a smooth wooden board smeared with ghee or oil. By pressing with fingers the sand and other remaining foreign impurities are removed. It is taken out and again fried with ghee and ground in a stone mortar (khalva). This is called Śódhita Guggulu. The other method is to suspend the bundle of Guggulu in Dolā Yantra so as to remain immersed in the specified fluid as it is boiled¹. The boiling of Guggulu in Dolā Yantra is carried on untill all the Guggulu passes into the fluid through the cloth.

The residue in the bundle is discarded. The fluid is filtered and again boiled till it forms a mass. This mass is dried in sun light and then pounded with a pestle in a stone

mortar, adding ghee in small quantities till it becomes waxy².

Characteristics

Śodhita Guggulu is soft, waxy and brown in colour. Characteristics of preparations of Guggulu vary depending on the other ingredients added to the preparations.

Preservation and Storage

It should be kept in glass or porcelain jars free from moisture and stored in a cool place. The potency is maintained for two years when prepared with ingredients of plant origin and indefinitely when prepared with metals and minerals.

Note:

1. There is also another practice of steaming the Guggulu in vapour by suspending it in the Ḍolā Yantra without actually immersing it in water.
2. Śārṅgadhara's commentator, Kaśīrāma, in his Gūḍārtha ḍīpikā mentions that Guggulu should be dissolved in any Vātahara warm kaṣāya and then dried. It should be pounded (Kuṭṭanam) with Ghee till it becomes waxy This is possible in 24 hours.

1	KĀÑCANĀRA GUGGULU	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 7	95-100
2	KAIŚORA GUGGULU	Bhīṣajyaratnāvalī, Vātaraktādhikāra	97-105
3	GOKṢURĀDI GUGGULU	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 7	84-87
4	TRAYODASĀṅGA GUGGULU	Bhīṣajyaratnāvalī, Vātaraktādhikāra,	89-92
5	TRIPHALĀ GUGGULU	Śārṅgadharasamhitā Madhyamakhaṇḍa Adhyāya 7	82-83
6	MAHA YOGARĀJA GUGGULU	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 7	56-69 1/2

7	YOGARĀJA GUGGULU	Bhaiṣajyaratnāvalī, Āmavātādhikāra	90-95
8	LĀKṢĀ GUGGULU	Bhaiṣajyaratnāvalī, Bhagnādhikāra	12-13
9	VYOṢĀDI GUGGULU	Aṣṭāṅga Hṛdaya, Cikitsāsthāna, Adhyaya	21; 54
10	VĀTĀRI GUGGULU	Bhaiṣajyaratnāvalī, Amavātādhikāra	87-89
11	SAPTAVIMŚATIKA GUGGULU	Bhaiṣajyaratnāvalī, Bhagandarādhikāra	16-21
12	SIMHANĀDA GUGGULU	Bhaiṣajyaratnāvalī, Amavātādhikāra	130-135

5 : 1 KĀÑCANĀRA GUGGULU

(Śārīṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 7 : 95-100)

काञ्चनारत्वचो ग्राह्यं पलानां दशकं बुधैः ॥९५॥
 त्रिफला षट्पला कार्या त्रिकटु स्यात् पलत्रयम् ।
 पलैकं वरुणं कुर्यादेलात्वक्पत्रकं तथा ॥९६॥
 एकैकं कर्षमात्रं स्यात् सर्वाण्येकत्र चूर्णयेत् ।
 यावच्चूर्णमिदं सर्वं तावन्मात्रस्तु गुग्गुलुः ॥९७॥
 सङ्कुट्य सर्वमेकत्र पिण्डं कृत्वा च धारयेत् ।
 गुटिकाः शाणिकाः कार्याः प्रातर्ग्राह्या यथोचितम् ॥९८॥
 गण्डमालां जयत्युग्रामपचीमर्बुदानि च ।
 ग्रन्थीन् व्रणांश्च गुल्मांश्च कुष्ठानि च भगन्दरम् ॥९९॥
 प्रदेयश्चानुपानार्थं क्वाथो मुण्डितकाभवः ।
 क्वाथः खदिरसारस्य पथ्याक्वाथोष्णकं जलम् ॥१००॥
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; ९५-१००)

1.	Kāñcanāra-tvak	(St. Bk.)	480 g
2.	Harītakī	(P.)	96 g
3.	Bibhītaka	(P.)	96 g
4.	Āmalakī	(P.)	96 g
5.	Sunthī	(Rz.)	48 g
6.	Marica	(Fr.)	48 g
7.	Pippalī	(Fr.)	48 g
8.	Varuṇa	(St. Bk.)	48 g
9.	Elā (Sūkṣmailā)	(Sd.)	12 g
10.	Tvak	(St. Bk.)	12 g
11.	Patra (Tejapatra)	(Lf.)	12 g
12.	Guggulu -śuddha	(O.R.)	996 g

Special Method of Preparation

Fine powders of all drugs are added to the guggulu and pounded well. Ghṛta is added to the extent required when pounded to form a mass.

Dose

3 g

Anupāna

Muṇḍī Kvātha, Khadira Sāra Kvātha, Harītakī Kvātha, hot water

Important Therapeutic Uses

Gulma (Abdominal lump), Gaṇḍamālā (Cervical lymphadenitis), Apacī (Chronic lymphadenopathy / scrofula), Granthi (Cyst), Vraṇa (Ulcer), Kuṣṭha (Diseases of skin), Bhagandara (Fistula-in-ano), Ślīpada (Filariasis)

5 : 2 KAISORA GUGGULU

(Bhīṣajyaratnāvalī, Vātaraktādhikāra: 97-105)

वरमहिषलोचनोदरसन्निभवर्णस्य गुग्गुलोः प्रस्थम् ।
प्रक्षिप्य तोयराशौ त्रिफलाञ्च यथोक्तपरिमाणम् ॥९७॥
द्वात्रिंशच्छिन्नरुहापलानि देयानि यत्नेन ।
विपचेत्तदप्रमत्तो दर्व्या संघट्टयन् मुहुर्यावत् ॥९८॥
अर्द्धक्षयितं तोयं जातं ज्वलनस्य सम्पर्कात् ।
अवतार्य वस्त्रपूतं पुनरपि संसाधयेदयःपात्रे ॥९९॥
सान्द्रीभूते तस्मिन्नवतार्य हिमोपलप्रख्ये ।
त्रिफलाचूर्णाद्धपलं त्रिकटोश्चूर्णं षडक्षपरिमाणम् ॥१००॥
कृमिरिपुचूर्णाद्धपलं कर्षं कर्षं त्रिवृद्धन्त्योः ।
अमृतायाः पलमेकं सर्पिश्च पलाष्टकं क्षिपेदमलम् ॥१०१॥
उपयुज्य चानुपानं यूषं क्षीरं सुगन्धिसलिलञ्च ।
इच्छाहारविहारी भेषजमुपयुज्य सर्वकालमिदम् ॥१०२॥
तनुरोधि वातशोणितमेकजमथ द्वन्द्वजं चिरोत्थञ्च ।
मन्दाग्निञ्च विबन्धं प्रमेहपिडकाञ्च नाशयत्याशु ॥१०३॥
सततं निषेव्यमाणः कालवशाद्धन्ति सर्वगदान् ।

अभिभूय जरादोषं करोति कैशोरकं रूपम् ॥१०४॥
 प्रत्येकं त्रिफलाप्रस्थो जलमत्र षडाढकम् ।
 पाकायत्तं फलं पाके क्वाथे पाकप्रधानता ॥
 तस्मात्क्वाथविधौ नित्यं यतितव्यं चिकित्सकैः ॥१०५॥
 (भैषज्यरत्नावली; वातरक्ताधिकार; ९७-१०५)

1.	Guggulu-śuddha	(O.R.)	768 g
2.	Harītakī	(P.)	256 g
3.	Bibhītaka	(P.)	256 g
4.	Āmalakī	(P.)	256 g
5.	Chinnaruha (Guḍūcī)	(St.)	1.536 kg
6.	Water for decoction		12.288 l
	reduced to		6.144 l
7.	Harītakī	(P.)	8 g
8.	Bibhītaka	(P.)	8 g
9.	Āmalakī	(P.)	8 g
10.	Sunthī	(Rz.)	24 g
11.	Marica	(Fr.)	24 g
12.	Pippalī	(Fr.)	24 g
13.	Kṛmiripu (Viḍaṅga)	(Fr.)	24 g
14.	Trivṛt	(Rt.)	12 g
15.	Dantī	(Rt.)	12 g
16.	Amṛtā (Guḍūcī)	(St.)	48 g
17.	Ghṛta (Goghṛta)		384 g

Special Method of Preparation

Kaṣāya of drugs 2 to 5 is prepared. Guggulu is added to the filtered Kaṣāya and boiled in an iron vessel. When the Kaṣāya becomes concentrated, fine powder of remaining drug is added and stirred well. Ghṛta is added last and mixed well to form a bo

Dose

3 g

Anupāna

Mudga Yūṣa, Milk ,Sugandhijala

Important Therapeutic Uses

Mandāgni (Impaired digestive fire), Vibandha (Constipation), Vātaśonita (Gout), Prameha Piḍakā (Diabetic carbuncle), Vraṇa (Ulcer), Kāsa (Cough), Kuṣṭha (Diseases of skin), Gulma (Abdominal lump), Śvayathu (Oedema), Pāṇḍu (Anaemia), Meha (Excessive flow of urine), Jarādōṣa (Senility)

5 : 3 GOKṢURĀDI GUGGULU

(Śārṅgadharaśaṃhitā, Madhyamakhaṇḍa, Adhyāya 7 : 84-87)

अष्टाविंशतिसङ्ख्यानि पलान्यानीय गोक्षुरात् ।
विपचेत् षड्गुणे नीरे क्वाथो ग्राह्योऽर्धशेषितः ॥८४॥
ततः पुनः पचेत् तत्र पुरं सप्तपलं क्षिपेत् ।
गुडपाकसमाकारं ज्ञात्वा तत्र विनिक्षिपेत् ॥८५॥
त्रिकटु त्रिफला मुस्तं चूर्णितं पलसप्तकम् ।
ततः पिण्डीकृतस्यास्य गुटिकामुपयोजयेत् ॥८६॥
हन्यात् प्रमेहं कृच्छ्रं च प्रदरं मूत्रघातकम् ।
वातास्रं वातरोगांश्च शुक्रदोषं तथाश्मरीम् ॥८७॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; ८४-८७)

1.	Gokṣura	(Fr.)	1.344 kg
2.	Water for decoction		8.0641 l
	reduced to		4.0321 l
3.	Purā (Guggulu)-śuddha	(O.R.)	336 g
4.	Śunthī	(Rz.)	48 g
5.	Marica	(Fr.)	48 g
6.	Pippalī	(Fr.)	48 g
7.	Harītakī	(P.)	48 g

8.	Bibhītaka	(P.)	48 g
9.	Āmalakī	(P.)	48 g
10.	Mustū (Mustफे)	(Rz.)	48 g

Special Method of Preparation

Kaṣāya Of Gokṣura is prepared. Guggulu is added to the filtered Kaṣāya Which is boiled again to rasakriy Pāka. Fine powder of remaining drugs is added and mixed well.

Dose

3 g

Anupāna

Mustā Kvatha, Pāṣānabhēda Kvātha, Uṣīra Kvātha

Important Therapeutic Uses

Prameha (Urinary disorders), Mūtrakṛcchra (Dysuria), Mūtrāghāta (Urinary obstruction), Aśmarī (Calculus), Pradara (Excessive vaginal discharge), Vātarakta (Gout), Vātaroga (Disease due to Vāta doṣa), Śukra Doṣa (Vitiation of semen)

5 : 4 TRAYODAŚĀṄGA GUGGULU

(Bhīṣajyaratnāvalī, Vātaraktādhikāra, : 89-92)

आभाश्वगन्धा हवुषा गुडूची शतावरी गोक्षुरवृद्धदारकम् ।
 रास्ना शताह्वा सशटी यमानी सनागरा चेति समैश्च चूर्णम् ॥८९॥
 तुल्यं भवेत्कौशिकमत्र मध्ये देयं तथा सर्पिरतोर्द्धभागम् ।
 कोलाद्धमात्रन्तु ततः प्रयोगात् कृत्वानुपानं सुरयाथ यूषैः ॥९०॥
 मद्येन वा कोष्णजलेन वाथ क्षीरेण वा मांसरसेन वापि ।
 कटिग्रहे गृध्रसिबाहुपृष्ठे हनुग्रहे जानुनि पादयुग्मे ॥९१॥
 सन्धिस्थिते चास्थिगते च वाते मज्जाश्रिते स्नायुगते च दुष्टे ।
 रोगान् जयेद्वातकफानुविद्धान् वातेरितान् हृद्ग्रहयोनिदोषान् ॥
 भग्नास्थिविद्धेषु च खञ्जवाते त्रयोदशाङ्गं प्रवदन्ति सन्तः ॥९२॥

(भैषज्यरत्नावली, वातव्याध्यधिकार; ८९-९२)

1.	Ābhā (Babbūla)	(St. Bk.)	1 Part
2.	Aśvagandhā	(Rt.)	1 Part
3.	Havuşā (Hapuṣā)	(Fr.)	1 Part
4.	Guḍūcī	(St.)	1 Part
5.	Śatāvarī	(Rt. Tr.)	1 Part
6.	Gokṣura	(Fr.)	1 Part
7.	Vṛddhadāruka (Vṛddhadāru)	(Rt.)	1 Part
8.	Rāsnā	(Rt./Lf.)	1 Part
9.	Śatāhvā	(Fr.)	1 Part
10.	Śaṭī	(Rz.)	1 Part
11.	Yamānī (Yavānī)	(Fr.)	1 Part
12.	Nāgarā (śunthī)	(Rz)	1 Part
13.	Kauśika (Guggulu)- śuddha	(Exd.)	12 Parts
14.	Sarpi (Goghṛta)		1 Part

Special Method of Preparation

Fine powder of all drugs is added to the guggulu and pounded well. Ghṛta, in small quantities, is added at the time of pounding till the whole thing becomes as soft mass.

Dose

3 g

Anupāna

Triphalā Kvātha, Madhu, Laśuna Svarasa, Yūṣa, Mandoṣṇajala, Milk

Important Therapeutic Uses

Kaṭi Graha (Stiffness in lumbo-sacral region), Gṛdhrasī (Sciatica), Hanugraha (Lock jaw), Bāhuśūla (Pain in arm), Jānu Stabdhatā (Stiffness of the knee), Asthivāta (Bone diseases due to Vāta doṣa), Majjāvāta (Bone marrow disorder), Snāyuvāta (Inflammation of ligaments), Hṛtgraha (Cardiac failure), Vātakapharoga (Disease due to Vāta Kapha doṣa), Yonidoṣa (Disorder of female genital tract), Asthi Bhagna (Bone fracture), Vidradhi

(Abscess), Khañja Vāta (Limping)

5 : 5 TRIPHALĀ GUGGULU

(Śārṅgadharasamhitā Madhyamakhaṇḍa Adhyāya 7: 82-83)

त्रिपलं त्रिफलाचूर्णं कृष्णाचूर्णं पलोन्मितम् ।
गुग्गुलुं पाञ्चपलिकं क्षोदयेत् सर्वमेकतः ॥८२॥
ततस्तु गुटिकां कृत्वा प्रयुञ्ज्याद् वह्न्यपेक्षया ।
भगन्दरं गुल्मशोथावर्शांसि च विनाशयेत् ॥८३॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; ८२-८३)

1.	Harītakī	(P.)	48 g
2.	Bibhītaka	(P.)	48 g
3.	Āmalakī	(P.)	48 g
4.	Kṛṣṇā (pippalī)	(P.)	48 g
5.	Guggulu-śuddha	(O.R.)	240 g

Special Method of Preparation

Fine powder of all drugs is added to guggulu and pounded well.

Dose

3 g

Anupāna

Warm water

Important Therapeutic Uses

Śoṭha (Inflammation), Bhagandara (Fistula-in-ano), Arśa (Haemorrhoids), Gulma (Abdominal lump)

5 : 6 MAHA YOGARĀJA GUGGULU

नागरं पिप्पलीमूलं पिप्पली चव्यचित्रकौ ॥५६॥
भृष्टं हिङ्ग्वजमोदा च सर्षपो जीरकद्वयम् ।
रेणुकेन्द्रयवाः पाठा विडङ्गं गजपिप्पली ॥५७॥
कटुकातिविषा भाङ्गी वचामूर्वे त्रिभागतः ।
प्रत्येकं शाणिकानि स्युर्द्रव्याणीमानि विंशतिः ॥५८॥
द्रव्येभ्यः सकलेभ्यश्च त्रिफला द्विगुणा भवेत् ।
एभिश्चूर्णीकृतैः सर्वैः समो देयश्च गुग्गुलुः ॥५९॥
वङ्गं रौप्यं च नागं च लोहसारस्तथाभ्रकम् ।
मण्डूरं रससिन्दूरं प्रत्येकं पलसम्मितम् ॥६०॥
गुडपाकसमं कृत्वा दद्यादैतद् यथोचितम् ।
एकपिण्डं ततः कृत्वा धारयेद् घृतभाजने ॥६१॥
गुटिकाः शाणमात्रास्तु कृत्वा ग्राह्या यथोचिताः ।
गुग्गुलुर्योगराजोऽयं त्रिदोषघ्नो रसायनः ॥६२॥
मैथुनाहारपानानां त्यागो नैवात्र विद्यते ।
सर्वान् वातामयान् कुष्ठानर्शांसि ग्रहणीगदम् ॥६३॥
प्रमेहं वातरक्तं च नाभिशूलं भगन्दरम् ।
उदावर्तं क्षयं गुल्ममपस्मारमुरोग्रहम् ॥६४॥
मन्दाग्निं श्वासकासांश्च नाशयेदरुचिं तथा ।
रेतोदोषहरः पुंसां रजोदोषहरः स्त्रियाम् ॥६५॥
पुंसामपत्यजनको वन्ध्यानां गर्भदस्तथा ।
रास्नादिक्वाथसंयुक्तो विविधं हन्ति मारुतम् ॥६६॥
काकोल्यादिशृतात् पित्तं कफमारग्वधादिना ।
दार्वीशृतेन मेहांश्च गोमूत्रेण च पाण्डुताम् ॥६७॥
मेदोवृद्धिं च मधुना कुष्ठं निम्बशृतेन वा ।
छिन्नाक्वाथेन वातास्रं शोथं शूलं कणाशृतात् ॥६८॥
पाटलाक्वाथसहितो विषं मूषकजं जयेत् ।
त्रिफलाक्वाथसहितो नेत्रार्तिं हन्ति दारुणाम् ॥६९॥
पुनर्नवादिक्वाथेन हन्यात् सर्वोदराण्यपि ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; ५६-६९ १/२)

1.	Nāgarā (Śunthī)	(Rz.)	3 g	
2.	Pippalī	(Fr.)	3 g	
3.	Cavya	(St.)	3 g	
4.	Pippalā mūla (Pippalī)	(Rt.)	3 g	
5.	Citraka	(Rt.)	3 g	
6.	Hiṅgu-bhr̥ṣṭa	(Exd.)	3 g	
7.	Ajamodā	(Fr.)	3 g	
8.	Sarṣapa	(Sd.)		3 g
9.	Śveta Jīraka	(Fr.)	3 g	
10.	Kṛṣṇa Jīraka	(Fr.)	3 g	
11.	Reṇukā	(Sd.)		3 g
12.	IndraYava (Kuṭaja)	(Sd.)		3 g
13.	Pāṭhā	(Rt.)	3 g	
14.	Vidaṅga	(Fr.)	3 g	
15.	Gajapippalī	(Fr.)	3 g	
16.	Kaṭukā	(Rt./Rz.)	3 g	
17.	Ativiṣā	(Rt.Tr.)	3 g	
18.	Bhārṅgī	(Rt.)	3 g	
19.	Vacā	(Rz.)	3 g	
20.	Mūrvā	(Rt.)	3 g	
21.	Harītakī	(P.)	40 g	
22.	Bibhītaka	(P.)	40 g	
23.	Āmalakī	(P.)	40 g	
24.	Guggulu-śodhita	(Exd.)	180 g	
25.	Vaṅga bhasma		48 g	
26.	Raupya (Rajata) bhasma		48 g	
27.	Nāga bhasma		48 g	
28.	Loha sāra (lauha) bhasma		48 g	
29.	Abhraka bhasma		48 g	

30.	Maṇḍūra bhasma	48 g
31.	Rasa Sindūra (Pārada)	48 g

Special Method of Preparation

The fine powder of all the drugs, guggulu and the bhasmas are mixed and pounded well with Ghṛta

Dose

1/2 to 1 g

Anupāna

Rāsnādi Kvātha, Kākōlyādi Kvātha, Āragvadhādi Kvātha, Triphalā Kvātha, Nimba Kvātha or honey

Important Therapeutic Uses

Gulma (Abdominal lump), Udāvarta (Condition in which there is upward movement of vayu), Vātaroga (Disease due to Vāta doṣa), Prameha (Urinary disorders), Bhagandara (Fistula-in-ano), Vātarakta (Gout), Kuṣṭha (Diseases of skin), Arśa (Haemorrhoids), Grahaṇī (Malabsorption syndrome), Nābhi Śūla (Pain in umbilical region), Kṣaya (Pthisis), Apasmāra (Epilepsy), Urograha (Stiffness and Tightness in the chest), Mandāgni (Impaired digestive fire), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Aruci (Tastelessness), Śukra Doṣa (Vitiation of semen), Rajodoṣa (Menstrual disorder), Śoṭha (Inflammation), Vandhyatva (Infertility), Śūla (Colicky Pain), Pāṇḍu (Anaemia), Medovṛddhi (Obesity), Mūṣika Viṣa (Rat poisoning), Netraroga (Eye disorder), Udara (Diseases of abdomen / enlargement of abdomen), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

5 : 7 YOGARĀJA GUGGULU

(Bhaiṣajyaratnāvalī, Āmavātādhikāra : 90-95)

चित्रकं पिप्पलीमूलं यमानी कारवी तथा ।

विडङ्गान्यजमोदा च जीरकं सुरदारु च ॥९०॥
 चव्येला सैन्धवं कुष्ठं रास्नागोक्षुरधान्यकम् ।
 त्रिफला मुस्तकं व्योषं त्वगुशीरं यवाग्रजम् ॥९१॥
 तालीशपत्रं पत्रञ्च श्लक्ष्णचूर्णानि कारयेत् ।
 यावन्त्येतानि चूर्णानि तावन्मात्रन्तु गुग्गुलुम् ॥९२॥
 सम्मर्द्य सर्पिषा गाढं स्निग्धे भाण्डे निधापयेत् ।
 अतो मात्रां प्रयुञ्जीत यथेष्टाहारवानपि ॥९३॥
 योगराज इति ख्यातो योगोऽयममृतोपमः ।
 आमवाताढ्यवातादीन् कृमिदुष्टव्रणानि च ॥९४॥
 प्लीहगुल्मोदरानाहदुर्नामानि विनाशयेत् ।
 अग्निञ्च कुरुते दीप्तं तेजोवृद्धिं बलं तथा ॥
 वातरोगान् जयत्येष सन्धिमज्जगतानपि ॥९५॥
 (भैषज्यरत्नावली, आमवाताधिकार; ९०-९५)

1.	Citraka	(Rt.)	1 Part
2.	Pippalī mūla	(Rt.)	1 Part
3.	Yamānī (Yavānī)	(Sd.)	1 Part
4.	Kāravī (Kṛṣṇa Jīraka)	(Fr.)	1 Part
5.	Vidaṅga	(Fr.)	1 Part
6.	Ajamodā	(Fr.)	1 Part
7.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
8.	Suradāru (Devadāru)	(Ht.Wd.)	1 Part
9.	Cavya	(St.)	1 Part
10.	Elā (Sūkṣmailā)	(Sd.)	1 Part
11.	Saindhava lavaṇa		1 Part
12.	kuṣṭha	(Rt.)	1 Part
13.	Rāsnā	(Rt./Lf.)	1 Part
14.	Gokṣura	(Fr.)	1 Part
15.	Dhānyaka	(Fr.)	1 Part
16.	Harītakī	(P.)	1 Part
17.	Bibhītaka	(P.)	1 Part

18.	Āmalakī	(P.)	1 Part
19.	Mustaka (Mustā)	(Rz)	1 Part
20.	Śuṇṭhī	(Rz.)	1 Part
21.	Marica	(Fr.)	1 Part
22.	Pippalī	(Fr.)	1 Part
23.	Tvak	(St.Bk.)	1 Part
24.	Uśīra	(Rt.)	1 Part
25.	Yavāgraja (Yava) kṣāra	(Pl.)	1 Part
26.	Talīśa patra	(Lf.)	1 Part
27.	Patra (Tejapatra)	(Lf.)	1 Part
28.	Guguulu-śodhita	(Exd.)	1 Part
29.	Sarpi (Goghṛta)		1 Part

Special Method of Preparation

Fine powder of all drugs is added to guggulu and pounded well. Ghṛta is added in small quantities while pounding till the whole thing becomes a soft mass

Dose

3 g

Anupāna

Rāsnā Saptaka Kvātha, Laśuna Svarasa, honey

Important Therapeutic Uses

Udararoga (Ascites), Āmavāta (Rheumatism), Ādhyavāta (Gout), Kṛmi (Helminthiasis/Worm infestation), Duṣṭa Vraṇa (Non-healing ulcer), Plīhā Vṛddhi (Splenomegaly), Gulma (Abdominal lump), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Arśa (Haemorrhoids), Agnimāndya (Digestive impairment), Daurbalya (Weakness), Sandhigata Vāta (Osteoarthropathy), Majjāgata Vāta (Bone marrow related disorder)

5 : 8 LĀKṢĀ GUGGULU

(Bhaiṣajyaratnāvalī, Bhagnādhikāra: 12-13)

लाक्षास्थिसंहृत्कुभाश्वगन्धाचूर्णीकृता नागबला पुरश्च ।
संभग्नमुक्तास्थिरुजं निहन्यादङ्गानि कुर्यात्कुलिशोपमानि ॥१२॥
अत्रान्यत्रोपदृष्टत्वात्तुल्यश्चूर्णेन गुग्गुलुः ॥१३॥
(भैषज्यरत्नावली, भग्नाधिकार; १२-१३)

1.	Lākṣā	(Gl.)	1 Part
2.	Asthisamhṛtḥ	(St.)	1 Part
3.	Kakubha (Arjuna)	(St.Bk.)	1 Part
4.	Aśvagandhā	(Rt.)	1 Part
5.	Nāgabalā	(Rt.)	1 Part
6.	Pura (Guggulu) -śuddha	(O.R.)	5 Parts

Dose

3 g

Anupāna

Warm water

Important Therapeutic Uses

Asthi Bhaṅga (Bone fracture), Asthi Cyuti (Dislocation of bones, joints), Asthi Rujā (Ostealgia)

5 : 9 VYOṢĀDI GUGGULU

(Aṣṭāṅga Hr̥daya, Cikitsāsthāna, Adhyaya : 21; 54)

व्योषाग्निमुस्तत्रिफलाविडङ्गैर्गुग्गुलुं समम् ॥४९॥
खादन् सर्वान् जयेद्व्याधीन् मेदःश्लेष्माऽऽमवातजान् ।

शाम्यत्येवं कफाक्रान्तः समेदस्कः प्रभञ्जनः ॥५०॥

क्षारमूत्रान्वितान् स्वेदान् सेकानुद्वर्तनानि च ।

कुर्याद् दिह्याच्च मूत्राढ्यैः करञ्जफलसर्षपैः ॥५१॥

मूलैर्वाऽप्यर्कतर्कारीनिम्बजैः ससुराह्वयैः ।

सक्षौद्रसर्षपाऽपक्वलोष्टवल्मीकमृत्तिकैः ॥५२॥

कफक्षयार्थं व्यायामे सह्ये चैनं प्रवर्तयेत् ।

स्थलान्युल्लङ्घयेन्नारीः शक्तितः परिशीलयेत् ॥५३॥

स्थिरतोयं सरः क्षेमं प्रतिस्रोतो नदीं तरेत् ।

श्लेष्ममेदःक्षये चाऽत्र स्नेहादाववचारयेत् ॥५४॥

(अष्टांगहृदय चिकित्सा स्थान, अध्याय २१; ४९-५४)

1.	Śunthī	(Rz.)	1 Part
2.	Marica	(Fr.)	1 Part
3.	Pippalī	(Fr.)	1 Part
4.	Agni (Citraka)	(Rt.)	1 Part
5.	Musta(Mustā)	(Rz.)	1 Part
6.	Harītakī	(P.)	1 Part
7.	Bibhītaka	(P.)	1 Part
8.	Āmalakī	(P.)	1 Part
9.	Vidaṅga	(Fr.)	1 Part
10.	Guggulu-śuddha	(O.R.)	9 Parts

Dose

3 g

Anupāna

Warm water

Important Therapeutic Uses

Medoroga (Obesity), Kapharoga (Disease due to Kapha doṣa), Āmavāta (Rheumatism)

5 : 10 VĀTĀRI GUGGULU

(Bhaiṣajyaratnāvalī, Amavātādhikāra : 87-89)

वातारितैलसंयुक्तं गन्धकं पुरसंयुतम् ।
फलत्रययुतं कृत्वा पिट्टयित्वा चिरं रुजि ॥८७॥
भक्षयेत्प्रत्यहं प्रातरुष्णतोयानुपानतः ।
दिने दिने प्रयोक्तव्यं मासमेकं निरन्तरम् ॥८८॥
सामवातं कटीशूलं गृध्रसी खञ्जपङ्गुताम् ।
वातरक्तं सशोथञ्च सदाहं क्रोष्टुशीर्षकम् ॥
शमयेद्बहुशो दृष्टमपि वैद्यविवर्जितम् ॥८९॥
(भैषज्यरत्नावली, आमवाताधिकार; ८७-८९)

1.	Vātāri taila (Eraṇḍa)	(Sd.)	1 Part
2.	Gandhaka -śuddha		1 Part
3.	Pura (Guggulu)-śuddha	(O.R.)	1 Part
4.	Harītakī	(P.)	1 Part
5.	Bibhītaka	(P.)	1 Part
6.	Āmalakī	(P.)	1 Part

Special Method of Preparation

Guggulu is made soft by adding Eraṇḍa Taila. Powder of other drugs are added and mixed well.

Dose

3 g

Anupāna

Warm Water

Important Therapeutic Uses

Āmavāta (Rheumatism), Kaṭi Śūla (Lower backache), Gṛdhraśī (Sciatica), Khañja (Limping), Vātarakta (Gout), Paṅgu (Paraplegia), Śoṭha (Inflammation), Dāha (Burning

sensation), Kroṣṭuka Sīrṣa (Synovitis of Knee joint)

5 : 11 SAPTAVIMŚATIKA GUGGULU

(Bhaiṣajyaratnāvalī, Bhagandarādhikāra: 16-21)

त्रिकटुत्रिफलामुस्तविडङ्गामृतचित्रकम् ।
शट्येला पिप्पलीमूलं हवुषा सुरदारु च ॥१६॥
तुम्बुरु पुष्करं चव्यं विशाला रजनीद्वयम् ।
विडसौवर्चले क्षारौ सैन्धवं गजपिप्पली ॥१७॥
यावन्त्येतानि चूर्णानि तावद्द्विगुणगुग्गुलुः ।
कोलप्रमाणां गुडिकां भक्षयेन्मधुना सह ॥१८॥
कासं श्वासं तथा शोथमर्शासि च भगन्दरम् ।
हृच्छूलं पार्श्वशूलञ्च कुक्षिवस्तिगुदे रुजम् ॥१९॥
अश्मरीं मूत्रकृच्छ्रञ्च अन्त्रवृद्धिं तथा कृमीन् ।
चिरज्वरोपसृष्टानां क्षयोपहतचेतसाम् ॥२०॥
आनाहञ्च तथोन्मादं कुष्ठानि चोदराणि च ।
नाडीदुष्टव्रणान् सर्वान् प्रमेहं श्लीपदं तथा ।
सप्तविंशतिको हन्ति सर्वरोगनिषूदनः ॥२१॥
(भैषज्यरत्नावली, भगन्दराधिकार; १६-२१)

1.	Śunṭhī	(Rz.)	1 Part
2.	Marica	(Fr.)	1 Part
3.	Pippalī	(Fr.)	1 Part
4.	Harītakī	(P.)	1 Part
5.	Bibhītaka	(P.)	1 Part
6.	Āmalakī	(P.)	1 Part
7.	Musta (Mustā)	(Rz.)	1 Part
8.	Vidaṅga	(Fr.)	1 Part
9.	Amṛtā (Guḍūcī)	(Pl.)	1 Part
10.	Citraka	(Rt.)	1 Part

11.	Śaṭī	(Rz.)	1 Part
12.	Elā (Sūkṣmailā)	(Sd.)	1 Part
13.	Pippalīmūla (Pippalī)	(Rt.)	1 Part
14.	Havuṣa (Hapuṣa)	(Fr.)	1 Part
15.	Suradāru (Devadāru)	(Ht. Wd.)	1 Part
16.	Tumburu (tejovatī)	(Fr.)	1 Part
17.	Puṣkara	(Rt.)	1 Part
18.	Cavya	(St.)	1 Part
19.	Viśālā (Rakta indravāruṇī)	(Rt.)	1 Part
20.	Haridrā	(Rz.)	1 Part
21.	Dāruharidrā	(St.)	1 Part
22.	Viḍa Lavaṇa		1 Part
23.	Sauvarcala Lavaṇa		1 Part
24.	Yavakṣāra (Yava)	(Pl.)	1 Part
25.	Sarji Kṣāra (Svarjīkṣāra)		1 Part
26.	Saindhava Lavaṇa		1 Part
27.	Gajapippalī	(Fr.)	1 Part
28.	Guggulu-śuddha	(O.R.)	54 Parts

Dose

6 g

Anupāna

Warm Water, Honey

Important Therapeutic Uses

Hṛcchūla (Angina pectoris), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Śoṭha (Inflammation), Arśa (Haemorrhoids), Bhagandara (Fistula-in-ano), Kuṣi Rujā (Pelvic pain), Vaktrarujā (Pain in mouth), Guda Rujā (Pain in the anorectal area), Aśmarī (Calculus), Mūtrakṛcchra (Dysuria), Āntra Vṛddhi

(Hernia), Kṛmi (Helminthiasis/Worm infestation), Jvara (Fever), Kṣaya (Pthisis), Apasmāra (Epilepsy), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Unmāda (Mania/Psychosis), Kuṣṭha (Diseases of skin), Udara (Diseases of abdomen / enlargement of abdomen), Nāḍīvrāṇa (Fistula), Duṣṭa Vraṇa (Non-healing ulcer), Prameha (Urinary disorders), Ślīpada (Filariasis)

5 : 12 SIMHANĀDA GUGGULU

(Bhaiṣajyaratnāvalī, Amavātādhikāra: 130-135)

पलत्रयं कषायस्य त्रिफलायाः सुचूर्णितम् ।
 सौगन्धिकपलञ्चैकं कौशिकस्य पलन्तथा ॥१३०॥
 कुडवं चित्रतैलस्य सर्वमादाय यत्नतः ।
 पाचयेत् पाकविद्वैद्यः पात्रे लौहमये दृढे ॥१३१॥
 हन्ति वातं तथा पित्तं श्लेष्माणं खज्जपङ्गुताम् ।
 श्वासं सुदुर्जयं हन्ति कासं पञ्चविधन्तथा ॥१३२॥
 कुष्ठानि वातरक्तानि गुल्मशूलोदराणि च ।
 आमवातं जयेदेतदपि वैद्यविवर्जितम् ॥१३३॥
 एतदभ्यासयोगेन जरापलितनाशनम् ।
 सर्पिस्तैलवसोपेतमश्नीयाच्छालिषष्टिकम् ॥१३४॥
 सिंहनाद इति ख्यातो रोगवारणदर्पहा ।
 वह्निवृद्धिकरः पुंसां भाषितो दण्डपाणिना ॥१३५॥
 (भैषज्यरत्नावली, आमवाताधिकार; १३०-१३५)

1.	Harītakī	(P.)	48 g
2.	Bibhītaka	(P.)	48 g
3.	Āmalakī	(P.)	48 g
4.	Water for decoction		576 ml
	reduced to		144 ml
5.	Saugandhika (gandhaka)-śuddha		48 g
6.	Kauśika (Guggulu)-śuddha	(O.R.)	48 g

7. Citrā taila (Eraṇḍa)

(Ol.)

192 g

Special Method of Preparation

Kaṣāya of drugs 1 to 3 is prepared in an iron vessel, Eraṇḍa Taila is added to the Kaṣāya and boiled. When the liquid is concentrated Gandhaka and guggulu are added and mixed well

Dose

3 g

Anupāna

Warm Water

Important Therapeutic Uses

Khañja (Limping), Pāṇḍu (Anaemia), Āmavāta (Rheumatism), Vātarakta (Gout), Kuṣṭha (Diseases of skin), Vātaroga (Disease due to Vāta doṣa), Kapharoga (Disease due to Kapha doṣa), Pitta Roga (Disease due to Pitta doṣa), Paṅgu (Paraplegia), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Gulma (Abdominal lump), Śūla (Colicky Pain), Udara (Diseases of abdomen / enlargement of abdomen), Jarā (Senility/Progeriasis), Palita (Graying of hair), Agnimāndya (Digestive impairment)

6. GHṚTA (SNEHAKALPA)

Definition:

Ghṛtas are preparations in which ghee is boiled with prescribed Kaṣāyas (decoctions) and kalkas of drugs according to the formula. This process ensures absorption of the active therapeutic principles of the ingredients used.

General method of preparation:

1. There are generally three essential components for the preparation of sneha (Ghṛta or Taila) viz:-

- (i) Drava (a liquid which may be one or more as Kaṣāya, Svarasa, Dugdha, Mastu, etc.)
- (ii) Kalka (a fine paste of the drug(s))
- (iii) Sneha dravya (Ghṛta, Mūrchita Ghṛta¹).

2. Generally, unless otherwise mentioned in the text if kalka is one part by weight, sneha should be four parts and the drava-dravya should be sixteen parts. Exceptions are:

- (i) Where no drava is prescribed, four parts of water is added to one part of sneha; the kalka is one fourth the weight of sneha.
- (ii) Where drava-dravya is Kvātha, kalka should be one -sixth of sneha.
- (iii) Where the drava dravya is svarasa, Kṣīra, Takra, Dadhi etc. The kalka should be one eighth of the sneha and then 4 times water is also added for good Pāka.
- (iv) Where the number of drava dravyas is four or less than four, each drava has to be taken four times the weight of sneha.
- (v) Where the drava dravyas are 5 or more, each drava will be equal in weight to the sneha.
- (vi) If in a preparation, no kalka is prescribed, then the drugs of the Kaṣāya may be used as kalka.

3. The kalka and the drava are mixed together, sneha is then added, boiled on mild fire and stirred well continuously so that the kalka is not allowed to adhere to the vessel. Sometimes,

the drava-dravyas are directed to be added one after another as the process of the boiling is continued till the drava dravya added earlier has evaporated.

4. When all the drava dravyas have evaporated the moisture in the kalka will also begin to evaporate; at this stage, it has to be stirred more often and carefully to ensure that the kalka does not stick to the bottom of the vessel. The kalka is taken out of the ladle and tested from time to time to know the condition and stage of the Pāka.

5. There are three stages of Pāka²:-

- (i) Mṛdu Pāka,
- (ii) Madhyama Pāka and
- (iii) Khara Pāka.

In Mṛdu Pāka kalka is waxy and when rolled between the fingers, rolls like lac with slight sticking. In Madhyama Pāka kalka is soft, non-sticky and rolls between fingers and when put in fire burns without any cracking noise. A further degree of heating leads to Khara pāka which is slightly hard. Any further heating will lead to dagdha Pāka and the sneha becomes unfit for use.

6. In the sneha group Śarkara if mentioned, is added in fine powder form to the final product when cool.

7. Where the Pāka is to be done with Kvātha, Svarasa, Dugdha, Māmsarasa, etc. The Pāka is to be done with these dravas separately in the above order. The period³ of Pāka with various dravyas should be as below:

- (i) Kvātha, Āranāla, Takra etc. -5 days
- (ii) Svarasa -3 days
- (iii) Dugdha -2 days
- (iv) Māmsarasa -1day

8. Pātrapāka : Pātrapāka is the process by which the sneha is flavoured or augmented by

certain soluble or mixable substances. The powders of the drugs are placed in the vessel into which fairly warm sneha is filtered.

9. Mṛdupāka Sneha is used for nasya; Madhyamapāka Sneha is used for Pāna, Vasti, etc.; Kharapāka Sneha is used only for Abhyaṅga.

10. In the beginning the boiling should be on mild fire and in the end also it should be only on mild (Mṛdvagni) fire.

11. Whenever Lavaṇas and Kṣāras are used in these preparations, they are added to the sneha and then strained.

Characteristics:

The Ghṛta will generally solidify when cooled. It will have the colour, odour and taste of the drug(s) used.

Preservation:

Ghṛtas are preserved in glass, polythene or aluminium containers. Ghṛta preparation for internal use keep their potency for about sixteen months.

Method of use:

Generally the Anupāna for internal use, when not specified, is warm water or warm milk. The Ghṛta has to be taken after warming. This is taken with the medium of other liquids also.

Note:

1. The method or Mūrcchana of Ghṛta is given in Paribhāṣā khaṇḍa.
2. Śārṅgadharasaṃhitā, Madhyama khaṇḍa , Adhyāya 9/12-16
3. Period as mentioned in Vaidyaka Paribhāṣā pradīpa which is reproduced below.

" kṣīrae dvirātram svarasae trirātram takrāranālādiṣu pañcarātram
snaeham pacet vaidyavaraḥ prayatnāt....."

1	AMṚTĀ GHṚTA	Cakradatta, Āmavātacikitsā	58
2	AMṚTAPRĀŚĀ GHṚTA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 3	93-97
3	AMṚTABHALLĀTAKA GHṚTA-Synonym Am ṛtabhallātaka Pāka .	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 39	75-77
4	AŚOKA GHṚTA	BHAIṢAJYARATNĀVALĪ, STRĪROGĀDHĪKĀRA	17-20
5	INDUKĀNTA GHṚTA	Sahasrayoga, Ghṛtaprakaraṇa	5.
6	ELĀDI GHṚTA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 5	28-31.
7	KALYĀṆAKA GHṚTA	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 6	26-28 1/2
8	KĀSĪSĀDI GHṚTA	Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 9	51-54 1/2
9	CĀṆGERĪ GHṚTA	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	190-191
10	CHĀGALĀDYA GHṚTA	Bhaiṣajyaratnāvalī, Rājyakṣmādhikāra;	39-41.
11	JĀTYĀDI GHṚTA synonym Vraṇa Śodhanādi Ghṛta	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 25	67
12	JĪVANTYĀDI GHṚTA	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 13	2-5 1/2
13	TIKTAKA GHṚTA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 19	2-7
14	TRIPHALĀ GHṚTA	Bhaiṣajyaratnāvali, Netrarogādhikāra	181-186
15	TRAIKĀṆTAKA GHṚTA	Sahasrayoga, Ghṛtaprakaraṇa;	22
16	DAŚAMŪLA GHṚTA	Aṣṭāṅgahr̥daya, Cikitsāsthāna,	55-56

		Adhyāya 3	
17	DAŚAMŪLA ŚAṬPALAKA GHṚTA	Cakradatta, Jvaracikitsā	252-253
18	DAŚAMŪLAŚAṬPALAKA GHṚTA	Cakradatta, Udaracikitsā	59
19	DĀḌIMĀDI GHṚTA	Aṣṭāṅghṛdaya, Cikitsāsthāna, Adhyāya 16	2-4
20	DĀDHIKA GHṚTA	Aṣṭāṅghṛdaya, Cikitsāsthāna, Adhyāya 14	13-20 1/2
21	DHĀTRYĀDI GHṚTA	Sahasrayoga, Ghṛtaprakaraṇa	7
22	DHĀNVANTARA GHṚTA	Aṣṭāṅghṛdaya, Cikitsāsthāna, Adhyāya 12	19-23 1/2
23	NĀRASIMHA GHṚTA RASĀYANA	Aṣṭāṅghṛdaya, Uttarasthāna, Adhyāya 39	170-174
24	NIRGUṆDĪ GHṚTA	Cakradatta, Rājayaḥśmācikitsā	83
25	PAÑCAGAVYA GHṚTA	Aṣṭāṅghṛdaya, Uttarasthāna, Adhyāya 7	18 1/2
26	PAÑCATIKTA GHṚTA	Bhaiṣajyaratnāvalī, Kuṣṭhādhikāra	114-117 1/2
27	PAÑCATIKTAGUGGULU GHṚTA (Synonym Nimbādi Gh ṛta)	Aṣṭāṅga Hṛdaya, Cikitsāsthāna, Adhyāya 21	57-60
28	PAṬOLĀDI GHṚTA	Aṣṭāṅghṛdaya, Uttarasthāna, Adhyāya 13	6-9 1/2
29	PIPPALYĀDI GHṚTA	Aṣṭāṅghṛdaya, Cikitsāsthāna, Adhyāya 1	89-90
30	PHALA GHṚTA	Aṣṭāṅghṛdaya, Uttarasthāna, Adhyāya 34	63-67.
31	BRĤAT PHALA GHṚTA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 9	79-84, 86 1/2

32	BRĀHMĪ GHṚTA	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 6	23-25 1/2
33	MAHĀ KALYĀṆAKA GHṚTA	Aṣṭāṅga Hr̥daya, Uttarasthāna, Adhyāya 6	26 - 33 1/2
34	MAHĀTIKTAKA GHṚTA	Bhaiṣajyaratnāvalī, Kuṣṭhādhikāra	118-124 1/2
35	MAHĀ TRIPHALĀDYA GHṚTA	Bhaiṣajyaratnāvalī, Netrarogādhikāra	173-180
36	MAHĀ PAÑCAGAVYA GHṚTĀ	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 7	18-23 1/2
37	MĪŚRAKA SNEHA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14	89-90 1/2
38	LAŚUNĀDI GHṚTA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14	22-25
39	VAJRAKA GHṚTA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 19	18
40	VASTYĀMAYĀNTAKA GHṚTA	Sahasrayoga, Ghṛtaprakaraṇa	21
41	VIDĀRYĀDI GHṚTA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 3	9
42	ṢAṬPALA GHṚTA Synonym- Pañcakolādi Ghṛta	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 5	22 - 23
43	SĀRASVATA GHṚTA	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 1	46 1/2
44	SUKUMĀRA GHṚTA	Sahasrayoga, Ghṛtaprakaraṇa	4

6 : 1 AMṚTĀ GHṚTA
(Cakradatta, Āmavātacikitsā: 58)

अमृतायाः कषायेण कल्केन च महौषधात् ।
मृद्वग्निना घृतं प्रस्थं वातरक्तहरं परम् ॥५८॥
(चक्रदत्त; आमवातचिकित्सा; ५८)

1.	Amṛtā (Guḍūcī)	(St.)	1.536 kg
2.	Water for decoction		12.288 l
	reduced to		3.072 l
3.	Mahaṣadha (Śunthī)	(Rz.)	128 g
4.	Ghṛta (Goghṛta)		768 g

Dose

12 g

Anupāna

Warm milk, Warm water

Important Therapeutic Uses

Āmavāta (Rheumatism), Vātarakta (Gout), Kṛmi (Helminthiasis/Worm infestation),
Duṣṭa Vraṇa (Non-healing ulcer), Ādhyavāta (Gout), Arśa (Haemorrhoids), Gulma
(Abdominal lump)

6 : 2 AMṚTAPRĀŚA GHṚTA
(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 3 : 93-97)

जीवनीयो गणः शुण्ठी वरी वीरा पुनर्नवा ॥९३॥
बलाभाङ्गीस्वगुप्तिर्द्धि शटी तामलकी कणाः ।
शृङ्गाटकं पयस्या च पञ्चमूलं च यल्लघु ॥९४॥
द्राक्षाऽक्षोडादि च फलं मधुरस्निग्धबृंहणम् ।

तैः पचेत्सर्पिषः प्रस्थं कर्षाशैः श्लक्ष्णकल्कितैः ।।९५।

क्षीरधात्रीविदारीक्षुच्छागमांसरसान्वितम् ।

प्रस्थार्धं मधुनः शीते शर्करार्धतुलारजः ।।९६।।

पलार्धकं च मरिचत्वगेलापत्रकेसरम् ।

विनीय चूर्णितं तस्माल्लिह्यान्मात्रां यथाबलम् ।।९७।।

(अष्टांगहृदय, चिकित्सास्थान, अध्याय ३; ९३-९७)

1.	Jīvantī	(Rt.)	12 g
2.	Kākolī	(Sub. Rt.)	12 g
3.	Kṣīrakākolī	(Sub. Rt.)	12 g
4.	Medā	(Rt. Tr.)	12 g
5.	Mahāmedā	(Rt. Tr.)	12 g
6.	Mudgaparṇī	(Pl.)	12 g
7.	Māṣaparnī	(Pl.)	12 g
8.	Rṣabhaka	(Rt. Tr.)	12 g
9.	Jīvaka	(Rt. Tr.)	12 g
10.	Rddhi	(Sub.Rt. Tr.)	12 g
11.	Vṛddhi	(Sub.Rt. Tr.)	12 g
12.	Madhuka (Yaṣṭī)	(Rt.)	12 g
13.	Śunthī	(Rz.)	12 g
14.	Varī (Satāvarī)	(Rt. Tr.)	12 g
15.	Vīrā (Medā)	(Rt. Tr.)	12 g
16.	Punarnavā (Rakta Punarnavā)	(Rt.)	12 g
17.	Balā	(Rt.)	12 g
18.	Bhārṅgī	(Rt.)	12 g
19.	Svaguptā (ātmaguptā)	(Sd.)	12 g
20.	Rddhi	(Sub.Rt. Tr.)	12 g
21.	Śaṭhī (Śaṭī)	(Rz.)	12 g
22.	Tāmalakī	(Pl.)	12 g
23.	Kaṇa (Pippalī)	(Fr.)	12 g
24.	Sṛṅgāṭaka	(Fr.)	12 g

25.	Payasyā (Kśira vidārī)	(Rt. Tr.)	12 g
26.	Śālaparnī	(Pl.)	12 g
27.	Prśniparnī	(Pl.)	12 g
28.	Bṛhatī	(Pl.)	12 g
29.	Kaṇṭakārī	(Pl.)	12 g
30.	Gokṣura	(Pl.)	12 g
31.	Drākṣā	(Dr. Fr.)	12 g
32.	Akṣaoda	(Cotdn.)	12 g
33.	Sarpi (Goghṛta)		768 g
34.	Kṣīra (Godugdha)		768 ml
35.	Dhātrī rasa(Āmalakī)	(P.)	768 ml
36.	Vidārīras (Vidārī)	(Rt. Tr.)	768 ml
37.	Ikṣu-rasa	(St.)	768 ml
38.	Chāga Māmasa rasa		768 ml
39.	Madhu		384 g
40.	Śarkarā		2.400 kg
41.	Marica	(Fr.)	24 g
42.	Tvak	(St. Bk.)	24 g
43.	Elā (Sūkṣmailā)	(Sd.)	24 g
44.	Patra (Tejapatra)	(Lf.)	24 g
45.	Kesara (Nāgakēśara)	(Stmn.)	24 g

Dose

12 g

Anupāna

Warm milk, Warm water

Important Therapeutic Uses

Tṛṣṇā (Thirst), Dāha (Burning sensation), Jvara (Fever), Raktapitta (Bleeding

disorder), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣata Kṣīṇa (Debility due to chest injury), Vyādhikarṣita Naṣṭaśukra (Oligospermia due chronic illness), Daurbalya (Weakness), Svarahīna (Aphasia), Vaivarṇya (Discolouration), Hikkā (Hiccup), Chardi (Emesis), Mūrcchā (Syncope), Hṛdroga (Heart disease), Yoniroga (Disease of female genital tract), Mūtraroga (Urinary diseases)

6 : 3 AMṚTABHALLĀTAKA GHR̥TA-Synonym Amṛtabhallāataka Pāka .

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 39 : 75-77)

पुष्टानि पाकेन परिच्युतानि भल्लातकान्याढकसम्मितानि ।
घृष्ट्वेष्टिकाचूर्णकणैर्जलेन प्रक्षाल्य सशोष्य च मारुतेन ॥७५॥
जर्जराणि विपचेज्जलकुम्भे पादशेषधृतगालितशीतम् ।
तद्रसं पुनरपि श्रपयेत क्षीरकुम्भसहितं चरणस्थे ॥७६॥
सर्पिःपक्वं तेन तुल्यप्रमाण युञ्ज्यात्स्वेच्छं शर्कराया रजोभिः ।
एकी भूतं तत्खजक्षोभणेन स्थाप्यं धान्ये सप्तरात्रं सुगुप्तम् ॥७७॥
(अष्टाङ्गहृदय, सूत्रस्थान; अध्याय ३९: ७७५-७७)

1.	Bhallāataka (Śuddha)	(Fr.)	3.072 kg
2.	Water for decoction		12.288 l
	reduced to		3.072 l
3.	Kṣīra (Godugdha)		3.840 l
	reduced decoction and Kṣīra to		3.840 l
4.	Śarpi (Goghṛta)		3.840 l
5.	Śarkarā		Q.S.

Special Method of Preparation

Ripe Bhallāataka is rubbed well with brick powder. Thereafter it is washed in hot water and dried in shade. It is then cut into small pieces and boiled in the specified quantity of water. When the decoction is cool, milk is added and boiled again till the

Dose

12 g

Anupāna

Māmsarasa, milk, water

Important Therapeutic Uses

Purāṇa Tvagroga (Degenerative/Chronic Skin disorder), Śuṣkāṛśa (Non bleeding Haemorrhoids), Valī (Wrinkles in the skin), Palita (Graying of hair), Smṛti Kṣaya (Loss of memory), Daurbalya (Weakness), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

Special Precaution

1. Since Bhallataka is a strong local irritant and produces Dāha, etc. necessary precaution should be taken to avoid direct contact of the body with it during the process of purification and boiling. 2. This preparation should not be used in Pitta prakṛti people and in Grīshma and Sharat ṛtu. 3. Pungent and spicy articles of food should be avoided during the administration of Ghṛta. Exposure to heat and sun should also be avoided.

6 : 4 AŚOKA GHṚTA

(BHAISAJYARATNĀVALĪ, STRĪROGĀDHIKĀRA: 17-20)

अशोकवल्कलप्रस्थं तोयाढकविपाचितम् ।
पादस्थेन घृतप्रस्थं जीरकक्वाथसंयुतम् ॥१७॥
तण्डुलाम्बु त्वजाक्षीरं घृततुल्यं प्रदापयेत् ।
तथैव केशराजस्य प्रस्थमेकं भिषग्वरः ॥१८॥
जीवनीयैः पियालैस्तु परुषैः सरसाञ्जनैः ।
यष्ट्याह्वाशोकमूलञ्च मद्विका च शतावरी ॥१९॥
तण्डुलीयकमूलञ्च कल्कैरेभिः पलाद्धकैः ।
शर्करायाः पलान्यष्टौ सिद्धशीते प्रदापयेत् ॥२०॥
(भैषज्यरत्नावली, स्त्रीरोगाधिकारः; १७-२०)

1.	Aśōka- valkala	(St. Bk.)	768 g
2.	Water for decoction		3.072 l
	reduced to		768 m;
3.	Ghr̥tha		768 g
4.	Jīraka-kvātha	(Fr.)	768 ml
5.	Taṇḍulāmbu (Śalī)	(Sd.)	768 ml
6.	Ajākṣīra		768 ml
7.	Keśarāja rasa (Bhṛṅgarāja)	(Pl.)	768 ml
8.	Jīvantī	(Rt.)	24 g
9.	Kākolī	(Sub. Rt.)	24 g
10.	Kṣīrakākolī	(Sub. Rt.)	24 g
11.	Medā	(Rt. Tr.)	24 g
12.	Mahāmeda	(Rt. Tr.)	24 g
13.	Mudgaparṇī	(Pl.)	24 g
14.	Māṣaparṇī	(Pl.)	24 g
15.	R̥ṣabhaka	(Rt. Tr.)	24 g
16.	Jīvaka	(Rt. Tr.)	24 g
17.	R̥ddhi	(Sub. Rt. Tr.)	24 g
18.	V̥rddhi	(Sub. Rt. Tr.)	24 g
19.	Yaṣṭimadhuka (Yaṣṭī)	(Rt.)	24 g
20.	Piyāla (Priyāla)	(Kr.)	24 g
21.	Parūṣa (Parūṣaka)	(Fr.)	24 g
22.	Rasāñjana (Dāruharidrā)	(St. Ext.)	24 g
23.	Yaṣṭyāhvaya (Yaṣṭī)	(Rt.)	24 g
24.	Aśōka mūla	(Rt.)	24 g
25.	Mṛdvīkā (Drākṣā)	(Dr. Fr.)	24 g
26.	Śatāvarī	(Rt. Tr.)	24 g
27.	Taṇḍulīyaka-mūla	(Rt.)	24 g
28.	Śarkarā		384 g

Dose

12 g

Anupāna

Warm water, Warm milk

Important Therapeutic Uses

Pradara (Excessive vaginal discharge), Kuṣṭhīśūla (Pelvic pain), Kaṭi Śūla (Lower backache), Yonīśūla (Pain in female genital tract), Pāṇḍu (Anaemia), Mandāgni (Impaired digestive fire), Aruci (Tastelessness), Kārśya (Emaciation), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Enhances Bala, Varṇa, Āyu (promotes Physical strength, Complexion and Longevity)

6 : 5 INDUKĀNTA GHṚTA

(Sahasrayoga, Ghṛtaprakaraṇa : 5.)

पूतीकदारुदशमूलकषायसिद्धं ।
सक्षीरषट्पलयुतं घृतमिन्दुकान्तम् ॥
(सहस्रयोग, घृतप्रकरण; ५)

1.	Pūtīka (Cirabilva)	(St. Bk.)	256 g
2.	Dāru (Devadāru)	(Ht. Wd.)	256 g
3.	Bilva	(Rt./St. Bk.)	25.6 g
4.	Agnimantha	(Rt./St. Bk.)	25.6 g
5.	Śyonāka	(Rt./St. Bk.)	25.6 g
6.	Gambhārī	(Rt./St. Bk.)	25.6 g
7.	Pāṭalā	(Rt./St. Bk.)	25.6 g
8.	Śālaparnī	(Pl.)	25.6 g
9.	Prśniparnī	(Pl.)	25.6 g
10.	Bṛhatī	(Pl.)	25.6 g
11.	Kaṇṭakārī	(Pl.)	25.6 g

12.	Gokṣura	(Pl.)	25.6 g
13.	Water for decoction		12.288 l
	reduced to		3.072 l
14.	Kṣīra (Godugdha)		768 ml
15.	Ghṛta (Goghṛta)		768 g
16.	Pippalī	(Fr.)	48 g
17.	Pippalī mūla	(Rt.)	48 g
18.	Cavya	(St.)	48 g
19.	Citraka	(Rt.)	48 g
20.	Śunthī	(Rz.)	48 g
21.	Yava kṣāra (Yava)	(Pl.)	48 g

Dose

12 g

Anupāna

Warm milk, Warm water, Guḍūcī Svarasa.

Important Therapeutic Uses

Śūla (Colicky Pain), Gulma (Abdominal lump), Udara (Diseases of abdomen / enlargement of abdomen), Viṣamajvara (Intermittent fever), Vātaroga (Disease due to Vāta doṣa), Kṣaya (Pthisis), Daurbalya (Weakness)

6 : 6 ELĀDI GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 5: 28-31.)

एलाजमोदात्रिफलासौराष्ट्रीव्योषचित्रकान् ।
 सारानरिष्टगायत्रीशालबीजकसम्भवान् ॥२८॥
 भल्लातकं विडंगं च पृथगष्टपलोन्मितम् ।

सलिले षोडशगुणे षोडशांशस्थिते पचेत् ॥२९॥
 पुनस्तेन घृतप्रस्थं सिद्धे चास्मिन्पलानि षट् ।
 तवाक्षीर्याः क्षिपेन्निशात्सितायां द्विगुणं मधु ॥३०॥
 घृतान्निजातान्निपलं ततो लीढं खजाऽऽहतम् ।
 पयोऽनुपानं तत्प्राश्य रसायनमयन्त्रणम् ॥३१॥
 (अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ५; २८-३१)

1.	Elā (Sūkṣmailā)	(Sd.)	384 g
2.	Ajamodā	(Fr.)	384 g
3.	Harītakī	(P.)	128 g
4.	Bibhītaka	(P.)	128 g
5.	Āmalakī	(P.)	128 g
6.	saurāṣṭrī (sphaṭikā)		128 g
7.	Śunthī	(Rz.)	128 g
8.	Marica	(Fr.)	128 g
9.	Pippalī	(Fr.)	128 g
10.	Citraka	(Rt.)	384 g
11.	Ariṣṭa (Nimba)	(St. Bk.)	384 g
12.	Gāyatrī (Khadira)	(Ht. Wd.)	384 g
13.	Śāla-sāra	(Ht. Wd.)	384 g
14.	Bījakasara (Asana)	(Ht. Wd.)	384 g
15.	Bhallātaka (Śuddha)	(Fr.)	384 g
16.	Viḍaṅga	(Fr.)	384 g
17.	Water for decoction		98.304 l
	reduced to		6.144 l
18.	Ghṛta (Goghṛta)		768 g
19.	Tavākṣīrī	(Rz.)	288 g
20.	Sitā		1.440 kg
21.	Madhu		1.536 kg
22.	Tvak	(St. Bk.)	48 g
23.	Elā (Sūkṣmailā)	(Sd.)	48 g

24. Patra (Tejapatra)

(Lf.)

48 g

Special Method of Preparation

Ghṛta is added to the Kaṣāya and Ghṛta Pāka is done. After filtration, fine powders of ingredients 19, 20, 22, 23 and 24 are added to the prepared Ghṛta and mixed well. when cool, madhu is mixed.

Dose

12 g

Anupāna

Milk, Warm water

Important Therapeutic Uses

Gulma (Abdominal lump), Kṣaya (Pthisis), Pāṇḍu Roga (Anaemia), Meha (Excessive flow of urine), Bhagandara (Fistula-in-ano), Agnimāndya (Digestive impairment), Netravikāra (Disorder of eye), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

6 : 7 KALYĀṆAKA GHṚTA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 6: 26-28 1/2)

वराविशाला भद्रैलादेवदार्वेलवालुकैः ॥२६॥

द्विसारिवाद्विरजनीद्विस्थिरा फलिनीनतैः ।

बृहतीकुष्ठमज्जिष्ठा-नागकेसरदाडिमैः ॥२७॥

वेल्लतालीसपत्रेलामालती मुकुलोत्पलैः ।

सदन्तीपद्मकहिमैः कर्षाशैः सर्पिषः पचेत् ॥२८॥

प्रस्थं भूतग्रहोन्माद कासापस्मारपाप्मसु ।

(अष्टांगहृदय, उत्तरस्थान, अध्याय; ६, २६-२८ १/२)

1. Harītakī (P.) 12 g

2. Bibhītaka (P.) 12 g

3.	Āmalakī	(P.)	12 g
4.	Viśālā (Rakta indravārunī)	(Fr.)	12 g
5.	Bhadraīlā (Sthūlailā)	(Sd.)	12 g
6.	Devadāru	(Ht. Wd.)	12 g
7.	Elavāluka	(St. Bk.)	12 g
8.	Śveta Sārivā	(Rt.)	12 g
9.	Kṛṣṇa sārivā	(Rt.)	12 g
10.	Haridrā	(Rz.)	12 g
11.	Dāruharidrā	(St.)	12 g
12.	Śālaparnī	(Pl.)	12 g
13.	Prśniparnī	(Pl.)	12 g
14.	Phalinī (Priyaṅgu)	(Fl.)	12 g
15.	Nata (Tagara)	(Rt./Rz.)	12 g
16.	Bṛhatī	(Pl.)	12 g
17.	Kuṣṭha	(Rt.)	12 g
18.	Mañjiṣṭhā	(St.)	12 g
19.	Nāgakesara(Nāgakeśara)	(Stmn.)	12 g
20.	Dāḍima -phala tvak	(Fr.)	12 g
21.	Vella (Viḍaṅga)	(Fr.)	12 g
22.	Tālīśapatra (Tālīsa)	(Lf.)	12 g
23.	Elā (Sūkṣmailā)	(Sd.)	12 g
24.	Mālatī mukula (jātī)	(Fl.)	12 g
25.	Utpala	(Fl.)	12 g
26.	Dantī	(Rt.)	12 g
27.	Padmaka	(Ht. Wd.)	12 g
28.	Hima (Rakta candana)	(Ht. Wd.)	12 g
29.	Sarpi (Goghṛta)		768 g

Dose

12 g

Anupāna

Warm milk, Warm water

Important Therapeutic Uses

Kāsa (Cough), Pāṇḍu (Anaemia), Apasmāra (Epilepsy), Bhūtonmāda (Exogenous psychosis), Bāla Graha (Specific disorders of children), Viṣavikāra (Morbidity due to Poisonous substance), Gara Viṣa (Slow / accumulated poison), Vandhyatva (Infertility), Yoniroga (Disease of female genital tract), Kaṇḍū (Itching), Śōpha (Oedema), Meda (Adipose tissue), Moha (Delusion), Jvara (Fever), Smṛti Daurbalya (Weak memory), Daurbalya (Weakness)

6 : 8 KĀSĪSĀDI GHṚTA

(Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 9: 51-54 1/2)

कासीसं द्वे निशे मुस्तं हरितालं मनःशिलाम् ।
कम्पिल्लकं गन्धकं च विडङ्गं गुग्गुलुं तथा ॥५१॥
सिक्थकं मरिचं कुष्ठं तुत्थकं गौरसर्षपान् ।
रसाञ्जनं च सिन्दूरं श्रीवासं रक्तचन्दनम् ॥५२॥
इरिमेदं निम्बपत्रं करञ्जं सारिवां वचाम् ।
मज्जिष्ठां मधुकं मांसीं शिरीषं लोध्रपद्मकम् ॥५३॥
हरीतकीं प्रपुत्राटं चूर्णयेत्कार्षिकान् पृथक् ।
ततस्तच्चूर्णमालोड्य त्रिशंत्पलमिते घृते ॥५४॥
स्थापयेत्ताम्रपात्रे च घर्मे सप्तदिनावधि ।
(शाङ्गधरसंहिता, मध्यमखण्ड; अध्याय, ९, ५१-५४ १/४)

1.	Kāsīsa		12 g
2.	Haridrā	(Rz.)	12 g
3.	Dāruharidrā	(St.)	12 g
4.	Haritāla		12 g

5.	Manahśilā		12 g
6.	Kampillaka	(G.H.F)	12 g
7.	Gandhaka		12 g
8.	Viḍaṅga	(Fr.)	12 g
9.	Guggulu-śuddha	(O.R.)	12 g
10.	Sikthaka (Madhūcchiṣṭa)		12 g
11.	Marica	(Fr.)	12 g
12.	Kuṣṭha	(Rt.)	12 g
13.	Tutthaka		12 g
14.	Gaura sarṣapa	(Sd.)	12 g
15.	Rasāñjana (Dāruharidrā)	(St.Ext.)	12 g
16.	Sindūra		12 g
17.	Śrīvāsa (sarala)-Niryāsa	(Exd.)	12 g
18.	Raktacandana	(Ht.Wd.)	12 g
19.	Irimeda (Arimeda)	(St.Bk.)	12 g
20.	Nimba patra	(Lf.)	12 g
21.	Karañja	(St.Bk.)	12 g
22.	Sāriva (Śveta Sārivā)	(Rt.)	12 g
23.	Vacā	(Rz.)	12 g
24.	Mañjiṣṭhā	(St.)	12 g
25.	Madhuka (Yaṣṭī)	(Rt.)	12 g
26.	Māṃsī (Jaṭāmāṃsī)	(Rz.)	12 g
27.	Śirīṣa	(Fr.)	12 g
28.	Lodhra	(St.Bk.)	12 g
29.	Padmaka	(Ht.Wd.)	12 g
30.	Harītakī	(P.)	12 g
31.	Prapunnāṭa (prapunnāḍa)	(Sd.)	12 g
32.	Ghṛta (Goghṛta)		1.440 kg

Special Method of Preparation

The kalka dravyas are mixed with Ghṛta in a copper vessel and exposed to the rays of the sun for seven days before use or before bottling.

Dose

For external use only as Abhyaṅga

Important Therapeutic Uses

Pāmā (Eczema), Vicarcikā (Eczema), Dadru (Taeniasis), Visarpa (Erysipelas), Kuṣṭha (Diseases of skin), Visphoṭa (Blister), Śūkadoṣa (Ulcer on penis due to chemical agents), Vātarakta (Gout), Upadaṁśa (Syphilis/Soft chancre), Nāḍīvrāṇa (Fistula), Duṣṭa Vraṇa (Non-healing ulcer), Śoṭha (Inflammation), Bhagandara (Fistula-in-ano), Lūtā Viṣa (Poison of Spider), For external use only as Abhyaṅga ((Massage))

6 : 9 CĀṄGERĪ GHṚTA

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra : 190-191)

नागरं पिप्पलीमूलं चित्रको हस्तिपिप्पली ।
श्वदंष्ट्रा पिप्पली धान्यं बिल्वं पाठा यमानिका ॥१९०॥
चाङ्गेरीस्वरसे सर्पिः कल्कैरेतैर्विपाचयेत् ।
चतुर्गुणेन दध्ना च तद्घृतं कफवातनुत् ॥१९१॥
(भैषज्यरत्नावली, ग्रहणीरोगाधिकार, १९०-१९१)

1.	Nāgara (Śunthī)	(Rz.)	9.6 g
2.	Pippalī mūla	(Rt.)	9.6 g
3.	Citraka	(Rt.)	9.6 g
4.	Hastipippalī (Gajapippalī)	(Fr.)	9.6 g
5.	Śvadaṁṣṭrā (Gokṣura)	(Fr.)	9.6 g
6.	Pippalī	(Fr.)	9.6 g
7.	Dhānya (Dhānyaka)	(Fr.)	9.6 g
8.	Bilva	(Rt./St.Bk.)	9.6 g
9.	Pāṭhā	(Rt.)	9.6 g

10.	Yamānikā (Yavānī)	(Fr.)	9.6 g
11.	Cāṅgērī svarasa	(Pl.)	3.072 l
12.	Sarpi (Goghṛta)		768 g
13.	Dadhi (Godadhi)		3.072 kg

Dose

12 g

Anupāna

Warm milk, Warm water

Important Therapeutic Uses

Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Grahaṇī (Malabsorption syndrome), Pravāhikā (Dysentery), Gudabhramśa (Prolapse of the rectum), Arśa (Haemorrhoids), Mūtrakṛcchra (Dysuria), Kaphavātaroga (Disease due to Kapha and Vāta doṣa)

6 : 10 CHĀGALĀDYA GHṚTA

(Bhaiṣajyaratnāvalī, Rājayaḥśmādhikāra; : 39-41.)

छागमांसतुलां गृह्य साधयेन्नत्वणेऽम्भसि ।
पादशेषेण तेनैव सर्पिः प्रस्थं विपाचयेत् ॥३९॥
ऋद्धी वृद्धी च मेदे द्वे जीवकर्षभकौ तथा ।
काकोली क्षीरकाकोली कल्कैः पृथक् पलोन्मितैः ॥४०॥
सम्याक् सिद्धेऽवतार्येत शीते तस्मिन् प्रदापयेत् ।
शर्करायाः पलान्यष्टौ मधुनः कुडवं क्षिपेत् ॥४१॥
(भैषज्यरत्नावली, राजयक्ष्माधिकार, ३९-४१)

1.	Chāga Māmasa	4.800 kg
2.	Water for decoction ()	12.288 l
	reduced to ()	3.072 l

3.	Sarpi (Goghṛta)	768 g
4.	R̥ddhi (Sub.Rt.Tr.)	48 g
5.	V̥rddhi (Sub.Rt.Tr.)	48 g
6.	Medā (Rt.Tr.)	48 g
7.	Mahāmēda (Rt.Tr.)	48 g
8.	Jivaka (Rt.Tr.)	48 g
9.	R̥ṣabhaka (Rt.Tr.)	48 g
10.	Kākoli (Sub.Rt.)	48 g
11.	K̥ṣīrakākoli (Sub.Rt.)	48 g
12.	Śarkarā	384 g
13.	Madhu	192 g

Dose

3 g

Anupāna

warm milk, warm water

Important Therapeutic Uses

Yakṣmā (Tuberculosis), Kāsa (Cough), Uroroga (Disease of thorax), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Urahkṣata (Chest wound / injured chest/ disease of lungs), Kṣaya (Pthisis), Aruci (Tastelessness), Svaya Kṣaya (Aphasia), Śvāsa (Dyspnoea/Asthma), Agnimāndya (Digestive impairment), Daurbalya (Weakness), Improves Bala, V̥ṣyaśakti, Māṃsa (i.e. physical strength, sexual vigour and muscle mass)

6 : 11 JĀTYĀDI GHṚTA synonym Vraṇa Śodhanādi Ghṛta

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya25 : 67)

जातीनिम्बपटोलपत्रकटुकादर्वीनिशासारिवा-

मज्जिष्ठाऽभयसिक्थतुत्थमधुकैर्नक्ताह्वबीजान्वितैः ।
 सर्पिः साध्यमनेन सूक्ष्मवदना मर्माश्रिताः क्लेदिनो
 गम्भीराः सरुजो व्रणाः सगतयः शुद्ध्यन्ति रोहन्ति च ॥६७॥
 (अष्टाङ्गहृदय, उत्तरस्थान, अध्याय २५; ६७)

1.	Jāti patra (jāti)	(Lf.)	14.76 g
2.	Nimba patra	(Lf.)	14.76 g
3.	Paṭola patra	(Lf.)	14.76 g
4.	Kaṭukā	(Rt./Rz.)	14.76 g
5.	Dārvī (Dāruharidrā)	(St.)	14.76 g
6.	Niṣā (Haridrā)	(Rz.)	14.76 g
7.	Sāriva (Śveta Sārivā)	(Rt.)	14.76 g
8.	Mañjiṣṭhā	(Rt.)	14.76 g
9.	Abhayā (Uśīra)	(Rt.)	14.76 g
10.	Sikthaka (Madhūcchiṣṭa)		14.76 g
11.	Tuttha		14.76 g
12.	Madhūka (Yaṣṭī)	(Rt.)	14.76 g
13.	Naktāhva (Karañja)	(Sd.)	14.76 g
14.	Sarpi (Goghṛta)		768 g
15.	Water		3.072 l

Dose

For external use only.

Important Therapeutic Uses

Marmāśritavraṇa (Ulcers in vital points), Kledī Vraṇa (Oozing/weeping ulcer),
 Gambhīra Vraṇa (Deep ulcer), Saruja Vraṇa (Painful ulcer), For external use only

6 : 12 JĪVANTYĀDI GHṚTA

तुलां पचेत जीवन्त्या द्रोणेऽपां पादशेषिते ।
तत्क्वाथे द्विगुणक्षीरं घृतप्रस्थं विपाचयेत् ॥२॥
प्रपौण्डरीककाकोलीपिप्पलीरोध्रसैन्धवैः ।
कताह्वामधुकद्राक्षासितादारुफलत्रयैः ॥३॥
कार्षिकैर्निशि तत्पीतं तिमिरापहरं परम् ।
(अष्टाङ्गहृदय, उत्तरस्थान, अध्याय १; २-३)

1.	Jīvantī	(Rt.)	4.800 kg
2.	Water for decoction		12.288 l
	reduced to		3.072 l
3.	Kṣīra (Godugdha)		6.144 l
4.	Ghṛta (Goghṛta)		768 g
5.	Prapaṇḍarīka	(Fl.)	12 g
6.	Kākolī	(Sub.Rt.)	12 g
7.	Pippalī	(Fr.)	12 g
8.	Rodhra (Lodhra)	(St.Bk.)	12 g
9.	saindhava lavaṇa		12 g
10.	Śatāhvā	(Fr.)	12 g
11.	Madhuka (Yaṣṭī)	(Rt.)	12 g
12.	Drākṣā	(Dr.Fr.)	12 g
13.	Sitā	(St.)	12 g
14.	Dāru (Dāruharidrā)	(Ht.Wd.)	12 g
15.	Harītakī	(P.)	12 g
16.	Bibhītaka	(P.)	12 g
17.	Āmalakī	(P.)	12 g

Dose

12 g

Anupāna

warm milk, warm water

Important Therapeutic Uses

Timira (early stage of Catract)

6 : 13 TIKTAKA GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 19 : 2-7)

पटोलनिम्बकटुकादार्वीपाठादुरालभाः ॥२॥
पर्पटं त्रायमाणां च पलांशं पाचयेदपाम् ।
द्व्याढकेऽष्टांशशेषेण तेन कर्षोन्मितैस्तथा ॥३॥
त्रायन्तीमुस्तभूनिम्बकलिङ्गकणचन्दनैः ।
सर्पिषो द्वादशपलं पचेत्तत्तत्कं जयेत् ॥४॥
पित्तकुष्ठपरीसर्पपिटिकादाहतृड्भ्रमान् ।
कण्डूपाण्ड्वामयान् गण्डान् दुष्टनाडीव्रणाऽपचीः ॥५॥
विस्फोटविद्रधीगुल्मशोफोन्मादमदानपि ।
हृद्रोगतिमिरव्यङ्गग्रहणीश्वित्रकामलाः ॥६॥
भगन्दरमपस्मारमुदरं प्रदरं गरम् ।
अर्शोऽस्रपित्तमन्यांश्च सुकृच्छ्रान् पित्तजान् गदान् ॥७॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १९; २-७)

1.	Paṭola	(Pl.)	48 g
2.	Nimba	(St.Bk.)	48 g
3.	Kaṭukā	(Rt./Rz.)	48 g
4.	Dārvī (Dāruharidrā)	(St.)	48 g
5.	Pāṭhā	(Rt.)	48 g
6.	Durālabhā (Dhanvayāsa)	(Pl.)	48 g
7.	Parpaṭa	(Pl.)	48 g
8.	Trāyamāṇa	(Pl.)	48 g

9.	Water for decoction		6.144 l
	reduced to		768 ml
10.	Trāyantī (Trāyamāṇa)	(Pl.)	12 g
11.	Musta (Mustā)	(Rz.)	12 g
12.	Bhūnimba (Kirātatikta)	(Pl.)	12 g
13.	Kaliṅga (Kutaja)	(Sd.)	12 g
14.	Kaṇā (Pippalī)	(Fr.)	12 g
15.	Candana (Śveta candana)	(Ht.Wd.)	12 g
16.	Sarpi (Goghṛta)		576 g

Dose

12 g

Anupāna

warm water

Important Therapeutic Uses

Tr̥ṣṇā (Thirst), Bhrama (Vertigo), Dāha (Burning sensation), Parīsarpa (Erysipelas), Piḍakā (Carbuncle), Pittaja Kuṣṭha (Skin disorders due to Pitta doṣa), Kaṇḍū (Itching), Pāṇḍu Roga (Anaemia), Gaṇḍa (Maxillar prominence), Nāḍīvraṇa (Fistula), Apacī (Chronic lymphadenopathy / scrofula), Visphoṭa (Blister), Vidradhi (Abscess), Gulma (Abdominal lump), Śopha (Oedema), Unmāda (Mania/Psychosis), Meda (Adipose tissue), Hṛdroga (Heart disease), Timira (early stage of Catract), Vyaṅga (Pigmentation disorder), Grahaṇī (Malabsorption syndrome), Śvitra (Leucoderma/Vitiligo), Kāmalā (Jaundice), Bhagandara (Fistula-in-ano), Udara (Diseases of abdomen / enlargement of abdomen), Apasmāra (Epilepsy), Pradara (Excessive vaginal discharge), Gara Viṣa (Slow / accumulated poison), Arśa (Haemorrhoids), Raktapitta (Bleeding disorder)

6 : 14 TRIPHALĀ GHṚTA

त्रिफला त्र्यूषणं द्राक्षा मधुकं कटुरोहिणी ।
प्रपौण्डरीकं सूक्ष्मैला विडङ्गं नागकेशरम् ॥१८१॥
नीलोत्पलं शारिवे द्वे चन्दनं रजनीद्वयम् ।
कार्षिकैः पयसा तुल्यं त्रिगुणं त्रिफलारसम् ॥१८२॥
घृतप्रस्थं पचेदेतत् सर्वनेत्ररुजापहम् ।
तिमिरं दोषमास्रावं कामलां काचमर्बुदम् ॥१८३॥
विसर्पं प्रदरं कण्डूं रक्तं श्वयथुमेव च ।
खालित्यं पलितं चैव केशानां पतनं तथा ॥१८४॥
विषमज्वरमर्माणि शुक्रञ्चाशु व्यपोहति ।
अन्ये च बहवो रोगा नेत्रजा ये च वर्त्मजाः ॥१८५॥
तान् सर्वान्नाशयत्याशु भास्करस्तिमिरं यथा ।
न चैतस्मात्परं किञ्चिदृषिभिः काश्यपादिभिः ॥
दृष्टिप्रसादनं दृष्टं यथा स्यात् त्रैफलं घृतम् ॥१८६॥
(भैषज्यरत्नावली, नेत्ररोगाधिकार; १८१-१८६)

1.	Harītakī	(P.)	12 g
2.	Bibhītaka	(P.)	12 g
3.	Āmalakī	(P.)	12 g
4.	Śunthī	(Rz.)	12 g
5.	Marica	(Fr.)	12 g
6.	Pippalī	(Fr.)	12 g
7.	Drākṣā	(Dr.Fr.)	12 g
8.	Madhuka (Yaṣṭī)	(Rt.)	12 g
9.	Kaṭurohinī (Kaṭukā)	(Rt./Rz.)	12 g
10.	Prapaunḍarīka	(Fl.)	12 g
11.	Sūkṣmailā	(Sd.)	12 g
12.	Vidaṅga	(Fr.)	12 g
13.	Nāgakēśara	(Stmn.)	12 g
14.	Nīlotpala (Utpala)	(Fl.)	12 g

15.	Sveta Sārivā	(Rt.)	12 g
16.	Kṛṣṇa Sārivā	(Rt.)	12 g
17.	Candana (Śveta Candana)	(Ht.Wd.)	12 g
18.	Haridrā	(Rz.)	12 g
19.	Dāruharidrā	(St.)	12 g
20.	Ghṛta (Goghṛta)		768 g
21.	Payasa (Godugdha)		768 g
22.	Triphalā rasa kvatha	(P.)	2.304 l

Dose

12 g

Anupāna

Warm milk, Warm water

Important Therapeutic Uses

Arbuda (Tumor), Kāmalā (Jaundice), Timira (early stage of Catract), Visarpa (Erysipelas), Pradara (Excessive vaginal discharge), Netra Rujā (Pain in eyes), Netrasrāva (Chronic dacrocystitis/epiphora), Kāsa (Cough), Kaṇḍū (Itching), Rakta Doṣa (Vitiation of Blood and its components), Śvayathu (Oedema), Khālitya (Alopecia), Keśa Patana (Falling of hair), Viṣamajvara (Intermittent fever), Arma (Pterygium), Śukla (Opacity), Netraroga (Eye disorder), Vartma Roga (Disease of eye lids)

6 : 15 TRAIKAṆṬAKA GHRṬA

(Sahasrayoga, Ghṛtaprakaraṇa; : 22)

क्वाथो त्रैकण्टकैलागिरिजतुसशिलाभेद यष्टीवरीणाम्
दर्भद्राक्षाम्बुशौण्डीवसुकवशिरकाशेक्षुमत्स्याक्षिकाणाम् ।
कल्कैः सिद्धं सदुग्धं हरति घृतमिदं सेवितं मूत्रदोषान्

मेहान्कृच्छ्राणि सर्वाण्यनिलमपि तथा शर्करामश्मरीं च ।।
(सहस्रयोग, घृतप्रकरण; २२)

1.	Traikaṇṭaka (Gokṣura)	(Fr.)	768 g
2.	Water for decoction		12.288 l
	reduced to		3.072 l
3.	Elā (Sūkṣmailā)	(Sd.)	9.140 g
4.	Girijatu (Śilājatu)		9.140 g
5.	Śilābheda (paṣāṇabheda)	(Rz.)	9.140 g
6.	Yaṣṭī	(Rt.)	9.140 g
7.	Varī (Śatāvarī)	(Rt.Tr.)	9.140 g
8.	Darbha	(Rt.)	9.140 g
9.	Drākṣā	(Dr.Fr.)	9.140 g
10.	Ambu (Hrīvērā)	(Rt.)	9.140 g
11.	Śauṇḍī (Pippalī)	(Fr.)	9.140 g
12.	Vasuka	(Pl.)	9.140 g
13.	Vasiraka (Cavya)	(Rt.)	9.140 g
14.	Kāśa	(Rt.)	9.140 g
15.	Ikṣu mūla	(Rt.)	9.140 g
16.	Matsyākṣikā (Matsyākṣī)	(Pl.)	9.140 g
17.	Dugdha (Godugdha)		768 g
18.	Ghṛta (Goghṛta)		768 g

Dose

12 g.

Anupāna

Warm water, Laghuṭṛnapañcamūlakvātha, warm milk.

Important Therapeutic Uses

Mūtrakṛcchra (Dysuria), Prameha (Urinary disorders), Aśmarī (Calculus), Mūtra

Śarkarā (Urinary calculus), Mūtradoṣa (Urinary disorders)

6 : 16 DAŚAMŪLA GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 3: 55-56)

दशमूलाढके प्रस्थं घृतस्याक्षसमैः पचेत् ॥५५॥

पुष्कराह्वाशठीबिल्वसुरसाव्योषहिङ्गुभिः ।

पेयानुपानं तत्सर्पिर्वातश्लेष्मामयापहम् ॥५६॥

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ३; ५५-५६)

1.	Bilva	(Rt./St. Bk.)	307.6 g
2.	Śyonāka	(Rt./St. Bk.)	307.6 g
3.	Gambhārī	(Rt./St. Bk.)	307.6 g
4.	Pāṭalā	(Rt./St. Bk.)	307.6 g
5.	Agnimantha	(Rt./St. Bk.)	307.6 g
6.	Śālaparnī	(Pl.)	307.6 g
7.	Pr̥ṣniparnī	(Pl.)	307.6 g
8.	Br̥hatī	(Pl.)	307.6 g
9.	Kaṇṭakārī	(Pl.)	307.6 g
10.	Gokṣura	(Pl.)	307.6 g
11.	Water for decoction		12.288 l
	reduced to		3.072 l
12.	Ghṛta (Goghṛta)		768 g
13.	Puṣkarāhvā (Puṣkara)	(Rt.)	12 g
14.	Śaṭhī (Śaṭī)	(Rz.)	12 g
15.	Bilva	(Rt./St. Bk.)	12 g
16.	Surasā (Tulasī)	(Pl.)	12 g
17.	Śuṇṭhī	(Rz.)	12 g
18.	Marica	(Fr.)	12 g

19.	Pippalī	(Fr.)	12 g
20.	Hiṅgu -śuddha	(Exd.)	12 g

Dose

12 g

Anupāna

Warm water, warm milk

Important Therapeutic Uses

Vātaja Kāsa (Cough due to Vāta doṣa), Kaphaja Kāsa (Cough due to Kapha doṣa),
Vāta Kapha Roga (Disease due to Vāta doṣa and Kapha doṣa)

6 : 17 DAŚAMŪLA ṢAṬPALAKA GHR̥TA

(Cakradatta, Jvaracikitsā: 252-253)

दशमूलरसे सर्पिः सक्षीरे पञ्चकोलकैः ।।२५२।।
सक्षारैर्हन्ति तत् सिद्धं ज्वरकासाग्निमन्दताः ।
वातपित्तकफव्याधीन् प्लीहानञ्चापि पाण्डुताम् ।।२५३।।
(चक्रदत्त, ज्वरचिकित्सा; २५२-२५३)

1.	Bilva	(Rt./St. Bk.)	240 g
2.	Śyonāka	(Rt./St. Bk.)	240 g
3.	Gambhārī	(Rt./St. Bk.)	240 g
4.	Pāṭalā	(Rt./St. Bk.)	240 g
5.	Agnimantha	(Rt./St. Bk.)	240 g
6.	Śālarnī	(Pl.)	240 g
7.	Pr̥śniparnī	(Pl.)	240 g
8.	Br̥hatī	(Pl.)	240 g
9.	Kaṇṭakārī	(Pl.)	240 g

10.	Gokṣura	(Pl.)	240 g
11.	Water for decoction		12.288 l
	reduced to		3.072 l
12.	Kṣīra (Godugdha)		3.072 l.
13.	Pippalī	(Fr.)	21.33 g
14.	Pippalī mūla	(Rt.)	21.33 g
15.	Cavya	(St.)	21.33 g
16.	Citraka	(Rt.)	21.33 g
17.	Śunthī	(Rz.)	21.33 g
18.	Kṣāra (Yava)	(Pl.)	21.33 g
19.	Sarpi (Goghṛta)		768 g

Dose

12 g.

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Pāṇḍu (Anaemia), Kāsa (Cough), Ajīrṇa (Dyspepsia), Jvara (Fever), Plīhā Roga (Splenic disease)

6 : 18 DAŚAMŪLAṢAṬPALAKA GHṚTA

(Cakradatta, Udaracikitsā: 59)

दशमूलतुलाऽर्द्धरसे सक्षारैः पञ्चकोलकैः पलिकैः ।
सिद्धं घृतार्द्धपात्रं द्विर्मस्तुकमुदरगुल्मघ्नम् ॥५९॥
(चक्रदत्त, उदरचिकित्सा; ५९)

1.	Bilva	(Rt./St. Bk.)	240 g
----	-------	---------------	-------

2.	Śyonāka	(Rt./St. Bk.)	240 g
3.	Gambhārī	(Rt./St. Bk.)	240 g
4.	Pāṭalā	(Rt./St. Bk.)	240 g
5.	Agnimantha	(Rt./St. Bk.)	240 g
6.	Śālaparnī	(Pl.)	240 g
7.	Prṣniparnī	(Pl.)	240 g
8.	Bṛhatī	(Pl.)	240 g
9.	Kaṇṭakārī	(Pl.)	240 g
10.	Gokṣura	(Pl.)	240 g
11.	Water for decoction		9.600 l
	reduced to		2.400 l
12.	Pippalī	(Fr.)	48 g
13.	Pippalī mūla	(Rt.)	48 g
14.	Cavya	(St.)	48 g
15.	Citraka	(Rt.)	48 g
16.	Śuṇṭhī	(Rz.)	48 g
17.	Kṣāra (Yava)	(Pl.)	48 g
18.	Ghṛta (Goghṛta)		1.536 kg
19.	Mastu (Godadhi)		6.144 l

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Udararoga (Ascites), Gulma (Abdominal lump)

6 : 19 DĀDIMĀDI GHṚTA

दाडिमात्कुडवो धान्यात्कुडवार्धं पलं पलम् ।
चित्रकाच्छृङ्गबेराच्च पिप्पल्यर्धपलं च तैः ॥२॥
कल्कितैर्विंशतिपलं घृतस्य सलिलाढके ।
सिद्धं हृत्पाण्डुगुल्मार्शःप्लीहवातकफार्तिनुत् ॥३॥
दीपनं श्वासकासघ्नं मूढवातानुलोमनम् ।
दुःखप्रसविनीनां च वन्ध्यानां च प्रशस्यते ॥४॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १६; २-४)

1.	Dāḍima	(Dr.Sd.)	192 g
2.	Dhānya (Dhānyaka)	(Fr.)	96 g
3.	Citraka	(Rt.)	48 g
4.	Śṛṅgavera (Śuṇṭhī)	(Rz.)	48 g
5.	Pippalī	(Fr.)	24 g
6.	Ghṛta (Goghṛta)		960 g
7.	Water		3.072 l

Dose

48 g

Anupāna

Warm water

Important Therapeutic Uses

Pāṇḍu (Anaemia), Gulma (Abdominal lump), Plīhā Roga (Splenic disease), Hṛdroga (Heart disease), Arśa (Haemorrhoids), Pariṇāma Śūla (Duodenal ulcer), Garbhiṇī Roga (Disorders during Pregnancy), Vāta Kapha Roga (Disease due to Vāta doṣa and Kapha doṣa), Agnimāndya (Digestive impairment), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Mūḍha Vāta (Obstructed movement of Vāta doṣa), Vandhyatva (Infertility), Duḥkha Prasava (Difficult labour)

6 : 20 DĀDHĪKA GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14: 13-20 1/2)

दशमूलं बलां कालां सुषवीं द्वौ पुनर्नवौ ॥१३॥
 पौष्करैरण्डरास्नाश्वगन्धाभाङ्ग्यमृताशठीः ।
 पचेद् गन्धपलाशं च द्रोणेऽपां द्विपलोन्मितम् ॥१४॥
 यवैः कोलैः कुलत्थैश्च माषैश्च प्रास्थिकैः सह ।
 क्वाथेऽस्मिन् दधिपात्रे च घृतप्रस्थं विपाचयेत् ॥१५॥
 स्वरसैर्दाडिमाम्रातमातुलुङ्गोद्भवैर्युतम् ।
 तथा तुषाम्बुधान्याम्लयुतैः श्लक्ष्णैश्च कल्कितैः ॥१६॥
 भाङ्गीतुम्बुरुषङ्ग्रन्थाग्रन्थिरास्नाऽग्निधान्यकैः ।
 यवानकयवान्यम्लवेतसासितजीरकैः ॥१७॥
 अजाजीहिङ्गुहपुषाकारवीवृषकोषकैः ।
 निकुम्भकुम्भमूर्वेभपिप्पलीवेल्लदाडिमैः ॥१८॥
 श्वदंष्ट्रात्रपुसैर्वारुबीजहिंसाऽश्मभेदकैः ।
 मिशिद्विक्षारसुरससारिवानीलिनीफलैः ॥१९॥
 त्रिकटुत्रिपटूपेतैर्दाधिकं तद् व्यपोहति ।
 रोगानाशुतरं पूर्वान्कष्टानपि च शीलितम् ॥२०॥
 अपस्मारगरोन्मादमूत्राघातानिलामयान् ।
 (अष्टाङ्गहृदय, चिकित्सास्थान; अध्याय १४; १३-२० १/२)

1.	Bilva	(Rt./St. Bk.)	96 g
2.	Śyonāka	(Rt./St. Bk.)	96 g
3.	Gambhārī	(Rt./St. Bk.)	96 g
4.	Pāṭalā	(Rt./St. Bk.)	96 g
5.	Agnimantha	(Rt./St. Bk.)	96 g
6.	Śālaparnī	(Pl.)	96 g
7.	Pr̥ṣniparnī	(Pl.)	96 g
8.	Bṛhatī	(Pl.)	96 g
9.	Kaṇṭakārī	(Pl.)	96 g

10.	Gokṣura	(Pl.)	96 g
11.	Balā	(Rt.)	96 g
12.	Kālā (Kṛṣṇa jīraka)	(Fr.)	96 g
13.	Suṣavi (Upakuṣcikā)	(Fr.)	96 g
14.	Śveta Punarnavā	(Rt.)	96 g
15.	Rakta Punarnavā	(Rt.)	96 g
16.	Pauṣkara(Puṣkara)	(Rt.)	96 g
17.	Eraṇḍa	(Rt.)	96 g
18.	Rāsnā	(Rt./Lf.)	96 g
19.	Aśvagandhā	(Rt.)	96 g
20.	Bhārṅgī	(Rt.)	96 g
21.	Amṛtā (Guḍūcī)	(St.)	96 g
22.	Śathī(Śaṭī)	(Rz.)	96 g
23.	Gandhapalāśa (Karcūra)	(Rz.)	96 g
24.	Yava	(Sd.)	768 g
25.	Kola	(Fr.)	768 g
26.	Kulattha	(Sd.)	768 g
27.	Māṣa	(Sd.)	768 g
28.	Water for decoction		12.288 l
	reduced to		3.072 l
29.	Dadhi (Godadhi)		3.072 kg
30.	Ghṛta (Goghṛta)		768 g
31.	Dāḍima- svarasa	(Fr.)	768 ml
32.	Āmrāta- svarasa	(Fr.)	768 ml
33.	Mātuluṅga- svarasa	(Fr.)	768 ml
34.	Tuṣāmbu (Śāli)		768 ml
35.	Dhānyamla		768 ml
36.	Bhārṅgī	(Rt.)	2.4 g
37.	Tumburu (tejovati)	(Fr.)	2.4 g

38.	adgranthā (Vacā)	(Rz.)	2.4 g
39.	Granthi (Granthiparṇī)	(Rt.)	2.4 g
40.	Rāsnā	(Rt./Lf.)	2.4 g
41.	Agni (Citraka)	(Rt.)	2.4 g
42.	Dhānyaka	(Fr.)	2.4 g
43.	Yavānaka (Ajamodā)	(Fr.)	2.4 g
44.	Yavānī	(Fr.)	2.4 g
45.	Amlavetasa	(Fr.)	2.4 g
46.	Asita (Kṛṣṇa jīraka)	(Fr.)	2.4 g
47.	Ajājī (Śveta jīraka)	(Fr.)	2.4 g
48.	Hiṅgu	(Exd.)	2.4 g
49.	Hapuṣā	(Fr.)	2.4 g
50.	Kāravī	(Fr.)	2.4 g
51.	Vṛṣaka (Vāsā)	(Rt.)	2.4 g
52.	Ūṣaka(Ūṣara lavaṇa)		2.4 g
53.	Nikumbha (Dantī)	(Rt.)	2.4 g
54.	Kumbha (Tṛvṛta)	(Rt.)	2.4 g
55.	Mūrvā	(Rt.)	2.4 g
56.	Ibhappalī (Gajappalī)	(Fr.)	2.4 g
57.	Vella (Viḍaṅga)	(Fr.)	2.4 g
58.	Dāḍima	(Fr.R.)	2.4 g
59.	Śvadamṣṭrā (Gokṣura)	(Fr.)	2.4 g
60.	Trapuṣa	(Sd.)	2.4 g
61.	Ervāru-bīja	(Sd.)	2.4 g
62.	Himsrā	(St.)	2.4 g
63.	Aśmabhēdaka (Pāṣāṇabhēda)	(Rz.)	2.4 g
64.	Miṣi (Miśrēyā)	(Fr.)	2.4 g
65.	Yava kṣāra (Yava)	(Pl.)	2.4 g
66.	Svarjikā kṣāra (Svarjikṣāra)		2.4 g

67.	Surasa (Tulasī)	(Pl.)	2.4 g
68.	Sāriva (Śveta Sārivā)	(Rt.)	2.4 g
69.	Nīlinī phala(Nīlī)	(Fr.)	2.4 g
70.	Śunthī	(Rz.)	2.4 g
71.	Marica	(Fr.)	2.4 g
72.	Pippalī	(Fr.)	2.4 g
73.	Saindhava lavaṇa		2.4 g
74.	Sauvarcala Lavaṇa		2.4 g
75.	Viḍa Lavaṇa		2.4 g

Dose

12 g

Anupāna

warm water

Important Therapeutic Uses

Apasmāra (Epilepsy), Gara Viṣa (Slow / accumulated poison), Unmāda (Mania/Psychosis), Mūtrāghāta (Urinary obstruction), Vātaroga (Disease due to Vāta doṣa), Udararoga (Ascites), Grahaṇī Doṣa (Disorders of small intestine), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Vāta Gulma (Lump due to Vāta doṣa), Arśa (Haemorrhoids)

6 : 21 DHĀTRYĀDI GHṚTA

(Sahasrayoga, Ghṛtaprakaraṇa: 7)

धात्रीविदारीक्षुशतावरीणां कूष्माण्डकानां च रसेषु सर्पिः ।
क्षीरेण सर्पिर्विपचेत्सुपिष्टं मृद्वीकयष्टयाह्वयचन्दनैश्च ॥
एतत्सुसिद्धं सितया विमिश्रं निवारयेच्छीघ्रमसृग्दरं हि ॥

पाण्ड्वामये पित्तकृते हितं स्यात् पैत्ते च गुल्मेऽस्थिविनिःसृतौ च ।।
वन्ध्या च पीत्वा लभते च गर्भं शीघ्रं निहन्यादपि रक्तपित्तम् ।
अन्यांश्च पित्तप्रभवान्विकारान् मूर्च्छामदोन्मादमदात्ययादीन् ।।
(सहस्रयोग, घृतप्रकरण; ७)

1.	Dhātrī (Āmalakī)	(P.)	768 ml
2.	Vidārī rasa (Vidārī)	(Rt. Tr.)	768 ml
3.	Ikṣu rasa	(St.)	768 ml
4.	Śatāvarī rasa (Śatāvarī)	(Rt. Tr.)	768 ml
5.	Kūṣmāṇḍaka rasa (Kūṣmāṇḍa)	(Fr. P.)	768 ml
6.	Sarpi (Goghṛta)		768 ml
7.	Kṣīra (Godugdha)		768 ml
8.	Mṛdvīkā (Drākṣā)	(Dr. Fr.)	24 g
9.	Yaṣṭyāhvaya (Yaṣṭī)	(Rt.)	24 g
10.	Candana (Śveta candana)	(Ht. Wd.)	24 g
11.	Sitā		24 g

Dose

12 g

Anupāna

Ghee mixed with equal quantity of sugar

Important Therapeutic Uses

Pittaja Gulma (Tumour due to Pitta doṣa), Pittaja Pāṇḍu (Anaemia due to Pitta doṣa), Mada (Intoxication), Mūrcchā (Syncope), Madātyaya (Alcoholism), Unmāda (Mania/Psychosis), Raktapitta (Bleeding disorder), Asṛgdara (Menorrhagia or Metrorrhagia or both), Vandhyatva (Infertility), Vātarakta (Gout), Pittavikāra (Disorder of Pitta doṣa), Asthi Srāva (Discharge from bones)

6 : 22 DHĀNVANTARA GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 12 : 19-23 1/2)

दशमूलं शठीं दन्तीं सुराह्वं द्विपुनर्नवम् ।
मूलं स्नुगर्कयोः पथ्यां भूकदम्बमरुष्करम् ॥१९॥
करञ्जवरुणान्मूलं पिप्पल्याः पौष्करं च यत् ।
पृथग् दशपलं प्रस्थान् यवकोलकुलत्थतः ॥२०॥
त्रींश्चाष्टगुणिते तोये विपचेत्पादवर्तिना ।
तेन द्विपिप्पलीचव्यवचानिचुलरोहिषैः ॥२१॥
त्रिवृद्धिङ्गकम्पिल्लभाङ्गीबिल्वैश्च साधयेत् ।
प्रस्थं घृताज्जयेत्सर्वास्तन्मेहान् पिटकाविषम् ॥२२॥
पाण्डुविद्रधिगुल्मार्शःशोफशोषगरोदरम् ।
श्वासं कासं वमिं वृद्धिं प्लीहानं वातशोणितम् ॥२३॥
कुष्ठोन्मादावपस्मारं धान्वन्तरमिदं घृतम् ।
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १२; १९-२३ १/२)

1.	Bilva	(Rt./St. Bk.)	48 g
2.	Śyonāka	(Rt./St. Bk.)	48 g
3.	Gambhārī	(Rt./St. Bk.)	48 g
4.	Pāṭalā	(Rt./St. Bk.)	48 g
5.	Agnimantha	(Rt./St. Bk.)	48 g
6.	Śālaparnī	(P.)	48 g
7.	Pr̥ṣniparnī	(P.)	48 g
8.	Bṛhatī	(P.)	48 g
9.	Kaṇṭakārī	(P.)	48 g
10.	Gokṣura	(P.)	48 g
11.	Śaṭhī (Śaṭī)	(Rz.)	480 g
12.	Dantī	(Rt.)	480 g
13.	Surāhvā (Devadāru)	(Ht. Wd.)	480 g
14.	Śveta Punarnvā	(Rt.)	480 g
15.	Rakta Punarnavā	(Rt.)	480 g

16.	Snuk mūla (Snuhī)	(Rt.)	480 g
17.	Arka mūla	(Rt.)	480 g
18.	Pathyā (Harītakī)	(P.)	480 g
19.	Bhūkadamba (Muṇḍītakā)	(Rt.)	480 g
20.	Aruṣkara (Bhallātaka) - śuddha	(Fr.)	480 g
21.	Karañja mūla	(Rt.)	480 g
22.	Varuṇa mūla (Varuṇa)	(Rt.)	480 g
23.	Pippalīmūla (Pippalī)	(Rt.)	480 g
24.	Pauṣkara(Puṣkara)	(Rt.)	480 g
25.	Yava	(Sd.)	2.304 kg
26.	Kola	(Fr.)	2.304 kg
27.	Kulattha	(Sd.)	2.304 kg
28.	Water for decoction		112.896 l
	reduced to		28.224 l
29.	Pippalī	(Fr)	11.63 g
30.	Gajapippalī	(Fr.)	11.63 g
31.	Cavya	(St.)	11.63 g
32.	Vacā	(Rz.)	11.63 g
33.	Nicula (Jala vetasa)	(Pl.)	11.63 g
34.	Rohiṣa(Katrṇa)	(Rt.)	11.63 g
35.	Trivṛt	(Rt.)	11.63 g
36.	Vidaṅga	(Fr.)	11.63 g
37.	Kampilla	(G.H.F)	11.63 g
38.	Bhārṅgī	(Rt.)	11.63 g
39.	Bilva	(Rt./St. Bk.)	11.63 g
40.	Ghṛta (Goghṛta)		768 g

Dose

48 g

Anupāna

Warm water

Important Therapeutic Uses

Gulma (Abdominal lump), Śōpha (Oedema), Vidradhi (Abscess), Arśa (Haemorrhoids), Pāṇḍu (Anaemia), Viṣa (Poison), Prameha (Urinary disorders), Madhumeha (Diabetes mellitus), Prameha Piḍakā (Diabetic carbuncle), Śōṣa (Cachexia), Gara Viṣa (Slow / accumulated poison), Vṛddhi (Inguino-scrotal swellings), Plīhā Roga (Splenic disease), Vātarakta (Gout), Kuṣṭha (Diseases of skin), Unmāda (Mania/Psychosis), Apasmāra (Epilepsy)

6 : 23 NĀRASIMHA GHṚTA RASĀYANA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 39: 170-174)

गायत्रीशिखिशिंपाऽसनशिवावेल्लाऽक्षकारुष्करान्
पिष्ट्वाऽष्टादशसङ्गुणेऽम्भसि धृतान् खण्डैः सहायोमयैः ।
पात्रे लोहमये त्र्यहं रविकरैरालोडयन् पाचये-
दग्नौ चानु मृदौ सलोहशकलं पादस्थितं तत्पचेत् ॥१७०॥
पूतस्यांशः क्षीरतोऽशस्तथांशौ भाङ्गान्निर्यासाद् द्वौ वरायास्त्रयोऽशाः ।
अंशाश्चत्वारश्चेह हैयङ्गवीनादेकीकृत्यैतत्साधयेत्कृष्णलौहे ॥१७१॥
विमलखण्डसितामधुभिः पृथग् युतमयुक्तमिदं यदि वा घृतम् ।
स्वरुचिभोजनपानविचेष्टितो भवति ना पलशः परिशीलयन् ॥१७२॥
श्रीमान्निर्धूतपाप्मा वनमहिषबलो वाजिवेगः स्थिराङ्गः
केशैर्भृङ्गाङ्गनीलैर्मधुसुरभिमुखो नैकयोषिन्निषेवी ।
वाङ्मेधाधीसमृद्धः सुपटुहुतवहो मासमात्रोपयोगाद्
धत्तेऽसौ नारसिंहं वपुरनलशिखातप्तचामीकराभम् ॥१७३॥
अत्तारं नारसिंहस्य व्याधयो न स्पृशन्त्यपि ।
चक्रोज्ज्वलभुजं भीता नारसिंहमिवासुराः ॥१७४॥
(अष्टाङ्गहृदय, उत्तरस्थान अध्याय ३९; १७०-१७२)

1.	Gāyatrī (Khadira)	(Ht. Wd.)	1 Part
2.	Śikhi (Citraka)	(Rt.)	1 Part
3.	Śimśapā	(Ht. Wd.)	1 Part
4.	Asana	(Ht. Wd.)	1 Part
5.	Śivā (Harītakī)	(P.)	1 Part
6.	Vella (Viḍaṅga)	(Fr.)	1 Part
7.	Akṣaka (Bibhītaka)	(P.)	1 Part
8.	Aruṣkara (Bhallātaka) - śuddha	(Fr.)	1 Part
9.	Ayasa (Lauha)		8 Parts
10.	Water for decoction		16 times of total drugs
	reduced to		1/4 th of water
11.	Kṣīra (Godugdha)		equal to decoction
12.	Bhārṅga niryāsa (Bhṛṅgarāja)	(Pl.)	Two times the decoction
13.	Varā kaṣāya		three times of the decoction
	(Harītakī)	(P.)	
	(Bibhītaka)	(P.)	
	(Āmalakī)	(P.)	
14.	Haiyagaṇvīna (Navanīta)		Four times of the decoction

Special Method of Preparation

Ingredients 1 to 9 are added to water and exposed to the rays of sun for three days. Thereafter it is boiled and strained. To this, ingredients 11 to 14 are added and boiled again to Ghṛta Pāka. Note: 1. Fine sheets of Lauha are to be taken. 2. The quant

Dose

12 g

Anupāna

Honey, sugar, milk, cold water

Important Therapeutic Uses

Daurbalya (Weakness), Used as Vājīkara and Rasāyana (Aphrodisiac and Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

6 : 24 NIRGUṆḌĪ GHṚTA

(Cakradatta, Rājayakṣmācikitṣā: 83)

समूलफलपत्राया निर्गुण्ड्याः स्वरसैर्घृतम् ।
सिद्धं पीत्वा क्षतक्षीणो निर्व्याधिर्भाति देववत् ॥८३॥
(चक्रदत्त, राजयक्ष्मा चिकित्सा; ८३)

1.	Nirguṇḍī svarasa	(Pl.)	3.072 l
2.	Ghṛta (Goghṛta)		768 g
3.	Nirguṇḍī kalka	(Pl.)	96 g

Dose

12 g

Anupāna

warm water, warm milk

Important Therapeutic Uses

Kṣata Kṣīṇa (Debility due to chest injury)

6 : 25 PAÑCAGAVYA GHṚTA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 7: 18 1/2)

गोमयस्वरसक्षीरदधिमूत्रैः शृतं हविः ॥१८॥
अपस्मारज्वरोन्मादकामलान्तकरं पिबेत् ।
(अष्टाङ्गहृदय, उत्तरस्थान, अध्याय ७; १८ १/२)

1.	Gomaya svarasa	3.072 l
2.	Kṣīra (Godugdha)	3.072 l
3.	Dadhi (Godadhi)	3.072 kg
4.	Mūtra (Gomūtra)	3.072 l
5.	Havi (Goghṛta)	768 g

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Apasmāra (Epilepsy), Jvara (Fever), Unmāda (Mania/Psychosis), Kāmalā (Jaundice)

6 : 26 PAÑCATIKTA GHṚTA

(Bhaiṣajyaratnāvalī, Kuṣṭhādhikāra: 114-117 1/2)

निम्बं पटोलं व्याघ्रीञ्च गुडूचीं वासकं तथा ॥११४॥
 कुर्याद्विशपलान् भागान् एकैकस्य सुकुट्टितान् ।
 जलद्रोणे विपक्तव्यं यावत्पादावशेषितम् ॥११५॥
 घृतप्रस्थं पचेत्तेन त्रिफलागर्भसंयुतम् ।
 पञ्चतित्तमिदं ख्यातं सर्पिः कुष्ठविनाशनम् ॥११६॥
 अशीतिं वातजान् रोगांश्चत्वारिंशच्च पैत्तिकान् ।
 विंशतिं श्लैष्मिकांश्चैव पानादेवापकर्षति ॥११७॥
 दुष्टव्रणकृमीनर्शः पञ्चकासांश्च नाशयेत् ॥
 (भैषज्यरत्नावली, कुष्ठाधिकारः ११४-११७ १/२)

1.	Nimba	(St. Bk.)	480 g
2.	Paṭola	(Pl.)	480 g
3.	Vyāghrī (Kaṇṭakārī)	(Pl.)	480 g

4.	Guḍūcī	(St.)	480 g
5.	Vāsaka (Vāsā)	(Rt.)	480 g
6.	Water for decoction		12.288 l
	reduced to		3.072 l
7.	Harītakī	(P.)	128 g
8.	Bibhītaka	(P.)	128 g
9.	Āmalakī	(P.)	128 g
10.	Ghṛta (Goghṛta)		768 g

Dose

6 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Duṣṭa Vraṇa (Non-healing ulcer), Kuṣṭha (Diseases of skin), Vāta Vyādhi (Disease due to Vāta doṣa), Pittavyādhi (Disease of Pitta doṣa), Kaphavikāra (Disorders due to vitiation of Kapha doṣa), Kṛmi (Helminthiasis/Worm infestation), Arśa (Haemorrhoids), Kāsa (Cough)

6 : 27 PAÑCATIKTAGUGGULU GHṚTA (Synonym Nimbādi Ghṛta)

(Aṣṭāṅga Hṛdaya, Cikitsāsthāna, Adhyāya 21 : 57-60)

(पर्यायः निम्बादि घृत)

निम्बामृतावृषपटोलनिदिग्धिकानां भागान् पृथग्दश पलान् विपचेद्धटेऽपाम् ।
अष्टाङ्गशेषितरसेन पुनश्च तेन प्रस्थं घृतस्य विपचेत्पिचुभासकल्कैः ॥५७॥
पाठां विडङ्गसुरदारुगजोपकुल्या द्विक्षारनागरनिशामिशिचव्यकुष्ठैः ।
तेजोवतीमरिचवत्सकदीप्यकाग्नि रोहिण्यरुष्करवचाकणमूलयुक्तैः ॥५८॥
मज्जिष्ठयाऽतिविषया विषया यवान्यासंशुद्धगुग्गुलुपलैरपि पञ्चसंख्यैः ।

तत्सेवितं प्रधमति प्रबलं समीरं सन्ध्यस्थिमज्जगतमप्यथ कुष्ठमीदृक् ।।५९।।
नाडीव्रणार्बुदभगन्दरगण्डमालाजत्रूर्ध्वसर्वगदगुल्मगुदोत्थमेहान् ।
यक्ष्माऽरुचिश्चसनपीनसकासशोफहृत्पाण्डुरोगमदविद्रधिवातरक्तम् ।।६०।।
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय २१; ५७-६०)

1.	Nimba tvak (Nimba)	(St. Bk.)	480 g
2.	Amṛtā (Guḍūcī)	(St.)	480 g
3.	Vṛṣa (Vāsā)	(Rt.)	480 g
4.	Paṭola	(Lf./Pl.)	480 g
5.	Nidigdhika (Kaṇṭakārī)	(Pl.)	480 g
6.	Water for decoction		12.288 l
	reduced to		3.072 l
7.	Ghṛta (Goghṛta)		768 g
8.	Pāṭhā	(Rt.)	12 g
9.	Viḍaṅga	(Fr.)	12 g
10.	Suradāru (Devadāru)	(Ht. Wd.)	12 g
11.	Gajapakulyā (Gajapippalī)	(Fr.)	12 g
12.	Yavakṣāra (Yava)	(Pl.)	12 g
13.	Sarji Kṣāra (Svarjīkṣāra)		12 g
14.	Nagara (śunthī)	(Rz.)	12 g
15.	Niṣā (Haridrā)	(Rz.)	12 g
16.	Miṣi (Miśrēyā)	(Fr.)	12 g
17.	Cavya	(St.)	12 g
18.	Kuṣṭha	(Rt.)	12 g
19.	Tejovatī	(Fr.)	12 g
20.	Marica	(Fr.)	12 g
21.	Vatsaka (Kuṭaja)	(St. Bk.)	12 g
22.	Dīpyaka (Yavānī)	(Fr.)	12 g
23.	Agni (Citraka)	(Rt.)	12 g
24.	Rohiṇī (Kaṭukā)	(Rt./Rz.)	12 g

25.	Aruṣkara (Bhallātaka)-śuddha (Fr.)	12 g
26.	Vacā (Rz.)	12 g
27.	Kaṇāmūla (Pippalī) (Rt.)	12 g
28.	Yukta(Rāsnā) (Rt./Lf.)	12 g
29.	Mañjiṣṭhā (Rt.)	12 g
30.	Ativiṣā (Rt. Tr.)	12 g
31.	Viṣāṇi (Ativiṣā bheda) (Rt.)	12 g
32.	Yavānī (Fr.)	12 g
33.	Guggulu -śuddha (Exd.)	240 g

Special Method of Preparation

Guggulu should be suspended into the Kvātha While boiling by the process of Dolā Yantra.

Dose

12 g

Anupāna

milk, warm water

Important Therapeutic Uses

Sandhigata Vāta (Osteoarthropathy), Asthigata Vāta (Vāta confined to bones), Majjāgata Vāta (Bone marrow related disorder), Nāḍīvrāṇa (Fistula), Kuṣṭha (Diseases of skin), Arbuda (Tumor), Bhagandara (Fistula-in-ano), Gaṇḍamālā (Cervical lymphadenitis), Guda Roga (Anorectal disease), Meha (Excessive flow of urine), Yakṣmā (Tuberculosis), Aruci (Tastelessness), Śvāsa (Dyspnoea/Asthma), Pīnasa (Chronic rhinitis/sinusitis), Kāsa (Cough), Śōpha (Oedema), Hṛdroga (Heart disease), Pāṇḍu (Anaemia), Mada (Intoxication), Vidradhi (Abscess), Vātarakta (Gout), Ūrdhva Jatrugata Roga (Diseases of head and neck)

6 : 28 PAṬOLĀDI GHṚTA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 13: 6-9 1/2)

पटोलनिम्बकटुकादार्वीसेव्यवरावृषम् ॥६॥
 सधन्वयासत्रायन्तीपर्पटं पालिकं पृथक् ।
 प्रस्थमामलकानां च क्वाथयेन्नत्वणेऽम्भसि ॥७॥
 तदाढकेऽर्धपलिकैः पिष्टैः प्रस्थं घृतात्पचेत् ।
 मुस्तभूनिम्बयष्ट्याह्वकुटजोदीच्यचन्दनैः ॥८॥
 सपिप्पलीकैस्तत्सर्पिर्घ्राणकर्णास्यरोगजित् ।
 विद्रधिज्वरदुष्टास्रविसर्पाऽपचिकुष्ठनुत् ॥९॥
 विशेषाच्छुक्रतिमिरनक्तान्ध्योष्णाम्लदाहहृत् ।
 (अष्टाङ्गहृदय उत्तरस्थान, अध्याय १३; ६-९ १/२)

1.	Paṭola	(Pl.)	48 g
2.	Nimba	(St. Bk.)	48 g
3.	Kaṭukā	(Rt./Rz.)	48 g
4.	Dārvī (Dāruharidrā)	(St.)	48 g
5.	Sevyā (Uśīra)	(Rt.)	48 g
6.	Harītakī	(P.)	48 g
7.	Bibhītaka	(P.)	48 g
8.	Āmalakī	(P.)	48 g
9.	Vṛṣa (Vāsā)	(Rt.)	48 g
10.	Dhanvayāsa	(Pl.)	48 g
11.	Trāyantī (Trāyamāṇa)	(Pl.)	48 g
12.	Parpaṭa	(Pl.)	48 g
13.	Āmalakī	(P.)	768 g
14.	Water for decoction		12.288 l
	reduced to		3.072 l
15.	Ghṛta (Goghṛta)		768 g
16.	Musta (Mustā)	(Rz.)	24 g
17.	Bhūnimba (Kirātatikta)	(Pl.)	24 g
18.	Yaṣṭyāhva (Yaṣṭī)	(Rt.)	24 g
19.	Kuṭaja	(St. Bk.)	24 g

20.	Udīcya (Hrīvera)	(Rt.)	24 g
21.	Candana (Śveta candana)	(Ht. Wd.)	24 g
22.	Pippalī	(Fr.)	24 g

Dose

12 g

Anupāna

warm milk, warm water

Important Therapeutic Uses

Nāsā Roga (Disease of nose), Kārṇa Roga (Disease of ear), Śukra (Opacity), Timira (early stage of Catract), Naktāndhya (Night blindness), Āsya Roga (Diseases of buccal cavity), Vidradhi (Abscess), Jvara (Fever), Visarpa (Erysipelas), Apacī (Chronic lymphadenopathy / scrofula), Kuṣṭha (Diseases of skin), Amladāha (Hyperacidity)

6 : 29 PIPPALYĀDI GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 1 : 89-90)

पिप्पलीन्द्रयवधावनित्क्तासारिवाऽऽमलकतामलकीभिः ।
 बिल्वमुस्तहिमपालनिसेव्यैर्द्राक्षयाऽतिविषया स्थिरया च ॥८९॥
 घृतमाशु निहन्ति साधितं ज्वरमग्निं विषमं हलीमकम् ।
 अरुचिं भृशतापमंसयोर्वमथुं पार्श्वशिरोरुजं क्षयम् ॥९०॥
 (अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १; ८९-९०)

1.	Pippalī	(Fr.)	12.8 g
2.	IndraYava (Kuṭaja)	(Sd.)	12.8 g
3.	Dhāvani (Kaṇṭakārī)	(Pl.)	12.8 g
4.	Tiktā (Kaṭukā)	(Rt./Rz.)	12.8 g
5.	Sāriva (Śveta Sārivā)	(Rt.)	12.8 g

6.	Āmalakī	(P.)	12.8 g
7.	TĀmalakī (BhūmyĀmalakī)	(Pl.)	12.8 g
8.	Bilva	(Rt./St. Bk.)	12.8 g
9.	Musta (Mustā)	(Rz.)	12.8 g
10.	Hima (Śveta candana)	(Ht.Wd.)	12.8 g
11.	Pālanī (Trayamana)	(Pl.)	12.8 g
12.	Sevyā (Uśīra)	(Rt.)	12.8 g
13.	Drākṣā	(Dr. Fr.)	12.8 g
14.	Ativiṣā	(Rt. Tr.)	12.8 g
15.	Sthirā (Śālāparṇī)	(Pl.)	12.8 g
16.	Ghṛta (Goghṛta)		768 g
17.	Water		3.072 l

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Arocaka (Tastelessness), Chardi (Emesis), Viṣamāgni (Impaired digestion power), Kāsa (Cough), Jvara (Fever), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Aṃsatāpa (Burning sensation in scapular region), Pārśva Śīrorujā (Hemicrania), Kṣaya (Pthisis)

6 : 30 PHALA GHṚTA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 34 : 63-67.)

मज्जिष्ठाकुष्ठतगरत्रिफलाशर्करावचाः ॥६३॥

द्वे निशे मधुकं मेदा दीप्यकः कटुरोहिणी ।
 पयस्याहिङ्गुकाकोलीवाजिगन्धाशतावरीः ॥६४॥
 पिष्ट्वाक्षांशैर्घृतप्रस्थं पचेत्क्षीरचतुर्गुणम् ।
 योनिशुक्रप्रदोषेषु तत्सर्वेषु च शस्यते ॥६५॥
 आयुष्यं पौष्टिकं मेध्यं धन्यं पुंसवनं परम् ।
 फलसर्पिरिति ख्यातं पुष्पे पीतं फलाय यत् ॥६६॥
 म्रियमाणप्रजानां च गर्भिणीनां च पूजितम् ।
 एतत्परं च बालानां ग्रहघ्नं देहवर्धनम् ॥६७॥
 (अष्टाङ्गहृदय, उत्तरस्थान, अध्याय ३४; ६३-६७)

1.	Mañjiṣṭhā	(Rt.)	12 g
2.	Kuṣṭha	(Rt.)	12 g
3.	Tagara	(Rt.)	12 g
4.	Harītakī	(P.)	12 g
5.	Bibhītaka	(P.)	12 g
6.	Āmalakī	(P.)	12 g
7.	Śarkarā		12 g
8.	Vacā	(Rz.)	12 g
9.	Haridrā	(Rz.)	12 g
10.	Dāruharidrā	(St.)	12 g
11.	Madhuka (Yaṣṭī)	(Rt.)	12 g
12.	Medā	(Rt.Tr.)	12 g
13.	Dīpyaka (Yavāni)	(Fr.)	12 g
14.	Kaṭurohinī (Kaṭukā)	(Rt./Rz.)	12 g
15.	Payasyā (Kśīra vidārī)	(Rt.Tr.)	12 g
16.	Hiṅgu	(Exd.)	12 g
17.	Kākolī	(Sub.Rt.)	12 g
18.	Vājigandhā (Aśvagandhā)	(Rt.)	12 g
19.	Śatāvarī	(Rt.Tr.)	12 g
20.	Ghṛta (Goghṛta)		768 g
21.	Kṣīra (Godugdha)		3.072 l

Dose

12 g

Anupāna

Warm water

Important Therapeutic Uses

Bāla Roga (Diseases of children), Bāla Graha (Specific disorders of children), Śukra Vikāra (Disorders of semen), Yoni Vikāra (Disorder of Vagina), Vandhyatva (Infertility), Garbhinī Roga (Disorders during Pregnancy), Kārśya (Emaciation)

6 : 31 BRĤAT PHALA GHṚTA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 9 : 79-84, 86 1/2)

त्रिफला मधुकं कुष्ठं द्वे निशे कटुरोहिणी ॥७९॥
विडङ्गं पिप्पली मुस्ता विशाला कट्फलं वचा ।
द्वे मेदे द्वे च काकोल्यौ सारिवे द्वे प्रियङ्गुका ॥८०॥
शतपुष्पा हिङ्गु रास्ना चन्दनं रक्तचन्दनम् ।
जातीपुष्पं तुगाक्षीरी कमलं शर्करा तथा ॥८१॥
अजमोदा च दन्ती च कल्कैरेतैश्च कार्षिकैः ।
जीवद्वत्सैकवर्णाया घृतप्रस्थं च गोः क्षिपेत् ॥८२॥
चतुर्गुणेन पयसा पचेदारण्यगोमयैः ।
सुतिथौ पुष्यनक्षत्रे मृद्भाण्डे ताम्रजे तथा ॥८३॥
ततः पिबेच्छुभदिने नारी वा पुरुषोऽथवा ।
एतत्सर्पिर्नरः पीत्वा स्त्रीषु नित्यं वृषायते ॥८४॥
पुत्रानुत्पादयेद्धीमान् वन्ध्यापि लभते सुतम् ।
अनायुषं या जनयेद् या च सूता पुनः स्थिता ॥८५॥
पुत्रं प्राप्नोति सा नारी बुद्धिमन्तं शतायुषम् ।
एतत्फलघृतं नाम भारद्वाजेन भाषितम् ॥८६॥

अनुक्तं लक्ष्मणामूलं क्षिपेत् तत्र चिकित्सकः ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ९; ७९-८६ १/२)

1.	Harītakī	(P.)	12 g
2.	Bibhītaka	(P.)	12 g
3.	Āmalakī	(P.)	12 g
4.	Madhuka (Yaṣṭī)	(Rt.)	12 g
5.	Kuṣṭha	(Rt.)	12 g
6.	Haridrā	(Rz.)	12 g
7.	Dāruharidrā	(St.)	12 g
8.	Kaṭurohinī (Kaṭukā)	(Rt./Rz.)	12 g
9.	Viḍaṅga	(Fr.)	12 g
10.	Pippalī	(Fr.)	12 g
11.	Mustā	(Rz.)	12 g
12.	Viśālā (Rakta indravāruṇī)	(Fr.)	12 g
13.	Kaṭphala	(St. Bk.)	12 g
14.	Vacā	(Rz.)	12 g
15.	Medā	(Rt.Tr.)	12 g
16.	Maha medā	(Rt.Tr.)	12 g
17.	Kākolī	(Sub. Rt.)	12 g
18.	Kṣīra kākolī	(Sub. Rt.)	12 g
19.	Śveta Sārivā	(Rt.)	12 g
20.	Kṛṣṇa Sārivā	(Rt.)	12 g
21.	Priyaṅgu (Priyaṅgu)	(Fl.)	12 g
22.	Śatapuṣpā (Śatāhvā)	(Fr.)	12 g
23.	Hiṅgu	(Exd.)	12 g
24.	Rāsnā	(Rt./Lf.)	12 g
25.	Candana (Śveta Candana)	(Ht. Wd.)	12 g
26.	Rakta Candana	(Ht. Wd.)	12 g
27.	Jātī puṣpa(Jātī)	(Pl.)	12 g

28.	Tugākṣīrī (Vaṃśa)	(S.C.)	12 g
29.	Kamala	(Fl.)	12 g
30.	Śarkarā		12 g
31.	Ajamodā	(Fr.)	12 g
32.	Dantī	(Rt.)	12 g
33.	Lakṣmaṇā mūla	(Rt.)	12 g
34.	Goghṛta (Sarpi)		768 g
35.	Payasa (Godugdha)		3.072 g

Special Method of Preparation

The text mentions that the yoga is to be prepared with Ghee of cows having living calves of the same colour and on Pushya nakshatra only.

Dose

12 g

Anupāna

Milk, warm water

Important Therapeutic Uses

Vandhyatva (Infertility), Śukra Doṣa (Vitiation of semen), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

6 : 32 BRĀHMĪ GHṚTA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 6 : 23-25 1/2)

द्वौ प्रस्थौ स्वरसाद् ब्राह्म्या घृतप्रस्थं च साधितम् ॥२३॥
 व्योषश्यामात्रिवृद्धन्तीशङ्खपुष्पीनृपद्रुमैः ।
 ससप्तलाकृमिहरैः कल्कितैरक्षसम्मितैः ॥२४॥
 पलवृद्ध्या प्रयुञ्जीत परं मात्राचतुष्पलम् ।
 उन्मादकुष्ठापस्मारहरं बन्ध्यासुतप्रदम् ॥२५॥

वाक्स्वरस्मृतिमेधाकृद् धन्यं ब्राह्मीघृतं स्मृतम्।

(अष्टाङ्गहृदय, उत्तरस्थान, अध्याय ६; २३-२५ १/२)

1.	Brāhmī svarasa (Brāhmī)	(Pl.)	1.536 l
2.	Ghṛta (Goghṛta)		768 g
3.	Śuṇṭhī	(Rz.)	12 g
4.	Marica	(Fr.)	12 g
5.	Pippalī	(Fr.)	12 g
6.	Śyāmā (Trivṛt)	(Rt.)	12 g
7.	Trivṛt (Śveta trivṛt)	(Rt.)	12 g
8.	Dantī	(Rt.)	12 g
9.	Śaṅkapuṣpī	(Pl.)	12 g
10.	Nṛpadruma (Āragvadha)	(Fr.P.)	12 g
11.	Saptalā	(Pl.)	12 g
12.	Kṛmihara (Viḍaṅga)	(Fr.)	12 g

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Apasmāra (Epilepsy), Unmāda (Mania/Psychosis), Vandhyatva (Infertility), Kuṣṭha (Diseases of skin), Vāksvara Bhaṅga (Impairment of speech and voice), Smṛti Kṣaya (Loss of memory), Buddhi Daurbalya (Weak intelligence)

6 : 33 MAHĀ KALYĀṆAKA GHṚTA

(Aṣṭāṅga Hṛdaya, Uttarasthāna, Adhyāya 6 : 26 - 33 1/2)

वराविशालाभद्रैलादेवदार्वेलवालुकैः ॥२६॥
 द्विसारिवाद्विरजनीद्विस्थिराफलिनीनतैः ।
 बृहतीकुष्ठमज्जिष्ठानागकेसरदाडिमैः ॥२७॥
 वेल्लतालीसपत्रैलामालतीमुकुलोत्पलैः ।
 सदन्तीपद्मकहिमैः कर्षाशैः सर्पिषः पचेत् ॥२८॥
 प्रस्थं भूतग्रहोन्मादकासापस्मारपाप्मसु ।
 पाण्डुकण्डूविषे शोफे मोहे मेहे गरे ज्वरे ॥२९॥
 अरेतस्यप्रजसि वा दैवोपहतचेतसि ।
 अमेधसि स्खलद्वाचि स्मृतिकामेऽल्पपावके ॥३०॥
 बल्यं मङ्गल्यमायुष्यं कान्तिसौभाग्यपुष्टिदम् ।
 कल्याणकमिदं सर्पिः श्रेष्ठं पुंसवनेषु च ॥३१॥
 एभ्यो द्विसारिवादीनि जले पक्त्वैकविंशतिम् ।
 रसे तस्मिन् पचेत्सर्पिर्गृष्टिक्षीरचतुर्गुणम् ॥३२॥
 वीराद्विमेदाकाकोलीकपिकच्छूविषाणिभिः ।
 शूर्पपर्णीयुतैरेतन् महाकल्याणकं परम् ॥३३॥
 बृंहणं सन्निपातघ्नं पूर्वस्मादधिकं गुणैः ।
 (अष्टाङ्गहृदय, उत्तरस्थान, अध्याय ६; २६-३३ १/२)

1.	Śveta Sārivā	(Rt.)	12 g
2.	Kṛṣṇa Sārivā	(Rt.)	12 g
3.	Haridrā	(Rz.)	12 g
4.	Dāruharidrā	(St.)	12 g
5.	Śālaparnī	(Pl.)	12 g
6.	Prśniparnī	(Pl.)	12 g
7.	Phalinī (Priyaṅgu)	(Fr./Fl.)	12 g
8.	Nata (Tagara)	(Rt./Rz.)	12 g
9.	Bṛhatī	(Pl.)	12 g
10.	Kuṣṭha	(Rt.)	12 g
11.	Mañjiṣṭhā	(Rt.)	12 g
12.	Nāgakēśara	(Stmn.)	12 g
13.	Dāḍima-phala tvak	(Fr.)	12 g

14.	Vella (Viḍaṅga)	(Fr.)	12 g
15.	Tālīsa patra	(Lf.)	12 g
16.	Elā (Sūkṣmailā)	(Sd.)	12 g
17.	Mālatī mukula(Jātī)	(Fl.)	12 g
18.	Utpala	(Fl.)	12 g
19.	Dantī	(Rt.)	12 g
20.	Padmaka	(Ht. Wd.)	12 g
21.	Hima (Śveta candana)	(Ht. Wd.)	12 g
22.	Water for decoction		12.288 l
	reduced to		3.072 l
23.	Sarpi (Goghṛta)		768 g
24.	Gṛṣṭi kṣīra		3.072 l
25.	Vīrā (Ksīravīdārī)	(Rt. Tr.)	27.42 g
26.	Medā	(Rt. Tr.)	27.42 g
27.	Mahāmedā	(Rt. Tr.)	27.42 g
28.	Kākoli	(Sub. Rt.)	27.42 g
29.	Kṣīrakākoli	(Sub. Rt.)	27.42 g
30.	Kapikacchū (Ātmaguptā)	(Sd.)	27.42 g
31.	Viṣāṇi (Karkaṭasṛṅgī)	(Gl.)	27.42 g
32.	Sūrpa parṇī (Māṣaparnī)	(Pl.)	27.42 g

Note: Ghrṣṭa Kṣīra :The milk of cow which has calved for the first time.

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Mandāgni (Impaired digestive fire), Pāṇḍu (Anaemia), Kāsa (Cough), Buddhi

Daurbalya (Weak intelligence), Smṛti Kṣaya (Loss of memory), Apasmāra (Epilepsy), Bhūtonmāda (Exogenous psychosis), Bāla Graha (Specific disorders of children), Viṣa Vikāra (Disorders due to poison), Gara Viṣa (Slow / accumulated poison), Vandhyatva (Infertility), Yoniroga (Disease of female genital tract), Kaṇḍū (Itching), Śōpha (Oedema), Meha (Excessive flow of urine), Jvara (Fever), Daurbalya (Weakness)

6 : 34 MAHĀTIKTAKA GHR̥TA

(Bhaiṣajyaratnāvalī, Kuṣṭhādhikāra : 118-124 1/2)

सप्तच्छदं प्रतिविषां शम्पाकं तिक्तरोहिणीं पाठाम् ॥११८॥
 मुस्तमुशीरं त्रिफलां पटोलपिचुमर्दपर्पटकम् ।
 धन्वयासं सचन्दनमुपकुल्ये पद्मकं रजन्यौ च ॥११९॥
 षड्ग्रन्थां सविशालां शतावरीं शारिवे चोभे ।
 वत्सकबीजं वासां मूर्वामृतां किराततिक्तञ्च ॥१२०॥
 कल्कान् कुर्यान्मतिमान् यष्ट्याह्वं त्रायमाणाञ्च ।
 कल्कस्तु चतुर्भागो जलमष्टगुणं रसोऽमृतफलानाम् ॥१२१॥
 द्विगुणो घृतात्प्रदेयस्तत्सर्पिः पाययेत्सिद्धम् ।
 कुष्ठानि रक्तपित्तं प्रबलान्यर्शांसि रक्तवाहीनि ॥१२२॥
 वीसर्पमम्लपित्तं वातासृक्पाण्डुरोगञ्च ।
 विस्फोटकान् सपामानुन्मादान् कामलां ज्वरं कण्डूम् ॥१२३॥
 हृद्रोगगुल्मपिडकामसृग्दरं गण्डमालाञ्च ।
 हन्यादेतत्सद्यः पीतं काले यथाबलं सर्पिः ॥१२४॥
 योगशतैरप्यजितान् महाविकारान् महातिक्तम् ।
 (भैषज्यरत्नावली, कुष्ठाधिकार; ११८-१२४ १/२)

1.	Saptacchadā (Saptaparnā)	(St. Bk.)	6 g
2.	Prativiṣā (Ativiṣā)	(Rt. Tr.)	6 g
3.	Śampāka (Āragvadha)	(Fr. P.)	6 g
4.	Tiktaroḥinī (Kaṭukā)	(Rt./Rz.)	6 g
5.	Pāṭhā	(Rt.)	6 g

6.	Mustā	(Rz.)	6 g
7.	Uśīra	(Rt.)	6 g
8.	Harītakī	(P.)	6 g
9.	Bibhītaka	(P.)	6 g
10.	Āmalakī	(P.)	6 g
11.	Paṭola	(Lf./Pl.)	6 g
12.	Picumarda (Nimba)	(St. Bk.)	6 g
13.	Parpaṭaka (Parpaṭa)	(Pl.)	6 g
14.	Dhanvayāsa	(Pl.)	6 g
15.	Candana (Śveta candana)	(Ht. Wd.)	6 g
16.	Pippalī	(Fr.)	6 g
17.	Gajapippalī	(Fr.)	6 g
18.	Padmaka	(Ht. Wd.)	6 g
19.	Haridrā	(Rz.)	6 g
20.	Dāruharidrā	(St.)	6 g
21.	adgranthā (Vacā)	(Rz.)	6 g
22.	Viśālā(rakta indravāruṇī)	(Fr.)	6 g
23.	Śatāvarī	(Rt. Tr.)	6 g
24.	Śveta Sārivā	(Rt.)	6 g
25.	Kṛṣṇa Sārivā	(Rt.)	6 g
26.	Vatsaka bīja (Kuṭaja)	(Sd.)	6 g
27.	Vāsā	(Rt.)	6 g
28.	Mūrvā	(Rt.)	6 g
29.	Amṛtā (Guḍūcī)	(St.)	6 g
30.	Kirātatikta	(Pl.)	6 g
31.	Yaṣṭyāhvaya (Yaṣṭī)	(Rt.)	6 g
32.	Trāyamāṇa	(Pl.)	6 g
33.	water		6.144 l
34.	Amṛta phalā rasa (Āmalakī)	(P.)	1.536 l

35. Ghr̥ta (Gogh̥r̥ta)

768 g

Dose

6 g-12 g

Anupāna

Milk, warm water

Important Therapeutic Uses

Amlapitta (Dyspepsia), Pāṇḍu Roga (Anaemia), Raktapitta (Bleeding disorder), Visarpa (Erysipelas), Kuṣṭha (Diseases of skin), Arśa (Haemorrhoids), Raktārśa (Bleeding haemorrhoids), Vātarakta (Gout), Visphoṭa (Blister), Pāmā (Eczema), Piḍakā (Carbuncle), Asṛgdara (Menorrhagia or Metrorrhagia or both), Gaṇḍamālā (Cervical lymphadenitis)

6 : 35 MAHĀ TRIPHALĀDYA GHṚTA

(Bhaiṣajyaratnāvalī, Netrarogādhikāra: 173-180)

त्रिफलायाः रसप्रस्थं प्रस्थं भृङ्गरसस्य च ।
वृषस्य च रसप्रस्थं शतावर्याश्च तत्समम् ॥१७३॥
अजाक्षीरं गडूच्याश्च आमलक्या रसं तथा ।
प्रस्थं प्रस्थं समाहृत्य सर्वैरेभिर्घृतं पचेत् ॥१७४॥
कल्कैः कणा सिता द्राक्षा त्रिफला नीलमुत्पलम् ।
मधुकं क्षीरकाकोली मधुपर्णी निदिग्धिका ॥१७५॥
तत्साधु सिद्धं विज्ञाय शुभे भाण्डे निधापयेत् ।
ऊर्ध्वपानमधःपानं मध्ये पानञ्च शस्यते ॥१७६॥
यावन्तो नेत्ररोगास्तान् पानादेवापकर्षति ।
नक्तान्ध्ये तिमिरे काचे नीलिकापटलार्बुदे ॥१७७॥
अभिष्यन्देऽधिमन्थे च पक्ष्मकोपे च दारुणे ।
नेत्ररोगेषु सर्वेषु वातपित्तकफेषु च ॥१७८॥
अदृष्टिं मन्ददृष्टिञ्च कफवातप्रदूषिताम् ।

स्रवतो वातपित्ताभ्यां सकण्डवासन्नदूरदृक् ।।१७९।।
 गृध्रदृष्टिकरं सद्यो बलवर्णाग्निवर्द्धनम् ।
 सर्वं नेत्रामयं हन्यात् त्रिफलाद्यं महद् घृतम् ।।१८०।।
 (भैषज्यरत्नावली, नेत्ररोगाधिकार; १७३-१८०)

1.	Triphalā rasa -Kvātha (Triphalā)	(P.)	768 ml.
2.	Bhṛṅga rāsa (Bhṛṅgarāja)	(Pl.)	768 ml.
3.	Vṛṣa rasa (Vāsā)	(Lf.)	768 ml
4.	Śatāvarī	(Rt. Tr.)	768 ml
5.	Ajā kṣīra		768 ml
6.	Guḍūcī rasa (Guḍūcī)	(St.)	768 ml
7.	Āmalakī rasa	(P.)	768 ml
8.	Kaṇā (pippalī)	(Fr.)	8.72 g
9.	Sitā		8.72 g
10.	Drākṣā	(Dr. Fr.)	8.72 g
11.	Harītakī	(P.)	8.72 g
12.	Bibhītaka	(P.)	8.72 g
13.	Āmalakī	(P.)	8.72 g
14.	Nīlotpala (Utpala)	(Fl.)	8.72 g
15.	Madhuka (Yaṣṭī)	(Rt.)	8.72 g
16.	Kṣīrakākoli	(Sub. Rt.)	8.72 g
17.	Madhuparnī (Guḍūcī)	(St.)	8.72 g
18.	Nidigdhikā (Kaṇṭakārī)	(Pl.)	8.72 g
19.	Ghṛta (Goghṛta)		768 g

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Naktāndhya (Night blindness), Timira (early stage of Catract), Kāca (Cataract), Nīlikā (Mole), Pātala Arbuda (Growth in layers of eye), Netrābhiṣyanda (Conjunctivitis), Adhimantha (Glaucoma), Pakṣmakopa (Trichiasis/Entropion), Netraroga (Eye disorder), Adṛṣṭi (Loss of eyesight), Mandadrṣṭi (Diminished vision), Netrasrāva (Chronic dacrocystitis/epiphora), Netra Kaṇḍū (Itching in eyes), Dūradrṣṭi (Hypermetropia / Hyperopia), Samīpa Drṣṭi (Myopia)

6 : 36 MAHĀ PAÑCAGAVYA GHRTĀ

(Aṣṭāṅghṛdaya, Uttarasthāna, Adhyāya 7 : 18-23 1/2)

गोमयस्वरसक्षीरदधिमूत्रैः शृतं हविः ॥१८॥
अपस्मारज्वरोन्मादकामलान्तकरं पिबेत् ।
द्विपञ्चमूलीत्रिफलाद्विनिशाकुटजत्वचः ॥१९॥
सप्तपर्णमपामार्गं नीलिनीं कटुरोहिणीम् ।
शम्पाकपुष्करजटाफलमुलदुरालभाः ॥२०॥
द्विपलाः सलिलद्रोणे पक्त्वा पादावशेषिते ।
भाङ्गीपाठाढकीकुम्भनिकुम्भव्योषरोहिषैः ॥२१॥
मूर्वाभूतीकभूनिम्बश्रेयसीसारिवाद्वयैः ।
मदयन्त्यग्निनिचुलैरक्षांशैः सर्पिषः पचेत् ॥२२॥
प्रस्थं तद्वद् द्रवैः पूर्वैः पञ्चगव्यमिदं महत् ।
ज्वरापस्मारजठरभगन्दरहरं परम् ॥२३॥
शोफार्शःकामलापाण्डुगुल्मकासग्रहापहम् ।
(अष्टांगहृदय, उत्तरस्थान, अध्याय ७; १८-२३ १/२)

1.	Bilva	(Rt./St. Bk.)	96 g
2.	Śyonāka	(Rt./St. Bk.)	96 g
3.	Gambhārī	(Rt./St. Bk.)	96 g
4.	Pāṭalā	(Rt./St. Bk.)	96 g
5.	Agnimantha	(Rt./St. Bk.)	96 g

6.	Śālaparnī	(Pl.)	96 g
7.	Prṣniparnī	(Pl.)	96 g
8.	Bṛhatī	(Pl.)	96 g
9.	Kaṇṭakārī	(Pl.)	96 g
10.	Gokṣura	(Pl.)	96 g
11.	Harītakī	(P.)	96 g
12.	Bibhītaka	(P.)	96 g
13.	Āmalakī	(P.)	96 g
14.	Haridrā	(Rz.)	96 g
15.	Dāruharidrā	(St.)	96 g
16.	Kuṭaja	(St. Bk.)	96 g
17.	Saptaparna	(St. Bk.)	96 g
18.	Apāmārga	(Rt.)	96 g
19.	Nīlinī (Nīlī)	(Lf.)	96 g
20.	Kaṭurohinī (Kaṭukā)	(Rt./Rz.)	96 g
21.	Śampāka (Āragvadha)	(Fr.P.)	96 g
22.	Puṣkara jāta (Puṣkara)	(Rt.)	96 g
23.	Phalgu mūla (kakodumbara)	(Rt.)	96 g
24.	Durālabhā (Dhanvayāsa)	(Pl.)	96 g
25.	Water for decoction		12.288 l
	reduced to		3.072 l
26.	Bhārṅgī	(Rt.)	12 g
27.	Pāṭhā	(Rt.)	12 g
28.	Ā ḍhkī	(Rt.)	12 g
29.	Kumbha (Tṛvṛta)	(Rt.)	12 g
30.	Nikumbha (Dantī)	(Rt.)	12 g
31.	Śuṇṭhī	(Rz.)	12 g
32.	Marica	(Fr.)	12 g
33.	Pippalī	(Fr.)	12 g

34.	Rohiṣa	(Lf.)	12 g
35.	Mūrvā	(Rt.)	12 g
36.	Bhūtīkā	(Lf.)	12 g
37.	Bhūnimba (Kirātatikta)	(Pl.)	12 g
38.	Śreyasī (Gajapippalī)	(Fr.)	12 g
39.	Śveta Sārivā	(Rt.)	12 g
40.	Kṛṣṇa Sārivā	(Rt.)	12 g
41.	Madayantī	(Lf.)	12 g
42.	Agni (Citraka)	(Rt.)	12 g
43.	Nicula	(Fr.)	12 g
44.	Gosarpi (Goghṛta)		768 ml
45.	Gomayarasa		768 ml
46.	Gokṣīra (Godugdha)		768 ml
47.	Godadhi		768 ml
48.	Gomūtra		768 ml

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Udararoga (Ascites), Bhagandara (Fistula-in-ano), Jvara (Fever), Viṣamajvara (Intermittent fever), Śōpha (Oedema), Apasmāra (Epilepsy), Arśa (Haemorrhoids), Kāmalā (Jaundice), Pāṇḍu (Anaemia), Gulma (Abdominal lump), Kāsa (Cough), Graharoga (Psychosis)

6 : 37 MÍŚRAKA SNEHA

पिप्पल्यामलकद्राक्षायामाद्यैः पालिकैः पचेत् ।
एरण्डतैलहविषोः प्रस्थौ पयसि षड्गुणे ॥८९॥
सिद्धोऽयं मिश्रकः स्नेहो गुल्मिनां स्रंसनं परम् ।
वृद्धिविद्रधिशूलेषु वातव्याधिषु चाऽमृतम् ॥९०॥
(अष्टाङ्गहृदय, चिकित्सास्थान; अध्याय १४; ८९-९०)

1.	Pippalī	(Fr.)	48 g	
2.	Āmalakī	(P.)	48 g	
3.	Drākṣā	(Dr. Fr.)	48 g	
4.	Śyāmā (Trivṛt)	(Rt.)	48 g	
5.	Dantī	(Rt.)	48 g	
6.	Dravanṭi	(Sd.)		48 g
7.	Kramuka (Pūga)	(Sd.)		48 g
8.	Kuṭaranā (Tṛvṛt)	(Rt.)	48 g	
9.	Śaṅkhinī	(Rt.)	48 g	
10.	Carmaśāhvā (Saptala)	(Pl.)	48 g	
11.	Svarṇaksīrī	(Pl.)	48 g	
12.	Gavākṣī (Indravāruṇī)	(Fr./Rt.)	48 g	
13.	Sikharī (Apāmārga)	(Rt.)	48 g	
14.	Rajanakā (Kampilla)	(G.H.F)	48 g	
15.	Chinnarohā (guḍūcī)	(St.)	48 g	
16.	Karañja	(Sd.)		48 g
17.	Bastāntrī	(Rt.)	48 g	
18.	Vyādhigāta (Āragvadha)	(Fr.P.)	48 g	
19.	Bahala (Śigru)	(St. Bk.)	48 g	
20.	Bahurasa		48 g	
21.	Tīkṣṇavṛkṣa (Pīlu)	(Fr.)	48 g	
22.	Eraṇḍa taila (Eraṇḍa)	(Sd.)		768 g
23.	Haviṣa (Goghṛta)		768 g	

24. Paya (Godugdha)

9.216 1

Note: Śyamādi gana referece: Aṣṭāṅgahr̥daya, sūtra sthāna, 15:45

Dose

3 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Gulma (Abdominal lump), Vibandha (Constipation), Śūla (Colicky Pain), Vidradhi (Abscess), Vṛddhi (Inguino-scrotal swellings), Vātaroga (Disease due to Vāta doṣa)

6 : 38 LAŚUNĀDI GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14 : 22-25)

तुलां लशुनकन्दानां पृथक्पञ्चपलांशकम् ।।२२।।

पञ्चमूलं महच्चाम्बुभारार्धं तद्विपाचयेत् ।

पादशेषं तदर्धेन दाडिमस्वरसं सुराम् ।।२३।।

धान्याम्लं दधि चादाय पिष्टांश्चार्धपलांशकान् ।

त्र्यूषणत्रिफलाहिङ्गुयवानीचव्यदीप्यकान् ।।२४।।

साम्लवेतससिन्धूत्थदेवदारुन्पचेद् घृतात् ।

तैः प्रस्थं तत्परं सर्ववातगुल्मविकारजित् ।।२५।।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १४; २२-२५)

1.	Laśuna	(Bl.)	4.800 kg
2.	Bilva	(Rt./St. Bk.)	240 g
3.	Śyonāka	(Rt./St. Bk.)	240 g
4.	Gambhārī	(Rt./St. Bk.)	240 g
5.	Pāṭalā	(Rt./St. Bk.)	240 g

6.	Agnimantha	(Rt./St. Bk.)	240 g	
7.	Water for decoction		48 l	
	reduced to		12 l	
8.	Dāḍima svarasa(Dāḍima)	(Fr.)		6 l
9.	Surā		6 l	
10.	Dhānyāmlā (Śāli)	(Sd.)		6 l
11.	Dadhi (Godadhi)		6 kg	
12.	Śuṇṭhī	(Rz.)	24 g	
13.	Marica	(Fr.)	24 g	
14.	Pippalī	(Fr.)	24 g	
15.	Harītakī	(P.)	24 g	
16.	Bibhītaka	(P.)	24 g	
17.	Āmalakī	(P.)	24 g	
18.	Hiṅgu	(Exd.)	24 g	
19.	Yavānī	(Fr.)	24 g	
20.	Dīpyaka (Ajamodā)	(Fr.)	24 g	
21.	Amlavetasa	(Fr.)	24 g	
22.	Cavya	(St.)	24 g	
23.	Sindhūttha (Saindhava Lavaṇa)		24 g	
24.	Devadāru	(Ht. Wd.)	24 g	
25.	Ghṛta (Goghṛta)		768 g	

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Gulma (Abdominal lump), Vātaroga (Disease due to Vāta doṣa)

6 : 39 VAJRAKA GHR̥TA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 19: 18)

वासाऽमृतानिम्बवरापटोलव्याघ्रीकरञ्जोदककल्कपक्वम् ।
सर्पिर्विसर्पज्वरकामलाऽस्रकुष्ठापहं वज्रकमामनन्ति ॥१८॥
(अष्टांगहृदय, चिकित्सास्थान, अध्याय १९; १८)

1.	Vāsā	(Rt.)	19.2 g
2.	Amṛtā (Guḍūcī)	(St.)	19.2 g
3.	Nimba	(St. Bk.)	19.2 g
4.	Harītakī	(P.)	19.2 g
5.	Bibhītaka	(P.)	19.2 g
6.	Āmalakī	(P.)	19.2 g
7.	Paṭola	(Lf.)	19.2 g
8.	Vyāghrī (Kaṇṭakārī)	(Pl.)	19.2 g
9.	Karañja	(Sd.)	19.2 g
10.	Udaka (Hrīvera)	(Rt.)	19.2 g
11.	Sarpi (Goghṛta)		768 g
12.	Water		3.072 l

Note: In some parts of country, instead of using Karañja and Udaka as two different drugs for kalka, the kaṣāya of Karañja is used.

Dose

6 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Jvara (Fever), Kāmalā (Jaundice), Raktaroga (Diseases of blood), Visarpa (Erysipelas), Kuṣṭha (Diseases of skin)

6 : 40 VASTYĀMAYĀNTAKA GHṚTA

(Sahasrayoga, Ghṛtaprakaraṇa : 21)

दार्वीमधूकमत्स्याक्षीपद्मपाषाणभेदकैः ।
बृहत्यंशुमतीद्वन्द्वसारिवेक्षुकशेरुकैः ॥
कपोतपङ्केक्षुरकं वसुकं शिग्रु वालकम् ।
वाराही वरुणं द्राक्षा भद्रा यष्टी पलकङ्कषा ॥
पृथक् त्रिपलिकं क्षुण्णं सर्वतुल्यं तु गोक्षुरम् ।
वहेऽपां विपचेत् तत्र पादशिष्टे परिस्रुते ॥
प्रक्षिप्य सर्पिषः प्रस्थं दत्त्वा क्षीरं वरीरसम् ।
धात्री बिम्बीरसं चापि नारिकेलोदकं तथा ॥
कूष्माण्डोर्वारुकजलं स्नेहद्विगुणितं पृथक् ।
द्रव्यैस्सुपिष्टैः संयुक्तमेतन्मृद्वग्निना पचेत् ॥
परुषकोत्पलत्रुटीमधूकहिमदारुभिः ।
त्रिफलापिप्पलीकौन्तीशृङ्गवेरैस्ससैन्धवैः ॥
हस्तिपिप्पल्यपामार्गमञ्जिष्ठापद्मकेसरैः ।
मुस्ताकुस्तुम्बरीलोध्रहयगन्धापुनर्नवैः ॥
स्वयङ्गुप्तेक्षुरफलैर्वार्धिपत्रकशृङ्गिभिः ।
शिलाजत्वर्धपलिकैः सिद्धं तत् सेवितं घृतम् ॥
मूत्रकृच्छ्राणि सर्वाणि शर्करामश्मरीमपि ।
पानवस्त्यादिभिर्युक्तौ नाशयेन्नात्र संशयः ॥
वातपित्तसमुत्पन्नान् सर्वान् वस्तिगतान् गदान् ।
प्रमेहेण सह क्षिप्रमपावर्तयते ध्रुवम् ॥
वस्त्यामयान्तकं नाम देवदेवेन भाषितम् ।
(सहस्रयोग, घृतप्रकरण; २१)

1.	Dārvī (Dāruharidrā)	(St.)	144 g
2.	Madhūka	(Ht.Wd.)	144 g
3.	Matsyākṣī	(Rt.)	144 g
4.	Padma (Kamala)	(Fl.)	144 g
5.	Pāṣāṇabheda	(Rz.)	144 g
6.	Br̥hatī	(Pl.)	144 g
7.	Śālaparnī	(Pl.)	144 g
8.	Pr̥ṣniparnī	(Pl.)	144 g
9.	Śveta Sārivā	(Rt.)	144 g
10.	Kṛṣṇa Sārivā	(Rt.)	144 g
11.	Ikṣu	(Rt.)	144 g
12.	Kaśeruka (Kaśeru)	(Rt.Tr.)	144 g
13.	Kapōtapaṅka (Hapuṣa)	(Fr.)	144 g
14.	Ikṣuraka (Kokilākṣa)	(Rt.)	144 g
15.	Vasuka	(Rt.)	144 g
16.	Śigru	(Rt.Bk.)	144 g
17.	Bālaka (Hrīvera)	(Rt.)	144 g
18.	Vārāhī	(Rt.Tr.)	144 g
19.	Varaṇa (Varuṇa)	(Rt.)	144 g
20.	Drākṣā	(Dr.Fr.)	144 g
21.	Bhadrā (Sthūlailā)	(Sd.)	144 g
22.	Yaṣṭī	(Rt.)	144 g
23.	Palaṅkaṣā (Guggulu)	(Exd.)	144 g
24.	Gokṣura	(Fr.)	3.312 kg
25.	Water for decoction		49.152 l
	reduced to		12.288 l
26.	Sarpi (Goghṛta)		1.536 kg
27.	Kṣīra (Godugdha)		3.072 l
28.	Varīrasa (Satāvarī)	(Rt.Tr.)	3.072 l.

29.	Dhātrī rasa	(P.)	3.072 l
30.	Bimbī rasa	(Pl.)	3.072 l
31.	Nālikerodaka (Nārikela)	(Kr.)	3.072 l
32.	Kūṣmāṇḍa jala (Kūṣmāṇḍa)	(Fr.)	3.072 l
33.	Urvāru jala (Ervaru)	(Fr.)	3.072 l
34.	Parūṣaka	(Fr.)	4.92 g
35.	Utpala	(Fl.)	4.92 g
36.	Truṭi (Sūkṣmailā)	(Sd.)	4.92 g
37.	Madhūka	(Fl.)	4.92 g
38.	Hima (Śveta candana)	(Ht.Wd.)	4.92 g
39.	Dāru (Devadāru)	(Ht.Wd.)	4.92 g
40.	Harītakī	(P.)	4.92 g
41.	Bibhītaka	(P.)	4.92 g
42.	Āmalakī	(P.)	4.92 g
43.	Pippalī	(Fr.)	4.92 g
44.	Kauntī (Rēṇukā)	(Sd.)	4.92 g
45.	Śrngaverā (Śunṭhī)	(Rz.)	4.92 g
46.	Saindhava lavaṇa		4.92 g
47.	Hastipippalī (Gajapippalī)	(Fr.)	4.92 g
48.	Apāmārga	(Rt.)	4.92 g
49.	Mañjiṣṭhā	(Rt.)	4.92 g
50.	Padma kesara (Kamala)	(Adr.)	4.92 g
51.	Mustā	(Rz.)	4.92 g
52.	Kustumbarī (Dhānyaka)	(Fr.)	4.92 g
53.	Lodhra	(St.Bk.)	4.92 g
54.	Hayagandhā (Aśvagandhā)	(Rt.)	4.92 g
55.	Punarnavā (Rakta Punarnavā)	(Rt.)	4.92 g
56.	Svayaṃguptā (Ātmaguptā)	(Sd.)	4.92 g
57.	Ikṣura phala (Kokilākṣa)	(Sd.)	4.92 g

58.	Vārdhhi (Kulattha) patra	(Lf.)	4.92 g
59.	Śṛṅgī (Karkaṭaśṛṅgī)	(Gl.)	4.92 g
60.	Śilājatu		128 g

Note:

1. As per practice in South India heart wood of Madhūka is used.
2. As per current practice, the water for decoction has been taken as 49.152 l (Vahepām) instead of 12.288 l. (droṇepam) which has been corrected in the sloka. The quantity of Ghṛta has also been doubled.
3. Vidāryādi Gaṇa (Ashtanga Hridaya, Sutrasthana, Adhyaya 15:9-9 1/2)

Dose

12 g

Anupāna

Warm milk, Laghu Pañca Mūla Kvātha, Tṛṇa Pañca Mūla Kvātha

Important Therapeutic Uses

Mūtrakṛcchra (Dysuria), Mūtra Śarkarā (Urinary calculus), Prameha (Urinary disorders), Aśmarī (Calculus), Vātapittaja Vastiroga (Disorder of Urinary tract and Bladder due to Vāta Pitta doṣa)

6 : 41 VIDĀRYĀDI GHṚTA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 3: 9)

विदार्यादिगणक्वाथकल्कसिद्धं च कासजित् ।
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ३; ९)

1.	Vidārī	(Rt. Tr.)	38.4 g	
2.	Pañcāṅgula (Eraṇḍa)	(Rt.)	38.4 g	
3.	Vṛścikālī	(Pl.)	38.4 g	
4.	Vṛścīva (Śvetapunarnavā)	(Rt.)	38.4 g	
5.	Devāhvaya (Devadāru)	(Ht. Wd.)	38.4 g	
6.	Mudgaparṇī	(Pl.)	38.4 g	
7.	Māṣaparnī	(Pl.)	38.4 g	
8.	Kaṇḍūkarī (Ātmaguptā)	(Sd.)		38.4 g
9.	Śālaparnī	(Pl.)	38.4 g	
10.	Prṣniparnī	(Pl.)	38.4 g	
11.	Brhatī	(Pl.)	38.4 g	
12.	Kaṇṭakārī	(Pl.)	38.4 g	
13.	Gokṣura	(Pl.)	38.4 g	
14.	Abhīru (Śatāvarī)	(Rt. Tr.)	38.4 g	
15.	Vīrā (Ksīravīdārī)	(Rt. Tr.)	38.4 g	
16.	Jīvanti	(Rt.)	38.4 g	
17.	Jīvaka	(Rt. Tr.)	38.4 g	
18.	Rṣabhaka	(Rt. Tr.)	38.4 g	
19.	Gopa sutā (Śvēta sāriva)	(Rt.)	38.4 g	
20.	Tripādī (Hansapadī)	(Rt.)	38.4 g	
21.	Water for decoction		12.288 l	
	reduced to		3.072 l	
22.	Kalka of ingredients 1 to 20 each		6.4 g	
23.	Ghṛta (Goghṛta)		768 g	

Special Method of Preparation

Vidaryadi gana: Ashtanga Hrudaya, Adhyaya 15:9-9 1/2

Dose

12 g12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Kāsa (Cough), Kṣaya (Pthisis), Urahkṣata (Chest wound / injured chest/ disease of lungs), Kārśya (Emaciation)

6 : 42 ṢAṬPALA GHṚTA Synonym- Pañcakolādi Ghṛta

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 5 : 22 - 23)

पञ्चकोलयवक्षारषट्पलेन पचेद् घृतम् ।
प्रस्थोन्मितं तुल्यपयः स्रोतसां तद्विशोधनम् ॥२२॥
गुल्मज्वरोदरप्लीहग्रहणीपाण्डुपीनसान् ।
श्वासकासाऽग्निसदनश्चयथूध्वानिलाञ्जयेत् ॥२३॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ५; २२-२३)

1.	Pippalī	(Fr.)	48 g
2.	Pippalā mūla	(Rt.)	48 g
3.	Cavya	(St.)	48 g
4.	Citraka	(Rt.)	48 g
5.	Śunṭhī	(Rz.)	48 g
6.	Yava kṣāra (Yava)	(Pl.)	48 g
7.	Ghṛta (Goghṛta)		768 g
8.	Paya (Godugdha)		768 ml

Dose

12 g

Anupāna

Warm water, warm milk

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Plīhā (Splenic disease), Jvara (Fever), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Pāṇḍu (Anaemia), Pīnasa (Chronic rhinitis/sinusitis), Mandāgni (Impaired digestive fire), Śvayathu (Oedema)

6 : 43 SĀRASVATA GHṚTA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 1: 46 1/2)

अजाक्षीराभयाव्योषपाटोग्राशिग्रुसैन्धवैः ॥४६॥
सिद्धं सारस्वतं सर्पिर्वाङ्मेधास्मृतिवह्निवृत् ।
(अष्टाङ्गहृदय, उत्तरस्थान, अध्याय १; ४६ १/२)

1.	Ajākṣīra		3.072 l
2.	Abhayā (Harītakī)	(P.)	24 g
3.	Śuṇṭhī	(Rz.)	24 g
4.	Marica	(Fr.)	24 g
5.	Pippalī	(Fr.)	24 g
6.	Pāṭhā	(Rt.)	24 g
7.	Ugrā (Vacā)	(Rz.)	24 g
8.	Śigru	(Rt. Bk.)	24 g
9.	Water		3.072 l
10.	Sarpi (Goghṛta)		768 g

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Improves Vāk (Speech), Medhā (Intelligence), Smṛti (Memory), Jāṭharāgni
(Digestive fire)

6 : 44 SUKUMĀRA GHṚTA

(Sahasrayoga, Ghṛtaprakaraṇa: 4)

पचेत् पुनर्नवं तुलां तथा दशपलाः पृथक् ।
दशमूलपयस्याश्वगन्धैरण्डशतावरीः ॥
द्विदभर्शरकाशेक्षुमूलपोटमगलान्विताः ।
वहेऽपामष्टभागस्थे तत्र त्रिंशत्पलाद् गुडात् ॥
प्रस्थमेरण्डतैलस्य द्वौ घृतात्पयसस्तथा ।
आवपेद्विपलांशश्च कृष्णा तन्मूलसैन्धवम् ॥
यष्टीमधुकमृद्वीकायवानीनागराणि च ।
तत्सिद्धं सुकुमाराख्यं सुकुमारं रसायनम् ॥
वातातपाध्वभाष्यास्त्रीपरिहार्येष्वयंत्रणम् ।
प्रयोज्यं सुकुमाराणामीश्वराणां सुखात्मनाम् ॥
नृणां स्त्रीवृन्दभर्तृणामलक्ष्मीकलिनाशनम् ।
सर्वकालोपयोगेन कान्तिलावण्यपुष्टिदम् ॥
वर्ध्मविद्रधिगुल्मार्शोयोनिशूलानिलार्तिषु ।
शोफोदरखुडप्लीहविड्मिबन्धेषु चोत्तमम् ॥
(सहस्रयोग, घृतप्रकरण; ४)

1.	Punarnavā (Rakta Punarnavā)	(Pl.)	4.800 kg
2.	Bilva	(Rt./St. Bk.)	480 g
3.	Śyonāka	(Rt./St. Bk.)	480 g
4.	Gambhārī	(Rt./St. Bk.)	480 g
5.	Pāṭalā	(Rt./St. Bk.)	480 g
6.	Agnimantha	(Rt./St. Bk.)	480 g
7.	Śālaparnī	(Pl.)	480 g
8.	Prśniparnī	(Pl.)	480 g

9.	Bṛhatī	(Pl.)	480 g
10.	Kaṇṭakārī	(Pl.)	480 g
11.	Gokṣura	(Pl.)	480 g
12.	Payasyā (Kṣīrakākōlī)	(Sub. Rt.)	480 g
13.	Aśvagandhā	(Rt.)	480 g
14.	Eraṇḍa	(Rt.)	480 g
15.	Śatāvarī	(Rt. Tr.)	480 g
16.	Darbha - mūla	(Rt.)	480 g
17.	Kuśa - mūla	(Rt.)	480 g
18.	Śara - mūla	(Rt.)	480 g
19.	Kāśa - mūla	(Rt.)	480 g
20.	Ikṣu - mūla	(Rt.)	480 g
21.	Paṭagala - mūla	(Rt.)	480 g
22.	Water for decoction		49.152 l
	reduced to		6.144 l
23.	Guḍa		1.440 kg
24.	Eraṇḍa taila	(Ol.)	768 g
25.	Ghṛta (Goghṛta)		1.536 kg
26.	Payas (Godugdha)		1.536 l
27.	Kṛṣṇā (Pippalī)	(Fr.)	96 g
28.	Kṛṣṇā mūla (Pippalī)	(Rt.)	96 g
29.	Saindhava lavaṇa		96 g
30.	Yaṣṭī	(Rt.)	96 g
31.	Madhūka	(Fl.)	96 g
32.	Mṛdvīkā (Drākṣā)	(Dr. Fr.)	96 g
33.	Yavānī	(Fr.)	96 g
34.	Nāgara (Śunthī)	(Rz.)	96 g

Dose

12 g

Anupāna

Warm milk, warm water

Important Therapeutic Uses

Vidvibandha (Constipation), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Plīhā Roga (Splenic disease), Vidradhi (Abscess), Śopha (Oedema), Yoniśūla (Pain in female genital tract), Arśa (Haemorrhoids), Vṛddhi (Inguino-scrotal swellings), Vātaroga (Disease due to Vāta doṣa), Vātarakta (Gout)

7. CŪRṆA

Definition

Cūrṇa is a fine powder of drug or drugs.

General Method of preparation

Drugs mentioned in the Yoga are cleaned and dried properly. They are finely powdered and sieved. Where there are a number of drugs in yoga, the drugs are separately powdered and sieved. Each one of them (powder) is weighed separately, and well mixed together. As some of the drugs contain more fibrous matter than other, this method of powdering and weighing them separately them, according to the Yoga, and then mixing them together, is preferred.

In industry, however, all the drugs are cleaned, dried and powdered together by disintegrators. Mechanical sifters are also used. Salt, sugar, camphor etc., when mentioned are separately powdered and mixed with the rest at the end. Asafoetida (Hiṅgu) and salt may also be roasted, powdered and then added. Drugs like Śatāvarī, Guḍūcī, etc., which are to be taken fresh, is made into a paste, dried, and then added.

Characteristics and preservation

The powder is fine of at least 80 mesh sieves. It should not adhere together or become moist. The finer the powder, the better is its therapeutic value. They retain potency for one year¹ and should be kept in air tight containers.

Note:

1. Potency of Curna is 1 year is according to Śārṅgadharasaṃhitā, Prathamakhaṇḍa, Adhyāya 1; śloka 51-53, with commentary of Ādhamalla.

1	AJAMODĀDI CŪRṆA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6	113-117 1/2
2	AVIPATTIKARA CŪRṆA	Bhaiṣajyaratnāvalī, Amlapittādhikāra	24-27
3	ĀMALAKYĀDI CŪRṆA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6	7 1/2
4	INTUPPUKĀṆA CŪRṆA	Sahasrayoga, Cūrṇaprakaraṇa	23
5	ELĀDI CŪRṆA	Bhaiṣajyaratnāvalī, Chardirogādhikāra	21
6	KARPŪRĀDI CŪRṆA	Sahasrayoga, Cūrṇaprakaraṇa: 9	
7	YAVĀNYĀDI CŪRṆA Synonm Kapitthāṣṭaka Cūrṇa	Aṣṭāṅgahr̥daya, Cikitsāsthāna , Adhyāya 9	109-111 1/2
8	GOMŪTRA HARĪTAKĪ	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 22	102
9	CANDANĀDI CŪRṆA	Bhaiṣajyaratnāvalī, Śukramehādhikāra	22-24
10	CATURJĀTA CŪRṆA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6	14 1/2
11	CITRAKĀDI CŪRṆA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6	108-110.
12	JĀTĪPHALĀDYA CŪRṆA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6	70-74
13	TĀLĪSĀDYA CŪRṆA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6	130-133 1/2
14	TRIKAṬU CŪRṆA	Bhaiṣajyaratnāvalī, Paribhāṣāprakaraṇa	16
15	TRIPHALĀ CŪRṆA	Bhāvaprakāśa, Harītakṛyādī Varga	41- 42
16	DRĀKṢĀDI CŪRṆA	Vaidyayogaratnāvalī, Page	

		64-65	
17	NAVĀYASA CŪRṆA	Bhaiṣajyaratnāvalī, Pāṇdurogādhikāra	22
18	NĀRASIM HA CŪRṆA	Bhaiṣajyaratnāvalī, Vāj īkaraṇādhikāra	30-40
19	NĀRĀYAṆA CŪRṆA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 15	14-16
20	NIMBĀDI CŪRṆA	Bhaiṣajyaratnāvalī, Vātaraktādhikāra	31-38
21	NYAGRODHĀDI CŪRṆA	Yogaratanākara, Pramehacikitsā: Page 567	
22	PAṆCASAMA CŪRṆA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6	93-94 1/2
23	PUṢYĀNUGA CŪRṆA	Bhaiṣajyaratnāvalī, Str īrogādhikāra	46-49
24	BĀLACATURBHADRIKĀ CŪRṆA	Bhaiṣajyaratnāvalī, Bālarogādhikāra	40
25	BRĤAT GANGĀDHARA CŪRṆA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6	49-51 1/2
26	BHALLĀTAKA RASĀYANA	"Rasatarāṅgiṇī, Taraṅga, 24	
"	484-486		
27	BHĀSKARA LAVAṆA CŪRṆA (Synonym Lavaṇabhāskara Cūrṇa)	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6	138-144
28	YAVĀNĪ ṢAṆḌAVA (Synonym Yavānyādi Cūrṇa)	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 5	55-57 1/2
29	RAJANYĀDI CŪRṆA	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyaya 2	38 - 40
30	VAIS VĀNARA CŪRṆA	Cakradatta, Āmavātacikitsā	15-18
31	ŚRṆGYĀDI CŪRṆA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6	42 1/2

32	SAMAṆ GĀDI CŪRṆA	Cakradatta, Arśacikitsā	115
33	SĀMUDRĀDYA CŪRṆA	Bhaiṣajyaratnāvalī, Ś ūloragādhikāra	77-80
34	SITOPALĀDI CŪRṆA	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6	134-137
35	SUDARŚANA CŪRṆA	Bhaiṣajyaratnāvalī, Jvarādhikāra	308-317
36	SVALPANĀYIKĀ CŪRṆA	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	82-85
37	HINGVAṢṬAKA CŪRṆA	Bhaiṣajyaratnāvalī, Agnimāndyādirogādhikāra	37
38	HINGVĀDI CŪRṆA	Gulmacikitsā Page 522, Yogaratnākara	
39	HINGUVACĀDI CŪRṆA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14	31-33

7 : 1 AJAMODĀDI CŪRṆA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6: 113-117 1/2)

अजमोदा विडङ्गानि सैन्धवं देवदारु च ॥११३॥
चित्रकः पिप्पलीमूलं शतपुष्पा च पिप्पली ।
मरिचं चेति कर्षाशं प्रत्येकं कारयेद् बुधः ॥११४॥
कर्षास्तु पञ्च पथ्याया दश स्युर्वृद्धदारुकात् ।
नागराच्च दशैव स्युः सर्वाण्येकत्र चूर्णयेत् ॥११५॥
पिबेत् कोष्ठाजलेनैव चूर्णं श्वयथुनाशनम् ।
आमवातरुजं हन्ति सन्धिपीडां च गृध्रसीम् ॥११६॥
कटिपृष्ठगुदस्थां च जङ्घयोश्च रुजं जयेत् ।
तूनीप्रतूनीविश्वाचीकफवातामयाञ्जयेत् ॥११७॥
समेन वा गुडेनास्य वटकान् कारयेद्भिषक् ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; ११३-११७ १/२)

1.	Ajamodā	(Fr.)	12 g
2.	Viḍaṅga	(Fr.)	12 g
3.	Saindhava lavaṇa		12 g
4.	Devadāru	(Ht. Wd.)	12 g
5.	Citraka	(Rt.)	12 g
6.	Pippalī mūla	(Rt.)	12 g
7.	Śatapuspā (Śatāhvā)	(Fl.)	12 g
8.	Pippalī	(Fr.)	12 g
9.	Marica	(Fr.)	12 g
10.	Pathyā (Harītakī)	(P.)	60 g
11.	Vṛddhadāruka	(Rt.)	120 g
12.	Nāgara (Śuṇṭhī)	(Rz.)	120 g

Dose

3 to 6 g

Anupāna

Warm water and jaggery.

Important Therapeutic Uses

Śūla (Colicky Pain), Gṛdhrasī (Sciatica), Āmavāta (Rheumatism), Śoṭha (Inflammation), Sandhi Pīḍā (Joint pain), Kaṭirujā (Backache), Pṛṣṭha Rujā (Pain in the lower back), Guda Rujā (Pain in the anorectal area), Jaṅghā Rujā (Pain in thigh), Tūnī (Neuralgic pain renal/ureteric colic), Pratitūnī/ pratūnī (Renal/ureteric colic), Viśvācī (Brachial neuralgia), Kaphavātaroga (Disease due to Kapha and Vāta doṣa)

7 : 2 AVIPATTIKARA CŪRṆA

(Bhaiṣajyaratnāvalī, Amlapittādhikāra: 24-27)

त्रिकटु त्रिफला मुस्तं विडञ्चैव विडङ्गकम् ।
एलापत्रञ्च चूर्णानि समभागानि कारयेत् ॥२४॥
सर्वमेकीकृतं यावल्लवङ्गं तत्समं भवेत् ।
सर्वचूर्णद्विगुणितं त्रिवृच्चूर्णं प्रदापयेत् ॥२५॥
सर्वमेकीकृतं यावत्तावच्छर्करयान्वितम् ।
अम्लपित्तं निहन्त्याशु विबन्धं मलमूत्रयोः ॥२६॥
अग्निमान्द्यभवान् रोगान् नाशयेदविकल्पतः ।
प्रमेहान् विंशतिञ्चैव सर्वदुर्नामनाशनम् ॥
अविपत्तिकरं चूर्णमगस्त्यविहितं शुभम् ॥२७॥
(भैषज्यरत्नावली, अम्लपित्ताधिकार; २४-२७)

1.	Śunṭhī	(Rz.)	1 Part
2.	Marica	(Fr.)	1 Part
3.	Pippalī	(Fr.)	1 Part
4.	Harītakī	(P.)	1 Part
5.	Bibhītaka	(P.)	1 Part
6.	Āmalakī	(P.)	1 Part
7.	Musta (Mustā)	(Rz.)	1 Part

8.	Viḍa (Viḍa Lavaṇa)		1 Part
9.	Viḍaṅga	(Fr.)	1 Part
10.	Elā (Sūkṣmailā)	(Sd.)	1 Part
11.	Patra (Tejapatra)	(Lf.)	1 Part
12.	Lavaṅga	(Fl. Bd.)	11 Parts
13.	Trivṛt	(Rt.)	44 Parts
14.	Śarkarā		66 Parts

Dose

3 to 6 g

Anupāna

Honey, water, milk.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Malabandha (Constipation), Amlapitta (Dyspepsia), Arśa (Haemorrhoids), Mūtrabandha (Retention of urine), Prameha (Urinary disorders)

7 : 3 ĀMALAKYĀDI CŪRṆA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6: 7 1/2)

आमलं चित्रकं पथ्या पिप्पली सैन्धवस्तथा ।

चूर्णितोऽयं गणो ज्ञेयः सर्वज्वरविनाशनः ॥७॥

भेदी रुचिकरः श्लेष्मजेता दीपनपाचनः ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; ७ १/२)

1.	Āmala (Āmalakī)	(P.)	1 Part
2.	Citraka	(Rt.)	1 Part
3.	Pathyā (Harītakī)	(P.)	1 Part

- | | | | |
|----|------------------|-------|--------|
| 4. | Pippalī | (Fr.) | 1 Part |
| 5. | Saindhava lavaṇa | | 1 Part |

Dose

3 to 6 g

Anupāna

Warm water

Important Therapeutic Uses

Aruci (Tastelessness), Agnimāndya (Digestive impairment), Jvara (Fever), Ajīrṇa (Dyspepsia)

7 : 4 INTUPPUKĀṆA CŪRṆA

(Sahasrayoga, Cūrṇaprakaraṇa : 23)

इंतुप्पुकाणमयमोदमिरण्डुकाणं ।
नालेवतिप्पलि हरीतकियारुकाणं ।।
वेत्रीरिलनन्नु पुळिमोरिलतीव नन्नु ।
मन्दाग्निनामिति वदनति पुराणवैद्यः ।।
(सहस्रयोग, चूर्णप्रकरण; २३)

- | | | | |
|----|----------------------------|-------|---------|
| 1. | Intuppu (Saindhava Lavaṇa) | | 1 Part |
| 2. | Ayamodā (Ajamoda) | (Fr.) | 2 Parts |
| 3. | Tippali (Pippalī) | (Fr.) | 4 Parts |
| 4. | Harītakī | (P.) | 6 Parts |

Dose

6 g

Anupāna

Warm water, sour butter-milk.

Important Therapeutic Uses

Agnimāndya (Digestive impairment)

7 : 5 ELĀDI CŪRṆA

(Bhaiṣajyaratnāvalī, Chardirogādhikāra : 21)

एलालवङ्गगजकेशरकोलमज्जलाजप्रियङ्गुघनचन्दनपिप्पलीनाम् ।
चूर्णानि माक्षिकसितासहितानि लीढ्वा छर्दिं निहन्ति कफमारुतपित्तजाञ्च ॥२१॥
(भैषज्यरत्नावली, छर्दिरोगाधिकार; २१)

1.	Elā (Sūkṣmailā)	(Sd.)	1 Part
2.	Lavaṅga	(Fl. Bd.)	1 Part
3.	Gajakeśara (Nāgakeśara)	(Stmn.)	1 Part
4.	Kolamajjā (Kola)	(P.)	1 Part
5.	Lāja (Śāli)	(Sd.)	1 Part
6.	Priyaṅgu	(Fl.)	1 Part
7.	Ghana (Mustā)	(Rz.)	1 Part
8.	Candana (Śveta candana)	(Ht.Wd.)	1 Part
9.	Pippalī	(Fr.)	1 Part

Dose

2 to 4 g

Anupāna

Honey, sugar.

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma)

7 : 6 KARPŪRĀDI CŪRṆA

(Sahasrayoga, Cūrṇaprakaraṇa: 9)

कर्पूरचोचतक्कोलजातीफलदलाः समाः ।
लवंगनागमरिचकृष्णाशुण्ठीविवर्धिताः ॥
चूर्णं सितासमं हृद्यं रोचनं क्षयकासजित् ।
(सहस्रयोग, चूर्णप्रकरण; ९)

1.	Karpūra	(Sub.Ext.)	1 Part
2.	Coca (Tvak)	(St.Bk.)	1 Part
3.	Takkola	(Rz.)	1 Part
4.	Jātīphala	(Sd.)	1 Part
5.	Jātīdala (Jātīphala)	(Ar.)	1 Part
6.	Lavaṅga	(Fl.Bd.)	2 Parts
7.	Nāga (Nāgakeśara)	(Stmn.)	3 Parts
8.	Marica	(Fr.)	4 Parts
9.	Kṛṣṇā (Pippalī)	(Fr.)	5 Parts
10.	Śuṇṭhī	(Rz.)	6 Parts
11.	Sitā		25 Parts

Dose

1 to 2 g

Anupāna

Honey

Important Therapeutic Uses

Aruci (Tastelessness), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣaya (Pthisis)

7 : 7 YAVĀNYĀDI CŪRṆA Synonm Kapitthāṣṭaka Cūrṇa

(Aṣṭāṅgahr̥daya, Cikitsāsthāna , Adhyāya 9 : 109-111 1/2)

(कपित्थाष्टक चूर्ण)

यवानी पिप्पलीमूलचातुर्जातकनागरैः ॥१०९॥

मरिचाग्निजलाजाजीधान्यसौवर्चलैः समैः ।

वृक्षाम्लधातकीकृष्णाबिल्वदाडिमदीप्यकैः ॥११०॥

त्रिगुणैः षड्गुणसितैः कपित्थाष्टगुणैः कृतः ।

चूर्णोऽतिसारग्रहणीक्षयगुल्मोदरामयान् ॥१११॥

कासश्वासाग्निसादार्शःपीनसारोचकाञ्जयेत् ।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ९; १०९-१११ १/२)

1.	Yavānī	(Fr.)	1 Part
2.	Pippalīmūla (Pippalī)	(Rt.)	1 Part
3.	Tvak	(St. Bk.)	1 Part
4.	Elā (Sūkṣmailā)	(Sd.)	1 Part
5.	Patra (Tejapatra)	(Lf.)	1 Part
6.	Nāgakeśara	(Stmn.)	1 Part
7.	Nāgara (Śunthī)	(Rz.)	1 Part
8.	Marica	(Fr.)	1 Part
9.	Agni (Citraka)	(Rt.)	1 Part
10.	Jala (Hrīvēra)	(Rt.)	1 Part
11.	Ajājī (Śveta jīraka)	(Fr.)	1 Part
12.	Dhānya (Dhānyaka)	(Fr.)	1 Part
13.	Sauvarcala Lavaṇa		3 Parts
14.	Vṛkṣāmla	(Fr.P.)	3 Parts
15.	Dhātakī	(Fl.)	3 Parts
16.	Kṛṣṇā (Pippalī)	(Fr.)	3 Parts
17.	Bilva	(U.F.P)	3 Parts
18.	Dāḍima	(Dr. Sd.)	3 Parts

19.	Dīpyaka (Ajamodā)	(Fr.)	3 Parts
20.	Sitā		6 Parts
21.	Kapittha	(U.F.P)	8 Parts

Dose

2 to 4 g

Anupāna

Honey, butter milk.

Important Therapeutic Uses

Śvāsa (Dyspnoea/Asthma), Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Kṣaya (Pthisis), Gulma (Abdominal lump), Udara (Diseases of abdomen / enlargement of abdomen), Kāsa (Cough), Agnimāndya (Digestive impairment), Arśa (Haemorrhoids), Pīnasa (Chronic rhinitis/sinusitis), Aruci (Tastelessness)

7 : 8 GOMŪTRA HARĪTAKĪ

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 22 : 102)

गोमूत्रक्वथनविलीनविग्रहाणां पथ्यानां जलमिशिकुष्ठभावितानाम् ।
अत्तारं नरमणवोऽपि वक्त्ररोगाः श्रोतारं नृपमिव न स्पृशन्त्यनर्थाः ॥१०२॥
(अष्टाङ्गहृदय, उत्तरस्थान, अध्याय २२; १०२)

1.	Gomūtra		4 Parts
2.	Pathyā (Harītakī)	(P.)	1 Part
3.	Jala Kvātha (Hrīvera)	(Rt.)	1 Part
4.	Mīśi Kvātha (Mīśrēyā)	(Fr.)	1 Part
5.	Kuṣṭha Kvātha	(Rt.)	1 Part

Special Method of Preparation

Pericarp of Harītakī is boiled in Gomūtra. There after the boiled Harītakī is soaked in each of the Kvātha successively and dried under the sun. It is then powdered and kept in an air-tight container.

Dose

2 to 4 g

Anupāna

Water.

Important Therapeutic Uses

Mukha Roga (Disease of mouth)

7 : 9 CANDANĀDI CŪRṆA

(Bhaiṣajyaratnāvalī, Śukramehādhikāra : 22-24)

चन्दनं शाल्मलीपुष्पं त्रिजातं रजनीद्वयम् ।
अनन्तां सारिवां मुस्तमुशीरं यष्टिकामले ॥२२॥
तालमूलीं शुभां भाङ्गीं देवदारु हरीतकीम् ।
सर्वद्विगुणितं लौहज्जैकत्र परिमर्दयेत् ॥२३॥
प्रमेहा विंशतिः श्वासः कासो जीर्णज्वरस्तथा ।
प्राशनादस्य नश्यन्ति दुर्नामानि च कामला ॥२४॥
(भैषज्यरत्नावली, शुक्रमेहाधिकार; २२-२४)

1.	Candana (Śveta candana)	(Ht. Wd.)	1 Part
2.	Śālmalī	(Fl.)	1 Part
3.	Tvak	(St. Bk.)	1 Part
4.	Elā (Sūkṣmailā)	(Sd.)	1 Part
5.	Patra (Tejapatra)	(Lf.)	1 Part
6.	Haridrā	(Rz.)	1 Part
7.	Dāruharidrā	(St.)	1 Part
8.	Anantā (Śvētasārivā)	(Rt.)	1 Part
9.	Sāriṇa (Kṛṣṇa Sārivā)	(Rt.)	1 Part

10.	Mustā	(Rz.)	1 Part
11.	Uśīra	(Rt.)	1 Part
12.	Yaṣṭikā (Yaṣṭī)	(Rt.)	1 Part
13.	Āmala (Āmalakī)	(P.)	1 Part
14.	Tālamūlī (Kṛṣṇamusalī)	(Rt.)	1 Part
15.	Śubhā (vamśa)	(S. C.)	1 Part
16.	Bhārṅgī	(Rt.)	1 Part
17.	Devadāru	(Ht. Wd.)	1 Part
18.	Harītakī	(P.)	1 Part
19.	Lauha bhasma		36 Parts

Dose

1/2 to 1 g

Anupāna

Honey, Haridrā Svarasa.

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Jīrṇajvara (Chronic fever), Prameha (Urinary disorders), Arśa (Haemorrhoids), Kāmalā (Jaundice)

7 : 10 CATURJĀTA CŪRṆA

(Śārnādharaśaṃhitā, Madhyamakhaṇḍa, Adhyāya 6 : 14 1/2)

त्रिगन्धमेलात्वक्पत्रैश्चतुर्जातं सकेशरैः ।

त्रिगन्धं सचतुर्जातं रुक्षोष्णं लघु पित्तकृत् ॥१४॥

वर्ण्यं रुचिकरं तीक्ष्णं विषश्लेष्मामयाञ्जयेत् ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; १४ १/२)

1.	Tvak	(St. Bk.)	1 Part
----	------	-----------	--------

2.	Elā (Sūkṣmailā)	(Sd.)	1 Part
3.	Patra (Tejapatra)	(Lf.)	1 Part
4.	Keśara (Nāgakeśara)	(Stmn.)	1 Part

Dose

2 to 4 g

Anupāna

Honey, ghee, water.

Important Therapeutic Uses

Arocaka (Tastelessness), Kaphaja Roga (Disease due to Kapha doṣa), Viṣa (Poison),
Vaivarṇya (Discolouration)

7 : 11 CITRAKĀDI CŪRṆA

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6 : 108-110.)

चित्रकं नागरं हिङ्गु पिप्पली पिप्पलीजटा ।
चव्याजमोदा मरिचं प्रत्येकं कर्षसम्मितम् ॥१०८॥
स्वर्जिका च यवक्षारः सिन्धुः सौवर्चलं विडम् ।
सामुद्रकं रोमकं च कोलमात्राणि कारयेत् ॥१०९॥
एकीकृत्याखिलं चूर्णं भावयेन्मातुलुङ्गजैः ।
रसैर्दाडिमजैर्वापि शोषयेदातपेन च ॥११०॥
एतच्चूर्णं जयेद् गुल्मं ग्रहणीमामजां रुजम् ।
अग्निं च कुरुते दीप्तं रुचिकृत् कफनाशनम् ॥१११॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; १०८-११०)

1.	Citraka	(Rt.)	12 g
2.	Nāgara (śunthī)	(Rz.)	12 g
3.	Hiṅgu	(Exd.)	12 g
4.	Pippalī	(Fr.)	12 g

5.	Pippalī jaṭā (Pippalī) Pippalīmūla	(Rt.)	12 g
6.	Cavya	(St.)	12 g
7.	Ajamodā	(Fr.)	12 g
8.	Marica	(Fr.)	12 g
9.	Svarjikā kṣāra		6 g
10.	Yava kṣāra (Yava)	(Pl.)	6 g
11.	Sindhu (Saindhava Lavaṇa)		6 g
12.	Sauvarcala Lavaṇa		6 g
13.	Viḍa Lavaṇa		6 g
14.	Sāmudraka (Sāmudra Lavaṇa)		6 g
15.	Romaka Lavaṇa		6 g
16.	Mātulunga rasa	(Fr.)	Q.S

Special Method of Preparation

1 to 15 are finely powdered, soaked in Mātulūṅga Rasa, allowed to dry in the sun, mixed well and kept. Note: The committee has recommended that Bhāvana should be done only in Mātulūṅga rasa and not in Dāḍima rasa given as an alternative in the sloka.

Dose

3 g

Anupāna

Warm water.

Important Therapeutic Uses

Arocaka (Tastelessness), Āmaja Śūla (Intestinal colic due to indigestion), Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Agnimāndya (Digestive impairment), Kaphadoṣa (Vitiation of Kapha doṣa)

7 : 12 JĀTĪPHALĀDYA CŪRṆA

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6 : 70-74)

जातीफललवङ्गैलापत्रत्वङ्नागकेशरैः ।।७०।।
 कर्पूरचन्दनतिलैस्त्वक्क्षीरीतगरामलैः ।
 तालीसपिप्पलीपथ्यास्थूलजीरकचित्रकैः ।।७१।।
 शुण्ठीविडङ्गमरिचैः समभागविचूर्णितैः ।
 यावन्त्येतानि सर्वाणि कुर्याद् भङ्गां च तावतीम् ।।७२।।
 सर्वचूर्णसमा देया शर्करा च भिषग्वरैः ।
 कर्षमात्रं ततः खादेन्मधुना प्लावितं सुधीः ।।७३।।
 अस्य प्रभावाद् ग्रहणीकासश्वासारुचिक्षयाः ।
 वातश्लेष्मप्रतिश्यायाः प्रशमं यान्ति वेगतः ।।७४।।
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; ७०-७४)

1.	Jātīphala	(Sd.)	1 Part
2.	Lavaṅga	(Fl.Bd.)	1 Part
3.	Elā (Sūkṣmailā)	(Sd.)	1 Part
4.	Patra (Tejapatra)	(Lf.)	1 Part
5.	Tvak	(St.Bk.)	1 Part
6.	Nāgakēśara	(Stmn.)	1 Part
7.	Karpūra	(Sub.Ext.)	1 Part
8.	Candana (Śveta candana)	(Ht.Wd.)	1 Part
9.	Tila	(Sd.)	1 Part
10.	Tvakṣīrī (Vaṁśa)	(S.C.)	1 Part
11.	Tagara	(Rt.)	1 Part
12.	Āmala (Āmalakī)	(P.)	1 Part
13.	Tālīśa	(Lf.)	1 Part
14.	Pippalī	(Fr.)	1 Part
15.	Pathyā (Harītakī)	(P.)	1 Part
16.	Sthūlajīraka (Upakuñcikā)	(Fr.)	1 Part
17.	Citraka	(Rt.)	1 Part
18.	Śunthī	(Rz.)	1 Part
19.	Vidaṅga	(Fr.)	1 Part

20.	Marica	(Fr.)	1 Part
21.	Bhaṅgā (Vijayā)	(Lf.)	20 Parts
22.	Śarkarā		40 Parts

Dose

1 to 3 g

Anupāna

Honey, water.

Important Therapeutic Uses

Aruci (Tastelessness), Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Pravāhikā (Dysentery), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Vātaśleṣma Pratiśyāya (Rhinitis due to Vāta doṣa and Śleṣma doṣa)

7 : 13 TĀLĪSĀDYA CŪRṆA

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6: 130-133 1/2)

तालीसं मरिचं शुण्ठी पिप्पली वंशरोचना ॥१३०॥
 एकद्वित्रिचतुःपञ्चकर्षैर्भागान् प्रकल्पयेत् ।
 एलात्वचोस्तु कर्षार्धं प्रत्येकं भागमावहेत् ॥१३१॥
 द्वात्रिंशत्कर्षतुलिता प्रदेया शर्करा बुधैः ।
 तालीसाद्यमिदं चूर्णं रोचनं पाचनं स्मृतम् ॥१३२॥
 कासश्वासज्वरहरं छर्द्यतीसारनाशनम् ।
 शोषाध्मानहरं प्लीहाग्रहणीपाण्डुरोगजित् ॥१३३॥
 पक्त्वा वा शर्करां चूर्णं क्षिपेत् स्याद् गुटिका ततः ।
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; १३०-१३३ १/२)

1.	Tālīśa	(Lf.)	12 g
2.	Marica	(Fr.)	24 g
3.	Śunthī	(Rz.)	36 g

4.	Pippalī	(Fr.)	48 g
5.	Vaṃśa-rocana (Vaṃśa)	(S.C.)	60 g
6.	Elā (Sūkṣmailā)	(Sd.)	6 g
7.	Tvak	(St. Bk.)	6 g
8.	Śarkarā		384 g

Dose

3 g

Anupāna

Honey.

Important Therapeutic Uses

Chardi (Emesis), Ādhmāna (Flatulence with gurgling sound), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Aruci (Tastelessness), Ajīrṇa (Dyspepsia), Atīśāra (Diarrhoea), Śoṣa (Cachexia), Plīhā (Splenic disease), Grahaṇī (Malabsorption syndrome), Pāṇḍu (Anaemia)

7 : 14 TRIKAṬU CŪRṆA

(Bhaiṣajyaratnāvalī, Paribhāṣāprakaraṇa: 16)

पिप्पली मरिचं शुण्ठी त्रयमेतद्विमिश्रितम् ।
त्रिकटु त्र्यूषणं व्योषं कटुत्रिकमथोच्यते ॥१६॥
(भैषज्यरत्नावली, परिभाषाप्रकरण; १६)

1.	Pippalī	(Fr.)	1 Part
2.	Marica	(Fr.)	1 Part
3.	Śunthī	(Rz.)	1 Part

Dose

1 to 3 g

Anupāna

Honey, warm water.

Important Therapeutic Uses

Arocaka (Tastelessness), Agnimāndya (Digestive impairment), Āmadoṣa (Products of impaired digestion and metabolism / consequences of Āma), Gala Roga (Diseases of throat), Pīnasa (Chronic rhinitis/sinusitis), Kuṣṭha (Diseases of skin), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Tvagroga (Skin disease), Gulma (Abdominal lump), Meha (Excessive flow of urine), Sthaulya (Obesity), Ślīpada (Filariasis)

7 : 15 TRIPHALĀ CŪRṆA

(Bhāvaprakāśa, Harītakṛyādī Varga : 41- 42)

पथ्याबिभीतधात्रीणां फलैः स्यात् त्रिफला समैः ।
फलत्रिकञ्च त्रिफला सा वरा च प्रकीर्तिता ॥४१॥
त्रिफला कफपित्तघ्नी मेहकुष्ठहरा सरा ।
चक्षुष्या दीपनी रुच्या विषमज्वरनाशिनी ॥४२॥
(भावप्रकाश, हरीतक्यादिवर्ग; ४१-४२)

1.	Pathyā (Harītakī)	(P.)	1 Part
2.	Bibhītaka	(P.)	1 Part
3.	Dhātrī (Āmalakī)	(P.)	1 Part

Dose

3 to 6 g

Anupāna

Ghee, honey, warm water.

Important Therapeutic Uses

Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Prameha (Urinary disorders), Netraroga (Eye disorder), Kaphapittaroga (Disease due to Kapha doṣa and Pitta doṣa), Kuṣṭha (Diseases of skin), Mandāgni (Impaired digestive fire), Aruci (Tastelessness), Viṣamajvara (Intermittent fever)

7 : 16 DRĀKṢĀDI CŪRṆA

(Vaidyayogaratnāvalī, Page 64-65)

द्राक्षालाजसितोत्पलं समधुकं खर्जूरगोपीतुगा ।
 ह्रीबेरामलकाब्दचन्दनकणोशीरं चतुर्जातकम् ॥
 वेल्लं गोक्षुरधान्यनागरशठीकर्पूरतालीसकैः ।
 चूर्णं शर्करया समं क्षयहरं संसेवयेत्सर्पिषा ॥
 (वैद्ययोगरत्नावली; पृष्ठ ६४-६५)

1.	Drākṣā	(Dr. Fr.)	1 Part
2.	Lāja	(Sd.)	1 Part
3.	Sitotpala (Śveta kumuda)	(Rz.)	1 Part
4.	Madhuka (Yaṣṭī)	(Rt.)	1 Part
5.	Kharjūra	(P)	1 Part
6.	Gopī (Śveta sāriva)	(Rt.)	1 Part
7.	Tugā (vamśa)	(S.C.)	1 Part
8.	Hrīvēra	(Rt.)	1 Part
9.	Āmalakī	(P.)	1 Part
10.	Abda (Mustā)	(Rz.)	1 Part
11.	Candana (Śveta candana)	(Ht. Wd.)	1 Part
12.	Kanā (Pippalī)	(Fr.)	1 Part
13.	Uśīra	(Rt.)	1 Part
14.	Tvak	(St. Bk.)	1 Part
15.	Elā (Sūkṣmailā)	(Sd.)	1 Part
16.	Patra (Tejapatra)	(Lf.)	1 Part

17.	Nāgakeśara	(Stmn.)	1 Part
18.	Vella (Viḍaṅga)	(Fr.)	1 Part
19.	Gokṣura	(Fr.)	1 Part
20.	Dhānya (Dhānyaka)	(Fr.)	1 Part
21.	Nāgara (Śuṇṭhī)	(Rz.)	1 Part
22.	Śaṭhī (Śaṭī)	(Rz.)	1 Part
23.	Karpūra	(Sub. Ext.)	1 Part
24.	Tālīsaka (Tālīsa)	(Lf.)	1 Part
25.	Śarkarā		24 Parts

Dose

3 to 6 g

Anupāna

Śatāvarī Svarasa, Uśīra Kaṣāya, honey, water.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Chardi (Emesis), Kṣayaja Kāsa (Cough due to Pthisis), Raktapradara (Menorrhagia or Metrorrhagia or both), Śveta Pradara (Leucorrhoea)

7 : 17 NAVĀYASA CŪRṆA

(Bhaiṣajyaratnāvalī, Pāṇḍurogādhikāra: 22)

त्र्यूषणत्रिफलामुस्तविडङ्गचित्रकाः समाः ।
नवायोरजसो भागास्तच्चूर्णं मधुसर्पिषा ॥
भक्षयेत्पाण्डुहृद्रोगकुष्ठार्शःकामलापहम् ॥२२॥
(भैषज्यरत्नावली, पाण्डुरोगाधिकार; २२)

1.	Śuṇṭhī	(Rz.)	1 Part
2.	Pippalī	(Fr.)	1 Part

3.	Marica	(Fr.)	1 Part
4.	Harītakī	(P.)	1 Part
5.	Bibhītaka	(P.)	1 Part
6.	Āmalakī	(P.)	1 Part
7.	Mustā	(Rz.)	1 Part
8.	Vidaṅga	(Fr.)	1 Part
9.	Citraka	(Rt.)	1 Part
10.	Ayoraja (Lauha) - bhasma		9 Parts

Dose

1 g

Anupāna

Honey, water.

Important Therapeutic Uses

Pāṇḍu (Anaemia), Kāmalā (Jaundice), Prameha Piḍakā (Diabetic carbuncle), H
ṛdroga (Heart disease), Kuṣṭha (Diseases of skin), Arśa (Haemorrhoids)

7 : 18 NĀRASIM HA CŪRṆA

(Bhaiṣajyaratnāvalī, Vājīkaraṇādhikāra : 30-40)

शतावरीरजः प्रस्थं प्रस्थं गोक्षुरकस्य च ।
 वाराह्या विंशतिपलं गुडूच्याः पञ्चविंशतिः ॥३०॥
 भल्लातकानां द्वात्रिंशच्चित्रकस्य दशैव तु ।
 तिलानां शोधितानाञ्च प्रस्थं दद्यात् सुचूर्णितम् ॥३१॥
 त्र्यूषणस्य पलान्यष्टौ शर्करायाश्च सप्ततिः ।
 माक्षिकं शर्करार्द्धेन माक्षिकार्द्धेन वै घृतम् ॥३२॥
 शतावरीसमं देयं विदारीकन्दजं रजः ।
 एतदेकीकृतं चूर्णं स्निग्धे भाण्डे निधापयेत् ॥३३॥

शाणाद्धमुपयुञ्जीत यथेष्टञ्चास्य भोजनम् ।
 मासैकमुपयोगेन जरां हन्ति रुजामपि ॥३४॥
 वलीपलितखालित्यमेहपाण्ड्वाढ्यपीनसान् ।
 हन्त्यष्टादशकुष्ठानि तथाष्टावुदराणि च ॥३५॥
 भगन्दरं मूत्रकृच्छ्रं गृध्रसीञ्च हलीमकम् ।
 क्षयञ्चैव महाव्याधिं पञ्चकासान् सुदारुणान् ॥३६॥
 अशीतिं वातजान् रोगांश्चत्वारिंशच्च पैत्तिकान् ।
 विंशतिं श्लैष्मिकांश्चापि संसृष्टान् सान्निपातिकान् ।
 सर्वानर्शोगदान् हन्ति वृक्षमिन्द्राशनिर्यथा ॥३७॥
 स काञ्चनाभो मृगराजविक्रमस्तुरङ्गमञ्चाप्यनुयाति वेगतः ।
 स्त्रीणां शतं गच्छति सातिरेकं प्रकृष्टपुष्टश्च यथा विहङ्गः ॥३८॥
 पुत्रान् सञ्जनयेद्धीमान् नरसिंहनिभांस्तथा ।
 नारसिंहमिदं चूर्णं सर्वरोगहरं नृणाम् ॥३९॥
 वाराहीकन्दसंज्ञस्तु चर्मकारालुको मतः ।
 पश्चिमे गृष्टिशब्दाख्यो वराहलोमवानिव ॥४०॥
 (भैषज्यरत्नावली, वाजीकरणाधिकार; ३०-४०)

1.	Śatāvarī raja (Śatāvarī)	(Rt. Tr.)	768 g
2.	Gokṣura	(Fr.)	768 g
3.	Vārāhī	(Rz.)	960 g
4.	Guḍūcī	(St.)	1.200 kg
5.	Bhallātaka -Śuddha	(Fr.)	1.536 kg
6.	Citraka	(Rt.)	480 g
7.	Tila	(Sd.)	768 g
8.	Śunthī	(Rz.)	
9.	Marica	(Fr.)	
10.	Pippalī	(Fr.)	
	384 g (drugs 8-10 in equal proportion)		
11.	Śarkarā		3.360 kg
12.	Vidārī kanda raja (Vidārī)	(Rt. Tr.)	768 g

Dose

1.5g

Anupāna

Milk, ghee, honey.

Important Therapeutic Uses

Kāsa (Cough), Kṣaya (Pthisis), Śukrakṣaya (Oligospermia), Jarā (Senility/Progeriasis), Rujā (Pain), Valī (Wrinkles in the skin), Palita (Graying of hair), Khālitya (Alopecia), Meha (Excessive flow of urine), Pāṇḍu (Anaemia), Āḍhyavāta (Gout), Pīnasa (Chronic rhinitis/sinusitis), Kuṣṭha (Diseases of skin), Udara (Diseases of abdomen / enlargement of abdomen), Bhagandara (Fistula-in-ano), Mūtrakṛcchra (Dysuria), Gṛdhrasī (Sciatica), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Vātavikāra (Disorder due to Vāta doṣa), Pittavikāra (Disorder of Pitta doṣa), Arśa (Haemorrhoids), Śleṣmavikāra (Disorder due to Kapha doṣa)

7 : 19 NĀRĀYAṆA CŪRṆA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 15 : 14-16)

यवानी हपुषा धान्यं शतपुष्पोपकुञ्चिका ।
कारवी पिप्पलीमूलमजगन्धा शठी वचा ॥१४॥
चित्रकाऽजाजिकं व्योषं स्वर्णक्षीरी फलत्रयम् ।
द्वौ क्षारौ पौष्करं मूलं कुष्ठं लवणपञ्चकम् ॥१५॥
विडङ्गं च समांशानि दन्त्या भागत्रयं तथा ।
त्रिवृद्विशाले द्विगुणे सातला च चतुर्गुणा ॥१६॥
एष नारायणो नाम चूर्णो रोगगणापहः ।
नैनं प्राप्याऽभिवर्धन्ते रोगा विष्णुमिवासुराः ॥१७॥
तक्रेणोदरिभिः पेयो गुल्मिभिर्बदराम्बुना ।
आनाहवाते सुरया वातरोगे प्रसन्नया ॥१८॥
दधिमण्डेन विट्सङ्गे दाडिमाम्भोभिरर्शसैः ।

परिकर्ते सवृक्षाम्लैरुष्णाम्बुभिरजीर्णके ।।१९।।

भगन्दरे पाण्डुरोगे कासे श्वासे गलग्रहे ।

हृद्रोगे ग्रहणीदोषे कुष्ठे मन्देऽनले ज्वरे ।।२०।।

दंष्ट्राविषे मूलविषे सगरे कृत्रिमे विषे ।

यथार्हं स्निग्धकोष्ठेन पेयमेतद्विरेचनम् ।।२१।।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १५; १४-२१)

1.	Yavānī	(Fr.)	1 Part
2.	Hapuṣā	(Rt.)	1 Part
3.	Dhānya (Dhānyaka)	(Fr.)	1 Part
4.	Śatapuspā (Śatāhvā)	(Fr.)	1 Part
5.	Upakuñcikā	(Sd.)	1 Part
6.	Kāravī (Kṛṣṇajīraka)	(Fr.)	1 Part
7.	Pippalī mūla	(Rt.)	1 Part
8.	Ajagandhā	(Sd./Pl.)	1 Part
9.	Śaṭī	(Rz.)	1 Part
10.	Vacā	(Rz.)	1 Part
11.	Citraka	(Rt.)	1 Part
12.	Ajājīka (Śveta jīraka)	(Fr.)	1 Part
13.	Śuṇṭhī	(Rz.)	1 Part
14.	Marica	(Fr.)	1 Part
15.	Pippalī	(Fr.)	1 Part
16.	Svarṇakṣīrī	(Pl.)	1 Part
17.	Harītakī	(P.)	1 Part
18.	Bibhītaka	(P.)	1 Part
19.	Āmalakī	(P.)	1 Part
20.	Yava kṣāra (Yava)	(Pl.)	1 Part
21.	Svarji kṣāra		1 Part
22.	Pauṣkara mūla (Puṣkara)	(Rt.)	1 Part
23.	Kuṣṭha	(Rt.)	1 Part
24.	Sauvarcala Lavaṇa		1 Part

25.	Saindhava lavaṇa		1 Part
26.	Viḍa Lavaṇa		1 Part
27.	Sāmudra Lavaṇa		1 Part
28.	Audbhida Lavaṇa		1 Part
29.	Viḍaṅga	(Fr.)	1 Part
30.	Dantī	(Rt.)	3 Parts
31.	Trivṛt	(Rt.)	2 Parts
32.	Viśālā (Rakta indravāruṇī)	(Fr.)	2 Parts
33.	Sātalā (Saptalā)	(Pl.)	4 Parts

Note: Seeds of Ajagandha are not available in plenty and whole plant has a typical smell, so plant can be used in place of seeds.

Dose

1 to 3 g

Anupāna

Takra, Badarāmbu, Surā, Prasannā, Dadhimaṇḍa, Dāḍimāmbu, Vṛkṣāmla Rasa, Uṣṇa Jala.

Important Therapeutic Uses

Udararoga (Ascites), Gulma (Abdominal lump), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Vātaroga (Disease due to Vāta doṣa), Viṭsaṅga (Constipation), Arśa (Haemorrhoids), Parikarta (Fissure-in-ano), Ajīrṇa (Dyspepsia), Bhagandara (Fistula-in-ano), Pāṇḍu (Anaemia), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Galagraha (Difficulty in swallowing), Hṛdroga (Heart disease), Grahaṇī (Malabsorption syndrome), Kuṣṭha (Diseases of skin), Mandāgni (Impaired digestive fire), Jvara (Fever), Daṃṣṭrā Viṣa (Poisonous bite), Mūla Viṣa (Poisoning due to roots of plants), Kṛtrima Viṣa (Synthetic poison), Gara Viṣa (Slow / accumulated poison)

7 : 20 NIMBĀDI CŪRṆA

(Bhaiṣajyaratnāvalī, Vātaraktādhikāra: 31-38)

निम्बामृताभयाधात्री प्रत्येकञ्च पलोन्मितम् ।
 सोमराजीपलं शुण्ठीविडङ्गैडगजाः कणा ॥३१॥
 यमानी चोग्रगन्धा च जीरकं कटुकं तथा ।
 खदिरं सैन्धवं क्षारं द्वे हरिद्रे च मुस्तकम् ॥३२॥
 देवदारु तथा कुष्ठं कर्ष कर्ष प्रदापयेत् ।
 सर्वं सञ्चूर्णितं कृत्वा सूक्ष्मवस्त्रेण छानयेत् ॥३३॥
 माषद्वयन्तु भोक्तव्यं छिन्नाक्वाथं पिबेदनु ।
 मासमात्रप्रयोगेण भवेत्काञ्चनसन्निभः ॥३४॥
 वातशोणितमत्युग्रं श्वित्रमौडुम्बरं तथा ।
 कोठं चर्मदलाख्यञ्च सिध्म पामा च विप्लुता ॥३५॥
 कण्डू विचर्चिका कारुदद्रुमण्डलकिट्टिभम् ।
 सर्वाण्येव निहन्त्याशु वृक्षमिन्द्राशनिर्यथा ॥३६॥
 आमवातकृतं शोथमुदरं सर्वरूपिणम् ।
 प्लीहानं गुल्मरोगञ्च वायुरोगं सकामलम् ॥३७॥
 सर्वान् कण्डूव्रणांश्चैव हरते नात्र संशयः ।
 एतन्निम्बादिकं चूर्णं प्राह नागार्जुनो मुनिः ॥३८॥
 (भैषज्यरत्नावली, वातरक्ताधिकार; ३१-३८)

1.	Nimba	(St. Bk.)	48 g
2.	Amṛtā (Guḍūcī)	(St.)	48 g
3.	Abhayā (Harītakī)	(P.)	48 g
4.	Dhātrī (Āmalakī)	(P.)	48 g
5.	Somarājī (Bākucī)	(Sd.)	48 g
6.	Śuṇṭhī	(Rz.)	12 g
7.	Viḍaṅga	(Fr.)	12 g
8.	Eḍagaja (Cakramarda)	(Sd.)	12 g
9.	Kaṇā (Pippalī)	(Fr.)	12 g
10.	Yamānī (Yavānī)	(Fr.)	12 g

11.	Uragandhā (Vacā)	(Rz.)	12 g
12.	Jīraka (Śveta jīraka)	(Fr.)	12 g
13.	Kaṭukā	(Rt./Rz.)	12 g
14.	Khadira	(Ht. Wd.)	12 g
15.	Saindhava lavaṇa		12 g
16.	Kṣāra (Yava)	(Pl.)	12 g
17.	Haridrā	(Rz.)	12 g
18.	Dāruharidrā	(St.)	12 g
19.	Mustaka (Mustā)	(Rz.)	12 g
20.	Devadāru	(Ht. Wd.)	12 g
21.	Kuṣṭha	(Rt.)	12 g

Dose

1 to 3 g

Anupāna

Guḍūcī Kvātha, warm water.

Important Therapeutic Uses

Udara (Diseases of abdomen / enlargement of abdomen), Āmavāta (Rheumatism), Vātarakta (Gout), Kuṣṭha (Diseases of skin), Śvitra (Leucoderma/Vitiligo), Audumbara Kuṣṭha (Patchy leprosy / lepromatous leprosy), Koṭha (Urticaria), Carmadala (Exfoliative dermatosis), Sidhma (Pityriasis versicolor), Pāmā (Eczema), Viplutā Yoniroga (Disorder of Vagina(vaginismus)), Kaṇḍū (Itching), Vicarcikā (Eczema), Dadru (Taeniasis), Kiṭibha (Depigmentation), Śoṭha (Inflammation), Plīhā (Splenic disease), Gulma (Abdominal lump), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Vraṇa (Ulcer)

7 : 21 NYAGRODHĀDI CŪRṆA

(Yogarātnākara, Pramehacikitsā: Page 567)

न्यग्रोधोदुम्बराश्वत्थस्योनाकारग्वधासनम् ।
 आम्रं कपित्थं जम्बूश्च प्रियालं ककुभं धवम् ॥१॥
 मधूकं मधुकं लोध्रं वरुणं पारिभद्रकम् ।
 पटोलं मेषशङ्गीं च दन्ती चित्रकपाटली ॥२॥
 करञ्जं त्रिफला शक्रभल्लातकफलानि च ।
 एतानि समभागानि सूक्ष्मचूर्णानि कारयेत् ॥३॥
 न्यग्रोधाद्यमिदं चूर्णं मधुना सह लेहयेत् ।
 फलत्रयरसं चानु पिबेन्मूत्रं विशुध्यति ॥४॥
 एतेन विंशतिर्मेहा मूत्रकृच्छ्राणि यानि च ।
 वेगेन प्रशमं यान्ति पिटिका न च जायते ॥५॥
 (योगरत्नाकर, प्रमेहचिकित्सा; पृष्ठ ५६७)

1.	Nyagrōdha	(St. Bk.)	1 Part
2.	Udumbara	(St. Bk.)	1 Part
3.	Aśvattha	(St. Bk.)	1 Part
4.	Śyonāka	(St. Bk.)	1 Part
5.	Āragvadha-phalamajjā	(Fr. P.)	1 Part
6.	Asana	(Ht. Wd.)	1 Part
7.	Āmra	(St. Bk.)	1 Part
8.	Kapittha	(St. Bk.)	1 Part
9.	Jambū	(St. Bk.)	1 Part
10.	Priyāla	(St. Bk.)	1 Part
11.	Kakubha (Arjuna)	(St. Bk.)	1 Part
12.	Dhava	(St. Bk.)	1 Part
13.	Madhūka	(St. Bk.)	1 Part
14.	Madhuka (Yaṣṭī)	(Rt.)	1 Part
15.	Lodhra	(St. Bk.)	1 Part
16.	Varuṇa	(St. Bk.)	1 Part
17.	Pāribhadra	(St. Bk.)	1 Part
18.	Paṭola	(Pl.)	1 Part

19.	Meṣaśṛṅgī	(Pl.)	1 Part
20.	Dantī	(Rt.)	1 Part
21.	Citraka	(Rt.)	1 Part
22.	Pāṭalī (Pāṭalā)	(St. Bk.)	1 Part
23.	Karañja	(Sd.)	1 Part
24.	Harītakī	(P.)	1 Part
25.	Bibhītaka	(P.)	1 Part
26.	Āmalakī	(P.)	1 Part
27.	Śakra (Kuṭaja)	(Sd.)	1 Part
28.	Bhallātaka -Śuddha	(Fr.)	1 Part

Dose

1 to 3 g

Anupāna

Honey and Triphalā Kaṣāya.

Important Therapeutic Uses

Mūtrāghāta (Urinary obstruction), Mūtrakṛcchra (Dysuria), Prameha (Urinary disorders), Prameha Piḍakā (Diabetic carbuncle)

7 : 22 PAÑCASAMA CŪRṆA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6: 93-94 1/2)

शुण्ठी हरीतकी कृष्णा त्रिवृत्सौवर्चलं तथा ॥९३॥

समभागानि सर्वाणि सूक्ष्मचूर्णानि कारयेत् ।

ज्ञेयं पञ्चसमं चूर्णमेतच्छूलहरं परम् ॥९४॥

आध्मानजठरार्शोघ्नमामवातहरं स्मृतम् ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; ९३-९४ १/२)

1.	Śunṭhī	(Rz.)	1 Part
2.	Harītakī	(P.)	1 Part
3.	Kṛṣṇā (Pippalī)	(Fr.)	1 Part
4.	Trivṛt	(Rt.)	1 Part
5.	Sauvarcala Lavaṇa		1 Part

Dose

1 to 3 g

Anupāna

Warm water.

Important Therapeutic Uses

Ādhmāna (Flatulence with gurgling sound), Śūla (Colicky Pain), Āmavāta (Rheumatism), Arśa (Haemorrhoids), Udararoga (Ascites)

7 : 23 PUṢYĀNUGA CŪRṆA

(Bhaiṣajyaratnāvalī, Strīrogādhikāra: 46-49)

पाठाजम्ब्वाम्रयोर्मध्यं शिलाभेदं रसाञ्जनम् ।
 अम्बष्ठकी मोचरसः समङ्गा पद्मकेशरम् ॥४६॥
 वाह्लीकातिविषा मुस्तं बिल्वं लोध्रं सगैरिकम् ।
 कट्फलं मरिचं शुण्ठी मृद्वीका रक्तचन्दनम् ॥४७॥
 कट्वङ्गवत्सकानन्ता धातकी मधुकार्जुनम् ।
 पुष्पेणोद्धृत्य तुल्यानि श्लक्ष्णचूर्णानि कारयेत् ॥४८॥
 तानि क्षौद्रेण संयोज्य पाययेत्तण्डुलाम्बुना ।
 असृग्दरातिसारेषु रक्तं यच्चोपवेश्यते ॥४९॥
 दोषागन्तुकृता ये च बालानां तांश्च नाशयेत् ।
 योनिदोषं रजोदोषं श्वेतं नीलं सपीतकम् ॥५०॥
 स्त्रीणां श्यावारुणं यच्च तत्प्रसह्य निवर्तयेत् ।

चूर्णं पुष्पानुगं नाम हितमात्रेयपूजितम् ।
 अम्बुष्ठा दक्षिणे ख्याता गृह्णन्त्यन्ये तु लक्ष्मणाम् ॥५१॥
 (भैषज्यरत्नावली, स्त्रीरोगाधिकार; ४६-५१)

1.	Pāṭhā	(Rt.)	1 Part
2.	Jambū -bīja majjā	(Enm.)	1 Part
3.	Āmra - bīja majjā	(Enm.)	1 Part
4.	Śilābheda (Pāṣāṇabheda)	(Rz.)	1 Part
5.	Rasāñjana (Dāruharidrā)	(St.Ext.)	1 Part
6.	Ambaṣṭhakī	(Rt.)	1 Part
7.	Mocarasa (Śālmālī)	(Exd.)	1 Part
8.	Samaṅgā (lajjālu)	(Rt./Pl.)	1 Part
9.	Padma kesara (Kamala)	(Adr.)	1 Part
10.	Vāhlīka (Kuṅkuma)	(Stl./Stg)	1 Part
11.	Ativiṣā	(Rt.Tr.)	1 Part
12.	Mustā	(Rz.)	1 Part
13.	Bilva	(St.Bk.)	1 Part
14.	Lodhra	(St.Bk.)	1 Part
15.	Gairika		1 Part
16.	Kaṭphala	(St.Bk.)	1 Part
17.	Marica	(Fr.)	1 Part
18.	Śunthī	(Rz.)	1 Part
19.	Mṛdvīkā (Drākṣā)	(Dr.Fr.)	1 Part
20.	Rakta candana	(Ht.Wd.)	1 Part
21.	Kaṭvaṅga (Araluka)	(St.Bk.)	1 Part
22.	Vatsaka (Kuṭaja)	(St.Bk.)	1 Part
23.	Anantā (Śvētasārivā)	(Rt.)	1 Part
24.	Dhātakī	(Fl.)	1 Part
25.	Madhuka (Yaṣṭī)	(Rt.)	1 Part
26.	Arjuna	(St.Bk.)	1 Part

Special Method of Preparation

In Bengal, Varāhkrāntā is used as Samanga. In other parts of the country, Lajjālu is used instead.

Dose

1 to 3 g

Anupāna

Honey and Taṇḍulodaka

Important Therapeutic Uses

Asṛgdara (Menorrhagia or Metrorrhagia or both), Śveta Pradara (Leucorrhoea), Rajodoṣa (Menstrual disorder), Arśa (Haemorrhoids), Yonidoṣa (Disorder of female genital tract)

7 : 24 BĀLACATURBHADRIKĀ CŪRṆA

(Bhaiṣajyaratnāvalī, Bālarogādhikāra : 40)

घनकृष्णारुणाशृङ्गीचूर्णं क्षौद्रेण संयुतम् ।
शिशोर्ज्वरातिसारघ्नं श्वासकासवमीहरम् ॥४०॥
(भैषज्यरत्नावली, बालरोगाधिकार; ४०)

1.	Ghana (Mustā)	(Rz.)	1 Part
2.	Kṛṣṇā (Pippali)	(Fr.)	1 Part
3.	Aruṇā (Ativiṣā)	(Rt. Tr.)	1 Part
4.	Śṛṅgī (Karkaṭaśṛṅgī)	(Gl.)	1 Part

Dose

1/2 to 1 g

Anupāna

Honey

Important Therapeutic Uses

Atīśāra (Diarrhoea), Chardi (Emesis), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma),
Jvara (Fever), Bāla Śoṣa (Emaciation in children)

7 : 25 BRĤAT GANGĀDHARA CŪRṆA

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6: 49-51 1/2)

मुस्तारलुकशुण्ठीभिर्धातकीलोध्रबालकैः ।।४९।।

बिल्वमोचरसाभ्यां च पाठेन्द्रयववत्सकैः ।

आम्रबीजं प्रतिविषा लज्जालुरिति चूर्णितम् ।।५०।।

क्षौद्रतण्डुलपानीयैः पीतैर्याति प्रवाहिका ।

सर्वातिसारा ग्रहणी प्रशमं याति वेगतः ।।५१।।

वृद्धगङ्गाधरं चूर्णं सरिद्वेगस्य रोधकम् ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; ४९-५१ १/२)

1.	Mustā	(Rz.)	1 Part
2.	Araluka	(St. Bk.)	1 Part
3.	Śuṇṭhī	(Rz.)	1 Part
4.	Dhātākī	(Fl.)	1 Part
5.	Lodhra	(St. Bk.)	1 Part
6.	Bālaka (Hrīvera)	(Rt.)	1 Part
7.	Bilva -Śālāṭu	(U.R.F)	1 Part
8.	Mocarasa (Śālmālī)	(Exd.)	1 Part
9.	Pāṭhā	(Rt.)	1 Part
10.	IndraYava (Kuṭaja)	(Sd.)	1 Part
11.	Vatsaka (Kuṭaja)	(St. Bk.)	1 Part
12.	Āmra - bīja	(Enm.)	1 Part
13.	Prativīṣā	(Rt. Tr.)	1 Part
14.	Lajjālu	(Pl.)	1 Part

Dose

3 to 6 g

Anupāna

honey, Taṇḍulodaka.

Important Therapeutic Uses

Pravāhikā (Dysentery), Atisāra (Diarrhoea), Grahaṇī (Malabsorption syndrome)

7 : 26 BHALLĀTAKA RASĀYANA

(Rasatarāṅgiṇī, Taraṅga, 24 : 484-486)

शुण्ठीविडङ्गलोहाढ्यं भल्लातं विमलीकृतम् ।
मध्वाज्यसंयुतं युक्तं मासत्रितयसेवनात् ॥४८४॥
रक्तवृद्धिं करोत्येतद् बलं चैव विवर्द्धयेत् ।
नवयौवनलावण्यं जनयत्यविकल्पतः ॥४८५॥
समाख्यातमिदं नाम्ना भल्लातकरसायनम् ।
सेवितव्यं सदा यत्नाद्रक्ताल्पत्वनिवृत्तये ॥४८६॥
(रसतरङ्गिणी, तरङ्ग २४; ४८४-४८६)

- | | | | |
|----|--------------------------------|-------|--------|
| 1. | Bhallāta (Bhallātaka) - śuddha | (Fr.) | 1 Part |
| 2. | Śuṇṭhī | (Rz.) | 1 Part |
| 3. | Vidaṅga | (Fr.) | 1 Part |
| 4. | Loha bhasma (Lauha) | | 1 Part |

Dose

1/2 to 1 g

Anupāna

Ghee, honey.

Important Therapeutic Uses

Udararoga (Ascites), Daurbalya (Weakness), Raktakṣaya (Blood loss)

7 : 27 BHĀSKARA LAVAṆA CŪRṆA (Synonym Lavaṇabhāskara Cūrṇa)

(Śārīṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6: 138-144)

(पर्यायः लवणभास्कर चूर्ण)

सामुद्रलवणं कार्यमष्टकर्षमितं बुधैः ।

पञ्च सौवर्चलं ग्राह्यं बिडं सैन्धवधान्यकात् ॥१३८॥

पिप्पली पिप्पलीमूलं कृष्णजीरकपत्रकम् ।

नागकेशरतालीसमम्लवेतसकं तथा ॥१३९॥

द्विकर्षमात्राण्येतानि प्रत्येकं कारयेद् बुधैः ।

मरिचं जीरकं विश्वमेकैकं कर्षमात्रकम् ॥१४०॥

दाडिमं स्याच्चतुष्कर्षं त्वगेला चार्धकार्षिकी ।

एतच्चूर्णीकृतं सर्वं लवणं भास्कराभिधम् ॥१४१॥

शाणप्रमाणं देयं तु मस्तुतक्रसुरासवैः ।

वातश्लेष्मभवं गुल्मं प्लीहानमुदरं क्षयम् ॥१४२॥

अर्शासि ग्रहणीं कुष्ठं विबन्धं च भगन्दरम् ।

शोफं शूलं श्वासकासावामवातं च हृद्भुजम् ॥१४३॥

मन्दाग्निं नाशयेदेतद् दीपनं पाचनं परम् ।

सर्वलोकहितार्थाय भास्करेणोदितं पुरा ॥१४४॥

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; १३८-१४४)

1.	Sāmudra Lavaṇa	96 g
2.	Sauvarcala Lavaṇa	60 g
3.	Viḍa Lavaṇa	24 g
4.	Saindhava lavaṇa	24 g
5.	Dhānyaka (Fr.)	24 g
6.	Pippalī (Fr.)	24 g

7.	Pippalī mūla	(Rt.)	24 g
8.	Kṛṣṇa Jīraka	(Fr.)	24 g
9.	Patraka (Tejapatra)	(Lf.)	24 g
10.	Nāgakeśara	(Stmn.)	24 g
11.	Tālīśa	(Lf.)	24 g
12.	Amlavetasa	(Fr.)	24 g
13.	Marica	(Fr.)	12 g
14.	Jīraka (Śveta jīraka)	(Fr.)	12 g
15.	Viśvā (Śuṇṭhī)	(Rz.)	12 g
16.	Dāḍima (Bīja)	(Fr./Dr.Sd.)	48 g
17.	Tvak	(St.Bk.)	6 g
18.	Elā (Sūkṣmailā)	(Sd.)	6 g

Dose

3 g

Anupāna

Mastu, Takra, Āsva, warm water.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome), Vāta Kaphaja Gulma (Lump due to Vāta doṣa and Kapha doṣa), Plīhā (Splenic disease), Udara (Diseases of abdomen / enlargement of abdomen), Arśa (Haemorrhoids), Kṣaya (Pthisis), Kuṣṭha (Diseases of skin), Vibandha (Constipation), Bhagandara (Fistula-in-ano), Śopha (Oedema), Śūla (Colicky Pain), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Āmavāta (Rheumatism), Hṛdrujā (Angina pectoris), Ajīrṇa (Dyspepsia)

7 : 28 YAVĀNĪ ṢAṆḌAVA (Synonym Yavānyādi Cūrṇa)

(Aṣṭāṅgahrdaya, Cikitsāsthāna, Adhyāya 5: 55-57 1/2)

(पर्यायः यवान्यादि चूर्ण)

यवानीतिन्तिडीकाम्लवेतसौषधदाडिमम् ।।५५।।

कृत्वा कोलं च कैर्षाशं सितायाश्च चतुष्पलम् ।

धान्यसौवर्चलाजाजीवराङ्गं चार्धकार्षिकम् ।।५६।।

पिप्पलीनां शतं चैकं द्वे शते मरिचस्य च ।

चूर्णमेतत्परं रुच्यं ग्राहि हृद्यं हिनस्ति च ।।५७।।

विबन्धकासहृत्पार्श्वप्लीहाशोग्रहणीगदान् ।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय ५; ५५-५७ १/२)

1.	Yavānī	(Fr.)	12 g
2.	Tintidīka	(Fr.P.)	12 g
3.	Amlavetasa	(Fr.)	12 g
4.	Auṣadha (śuñthī)	(Rz.)	12 g
5.	Dāḍima bīja	(Dr. Sd.)	12 g
6.	Kola	(Fr.P.)	12 g
7.	Sitā		192 g
8.	Dhānya (Dhānyaka)	(Fr.)	6 g
9.	Sauvarcala Lavaṇa		6 g
10.	Ajājī (Śveta jīraka)	(Fr.)	6 g
11.	Varāṅga (Tvak)	(St. Bk.)	6 g
12.	Pippalī	(Fr.)	100 in number
13.	Marica	(Fr.)	200 in number

Note: Dāḍima tvak is substituted by Dadima bija in some parts of the country and this is accepted by the Ayurvedic Pharmacopoeia Committee.

Dose

1 to 3 g

Anupāna

Warm water.

Important Therapeutic Uses

Arocaka (Tastelessness), Grahaṇī (Malabsorption syndrome), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Vibandha (Constipation), Kāsa (Cough), Plīhā (Splenic disease), Arśa (Haemorrhoids)

7 : 29 RAJANYĀDI CŪRṆA

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyaya 2: 38 - 40)

रजनीदारुसरलश्रेयसीबृहतीद्वयम् ।।३८।।
पृश्निपर्णी शताह्वा च लीढं माक्षिकसर्पिषा ।
ग्रहणीदीपनं श्रेष्ठं मारुतस्यानुलोमनम् ।।३९।।
अतीसारज्वरश्वासकामलापाण्डुकासनुत् ।
बालस्य सर्वरोगेषु पूजितं बलवर्णदम् ।।४०।।
(अष्टांगहृदय, उत्तरस्थान, अध्याय २; ३८-४०)

1.	Rajānī (Haridrā)	(Rz.)	1 Part
2.	Dāru (Devadāru)	(Ht. Wd.)	1 Part
3.	Sarala	(Ht. Wd.)	1 Part
4.	Śreyasī (Gajapippalī)	(Fr.)	1 Part
5.	Bṛhatī	(Pl.)	1 Part
6.	Kaṇṭakārī	(Pl.)	1 Part
7.	Pr̥śniparnī	(Pl.)	1 Part
8.	Śatāhvā	(Fr.)	1 Part

Dose

1/2 to 2 g

Anupāna

Ghee, honey.

Important Therapeutic Uses

Atīsāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Kāmalā (Jaundice), Pāṇḍu (Anaemia), Jvara (Fever), Agnimāndya (Digestive impairment), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Bāla Roga (Diseases of children), Daurbalya (Weakness), Vaivarṇya (Discolouration)

7 : 30 VAIŚ VĀNARA CŪRṆA

(Cakradatta, Āmavātacikitsā: 15-18)

मणिमन्थस्य द्वौ भागौ यमान्यास्तद्वदेव तु ।
भागास्त्रयोऽजमोदाया नागराद् भागपञ्चकम् ॥१५॥
दश द्वौ च हरीतक्याः श्लक्ष्णचूर्णीकृताः शुभाः ।
मस्त्वारनालतक्रेण सर्पिषोष्णोदकेन वा ॥१६॥
पीतं जयत्यामवातं गुल्मं हृद्वस्तिजान् गदान् ।
प्लीहानं हन्ति शूलादीनानाहं गुदजानि च ॥१७॥
विबन्धं जाठरान् रोगांस्तया वै हस्तपादजान् ।
वातानुलोमनमिदं चूर्णं वैश्वानरं स्मृतम् ॥१८॥
(चक्रदत्त, आमवातचिकित्सा; १५-१८)

1.	Maṇimantha (Saindhava Lavaṇa)	2 Parts
2.	Yamānī (Yavānī) (Fr.)	2 Parts
3.	Ajamodā (Fr.)	3 Parts
4.	Nāgarā (Śunthī) (Rz.)	5 Parts
5.	Harītakī (P.)	12 Parts

Dose

1 to 3 g

Anupāna

Warm water, Kāñjika, Buttermilk, Ghee

Important Therapeutic Uses

Ādhmāna (Flatulence with gurgling sound), Gulma (Abdominal lump), Pariṇāma Śūla (Duodenal ulcer), Āmavāta (Rheumatism), Hṛdroga (Heart disease), Vastiroga (Diseases of urinary bladder), Plīhā Roga (Splenic disease), Śūla, Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Guda Roga (Anorectal disease), Vibandha (Constipation), Udara (Diseases of abdomen / enlargement of abdomen), Hastapāda Roga (Disease of the limbs)

7 : 31 ŚRṆGYĀDI CŪRṆA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 6: 42 1/2)

शृङ्गीं प्रतिविषां कृष्णां चूर्णितां मधुना लिहेत् ।
शिशोः कासज्वरच्छर्दिशान्त्यै वा केवलां विषाम् ॥४२॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; ४२)

1.	Śṛṅgī (Karkāṭaśṛṅgī)	(Gl.)	1 Part
2.	Prativiṣā	(Rt. Tr.)	1 Part
3.	Kṛṣṇā (Pippalī)	(Fr.)	1 Part

Dose

1/4-1g

Anupāna

Honey

Important Therapeutic Uses

Kāsa (Cough), Jvara (Fever), Śvāsa (Dyspnoea/Asthma), Kapharoga (Disease due to Kapha doṣa)

7 : 32 SAMANĠ GĀDI CŪRṆA

(Cakradatta, Arśacikitsā : 115)

समङ्गोत्पलमोचाह्वतिरीटतिलचन्दनैः ।
छागक्षीरं प्रयोक्तव्यं गुदजे शोणितापहम् ॥११५॥
(चक्रदत्त, अर्शचिकित्सा; ११५)

1.	Samaṅgā (Lajjālu)	(Pl.)	1 Part
2.	Utpala	(Fl.)	1 Part
3.	Mocāhvā (Śālmali)	(Exd.)	1 Part
4.	Tirīṭa (Lodhra)	(St.Bk.)	1 Part
5.	Tila	(Sd.)	1 Part
6.	Candana (Śveta candana)	(Ht.Wd.)	1 Part

Dose

2 to 4 g

Anupāna

Goat's milk, water.

Important Therapeutic Uses

Raktārśa (Bleeding haemorrhoids)

7 : 33 SĀMUDRĀDYA CŪRṆA

(Bhīṣajyaratnāvalī, Śūloragādhikāra: 77-80)

सामुद्रं सैन्धवं क्षारौ रुचकं रोमकं विडम् ।
दन्ती लौहरजः किट्टं त्रिवृच्छूरणकं समम् ॥७७॥
दधिगोमूत्रपयसा मन्दपाकविपाचितम् ।
तद्यथाग्निबलं चूर्णं पिबेदुष्णेन वारिणा ॥७८॥
जीर्णेऽजीर्णे तु भुञ्जीत मांसादिघृतसाधितम् ।

नाभिशूलं प्लीहशूलं यकृद्गुल्मकृतञ्च यत् ।।७९।।
विद्रध्यष्ठीलिकां हन्ति कफवातोद्भवं तथा ।
शूलानामपि सर्वेषामौषधं नास्ति तत्परम् ।।
परिणामसमुत्थस्य विशेषेणान्तकृन्मतम् ।।८०।।
(भैषज्यरत्नावली, शूलरोगाधिकार; ७७-८०)

1.	Sāmudra Lavaṇa	1 Part
2.	Saindhava Lavaṇa	1 Part
3.	Yava kṣāra (Yava) (Pl.)	1 Part
4.	Svarji kṣāra	1 Part
5.	Rucaka (Sauvarcala Lavaṇa)	1 Part
6.	Romaka Lavaṇa	1 Part
7.	Viḍa Lavaṇa	1 Part
8.	Dantī-mūla (Rt.)	1 Part
9.	Lauha raja(Lauha)- bhasma	1 Part
10.	Kiṭṭa (Lauha) - bhasma	1 Part
11.	Trivṛt (Rt.)	1 Part
12.	Śūraṇaka (Śuraṇa) (St. Tr)	1 Part
13.	Dadhi (Godadhi)	1 Part
14.	Gomūtra	1 Part
15.	Paya (Godugdha)	1 Part

Special Method of Preparation

Ingredients 1to 12 are powdered and boiled over a mild fire in ingredients 13, 14 and 15 separately. When dry, it is again powdered.

Dose

1 to 2 g

Anupāna

Warm water.

Important Therapeutic Uses

Nābhi Śūla (Pain in umbilical region), Gulma (Abdominal lump), Pariṇāma Śūla (Duodenal ulcer), Ajīrṇa (Dyspepsia), Yakṛtplīhāśūla (Pain due to hepatic and splenic diseases), Vidradhi (Abscess), Aṣṭhīlā (Prostatic Hyperplasia), Kaphaja śūla (Pain due to Kapha doṣa), Vātaja Śūla (Pain due to Vāta doṣa)

7 : 34 SITOPALĀDI CŪRṆA

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 6 : 134-137)

सितोपला षोडश स्यादष्टौ स्याद्वंशरोचना ॥१३४॥

पिप्पली स्याच्चतुष्कर्षा स्यादेला च द्विकार्षिकी ।

एकः कर्षस्त्वचः कार्यश्चूर्णयेत् सर्वमेकतः ॥१३५॥

सितोपलादिकं चूर्णं मधुसर्पिर्युतं लिहेत् ।

श्वासकासक्षयहरं हस्तपादाङ्गदाहजित् ॥१३६॥

मन्दाग्निं सुप्तजिह्वत्वं पार्श्वशूलमरोचकम् ।

ज्वरमूर्ध्वगतं रक्तं पित्तमाशु व्यपोहति ॥१३७॥

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ६; १३४-१३७)

1.	Sitopalā (Sita)		192 g
2.	Vaṃśa Locana (Vaṃśa)	(S.C.)	96 g
3.	Pippalī	(Fr.)	48 g
4.	Elā (Sūkṣmailā)	(Sd.)	24 g
5.	Tvak	(St. Bk.)	12 g

Dose

1 to 3 g

Anupāna

Ghee, honey.

Important Therapeutic Uses

Arocaka (Tastelessness), Agnimāndya (Digestive impairment), Pittaja Śvāsa (Asthma)

due to Pitta doṣa), Jvara (Fever), Kāsa (Cough), Hasta Pāda Dāha (Burning sensation in palms and soles), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Kṣaya (Pthisis), Suptajihvatva (Numbness of tongue), Ūrdhvagata Raktapitta (Bleeding from orifices of the upper part of the body)

7 : 35 SUDARŚANA CŪRṆA

(Bhaisajyaratnavaḷī, Jvarādhikāra : 308-317)

कालीयकन्तु रजनी देवदारु वचा घनम् ।
अभया धन्वयासश्च शृङ्गी क्षुद्रा महौषधम् ॥३०८॥
त्रायन्ती पर्पटं निम्बं ग्रन्थिकं बालकं शटी ।
पौष्करं मागधी मूर्वा कुटजं मधुयष्टिका ॥३०९॥
शिग्रूद्भवं सेन्द्रयवं वरी दावी कुचन्दनम् ।
पद्मकं सरलोशीरं त्वचं सौराष्ट्रिका स्थिरा ॥३१०॥
यमान्यतिविषा बिल्वं मरिचं गन्धपत्रकम् ।
धात्री गुडूची कटुकं सचित्रकपटोलकम् ॥३११॥
कलसी चैव सर्वाणि समभागानि कारयेत् ।
सर्वद्रव्यस्य चार्द्धन्तु कैरातं सम्प्रकल्पयेत् ॥३१२॥
एतत् सुदर्शनं नाम ज्वरान् हन्ति न संशयः ।
पृथग्दोषांश्च विविधान् समस्तान् विषमज्वरान् ॥३१३॥
प्राकृतं वैकृतञ्चापि सौम्यं तीक्ष्णमथापि वा ।
अन्तर्गतं बहिःस्थञ्च निरामं साममेव च ॥३१४॥
ज्वरमष्टविधं हन्ति साध्यासाध्यमथापि वा ।
नानादोषोद्भवञ्चैव वारिदोषभवन्तथा ॥३१५॥
विरुद्धभेषजभवं ज्वरमाशु व्यपोहति ।
प्लीहानं यकृतं गुल्मं हन्त्यवश्यं न संशयः ॥३१६॥
यथा सुदर्शनं चक्रं दानवानां निषूदनम् ।
तथा ज्वराणां सर्वेषामिदमेव निगद्यते ॥३१७॥
(भैषज्यरत्नावली, ज्वराधिकार; ३०८-३१७)

1.	Kālīyaka (Pīta candana)	(Ht. Wd.)	1 Part
2.	Rajanī (Haridrā)	(Rz.)	1 Part
3.	Devadāru	(Ht. Wd.)	1 Part
4.	Vacā	(Rz.)	1 Part
5.	Ghana (Mustā)	(Rz.)	1 Part
6.	Abhayā (Harītakī)	(P.)	1 Part
7.	Dhanvayāsa	(Pl.)	1 Part
8.	Śṛṅgī (Karkaṭaśṛṅgī)	(Gl.)	1 Part
9.	Kṣudrā (Kaṇṭakārī)	(Pl.)	1 Part
10.	Mahauṣadha (śunthī)	(Rz.)	1 Part
11.	Trāyantī (Trāyamāṇa)	(Pl.)	1 Part
12.	Parpaṭa	(Pl.)	1 Part
13.	Nimba	(St. Bk.)	1 Part
14.	Granthikā (Pippalīmūla)	(Rt.)	1 Part
15.	Bālaka (Hrīvera)	(Rt.)	1 Part
16.	Śaṭī	(Rz.)	1 Part
17.	Pauṣkara (Puṣkara)	(Rt.)	1 Part
18.	Māgadhī (Pippalī)	(Fr.)	1 Part
19.	Mūrvā	(Rt.)	1 Part
20.	Kuṭaja	(St. Bk.)	1 Part
21.	Madhuyaṣṭī (Yaṣṭī)	(Rt.)	1 Part
22.	Śigrubhava (Śigru)	(Sd.)	1 Part
23.	IndraYava (Kuṭaja)	(Sd.)	1 Part
24.	Varī (Satāvarī)	(Rt. Tr.)	1 Part
25.	Dārvī (Dāruharidrā)	(St.)	1 Part
26.	Kucandana (Raktacandana)	(Ht. Wd.)	1 Part
27.	Padmaka	(Ht. Wd.)	1 Part
28.	Sarala	(Ht. Wd.)	1 Part
29.	Uśīra	(Rt.)	1 Part

30.	Tvak	(St. Bk.)	1 Part
31.	Saurāṣṭrī		1 Part
32.	Sthirā (Śālāparṇī)	(Pl.)	1 Part
33.	Yamānī (Yavānī)	(Fr.)	1 Part
34.	Ativiṣā	(Rt.Tr.)	1 Part
35.	Bilva	(Rt./St. Bk.)	1 Part
36.	Marica	(Fr.)	1 Part
37.	Gandhapatra (Prasāraṇī)	(Lf.)	1 Part
38.	Dhātrī (Āmalakī)	(Fr.P.)	1 Part
39.	Guḍūcī	(St.)	1 Part
40.	Kaṭuka	(Rt./Rz.)	1 Part
41.	Citraka	(Rt.)	1 Part
42.	Paṭola	(Pl.)	1 Part
43.	Kalaśī (Pṛśniparṇī)	(Pl.)	1 Part
44.	Kairāta (Kirātatikta)	(Pl.)	1 Part

Dose

2 to 4 g

Anupāna

Warm water.

Important Therapeutic Uses

Yakṛtplīhāvṛddhi (Enlargement of liver and spleen), Jvara (Fever), Viṣamajvara (Intermittent fever), Jīrṇajvara (Chronic fever), Gulma (Abdominal lump)

7 : 36 SVALPANĀYIKĀ CŪRṆA

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra: 82-85)

त्रिशाणं पञ्चलवणं प्रत्येकं त्र्यूषणं पिचुः ।
 गन्धकात् माषकानष्टौ चत्वारो माषका रसात् ॥८२॥
 इन्द्राशनात्पलं शाणत्रितयाधिकमिष्यते ।
 खादेत् मिश्रीकृतान्माषमनुपेयञ्च काञ्जिकम् ॥८३॥
 माषकादिक्रमेणैवमनुयोज्यं रसायनम् ।
 अत्यन्ताग्निकरञ्चैतद् भोजनं सार्वकामिकम् ॥८४॥
 प्रसिद्धा योगिनी नारी तया प्रोक्तं रसायनम् ।
 ग्रहणीनाशनं ह्येतदग्निसन्दीपनं परम् ॥८५॥
 (भैषज्यरत्नावली, ग्रहणीरोगाधिकार; ८२-८५)

1.	Sauvarcala Lavaṇa		9 g
2.	Saindhava lavaṇa		9 g
3.	Viḍa Lavaṇa		9 g
4.	Sāmudra Lavaṇa)		9 g
5.	Audbhida Lavaṇa		9 g
6.	Śuṇṭhī	(Rz.)	12 g
7.	Marica	(Fr.)	12 g
8.	Pippalī	(Fr.)	12 g
9.	Gandhaka		8 g
10.	Rasa (Pārada)		4 g
11.	Indrāśana (Vijayā)	(Lf.)	57 g

Special Method of Preparation

Kajjalī is made of Gandhaka and Pārada. The powders of other ingredients are added in small quantities and ground well in a khalva.

Dose

1 to 2 g

Anupāna

Kāñjika.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome)

7 : 37 HINGVAṢṬAKA CŪRṆA

(Bhaiṣajyaratnāvalī, Agnimāndyādirogādhikāra: 37)

त्रिकटुकमजमोदा सैन्धवं जीरकं द्वे समधरणधृतानामष्टमो हिङ्गुभागः ।
प्रथमकवलभुक्तं सर्पिषा चूर्णमेतज्जनयति जठराग्निं वातरोगांश्च हन्ति ॥३७॥
(भैषज्यरत्नावली, अग्निमांद्यादिरोगाधिकार; ३७)

1.	Śuṇṭhī	(Rz.)	3 g
2.	Marica	(Fr.)	3 g
3.	Pippalī	(Fr.)	3 g
4.	Ajamodā	(Fr.)	3 g
5.	Saindhava Lavaṇa		3 g
6.	Śveta Jīraka	(Fr.)	3 g
7.	Kṛṣṇa Jīraka	(Fr.)	3 g
8.	Hiṅgu - śuddha	(Exd.)	3 g

Dose

1 to 2 g

Anupāna

Ghee

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Śūla (Colicky Pain), Gulma (Abdominal lump),
Vātaroga (Disease due to Vāta doṣa)

7 : 38 HINGVĀDI CŪRṆA

हिङ्गुग्रन्थिकधान्यजीरकवचाचव्याग्निपाठासटी
 वृक्षाम्लं लवणत्रयं त्रिकटुकं क्षारद्वयं दाडिमम् ।
 पथ्यापुष्करवेतसाम्लहपुषाजाज्यस्तदेभिः कृतं
 चूर्णं भावितमेतदार्द्रकरसैः स्याद् बीजपूरस्य च ॥
 आध्मानग्रहणीविकारगुदजान्गुल्मानुदावर्तकान्
 प्रत्याध्मानगदं तथाऽश्मरियुतं तूनिद्वयारोचकान् ।
 ऊरुस्तम्भमतिभ्रमं च मनसो बाधिर्यमष्ठीलिकाम् ।
 प्रत्यष्ठीलिकिकामथापहरते प्राक्पीतमुष्णाम्बुना ॥
 हृत्कुक्षिवक्षणकटीजठरान्तरेषु बस्तिस्तनांसफलकेषु च पार्श्वयोश्च ।
 शूलानि नाशयति वातबलासजानि हिङ्ग्वादि मान्द्यमिदमाश्विनसंहितायाम् ॥
 (योगरत्नाकर, गुल्मचिकित्सा; पृष्ठ ५२२)

1.	Hiṅgu - śuddha	(Exd.)	1 Part
2.	Granthika (Pippalī)	(Rt.)	1 Part
3.	Dhānya (Dhānyaka)	(Fr.)	1 Part
4.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
5.	Vacā	(Rz.)	1 Part
6.	Cavya	(St.)	1 Part
7.	Agni (Citraka)	(Rt.)	1 Part
8.	Pāṭhā	(Rt.)	1 Part
9.	Śaṭī	(Rz.)	1 Part
10.	Vṛkṣāmla	(Fr.P.)	1 Part
11.	Saindhava Lavaṇa		1 Part
12.	Sauvarcala Lavaṇa		1 Part
13.	Viḍa Lavaṇa		1 Part
14.	Śuṇṭhī	(Rz.)	1 Part
15.	Marica	(Fr.)	1 Part
16.	Pippalī	(Fr.)	1 Part
17.	Yava kṣāra (Yava)	(Pl.)	1 Part

18.	Svarjika kṣāra (Svarji kṣāra)		1 Part
19.	Dāḍima - bīja	(Sd.)	1 Part
20.	Pathyā (Harītakī)	(P.)	1 Part
21.	Pauṣkara (Puṣkara)	(Rt.)	1 Part
22.	Vetasāmla (Amlavetasa)	(Fr.)	1 Part
23.	Hapuṣā	(Fr.)	1 Part
24.	Ajājī (Śveta jīraka)	(Fr.)	1 Part
25.	Ārdraka rasa (Ārdraka)	(Rz.)	Q.S.
26.	Bījapūra rasa (Mātuluṅga)	(Fr.)	Q.S.

Special Method of Preparation

Powders of ingredients 1 to 24 are soaked in Ārdraka Rasa and dried in the sun. It is then soaked in Bījapūra Rasa, dried in the sun and powdered.

Dose

2 to 4 g

Anupāna

Butter-milk, warm water.

Important Therapeutic Uses

Ādhmāna (Flatulence with gurgling sound), Śūla (Colicky Pain), Grahṇī (Malabsorption syndrome), Gulma (Abdominal lump), Hṛdroga (Heart disease), Vaṅkṣaṇa Śūla (Pain in the groin), Kuṣṣīśūla (Pelvic pain), Kaṭi Śūla (Lower backache), Udara (Diseases of abdomen / enlargement of abdomen), Vastiśūla (Pain in urinary bladder), Stanaśūla (Pain in breast tissue), Aṃsaphalaka Śūla (Pain in Scapular region), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Mandāgni (Impaired digestive fire)

7 : 39 HINGUVACĀDI CŪRṆA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14: 31-33)

हिङ्गुवचाविजयापशुगन्धादाडिमदीप्यकधान्यकपाठाः ।
 पुष्करमूलशठीहपुषाऽग्निक्षारयुगत्रिपटुत्रिकटूनि ॥३१॥
 साजाजिचव्यं सहतिन्तिडीकं सवेतसाम्लं विनिहन्ति चूर्णम् ।
 हृत्पार्श्वबस्तित्रिकयोनिपायुशूलानि वाय्वामकफोद्भवानि ॥३२॥
 कृच्छ्रान् गुल्मान्वातविण्मूत्रसङ्गं कण्ठे बन्धं हृद्ग्रहं पाण्डुरोगम् ।
 अन्नाऽश्रद्धाप्लीहदुर्नामहिध्मावर्ध्माध्मानश्वासकासाग्निसादान् ॥३३॥
 (अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १४; ३१-३३)

1.	Hiṅgu	(Exd.)	1 Part
2.	Vacā	(Rz.)	1 Part
3.	Vijayā (Harītakī)	(P.)	1 Part
4.	Paśugaṇḍha (Ajagaṇḍhā)	(Pl.)	1 Part
5.	Dāḍima	(Dr. Sd.)	1 Part
6.	Dīpyaka (Yavāni)	(Fr.)	1 Part
7.	Dhānyaka	(Fr.)	1 Part
8.	Pāṭhā	(Rt.)	1 Part
9.	Puṣkara	(Rt.)	1 Part
10.	Śaṭī	(Rz.)	1 Part
11.	Hapuṣā	(Fr.)	1 Part
12.	Agni (Citraka)	(Rt.)	1 Part
13.	Yava kṣāra (Yava)	(Pl.)	1 Part
14.	svarjika kṣāra (svarji kṣāra)		1 Part
15.	Saindhava lavaṇa		1 Part
16.	Sauvarcala Lavaṇa		1 Part
17.	Viḍa Lavaṇa		1 Part
18.	Śunṭhī	(Rz.)	1 Part
19.	Marica	(Fr.)	1 Part
20.	Pippalī	(Fr.)	1 Part
21.	Ajājī (Śveta jīraka)	(Fr.)	1 Part
22.	Cavya	(St.)	1 Part
23.	Tintidīka	(Fr. P.)	1 Part

24. Vetasāmla (Amlavetasa) (Fr.) 1 Part

Dose

2 to 4 g

Anupāna

Warm water, butter milk.

Important Therapeutic Uses

Ādhmāna (Flatulence with gurgling sound), Śūla (Colicky Pain), Gulma (Abdominal lump), Pāṇḍu (Anaemia), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Vastiśūla (Pain in urinary bladder), Trika Śūla (Pain in sacral region), Yoniśūla (Pain in female genital tract), Guda Śūla (Pain in the anorectal area), Vibandha (Constipation), Mūtrasaṅga (Obstruction in urinary tract), Kaṇṭhabandha (Feeling of bandage around neck), Hṛtgraha (Cardiac failure), Aruci (Tastelessness), Plīhā Roga (Splenic disease), Hikkā (Hiccup), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Agnimāndya (Digestive impairment)

7 : 40 HUTABHUGĀDI CŪRṆA

(Sahasrayoga, Cūrṇaprakaraṇa: 22)

हुतभुगजमोदसैन्धवमागधमरिचैः समा पथ्या ।
अम्लोदश्वित्पीता पाण्डुवर्शोवह्निमान्द्यशोफहरी ॥
(सहस्रयोग, चूर्णप्रकरण; २२)

1.	Hutabhug (Citraka)	(Rt.)	1 Part
2.	Ajamoja (Ajamodā)	(Fr.)	1 Part
3.	Saindhava lavaṇa		1 Part
4.	Māgadha (Pippalī)	(Fr.)	1 Part
5.	Marica	(Fr.)	1 Part
6.	Pathyā (Harītakī)	(P.)	5 Parts

Dose

3 to 6 g

Anupāna

Thin butter milk.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Pāṇḍu (Anaemia), Śōpha (Oedema), Arśa (Haemorrhoids)

8. TAILA

Definition:

Tailas are preparations in which taila is boiled with prescribed Kaṣāyas (Decoction) and kalkas of drugs according to the formula. This process ensures absorption of the active therapeutic properties of the ingredients used.

General Method of preparation:

1. There are generally three essential components for the preparation of sneha (Ghṛta Or Taila) Viz:-

- (i) drava (a liquid which may be one or more as Kaṣāya, Svarasa, Dugdha, Mastu, etc.);
- (ii) kalka (a fine paste of the drug(s);
- (iii) sneha dravya (taila, Mūrcchita¹ Taila etc.)

2. Generally, unless otherwise mentioned in the text, if kalka is one part by weight, sneha should be four parts and the drava-dravya should be sixteen parts. Exceptions are:

- (i) Where no drava is prescribed, four parts of water is added to one part of sneha; the kalka is one fourth the weight of the sneha.
- (ii) Where drava dravya is Kvātha Kalka should be one-sixth of sneha.
- (iii) Where drava dravya is Svarasa, Kṣīra, Takra, Dadhi the kalka should be one-eighth of sneha and four times water is added for good Pāka.
- (iv) Where the number of drava dravyas is four or less than four, each drava has to be taken four times the weight of sneha.
- (v) Where the number of drava dravyas are five or more, each drava will be equal in weight to the sneha.
- (vi) If in a preparation, no kalka dravya is prescribed, then the drugs of the Kaṣāya may be used as kalka.

3. The kalka and the drava are mixed together, sneha is then added boiled on mild fire and stirred well continuously so that the kalka is not allowed to adhere to the vessel. Some times the drava-dravyas are directed to be added one after another as the process of boiling is continued till the drava-dravyas added earlier has evaporated.

4. When all the drava-dravyas have evaporated, the moisture in the kalka will also begin to evaporate; at this stage, it has to be stirred more often and carefully to ensure that the kalka does not stick to the bottom of the vessel. The kalka is taken out of the ladle and tested from time to time to know the condition and stage of the Pāka.

5. There are three stages of Pāka:

(i) Mr̥du Pāka

(ii) Madhyama Pāka And

(iii) Khara Pāka.

In Mr̥du Pāka kalka is waxy and when rolled between the fingers rolls like lac without sticking. In Madhyama pāka, Kalka is harder and when put in fire burns without any cracking noise. A further degree of heating leads to khara Pāka. Any further heating will lead to dagdha Pāka and the sneha becomes unfit for use. When the taila attains the correct Pāka stage froth comes out.

6. In the sneha group Śarkara, if mentioned is added in fine powder form to the final product when cool.

7. where the Pāka is to be done with Kvātha, Svarasa, Dugdha and Māṃsarasa, etc., the Pāka is to be done with these dravas separately in the above order. The period of Pāka² with various dravyas should be as below:

(i) Kvātha, Āranāla, Takra, Etc.-5days.

(ii) Svarasa -3days.

(iii) Dugdha -2days.

(iv) Māṃsa Rasa -1day.

8. Pātrapāka: Pātrapāka is the process by which the sneha is flavoured or augmented by certain soluble or mixable substances. The powders of the drugs are placed in the vessel into which fairly warm sneha is filtered.

9. Mr̥dupāka sneha is used for nasya; Madhyamapāka is used for Pāna, Vasti, etc.; Kharapāka sneha is used only for Abhyaṅga.

10. In the beginning the boiling should be on mild fire (Mr̥dvagni) and in the end also it should be only on mild fire.

11. Whenever Lavaṇas and Kṣāras are used in these preparations, they are added to the sneha

and then strained.

Characteristics:

Taila will generally have the colour, odour and taste of drugs used and have the consistency of the oil. When considerable quantity of milk is used in the preparation, the oil becomes thick due to Ghṛta and in cold season may condense further.

Preservation:

Tailas are preserved in glass, polythene or aluminium containers. Preparations for internal use keep their potency for about sixteen months.

Method of use:

Tailas are generally used for Abhyāṅga. some of them are also used internally and in Ayurvedic texts various types of Anupānas are described for this purpose. When no such Anupāna is mentioned it should be taken with warm water or warm milk.

Note:

1. The process of Mūrcchana is mentioned in Paribhāṣākhaṇḍa
2. Period as mentioned in Vaidyaka Paribhāṣā pradiṭṭa, which is reproduced below.

‘kṣīrae dvirātram svarasae trirātram takrānālādiṣu pañcarātram
snaeham pacet vaidyavarah prayatnāt.....’

1	AṆU TAILA	Aṣṭāṅgahr̥daya, Sūtrasthāna, Adhyāya 20	37-38
2	ARIMEDĀDI TAILA	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 22	90 - 96
3	ASANABILVĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	45
4	KANAKA TAILA	Bhaiṣajyaratnāvalī, Kṣudrarogādhikāra	59 - 60
5	KAYYONNYĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	48
6	KĀRPĀSĀSTHYĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	11
7	KĀSĪSĀDI TAILA	Bhaiṣajyaratnāvalī, Arśorogādhikāra	111-113
8	KUṆKUMĀDI TAILA	Yogaratanākara, Kṣudrarogādhikāra	Page 740
9	KUṢṬHARĀKṢASA TAILA	Bhaiṣajyaratnāvalī, Kuṣṭhādhikāra	164-168
10	KOṬṬAMCUKKĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	12

11	KṢĪRABALĀ TAILA	Aṣṭāṅgasaṅgraha, Vataraktacikitsā, Adhyāya 22	45-46
12	GANDHARVAHASTA TAILA	Aṣṭāṅgasaṅgraha, Cikitsāsthāna, Adhyāya 15	21
13	GRAHAṆĪMIHIRA TAILA	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	154-164
14	CANDANĀDI TAILA	Yogarātnākara, Rājayaḥśmācikitsā: Page 325	
15	CANDANABALĀLĀKṢĀDI TAILA	Yogarātnākara, Jvarādhikāra: Page205	
16	CITRAKĀDI TAILA	Suśrutasaṁhitā, Bhagandara Cikitsā	50-50 1/2
17	JĀTYĀDI TAILA	Śārṅgadharasaṁhitā, Madhyamakhaṇḍa, Adhyāya 9	168-171 1/2
18	JYOTIṢMATĪ TAILA	Yogarātnākara, Kuṣṭhacikitsā: Page 696	
19	TUṆGADRUMĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	43
20	TUVARAKA TAILA	Suśrutasaṁhitā, Cikitsāsthāna, Adhyāya 13	20-23, 29
21	TRIPHALĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	44
22	DHĀNVANTARA TAILA (Synonym Balā Taila)	Vaidyayogarātnāvali, Tailaprakaraṇa; Page 244	
23	NĀRĀYAṆA TAILA	Bhaiṣajyaratnāvalī, Vātavyādhyaḍhikāra	140-150
24	NĀLPĀMARĀDI TAILA1	Sahasrayoga, Tailaprakaraṇa, 26	
25	NĪLIKĀDYA TAILA	Śārṅgadharasaṁhitā, Madhyamakhaṇḍa, Adhyāya 10	157-160 1/2
26	NĪLIBHRṆGĀDI TAILA	Sahasrayoga; Tailaprakaraṇa	38
27	PARIṆATAKERIKṢIRĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	9
28	PIṆḌA TAILA	Aṣṭāṅghṛdaya, Cikitsāsthāna, Adhyāya 22	22

29	PIPPALYĀDI TAILA	" Bhaiṣajyaratnāvalī, Arśorogādhikāra	
"	115-118		
30	PRABHAÑJANA VIMARDANA TAILA	Sahasrayoga, Tailaprakaraṇa	5
31	PRAMEHA MIHIRA TAILA	Bhaiṣajyaratnāvalī, Pramehādhikāra	86-94
32	PRASĀRIṆĪ TAILA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 9	119-123 1/2
33	BALĀ TAILA	Aṣṭāṅgahṛdaya, Cikitsāsthāna, Adhyāya 21	72-80
34	BALĀGUDŪCYĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	14
35	BALĀDHĀTRYĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	57
36	BALĀŚVAGANDHALĀKṢĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	13
37	BALĀHATHĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	54
38	BRĤAT GUDŪCĪ TAILA	Bhaiṣajyaratnāvalī, Vātaraktādhikāra	53-60
39	BRĤATMĀṢA TAILA	Bhaiṣajyaratnāvalī, Vātavyādhyaḍhikāra	241-245
40	BRĤAT SAINDHAVĀDYA TAILA	Bhaiṣajyaratnāvalī, Amavātādhikāra	157-162
41	BHRṆGĀMALAKĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	56
42	BHRṆGARĀJA TAILA	Bhaiṣajyaranāvalī, Kṣudrarogādhikāra	91-96
43	MAÑJĪṢṬHĀDI TAILA	Sahasrayoga, Tailaprakaraṇa	50
44	MADHUYAṢṬYĀDI TAILA	Aṣṭāṅgahṛdaya, Cikitsāsthāna, Adhyāya 22	41-44
45	MAHĀ NĀRĀYAṆA TAILA	Bhaiṣajyaratnāvalī, Vatavyādhyaḍhikāra	151-162
46	MAHĀ VIṢAGARBHA TAILA	Bhaiṣajyaratnāvalī, Vātavyādhyaḍhikāra	414-423
47	YAṢṬIMADHUKA TAILA	Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 9	155 1/2

48	LAGHU VIṢAGARBHA TAILA	Bhaiṣajyaratnāvalī, Vatavyādhyaḍhikāra	411-413
49	LĀKṢĀDI TAILA	Bhaiṣajyaratnāvalī, Jvarāḍhikāra	346
50	LĀṄGALĪ TAILA (Synonym Nirguṇḍī Taila)	Śārṅgadharaśamhitā, Madhyamakhaṇḍa, Adhyāya 9	198
51	VACĀDI TAILA	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 30	25
52	VACĀLAŚUNĀDI TAILA	Sahasrayoga, Tailaprakarāṇa	42
53	VAJRAKA TAILA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 19	79-80
54	VĀSĀCANDANĀDI TAILA	Bhaiṣajyaratnāvalī, Kāsāḍhikāra	185-191
55	VIṢATINDUKA TAILA	Bhaiṣajyaratnāvalī, Vataraktāḍhikāra:	76 - 78
56	VRANARĀKṢASA TAILA	Bhaiṣajyaratnāvalī, Vraṇaśothāḍhikāra	69-71
57	ŚUṢKAMŪLAKA TAILA	Bhāvaprakāśa, Śothāḍhikāra	37
58	ṢAḌBINDU TAILA	Bhaiṣajyaratnāvalī, Śīrorogāḍhikāra	49- 51
59	SAHACARĀDI TAILA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 21	66-68
60	SAINDHAVĀDI TAILA	Bhaiṣajyaratnāvalī, Naḍīvraṇāḍhikāra	31
61	SOMARĀJĪ TAILA	Bhaiṣajyaratnāvalī, Kuṣṭhāḍhikāra	208-210

8 : 1 AṆU TAILA

(Aṣṭāṅgahr̥daya, Sūtrasthāna, Adhyāya 20: 37-38)

जीवन्तीजलदेवदारुजलदत्वक्सेव्यगोपीहिमं
 दार्वीत्वङ्मधुकप्लवागुरुवरीपुण्ड्राह्वबिल्वोत्पलम् ।
 धावन्यौ सुरभिः स्थिरे कृमिहरं पत्रं त्रुटिं रेणुकां
 किञ्जल्कं कमलाह्वयं शतगुणे दिव्येऽम्भसि क्वाथयेत् ॥३७॥
 तैलाद्रसं दशगुणं परिशेष्य तेन तैलं पचेच्च सलिलेन दशैव वारान् ।
 पाके क्षिपेच्च दशमे सममाजदुग्धं नस्यं महागुणमुशन्त्यणुतैलमेतत् ॥३८॥
 (अष्टाङ्गहृदय, सूत्रस्थान, अध्याय २०; ३७-३८)

1.	Jīvantī	(Rt.)	28 g
2.	Jala (Hrīvēra)	(Rt.)	28 g
3.	Devadāru	(Ht. Wd.)	28 g
4.	Jalada (Mustā)	(Rz.)	28 g
5.	Tvak	(St. Bk.)	28 g
6.	Sevya (Uśīra)	(Rt.)	28 g
7.	Gopī (Śāriva)	(Rt.)	28 g
8.	Hima (Śveta candana)	(Ht. Wd.)	28 g
9.	Dārvī (Dāruharidrā)	(St.)	28 g
10.	Madhuka (Yaṣṭī)	(Rt.)	28 g
11.	Plava (Kaivarta mustā)	(Rz.)	28 g
12.	Aguru (Agaru)	(Ht. Wd.)	28 g
13.	Varī (Satāvarī)	(Rt.Tr.)	28 g
14.	Puṇḍrāhva (Prapuṇḍarika)	(Fl.)	28 g
15.	Bilva	(Rt./St. Bk.)	28 g
16.	Utpala	(Fl.)	28 g
17.	Bṛhatī	(Pl.)	28 g
18.	Kaṇṭakārī	(Pl.)	28 g
19.	Surabhi (Rāsnā)	(Rt./Lf.)	28 g
20.	Śalaparnī	(Pl.)	28 g

21.	Pṛśniparṇī	(Pl.)	28 g
22.	Kṛmihara (Viḍaṅga)	(Fr.)	28 g
23.	Patra (Tejapatra)	(Lf.)	28 g
24.	Truṭi (Sūkṣmailā)	(Sd.)	28 g
25.	Renūkā	(Sd.)	28 g
26.	Kamala (Kiñjalka)	(Adr.)	28 g
27.	Water for decoction		76.800 l
28.	Drugs 1 to 26 for Kalka		128 g
29.	Taila (Tila)	(Ol.)	768 g
30.	Ajādugdha (ajākṣīra)		768 ml

Special Method of Preparation

The drugs 1 to 27 are mixed together and made in yavkuṭ (coarse powder) form and boiled in 100 times of Rain water and reduced to 1/10. This raining decoction should be divided in tenequal parts. One part of decoction added with oil and pak should be made

Dose

5 to 10 drops for nasya

Important Therapeutic Uses

Tvakrauṣya (Dryness of skin), Palita (Graying of hair), Ūrdhvajatrugata Roga (Disorders of body parts above clavicle), Skandha Śuṣkatā (Emaciation of shoulder), Grīvā Śuṣkatā (Wasting in cervical region), Vakṣa Śuṣkatā (Emaciation of chest muscles)

8 : 2 ARIMEDĀDI TAILA

(Aṣṭāṅgahr̥daya, Uttaraśthāna, Adhyāya 22: 90 - 96)

खदिरसाराद् द्वे तुले पचेद्वल्कात्तुलां चारिमेदसः ।
घटचतुष्के पादशेषेऽस्मिन् पूते पुनः क्वथनाद् घने ॥९०॥
आक्षिकं क्षिपेत्सुसूक्ष्मं रजः सेव्याम्बुपत्तङ्गैरिकम् ।

चन्दनद्वयरोध्रपुण्ड्राह्वयष्ट्याह्वलाक्षाञ्जनद्वयम् ।।९१।।
 धातकीकट्फलद्विनिशात्रिफलाचतुर्जातजोङ्गकम् ।
 मुस्तमज्जिष्ठान्यग्रोधप्ररोहमांसीयवासकम् ।।९२।।
 पद्मकैलेयसमङ्गाश्च शीते तस्मिंस्तथा पालिकां पृथक् ।
 जातिपत्रिकां सजातीफलां सहलवङ्गकङ्कोलिकाम् ।।९३।।
 स्फटिकशुभ्रसुरभिकर्पूरकुडवं च तत्रावपेत्ततः ।
 कारयेद् गुटिकाः सदा चैता धार्या मुखे तद् गदापहाः ।।९४।।
 क्वाथौषधव्यत्यययोजनेन तैलं पचेत्कल्पनयाऽनयैव ।
 सर्वास्यरोगोद्धृतये तदाहुर्दन्तस्थिरत्वे त्विदमेव मुख्यम् ।।९५।।
 खदिरेणैता गुटिकास्तैलमिदं चारिमेदसा प्रथितम् ।
 अनुशीलयन् प्रतिदिनं स्वस्थोऽपि दृढद्विजो भवति ।।९६।।
 (अष्टाङ्गहृदय, उत्तरस्थान, अध्याय २२; ९०-९६)

1.	Khadira	(Ht. Wd.)	9.600 kg
2.	Arimeda -valkala	(St. Bk.)	4.800 kg
3.	Water for decoction		49.152 l
	reduced to		12.288 l
4.	Taila (Tila)	(oil)	3.072 kg
5.	Sevya (Uśīra)	(Rt.)	12 g
6.	Ambu (Hrīvēra)	(Rt.)	12 g
7.	Pattaṅga	(Ht. Wd.)	12 g
8.	Gairika		12 g
9.	Śveta Candana	(Ht. Wd.)	12 g
10.	Rakta Candana	(Ht. Wd.)	12 g
11.	Lodhra	(St. Bk.)	12 g
12.	Puṇḍrāhva (Prapaṇḍarīka)	(Fl.)	12 g
13.	Yaṣṭyāhvā (Yaṣṭī)	(Rt.)	12 g
14.	Lākṣā	(Gl.)	12 g
15.	Rasāñjana (Dāruharidrā)	(St. Ext.)	12 g
16.	Sauvīrāñjana		12 g
17.	Dhātakī	(Fl.)	12 g

18.	Kaṭphala	(St. Bk.)	12 g
19.	Haridra	(Rz.)	12 g
20.	Dāruharidrā	(St.)	12 g
21.	Harītakī	(P.)	12 g
22.	Bibhītaka	(P.)	12 g
23.	Āmalakī	(P.)	12 g
24.	Tvak	(St. Bk.)	12 g
25.	Elā (Sūkṣmailā)	(Sd.)	12 g
26.	Patra (Tejapatra)	(Lf.)	12 g
27.	Nāgakeśara	(Stmn.)	12 g
28.	Joṅgaka (Agaru)	(Ht. Wd.)	12 g
29.	Mustā	(Rz.)	12 g
30.	Mañjiṣṭhā	(Rt.)	12 g
31.	Nyagrodha - praroḥa	(A.R.)	12 g
32.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	12 g
33.	Yavāsaka	(Pl.)	12 g
34.	Padmaka	(Ht. Wd.)	12 g
35.	Ailā (Elavāluka)	(St. Bk.)	12 g
36.	Samaṅgā (Lajjālu)	(Pl.)	12 g
37.	Jātīpatra (Jātīphala)	(Ar.)	12 g
38.	Jātīphala	(Sd.)	12 g
39.	Lavaṅga	(Fl. Bd.)	12 g
40.	Kaṅkolikā (Kaṅkola)	(Fr.)	12 g
41.	Karpūra	(Sub. Ext.)	192 g

Note:

1. The formula of this yoga is also used for preparation of Khadirādi vaṭi (Aḥṣaṅga Hṛdaya, Uttarasthāna 22/94)

२. चण्डिचूडफ त्वा हु चन्द्रदृदञ्च दृढ उदृद्यण गुरुस्त्रक्ष्णफ हुदडु खड्गप्रश्न. चण्डु

11.	Āmalakī	(P.)	38.4 g
12.	Paya (Godugdha)		768 ml

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Nayana Roga (Disease of the eye), Karna Roga (Disease of ear), Śīroroga (Disease of head)

8 : 4 KANAKA TAILA

(Bhaiṣajyaratnāvalī, Kṣudrarogādhikāra: 59 - 60)

मधुकस्य कषायेण तैलस्य कुडवं पचेत् ।
 कल्कैः प्रियङ्गुमज्जिष्ठाचन्दनोत्पलकेशरैः ॥५९॥
 कनकं नाम ततैलं मुखकान्तिकरं परम् ।
 अभीरुनीलिकाव्यङ्गशोधनं परमार्चितम् ॥६०॥
 (भैषज्यरत्नावली, क्षुद्ररोगाधिकार; ५९-६०)

1.	Madhuka (Yaṣṭī)	(Rt.)	768 g
2.	Water for decoction		3.072 l
	reduced to		768 ml
3.	Taila (Tila)	(Ol.)	192 g
4.	Priyaṅgu	(Fl.)	6.4 g
5.	Mañjiṣṭhā	(Rt.)	6.4 g
6.	Candana (Raktacandana)	(Ht. Wd.)	6.4 g
7.	Utpala	(Fl.)	6.4 g
8.	Kesara (Nāgakēśara)	(Stmn.)	6.4 g

Usage

Used externally for Nasya and Abhyaṅga

Important Therapeutic Uses

Mukha Roga (Disease of mouth), Nīlikā (Mole), Vyaṅga (Pigmentation disorder)

8 : 5 KAYYONNYĀDI TAILA

(Sahasrayoga, Tailaparakaraṇa : 48)

कय्योन्नि चिट्टमृदु नेल्लिपिलिज्ज नीरिल् ।
तैलं पचेत पयसा मधुकाज्जनाभ्याम् ।।
कण्णिन्नु नन्नु तलनोविन तीवनन्नु ।
पल्लिन्नु नन्नु तलयुं नरया नराणाम् ।।
(सहस्रयोग, तैलप्रकरण; ४८)

1.	Kayyonni rasa (Bhṛṅgarāja) (Pl.)	1.024 l
2.	Cittāmr̥tu (Gudūcī) (St.)	1.024 l
3.	Nelli rasa (Āmalakī) (P.)	1.024 l
4.	Taila (Tila) (Ol.)	768 g
5.	Pāyasa (Godugdha)	768 g
6.	Madhuka (Yaṣṭī) (Rt.)	48 g
7.	Añjana (Dāruharidrā) (St. Ext.)	48 g

Usage

Used externally for Śirobhyāṅga

Important Therapeutic Uses

Netraroga (Eye disorder), Śīrorujā (Headache), Dantaroga (Dental disease), Palita (Graying of hair)

8 : 6 KĀRPĀSĀSTHYĀDI TAILA

(Sahasrayoga, Tailaparakaraṇa : 11)

कार्पासास्थिबलामाषकुलत्थैः क्वथिते जले ।
 देवदारुबलारास्नाकुष्ठसर्षपनागरैः ॥
 शताह्वापिप्पलीमूलचव्यशिग्रुपुनर्नवैः ।
 कल्कितं तैलमाजेन क्षीरेण सहितं पचेत् ॥
 तत्पाननावनाभ्यङ्गयोगात्सर्वानिलापहम् ।
 विशेषादपबाहुं च पक्षाघातादितं हरेत् ॥
 (सहस्रयोग, तैलप्रकरण; ११)

1.	Karpāsāsthi (Kārpāsa)	(Enm.)	768 g
2.	Balā	(Rt.)	768 g
3.	Māṣa	(Sd.)	768 g
4.	Kulattha	(Sd.)	768 g
5.	Water for decoction		12.288 l
	reduced to		3.072 l
6.	Devadāru	(Ht. Wd.)	16 g
7.	Balā	(Rt.)	16 g
8.	Rāsnā	(Rt./Lf.)	16 g
9.	Kuṣṭha	(Rt.)	16 g
10.	Sarṣapa	(Sd.)	16 g
11.	Nāgara (Śunthī)	(Rz.)	16 g
12.	Śatāhvā	(Fr.)	16 g
13.	Pippalīmūla	(Rt.)	16 g
14.	Cavya	(St.)	16 g
15.	Śigru	(St. Bk.)	16 g
16.	Punarnavā (Rakta Punarnavā)	(Rt.)	16 g
17.	Taila (Tila)	(Ol.)	768 g
18.	Ajā kṣīra		768 ml

Special Method of Preparation

Kārpāsasthi, Kulattha and Māṣa are tied in a bundle and immersed in the vessel containing Balā mūla and water. Balā kaṣāya is then prepared.

Dose

12 g, used externally also.

Anupāna

warm water, milk

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa), Pakṣāghāta (Paralysis/Hemiplegia), Ardita (Facial palsy), Avabāhuka (Brachialgia)

8 : 7 KĀSĪSĀDI TAILA

(Bhaiṣajyaratnāvalī, Arśorogādhikāra : 111-113)

कासीसं सैन्धवं कृष्णा शुण्ठी कुष्ठञ्च लाङ्गली ।
शिलाभिदश्वमारश्च दन्तीजन्तुघ्नचित्रकम् ॥१११॥
तालकं कुनटी स्वर्णक्षीरी चैतैः पचेद्भिषक् ।
तैलं स्नुह्यर्कपयसा गवां मूत्रं चतुर्गुणम् ॥११२॥
एतदभ्यङ्गतोऽर्शासि क्षारेणेव पतन्ति हि ।
क्षारकर्मकरं ह्येतन्न च सन्दूषयेद्वलिम् ॥११३॥
(भैषज्यरत्नावली, अर्शोरोगाधिकार; १११-११३)

1.	Kāsīsa		12 g
2.	Saindhava lavaṇa		12 g
3.	Kṛṣṇā (Pippalī)	(Fr.)	12 g
4.	Śuṇṭhī	(Rz.)	12 g
5.	Kuṣṭha	(Rt.)	12 g
6.	Lāṅgalī	(Rt./Rz.)	12 g

7.	Śilābhid (Pāṣāṇabheda)	(Rz.)	12 g
8.	Aśvamāra (Karavīra)	(Rt./Lf.)	12 g
9.	Dantī	(Rt.)	12 g
10.	Jantughna (Viḍanga)	(Fr.)	12 g
11.	Citraka	(Rt.)	12 g
12.	Tālaka (Haritāla)		12 g
13.	Kuṇṭī (Manahśilā)		12 g
14.	Svarṇakṣīrī	(Pl.)	12 g
15.	Snuhī payas (Snuhī)	(St.)	12 g
16.	Arka payas	(St./Lf.)	12 g
17.	Taila (Tila)	(Ol.)	768 g
18.	Go mūtra		3.072 l

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Arśoroga (Haemorrhoids)

8 : 8 KUNKUMĀDI TAILA

(Yogaratanākara, Kṣudrarogādhikāra: Page 740)

कुङ्कुमं चन्दनं लोध्रं पतङ्ग रक्तचन्दनम् ।
 कालीयकमुशीरं च मज्जिष्ठा मधुयष्टिका ॥१॥
 पत्रकं पद्मकं पद्मकुष्ठं गोरोचनं निशा ।
 लाक्षा दारुहरिद्रा च गैरिकं नागकेशरम् ॥२॥
 पलाशकुसुमं चापि प्रियङ्गुश्च वटाङ्कुराः ।
 मालती च मधूच्छिष्टं सर्षपाः सुरभिर्वचा ॥३॥

चतुर्गुणपयःपिष्टैरेतैरक्षमितैः पृथक् ।
 पचेन्मन्दाग्निना वैद्यस्तैलं प्रस्थद्वयोन्मितम् ॥४॥
 (योगरत्नाकर, क्षुद्ररोगाधिकार; पृष्ठ ७४०)

1.	Kuṅkuma	(Stl./Stg)	12 g
2.	Candana (Śveta candana)	(Ht. Wd.)	12 g
3.	Lodhra	(St. Bk.)	12 g
4.	Pataṅga	(Ht. Wd.)	12 g
5.	Raktacandana	(Ht. Wd.)	12 g
6.	Kālīyaka (Agaru)	(Ht. Wd.)	12 g
7.	Uśīra	(Rt.)	12 g
8.	Mañjiṣṭhā	(Rt.)	12 g
9.	Madhu (Yaṣṭī)	(Rt.)	12 g
10.	Patra (Tejapatra)	(Lf.)	12 g
11.	Padmaka	(Ht. Wd.)	12 g
12.	Padma (Kamala)	(Fl.)	12 g
13.	Kuṣṭha	(Rt.)	12 g
14.	Gorocana		12 g
15.	Niṣā (Haridrā)	(Rz.)	12 g
16.	Lākṣā	(Gl.)	12 g
17.	Dāruharidrā	(St.)	12 g
18.	Gairika		12 g
19.	Nāgakeśara	(Stmn.)	12 g
20.	Palāśa kusuma	(Fl.)	12 g
21.	Priyaṅgu	(Fl.)	12 g
22.	Vaṭāṅkura (Nyagrodha)	(Lf. Bd.)	12 g
23.	Mālatī (Jātī)	(Fl.)	12 g
24.	Madhūcciṣṭa		12 g
25.	Sarṣapa	(Sd.)	12 g
26.	Surabhi (Rāsnā)	(Rt./Lf.)	12 g

27.	Vacā	(Rz.)	12 g
28.	Payas (Godugdha)		6.144 l
29.	Taila (Tila)	(Ol.)	1.536 kg

Usage

Used externally for Nasya and Abhyaṅga

Important Therapeutic Uses

Mukha Roga (Disease of mouth), Varṇa Vikāra (Pigmentation disorder), Nīlikā (Mole), Yauvana Piṭikā (Acne vulgaris), Vyaṅga (Pigmentation disorder), Tilaka (Non-elevated mole), Maṣaka (Mole), Nyaccha (Naevus/mole), Padminīkaṇṭaka (Papilloma of skin), Jatumaṇi (Congenital mole)

8 : 9 KUṢṬHARĀKṢASA TAILA

(Bhaiṣajyaratnāvalī, Kuṣṭhādhikāra : 164-168)

सूतकं गन्धकं कुष्ठं सप्तपर्णञ्च चित्रकम् ।
 सिन्दूरञ्च रसोनञ्च हरितालमवल्गुजम् ॥१६४॥
 आरग्वधस्य बीजानि जीर्णताम्रं मनःशिला ।
 प्रत्येकं कर्षमेतेषां कटुतैलं पलाष्टकम् ॥१६५॥
 साधयेत्सूर्यतापेन सर्वकुष्ठविनाशनम् ।
 श्वित्रमौडुम्बरं कच्छूं मांसवृद्धिं भगन्दरम् ॥१६६॥
 विचर्चिकाञ्च पामानं वातरक्तं सुदारुणम् ।
 गम्भीरञ्च तथोत्तानं नाशयेदस्य म्रक्षणात् ॥१६७॥
 कुष्ठराक्षसनामेदं सवर्णकरणं परम् ।
 अश्विभ्यां निर्मितं ह्येतल्लोकानुग्रहेतवे ॥१६८॥
 (भैषज्यरत्नावली, कुष्ठाधिकार; १६४-१६८)

1.	Sūtaka (Pārada) śuddha	12 g
2.	Gandhaka - śuddha	12 g

3.	Kuṣṭha	(Rt.)	12 g
4.	Saptaparna	(St. Bk.)	12 g
5.	Citraka	(Rt.)	12 g
6.	Sindūra (Pārada)		12 g
7.	Rasona (Laśuna)	(Bl.)	12 g
8.	Haritāla		12 g
9.	Avalgujā (Bākucī)	(Fr.)	12 g
10.	Āragvadha	(Sd.)	12 g
11.	Jīrṇa Tāmra (Tāmra) bhasma		12 g
12.	Manahśilā		12 g
13.	Kaṭu taila (Sarṣapa)		384 g

Special Method of Preparation

Powders of drugs 1 to 8 are made into a kalka with a little water mixed in Kaṭu Taila and exposed to sun's rays for a week.

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Kuṣṭha (Diseases of skin), Vātarakta (Gout), Śvitra (Leucoderma/Vitiligo), Kacchū (Itching), Bhagandara (Fistula-in-ano), Vicarcikā (Eczema), Pāmā (Eczema), Māṃsa Vṛddhi (Muscle Hypertrophy)

8 : 10 KOṬṬAMCUKKĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa: 12)

कुष्ठं शुण्ठी वचा शिग्रुः कार्तोदित लशुनं तथा ।
सिद्धार्थं सुवहा देवद्रुमं पिष्ट्वाऽथ पाचयेत् ॥
दधिचिंचारसौ दत्त्वा तैलमभ्यङ्गहेतवे ।

वातव्याधिप्रशमनं मात्रस्तम्भविनाशनम् ।।
 अचिन्त्योऽस्य प्रभावो हि मणिमन्त्रादिवत्स्मृतः ।।
 (सहस्रयोग, तैलप्रकरण; १२)

1.	Koṭṭam (Kuṣṭha)	(Rt.)	21.0 g
2.	Cukku (Śuṇṭhī)	(Rz.)	21.0 g
3.	Vayambu (Vacā)	(Rz.)	21.0 g
4.	Śigru	(St. Bk.)	21.0 g
5.	Laśuna	(Bl.)	21.0 g
6.	Kārtoti (Himśrā)	(Rt.)	21.0 g
7.	Devadruma (Devadāru)	(Ht. Wd.)	21.0 g
8.	Siddhārtha (Sarṣapa)	(Sd.)	21.0 g
9.	Suvahā (Rāsnā)	(Rt./Lf.)	21.0 g
10.	Tilaja (Tila)	(Ol.)	768 g
11.	Dadhi (Godadhi)		768 g
12.	Ciñcā rasa (Ciñcā)	(Lf.)	3.072 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa), Āmavāta (Rheumatism), Aṅgastambha (Body stiffness)

8 : 11 KṢĪRABALĀ TAILA

(Aṣṭāṅgasaṅgraha, Vataraktacikitsā, Adhyāya 22 : 45-46)

बलाकल्कषायाभ्यां तैलं क्षीरसमं पचेत् ।
 सहस्रशतपाकं तद् वातासृग्वातरोगनुत् ॥४५॥

रसायनं मुख्यतममिन्द्रियाणां प्रसादनम् ।

जीवनं बृंहणं स्वर्यं शुक्रासृग्दोषनाशनम् ॥४६॥

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय २२; ४५-४६)

1.	Balā kaṣāya	(Rt.)	16 Parts
2.	Balā kalka	(Rt.)	1 Part
3.	Taila (Tila)	(Ol.)	4 Parts
4.	Kṣīra (Godugdha)		4 Parts
5.	Water		16 Parts

Dose

12 g. Also used for Abhyaṅga and Nasya.

Anupāna

Milk, warm water

Important Therapeutic Uses

Vātarakta (Gout), Vātaroga (Disease due to Vāta doṣa), Śukra Doṣa (Vitiation of semen), Rajodoṣa (Menstrual disorder), Kārśya (Emaciation), Svarabheda (Hoarseness of voice), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

8 : 12 GANDHARVAHASTA TAILA

(Aṣṭāṅgasaṅgraha, Cikitsāsthāna, Adhyāya 15: 21)

गन्धर्वहस्तमूलतुलां यवाढकं नागरार्धकुडवं च सलिलद्रोणे पादशेषं विपचेत् ।

तेन द्विगुणक्षीरेणैरण्डतैलप्रस्थं साधयेत् ।

कल्कपिष्टं चात्र दद्यात्पुनर्गन्धर्वहस्तमूलकुडवं शुण्ठीपलं च ।

एतद् गन्धर्वहस्ततैलं तुल्यं पूर्वेण ॥२१॥

(अष्टाङ्गसंग्रह, चिकित्सास्थान, अध्याय १५; २१)

1.	Gandharvahasta mūla (Eraṇḍa)	(Rt.)	4.800 kg
----	------------------------------	-------	----------

2.	Yava	(Sd.)	3.072 kg
3.	Nāgara (Śunthī)	(Rz.)	96 g
4.	Water for decoction		24.576 l
	reduced to		6.144 l
5.	Kṣīra (Godugdha)		1.536 l
6.	Eraṇḍa taila	(Ol.)	768 g
7.	Gandharvahasta mūla (Eraṇḍa)	(Rt.)	192 g
8.	Śunthī	(Rz.)	48 g

Dose

6 to 12 g

Anupāna

Warm water

Important Therapeutic Uses

Vidradhi (Abscess), Plīhā (Splenic disease), Gulma (Abdominal lump), Udāvarta (Condition in which there is upward movement of vayu), Śōpha (Oedema), Udara (Diseases of abdomen / enlargement of abdomen), Mahāvāta Roga (Major neurological disorder)

8 : 13 GRAHAṆĪMIHIRA TAILA

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra: 154-164)

धान्यकं धातकी लोध्रं समङ्गातिविषा शिवा ।
उशीरं वारिवाहञ्च जलं मोचं रसाञ्जनम् ॥१५४॥
बिल्वं नीलोत्पलं पत्रं केशरं पद्मकेशरम् ।
गुडूचीन्द्रयवश्यामाः पद्मकं कटुरोहिणी ॥१५५॥
तगरं नलदं भृङ्गकेशराजौ पुनर्नवा ।
आम्रजम्बूकदम्बानां त्वचः कुटजवल्कलम् ॥१५६॥
यमानी जीरकञ्चैषां कार्षिकाणि प्रकल्पयेत् ।

तैलप्रस्थं पचेत्सम्यक् तक्रेणान्यतमेन वा ॥१५७॥
 कुटजत्वक्कषायेण धान्यकक्वथितेन वा ।
 बुद्ध्वा दोषगतिं तत्तु तथान्यौषधवारिणा ॥१५८॥
 एतद्रसायनं तैलं वलीपलितनाशनम् ।
 हन्ति सर्वानतीसारान् ग्रहणीं सर्वरूपिणीम् ॥१५९॥
 ज्वरं तृष्णां तथा कासं हिक्कां श्वासं वमिं भ्रमिम् ।
 सोपद्रवं कोष्ठरुजं नाशयेत्सत्यमेव हि ॥१६०॥
 अर्शांसि कामलां मेहं श्वयथुं शूलमुल्बणम् ।
 एतद्धि बृंहणं वृष्यं सर्वरोगनिबर्हणम् ॥१६१॥
 वशीकरणमेतद्धि पुष्ययोगे विपाचयेत् ।
 सायं स्त्रीषु प्रकर्तव्यं प्रत्यूषे राजसंसदि ॥१६२॥
 विवाहादिषु माङ्गल्यं विवादे विजयप्रदम् ।
 गर्भस्य चलितस्यापि स्थापनं परमं शुभम् ॥१६३॥
 गर्भारम्भे प्रकर्तव्यमेतद् गर्भविवर्द्धनम् ।
 ग्रहणीमिहिरं नाम तैलं भुवनमङ्गलम् ॥१६४॥
 (भैषज्यरत्नावली, ग्रहणीरोगाधिकार; १५४-१६४)

1.	Dhānyaka	(Fr.)	12 g
2.	Dhātakī	(Fl.)	12 g
3.	Lodhra	(St. Bk.)	12 g
4.	Samaṅgā (Lajjālu)	(Pl.)	12 g
5.	Ativiṣā	(Rt. Tr.)	12 g
6.	Śivā (Harītakī)	(P.)	12 g
7.	Uśīra	(Rt.)	12 g
8.	Vārivāha (Mustā)	(Rz.)	12 g
9.	Jala (Hrīvēra)	(Rt.)	12 g
10.	Moca (Śālmalī)	(Exd.)	12 g
11.	Rasāñjana (Dāruharidrā)	(St. Ext.)	12 g
12.	Bilva	(St. Bk.)	12 g
13.	Nilotpala (Utpala)	(Fl.)	12 g
14.	Patra (Tejapatra)	(Lf.)	12 g

15.	Keśara (Nāgakeśara)	(Stmn.)	12 g	
16.	Padma kesara (kamala)	(Adr.)	12 g	
17.	Guḍūcī	(St.)	12 g	
18.	Indrayava (Kuṭaja)	(Sd.)		12 g
19.	Śyāmā (Trivṛt)	(Rt.)	12 g	
20.	Padmaka	(Ht. Wd.)	12 g	
21.	Kaṭurohinī (Kaṭukā)	(Rz.)	12 g	
22.	Tagara	(Rt./Rz.)	12 g	
23.	Nalada (Jaṭāmāmsī)	(Rt./Rz.)	12 g	
24.	Bhṛṅga (Tvak)	(St.Bk.)	12 g	
25.	Keśarāja (Bhṛṅgarāja)	(Pl.)	12 g	
26.	Punarnavā (Rakta Punarnavā)	(Rt.)	12 g	
27.	Āmra tvak (Āmra)	(St. Bk.)	12 g	
28.	Jambu tvak (jambū)	(St. Bk.)	12 g	
29.	Kadamba tvak (Kadamba)	(St. Bk.)	12 g	
30.	Kuṭaja valkala (Kuṭaja)	(St. Bk.)	12 g	
31.	Yamānī (Yavānī)	(Fr.)	12 g	
32.	Jīraka (Śveta jīraka)	(Fr.)	12 g	
33.	Taila (Tila)	(Ol.)		768 g
34.	Takra			
	or			
	Kuṭaja tvak kaṣāya (Kuṭaja)	(St. Bk.)		
	or			3.072 l
	Dhānyaka Kvātha (Dhānyaka)	(Fr.)		

Dose

12 g

Anupāna

Butter milk, Mustā Kaṣāya, Dhānyaka Kaṣāya

Important Therapeutic Uses

Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Hikkā (Hiccup), Jvara (Fever), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kāmalā (Jaundice), Prameha (Urinary disorders), Valī Palita (Wrinkles in skin and graying of hair), Tṛṣṇā (Thirst), Chardi (Emesis), Bhrama (Vertigo), Koṣṭharujā (Pain in abdomen), Arśa (Haemorrhoids), Meha (Excessive flow of urine), Śvayathu (Oedema), Śūla (Colicky Pain), Kārśya (Emaciation), Śukrakṣaya (Oligospermia), Garbhasrāva (Threatened abortion), Garbhapāta (Abortion)

8 : 14 CANDANĀDI TAILA

(Yogaratanākara, Rājayakṣmācikitsā: Page 325)

चन्दनाम्बुनखं रात्रिर्यष्टी शैलेयपद्मकम् ।
मज्जिष्ठा सरलं दारु शट्येला जातिकेसरम् ॥१॥
पत्रं बिल्वमुशीरं च कंकोलं चन्दनाम्बुदम् ।
हरिद्रे सारिवे तिक्ता लवङ्गागुरुकुङ्कुमम् ॥२॥
त्वग्रेणुनलिका चैभिस्तैलं मस्तुचतुर्गुणम् ।
लाक्षारससमं सिद्धं ग्रहघ्नं बलवर्णकृत् ॥३॥
(योगरत्नाकर, राजयक्ष्मचिकित्सा; पृष्ठ ३२५)

1.	Candana (Śveta candana)	(Ht. Wd.)	6 g
2.	Ambu (Hrīvēra)	(Rt.)	6 g
3.	Nakha (Vyāghranakha)	(Fr.)	6 g
4.	Rātri (Haridrā)	(Rz.)	6 g
5.	Yaṣṭī	(Rt.)	6 g
6.	Śaileya	(Pl.)	6 g
7.	Padmaka	(Ht. Wd.)	6 g
8.	Mañjiṣṭhā	(Rt.)	6 g
9.	Sarala	(Ht. Wd.)	6 g
10.	Dāru (Devadāru)	(Ht. Wd.)	6 g

11.	Śaṭī	(Rz.)	6 g	
12.	Elā (Sūkṣmailā)	(Sd.)		6 g
13.	Jātī	(Fl.)	6 g	
14.	Kesara (Nāgakēśara)	(Stmn.)	6 g	
15.	Patra (Tejapatra)	(Lf.)	6 g	
16.	Bilva	(St. Bk.)	6 g	
17.	Uśīra	(Rt.)	6 g	
18.	Kaṅkola	(Fr.)	6 g	
19.	Candana (Śveta candana)	(Ht. Wd.)	6 g	
20.	Ambuda (Mustā)	(Rz.)	6 g	
21.	Haridrā	(Rz.)	6 g	
22.	Dāruharidrā	(St.)	6 g	
23.	Śveta Sārivā	(Rt.)	6 g	
24.	Kṛṣṇa Sārivā	(Rt.)	6 g	
25.	Tiktā (Kaṭukā)	(Rz.)	6 g	
26.	Lavaṅga	(Fl. Bd.)	6 g	
27.	Aguru (Agaru)	(Ht. Wd.)	6 g	
28.	Kuṅkuma	(Stl./Stg)	6 g	
29.	Tvak	(St. Bk.)	6 g	
30.	Reṇu (Reṇukā)	(Sd.)		6 g
31.	Nalikā	(Sub. St. Bk.)	6 g	
32.	Taila (Tila)	(Ol.)		768 g
33.	Mastu (Godadhi)		3.072 l	
34.	Lākṣārasa (Lākṣā)	(Gl.)		768 ml

Usage

For external use as Abhyaṅga

Important Therapeutic Uses

Dāha (Burning sensation), Pralepaka Jvara (Hectic fever), Raktapitta (Bleeding disorder), Kṣaya (Pthisis), Apasmāra (Epilepsy), Unmāda (Mania/Psychosis), Jīrṇajvara (Chronic fever), Viṣamajvara (Intermittent fever), Yakṣmā (Tuberculosis)

8 : 15 CANDANABALĀLĀKṢĀDI TAILA

(Yogarātnākara, Jvarādhikāra: Page205)

चन्दनं च बलामूलं लाक्षा लामज्जकं तथा ।
 पृथक्पृथक्प्रस्थमात्रं द्रोणे च सलिले पचेत् ।
 चतुर्भागावशेषेऽस्मिंस्तैलं प्रस्थद्वयं क्षिपेत् ॥१॥
 चन्दनोशीरमधुकशताह्वाः कटुरोहिणी ।
 देवदारुनिशाकुष्ठमज्जिष्ठागुरुबालकम् ॥२॥
 अश्वगन्धा बला दावी मूर्वा मुस्ता समूलकाः ।
 एलात्वङ्नागकुसुमं रास्ना लाक्षा सुगन्धिका ॥३॥
 चम्पकं पीतसारं च सारिवा रोचकद्वयम् ।
 कल्कैरेतैः समायुक्तं क्षीराढकसमन्वितम् ॥४॥
 (योगरत्नाकर, ज्वराधिकार; पृष्ठ २०५)

1.	Candana (Śveta candana)	(Ht. Wd.)	768 g
2.	Balā	(Rt./Pl.)	768 g
3.	Lākṣā	(Gl.)	768 g
4.	Lāmajjaka	(Rt.)	768 g
5.	Water for decoction		24.576 l
	reduced to		6.144 l
6.	Taila (Tila)	(Ol.)	1.536 kg
7.	Candana (Śveta candana)	(Ht. Wd.)	16 g
8.	Uśīra	(Rt.)	16 g
9.	Madhuka (Yaṣṭī)	(Rt.)	16 g
10.	Śatāhvā	(Fr.)	16 g
11.	Kaṭurohinī (Kaṭukā)	(Rz.)	16 g

12.	Devadāru	(Ht. Wd.)	16 g	
13.	Niṣā (Haridrā)	(Rz.)	16 g	
14.	Kuṣṭha	(Rt.)	16 g	
15.	Mañjiṣṭhā	(Rt.)	16 g	
16.	Aguru (Agaru)	(Ht. Wd.)	16 g	
17.	Bālaka (Hrīvera)	(Rt.)	16 g	
18.	Aśvagandhā	(Rt.)	16 g	
19.	Balā	(Rt.)	16 g	
20.	Dārvī (Dāruharidrā)	(St.)		16 g
21.	Mūrvā	(Rt.)	16 g	
22.	Mustā	(Rz.)	16 g	
23.	Mūlaka	(Rt.)	16 g	
24.	Elā (Sūkṣmailā)	(Sd.)		16 g
25.	Tvak	(St. Bk.)	16 g	
26.	Nāgakusuma (Nāgakēśara)	(Stmn.)	16 g	
27.	Rāsnā	(Rt./Lf.)	16 g	
28.	Lākṣā	(Gl.)		16 g
29.	Saugandhikā (Śaṭi)	(Rz.)	16 g	
30.	Campaka	(Fl.)	16 g	
31.	Pītasāra (Asana)	(Ht. Wd.)	16 g	
32.	Sāriva (Śveta Sārivā)	(Rt.)	16 g	
33.	Sauvarcala Lavaṇa		16 g	
34.	Saindhava Lavaṇa		16 g	
35.	Kṣīra (Godugdha)		3.072 l	

Dose

6 ml, used externally for Abhyaṅga also

Anupāna

Milk, warm water

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣaya (Pthisis), Asṛgdara (Menorrhagia or Metrorrhagia or both), Raktapitta (Bleeding disorder), Pitta Roga (Disease due to Pitta doṣa), Kaphaja Roga (Disease due to Kapha doṣa), Kaṇḍū (Itching), Visphoṭaka (Blisterous eruption), Netra Dāha (Burning sensation in eyes), Śoṭha (Inflammation), Kāmalā (Jaundice), Pāṇḍu Roga (Anaemia), Sarva Jvara (All types of fevers), Sarva Dhātu Śoṣa (Emaciation of all tissues), Chardi (Emesis), Śiroroga (Disease of head), Aṅgadāha (Burning sensation all over the body), Vātaroga (Disease due to Vāta doṣa), Kṣīṇa Retas (Oligospermia)

8 : 16 CITRAKĀDI TAILA

(Suśrutasaṃhitā, Bhagandara Cikitsā : 50-50 1/2)

चित्रकार्कौ त्रिवृत्पाठे मलपू हयमारकम् ।
सुधां वचां लाङ्गलकीं सप्तपर्णं सुवर्चिकाम् ॥५०॥
ज्योतिष्मतीं च सम्भृत्य तैलं धीरो विपाचयेत् ।
(सुश्रुतसंहिता, चिकित्सास्थान, अध्याय ८ ; ५०-५०१/२)

1.	Citraka	(Rt.)	16 g
2.	Arka mūla	(Rt.)	16 g
3.	Trivṛt	(Rt.)	16 g
4.	Pāṭhā	(Rt./Pl.)	16 g
5.	Malapū (Phalgu)	(Rt. Bk.)	16 g
6.	Hayamāraka (Karavīra)	(Rt. Bk.)	16 g
7.	Sudhā (Snuhī) - mūla	(Rt.)	16 g
8.	Vacā	(Rz.)	16 g
9.	Lāṅgalakī (Lāṅgalī)	(Rt./Rz.)	16 g
10.	Saptaparna	(St. Bk.)	16 g
11.	Suvarcikā (Svarjikā kṣāra)		16 g

12.	Jyotiṣmatī	(Sd.)	16 g
13.	Taila (Tila)	(Ol.)	768 g
14.	Water		3.072 l

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Bhagandara (Fistula-in-ano)

8 : 17 JĀTYĀDI TAILA

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 9: 168-171 1/2)

जातीनिम्बपटोलानां नक्तमालस्य पल्लवाः ॥१६८॥
 सिक्थं समधुकं कुष्ठं द्वे निशे कटुरोहिणी ।
 मज्जिष्ठा पद्मकं लोध्रमभया नीलमुत्पलम् ॥१६९॥
 तुत्थकं सारिवा बीजं नक्तमालस्य दापयेत् ।
 एतानि समभागानि पिष्ट्वा तैलं विपाचयेत् ॥१७०॥
 नाडीव्रणे समुत्पन्ने स्फोटके कच्छुरोगिषु ।
 सद्यः शस्त्रप्रहारेषु दग्धविद्धेषु चैव हि ॥१७१॥
 नखदन्तक्षते देहे व्रणे दुष्टे प्रशस्यते ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ९; १६८-१७१ १/२)

1.	Jātī	(Lf.)	10.66 g
2.	Nimba	(Lf.)	10.66 g
3.	Paṭola	(Lf./Pl.)	10.66 g
4.	Naktamāla (Karañja)	(Lf.)	10.66 g
5.	Siktha (Madhūcchiṣṭa)		10.66 g
6.	Madhuka (Yaṣṭī)	(Rt.)	10.66 g
7.	Kuṣṭha	(Rt.)	10.66 g

8.	Haridrā	(Rz.)	10.66 g
9.	Dāruharidrā	(St.)	10.66 g
10.	Kaṭurohinī (Kaṭukā)	(Rz.)	10.66 g
11.	Mañjiṣṭhā	(Rt.)	10.66 g
12.	Padmaka	(Ht.Wd.)	10.66 g
13.	Lodhra	(St.Bk.)	10.66 g
14.	Abhayā (Harītakī)	(P.)	10.66 g
15.	Nīlotpala (Utpala)	(Fl.)	10.66 g
16.	Tutthaka (Tuttha)		10.66 g
17.	Sāriva (Śveta Sārivā)	(Rt.)	10.66 g
18.	Naktamāla (Karañja)	(Sd.)	10.66 g
19.	Taila (Tila)	(Ol.)	768 g
20.	Water		3.072 l

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Kacchū (Itching), Sphoṭaka (Boil), Nāḍīvrāṇa (Fistula), Śastraprahāra Vraṇa (Wounds due to sharp weapons), Dagdha Vraṇa (Burn ulcer), Danta-Nakha Kṣata (Injury caused by teeth and nails), Duṣṭa Vraṇa (Non-healing ulcer)

8 : 18 JYOTIṢMATĪ TAILA

(Yogarātnākara, Kuṣṭhacikitsā: Page 696)

मयूरक्षारजले सप्तकृत्वः परिशृतम् ।
 सिद्धं ज्योतिष्मतीतैलमभ्यङ्गाच्छिवत्र नाशनम् ॥
 (योगरत्नाकर, कुष्ठश्वित्रचिकित्सा; ६९६)

- | | | | |
|----|---------------------|-------|---------|
| 1. | Mayūraka (Apāmārga) | (Pl.) | 5.376 l |
| | Kṣāra jala | | |
| 2. | Jyotiṣmatī - taila | (Ol.) | 768 g |

Special Method of Preparation

Mayuraka Kṣāra Jala of 768 ml is boiled along with taila till all the moisture evaporates. The process is done seven times each with 768ml of Kṣāra Jala.

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Śvitraroga (Leucoderma/Vitiligo)

8 : 19 TUNḠADRUṢMĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa: 43)

तुङ्गद्रुमस्य तरुणस्य जले सुगन्धालामज्जयष्टीमधुकोत्पलचन्दनानाम् ।
कल्केन दुग्धसहितेन विपक्वमेतत्तैलं शिरोनयनतर्पणमर्पणेन ॥
(सहस्रयोग, तैलप्रकरण; ४३)

- | | | | |
|----|-----------------------------------|-----------|---------|
| 1. | Taruṇa Tuṅgadruma jala (Nārikela) | | 3.072 l |
| 2. | Sugandhā (Sugandha Vacā) | (Rz.) | 32 g |
| 3. | Lāmajja (Uśīra) | (Rt.) | 32 g |
| 4. | Yaṣṭīmādhuka (Yaṣṭī) | (Rt.) | 32 g |
| 5. | Utpala | (Pl.) | 32 g |
| 6. | Candana (Śveta candana) | (Ht. Wd.) | 32 g |
| 7. | Dugdha (Godugdha) | | 768 ml |
| 8. | Taila (Tila) | (Ol.) | 768 g |

Usage

Used externally for Śirobhyāṅga

Important Therapeutic Uses

Śīroroga (Disease of head), Nayana Roga (Disease of the eye), Unmāda (Mania/Psychosis), Anidrā (Insomnia)

8 : 20 TUVARAKA TAILA

(Suśrutasamhitā, Cikitsāsthāna, Adhyāya 13: 20-23, 29)

वृक्षास्तुवरका ये स्युः पश्चिमार्णवभूमिषु ॥२०॥
वीचीतरङ्गविक्षेपमारुतोद्धृतपल्लवाः ।
तेषां फलानि गृह्णीयात् सुपक्वान्यम्बुदागमे ॥२१॥
मज्जां तेभ्योऽपि संहृत्य शोषयित्वा विचूर्ण्य च ।
तिलवत् पीडयेद् द्रोण्यां स्रावयेद्वा कुसुम्भवत् ॥२२॥
ततैलं सहितं भूयः पचेदातोयसंक्षयात् ।
अवतार्य करीषे च पक्षमात्रं निधापयेत् ॥२३॥
तदेव खदिरक्वाथे त्रिगुणे साधु साधितम् ॥२९॥
(सुश्रुतसंहिता, चिकित्सास्थान, अध्याय १३; २०-२३, २९)

- | | | | |
|----|---------------------------|----------|---------|
| 1. | Tuvaraka phalamajjā | (Ol.) | 768 g |
| | Taila (Tuvaraka) | | |
| 2. | Khadira Kvātha (Khadira) | (Ht.Wd.) | 2.304 l |
| 3. | Tuvaraka kalka (Tuvaraka) | (Sd.) | 128 g |

Special Method of Preparation

The prepared taila should be kept in Karīṣa (hot ash of cow dung) for fifteen days before use.

Dose

10 to 20 drops, used externally for Abhyāṅga also

Anupāna

Cow's milk or butter.

Pathya, Apathya

Pathya: Milk, sweet, citrus fruits, apple, banana, sweet grapes, old boiled rice, barley, wheat bread, butter-milk. Apathya: Amla Rasa, Lavaṇa Rasa, Kaṭu Rasa

Important Therapeutic Uses

Kṣudra Kuṣṭha (Group of minor skin diseases), Mahākuṣṭha (Group of major skin diseases), Meha (Excessive flow of urine)

8 : 21 TRIPHALĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa : 44)

त्रिफलामृतवल्लीं च केतक्यसनकौ बलाम् ।
एरण्डमिन्द्रवल्लीं च जलद्रोणे विपाचयेत् ॥
रसेन तेकराजस्य हठस्य स्वरसेन च ।
तैलप्रस्थं पचेद्धीमान् द्विगुणक्षीरसंयुतम् ॥
कल्कं च कुष्ठयष्टाह्वपद्मकोशीरचन्दनैः ।
मुस्तैलापत्रमांसी च हयगन्धा बलाऽमृता ॥
शारिवामरकाष्ठं च लवङ्गनतचोरकाः ।
उत्पलाद्यंजने नीली श्लक्ष्णपिष्टान्समावपेत् ॥
शिरोरोगप्रतिश्यायौ विशेषेण विनाशयेत् ।
खालित्यं चैव पालित्यं केशानां भञ्जानं तथा ॥
त्रिफलाद्यमिदं तैलमूर्ध्वजत्रुगदापहम् ॥
(सहस्रयोग, तैलप्रकरण; ४४)

1.	Harītakī	(P.)	341.33 g
2.	Bibhītaka	(P.)	341.33 g
3.	Āmalakī	(P.)	341.33 g
4.	Amṛtavallī (Guḍucī)	(St.)	341.33 g
5.	Ketakī	(Rt.)	341.33 g

6.	Asanaka (Asana)	(Ht. Wd.)	341.33 g
7.	Balā	(Rt.)	341.33 g
8.	Eraṇḍa	(Rt.)	341.33 g
9.	Indravallī	(Rt.)	341.33 g
10.	Water for decoction		12.288 l
	reduced to		3.072 l
11.	Tekarāja (Bhṛṅgarāja) svarasa (Pl.)		786 ml
12.	Haṭha svarara (Āmalakī)	(P.)	768 g
13.	Taila (Tila)	(Ol.)	768 g
14.	Kṣīra (Godugdha)		1.536 l
15.	Kuṣṭha	(Rt.)	8 g
16.	Yaṣṭyāhvā (Yaṣṭī)	(Rt.)	8 g
17.	Padmaka	(Ht. Wd.)	8 g
18.	Uśīra	(Rt.)	8 g
19.	Candana (Raktacandana)	(Ht. Wd.)	8 g
20.	Mustā	(Rz.)	8 g
21.	Elā (Sūkṣmailā)	(Sd.)	8 g
22.	Patra (Tejapatra)	(Lf.)	8 g
23.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	8 g
24.	Hayagandhā (Aśvagandhā)	(Rt.)	8 g
25.	Balā	(Rt.)	8 g
26.	Amṛtā (Guḍūcī)	(St.)	8 g
27.	Sāriva (Śveta Sārivā)	(Rt.)	8 g
28.	Amarakāṣṭha (Dēvadāru)	(Ht. Wd.)	8 g
29.	Lavaṅga	(Fl. Bd.)	8 g
30.	Nata (Tagara)	(Rt./Rz.)	8 g
31.	Coraka	(Rz.)	8 g
32.	Śveta kamala (Kamala)	(Fl.)	8 g
33.	Rakta kamala (Kamala)	(Fl.)	8 g

34.	Kumuda	(Fl.)	8 g
35.	Kalhāra (Kumuda)	(Fl.)	8 g
36.	Padma	(Fl.)	8 g
37.	Añjana (Dāruharidrā)	(St. Ext.)	8 g
38.	Nīlī	(Lf.)	8 g

Note:

In Kerala region: 1. Āmpal kizaṅgu 2. Naital kizaṅgu 3. Cengazunir kizaṅgu 4. Karinkuvala kizaṅgu 5. Tāmara kizaṅgu are grouped under the "Utpaladi" (drugs 32 to 36). This change is approved by Ayurvedic Pharmacopoeia Committee.

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Śiroroga (Disease of head), Pratiśyāya (Coryza), Khālitya (Alopecia), Pālitya (Graying of hair, particularly of scalp), Keśaśāta (Loss of hair), Ūrdhvajatrugata Roga (Disorders of body parts above clavicle)

8 : 22 DHĀNVANTARA TAILA (Synonym Balā Taila)

(Vaidyayogaratnāvali, Tailaparakaraṇa; Page 244)

बलामूलकषायस्य भागाः षट् पयसस्तथा ।
यवकोलकुलत्थानां दशमूलस्य चैकतः ॥
निष्पत्वाथभागैः भागश्च तैलस्य च चतुर्दश ।
द्विमेदादारुमज्जिष्ठाकाकोलीद्वयचन्दनैः ।
सारिवा कुष्ठ तगरं जीवकर्षभ पुनर्ववा ।
कालानुसारी शैलेय वचागुरु पुनर्ववा ।
अश्वगन्धा वरी क्षीरशुक्ला यष्टी वरारसैः ।

शताह्वा शूर्पपर्ण्येलां त्वक् पलैः श्लक्ष्णकल्कितैः ।
 पक्वं मृद्वग्निना तैलं सर्ववातविकारजित् ।
 (वैद्ययोगरत्नावली, तैलप्रकरण, पृष्ठ २४४)

1.	Balāmūla (Balā)	(Rt.)	4.608 g
2.	Water for decoction		36.864 l
	reduced to		4.608 l
3.	Payah (Godugdha)		4.608 l
4.	Yava	(Sd.)	
5.	Kola	(Fr.)	
6.	Kulattha	(Sd.)	
7.	Bilva	(Rt./St. Bk.)	
8.	Śyonāka	(Rt./St. Bk.)	
9.	Gambhārī	(Rt./St. Bk.)	
10.	Pāṭalā	(Rt./St. Bk.)	
11.	Gaṇikārikā (Agnimanthā)	(Rt./St. Bk.)	
12.	Śālaparnī	(Pl.)	
13.	Prśniparnī	(Pl.)	
14.	Bṛhatī	(Pl.)	
15.	Kaṇṭakārī	(Pl.)	
16.	Gokṣura	(Pl.)	
	768 g (drugs 4 to 16 in equal proportion)		
17.	Water for decoction		6.144 l
	reduced to		768 ml
18.	Taila (Tila)	(Ol.)	768 ml
19.	Medā	(Rt. Tr.)	6 g
20.	Mahāmedā	(Rt. Tr.)	6 g
21.	Dāru (Devadāru)	(Ht. Wd.)	6 g
22.	Mañjiṣṭhā	(Rt.)	6 g
23.	Kākolī	(Sub. Rt.)	6 g

24.	Kṣīrakākoli	(Sub. Rt.)	6 g	
25.	Candana (Raktacandana)	(Ht. Wd.)	6 g	
26.	Śārivā (Śveta Śārivā)	(Rt.)		6 g
27.	Kuṣṭha	(Rt.)	6 g	
28.	Tagara	(Rt./Rz.)	6 g	
29.	Jīvaka	(Rt.Tr.)	6 g	
30.	Rṣabhaka	(Rt.Tr.)	6 g	
31.	Saindhava lavaṇa		6 g	
32.	Kalānusārī (Tagara)	(Rt./Rz.)	6 g	
33.	Śaileya	(Pl.)	6 g	
34.	Vacā	(Rz.)	6 g	
35.	Agaru	(Ht.Wd.)	6 g	
36.	Punarnavā (Rakta Punarnavā)	(Rt.)		6 g
37.	Aśvagandhā	(Rt.)	6 g	
38.	Varī (Śatāvarī)	(Rt.Tr.)	6 g	
39.	Kṣīraśuklā (Kṣīravaidārī)	(Rt.Tr.)	6 g	
40.	Yasṭī	(Rt.)	6 g	
41.	Harītakī	(P.)	6 g	
42.	Bibhītaka	(P.)	6 g	
43.	Āmalakī	(P.)	6 g	
44.	Śatāhvā	(Fr.)	6 g	
45.	Māṣaparnī	(Pl.)	6 g	
46.	Mudgaparnī	(Pl.)	6 g	
47.	Elā (Sūkṣmailā)	(Sd.)		6 g
48.	Tvak	(St.Bk.)	6 g	
49.	Patra (Tejapatra)	(Lf.)	6 g	

Note:

1. This Taila when prepared with Āvartana process is known as Dhānvantara Taila Āvartana.
2. When 768 ml of Taila, Eranda taila and Ghritha (in equal proportion) is taken as sneha, the name of this yoga is Trivṛt Dhānvantara taila.

Dose

10 to 60 drops, used externally for Abhyaṅga and Dhāra also

Anupāna

Warm milk

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa), Pakṣavadha (Paralysis/Hemiplegia), Sarvāṅga Vāta (Quadriplegia), Dhātu Kṣaya (Tissue wasting), Sūtikā Roga (Puerperal disease), Bāla Roga (Diseases of children)

8 : 23 NĀRĀYAṆA TAILA

(Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra: 140-150)

बिल्वाग्निमन्थश्यानाकपाटलापारिभद्रकम् ।
प्रसारण्यश्वगन्धा च बृहती कण्टकारिका ॥१४०॥
बला चातिबला चैव श्वदंष्ट्रा सपुनर्नवा ।
एषां दशपलान् भागांश्चतुर्द्रोणेऽम्भसः पचेत् ॥१४१॥
पादशेषं परिस्राव्य तैलपात्रं प्रदापयेत् ।
शतपुष्पा देवदारु मांसी शैलेयकं वचा ॥१४२॥
चन्दनं तगरं कुष्ठमेला पर्णीचतुष्टयम् ।
रास्ना तुरगगन्धा च सैन्धवं सपुनर्नवम् ॥१४३॥
एषां द्विपलिकान् भागान् पेषयित्वा विनिक्षिपेत् ।
शतावरीरसञ्चैव तैलतुल्यं प्रदापयेत् ॥१४४॥
आजं वा यदि वा गव्यं क्षीरं दद्याच्चतुर्गुणम् ।

पाने वस्तौ तथाऽभ्यङ्गे भोज्ये चैव प्रशस्यते ॥१४५॥
 अश्वो वा वातसम्भग्नो गजो वा यदि वा नरः ।
 पङ्गुश्च पीठसर्पी च तैलेनानेन सिद्ध्यति ॥१४६॥
 अधोभागे ये च वाताः शिरोमध्यगताश्च ये ।
 मन्यास्तम्भे हनुस्तम्भे दन्तरोगे गलग्रहे ॥१४७॥
 यस्य शुष्यति चैकाङ्गं गतिर्यस्य च विह्वला ।
 क्षीणेन्द्रियाः क्षीणशुक्रा ज्वरक्षीणाश्च ये नराः ॥१४८॥
 बधिरा लल्लजिह्वाश्च मन्दमेधस एव च ।
 अल्पप्रजा च या नारी या च गर्भं न विन्दति ॥१४९॥
 वातातूर्त्तौ वृषणौ येषामन्त्रवृद्धिश्च दारुणा ।
 एतत्तैलवरं तेषां नाम्ना नारायणं मतम् ॥१५०॥
 (भैषज्यरत्नावली, वातव्याध्यधिकार; १४०-१५०)

1.	Bilva	(Rt./St.Bk.)	480 g
2.	Agnimantha	(Rt./St.Bk.)	480 g
3.	Śyonāka	(Rt./St. Bk.)	480 g
4.	Pāṭalā	(Rt./St. Bk.)	480 g
5.	Pāribhadra	(St. Bk.)	480 g
6.	Prasārīṇī	(Pl.)	480 g
7.	Aśvagandhā	(Rt.)	480 g
8.	Bṛhatī	(Pl.)	480 g
9.	Kaṇṭakārī	(Pl.)	480 g
10.	Balā	(Rt.)	480 g
11.	Atibalā	(Rt.)	480 g
12.	Śvadamṣṭrā (Gokṣura)	(Pl.)	480 g
13.	Punarnavā (Rakta Punarnavā)	(Rt.)	480 g
14.	Water for decoction		49.152 l
	reduced to		12.288 l
15.	Taila (Tila)	(Ol.)	3.072 kg
16.	Śatapuspā (Śatāhvā)	(Fr.)	96 g
17.	Devadāru	(Ht. Wd.)	96 g

18.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	96 g
19.	Śaileyaka (Śaileya)	(Pl.)	96 g
20.	Vacā	(Rz.)	96 g
21.	Candana (Raktacandana)	(Ht. Wd.)	96 g
22.	Tagara	(Rt./Rz.)	96 g
23.	Kuṣṭha	(Rt.)	96 g
24.	Elā (Sūkṣmailā)	(Sd.)	96 g
25.	Śālaparṇī	(Pl.)	96 g
26.	Prśniparṇī	(Pl.)	96 g
27.	Mudgaparṇī	(Pl.)	96 g
28.	Māṣaparṇī	(Pl.)	96 g
29.	Rāsnā	(Rt./Lf.)	96 g
30.	Turagandhā (Aśvagandhā)	(Rt.)	96 g
31.	Saindhava lavaṇa		96 g
32.	Punarnavā (Rakta Punarnavā)	(Rt.)	96 g
33.	Śatāvararasa (Śatāvarī)	(Rt. Tr.)	3.072 l
34.	Gavyakṣīra (Godugdha)		12.288 l

Dose

6 g; used externally for Nasya, Abhyanga and Anuvāsana also.

Anupāna

Warm water, milk

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa), Paṅgu (Paraplegia), Śirogata Vāta (Neurological disorders of head), Manyā Stambha (Neck rigidity/Torticollis), Hanustambha (Lock jaw), Dantaroga (Dental disease), Galagraha (Difficulty in swallowing), Ekāṅga Śoṣa (Wasting of one limb), Kampa (Tremor), Kṣīṇendriya (Impaired senses), Kṣīṇa Śukra (Oligospermia), Bādhīrya (Deafness), Lālājihvatā (Excess salivation), Medhālpātā (Retarded

intelligence), Anḍa Śūla (Testicular pain), Āntra Vṛddhi (Hernia)

8 : 24 NĀLPĀMARĀDI TAILA1

(Sahasrayoga, Tailaprakaraṇa, 26)

नाल्पामरं त्रिफल चंदनसेव्यकुष्ठ
चोवलि चोरमगिलेन्निव कल्कमाक्कि ।
पैमज्जल् पर्पटरसे परिपक्वमेण्ण
तेक्किल् केटुं चोरिचिरंगु विसर्पकुष्ठं ॥
(सहस्रयोग, तैलप्रकरण; २६)

1.	Paimañjal rasa (Haridrā) - ārdra (Rz.)	1.536 l
2.	Parpaṭa- rasa (Pl.)	1.536 l
3.	Enṇa (Tila) (Ol.)	768 ml.
4.	Nyagrodha (St. Bk.)	15 g
5.	Udumbara (St. Bk.)	15 g
6.	Aśvattha (St. Bk.)	15 g
7.	Plakṣa (St. Bk.)	15 g
8.	Harītakī (P.)	15 g
9.	Bibhītaka (P.)	15 g
10.	Āmalakī (P.)	15 g
11.	Candana (Raktacandana) (Ht. Wd.)	15 g
12.	Sevya (Uśīra) (Rt.)	15 g
13.	Kuṣṭha (Rt.)	15 g
14.	Covvalli (Mañjiṣṭhā) (Rt.)	15 g
15.	Coram (Coraka) (Rz.)	15 g
16.	Akil (Agaru) (Ht. Wd.)	15 g

Note:

This formula when prepared with coconut oil is called Nālpāmarādi kera Taila.

Dose

Used externally for Abhyaṅga

Important Therapeutic Uses

Tvagroga (Skin disease), Visarpa (Erysipelas), Kuṣṭha (Diseases of skin), Pāmā (Eczema), Kaṇḍū (Itching), Piṭaka (Boil/Carbuncle)

8 : 25 NĪLIKĀDYA TAILA

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 10 : 157-160 1/2)

नीलिका केतकीकन्दं भृङ्गराजः कुरण्टकः ॥१५७॥
तथार्जुनस्य पुष्पाणि बीजकात् कुसुमान्यपि ।
कृष्णास्तिलाश्च तगरं समूलं कमलं तथा ॥१५८॥
अयोरजः प्रियङ्गुश्च दाडिमत्वग्गुडूचिका ।
त्रिफला पद्मपङ्कश्च कल्कैरेभिः पृथक् पृथक् ॥१५९॥
कर्षमात्रैः पचेत् तैलं त्रिफलाक्वाथसंयुतम् ।
भृङ्गराजरसेनैव सिद्धं केशस्थिरीकृतम् ॥१६०॥
अकालपलितं हन्ति दारुणं चोपजिह्विकाम् ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ९; १५७-१६० १/२)

1.	Nīlikā (Nīlī)	(Pl.)	12 g
2.	Ketakī- kanda	(Rz.)	12 g
3.	Bhṛṅgarāja	(Pl.)	12 g
4.	Kuraṇṭaka (Sahacara)	(Pl.)	12 g
5.	Arjuna-puṣpa	(Fl.)	12 g
6.	Bījaka kusuma (Asana)	(Fl.)	12 g
7.	Kṛṣṇa tila (Taila)	(Sd.)	12 g
8.	Tagara	(Rt./Rz.)	12 g
9.	Kamala	(Rt.)	12 g
10.	Ayoraja (Lauha) bhasma		12 g

11.	Priyaṅgu	(Fl.)	12 g
12.	Dāḍima-tvak	(P.)	12 g
13.	Guḍūcīkā (Guḍucī)	(St.)	12 g
14.	Harītakī	(P.)	12 g
15.	Bibhītaka	(P.)	12 g
16.	Āmalakī	(P.)	12 g
17.	Padma paṅka		12 g
(The soil near root of Kamala is to be used)			
18.	Taila (Tila)	(Ol.)	768 g
19.	Triphalā - kvātha	(P.)	3.072 l
20.	Bhr̥ṅgarāja-svarasa	(Pl.)	3.072 l

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Khālitya (Alopecia), Indralupta (Alopecia), Kaṇḍū (Itching), Valī (Wrinkles in the skin), Palita (Graying of hair), Upajihvikā (Epiglottitis)

8 : 26 NĪLIBHR̥ṆGĀDI TAILA

(Sahasrayoga; Tailaprakaraṇa: 38)

नीलीभृङ्गलताशतक्रतुलताधात्रीफलानां रसे
क्षीरैराजकनालिकेरमहिषीधेनूद्भवैस्साधितम् ।
तैलं तत्पयसैव पिष्टलुलितैर्यष्ट्याह्वगुञ्जाञ्जनैः
केशान् सञ्जनयेत्तलेऽपि करयोरास्तामकेशं शिरः ॥
(सहस्रयोग, तैलप्रकरण; ३८)

1.	Nīlī-svarasa	(Lf.)	768 ml
----	--------------	-------	--------

2.	Bhr̥ṅgarāja-svarasa	(Pl.)	768 ml
3.	Śatakratulatā (Karnasphoṭa)	(Pl.)	768 ml
4.	Dhātrī (Āmalakī)	(P.)	768 ml
5.	Ajākṣīra		768 ml
6.	Nālikela kṣīra (Nārikela)	(Kr.)	768 ml
7.	Mahiṣī kṣīra		768 ml
8.	Dhēnūdbhava (Godugdha)		768 ml
9.	Taila (Tila)	(Ol.)	768 ml
10.	Yastī	(Rt.)	32 g
11.	Guñjā mūla (guñjā)	(Rt.)	32 g
12.	Añjana (Dāruharidrā)	(St. Ext.)	32 g

Note:

This yoga when prepared with coconut oil is called Nīlibhr̥ṅgādi kera Taila.

Dose

Used externally for Śirobhyaṅga

Important Therapeutic Uses

Keśapāta (Falling of hair), Palita (Graying of hair)

8 : 27 PARIṆATAKERIKṢIRĀDI TAILA

(Sahasrayoga, Tailaprakarana: 9)

परिणतकेरीक्षीरे जम्बीरफलोदकेन तुलितेन ।
क्षणदासुरधूपशृतं तैलं ह्यपबाहुकं जयति ॥
(सहस्रयोग, तैलप्रकरण; ९)

1.	Pariṇatakerī-kṣīra	(Kr.)	1.536 l.
2.	Jambīra phalodaka	(Fr.)	1.536 l

3.	Kṣaṇadā (Haridrā)	(Rz.)	48 g
4.	Suradhūpa (Sarja)	(Exd.)	48 g
5.	Taila (Tila)	(Ol.)	768 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Avabāhuka (Brachialgia)

8 : 28 PIṆḌA TAILA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 22: 22)

समधूच्छिष्टमज्जिष्ठं ससर्जरससारिवम् ।
 पिण्डतैलं तदभ्यङ्गाद् वातरक्तरुजापहम् ॥२२॥
 (अष्टांगहृदय, चिकित्सास्थान, अध्याय २२; २२)

1.	Madhūcciṣṭa		280 g
2.	Mañjiṣṭha (Mañjiṣṭhā)	(Rt.)	455 g
3.	Sarja rasa (Sarja)	(Exd.)	186 g
4.	Sāriṇa (Śveta Sāriṇā)	(Rt.)	455 g
5.	Taila (Tila)	(Ol.)	6 l
6.	Water		24 l

Note:

The quantity of Ingredients have been given on the basis of current practice.

Special Method of Preparation

Sāriṇa and Mañjiṣṭha are taken in the prescribed quantity, powdered and then ground to a fine paste. This is mixed with the prescribed quantity of water. Taila is added and

allowed to boil in a vessel sufficiently large to prevent the overflowing when foa

Usage

Used externally for abhyaṅga

Important Therapeutic Uses

Vātaraktarujā (Pain due to Vātarakta), Dāha (Burning sensation)

Note; The quantity of Ingredients have been given on the basis of current practice

8 : 29 PIPPALYĀDI TAILA

(Bhaiṣajyaratnāvalī, Arśorogādhikāra: 115-118)

पिप्पलीं मधुकं बिल्वं शताह्वा मदनं वचाम् ।
कुष्ठं शटीं पुष्कराख्यं चित्रकं देवदारु च ॥११५॥
पिष्ट्वा तैलं विपक्तव्यं द्विगुणक्षीरसंयुतम् ।
अर्शसां मूढवातानां तच्छ्रेष्ठमनुवासनम् ॥११६॥
गुदनिःसरणं शूलं मूत्रकृच्छ्रं प्रवाहिकाम् ।
कट्यूरुपृष्ठदौर्बल्यमानाहं वङ्क्षणाश्रयम् ॥११७॥
पिच्छास्रावं गुदे शोथं वातवर्चोविनिग्रहम् ।
उत्थानं बहुशो यच्च जयेच्चैवानुवासनात् ॥११८॥
(भैषज्यरत्नावली, अर्शोरोगाधिकार; ११५-११८)

1.	Pippalī	(Fr.)	8.7 g
2.	Madhuka (Yaṣṭī)	(Rt.)	8.7 g
3.	Bilva	(Fr. P.)	8.7 g
4.	Śatāhvā	(Fr.)	8.7 g
5.	Madana	(Fr.)	8.7 g
6.	Vacā	(Rz.)	8.7 g
7.	Kuṣṭha	(Rt.)	8.7 g
8.	Śaṭī	(Rz.)	8.7 g

9.	Puṣkarākhyā (Puṣkara)	(Rt.)	8.7 g
10.	Citraka	(Rt.)	8.7 g
11.	Devadāru	(Ht. Wd.)	8.7 g
12.	Taila (Tila)	(Ol.)	768 g
13.	Kṣīra (Godugdha)		1.536 l

Usage

Used externally for Anuvāsana

Important Therapeutic Uses

Pravāhikā (Dysentery), Guda Niḥsaraṇa (Rectal prolapse), Arśa (Haemorrhoids), Mūtrakṛcchra (Dysuria), Mūḍha Vāta (Obstructed movement of Vāta doṣa), Kaṭi-ūru-Prṣṭha Daurbalya (Weakness and lower backache radiating to thighs), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Vaṅkṣaṇa Rujā (Pain in groin), Guda Śūla (Pain in the anorectal area), Picchāsṛāva (Mucoid discharge), Guda Śoṭha (Inflammation of the rectum), Malabandha (Constipation), Apāna Vāyu Nirodha (Obstruction of flatus)

8 : 30 PRABHĀÑJANA VIMARDANA TAILA

(Sahasrayoga, Tailaprakaraṇa : 5)

बलाशतावरीशिगुवरुणार्ककरञ्जिकाः ।
 एरण्डं चापि कोरण्टो वाजिगन्धा प्रसारिणी ॥
 पञ्चमूलं वरिष्ठं च तैस्सर्वैः क्वथिते जले ।
 पादावशेषिते दद्यात्तैलस्यार्द्धाढकं भिषक् ॥
 क्षीरं तद्विगुणं दद्यात्समे दधिकाञ्जिके ।
 तगरामरकाष्ठैलाशुण्ठीसर्षपचोरकाः ॥
 शताह्वाकुष्ठसिन्धूत्थरास्नाकालानुसारिकाः ।
 वचा सचित्रकं मांसी सरलं कटुरोहिणी ॥

प्रत्येकं कार्षिकोन्मानं प्रतीवापाय योजयेत् ।
 सर्वैरेभिस्तु मृद्वग्निसिद्धं तिलजमादरात् ॥
 पानाभ्यञ्जननस्येषु विधेयं वस्तिकर्मणि ।
 अशीतिं वातजान् रोगान्हन्यादाशु सुदारुणान् ॥
 वातगुल्मादितं वृद्धिमान्त्रजं वातविद्रधिम् ।
 मूढगर्भं तथा शूलान्विविधांश्च विनाशयेत् ।
 एतत्तैलं महावीर्यमात्रेयप्रमुखैः पुरा ।
 निर्मितं नामतश्चापि प्रभञ्जनविमर्दनम् ॥
 (सहस्रयोग, तैलप्रकरण; ५)

1.	Balā	(Rt.)	25.6 g
2.	Śatavarī	(Rt.Tr.)	25.6 g
3.	Śigru	(St.Bk.)	25.6 g
4.	Varuṇa	(St.Bk.)	25.6 g
5.	Arka	(Rt.)	25.6 g
6.	Karañjaka (Karañja)	(St. Bk.)	25.6 g
7.	Eraṇḍa	(Rt.)	25.6 g
8.	Koraṇṭa (Sahacara)	(Pl.)	25.6 g
9.	Vājigandhā (Aśvagandhā)	(Rt.)	25.6 g
10.	Prasārīṇī	(Pl.)	25.6 g
11.	Bilva	(Rt./St. Bk.)	25.6 g
12.	Śyonāka	(Rt./St. Bk.)	25.6 g
13.	Gambhārī	(Rt./St. Bk.)	25.6 g
14.	Pāṭalā	(Rt./St. Bk.)	25.6 g
15.	Agnimantha	(Rt./St. Bk.)	25.6 g
16.	Water for decoction		24.576 l.
	reduced to		6.144 l.
17.	Taila (Tila)	(Ol.)	1.536 kg
18.	Kṣīra (Godugdha)		3.072 l.
19.	Dadhi (godadhi)		1.536 kg
20.	Kāñjika		1.536 l.

21.	Tagara	(Rt./Rz.)	12 g
22.	Amarakāṣṭha (Dēvadāru)	(Ht. Wd.)	12 g
23.	Elā (Sūkṣmailā)	(Sd.)	12 g
24.	Śunṭhī	(Rz.)	12 g
25.	Sarṣapa	(Sd.)	12 g
26.	Coraka	(Rz.)	12 g
27.	Śatāhvā	(Fr.)	12 g
28.	Kuṣṭha	(Rt.)	12 g
29.	Sindhūttha (Saiṇdhava Lavaṇa)		12 g
30.	Rāsnā	(Rt./Lf.)	12 g
31.	Kālānusārikā (Methī)	(Sd.)	12 g
32.	Vacā	(Rz.)	12 g
33.	Citraka	(Rt.)	12 g
34.	Māmsī (Jaṭāmāmsī)	(Rz.)	12 g
35.	Sarala	(Ht. Wd.)	12 g
36.	Kaṭurohiṇī (Kaṭukā)	(Rz./Rt.)	12 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Vāta Gulma (Lump due to Vāta doṣa), Vāta Vidradhi (Abscess due to Vāta doṣa), Āntra Vṛddhi (Hernia), Śūla (Colicky Pain), Ardita (Facial palsy), Vātaroga (Disease due to Vāta doṣa), Kaṭi Śūla (Lower backache), Pṛṣṭha Śūla (Backache), Mūḍha Garbha (Malpresentation of the foetus)

8 : 31 PRAMEHA MIHIRA TAILA

(Bhaiṣajyaratnāvalī, Pramehādhikāra: 86-94)

शतपुष्पा देवकाष्ठं मुस्तकञ्च निशाद्वयम् ।
 मूर्वा कुष्ठं वाजिगन्धा चन्दनद्वयरेणुकम् ॥८६॥
 कटुकी मधुकं रास्ना त्वगेला ब्रह्मयष्टिका ।
 चविका धान्यकं वत्सं पूतिकागुरुपत्रकम् ॥८७॥
 त्रिफला नलिका बाला बला चातिबला तथा ।
 मज्जिष्ठा सरलं पद्मं लोध्रं मधुरिका वचा ॥८८॥
 अजाजी चोशीरं जाती वासा तगरपादुका ।
 एतेषां कार्षिकैर्भागैस्तैलप्रस्थं विपाचयेत् ॥८९॥
 शतावर्या रसं तुल्यं लाक्षायाश्च चतुर्गुणम् ।
 मस्तु लाक्षारसैस्तुल्यं क्षीरं तुल्यं प्रदापयेत् ॥९०॥
 द्रवैरेतैः पचेत्तैलं गन्धं दत्त्वा यथाक्रमम् ।
 एतत्तैलवरं श्रेष्ठमभ्यङ्गान्मारुतापहम् ॥९१॥
 विषमाख्यान् ज्वरान् सर्वान् मेदोमज्जगतानपि ।
 वातिकं पैत्तिकं चैव श्लैष्मिकं सान्निपातिकम् ॥९२॥
 क्षीणेन्द्रिये तथा शस्तं ध्वजभङ्गे विशेषतः ।
 दद्यात्तैलं विशेषेण फलमस्य च कथ्यते ॥९३॥
 दाहं पित्तं पिपासाञ्च छर्दिञ्च मुखशोषणम् ।
 प्रमेहान् विंशतिञ्चैव नाशयेदविकल्पतः ॥
 प्रमेहमिहिरं नाम्ना रतिनाथेन भाषितम् ॥९४॥
 (भैषज्यरत्नावली, प्रमेहाधिकार; ८६-९४)

1.	Śatapuspā (Śatāhvā)	(Fr.)	12 g
2.	Devakāṣṭha (devadāru)	(Ht. Wd.)	12 g
3.	Mustaka (Mustā)	(Rz.)	12 g
4.	Haridrā	(Rz.)	12 g
5.	Dāruharidrā	(St.)	12 g
6.	Mūrvā	(Rt.)	12 g
7.	Kuṣṭha	(Rt.)	12 g
8.	Vājigandhā (Aśvagandhā)	(Rt.)	12 g
9.	Śveta Candana	(Ht. Wd.)	12 g

10.	Rakta Candana	(Ht. Wd.)	12 g	
11.	Reṇuka (reṇūkā)	(Sd.)		12 g
12.	Kaṭukā	(Rz./Rt.)	12 g	
13.	Madhuka (Yaṣṭī)	(Rt.)	12 g	
14.	Rāsnā	(Rt./Lf.)	12 g	
15.	Tvak	(St.Bk.)	12 g	
16.	Elā (Sūkṣmailā)	(Sd.)		12 g
17.	Brahmayāṣṭikā (Bhāraṅgī)	(Rt.)	12 g	
18.	Cavikā (Cavya)	(St.)	12 g	
19.	Dhānyaka	(Fr.)	12 g	
20.	Vatsa (Kuṭaja)	(Sd.)		12 g
21.	Pūtīka (Cirabilva)	(St. Bk.)	12 g	
22.	Agaru	(Ht. Wd.)	12 g	
23.	Patraka (Tejapatra)	(Lf.)	12 g	
24.	Harītakī	(P.)	12 g	
25.	Bibhītaka	(P.)	12 g	
26.	Āmalakī	(P.)	12 g	
27.	Nalikā	(St. Bk.)	12 g	
28.	Bālā (Hrīvera)	(Rt.)	12 g	
29.	Balā	(Rt./Pl.)	12 g	
30.	Atibalā	(Rt.)	12 g	
31.	Mañjiṣṭhā	(Rt.)	12 g	
32.	Sarala	(Ht. Wd.)	12 g	
33.	Padma (Kamala)	(Pl.)	12 g	
34.	Lodhra	(St. Bk.)	12 g	
35.	Madhurikā (Miśreyā)	(Fr.)	12 g	
36.	Vacā	(Rz.)	12 g	
37.	Ajājī (Śveta jīraka)	(Fr.)	12 g	
38.	Uśīra	(Rt.)	12 g	

39.	Jātī (Jātīphala)	(Sd.)	12 g
40.	Vāsā	(Rt.)	12 g
41.	Tagarapādukā (Tagara)	(Rt./Rz.)	12 g
42.	Taila (Tila)	(Ol.)	768 ml
43.	Śatāvarīrasa (Śatāvarī)	(Rt.Tr.)	768 ml
44.	Lākṣā rasa (Lākṣā)	(Gl.)	3.072 l
45.	Mastu (godadhi)		3.072 l
46.	Kṣīra (Godugdha)		3.072 l
47.	Gandhadravya		2 g

Dose

6 to 12 g. Also used externally for Abhyaṅga

Anupāna

Milk, honey, warm water.

Important Therapeutic Uses

Vāta Vyādhi (Disease due to Vāta doṣa), Viṣamajvara (Intermittent fever), Prameha (Urinary disorders), Medogata vāta (Disease of adipose tissue affected by vitiated Vāta), Majjāgata Vāta (Bone marrow related disorder), Kṣīṇendriya (Impaired senses), Dhvajabhaṅga (Failure of penile erection), Dāha (Burning sensation), Pipāsā (Thirst), Chardi (Emesis), Mukha Śoṣa (Dryness in mouth / buccal cavity)

8 : 32 PRASĀRINĪ TAILA

(Śārṅgadhara saṃhitā, Madhyamakhaṇḍa, Adhyāya 9: 119-123 1/2)

प्रसारणीपलशतं जलद्रोणेन पाचयेत् ।

पादशिष्टः शृतो ग्राह्यस्तैलं दधि च तत्समम् ॥११९॥

काञ्जिकं च समं तैलात् क्षीरं तैलाच्चतुर्गुणम् ।

तैलात् तथाष्टमांशेन सर्वकल्कानि योजयेत् ॥१२०॥

मधुकं पिप्पलीमूलं चित्रकः सैन्धवं वचा ।

प्रसारिणी देवदारु रास्ना च गजपिप्पली ॥१२१॥

भल्लातः शतपुष्पा च मांसी चैभिर्विपाचयेत् ।

एतत् तैलं वरं पक्वं वातश्लेष्मामयाञ्जयेत् ॥१२२॥

कौब्जं पङ्गुत्वखञ्जत्वे गृध्रसीमर्दितं तथा ।

हनुपृष्ठशिरोग्रीवाकटिस्तम्भान् विनाशयेत् ॥१२३॥

अन्यांश्च विषमान् वातान् सर्वानाशु व्यपोहति ।

(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ९; ११९-१२३ १/२)

1.	Prasārīṇī	(Pl.)	4.800 kg
2.	Water for decoction		12.288 l.
	reduced to		3.072 l.
3.	Taila (Tila)	(Ol.)	3.072 kg
4.	Dadhi (godadhi)		3.072 kg
5.	Kāñjika		3.072 l.
6.	Kṣīra (Godugdha)		12.288 l.
7.	Madhuka (Yaṣṭī)	(Rt.)	32 g
8.	Pippalī mūla	(Rt.)	32 g
9.	Citraka	(Rt.)	32 g
10.	Saindhava lavaṇa		32 g
11.	Vacā	(Rz.)	32 g
12.	Prasārīṇī	(Pl.)	32 g
13.	Devadāru	(Ht.Wd.)	32 g
14.	Rasnā	(Rt./Lf.)	32 g
15.	Gajapippalī	(Fr.)	32 g
16.	Bhallāta (Bhallātaka) śuddha	(Fr.)	32 g
17.	Śatapuspā (Śatāhvā)	(Fr.)	32 g
18.	Māṃsī (Jaṭāmāṃsī)	(Rz.)	32 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Hanustambha (Lock jaw), Katistambha (Restricted movement of the lumbo-sacral region), Gṛdhrasī (Sciatica), Khañja (Limping), Kaubja (Hump/Kyphosis), Paṅgutva (Paraplegia), Vāta Śleṣma Roga (Disease due to Vāta and Kapha doṣa), Ardita (Facial palsy), Prṣṭha Stambha (Stiffness of the Lower back), Śirogrīvā Stambha (Stiffness in head and neck)

8 : 33 BALĀ TAILA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 21 : 72-80)

बलाशतं छिन्नरुहापादं रास्नाऽष्टभागिकम् ।।७२।।
जलाढकशते पक्त्वा शतभागस्थिते रसे ।
दधिमस्त्विक्षुनिर्यासशुक्तैस्तैलाढकं समैः ।।७३।।
पचेत्साजपयोऽर्धाशैः कल्कैरेभिः पलोन्मितैः ।
शठीसरलदार्वेलामज्जिष्ठागुरुचन्दनैः ।।७४।।
पद्मकातिबलामुस्ताशूर्पपर्णीहरेणुभिः ।
यष्ट्याह्वसुरसव्याघ्रनखर्षभकजीवकैः ।।७५।।
पलाशरसकस्तूरीनीलिकाजातिकोशकैः ।
स्पृक्काकुङ्कुमशैलेयजातिकाकट्फलाम्बुभिः ।।७६।।
त्वक्कुन्दरुक्कपर्पूरतुरुष्कश्रीनिवासकैः ।
लवङ्गनखकङ्कोलकुष्ठमांसीप्रियङ्गुभिः ।।७७।।
स्थौण्यतगरध्यामवचामदनकप्लवैः ।
सनागकेसरैः सिद्धे दद्याच्चाऽत्रावतारिते ।।७८।।
पत्रकल्कं ततः पूतं विधिना तत्प्रयोजितम् ।
कासश्वासज्वरच्छर्दिमूर्च्छागुल्मक्षतक्षयान् ।।७९।।
प्लीहशोषमपस्मारमलक्ष्मीं च प्रणाशयेत् ।
बलातैलमिदं श्रेष्ठं वातव्याधिविनाशनम् ।।८०।।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय २१; ७२-८०)

1.	Balā	(Rt.)	4.800 kg
2.	Chinnaruhā (Guḍūcī)	(St.)	1.200 kg
3.	Rāsnā	(Rt./Lf.)	0.600 kg
4.	Water for decoction		30.720 l
	reduced to		3.072 l
5.	Dadhi mastu (godadhi)		3.072 l
6.	Ikṣu niryāsa (Ikṣurasa)	(St.)	3.072 l
7.	Śukta (Dhānyamla)		3.072 l
8.	Taila (Tila)	(Ol.)	3.072 kg
9.	Āja payah (Ājā kṣīra)		1.536 l
10.	Śaṭhī (Śaṭī)	(Rz.)	48 g
11.	Sarala	(Ht. Wd.)	48 g
12.	Dāru (Devadāru)	(Ht. Wd.)	48 g
13.	Elā	(Sd.)	48 g
14.	Mañjiṣṭhā	(Rt.)	48 g
15.	Aguru (Agaru)	(Ht. Wd.)	48 g
16.	Candana (Raktacandana)	(Ht. Wd.)	48 g
17.	Padmaka	(Ht. Wd.)	48 g
18.	Atibalā	(Rt.)	48 g
19.	Mustā	(Rz.)	48 g
20.	Mudgaparṇī	(Pl.)	48 g
21.	Māṣaparnī	(Pl.)	48 g
22.	Hareṇu (Reṇukā)	(Sd.)	48 g
23.	Yaṣṭyāhvā (Yaṣṭī)	(Rt.)	48 g
24.	Surasa (Tulasī)	(Pl.)	48 g
25.	Vyāghra nakha	(Fr.)	48 g
26.	Rṣabhaka	(Rt. Tr.)	48 g
27.	Jīvaka	(Rt. Tr.)	48 g

28.	Palāśa rasa (Palaśa)	(Exd.)	48 g	
29.	Kastūrī (Mṛgamada)		48 g	
30.	Nīlikā	(Pl.)	48 g	
31.	Jātikōṣa (Jātī patrī)	(Ar.)		48 g
32.	Sprkkā	(Pl.)	48 g	
33.	Kuṅkuma	(Stl./Stg)	48 g	
34.	Śaileya	(Pl.)	48 g	
35.	Jātīka (Jātīphala)	(Sd.)		48 g
36.	Kaṭphala	(St. Bk.)	48 g	
37.	Ambu (Hrīvēra)	(Rt.)	48 g	
38.	Tvak	(St. Bk.)	48 g	
39.	Kundaru (Kunduru)	(Exd.)	48 g	
40.	Karpūra	(Sub. Ext.)	48 g	
41.	Turuṣka	(Sd.)		48 g
42.	Śrīnivāsaka (Sarala)	(Exd.)	48 g	
43.	Lavaṅga	(Fl. Bd.)	48 g	
44.	Nakha (Vyāghranakha)	(Fr.)	48 g	
45.	Kaṅkola	(Fr.)	48 g	
46.	Kuṣṭha	(Rt.)	48 g	
47.	Māṃsī (Jaṭāmāṃsī)	(Rz.)	48 g	
48.	Priyaṅgu	(Fl.)	48 g	
49.	Sthaṇḍeya	(Lf.)	48 g	
50.	Tagara	(Rz./Rt.)	48 g	
51.	Dhyāma (Rohiśa)	(Pl.)	48 g	
52.	Vacā	(Rz.)	48 g	
53.	Madanaka (Madana)	(Fr.)	48 g	
54.	Plava (Kaivarta mustā)	(Rz.)	48 g	
55.	Nāga keśara	(Stmn.)	48 g	

Note:

Aṣṭāṅga Hṛdaya mentions the quantity of water to be taken as 100 ādhakas (307.20 l.).

The Ayurveda Pharmacopoeia Committee however considers this as too large a quantity and approves only 10 Ādhaka (30.720 l) of water.

Dose

6 g

Anupāna

Warm water, milk

Important Therapeutic Uses

Chardi (Emesis), Gulma (Abdominal lump), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Mūrcchā (Syncope), Kṣata (Wound), Kṣaya (Pthisis), Apasmāra (Epilepsy), Vāta Vyādhi (Disease due to Vāta doṣa), Plīhā (Splenic disease), Śoṣa (Cachexia)

8 : 34 BALĀGUḌŪCYĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa: 14)

बलागुडूचीसुरपादपानां क्वाथे पचेत्तैलमिमांश्च पिष्ट्वा ।
जटामयाचन्दनकुन्दुरुष्कनताश्वगन्धासरलैः सरास्नैः ॥
एतत्सदाहं सरुजं सशोफं रक्तानुगं वातगदं निहन्ति ॥
(सहस्रयोग, तैलप्रकरण; १४)

1.	Balā	(Rt.)	256 g
2.	Guḍūcī	(St.)	256 g
3.	Surapādapa (Devadāru)	(Ht. Wd.)	256 g
4.	Water for decoction		12.288 l
	reduced to		3.072 l

5.	Jaṭā (Jaṭamāṃsī)	(Rt./Rz.)	16 g
6.	Āmaya (Kuṣṭha)	(Rt.)	16 g
7.	Candana (Raktacandana)	(Ht. Wd.)	16 g
8.	Kunduruṣka (Kunduru)	(Exd.)	16 g
9.	Nata (Tagara)	(Rt./Rz.)	16 g
10.	Aśvagandhā	(Rt.)	16 g
11.	Sarala	(Ht. Wd.)	16 g
12.	Rāsnā	(Rt./Lf.)	16 g
13.	Taila (Tila)	(Ol.)	768 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Vātarakta (Gout), Raktagata Vāta (Rakta affected by Vāta Doṣa)

8 : 35 BALĀDHĀTRYĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa: 57)

एकैकांशो बलाधात्र्योर्गुडूच्यास्तु तदर्धकः ।
उशीरस्य तदर्धः स्यात्तदर्धो हिरुबेरकात् ॥
तदर्धं चन्दनं यष्टी प्रसूनं बकुलस्य च ।
द्रोणेऽपां विपचेत्सम्यक् चतुर्भागावशेषितम् ॥
कल्कायात्र प्रदातव्यं मधुकं चन्दनद्वयम् ।
कुष्ठमुत्पलमब्दं च शारिवा च त्रिजातकम् ॥
जातीफलं च तक्कोलं कर्पूरं च शतावरी ।
जीवकर्षभकौ मेदा मृद्धीका कुङ्कुमं तथा ॥
लामज्जकं च शालूकं चोरकद्वयपुष्करम् ।
नागपुष्पं नखं स्पृक्का मज्जिष्ठा कटुरोहिणी ॥

मार्जारवीर्यं सरलं दारु चम्पकमञ्जनम् ।
 मधूकपुष्पं स्योनाकं त्रिफला फलिनी मिशिः ॥
 मुस्तागरु तथा मांसी तगरं पद्मकेसरम् ।
 कषायेण समं क्षीरं सममामलकं रसम् ॥
 दत्त्वा तद्वच्छतावर्यास्तैलप्रस्थं विपाचयेत् ।
 एतत्तैलं निहन्त्याशु पानाभ्यञ्जननावनैः ॥
 शिरोनेत्रगतान् रोगानन्यान् पित्तानिलोद्भवान् ।
 अङ्गदाहे शिरोदाहे नेत्रदाहे च शस्यते ॥
 क्षतक्षयहरं वृष्यं रक्तमांसबलप्रदम् ।
 ऊर्ध्वगन्तुगतान् रोगान्विशेषेण विनाशयेत् ॥
 (सहस्रयोग, तैलप्रकरण; ५७)

1.	Balā	(Rt.)	8 parts 251.2 g
2.	Dhātrī (Āmalakī)	(P.)	8 parts 251.2 g
3.	Guḍūcī	(St.)	4 parts 125.6 g
4.	Uśīra	(Rt.)	2 parts 62.8 g
5.	Hiruberaka (Hrīvēra)	(Rt.)	1 part 31.4 g
6.	Candana (Raktacandana)	(Ht. Wd.)	1/2 Part 15.7 g
7.	Yaṣṭī	(Rt.)	1/2 Part 15.7 g
8.	Bakula prasuna (Bakula)	(Fl.)	1/2 Part 15.7 g
9.	Water for decoction		12.288 l
	reduced to		3.072 l
10.	Madhuka (Yaṣṭī)	(Rt.)	1.92 g
11.	Raktacandana	(Ht. Wd.)	1.92 g
12.	Śveta Candana	(Ht. Wd.)	1.92 g
13.	Kuṣṭha	(Rt.)	1.92 g
14.	Utpala	(Fl.)	1.92 g
15.	Abda (Mustā)	(Rz.)	1.92 g
16.	Sarivā	(Rt.)	1.92 g
17.	Tvak	(St. Bk.)	1.92 g
18.	Elā (Sūkṣmailā)	(Sd.)	1.92 g

19.	Patra (Tejapatra)	(Lf.)	1.92 g
20.	Jātīphala	(Sd.)	1.92 g
21.	Takkola	(Fr.)	1.92 g
22.	Karpūra	(Sub. Ext.)	1.92 g
23.	Śatāvarī	(Rt. Tr.)	1.92 g
24.	Jīvaka	(Rt. Tr.)	1.92 g
25.	Rṣabhaka	(Rt. Tr.)	1.92 g
26.	Medā	(Rt. Tr.)	1.92 g
27.	Mṛdvīkā (Drākṣā)	(Dr. Fr.)	1.92 g
28.	Kuṅkuma	(Stl./Stg)	1.92 g
29.	Lāmajjaka	(Rt.)	1.92 g
30.	Śālūka (Kamala)	(Rz.)	1.92 g
31.	Śaṭhī (Śaṭī)	(Rz.)	1.92 g
32.	Caṇḍā	(Rz.)	1.92 g
33.	Puṣkara	(Rt.)	1.92 g
34.	Nāga puṣpa (Nāgakesara)	(Stmn.)	1.92 g
35.	Nakha (Vyāghranakha)	(Fr.)	1.92 g
36.	Sprkkā	(Pl.)	1.92 g
37.	Mañjiṣṭhā	(Rt.)	1.92 g
38.	Kaṭurohiṇī (Kaṭukā)	(Rz.)	1.92 g
39.	Añjana (Dāruharidrā)	(St. Ext.)	1.92 g
40.	Sarala	(Ht. Wd.)	1.92 g
41.	Dāru (Devadāru)	(Ht. Wd.)	1.92 g
42.	Campaka	(Fl.)	1.92 g
43.	Mṛganābhi (Mṛgamada)		
44.	Madhūka	(Fl.)	1.92 g
45.	Śyonāka	(Rt./St. Bk.)	1.92 g
46.	Harītakī	(P.)	1.92 g
47.	Bibhītaka	(P.)	1.92 g

48.	Āmalakī	(P.)	1.92 g
49.	Phalinī (Priyaṅgu)	(Fl.)	1.92 g
50.	Miśi (Miśrēyā)	(Fr.)	1.92 g
51.	Mustā	(Rz.)	1.92 g
52.	Agaru	(Ht. Wd.)	1.92 g
53.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	1.92 g
54.	Tagara	(Rt.)	1.92 g
55.	Padma kesara (Kamala)	(Adr.)	1.92 g
56.	Kṣīra (Godugdha)		3.072 l
57.	Āmalakī rasa	(P)	3.072 l
58.	Śatāvarī rasa	(Rt. Tr.)	3.072 l
59.	Taila (Tila)	(Ol.)	768 g

Dose

15 drops used externally for Abhyaṅga and Nasya.

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa), Pittaja Roga (Disease due to Pitta doṣa), Kṣata Kṣaya (Emaciation due to injury), Kṛśatā (Emaciation/Cachexia), Netra Dāha (Burning sensation in eyes), Netraroga (Eye disorder), Śīrodāha (Burning sensation in the head), Śīroroga (Disease of head), Aṅgadāha (Burning sensation all over the body), Pāṇḍu (Anaemia), Ūrdhva Jatrugata Roga (Diseases of head and neck)

8 : 36 BALĀŚVAGANDHALĀKṢĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa: 13)

बलाश्वगन्धालाक्षाणां कषाये पादावशेषिते ।
तैलप्रस्थं पचेद्धीमान्दधिमस्तुचतुर्गुणे ॥

रास्नाचन्दनमज्जिष्ठादूर्वामधुकचोरकैः ।
 सारिवोशीरजलदकुष्ठागरुसुरद्रुमैः ॥
 हरिद्राकुमुदाकौन्तीशताह्वापद्मकेसरैः ।
 कल्कैरेभिः सुसंयुक्तैः कार्षिकैश्च सुपेषितैः ॥
 शनैर्मृद्वग्निना पक्त्वा गालयेद् भाजने शुभे ।
 प्रशस्ते तिथिनक्षत्रे तैलमेतत्तु शीलयेत् ॥
 तेन सर्वज्वरोन्मादक्षयकासादयो गदाः ।
 नश्यन्ति विविधाश्चैव वातरोगा न संशयः ॥
 अश्विभ्यां निर्मितं तैलमेतत्पुष्टिकरं परम् ॥
 (सहस्रयोग, तैलप्रकरण; १३)

1.	Balā	(Rt.)	
2.	Aśvagandhā	(Rt.)	
3.	Lākṣā	(Gl.)	
	768 g (drugs 1 to 3 in equal proportions)		
4.	Water for decoction		12.288 l
	reduced to		3.072 l
5.	Taila (Tila)	(Ol.)	768 g
6.	Dadhimastu (Godadhi)		3.072 kg
7.	Rāsnā	(Rt./Lf.)	12 g
8.	Candana (Raktacandana)	(Ht. Wd.)	12 g
9.	Mañjiṣṭhā	(Rt.)	12 g
10.	Dūrvā	(Pl.)	12 g
11.	Madhuka (Yaṣṭī)	(Rt.)	12 g
12.	Coraka	(Rz.)	12 g
13.	Sāriṣa (Śveta Sāriṣa)	(Rt.)	12 g
14.	Uśīra	(Rt.)	12 g
15.	Jalada (Mustā)	(Rz.)	12 g
16.	Kuṣṭha	(Rt.)	12 g
17.	Agaru	(Ht. Wd.)	12 g
18.	Suradruma (Devadāru)	(Ht. Wd.)	12 g

19.	Haridrā	(Rz.)	12 g
20.	Kumudā (Kumuda)	(Rz.)	12 g
21.	Kauntī (Rēṇukā)	(Sd.)	12 g
22.	Śatāhvā	(Fr.)	12 g
23.	Padma kēsara (Kamala)	(Adr.)	12 g

Note:

Lākṣā is powdered well and placed in a vessel. Hot water is poured and stirred well. When the water becomes red it is strained and used.

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Jvara (Fever), Unmāda (Mania/Psychosis), Kṣaya (Pthisis), Kāsa (Cough), Vātaroga (Disease due to Vāta doṣa), Kṛśatā (Emaciation/Cachexia)

8 : 37 BALĀHAṬHĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa : 54)

बलाहटामृतामुद्गमाषक्वाथे तिलोद्भवम् ।
पक्वं शिरोरुजं हन्ति चन्दनामययष्टिभिः ॥
(सहस्रयोग, तैलप्रकरण; ५४)

- | | | |
|----|-----------------|-------|
| 1. | Balā | (Rt.) |
| 2. | Haṭhā (Āmalakī) | (P.) |
| 3. | Amṛtā (Guḍūcī) | (St.) |
| 4. | Mudga | (Sd.) |
| 5. | Māṣa | (Sd.) |

768 g (drugs from 1 to 5 in equal proportion)

6.	Water for decoction	12.288 l
	reduced to	3.072 l
7.	Tilodbhava (tila) - taila (Ol.)	768 g
8.	Candana (Raktacandana) (Ht. Wd.)	
9.	Āmāya (Kuṣṭha) (Rt.)	
10.	Yāṣṭī (Rt.)	
128 g (drugs from 8 to 10 in equal proportion)		

Note:

Mudga and Masha are boiled together till they become very soft. The decoction is strained and used.

Usage

Used externally for Śirobhyāṅga

Important Therapeutic Uses

Śirorujā (Headache)

8 : 38 BRĤAT GUḌŪCĪ TAILA

(Bhaiṣajyaratnāvalī, Vātaraktādhikāra : 53-60)

शतं छिन्नरुहायाश्च जलद्रोणे विपाचयेत् ।
तेन पादावशेषेण तैलप्रस्थं विपाचयेत् ॥५३॥
क्षीरं चतुर्गुणं दद्यात् कल्कानेतान् प्रयत्नतः ।
अश्वगन्धा विदारी च काकोल्यौ हरिचन्दनम् ॥५४॥
शतावरी चातिबला श्वदंष्ट्रा बृहतीद्वयम् ।
कृमिघ्नं त्रिफला रास्ना त्रायमाणा च शारिवा ॥५५॥
जीवन्ती ग्रन्थिकं व्योषं बाकुची भेकपर्णिका ।
विशाला ग्रन्थिपर्णञ्च मज्जिष्ठा चन्दनं निशा ॥५६॥
शताह्वा सप्तपर्णी च कर्षिकाण्यथ कल्पयेत् ।

पानाभ्यञ्जनस्येषु वातरक्ते प्रयोजयेत् ।।५७।।
 वातरक्तमुदावर्त्तं कुष्ठान्यष्टादशैव तु ।
 हनुस्तम्भं प्रमेहञ्च कामलां पाण्डुतां जयेत् ।।५८।।
 विस्फोटञ्च विसर्पञ्च नाडीव्रणभगन्दरम् ।
 विचर्चिकां गात्रकण्डूं पाददाहं विशेषतः ।।५९।।
 एतत्तैलवरं श्रेष्ठं वलीपलितनाशनम् ।
 आत्रेयनिर्मितं चैव बलवर्णकरं स्मृतम् ।।६०।।
 (भैषज्यरत्नावली, वातरक्ताधिकार; ५३-६०)

1.	Chinnaruhā (Guḍūcī)	(St.)	4.800 kg
2.	Water for decoction		12.288 l.
	reduced to		3.072 l.
3.	Taila (Tila)	(Ol.)	768 g
4.	Kṣīra (Godugdha)		3.072 l.
5.	Aśvagandhā	(Rt.)	12 g
6.	Vidārī	(Rt. Tr.)	12 g
7.	Kākolī	(Sub. Rt.)	12 g
8.	Kṣīrakākolī	(Sub. Rt.)	12 g
9.	Haricandana (Pītacandana)	(Ht. Wd.)	12 g
10.	Śatāvarī	(Rt. Tr.)	12 g
11.	Atibalā	(Rt.)	12 g
12.	Śvadaṃṣṭrā (Gokṣura)	(Fr.)	12 g
13.	Bṛhatī	(Pl.)	12 g
14.	Kaṇṭakārī	(Pl.)	12 g
15.	Kṛmighna (Viḍaṅga)	(Fr.)	2 g
16.	Harītakī	(P.)	12 g
17.	Bibhītaka	(P.)	12 g
18.	Āmalakī	(P.)	12 g
19.	Rāsnā	(Rt./Lf.)	12 g
20.	Trāyamāṇa	(Pl.)	12 g
21.	Śarivā (Śveta sārivā)	(Rt.)	12 g

22.	Jīvantī	(Rt.)	12 g
23.	Granthika (pippalīmūla)	(Rt.)	12 g
24.	Śunṭhī	(Rz.)	12 g
25.	Marica	(Fr.)	12 g
26.	Pippalī	(Fr.)	12 g
27.	Bākucī	(Sd.)	12 g
28.	Bhekaparnīkā	(Pl.)	12 g
29.	Viśālā (Rakta indravāruṇī)	(Pl.)	12 g
30.	Granthiparṇa (Granthiparnī)	(Rt.)	12 g
31.	Mañjiṣṭhā	(Rt.)	12 g
32.	Candana (Raktacandana)	(Ht. Wd.)	12 g
33.	Niṣā (Haridrā)	(Rz.)	12 g
34.	Śatāhvā	(Fr.)	12 g
35.	Saptaparnī (Saptaparnā)	(St. Bk.)	12 g

Dose

12 g, used externally for Abhyaṅga also

Anupāna

warm water, milk.

Important Therapeutic Uses

Udāvarta (Condition in which there is upward movement of vāyu), Vātarakta (Gout), Kuṣṭha (Diseases of skin), Hanustambha (Lock jaw), Kāmalā (Jaundice), Prameha (Urinary disorders), Pāṇḍu (Anaemia), Visarpa (Erysipelas), Visphoṭa (Blister), Nāḍīvrāṇa (Fistula), Bhagandara (Fistula-in-ano), Vicarcikā (Eczema), Gātra Kaṇḍū (Generalised pruritus), Pādadhā (Burning sensation of feet), Valī Palita (Wrinkles in skin and graying of hair), Daurbalya (Weakness), Vaivarṇya (Discolouration)

8 : 39 BRĤATMĀṢA TAILA

(Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra : 241-245)

माषक्वाथे बलाक्वाथे रास्नाया दशमूलजे ।
यवकोलकुलत्थानां छागमांसभवे पृथक् ॥२४१॥
प्रस्थे तैलस्य च प्रस्थं क्षीरं दत्त्वा चतुर्गुणम् ।
रास्नात्मगुप्तासिन्धूत्थशताह्वैरण्डमुस्तकैः ॥२४२॥
जीवनीयबलाव्योषः पचेदक्षसमैर्भिषक् ।
हस्तकम्पे शिरःकम्पे बाहुशोषेऽवबाहुके ॥२४३॥
बाधिर्ये कर्णशूले च कर्णनादे च दारुणे ।
विश्वाच्यामर्दिते कुब्जे गृध्रस्यामपतानके ॥२४४॥
वस्त्यभ्यञ्जनमानेषु नावने च प्रयोजयेत् ।
माषतैलमिदं श्रेष्ठमूर्ध्वजत्रुगदापहम् ॥
क्वाथप्रस्थाः षडेवात्र विभक्त्यन्तेन दर्शिताः ॥२४५॥
(भैषज्यरत्नावली, वातव्याध्यधिकार; २४१-२४५)

1.	Taila (Tila)	(Ol.)	768 g
2.	Māṣa	(Sd.)	768 g
3.	Water for decoction		3.072 l
	reduced to		768 ml
4.	Balā	(Rt.)	768 g
5.	Water for decoction		3.072 l
	reduced to		768 ml
6.	Rāsnā	(Rt)	768 g
7.	Water for decoction		3.072 l
	reduced to		768 ml.
8.	Bilva	(Rt./St. Bk.)	76.8 g
9.	Agnimantha	(Rt./St. Bk.)	76.8 g
10.	Śyonāka	(Rt./St. Bk.)	76.8 g
11.	Pāṭalā	(Rt./St. Bk.)	76.8 g
12.	Gambhārī	(Rt./St. Bk.)	76.8 g

13.	Śalaparnī	(Pl.)	76.8 g
14.	Prśniparnī	(Pl.)	76.8 g
15.	Kaṇṭakārī	(Pl.)	76.8 g
16.	Bṛhatī	(Pl.)	76.8 g
17.	Gokṣura	(Pl.)	76.8 g
18.	Water for decoction		3.072 l
	reduced to		768 ml
19.	Yava	(Sd.)	256 g
20.	Kola	(Fr.)	256 g
21.	Kulattha	(Sd.)	256 g
22.	Water for decoction		3.072 l
	reduced to		768 ml
23.	Chāga Māmsa		768 g
24.	Water for decoction		3.072 l
	reduced to		768 ml
25.	Kṣīra (Godugdha)		3.072 l
26.	Rāsnā	(Rt./Lf)	12 g
27.	Ātmaguptā	(Sd.)	12 g
28.	Sindhūttha (Saindhava Lavaṇa)		12 g
29.	Śatāhvā	(Fr.)	12 g
30.	Eraṇḍa	(Rt.)	12 g
31.	Mustaka (Mustā)	(Rz.)	12 g
32.	Jīvaka	(Rt. Tr.)	12 g
33.	Rṣabhaka	(Rt. Tr.)	12 g
34.	Medā	(Rt. Tr.)	12 g
35.	Mahāmēda	(Rt. Tr.)	12 g
36.	Kākoli	(Sub. Rt.)	12 g
37.	Kṣīrakākoli	(Sub. Rt.)	12 g
38.	Rddhi	(Sub. Rt. Tr.)	12 g

39.	Vṛddhi	(Sub. Rt. Tr.)	12 g
40.	Madhuyaṣṭī (Yaṣṭī)	(Rt.)	12 g
41.	Jīvantī	(Rt.)	12 g
42.	Mudgaparṇī	(Pl.)	12 g
43.	Māṣaparnī	(Pl.)	12 g
44.	Balā	(Rt.)	12 g
45.	Śunṭhī	(Rz.)	12 g
46.	Marica	(Fr.)	12 g
47.	Pippalī	(Fr.)	12 g

Dose

6 g, also used externally for Vasti, Abhyanga and Nasya.

Anupāna

warm water, milk.

Important Therapeutic Uses

Ardita (Facial palsy), Śiraḥkampa (Tremor/Shaking of head), Hastakampa (Tremors in hands), Gṛdhrasī (Sciatica), Bāhu Śoṣa (Muscular wasting of forearm), Avabāhuka (Brachialgia), Kubja Roga (Hump-back/Kyphosis), Bādhīrya (Deafness), Karnaśūla (Otalgia), Karṇapāka (Otitis externa diffusa), Ūrdhva Jatrugata Roga (Diseases of head and neck), Karṇanāda (Tinnitus), Viśvācī (Brachial neuralgia), Apatānaka (Tetanic convulsions)

8 : 40 BRĤAT SAINDHAVĀDYA TAILA

(Bhaiṣajyaratnāvalī, Amavātādhikāra : 157-162)

सैन्धवं श्रेयसी रास्ना शतपुष्पा यमानिका ।
 सर्जिका मरिचं कुष्ठं शुण्ठी सौवर्चलं विडम् ॥१५७॥
 वचाजमोदा मधुकं जीरकं पौष्करं कणा ।
 एतान्यर्द्धपलांशानि श्लक्ष्णपिष्टानि कारयेत् ॥१५८॥
 प्रस्थमेरण्डतैलस्य प्रस्थाम्बु शतपुष्पजम् ।

काञ्जिकं द्विगुणं दत्त्वा तथा मस्तुः शनैः पचेत् ।।१५९।।
 सिद्धमेतत्प्रयोक्तव्यमामवातहरं परम् ।
 पानाभ्यञ्जनवस्तौ च कुरुतेऽग्निबलं शुभम् ।।१६०।।
 वातार्तरक्षणे शस्तं कटीजानूरुसन्धिजे ।
 शूले हृत्पार्श्वपृष्ठेषु कृच्छ्राश्मरिनिपीडिते ।।१६१।।
 बाह्यायामार्दितानाहे अन्त्रवृद्धिनिपीडिते ।
 अन्यांश्चानिलजान् रोगान् नाशयत्याशु देहिनाम् ।।१६२।।
 (भैषज्यरत्नावली, आमवाताधिकार; १५७-१६२)

1.	Saindhava Lavaṇa		24 g
2.	Śreyasī (Gajapippalī)	(Fr.)	24 g
3.	Rāsnā	(Rt./Lf.)	24 g
4.	Śatapuspā (Śatāhvā)	(Fr.)	24 g
5.	Yamānikā (Yavānī)	(Fr.)	24 g
6.	Sarjikā (Svarjīkṣāra)		24 g
7.	Marica	(Fr.)	24 g
8.	Kuṣṭha	(Rt.)	24 g
9.	Śunthī	(Rz.)	24 g
10.	Sauvarcala Lavaṇa		24 g
11.	Viḍa Lavaṇa		24 g
12.	Vacā	(Rz.)	24 g
13.	Ajamodā	(Fr.)	24 g
14.	Madhuka (Yaṣṭī)	(Rt.)	24 g
15.	Jīraka (Śveta jīraka)	(Fr.)	24 g
16.	Pauṣkara (Puṣkara)	(Rt.)	24 g
17.	Kaṇā (Pippalī)	(Fr.)	24 g
18.	Eraṇḍa taila (Eraṇḍa)	(Ol.)	768 g
19.	Śatapuspajāmbu (Śatāhvā)	(Fr.)	768 g
20.	Kāñjika		1.536 l
21.	Mastu (godadhi)		1.536 l

Dose

6 g, also used externally for Abhyaṅga and Vasti.

Important Therapeutic Uses

Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Āntra Vṛddhi (Hernia), Mūtrakṛcchra (Dysuria), Aśmarī (Calculus), Hṛtśūla (Angina pectoris), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Ardita (Facial palsy), Āmavāta (Rheumatism), Sandhigata Vāta (Osteoarthropathy), Mandāgni (Impaired digestive fire), Vātaroga (Disease due to Vāta doṣa), Kaṭi Śūla (Lower backache), Jānuśūla (Pain in the knee), Ūruśūla (Pain in thighs), Prṣṭha Śūla (Backache), Bāhyāyāma (Opisthotonos)

8 : 41 BHRṆGĀMALAKĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa : 56)

भृङ्गामलकप्रस्थे तैलप्रस्थं पलं च मधुकस्य ।
क्षीराढके विपक्वं बलाकमपि कोकिलं कुरुते ॥
अन्धमनन्तं कुरुते बधिरमबधिरं तथा
चपलदन्तमुपचितपीनोरस्को भवति नरो मासमात्रेण ॥
(सहस्रयोग, तैलप्रकरण; ५६)

1.	Bhr̥ṅga rasa (Bhr̥ṅgarāja)	(Pl.)	768 ml
2.	Āmalaka rasa (Āmalakī)	(P.)	768 ml
3.	Taila (Tila)	(Ol.)	768 ml
4.	Kṣīra (Godugdha)		3.072 l
5.	Madhuka (Yaṣṭī)	(Rt.)	48 g

Note:

If prepared with coconut oil the name will be Bhr̥ṅgāmalakādi kera taila.

Dose

Used externally for Śirobhyāṅga

Important Therapeutic Uses

Svara Kṣaya (Aphasia), Andhatva (Blindness), Badhiratva (Deafness), Danta Cālana (Loose tooth), Keśaśāta (Loss of hair), Palita (Graying of hair)

8 : 42 BHRṆGARĀJA TAILA

(Bhaiṣajyaranāvalī, Kṣudrarogādhikāra: 91-96)

अनूपदेशसम्भूतं गृहीत्वा मार्कवं शुभम् ।
सुधौतं जर्जरीकृत्य स्वरसं तस्य चाहरेत् ॥९१॥
चतुर्गुणेन तेनैव तैलप्रस्थं विपाचयेत् ।
क्षीरपिष्टैरिमैर्द्रव्यैः संयोज्य मतिमान् भिषक् ॥९२॥
मज्जिष्ठा पद्मकं लोध्रं चन्दनं गैरिकं बला ।
रजन्यौ केशरञ्चैव प्रियङ्गु मधुयष्टिका ॥९३॥
प्रपौण्डरीकं गोपी च पलिकान्यत्र दापयेत् ।
सम्यक् पक्वं ततो नीत्वा शुभे भाण्डे निधापयेत् ॥९४॥
केशपाते शिरोदुष्टे मन्यास्तम्भे गलग्रहे ।
शिरःकर्णाक्षिरोगेषु नस्येऽभ्यङ्गे च योजयेत् ॥९५॥
कुञ्चिताग्रानतिस्निग्धान् कचान् कुर्याद् बहूंस्तथा ।
खालित्यमिन्द्रलुप्तञ्च तैलमेतद् व्यपोहति ॥९६॥
(भैषज्यरत्नावली, क्षुद्ररोगाधिकार; ९१-९६)

1.	Taila (Tila)	(Ol.)	768 ml.
2.	Mārkava (Bhrṅgarāja)	(Pl.)	3.072 l.
3.	Mañjiṣṭhā	(Rt.)	48 g
4.	Padmaka	(Ht. Wd.)	48 g
5.	Lodhra	(St. Bk.)	48 g
6.	Candana (Raktacandana)	(Ht. Wd.)	48 g

7.	Gairika		48 g
8.	Balā	(Rt.)	48 g
9.	Haridrā	(Rz.)	48 g
10.	Dāruharidrā	(St.)	48 g
11.	Keśara (Nāgakeśara)	(Stmn.)	48 g
12.	Priyaṅgu	(Fl.)	48 g
13.	Madhu yaṣṭī (Yaṣṭī)	(Rt.)	48 g
14.	Prapaṇḍarīka	(Rt.)	48 g
15.	Gopī (Śvēta sāriva)	(Rt.)	48 g

Dose

Used externally for Nasya, Śirobhyaṅga and Kavalagraha

Important Therapeutic Uses

Keśapāta (Falling of hair), Netraroga (Eye disorder), Kārṇa Roga (Disease of ear), Śīroroga (Disease of head), Manyā Stambha (Neck rigidity/Torticollis), Galagraha (Difficulty in swallowing), Khālitya (Alopecia), Indralupta (Alopecia)

8 : 43 MAÑJIṢṬHĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa: 50)

मज्जिष्ठांजनसारिवाब्दकटुकातक्कोलजातीफल-
श्रीकण्ठत्रिफलाजटातगररुग्यष्टीचतुर्जातकैः ।।
सोशीरागरुचोरयुग्ममृगनाभीन्दूत्पलाम्भोविसैः
तैलं नेत्रशिरोर्तिहारि सपयस्सिद्धं कुमारीरसे ।।
(सहस्रयोग, तैलप्रकरण; ५०)

1. Mañjiṣṭhā (Rt.)
2. Añjana (Dāruharidrā) (St. Ext.)

3.	Sāriṇa (Śveta Sāriṇā)	(Rt.)	
4.	Abda (Mustā)	(Rz.)	
5.	Kaṭukā	(Rz.)	
6.	Takkola	(Fr.)	
7.	Jātīphala	(Sd.)	
8.	Srīkaṇṭha (Rakta candana)	(Ht. Wd.)	
9.	Harītakī	(P.)	
10.	Bibhītaka	(P.)	
11.	Āmalakī	(P.)	
12.	Jatā (Jaṭāmāmsī)	(Rz/Rt.)	
13.	Tagara	(Rt.)	
14.	Ruk (Kuṣṭha)	(Rt./Rz.)	
15.	Yaṣṭī	(Rt.)	
16.	Tvak	(St. Bk.)	
17.	Elā (Sūkṣmailā)	(Sd.)	
18.	Patra (Tejapatra)	(Lf.)	
19.	Nāgakeśara	(Stmn.)	
20.	Uśīra	(Rt.)	
21.	Agaru	(Ht. Wd.)	
22.	Śaṭhī (Śaṭī)	(Rz.)	
23.	Caṇḍā	(Rz.)	
24.	Mṛganābhi (Mṛgamada)		
25.	Indu (Karpūra)	(St. Ext.)	
26.	Utpala	(Fl.)	
27.	Ambhas (Hrīvera)	(Rt.)	
28.	Bisa (Kamala)	(St.)	
96 g (drugs from 1 to 28 in equal proportion)			
29.	Taila (Tila)	(Ol.)	768 g
30.	Payas (Godugdha)		768 ml

31. Kumārī rasa (Kumārī) (Lf.) 768 ml

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Netra Rujā (Pain in eyes), Śīrorujā (Headache), Bhrama (Vertigo)

8 : 44 MADHUYAṢṬYĀDI TAILA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 22 : 41-44)

मधुयष्ट्याः पलशतं कषाये पादशेषिते ।

तैलाढकं समक्षीरं पचेत्कल्कैः पलोन्मितैः ॥४१॥

स्थिरातामलकीदूर्वापयस्याऽभीरुचन्दनैः ।

लोहहंसपदीमांसीद्विमेदामधुपर्णिभिः ॥४२॥

काकोलीक्षीरकाकोलीशतपुष्पद्विपद्मकैः ।

जीवकर्षभजीवन्तीत्वक्पत्रनखबालकैः ॥४३॥

प्रपौण्डरीकमज्जिष्ठसारिवैन्द्रीवितुन्नकैः ।

चतुःप्रयोगं वातासृक्पित्तदाहज्वरार्तिनुत् ॥४४॥

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय २२; ४१-४४)

1.	Madhuyaṣṭī (Yaṣṭī)	(Rt.)	4.800 kg
2.	Water for decoction		19.200 l
	reduced to		4.800 l
3.	Taila (Tila)	(Ol.)	3.072 kg
4.	Kṣīra (Godugdha)		3.072 kg
5.	Sthirā (Śālaparnī)	(Pl.)	24 g
6.	Tamalaki	(Pl.)	24 g
7.	Dūrvā	(Pl.)	24 g
8.	Payasya (Kṣīra vidārī)	(Rt. Tr.)	24 g

9.	Abhīru (Śatāvarī)	(Rt. Tr.)	24 g
10.	Candana (Raktacandana)	(Ht. Wd.)	24 g
11.	Loha (Agaru)	(Ht. Wd.)	24 g
12.	Haṃsapadī	(Pl.)	24 g
13.	Māṃsī (Jaṭāmāṃsī)	(Rz./Rt.)	24 g
14.	Medā	(Rt. Tr.)	24 g
15.	Mahāmēda	(Rt. Tr.)	24 g
16.	Madhuparnī (Guḍūcī)	(St.)	24 g
17.	Kākoli	(Sub. Rt.)	24 g
18.	Kṣīrakākoli	(Sub. Rt.)	24 g
19.	Śatapuspā (Śatāhvā)	(Fr.)	24 g
20.	Rddhi	(Sub. Rt. Tr.)	24 g
21.	Padmaka	(Ht. Wd.)	24 g
22.	Jīvaka	(Rt. Tr.)	24 g
23.	Rṣabhaka (rṣabhaka)	(Rt. Tr.)	24 g
24.	Jīvanti	(Rt.)	24 g
25.	Tvak	(St. Bk.)	24 g
26.	Patra (Tejapatra)	(Lf.)	24 g
27.	Nakha (Vyāghranakha)	(Fr.)	24 g
28.	Bālaka (Hrīvera)	(Rt.)	24 g
29.	Prapaṇḍarīka	(Rt.)	24 g
30.	Mañjiṣṭhā	(Rt.)	24 g
31.	Sāriva (Śveta Sārivā)	(Rt.)	24 g
32.	Aindri (Indravāruṇi)	(Rt.)	24 g
33.	Vitunnaka (Dhānyaka)	(Fr.)	24 g

Note:

The Ayurveda Pharmacopoeia committee considers that half of the quantity of kalka dravyas mentioned in the text is sufficient and the formula has accordingly been revised.

Dose

6 g, used externally for Nasya, Abhyaṅga and Anuvāsana Also

Anupāna

Milk, warm water.

Important Therapeutic Uses

Pitta Dāha (Burning sensation due to Pitta doṣa), Jvara (Fever), Vātarakta (Gout)

8 : 45 MAHĀ NĀRĀYAṆA TAILA

(Bhaiṣajyaratnāvalī, Vatavyādhyaadhikāra : 151-162)

बिल्वाश्वगन्धा बृहती श्वदंष्ट्राश्योनाकवाट्यालकपारिभद्रम् ।
क्षुद्राकटिल्लाग्निबलाग्निमन्थं मूलानि चैषां सरणीयुतानाम् ॥१५१॥
मूलं विदध्यादथ पाटलीनां प्रस्थं सपादं विधिनोद्धृतानाम् ।
द्रोणैरपामष्टभिरेव पक्त्वा पादावशेषेण रसेन तेन ॥१५२॥
तैलाढकाभ्यां सममेव दुग्धमाजं निदध्यादथवापि गव्यम् ।
एकत्र सम्यग्विपचेत्सुबुद्धिर्दद्याद्रसञ्चैव शतावरीणाम् ॥१५३॥
तैलेन तुल्यं पुनरेव तत्र रास्नाश्वगन्धामिषिदारुकुष्ठम् ।
पर्णीचतुष्कागरुकेशराणि सिन्धूत्थमांसीरजनीद्वयञ्च ॥१५४॥
शैलेयकं चन्दनपुष्कराणि एलास्रयष्टीतगराब्दपत्रम् ।
भृङ्गाष्टवर्गाम्बुवचापलाशं स्थौणेयवृश्चीरकचोरकाख्यम् ॥१५५॥
एतैः समस्तैर्द्विपलप्रमाणैरालोड्य सर्वं विधिना विपक्वम् ।
कर्पूरकाश्मीरमृगाण्डजानां चूर्णीकृतानां त्रिपलप्रमाणम् ॥१५६॥
प्रस्वेददौर्गन्ध्यनिवारणाय दद्यात् सुगन्धाय वदन्ति केचित् ।
नारायणं नाम महच्च तैलं सर्वप्रकारैर्विधिवत्प्रयोज्यम् ॥१५७॥
आश्वेव पुंसां पवनार्दितानामेकाङ्गहीनार्दितवेपनानाम् ।
ये पङ्गवः पीठविसर्पिणश्च बाधिर्यशुक्रक्षयपीडिताश्च ॥१५८॥
मन्याहनुस्तम्भशिरोरुजार्ता मुक्तामयास्ते बलवर्णयुक्ताः ।
संसेव्य तैलं सहसा भवन्ति बन्ध्या च नारी लभते च पुत्रम् ॥१५९॥
वीरोपमं सर्वगुणोपपन्नं सुमेधसं श्रीविनयान्वितञ्च ।

शाखाश्रिते कोष्ठगते च वाते वृद्धौ विधेयं पवनार्दितानाम्॥१६०॥
 जिह्वानिले दन्तगते च शूले उन्मादकौब्ज्यज्वरकर्षितानाम्।
 प्राप्नोति लक्ष्मीं प्रमदाप्रियत्वं वपुःप्रकर्षं विजयञ्च नित्यम्॥१६१॥
 तैलोपसेवी जरयाभिमुक्तो जीवेच्चिराच्चापि भवेद् युवेव।
 देवासुरे युद्धपरे समीक्ष्य स्नाय्वस्थिभग्नानसुरैः सुरांश्च।
 नारायणेनापि सुबृंहणार्थं स्वनामतैलं विहितञ्च तेषाम्॥१६२॥
 (भैषज्यरत्नावली, वातव्याध्यधिकार; १५१-१६२)

1.	Bilva	(Rt./St. Bk.)	960 g
2.	Aśvagandhā	(Rt.)	960 g
3.	Br̥hatī	(Pl.)	960 g
4.	Śvadamṣṭrā (Gokṣura)	(Pl.)	960 g
5.	Śyonāka	(Rt./St. Bk.)	960 g
6.	Vaṭyālaka (Balā)	(Pl.)	960 g
7.	Pāribhadra	(Rt.)	960 g
8.	Kṣudrā (Kaṇṭakārī)	(Pl.)	960 g
9.	Kaṭhilla (Raktapunarnavā)	(Pl.)	960 g
10.	Atibalā	(Rt.)	960 g
11.	Agnimantha	(Rt./St. Bk.)	960 g
12.	Sarani (Prasāriṇī)	(Pl.)	960 g
13.	Pāṭalī (Pāṭalā)	(Rt./St. Bk.)	960 g
14.	Water for decoction		98.304 l
	reduced to		24.576 l
15.	Taila (Tila)	(Ol.)	6.144 kg
16.	Ajādugdha		6.144 kg
17.	Śatāvarī-rasa	(Rt. Tr.)	6.144 l
18.	Rāsnā	(Rt./Lf.)	96 g
19.	Aśvagandhā	(Rt.)	96 g
20.	Miṣi (Miśrēyā)	(Fr.)	96 g
21.	Dāru (Devadāru)	(Ht. Wd.)	96 g
22.	Kuṣṭha	(Rt.)	96 g

23.	Śālaparṇī	(Pl.)	96 g
24.	Prśniparṇī	(Pl.)	96 g
25.	Mudgaparṇī	(Pl.)	96 g
26.	Māṣaparṇī	(Pl.)	96 g
27.	Agaru	(Ht. Wd.)	96 g
28.	Keśara (Nāgakeśara)	(Stmn.)	96 g
29.	Sindhūttha (Saindhava Lavaṇa)		96 g
30.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	96 g
31.	Haridrā	(Rz.)	96 g
32.	Dāruharidrā	(St.)	96 g
33.	Śaileyaka (Śaileya)	(Pl.)	96 g
34.	Candana (Raktacandana)	(Ht. Wd.)	96 g
35.	Puṣkara	(Rt.)	96 g
36.	Elā (Sūkṣmailā)	(Sd.)	96 g
37.	Asra (Mañjiṣṭha)	(Rt.)	96 g
38.	Yaṣṭī	(Rt.)	96 g
39.	Tagara	(Rt./Rz.)	96 g
40.	Abda (Mustā)	(Rz.)	96 g
41.	Patra (Tejapatra)	(Lf.)	96 g
42.	Bhṛṅga (Tvaka)	(St. Bk.)	96 g
43.	Jīvaka	(Rt. Tr.)	96 g
44.	Rṣabhaka	(Rt. Tr.)	96 g
45.	Medā	(Rt. Tr.)	96 g
46.	Mahāmedā	(Rt. Tr.)	96 g
47.	Kākōlī	(Sub. Rt.)	96 g
48.	Kṣira kākōlī	(Sub. Rt.)	96 g
49.	Rddhi	(Sub. Rt. Tr.)	96 g
50.	Vṛddhi	(Sub. Rt. Tr.)	96 g
51.	Ambu (Hrīvēra)	(Rt.)	96 g

52.	Vacā	(Rz.)	96 g
53.	Palāśa	(St. Bk.)	96 g
54.	Sthañeya	(St. Bk.)	96 g
55.	Vṛscīraka (Sveta punarnavā)	(Pl.)	96 g
56.	Coraka	(Rz.)	96 g
57.	Karpūra	(Sub. Ext.)	48 g
58.	Kāśmīra (Kuñkuma)	(Stl./Stg)	48 g
59.	Mṛgaṇḍaja (Mṛgamada)		48 g

Dose

6 g, used externally for Nasya, Abhyaṅga and Anuvāsana also

Anupāna

milk, warm water.

Important Therapeutic Uses

Ardita (Facial palsy), Badhiratva (Deafness), Paṅgutva (Paraplegia), Gātra Kampa (Tremors), Manyā Stambha (Neck rigidity/Torticollis), Hanustambha (Lock jaw), Ekāṅga Śoṣa (Wasting of one limb), Śukrakṣaya (Oligospermia), Vandhyatva (Infertility), Śīrorujā (Headache), Jihvāstambha (Glossal palsy), Danta śula (Dental Pain), Unmāda (Mania/Psychosis), Kubja (Hump-back/Kyphosis), Jvara (Fever), Jarā (Senility/Progeriasis), Kārśya (Emaciation), Snāyu Bhagna (Tendon tear), Asthi Bhagna (Bone fracture)

8 : 46 MAHĀ VIṢAGARBHA TAILA

(Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra: 414-423)

कनकस्य च निर्गुण्डी तुम्बिनी च पुनर्नवा ।
वातारिश्चाश्वगन्धा च प्रपुन्नाडं सचित्रकम् ॥४१४॥
शोभाञ्जनं काकमाची कलिहारी च निम्बकम् ।
महानिम्बेश्वरी चैव दशमूलं शतावरी ॥४१५॥
कारवल्ली सारिवा च श्रावणी च विदारिका ।

वज्राकर्णौ मेषशृङ्गी च करवीरद्वयं वचा ।।४१६।।
 काकजङ्घा त्वपामार्गो बला चातिबलाद्वयम् ।
 व्याघ्री महाबला वासा सोमवल्ली प्रसारणी ।।४१७।।
 पलोन्मितानि चैतानि द्रोणेऽम्भसि विनिक्षिपेत् ।
 पचेत्पादावशेषेऽस्मिन् कल्कस्य कुडवं क्षिपेत् ।।४१८।।
 त्रिकटुर्विषतिन्दुश्च रास्ना कुष्ठं विषं घनम् ।
 देवदारु वत्सनाभो द्वौ क्षारौ लवणानि च ।।४१९।।
 तुत्थकं कट्फलं पाठा भाङ्गी च नवसागरम् ।
 त्रायन्ती धन्वयासं च जीरकं चेन्द्रवारुणी ।।४२०।।
 तैलप्रस्थं समादाय पाचयेन्मृदुवह्निना ।
 विषगर्भमिदं नाम्ना सर्वान् वातान् व्यपोहति ।।४२१।।
 वक्षोरुकटिजङ्घानां सन्धानं श्रेष्ठमेव च ।
 गृध्रसीं च महावातान् सर्वाङ्गग्रहणं तथा ।
 दण्डापतानकं चैव कर्णनादं च शून्यताम् ।।४२२।।
 वनमध्ये यथा सिंहात्पलायन्ते महामृगाः ।
 तथाश्वगजभग्नानां नराणां च चतुष्पदाम् ।
 नाशयेन्नात्र सन्देहो विषगर्भस्य लेपनात् ।।४२३।।
 (भैषज्यरत्नावली, वातव्याध्यधिकार; ४१४-४२३)

1.	Taila (Tila)	(Ol.)	768 g
2.	Kanaka (Dhattūra)	(Rt.)	48 g
3.	Nirguṇḍī	(Rt.)	48 g
4.	Tumbinī	(Fr.)	48 g
5.	Punarnavā (Rakta Punarnavā)	(Rt.)	48 g
6.	Vatāri (Eraṇḍa)	(Rt.)	48 g
7.	Aśvagandhā	(Rt.)	48 g
8.	Prapunṇāḍa (Cakramarda)	(Sd.)	48 g
9.	Citraka	(Rt.)	48 g
10.	Śobhāñjana	(St. Bk.)	48 g
11.	Kākamācī	(Pl.)	48 g
12.	Kalihārī (Lāṅgalī)	(Rz.)	48 g

13.	Nimba	(St. Bk.)	48 g
14.	Mahānimba	(St. Bk.)	48 g
15.	Iśvarī	(Rt.)	48 g
16.	Bilva	(Rt./St. Bk.)	48 g
17.	Śyonāka	(Rt./St. Bk.)	48 g
18.	Gambhārī	(Rt./St. Bk.)	48 g
19.	Paṭalā	(Rt./St. Bk.)	48 g
20.	Agnimantha	(Rt./St. Bk.)	48 g
21.	Śālāparṇī	(Pl.)	8 g
22.	Prśniparṇī	(Pl.)	48 g
23.	Bṛhatī	(Pl.)	48 g
24.	Kaṇṭakārī	(Pl.)	48 g
25.	Gokṣura	(Pl.)	48 g
26.	Śatāvarī	(Rt. Tr.)	48 g
27.	Kāravallī (Kāravēllaka)	(Fr.)	48 g
28.	Sāriva (Śveta Sārivā)	(Rt.)	48 g
29.	Śrāvāṇi (Muṇḍī)	(Pl.)	48 g
30.	Vidārī	(Rt.Tr.)	48 g
31.	Vajra (Snuhī)	(Rt.)	48 g
32.	Arka	(Rt.)	48 g
33.	Meṣaśṛṅgī	(Lf.)	48 g
34.	Śveta karavīra	(Rt.)	48 g
35.	Rakta karavīra	(Rt.)	48 g
36.	Vacā	(Rz.)	48 g
37.	Kākajaṅghā	(Sd.)	48 g
38.	Apāmārga	(Rt.)	48 g
39.	Balā	(Rt.)	48 g
40.	Atibalā	(Rt.)	48 g
41.	Nāgabalā	(Rt.)	48 g

42.	Vyāghrī (Kaṇṭakārī)	(Rt.)	48 g
43.	Mahābalā	(Rt.)	48 g
44.	Vāsā	(Rt.)	48 g
45.	Somavallī	(Rt.)	48 g
46.	Prasāraṇī (Prasāriṇī)	(Pl.)	48 g
47.	Water for decoction		12.288 l
	reduced to		3.072 l
48.	Suṇṭhī	(Rz.)	
49.	Marica	(Fr.)	
50.	Pippalī	(Fr.)	
51.	Viṣatindu (Viṣamuṣṭi)	(Sd.)	
52.	Rāsnā	(Rt./Lf.)	
53.	Kuṣṭha	(Rt.)	
54.	Viṣa (Ativiṣā)	(Rt.Tr.)	
55.	Ghana (Mustā)	(Rz.)	
56.	Devadāru	(Ht.Wd.)	
57.	Vatsanābha	(Rt.Tr.)	
58.	Yava kṣāra (Yava)	(Pl.)	
59.	Svarjikṣāra (Sarjikṣāra)		
60.	Saindhava Lavaṇa		
61.	Sauvarcala Lavaṇa		
62.	Viḍa Lavaṇa		
63.	Audbhida Lavaṇa		
64.	Sāmudra Lavaṇa		
65.	Tutthaka (Tuttha)		
66.	Kaṭphala	(St. Bk.)	
67.	Pāṭhā	(Rt.)	
68.	Bhārṅgī	(Rt.)	
69.	Navāsādhara		

- | | | |
|-----|-----------------------|-------|
| 70. | Trāyantī (Trāyamāṇa) | (Pl.) |
| 71. | Dhanvayāsa | (Pl.) |
| 72. | Jīraka (Śveta jīraka) | (Fr.) |
| 73. | Indravāruṇī | (Rt.) |

192 g (drugs from 48 to 73 in equal proportion)

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa), Gr̥dhrasī (Sciatica), Daṇḍāpatānaka (Tetanus / Plenosthotonus), Sarvāṅga Grahaṇa (Stiffness and Tightness in all limbs), Karṇanāda (Tinnitus), Sparsā Śūnyatā (Lack of tactile sensation)

8 : 47 YAṢṬIMADHUKA TAILA

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 9: 155 1/2)

यष्टीमधुकक्षीराभ्यां नवधात्रीफलैः शृतम् ॥१५५॥
 तैलं नस्यकृतं कुर्यात् केशाञ्छमश्रूणि सङ्घशः ।
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ९; १५५ १/२)

- | | | | |
|----|--------------------------|-------|---------|
| 1. | Taila (Tila) | (Ol.) | 768 g |
| 2. | Yaṣṭī | (Rt.) | 96 g |
| 3. | Kṣīra (Godugdha) | | 3.072 l |
| 4. | Dhātrī svarasa (Āmalakī) | (P.) | 3.072 l |

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Palita (Graying of hair), Keśa Patana (Falling of hair), Śmaśru Patana (Falling of hair of beard and moustache)

8 : 48 LAGHU VIṢAGARBHA TAILA

(Bhaiṣajyaratnāvalī, Vatavyādhyaadhikāra: 411-413)

धत्तूरस्य रसस्य पञ्चकुडवं तैलं तथा काञ्जिकम् ।
प्रस्थानां च चतुष्टयं गदवचा त्रिंशत्परं शाणकाः ।।४११।।
हृद्धात्रीमरिचात्पृथङ् नव विषात् षट्स्वर्णबीजात् पटोः ।
स्युः सप्ताधिकविंशतिः परिमितं तीव्रानिलध्वंसनम् ।।४१२।।
पक्षाघातं हनुस्तम्भं मन्यास्तम्भं कटिग्रहम् ।
पृष्ठत्रिकशिरःकम्पं सर्वाङ्गग्रहणं तथा ।।४१३।।
(भैषज्यरत्नावली, वातव्याध्यधिकारः; ४११-४१३)

1.	Taila (Tila)	(Ol.)	3.072 l
2.	Dhattūra svarasa	(Lf.)	960 ml
3.	Kāñjika		3.072 l
4.	Gada (Kuṣṭa)	(Rt.)	90 g
5.	Vacā	(Rz.)	90 g
6.	Hṛddhātrī	(Rt. Tr.)	27 g
7.	Marica	(Fr.)	27 g
8.	Viṣa (Vatsanābha)	(Rt. Tr.)	18 g
9.	Svarṇa (Dhattūra)	(Sd.)	81 g
10.	Paṭu (Saindhava Lavaṇa)		81 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa), Pakṣāghāta (Paralysis/Hemiplegia), Hanustambha (Lock jaw), Manyāstambha (Neck rigidity/Torticollis), Kaṭi Graha (Stiffness in lumbo-sacral region), Sarvāṅga Graha (Stiffness and Tightness in all limbs), Śiraḥkampa (Tremor/Shaking of head)

8 : 49 LĀKṢĀDI TAILA

(Bhaiṣajyaratnāvalī, Jvarādhikāra : 346)

लाक्षाहरिद्रामञ्जिष्ठाकल्कैस्तैलं विपाचितम् ।
षड्गुणेनारनालेन दाहशीतज्वरापहम् ॥३४६॥
(भैषज्यरत्नावली, ज्वराधिकार; ३४६)

1.	Taila (Tila)	(Ol.)	768 g
2.	Āranāla		4.608 l
3.	Lākṣā	(Gl.)	32 g
4.	Haridrā	(Rz.)	32 g
5.	Mañjiṣṭhā	(Rt.)	32 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Jvara (Fever)

8 : 50 LĀṄGALĪ TAILA (Synonym Nirguṇḍī Taila)

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 9: 198)

निर्गुण्डीस्वरसे तैलं लाङ्गलीमूलकल्कितम् ॥१९८॥

तैलं नस्यान्निहन्त्याशु गण्डमालां सुदारुणाम् ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ९; १९८)

1.	Nirgundi svarasa	(Lf.)	3.072 l
2.	Taila (Tila)	(Ol.)	768 g
3.	Lāṅgalī	(Rz.)	96 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Gaṇḍamālā (Cervical lymphadenitis)

8 : 51 VACĀDI TAILA

(Aṣṭāṅgaḥṛdaya, Uttarasthāna, Adhyāya 30 : 25)

वचाहरीतकीलाक्षाकटुरोहिणिचन्दनैः ।
तैलं प्रसाधितं पीतं समूलामपर्चीं जयेत् ॥२५॥
(अष्टांगहृदय, उत्तरस्थान, अध्याय ३०:२५)

1.	Vacā	(Rz.)	38 g
2.	Harītakī	(P.)	38 g
3.	Lākṣā	(Gl.)	38 g
4.	Kaṭurohiṇi (Kaṭukā)	(Rz.)	38 g
5.	Candana (Raktacandana)	(Ht. Wd.)	38 g
6.	Taila (Tila)	(Ol.)	768 g
7.	Water		3.072 l

Note:

Nirgundi svarasa is used instead of water in Kerala and adjoining areas.

Dose

6 g

Anupāna

Kāñcanāra Kvātha, milk, warm water.

Important Therapeutic Uses

Apacī (Chronic lymphadenopathy / scrofula)

8 : 52 VACĀLAŚUNĀDI TAILA

(Sahasrayoga, Tailaprakaraṇa : 42)

वचालशुनदोषाभिर्बिल्वपत्ररसे शृतम् ।
तैलं श्रवणदोषघ्नं विशेषात्पूयनाशनम् ।।
(सहस्रयोग, तैलप्रकरण; ४२)

1.	Vacā	(Rz.)	64 g
2.	Laśuna	(Bl.)	64 g
3.	Doṣa (Haridrā)	(Rz.)	64 g
4.	Bilvapatra rasa (Bilva)	(Lf.)	3.072 l
5.	Taila (Tila)	(Ol.)	768 g

Usage

Used externally as ear- drops and for Śirobhyaṅga

Important Therapeutic Uses

Karṇa Srāva (Otorrhoea), Karṇa Roga (Disease of ear)

8 : 53 VAJRAKA TAILA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 19: 79-80)

मूलं सप्ताह्वात्त्वक् शिरीषाश्वमारादर्कान्मालत्याश्चित्रकास्फोटनिम्बात् ।
 बीजं कारज्जं सार्षपं प्रापुनाटं श्रेष्ठा जन्तुघ्नं त्र्यूषणं द्वे हरिद्रे ॥७९॥
 तैलं तैलं साधितं तैः समूत्रैस्त्वग्दोषाणां दुष्टनाडीव्रणानाम् ।
 अभ्यङ्गेन श्लेष्मवातोद्भवानां नाशायालं वज्रकं वज्रतुल्यम् ॥८०॥
 (अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १९; ७९-८०)

1.	Saptāhvā (Saptaparna)	(Rt./St. Bk.)	10 g
2.	Śirīṣa	(Sd.)	10 g
3.	Aśvamāra (Karavīra)	(Rt.)	10 g
4.	Arka	(Rt.)	10 g
5.	Mālatī (Jātī)	(Fl.)	10 g
6.	Citraka	(Rt.)	10 g
7.	Āsphota (Āsphotā)	(Rt.)	10 g
8.	Nimba	(St. Bk.)	10 g
9.	Karañja	(Sd.)	10 g
10.	Sarṣapa	(Sd.)	10 g
11.	Prapunnāḍa (Cakramarda)	(Sd.)	10 g
12.	Harītakī	(P.)	10 g
13.	Bibhītaka	(P.)	10 g
14.	Āmalakī	(P.)	10 g
15.	Jantughna (Viḍaṅga)	(Fr.)	10 g
16.	Śunthī	(Rz.)	10 g
17.	Marica	(Fr.)	10 g
18.	Pippalī	(Fr.)	10 g
19.	Haridrā	(Rz.)	
20.	Dāruharidrā	(St.)	
21.	Taila (Tila)	(Ol.)	768 g
22.	Mūtra (Gomūtra)		3.072 l

Dose

Used externally for Abhyaṅga

Important Therapeutic Uses

Tvagdoṣa (Skin disorder), Duṣṭanāḍīvrāṇa (Infected/ non healing fistula), Kuṣṭha (Diseases of skin)

8 : 54 VĀSĀCANDANĀDI TAILA

(Bhaiṣajyaratnāvalī, Kāśādhikāra: 185-191)

चन्दनं रेणुका पूतिर्हयगन्धा प्रसारणी ।
त्रिसुगन्धि कणामूलं नागकेशरमेव च ॥१८५॥
मेदे द्वे च त्रिकटुकं रास्ना मधुकशैलजम् ।
शटी कुष्ठं देवदारु वनिता च बिभीतकम् ॥१८६॥
एतेषां पलिकैर्भागैः पचेत्तैलाढकं भिषक् ।
वासायाश्च पलशतं जलद्रोणे विपाचयेत् ॥१८७॥
लाक्षारसाढकञ्चैव तथैव दधिमस्तुकम् ।
चन्दनञ्चामृता भाङ्गी दशमूलं निदिग्धिका ॥१८८॥
एतेषां विंशतिपलं जलद्रोणे विपाचयेत् ।
पादशेषे स्थिते क्वाथे तैलं तेनैव साधयेत् ॥१८९॥
कासाञ्ज्वरान् रक्तपित्तं पाण्डुरोगं हलीमकम् ।
कामलाञ्च क्षतक्षीणं राजयक्ष्माणमेव च ॥१९०॥
श्वासान् पञ्चविधान् हन्ति बलवर्णाग्निपुष्टिकृत् ।
तैलं वासाचन्दनादि कृष्णात्रेयेण भाषितम् ॥१९१॥
(भैषज्यरत्नावली, कासरोगाधिकार; १८५-१९१)

1.	Candana (Śveta candana)	(Ht. Wd.)	48 g
2.	Renukā	(Sd.)	48 g
3.	Pūti (khattasī)	(Pl.)	48 g
4.	Hayagandhā (Aśvagandhā)	(Rt.)	48 g

5.	Prasāraṇī (Prasāriṇī)	(Pl.)	48 g
6.	Tvak	(St. Bk.)	48 g
7.	Elā (Sūkṣmailā)	(Sd.)	48 g
8.	Patra (Tejapatra)	(Lf.)	48 g
9.	Kaṇā mūla (Pippalī)	(Rt.)	48 g
10.	Nāgakēśara	(Stmn.)	48 g
11.	Medā	(Rt. Tr.)	48 g
12.	Mahāmēda	(Rt. Tr.)	48 g
13.	Suṇṭhī	(Rz.)	48 g
14.	Marica	(Fr.)	48 g
15.	Pippalī	(Fr.)	48 g
16.	Rāsnā	(Rt./Lf.)	48 g
17.	Madhuka (Yaṣṭī)	(Rt.)	48 g
18.	Śailaja (Śaileya)	(Pl.)	48 g
19.	Śaṭī	(Rz.)	48 g
20.	Kuṣṭha	(Rt.)	48 g
21.	Devadāru	(Ht. Wd.)	48 g
22.	Vanitā (Priāṅgu)	(Fl.)	48 g
23.	Bibhītaka	(P.)	48 g
24.	Taila (Tila)	(Ol.)	3.072 g
25.	Vāsā	(Pl.)	4.800 kg
26.	Water for decoction		12.288 l
	reduced to		3.072 l
27.	Lākṣā rasa (Lākṣā)	(Gl.)	3.072 l
28.	Dadhimastu (Godadhi)		3.072 g
29.	Candana (Raktacandana)	(Ht. Wd.)	192 g
30.	Amṛtā (Guḍūcī)	(St.)	192 g
31.	Bhārṅgī	(Rt.)	192 g
32.	Bṛhatpañcamūla	(Rt./St. Bk.)	96 g

33.	Laghupañcamūla	(Pl.)	96 g
34.	Nidigdhikā (Kaṇṭakārī)	(Pl.)	192 g
35.	Water for decoction		12.288 l
	reduced to		3.072 l
36.	Candana	(Ht. Wd.)	63 g
37.	Vāsā	(Lf.)	63 g
38.	Guḍūcī	(St.)	63 g
39.	Bhārṅgī	(Rt.)	63 g
40.	Daśamūla		63 g
	Bṛhatpañcamūla	(Rt./St. Bk.)	
	Laghupañcamūla	(Pl.)	
41.	Kaṇṭakarī	(Rt.)	63 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Pralepaka Jvara (Hectic fever), Raktapitta (Bleeding disorder), Pāṇḍu Roga (Anaemia), Kāmalā (Jaundice), Rājayakṣmā (Tuberculosis), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Urahkṣata (Chest wound / injured chest/ disease of lungs), Daurbalya (Weakness), Kārśya (Emaciation), Mandāgni (Impaired digestive fire), Vaivarṇya (Discolouration)

8 : 55 VIṢATINDUKA TAILA

(Bhaiṣajyaratnāvalī, Vataraktādhikāra:: 76 - 78)

विषतरुफलमज्जप्रस्थयुग्मञ्च शिग्रु-

स्वरसलकुचवारिप्रस्थमेकैकशश्च ।
 कनकवरुणचित्रापत्रनिर्गुण्डिकासन्नुक्-
 स्वरसतुरगगन्धावैजयन्तीरसश्च ॥७६॥
 पृथगिति परिकल्प्य प्रस्थयुग्मेन युग्मं
 विषतरुफलमज्जातुल्यतैलं विपक्वम् ।
 लशुनसरलयष्टीकुष्ठसिन्धूत्थयुग्मं
 दहनतिमिरकृष्णाकल्कयुक्तं सुसिद्धम् ॥
 हरति सकलवातान् घोररूपानसाध्यान्
 प्रतिदिनमुपलेपात् सुप्तवातस्य जन्तोः ॥७७॥
 कुष्ठमष्टादशविधं द्विविधं वातशोणितम् ।
 वैवर्ण्यं त्वग्गतान् दोषान् नाशयत्याशु मर्दनात् ॥७८॥
 (भैषज्यरत्नावली, वातरक्ताधिकार; ७६-७८)

1.	Viṣataru Phalamajjā kashaya (Viṣamuṣṭi)	(Sd.)	1.536 l
2.	Śigru svarasa (Śigru)	(Lf.)	768 ml
3.	Lakuca vāri (Lakuca)	(Rt.)	768 ml
4.	Kanaka svarasa (Dhattūra)	(Lf.)	1.536 l
5.	Varuṇa patra svarasa (Varuṇa)	(Lf.)	1.536 l
6.	Citrā (Dantī) patra svarasa	(Lf.)	1.536 l
7.	Nirguṇḍi svarasa (Nirguṇḍi)	(Lf.)	1.536 l
8.	Snuk svarasa (Snuhī)	(St.)	1.536 l
9.	Turagandhā kaṣāya (Aśvagandhā)	(Rt.)	1.536 l
10.	Vaijayantī rasa (Agnimanthā)	(Rt.)	1.536 l
11.	Taila (Tila)	(Ol.)	1.536 l
12.	Laśuna	(Bl.)	43 g
13.	Sarala	(Ht. Wd.)	43 g
14.	Yastī	(Rt.)	43 g
15.	Kuṣṭha	(Rt.)	43 g
16.	Saindhava Lavaṇa		43 g
17.	Viḍa Lavaṇa		43 g

18.	Dahana (Citraka)	(Rt.)	43 g
19.	Timira (Haridrā)	(Rz.)	43 g
20.	Kṛṣṇā (Pippalī)	(Fr.)	43 g

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Vāta Vyādhi (Disease due to Vāta doṣa), Vātarakta (Gout), Supta Vāta (Numbness), Kuṣṭha (Diseases of skin), Vaivarṇya (Discolouration)

8 : 56 VRAṆARĀKṢASA TAILA

(Bhaiṣajyaratnāvalī, Vraṇaśothādhikāra: 69-71)

सूतकं गन्धकं तालं सिन्दूरञ्च मनःशिला ।
रसोनञ्च विषं ताम्रं प्रत्येकं कर्षमाहरेत् ॥६९॥
कुडवं सार्षपं तैलं साधयेत्सूर्यतापतः ।
नाडीव्रणञ्च विस्फोटमांसवृद्धिं विचर्चिकाम् ॥७०॥
दद्रुकुष्ठापचीकण्डूमण्डलानि व्रणांस्तथा ।
व्रणराक्षसनामेदं तैलं हन्ति गदान् बहून् ॥७१॥
(भैषज्यरत्नावली, व्रणशोथाधिकार; ६९-७१)

1.	Sūtaka (Pārada) śuddha		12 g
2.	Gandhaka śuddha		12 g
3.	Tāla (Haritāla) śuddha		12 g
4.	Sindūra		12 g
5.	Manahśilā śuddha		12 g
6.	Rasona (laśuna)	(Bl.)	12 g
7.	Viṣa (Vatsanābha)-śuddha	(Rt. Tr.)	12 g

8.	Tāmra-cūrṇa-bhasma	12 g
9.	Sarṣapa taila (Ol.)	192 g

Special Method of Preparation

Kajjalī is prepared first and the rest of the drugs are powdered and mixed well with the Kajjalī. This powder is added to the Sarṣapa Taila and kept under the sun rays for seven days.

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Dāha (Burning sensation), Vicarcikā (Eczema), Visphoṭa (Blister), Nāḍīvrāṇa (Fistula), Apacī (Chronic lymphadenopathy / scrofula), Māṃsa Vṛddhi (Muscle Hypertrophy), Kuṣṭha (Diseases of skin), Dadru (Taeniasis), Kaṇḍū (Itching), Maṇḍala Vraṇa (Ulcers)

8 : 57 ŚUṢKAMŪLA KA TAILA

(Bhāvaprakāśa, Śoṭhādhikāra: 37)

शुष्कमूलकवर्षाभूदारुरास्नामहौषधैः ।
पक्वमभ्यञ्जनं तैलं सशूलं श्वयथुं हरेत् ॥३७॥
(भावप्रकाश, शोथाधिकार; ३७)

1.	Śuṣkamūlaka (Mūlaka)	(Rt. Tr.)	38 g
2.	Varṣābhū	(Pl.)	38 g
3.	Dāru (Devadāru)	(Ht. Wd.)	38 g
4.	Rāsnā	(Rt./Lf.)	38 g
5.	Mahauṣadha (Śunthī)	(Rz.)	38 g
6.	Taila (Tila)	(Ol.)	768 g
7.	Water		3.072 l

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Śoṭha (Inflammation), Śūla (Colicky Pain)

8 : 58 ṢAḌBINDU TAILA

(Bhaiṣajyaratnāvalī, Śīrorogādhikāra : 49- 51)

एरण्डमूलं तगरं शताह्वा जीवन्ति रास्ना सह सैन्धवञ्च ।
भृङ्गं विडङ्गं मधुयष्टिका च विश्वौषधं कृष्णतिलस्य तैलम् ॥४९॥
आजं पयस्तैलविमिश्रितञ्च चतुर्गुणे भृङ्गरसे विपक्वम् ।
षड्भिन्दवो नासिकयोर्निधेया निहन्ति शीघ्रं शिरसो विकारान् ॥५०॥
च्युतांश्च केशान् चलितांश्च दंतान् दुर्बद्धमूलांश्च दृढीकरोति ।
सुपर्णदृष्टिप्रतिमञ्च चक्षुर्बाह्वोर्बलञ्चाप्यधिकं ददाति ॥५१॥
(भैषज्यरत्नावली, शिरोरोगाधिकार; ४९-५१)

1.	Kṛṣṇa tila taila (Tila)	(Ol.)	768 g
2.	Ajāpaya (Ajākṣīra)		3.072 l
3.	Bhṛṅga rasa (Bhṛṅgarāja)	(Pl.)	3.072 l
4.	Eraṇḍa	(Rt.)	19 g
5.	Tagara	(Rt./Rz.)	19 g
6.	Śatāhvā	(Fr.)	19 g
7.	Jivantī	(Rt.)	19 g
8.	Rāsnā	(Rt./Lf.)	19 g
9.	Saindhava lavaṇa		19 g
10.	Bhṛṅga (tejapatra)	(Lf.)	19 g
11.	Viḍaṅga	(Fr.)	19 g

12.	Yasṭī	(Rt.)	19 g
13.	Viśvaṣadha (Śunṭhī)	(Rz.)	19 g

Usage

Used externally for Nasya, Kavalagraha, Śirobhyāṅga And Abhyāṅga

Important Therapeutic Uses

Danta Cālana (Loose tooth), Dṛṣṭi Daurbalya (Weakness of vision), Keśaśāta (Loss of hair), Śīroroga (Disease of head), Improves Bhuja bala (Improves Physical Strength), Improves Netra dṛṣṭi (Eyesite)

8 : 59 SAHACARĀDI TAILA

(Aṣṭāṅgaḥṛdaya, Cikitsāsthāna, Adhyāya 21 : 66-68)

समूलशाखस्य सहाचरस्य तुलां समेतां दशमूलतश्च ।
 पलानि पञ्चाशदभीरुतश्च पादावशेषं विपचेद्वहेऽपाम् ॥६६॥
 तत्र सेव्यनखकुष्ठहिमैलास्पृक्प्रियङ्गुनलिकाऽम्बुशिलाजैः ।
 लोहितानलदलोहसुराह्वः कोपनामिसितुरुष्कनतैश्च ॥६७॥
 तुल्यं क्षीरं पालिकैस्तैलपात्रं सिद्धं कृच्छ्रान् शीलितं हन्ति वातान् ।
 कम्पाक्षेपस्तम्भशोषादियुक्तान् गुल्मोन्मादौ पीनसं योनिरोगान् ॥६८॥
 (अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय २१; ६६-६८)

1.	Sahacara	(Pl.)	4.800 kg
2.	Bilva	(Rt./St. Bk.)	480 g
3.	Syonāka	(Rt./St. Bk.)	480 g
4.	Gambhārī	(Rt./St. Bk.)	480 g
5.	Pāṭalā	(Rt./St. Bk.)	480 g
6.	Gaṇikārikā (Agnimantha)	(Rt./St. Bk.)	480 g
7.	Śālaparnī	(Pl.)	480 g
8.	Prśniparnī	(Pl.)	480 g

9.	Bṛhatī	(Pl.)	480 g
10.	Kaṇṭakārī	(Pl.)	480 g
11.	Gokṣura	(Pl.)	480 g
12.	Abhīru (Śatāvarī)	(Rt. Tr.)	2.400 kg
13.	Water for decoction		49.152 l
	reduced to		12.288 l
14.	Sevyā (Uśīra)	(Rt.)	48 g
15.	Nakha (Vyāghranakha)	(Fr.)	48 g
16.	Kuṣṭha	(Rt.)	48 g
17.	Hima (Śveta candana)	(Ht. Wd.)	48 g
18.	Elā (Sūkṣmailā)	(Sd.)	48 g
19.	Sprk (Sprkkā)	(Pl.)	48 g
20.	Priyaṅgu	(Fl.)	48 g
21.	Nalikā	(St. Bk.)	48 g
22.	Ambu (Hrīvera)	(Rt.)	48 g
23.	Śilāja (Śaileya)	(Pl.)	48 g
24.	Lohitā (Mañjiṣṭhā)	(Rt.)	48 g
25.	Nalada (Jaṭāmāmsī)	(Rt./Rz.)	48 g
26.	Loha (Agaru)	(Ht. Wd.)	48 g
27.	Surāhva (Devadāru)	(Ht. Wd.)	48 g
28.	Kopana (Coraka)	(Rz.)	48 g
29.	Misi (Miśrēyā)	(Fr.)	48 g
30.	Turuṣka	(Exd.)	48 g
31.	Nata (Tagara)	(Rt./Rz.)	48 g
32.	Kṣīra (Godugdha)		3.072 l
33.	Taila (Tila)	(Ol.)	3.072 kg

Note:

This taila is also prepared by boiling 101 times like Kṣīrabala taila.

Dose

6 to 12 g, used externally for Abhyaṅga also

Anupāna

Milk, warm water.

Important Therapeutic Uses

Vāta Vyādhi (Disease due to Vāta doṣa), Kampa (Tremor), Gulma (Abdominal lump), Unmāda (Mania/Psychosis), Pīnasa (Chronic rhinitis/sinusitis), Yoniroga (Disease of female genital tract), Ākṣepa (Convulsions), Ūrustambha (Stiffness in thigh muscles), Śoṣa (Cachexia)

8 : 60 SAINDHAVĀDI TAILA

(Bhaiṣajyaratnāvalī, Naḍīvraṇādhikāra : 31)

सैन्धवार्कमरिचज्वलनाख्यैर्मार्कवेण रजनीद्वयसिद्धम् ।
तैलमेतदचिरेण निहन्याद् दूरगामपि कफानिलनाडीम् ॥३१॥
(भैषज्यरत्नावली, नाडीव्रणाधिकारः ३१)

1.	Saindhava lavaṇa		28 g
2.	Arka	(Rt.)	28 g
3.	Marica	(Fr.)	28 g
4.	Jvalanākhyā (Citraka)	(Rt.)	28 g
5.	Mārkava (Bhṛṅgarāja)	(Pl.)	28 g
6.	Haridrā	(Rz.)	28 g
7.	Dāruharidrā	(St.)	28 g
8.	Taila (Tila)	(Ol.)	768 g
9.	Water		3.072 l

Dose

Used externally for Abhyaṅga

Important Therapeutic Uses

Kaphavātaja Nāḍī Vraṇa. (Fistula due to Kapha, Vāta)

8 : 61 SOMARĀJĪ TAILA

(Bhaiṣajyaratnāvalī, Kuṣṭhādhikāra: 208-210)

सोमराजी हरिद्रे द्वे सर्षपाः कुष्ठमेव च ।
करञ्जैडगजाबीजं पत्राण्यारग्वधस्य च ॥२०८॥
विपचेत्सर्षपं तैलं नाडीदुष्टव्रणापहम् ।
अनेनाशु प्रशाम्यन्ति कुष्ठान्यष्टादशैव तु ॥२०९॥
नीलिका पिडका व्यङ्गो गम्भीरं वातशोणितम् ।
कण्डूकच्छूप्रशमनं दद्रुपामानिवारणम् ॥२१०॥
(भैषज्यरत्नावली, कुष्ठाधिकार; २०८-२१०)

1.	Somarājī (Bākucī)	(Sd.)	24 g
2.	Haridrā	(Rz.)	24 g
3.	Dāruharidrā	(St.)	24 g
4.	Sarṣapa	(Sd.)	24 g
5.	Kuṣṭha	(Rt.)	24 g
6.	Karañja	(Sd.)	24 g
7.	Eḍagajabīja (Cakramarda)	(Sd.)	24 g
8.	Āragvadha	(Lf.)	24 g
9.	Sarṣapa taila	(Ol.)	768 g
10.	Water		3.072 l

Usage

Used externally for Abhyaṅga

Important Therapeutic Uses

Kaṇḍū (Itching), Kacchū (Itching), Pāmā (Eczema), Piḍakā (Carbuncle), Nīlikā (Mole), Duṣṭa Vraṇa (Non-healing ulcer), Nāḍīvraṇa (Fistula), Vātarakta (Gout), Vyaṅga (Pigmentation disorder), Kuṣṭha (Diseases of skin), Dadru (Taeniasis)

8 : 62 HINGUTRIGUṆA TAILA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 14: 39)

हिङ्गुत्रिगुणं सैन्धवमस्मात् त्रिगुणं च तैलमैरण्डम् ।
तत् त्रिगुणरसोनरसं गुल्मोदरवर्ध्मशूलघ्नम् ॥३९॥
(अष्टांगहृदय, चिकित्सास्थान, अध्याय १४; ३९)

1.	Hiṅgu	(Exd.)	48 g
2.	Saindhava Lavaṇa		144 g
3.	Eraṇḍa-taila	(Ol.)	432 g
4.	Rasona rasa (Laśuna)	(Bl.)	1.296 kg

Dose

6 g

Anupāna

Milk, warm water.

Important Therapeutic Uses

Gulma (Abdominal lump), Udararoga (Ascites), Āntra Vṛddhi (Hernia), Śūla (Colicky Pain), Vardhma (Hernia)

9. DRĀVAKA

Definition

Drāvakas are liquid preparations obtained from Lavaṇas and Kṣāras.

Method of preparation

Drāvakas are prepared with Lavaṇas and Kṣāras by Tiryakpātana (distillation) process with or without any addition of fluids.

Characteristics and preservation

These are preserved in glass stoppered bottles. These preparations do not deteriorate by lapse of time.

1	ŚAṆKHA DRĀVAK	Bhaiṣajyaratnāvalī, Pl īhāyakṛtrogādhikāra	193-197
---	---------------	---	---------

9 : 1 ŚAṆKHA DRĀVAKA

(Bhaiṣajyaratnāvalī, Plīhāyakṛtrogādhikāra: 193-197)

अर्कः स्नुही तथा चिञ्चा तिलारग्वधचित्रकम् ।
 अपामार्गभस्म समं वस्त्रपूतं जलं हरेत् ॥१९३॥
 मृद्वग्निना पचेत्तत्तु यावल्लवणताङ्गतम् ।
 लवणेन समौ ग्राह्यौ द्वौ क्षारौ टङ्कणं तथा ॥१९४॥
 समुद्रफेनं गोदन्तं काशीशं सोरकं तथा ।
 द्विगुणं पञ्चलवणं मातुलुङ्गरसेन च ॥१९५॥
 काचकुप्यान्तु सप्ताहं वासयेदम्लयोगतः ।
 शङ्खचूर्णपलं दत्त्वा वारुणीयन्त्रमुद्धरेत् ॥१९६॥
 सर्वधातून् हरेच्छीघ्रं वराटीशङ्खकादिकान् ।
 रोगाणामुदरादीनां सद्यो नाशकरः परः ॥१९७॥
 (भैषज्यरत्नावली, प्लीहयकृद्रोगाधिकारः; १९३-१९७)

1.	Arka bhasma (Arka) -kṣāra	48 g
2.	Snuhī bhasma (Snuhī) -kṣāra	48 g
3.	Ciñcā bhasma (Ciñcā) - kṣāra	48 g
4.	Tila bhasma (Tila) - kṣāra	48 g
5.	Āragvadha bhasma (Ārgavadha) kṣāra	48 g
6.	Citraka bhasma (Citraka) - kṣāra	48 g
7.	Apāmārga bhasma (Apāmārga) - kṣāra	48 g
8.	Yava kṣāra (Yava)	48 g
9.	Svarjikṣāra	48 g
10.	Taṅkaṇa	48 g
11.	Samudraphena	48 g
12.	Godantī	48 g
13.	Kāśīsa	48 g
14.	Soraka	48 g
15.	Saindhava Lavaṇa	
16.	Sāmudra Lavaṇa	

17. Viḍa Lavaṇa
18. Sauvarcala lavaṇa
19. Audbhida Lavaṇa

96 g (drugs from 15 to 19 in equal proportion)

- | | | | |
|-----|-----------------------|-------|------|
| 20. | Mātuluṅgarasa | (Fr.) | Q.S. |
| 21. | Saṅkha cūrṇa (Saṅkha) | | 48 g |

Special Method of Preparation

Drugs 1 to 7 are well mixed with drugs 8 to 19 and immersed in a glass or porcelain vessel containing Mātuluṅga Rasa (No.20). After 7 days, Saṅkha cūrṇa (No.21) is added and put in Vāruṇī Yantra To extract the Drāvaka.

Dose

5 drops

Anupāna

Water

Important Therapeutic Uses

Udararoga (Ascites), Śūla (Colicky Pain), Ādhmāna (Flatulence with gurgling sound), Yakṛtplīhārōga (Disorder of Liver and Spleen)

10. LAVAṆA KṢĀRA

Definition

Kṣāras are alkaline substances obtained from the ash of drugs.

Method of preparation

The drug is cut into small pieces and dried well. The pieces are put in earthen pot and burnt to ash. First, a few pieces are put and ignited. As they burn, more and more pieces are added. When all the pieces are burnt and reduced to ash, the ash is allowed to cool. Water is added to the ash in the ratio of 6:1 and mixed well. This is then strained through a piece of cloth. This process of straining may be done two or three times till a clear liquid is obtained.

This liquid is then put in an iron or earthen vessel and heated over a moderate fire till the water evaporates, leaving a solid salty white substance which is collected. This is known as Kṣāra¹.

Characteristics and preservation

Kṣāras are white in colour. When exposed to the atmosphere these become moist and therefore should be kept in airtight bottles. These will last indefinitely. The taste is saltish.

Note:

Some Preparations like Kalyāṇaka kṣāra, though really do not come under this method of preparation, the texts call them kṣāras and are therefore included here.

1	ARKA LAVAṆA	Bhaiṣajyaratnāvalī, Plīhāyak r̥drogādhikāra	14
2	APĀMĀRGA KṢĀRA	Suśrutasamhitā, Sūtrasthāna, Adhyāya 11	11
3	ABHAYĀ LAVAṆA	Bhaiṣajyaratnāvalī, Plīhāyak r̥drogādhikāra	35-43
4	ĀVITTOLĀDI BHASMA (KṢĀRA)	Sahasrayoga, Kaṣāyaprakaraṇa	331
5	KADALĪ KṢĀRA	Suśruta Samhitā, Sūtrasthāna, Adhyāya 11	11

6	KALYĀṆA KṢĀRA	Aṣṭāṅgahṛdaya, Cikitsāsthāna, Adhyāya 8	140-143
7	NĀRIKELA LAVAṆA	Bhaiṣajyaratnāvalī, Ś ūlarogādhikāra	81-82
8	PANAVIRALĀDI BHASMA (KṢĀRA)	Sahasrayoga, Kaṣāyaprakaraṇa	330
9	PALĀŚA KṢĀRA	Suśrutasamhitā, Sūtrasthāna, Adhyāya 11	11
10	MŪLAKA KṢĀRA	Suśrutasamhitā, Uttaratāntra, Adhyāya 42	40-41
11	YAVA KṢĀRA	Suśrutasamhitā, Uttaratāntra, Adhyāya 42	40-41
12	VAJRA KṢĀRA	Bhaiṣajyaratnāvalī, Gulmādhikāra	63-69
13	VĀSA KṢĀRA	Suśrutasamhitā, Sūtrasthāna, Adhyāya 11	11

10 : 1 ARKA LAVANA

(Bhaiṣajyaratnāvalī, Plīhāyakṛdrogādhikāra: 14)

अर्कपत्रं सलवणमन्तर्धूमं दहेन्नरः ।
मस्तुना तत्पिबेत्क्षारं प्लीहगुल्मोदरापहम् ॥१५॥
(भैषज्यरत्नावली, प्लीहयकृद्रोगाधिकारः १५)

- | | | | |
|----|---------------------------|-------|--------|
| 1. | Arka patra (Arka) | (Lf.) | 1 Part |
| 2. | Lavana (Saindhava Lavana) | | 1 Part |

Special Method of Preparation

Layers of arka patra and over which Lavana are evenly kept in a new pot. The pot is covered by a Śarāva and the edges are sealed by a piece of clay-smeared cloth, wound in seven consecutive layers, dried and fired till the pot is red hot. The contents are

Dose

1 g

Anupāna

Water, butter-milk

Important Therapeutic Uses

Gulma (Abdominal lump), Udararoga (Ascites), Plīhodara (Disorder of Spleen, Ascites associated with splenomegaly), Yakṛtodara (Enlargement of liver (Hepatomegaly))

10 : 2 APĀMĀRGA KṢĀRA

(Suśrutasaṃhitā, Sūtrasthāna, Adhyāya 11: 11)

अथेतरस्त्रिविधो मृदुर्मध्यस्तीक्ष्णश्च । तं चिकीर्षुः शरदि
गिरिसानुजं शुचिरुपोष्य प्रशस्तेऽहनि प्रशस्तदेशजातमनुपहतं
मध्यमवयसं महान्तमसितमुष्ककमधिवास्यापरेद्युः पाटयित्वा
खण्डशः प्रकल्प्यावपाट्य निवाते देशे निचितिं कृत्वा

सुधाशर्कराश्च प्रक्षिप्य तिलनालैरादीपयेत् ।
 अथोपशान्तेऽग्नौ तद्भस्म पृथग्गृह्णीयाद्भस्मशर्कराश्च ।
 अथानेनैव विधानेन कुटजपलाशाश्वकर्णपारिभद्रकबिभीतकारग्वधतिल्व
 कार्कस्नुह्यपामार्गपाटलानक्तमालवृषकदलीचित्रकपूतीकेन्द्रवृक्षा
 स्फोताश्वमारकसप्तच्छदाग्निमन्थगुञ्जाश्चतस्रश्च
 कोशातकीः समूलफलपत्रशाखादहेत् ।
 ततः क्षारद्रोणमुदकद्रोणैः षड्भिरालोड्यमूत्रैर्वा
 यथोक्तैरेकविंशतिकृत्वः परिस्राव्य महति कटाहे
 शनैर्दर्व्याऽवघट्टयन् विपचेत् । स यदा भवत्यच्छो रक्तस्तीक्ष्णः
 पिच्छिलश्च तमादाय महति वस्त्रे परिस्राव्येतरं विभज्य
 पुनरग्नावधिश्रयेत् ।
 तत क्षारोदकात् कुडवमध्यर्धं वाऽपनयेत् ।
 ततः कटशर्कराभस्मशर्कराक्षीरपाकशङ्खना
 भीरग्निवर्णाः कृत्वाऽऽयसे पात्रे तस्मिन्नेव क्षारोदके निषिच्य
 पिष्ट्वा तेनैव द्विद्रोणेऽष्टपलसंमितं शङ्खनाभ्यादीनां प्रमाणं
 प्रतिवाप्य सततमप्रमत्तश्चैनमवघट्टयन् विपचेत् ।
 स यथा नातिसान्द्रो नातिद्रवश्च भवति तथा प्रयतेत ।
 अथैनमागतपाकमवतार्यानुगुप्तमायसे कुम्भे संवृतमुखे
 निदध्यादेष मध्यमः ॥११॥
 (सुश्रुतसंहिता, सूत्रस्थान, अध्याय ११;११)

- | | | | |
|----|----------------------------|-------|---------|
| 1. | Apāmārga bhasma (Apāmārga) | (Pl.) | 1 Part |
| 2. | Water | | 6 Parts |

Dose

125 to 500 mg

Anupāna

Water

Important Therapeutic Uses

Gulma (Abdominal lump), Udaraśūla (Pain in the abdomen), Grahaṇī (Malabsorption)

syndrome), Viṣūcikā (Gastro-enteritis with piercing pain), Alasaka (Intestinal atony), Ajīrṇa (Dyspepsia), Aruci (Tastelessness), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Arśa (Haemorrhoids), Śarkarā (Gravel in urine), Aśmarī (Calculus), Kṛmi (Helminthiasis/Worm infestation), Antarvidradhi (Internal abscess), Śvāsa (Dyspnoea/Asthma)

10 : 3 ABHAYĀ LAVANA

(Bhaiṣajyaratnāvalī, Plīhāyakṛdrogādhikāra: 35-43)

पारिभद्रपलाशार्कस्नुह्यपामार्गचित्रकान् ।
वरुणाग्निमन्थवसुकश्वदंष्ट्राबृहतीद्वयम् ॥३५॥
पूतिकासफोटकुटजकोषातक्यः पुनर्नवा ।
समूलपत्रशाखाश्च क्षोदयित्वा उदूखले ॥३६॥
तिलनालप्रदीप्ताग्निसुदग्धं भस्म शीतलम् ।
क्षारप्रस्थं गृहीत्वा तु न्यसेत्पात्रे दृढे नवे ॥३७॥
जलद्रोणे विपक्तव्यं ग्राह्यं पादावशेषितम् ।
पूर्ववत्क्षारकल्केन स्रावयीत विचक्षणः ॥३८॥
प्रस्थमेकञ्च लवणं तदर्द्धाञ्च हरीतकीम् ।
तुल्याम्बुभागं गोमूत्रं साधयेन्मृदुनाग्निना ॥३९॥
किञ्चित्सबाष्पसान्द्रे च सम्यक् सिद्धेऽवतारिते ।
अजाजी त्र्यूषणं हिङ्गु यमानी पौष्करं शटी ॥४०॥
एतैरर्द्धपलैर्भागैश्चूर्णं कृत्वा प्रदापयेत् ।
अभयालवणं नाम भक्षयेच्च यथाबलम् ॥४१॥
व्याधिञ्च वीक्ष्य मतिमाननुपानं यथाहितम् ।
ये च कोष्ठगता रोगास्तान्निहन्ति न संशयः ॥४२॥
यकृत्प्लीहोदरानाहगुल्माष्ठीलाग्निसादजित् ।
हन्याच्छिरोऽर्तिहृद्रोगं शर्कराश्मरिनाशनम् ॥४३॥
(भैषज्यरत्नावली, प्लीहयकृद्रोगाधिकार; ३५-४३)

2.	Palāśa	(St.Bk.)
3.	Arka	(Pl.)
4.	Snuhī	(Pl.)
5.	Apāmārga	(Pl.)
6.	Citraka	(Rt.)
7.	Varuṇa	(St.Bk.)
8.	Agnimantha	(Rt./St.Bk.)
9.	Vasuka (Vasu)	(Rt.)
10.	Śvadamstrā (Gokṣura)	(Pl.)
11.	Bṛhatī	(Pl.)
12.	Kaṇṭakārī	(Pl.)
13.	Pūtika (Cirabilva)	(St.Bk.)
14.	Āsphoṭā	(Rt.)
15.	Kuṭaja	(St.Bk.)
16.	Koṣātakī	(Pl.)
17.	Punarnavā (Rakta Punarnavā)	(Rt.)

768 g (Kṣāra of drugs 1 to 17 in equal proportion)

18.	Water for decoction	12.288 l
	reduced to	3.072 l
19.	Lavaṇa (Saiṇdhava Lavaṇa)	768 g
20.	Harītakī	(P) 384 g
21.	Gomūtra	3.072 l
22.	Ajājī (Śveta jīraka)	(Fr.) 24 g
23.	Śuṇṭhī	(Rz.) 24 g
24.	Marica	(Fr.) 24 g
25.	Pippalī	(Fr.) 24 g
26.	Hiṅgu	(Exd.) 24 g
27.	Yamānī (Yavānī)	(Fr.) 24 g
28.	Pauṣkara (Puṣkara)	(Rt.) 24 g

29. Śaṭhī (Śaṭī)

(Rz.)

24 g

Special Method of Preparation

Ingredients 19 (Lavaṇa) and 20 (powder of Harītakī) are added to the reduced decoction and boiled till it becomes semi-solid. Thereafter powders of the remaining drugs (ingredients 22 to 29) are added and mixed well

Dose

1 to 2 g

Anupāna

Warm water

Important Therapeutic Uses

Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Gulma (Abdominal lump), Yakṛtplīhodara (Disease of liver and spleen), Hṛdroga (Heart disease), Aṣṭhīlā (Prostatic Hyperplasia), Mandāgni (Impaired digestive fire), Śīraḥśūla (Headache), Śarkarā (Gravel in urine), Aśmarī (Calculus)

10 : 4 ĀVITTOLĀDI BHASMA (KṢĀRA)

(Sahasrayoga, Kaṣāyaprakaraṇa: 331)

आवित्तोल् कडलाडि दन्ति तपनं चित्रा वयल्चुल्लियुं ।
शम्याकत्तोलि कल्लिवेरु पनविरल् स्नुहग्रवुं रंभयुं ।।
एतद् भस्म जले यवागु विहिता पालोडु मोरोडुतान् ।
कूटिट्टाशु निहन्ति शोफमखिलं गुल्मोदरादीनपि ।।
(सहस्रयोग, कषायप्रकरण; ३३१)

- | | | | |
|----|---------------------|----------|--------|
| 1. | Āvittola (Karañja) | (St.Bk.) | 1 Part |
| 2. | Kaṭalāṭi (Apāmārga) | (Pl.) | 1 Part |
| 3. | Dantī | (Rt.) | 1 Part |
| 4. | Tapana (Arka) | (Rt.) | 1 Part |

5.	Citra (Eraṇḍa)	(Rt.)	1 Part
6.	Vayalcullī (Kokilākṣa)	(Pl.)	1 Part
7.	Śampāka (Āragvadha)	(St.Bk.)	1 Part
8.	Kalliver (Snuhī)	(Rt.)	1 Part
9.	Panaviral (Tāla)	(If.)	1 Part
10.	Snuhyagra (Snuhī)	(Lf.)	1 Part
11.	Rambhā (Kadalī)	(Rz.)	1 Part

Special Method of Preparation

The drugs should be burnt in an uncovered earthen pot and ash should be obtained.
This may be used for preparation of Kṣāra Jala.

Dose

As directed by physician

Important Therapeutic Uses

Gulma (Abdominal lump), Udara (Diseases of abdomen / enlargement of abdomen),
Śopha (Oedema)

10 : 5 KADALĪ KṢĀRA

(Suśruta Saṃhitā, Sūtrasthāna, Adhyāya 11: 11)

(अपामार्ग क्षारवत्)
(सुश्रुत संहिता, सूत्रस्थान, अध्याय ११; ११)

1.	Kadalī (Bhasma)	(Rz.)	1 Part
2.	Water		6 Parts

Dose

125 to 250 mg

Anupāna

Water

Important Therapeutic Uses

Gulma (Abdominal lump), Plīhodara (Disorder of Spleen, Ascites associated with splenomegaly), Jīrṇajvara (Chronic fever), Śōpha (Oedema), Gara Viṣa (Slow / accumulated poison), Vātakaphaja Grahaṇī (Malabsorption due to Vāta Kapha doṣa), Viṣ ūcikā (Gastro-enteritis with piercing pain), Alasaka (Intestinal atony), Aruci (Tastelessness), Ajīrṇa (Dyspepsia), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Śarkarā (Gravel in urine), Aśmarī (Calculus), Viṣa (Poison), Arśa (Haemorrhoids), Antarvidradhi (Internal abscess)

10 : 6 KALYĀṆA KṢĀRA

(Aṣṭāṅgahrdaya, Cikitsāsthāna, Adhyāya 8 : 140-143)

त्रिकटुत्रिपटुश्रेष्ठादन्त्यरुष्करचित्रकम् ॥१४०॥
जर्जरं स्नेहमूत्राक्तमन्तर्धूमं विपाचयेत् ।
शरावसन्धौ मृल्लिप्ते क्षारः कल्याणकाह्वयः ॥१४१॥
स पीतः सर्पिषा युक्तो भक्ते वा स्निग्धभोजिना ।
उदावर्तविबन्धार्शोगुल्मपाण्डूदरक्रिमीन् ॥१४२॥
मूत्रसङ्गाश्मरीशोफहृद्रोगग्रहणीगदान् ।
मेहप्लीहरुजानाहश्वासकासांश्च नाशयेत् ॥१४३॥
(अष्टांगहृदय, चिकित्सास्थान, अध्याय ८; १४०-१४३)

1.	Sunṭhī	(Rz.)	1 Part
2.	Marica	(Fr.)	1 Part
3.	Pippalī	(Fr.)	1 Part
4.	Saindhava Lavaṇa		1 Part
5.	Sauvarcala Lavaṇa		1 Part
6.	Viḍa Lavaṇa		1 Part
7.	Harītakī	(P.)	1 Part

8.	Bibhītaka	(P.)	1 Part
9.	Āmalakī	(P.)	1 Part
10.	Dantī	(Rt.)	1 Part
11.	Aruṣkara (Bhallātaka)	(Fr.)	1 Part
12.	Citraka	(Rt.)	1 Part
13.	Sneha (tila) - taila	(Ol.)	QS
14.	Mūtra (Gomūtra)		QS

Special Method of Preparation

Ingredients 1 to 12 are first powdered and then mixed with ingredients 13 and 14.

This is kept in a closed earthen pot and burnt on a mild fire.

Dose

1 g

Anupāna

Ghṛta

Important Therapeutic Uses

Vibandha (Constipation), Ādhmāna (Flatulence with gurgling sound), Gulma (Abdominal lump), Udāvarta (Condition in which there is upward movement of vāyu), Arśa (Haemorrhoids), Pāṇḍu (Anaemia), Udararoga (Ascites), Kṛmi (Helminthiasis/Worm infestation), Mūtrāghāta (Urinary obstruction), Aśmarī (Calculus), Śōpha (Oedema), Hṛdroga (Heart disease), Grahaṇī (Malabsorption syndrome), Meha (Excessive flow of urine), Plīhārujā (Pain due to splenic disease), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Agnimāndya (Digestive impairment)

10 : 7 NĀRIKELA LAVAṆA

(Bhaiṣajyaratnāvalī, Śūlarogādhikāra : 81-82)

नारिकेलं सतोयञ्च लवणेन प्रपूरितम् ।
विपक्वमग्निना सम्यक् परिणामजशूलनुत् ॥८१॥
पिप्पल्या भक्षितं हन्ति शूलं विविधहेतुजम् ।
वातिकं पैत्तिकञ्चापि श्लैष्मिकं सान्निपातिकम् ॥८२॥
(भैषज्यरत्नावली, शूलरोगाधिकार, ८१-८२)

- | | | | |
|----|----------------------------------|-------|-------------|
| 1. | Nārikela satoya phala (Nārikela) | (Fr.) | 1 in number |
| 2. | Lavaṇa (Saindhava Lavaṇa) | | QS |

Special Method of Preparation

A fully-ripe coconut is taken, the shell is removed and a hole is made at the top of the coconut. Powdered Lavaṇa is put through the hole till the water in the coconut rises to the level of the hole. The coconut is then covered by clay smeared cloth in

Dose

1 to 2 g

Anupāna

Pippalī Cūrṇa, water

Important Therapeutic Uses

Śūla (Colicky Pain), Pariṇāma Śūla (Duodenal ulcer), Amlapitta (Dyspepsia)

10 : 8 PANA VIRALĀDI BHASMA (KṢĀRA)

(Sahasrayoga, Kaṣāyaprakaraṇa : 330)

पनविरल कटलाटि चुल्लि रंभाभसित समेन जलेन पालिनालुम् ।
अनकिय लिनगंजि हन्ति शोफं हर हर योरिव कल्मषं प्रसादः ॥
(सहस्रयोग, कषायप्रकरण; ३३०)

- | | | | |
|----|---------------------|-------|--------|
| 1. | Panaviral (Tāla) | (If.) | 1 Part |
| 2. | Katalāṭi (Apāmārga) | (Pl.) | 1 Part |
| 3. | Culli (Kokilākṣa) | (Pl.) | 1 Part |

4. Rambhā (Kadalī) (Rz.) 1 Part

Special Method of Preparation

The drugs should be burnt in an uncovered earthen pot and ash should be obtained.
This may be used for preparation of Kṣāra Jala.

Dose

As directed by physician

Important Therapeutic Uses

Śopha (Oedema), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Jalodara (Ascites)

10 : 9 PALĀŚA KṢĀRA

(Suśrutasamhitā, Sūtrasthāna, Adhyāya 11: 11)

(अपामार्ग क्षारवत्)
(सुश्रुत संहिता, सूत्रस्थान, अध्याय ११;११)

1. Palāśa bhasma (Palāśa) (Pl.) 1 Part
2. Water 6 Parts

Dose

1/2 to 1 g

Anupāna

Warm water, milk

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Gulma (Abdominal lump), Plīhāyakṛtvṛddhi (Enlargement of liver and Spleen), Mūtrakṛcchra (Dysuria), Aśmarī (Calculus), Śarkarā (Gravel in urine), Grahaṇī (Malabsorption syndrome), Ānāha (Distension of abdomen due to

obstruction to passage of urine and stools), Viṣūcikā (Gastro-enteritis with piercing pain)

10 : 10 MŪLAKA KṢĀRA

(Suśrutasamhitā, Uttaratāntra, Adhyāya 42: 40-41)

तिलेक्षुरकपालाशसार्षपं यावनालजम् ॥४०॥
भस्म मूलकजं चापि गोजाविखरहस्तिनाम् ॥
मूत्रेण महिषीणां च पालिकैश्चावचूर्णितैः ॥४१॥
(सुश्रुतसंहिता, उत्तरतन्त्र अध्याय ४०;४१)

- | | | | |
|----|-----------------------|-------|---------|
| 1. | Mūlakabhasma (Mūlaka) | (Pl.) | 1 Part |
| 2. | Water | | 6 Parts |

Dose

1 g

Anupāna

Water

Important Therapeutic Uses

Mūtrakṛcchra (Dysuria), Aśmarī (Calculus), Gulma (Abdominal lump), Vātavikāra
(Disorder due to Vāta doṣa)

10 : 11 YAVA KṢĀRA

(Suśrutasamhitā, Uttaratāntra, Adhyāya 42 : 40-41)

तिलेक्षुरकपालाश सार्षपं यावनालजम् ॥४०॥
भस्म मूलकजं चापि गोजाविखर हस्तिनाम् ॥
मूत्रेण महिषीणां च पालिकैश्चाव चूर्णितैः ॥४१॥
कुष्ठसैन्धवयष्ट्याह्वनागरकृमिघातिभिः ।

साजमोदैश्च दशभिः सामुद्राख्यपलैर्युतम् ॥४२॥
 अयःपात्रेऽग्निनाऽल्पेन पक्त्वा लेह्यमथोद्धरेत् ।
 तस्य मात्रां पिबेद्दध्ना सुरया सर्पिषाऽपि वा ॥४३॥
 धान्याम्लेनोष्णतोयेन कौलत्थेन रसेन वा ।
 गुल्मान् वातविकारांश्च क्षारोऽयं हन्त्यसंशयम् ॥४४॥
 (सुश्रुत संहिता, उत्तरतन्त्र, अध्याय ४२; ४०-४४)

- | | | | |
|----|------------------------|-------|---------|
| 1. | Yavanāla bhasma (Yava) | (Pl.) | 1 Parts |
| 2. | Water | | 6 Parts |

Dose

1/2 to 1 g

Anupāna

Warm water, Ghṛta

Important Therapeutic Uses

Ādhmāna (Flatulence with gurgling sound), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Śūla (Colicky Pain), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Plīhāmaya (Splenic disease), Mūtrak ṛcchra (Dysuria)

10 : 12 VAJRA KṢĀRA

(Bhaiṣajyaratnāvalī, Gulmādhikāra: 63-69)

सामुद्रं सैन्धवं काचं यवक्षारं सुवर्चलम् ।
 टङ्कणं सर्जिकाक्षारं तुल्यं चूर्णं प्रकल्पयेत् ॥६३॥
 अर्कक्षीरैः स्नुहीक्षीरैर्भावयेदातपे त्र्यहम् ।
 वेष्टयेदर्कपत्रेण रुद्ध्वा भाण्डपुटे पचेत् ॥६४॥
 तं क्षारं चूर्णयित्वाथ त्र्यूषणं त्रिफला तथा ।
 यमानी जीरको वह्निश्चूर्णमेषाञ्च कारयेत् ॥६५॥

सर्वचूर्णसमं क्षारं सर्वमेकत्र कारयेत् ।
 तच्चूर्णं मासयुगलं सलिलेन प्रयोजयेत् ॥६६॥
 गुल्मे शूले तथाजीर्णे शोथे सर्वोदरेषु च ।
 मन्दे वह्नावुदावर्ते प्लीहिनि चापि परं हितम् ॥६७॥
 वातेऽधिके जलैः कोष्णैर्हितं पित्ताधिके घृतैः ।
 गोमूत्रेण कफाधिक्ये काञ्जिकेन त्रिदोषजे ॥६८॥
 वज्रक्षार इति ख्यातः प्रोक्तः पूर्वं पिनाकिना ।
 सेवितो हरतेऽजीर्णं तथाजीर्णभवान् गदान् ॥६९॥
 (भैषज्यरत्नावली, गुल्माधिकार; ६३-६९)

1.	Sāmudra (Sāmudra Lavaṇa)	1 Part
2.	Saindhava lavaṇa	1 Part
3.	Kāca Lavaṇa	1 Part
4.	Yava kṣāra (Yava) (Pl.)	1 Part
5.	Sauvarcala lavaṇa	1 Part
6.	Taṅkaṇa	1 Part
7.	Svarjikā kṣāra (Svarji kṣāra)	1 Part
8.	Arka-kṣāra (Lx.)	Q.S.
9.	Snuhī kṣīra (Lx.)	Q.S.
10.	Arka-patra (Lf.)	Q.S.
11.	Śunthī (Rz.)	1 Part
12.	Marica (Fr.)	1 Part
13.	Pippalī (Fr.)	1 Part
14.	Harītakī (P.)	1 Part
15.	Bibhītaka (P.)	1 Part
16.	Āmalakī (P.)	1 Part
17.	Yavānī (Fr.)	1 Part
18.	Śveta Jīraka (Fr.)	1 Part
19.	Vahni (Citraka) (Rt.)	1 Part

Special Method of Preparation

Fine powders of ingredients 1 to 7 are soaked and triturated in ingredients 8 and 9, separately for 3 days each and dried in the sun. This mass is covered by arka patra, kept in Śarāva, sealed and burnt to obtain the Kṣāra. Powders of drugs 11 to 19 are a

Dose

2 g

Anupāna

Warm water, ghee, Gomūtra, Kāñjī

Important Therapeutic Uses

Ajīrṇa (Dyspepsia), Śūla (Colicky Pain), Gulma (Abdominal lump), Udara (Diseases of abdomen / enlargement of abdomen), Śoṭha (Inflammation), Mandāgni (Impaired digestive fire)

10 : 13 VĀSA KṢĀRA

(Suśrutasamhitā, Sūtrasthāna, Adhyāya 11 : 11)

(अपामार्ग क्षारवत्)

(सुश्रुत संहिता, सूत्रस्थान, अध्याय ११; ११)

- | | | | |
|----|--------------------|-------|---------|
| 1. | Vāsā bhasma (vāsā) | (Pl.) | 1 Part |
| 2. | Water | | 6 Parts |

Dose

1/2 g

Anupāna

Water

Important Therapeutic Uses

Gulma (Abdominal lump), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Grahaṇī
(Malabsorption syndrome), Arśa (Haemorrhoids), Ajīrṇa (Dyspepsia), Aruci (Tastelessness),
Aśmarī (Calculus), Śarkarā (Gravel in urine)

11. LEPA

Definition

Medicines in the form of a paste used for external application are called lepas.

Method of preparation

The drugs are made into a fine powder. Before use on the body, it is mixed with some liquid or other medium indicated in each preparation and made into a soft paste. Water, Cow's urine, oil, and ghee are some of the media used for mixing.

Characteristics and preservation

Vegetable lepa Cūrṇa will preserve their potency for 30 days if kept in air tight containers. Mineral and metallic preparations last indefinitely.

1	AVALGUJĀDI LEPA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 20	13
2	KACCŪRĀDI CŪRṆA	Sahasrayoga, Cūrṇaprakaraṇa	62
3	KĀLAKA CŪRṆA (LEPA) (Synonym: Kālaka Lepa)	Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 22	99
4	GR̥HADHŪMĀDI LEPA	Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 22	36- 37
5	TUTTHĀDI LEPA	Bhāratabhaisajyaratnākara, Lepaprakaraṇa	2509
6	DASĀNGA LEPA	Bhaisajyaratnāvalī, Visarpādhikāra	16
7	PATHYĀDI LEPA	Yogaratnākara, Kuṣṭhādhikara	Page 682
8	RĀSNĀDI CŪRṆA (Synonym: Rāsnādi Lepa)	Sahasrayoga, Cūrṇaprakaraṇa	61
9	RASOTTAMĀDI LEPA CŪRṆA	Vaidyajīvanam, Vilāsa 4	16
10	ŚOTHAGHNA LEPA (Synonym : Doṣaghna Lepa)	Sārṅgadharasamhitā, Uttarakhaṇḍa, Adhyāya 11	3

11	SARṢAPĀDI PRALEPA	Bhaiṣajyaratnāvalī, Galagaṇḍādirogādhikāra	7 - 8
12	SINDŪRĀDI LEPA	Pharmacopoeia Of Hospital Of Indian Medicine, Madras	Page 110

11 : 1 AVALGUJĀDI LEPA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 20: 13)

कुडवोऽवलगुजबीजाद्धरितालचतुर्थभागसम्मिश्रः ।
मूत्रेण गवां पिष्टः सवर्णकरणं परं श्वित्रे ॥१३॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय २०; १३)

- | | | | |
|----|------------------------|-------|-------|
| 1. | Avalgujā bīja (Bākucī) | (Sd.) | 192 g |
| 2. | Haratāla-Patra | | 48 g |
| 3. | Gomūtra | | Q.S. |

Important Therapeutic Uses

Śvitra (Leucoderma/Vitiligo), Varṇa Vikṛti (Pigmentation disorder)

Special precaution

This lepa, in some cases, is known to irritate and produce eruption on the skin. If this condition is observed, the use of the lepa should be discontinued immediately. Ghee should be applied on the affected parts of the skin and when the condition of the skin becomes normal the use of the lepa may be resumed.

11 : 2 KACCŪRĀDI CŪRṆA

(Sahasrayoga, Cūrṇaprakaraṇa: 62)

कच्चूर धात्री मंजिष्ठा यष्टी दारु हिमद्वयम् ।
 कन्नारं कन्मदं वेधि रोहिणी कृष्णजीरकम् ॥
 रास्ना च त्रिन्त्रिणीसिरा शारिवा कुंकुमं तथा ।
 सर्जेन्दुवारिवाहं च कण्डिवेण्ण बलाशिफा ॥
 लाजं कौन्ती जलोशीरममायं सन्निनायकम् ।
 करप्पुं कावियुं जातीफलं च समभागकम् ॥
 स्तन्ये पिष्ट्वा लिपेन्मूर्धिनं वातपित्त शिरोरुजम् ।
 (सहस्रयोग, चूर्णप्रकरण ६२)

1.	Kaccūra (Karcūra)	(Rz.)	1 Part
2.	Dhātrī (Āmalakī)	(P.)	1 Part
3.	Mañjiṣṭhā	(Rt.)	1 Part
4.	Yaṣṭī	(Rt.)	1 Part
5.	Dāru (Devadāru)	(Ht.Wd.)	1 Part
6.	Śveta Candana	(Ht.Wd.)	1 Part
7.	Raktacandana	(Ht.Wd.)	1 Part
8.	Kannāra (silicate of magnesia)		1 Part
9.	Kanmada (Śilājatu)		1 Part
10.	Vedhi		1 Part
11.	Rohiṇī (Kaṭukā)	(Rz.)	1 Part
12.	Kṛṣṇa Jīraka	(Fr.)	1 Part
13.	Rāsnā	(Rt./Lf.)	1 Part
14.	Tintriṇī sirā (Cincā)	(L.R.)	1 Part
15.	Śveta Sārivā	(Rt.)	1 Part
16.	Kuṅkuma	(Stl./Stg)	1 Part
17.	Sarja	(Exd.)	1 Part
18.	Indu (Karpūra)	(Sub.Ext.)	1 Part
19.	Vārivāha (Mustā)	(Rz.)	1 Part
20.	Kaṇḍiveṇṇa (Kaṅkuṣṭha)		1 Part
21.	Balā śiphā (Balā)	(Rt.)	1 Part
22.	Lāja (Śāli)	(Sd.)	1 Part

23.	Kauntī (Rēṇukā)	(Sd.)	1 Part
24.	Jala (Hrīvēra)	(Rt.)	1 Part
25.	Uśīra	(Rt.)	1 Part
26.	Āmaya (Kuṣṭha)	(Rt.)	1 Part
27.	Sannināyaka (Kumārī)	(Lf.)	1 Part
28.	Karuppu (Ahiphēna)	(Fr.Exd.)	1 Part
29.	Kāvi (Gairika)		1 Part
30.	Jātīphala	(Sd.)	1 Part

Direction

applied externally on the head, with breast milk, castor oil or butter.

Important Therapeutic Uses

Hidhmā (Hiccup), Pīnasa (Chronic rhinitis/sinusitis), Jvara (Fever), Vātaja Śīrorujā (Headache due to Vāta doṣa), Pittaja Śīrorujā (Headache due to Pitta doṣa), Buddhi Bhrama (Dementia), Netraroga (Eye disorder), Karṇa Roga (Disease of ear), Kapharoga (Disease due to Kapha doṣa)

Special Precaution

Note: 1. The Usual practice is that the powder is added to the butter and rubbed for some time in a plate with the palm. The warmth produced reduces the excess moisture in the butter.

11 : 3 KĀLAKA CŪRṆA (LEPA) (Synonym: Kālaka Lepa)

(Aṣṭāṅgahr̥daya, Uttarasthāna, Adhyāya 22: 99)

गृहधूमताक्षर्यपाठाव्योषक्षाराग्न्ययोवरातेजोह्वैः ।

मुखदन्तगलविकारे सक्षौद्रः कालको विधार्यश्चूर्णः ॥९९॥

(अष्टांगहृदय, उत्तरस्थान, अध्याय २२; ९९)

1.	Gṛhadhūma		1 Part
2.	Tārṣya (Dāruharidrā)	(St.Ext.)	1 Part
3.	Pāṭhā	(Rt.)	1 Part
4.	Śunṭhī	(Rz.)	1 Part
5.	Marica	(Fr.)	1 Part
6.	Pippalī	(Fr.)	1 Part
7.	Kṣāra (Yava)	(Pl.)	1 Part
8.	Agni (Citraka)	(Rt.)	1 Part
9.	Aya cūrṇa (lauha)		1 Part
10.	Harītakī	(P.)	1 Part
11.	Bibhītaka	(P.)	1 Part
12.	Āmalakī	(P.)	1 Part
13.	Tejohvā (tejovatī)	(St.Bk.)	1 Part

Direction

Kavala Dhāraṇa with water

Important Therapeutic Uses

Gala Roga (Diseases of throat), Danta Roga (Disease of tooth), Mukha Roga (Disease of mouth)

11 : 4 GRHADHŪMĀDI LEPA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 22: 36- 37)

गृहधूमो वचा कुष्ठं शताह्वा रजनीद्वयम् ।
प्रलेपः शूलनुद्धातरक्ते वातकफोत्तरे ॥३६॥

मधुशिग्रोर्हितं चैतद्बीजं धान्याम्लसंयुतम् ।
मुहूर्तलिप्तमम्लैश्च सिञ्चेद्वातकफोत्तरे ॥३७॥
(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय २२; ३६-३७)

1.	Gṛhadhūma		1 Part
2.	Vacā	(Rz.)	1 Part
3.	Kuṣṭha	(Rt.)	1 Part
4.	Śatāhvā	(Fr.)	1 Part
5.	Haridrā	(Rz.)	1 Part
6.	Darūharidrā	(St.)	1 Part

Direction

to be mixed with water and applied on the affected parts

Important Therapeutic Uses

Vātarakta (Gout), Śūla (Colicky Pain)

11 : 5 TUTTHĀDI LEPA

(Bhāratabhaiṣajyaratnākara, Lepaprakaraṇa: 2509)

तुत्थगैरिकलोध्रैलामनोह्वाऽऽलरसाञ्जनैः ।
हरेणु पुष्पकासीससौराष्ट्रीलवणोत्तमैः ॥
(भारत-भैषज्य-रत्नाकर, लेपप्रकरण; २५०९)

1.	Tuttha		1 Part
2.	Gairika		1 Part
3.	Lodhra	(St.Bk.)	1 Part
4.	Elā (Sūkṣmailā)	(Sd.)	1 Part
5.	Manohvā (Manahśilā)		1 Part

6.	Āla (Haritāla)		1 Part
7.	Rasāñjana (Dāruharidrā)	(St.Ext.)	1 Part
8.	Hareṇu (Rēṇukā)	(Sd.)	1 Part
9.	Puṣpa kāsīsa (Kāśīśa)		1 Part
10.	Saurāṣṭrī		1 Part
11.	Lavaṇottama (Saindhava Lavaṇa)		1 Part
12.	Kṣaudra (Madhu)		1 Part

Direction

to be mixed with honey and applied over affected parts

Important Therapeutic Uses

Upadamśaja Vraṇa (Chancroid), Daṃśa Vraṇa (Ulcer due to bites)

11 : 6 DASĀNGA LEPA

(Bhaiṣajyaratnāvalī, Visarpādhikāra: 16)

शिरीषयष्टीनतचन्दनैलामांसीहरिद्राद्वयकुष्ठवालैः ।
लेपो दशाङ्गः सघृतः प्रयोज्यो विसर्पकुष्ठज्वरशोथहारी ॥१६॥
(भैषज्यरत्नावली, विसर्पाधिकार; १६)

1.	Śirīṣa	(St.Bk.)	1 Part
2.	Yaṣṭī	(Rt.)	1 Part
3.	Nata (Tagara)	(Rt./Rz.)	1 Part
4.	Candana (Śveta candana)	(Ht.Wd.)	1 Part
5.	Elā (Sūkṣmailā)	(Sd.)	1 Part
6.	Māṃsī (Jaṭāmāmsī)	(Rt./Rz.)	1 Part
7.	Haridrā	(Rz.)	1 Part
8.	Dāruharidrā	(St.)	1 Part

9.	Kuṣṭha	(Rt.)	1 Part
10.	Bāla (Hrīvera)	(Rt.)	1 Part
11.	Ghṛta (Goghṛta)		QS

Important Therapeutic Uses

Jvara (Fever), Śoṭha (Inflammation), Visarpa (Erysipelas), Kuṣṭha (Diseases of skin)

Special Precaution

Note: 1. Fine powders of ingredients 1 to 10 are prepared and kept. This is mixed with ghee and applied when required. 2. In Jvara, this is applied on the forehead to bring down temperature.

11 : 7 PATHYĀDI LEPA

(Yogarātnākara, Kuṣṭhādhikara : Page 682)

पथ्याकरज्जसिद्धार्थनिशावल्गुजसैन्धवैः ।
विडङ्गसहितैः पिष्टैर्लेपमात्रेण कुष्ठजित् ॥
(योगरत्नाकर, कुष्ठचिकित्सा, पृष्ठ ६८२)

1.	Pathyā (Harītakī)	(P.)	1 Part
2.	Karañja	(Sd.)	1 Part
3.	Siddhārtha (Sarṣapa)	(Sd.)	1 Part
4.	Niṣā (Haridrā)	(Rz.)	1 Part
5.	Avalguja (Bākucī)	(Sd.)	1 Part
6.	Saindhava Lavaṇa		1 Part
7.	Viḍaṅga	(Fr.)	1 Part
8.	Mūtra (Gomūtra)		Q.S.

Important Therapeutic Uses

Kuṣṭha (Diseases of skin)

11 : 8 RĀSNĀDI CŪRṆA (Synonym: Rāsnādi Lepa)

(Sahasrayoga, Cūrṇaprakaraṇa : 61)

रास्नाऽमुक्कुरदेवदारु कटुका चन्याय चेंचल्य ।
बुंकोट्टं नल्लवयंपु गैरिक निशा यष्टी बलामुस्तयुम् ॥
व्योषं पूति सहस्रवेधि सजलं सोशीरकं फेनकम् ।
श्रीकंठागुरु तिन्त्रिणीदल शिरास्संचूर्ण्य सर्वं सम ॥
एरंडोद्भव तैलतो नेरुकयिल् पूशीडिनाल् तीनु पो ।
मप्पोले कोडुताय सन्निकल् शिरस्तोदं च नीर्वील्वयम् ॥
(सहस्रयोग, चूर्णप्रकरण; ६१)

1.	Rāsnā	(Lf./Rt.)	1 Part
2.	Amukkura (Aśvagandhā)	(Rt.)	1 Part
3.	Devadāru	(Ht.Wd.)	1 Part
4.	Kaṭukā	(Rz.)	1 Part
5.	Ceñyāya (Kumārī)	(Lf.)	1 Part
6.	Cencalya (Sarja)	(Exd.)	1 Part
7.	Koṭṭam (Kuṣṭha)	(Rt.)	1 Part
8.	Vayambu (Vacā)	(Rz.)	1 Part
9.	Gairika		1 Part
10.	Haridrā	(Rz.)	1 Part
11.	Yaṣṭī	(Rt.)	1 Part
12.	Balā	(Rt.)	1 Part
13.	Mustā	(Rz.)	1 Part
14.	Śunthī	(Rz.)	1 Part
15.	Marica	(Fr.)	1 Part

16.	Pippalī	(Fr.)	1 Part
17.	Cirabilva	(St.Bk.)	1 Part
18.	Sahasravedhi		1 Part
19.	Jala (Hrīvēra)	(Rt.)	1 Part
20.	Uśīra	(Rt.)	1 Part
21.	Phenaka (Samudraphena)		1 Part
22.	Srīkaṇṭha (Rakta candana)	(Ht.Wd.)	1 Part
23.	Aguru (Agaru)	(Ht.Wd.)	1 Part
24.	Tintriṇī dala sirā (Cincā)	(R.L.)	1 Part

Direction

The fine powder is mixed with castor oil and applied to the head. In Pratiśyāya after oil bath, the powder is put on the centre of the head and gently rubbed.

Important Therapeutic Uses

Pīnasa (Chronic rhinitis/sinusitis), Śīroroga (Disease of head), Pratiśyāya (Coryza)

11 : 9 RASOTTAMĀDI LEPA CŪRṆA

(Vaidyajīvanam, Vilāsa 4 : 16)

रस-द्विजीर-द्विनिशा-मरीच-सिन्दूर-दैत्येन्द्र-मनःशिलानाम् ।
चूर्णीकृतानां घृतमिश्रितानां त्रिभिः प्रलेपैरपयाति पामा ॥
(वैद्यजीवनम्, विलास ४; १६)

1.	Rasa (Pārada)		1 Part
2.	Śveta Jīraka	(Fr.)	1 Part
3.	Kṛṣṇa Jīraka	(Fr.)	1 Part
4.	Haridrā	(Rz.)	1 Part
5.	Dāruharidrā	(St.)	1 Part

6.	Marica	(Fr.)	1 Part
7.	Sindūra		1 Part
8.	Daityendra (Gandhaka)		1 Part
9.	Manahśilā		1 Part

Special Method of Preparation

Kajjalī of rasa and gandhaka is made first. Fine powders of other drugs are added and mixed well in a khalva till the powder becomes dark.

Direction

to be mixed with ghee or coconut oil and applied externally.

Important Therapeutic Uses

Pāmā (Eczema), Kaṇḍū (Itching), Vicarcikā (Eczema)

11 : 10 ŚOTHAGHNA LEPA (Synonym : Doṣaghna Lepa)

(Sārṅgadharasaṃhitā, Uttarakhaṇḍa, Adhyāya 11: 3)

पुनर्नवां दारु शुण्ठीं सिद्धार्थं शिग्रुमेव च ।
पिष्ट्वा चैवारनालेन प्रलेपः सर्वशोथजित् ॥३॥
(शाङ्गधरसंहिता, उत्तरखण्ड, अध्याय ११; ३)

1.	Raktapunarnavā	(Rt.)	1 Part
2.	Dāru (Devadāru)	(Ht.Wd.)	1 Part
3.	Śuṇṭhī	(Rz.)	1 Part
4.	Siddhārtha (Sarṣapa)	(Sd.)	1 Part
5.	Śigru	(Sd.)	1 Part
6.	Āranāla (Kāñjika)		Q.S.

Important Therapeutic Uses

All varieties of Śoṭha (Inflammation)

11 : 11 SARṢAPĀDI PRALEPA

(Bhaiṣajyaratnāvalī, Galagaṇḍādirogādhikāra: 7 - 8)

सर्षपान् शिग्रुबीजानि शणबीजातसीयवान् ।
मूलकस्य च बीजानि तक्रेणाम्लेन पेषयेत् ॥७॥
गलगण्डा ग्रन्थयश्च गण्डमालाः सुदारुणाः ।
प्रलेपात्तेन शाम्यन्ति विलयं यान्ति चाचिरात् ॥८॥
(भैषज्यरत्नावली, गलगण्डादिरोगाधिकार ७-८)

1.	Sarṣapa	(Sd.)	1 Part
2.	Śigru	(Sd.)	1 Part
3.	Śaṇa	(Sd.)	1 Part
4.	Atasī	(Sd.)	1 Part
5.	Yava	(Sd.)	1 Part
6.	Mūlaka	(Sd.)	1 Part
7.	Amla takra (Godadhi)		Q.S.

Important Therapeutic Uses

Granthi (Cyst), Galagaṇḍa (Goiter), Gaṇḍamālā (Cervical lymphadenitis)

11 : 12 SINDŪRĀDI LEPA

(Pharmacopoeia Of Hospital Of Indian Medicine, Madras : Page 110)

1.	Sindūra	96 g
2.	Rasa Sindūra (Pārada)	48 g
3.	Rasa karpūra (Pārada)	48 g

4.	Mṛddāra śṛṅga	96 g
5.	Madhūcciṣṭa	1152 g
6.	Nārikelataila (nārikela) (Kr.)	4608 g

Special Method of Preparation

Madhūcciṣṭa (No.5) is melted in coconut oil (No.6) and sieved through a cloth. When cooled and solidified, the powders of other drugs are added and mixed well.

Important Therapeutic Uses

Vicarcikā (Eczema), Vipādikā (Scaly lesions on palms and soles), Vraṇa (Ulcer), Kaṇḍū (Itching), Upadaṃśaja Vraṇa (Chancroid)

12. VAṬĪ AND GUṬIKĀ

Definition

Medicines prepared in the form of tablet or pills are known as Vaṭī and Guṭikā. These are made of one or more drugs of plant, animal or mineral origin.

Method of preparation

The drugs of plant origin are dried and made into fine powders, separately. The minerals are made into Bhasma or Sindūra, unless otherwise mentioned. In cases where Pāradā and Gandhaka are mentioned, Kajjalī is made first and other drugs are added, one by one, according to the formula. These are put into a khalva and ground to a soft paste with the prescribed fluids. When more than one liquid is mentioned for grinding, they are used in succession. When the mass is properly ground and is in a condition to be made into pills, Sugandha Dravyas, Like Kastūrī, Karpūra, which are included in the formula, are added and ground again. The criterion to determine the final stage of the formulation before making pills is that it should not stick to the fingers when rolled. Pills may be dried in shade or in sun as specified in the texts. In cases where sugar or jaggery (Guḍa) is mentioned, Pāka of these should be made on mild fire and removed from the oven. The powders of the ingredients are added to the Pāka and briskly mixed. When still warm, Vaṭakas should be rolled and dried in shade.

Characteristics and preservation

Pills made of plant drugs when kept in air tight containers can be used for two years. Pills containing minerals can be used for an indefinite period.

Pills and Vaṭīs should not lose their original colour, smell, taste and form. When sugar, salt or Kṣāra is an ingredient, the pills should be kept away from moisture.

1	AGNITUṆḌIVAṬĪ	Bhaiṣajyaratnāvalī, Agnimāndyādirogādhikāra	117-118
2	AṢṬĀKṢARĪ GUṬIKĀ	Vaidyayogaratnāvalī, Guṭikāprakaraṇa	71
3	ELĀDI GUṬIKĀ	Bhaiṣajyaratnāvalī, Raktapittādhikāra	32-35
4	KASTŪRYĀDI (VĀYU) GUṬIKĀ	Sahasrayoga, Guṭikāprakaraṇa	8
5	KĀṆKĀYANA GUṬIKĀ	Bhaiṣajyaratnāvalī, Gulmādhikāra	56-62
6	KHADIRĀDI GUṬIKĀ (MUKHAROGA)	Carakasamhitā, Cikitsāsthāna, Adhyāya 26	206-214
7	KHADIRĀDI GUṬIKĀ (KĀSA)	Yogaratnākara, Kāsacikitsā	Page 353-354
8	GANDHAKA VAṬĪ	Bhaiṣajyaratnāvalī, Agnimāndyadhikāra	143-146
9	GOROCANĀDI VAṬĪ	Vaidyayogaratnāvalī, Guṭikāprakaraṇa	77
10	CANDRAPRABHĀ VAṬĪ	Śarṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 7	40-49
11	CITRAKĀDI GUṬIKĀ	Carakasamhitā, Cikitsāsthāna, Adhyāya 15	96-97
12	CUKKUMTIPPALYĀDIGUṬIKA	Sahasrayoga, Guṭikāprakaraṇa,:	2
13	DUGDHA VAṬĪ	Bhaiṣajyaratnāvalī, Śotharogādhikāra	152-154
14	DHĀNVANTARA GUṬIKĀ	Sahasrayoga, Guṭikāprakaraṇa	56
15	PRABHĀKARA VAṬĪ	Bhaiṣajyaratnāvalī, Hṛdrogādhikāra	67
16	PRĀṆADĀ GUṬIKĀ	Bhaiṣajyaratnāvalī, Arśorogādhikāra	59-68
17	PLĪHĀRI VAṬIKĀ	Bhaiṣajyaratnāvalī, Plīhāyak rdrogādhikāra	59

18	BILVĀDI GUṬIKĀ	Aṣṭāṅgahr̥daya, Uttarasthāna, 36	84- 85
19	MARMA GUṬIKĀ	Sahasrayoga, Guṭikāprakaraṇa	53
20	MARICĀDI GUṬIKĀ	Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 7	13-15
21	MĀNASAMITRA VAṬAKA	Sahasrayoga, Guṭikāprakaraṇa	68
22	MUKKĀMUKKAṬUVĀDI GUṬIKĀ	Sahasrayoga, Guṭikāprakaraṇa	7
23	MṚTASAÑJĪVANĪ GUṬIKĀ	Sahasrayoga, Guṭikāprakaraṇa	66
24	YAKṚT ŚŪLAVINĀŚINĪ VAṬIKĀ	Bhaiṣajyaratnāvalī, Plīhāyak rtrogādhikāra	62-64
25	RAJAHPRAVARTINĪ VAṬĪ	Bhaiṣajyaratnāvalī, Strīrogādhikāra	233-235
26	LAVAṆGĀDI VAṬĪ	Vaidyajīvanam, Kāsaśvāsacikitsā	7
27	LAŚUNĀDI VAṬĪ	Vaidyajīvanam, Kṣayarogādicikitsā	13
28	ŚIVĀ GUṬIKĀ (LAGHU)	Yogarātnākara, Rājayakṣmādhikāra, :page 322	1-6
29	ŚUKRAMĀTRKĀ VAṬĪ	Bhaiṣajyaratnāvalī, Pramehādhikāra	95-100
30	ŚŪLAHARAṆA YOGA	Rasendrasārasaṅgraha, Śularogacikitsā	61-63
31	ŚŪLAVAJRIṆĪ VAṬIKĀ	Rasendrasārasaṅgraha, Ś ūlarogacikitsā	46-50
32	ŚAṆKHA VAṬĪ	Bhaiṣajyaratnāvalī, Agnimāndyādhikāra	182-183
33	SAUBHĀGYA VAṬĪ	Bhaiṣajyaratnāvalī, Jvarādhikāra	474-475
34	SŪRAṆA VAṬAKA	Śārṅgadharasamhitā, Madhyamakhaṇḍa Adhyāya 7	28-33
35	SANJĪVANĪ VAṬĪ	Śārṅgadharasamhitā, Madhyamakhaṇḍa Adhyāya 7	18-21

12 : 1 AGNITUṆḌIVAṬĪ

(Bhaiṣajyaratnāvalī, Agnimāndyādirogādhikāra: 117-118)

शुद्धसूतं विषं गन्धमजमोदा फलत्रयम् ।
 स्वर्जिज्क्षारं यवक्षारं वह्निःसैन्धवजीरकम् ॥११७॥
 सौवर्चलं विडङ्गानि सामुद्रं टङ्कणं समम् ।
 विषमुष्टिः सर्वतुल्यं जम्बीराम्लेन मर्दयेत् ॥
 मरिचाभां वटीं खादेदग्निमान्द्यप्रशान्तये ॥११८॥
 (भैषज्यरत्नावली, अग्निमांद्यादिरोगाधिकार; ११७-११८)

1.	Sūta (Parada) -śuddha	1 Part
2.	Viṣa (Vatsanābha) - śuddha (Rt.Tr.)	1 Part
3.	Gandha (Gandhaka) - śuddha	1 Part
4.	Ajamodā (Fr.)	1 Part
5.	Harītakī (P.)	1 Part
6.	Bibhītaka (P.)	1 Part
7.	Āmalakī (P.)	1 Part
8.	Svarjīkṣāra	1 Part
9.	Yava kṣāra (Yava) (Pl.)	1 Part
10.	Vahni (Citraka) (Rt.)	1 Part
11.	Saindhava Lavaṇa	1 Part
12.	Jīraka (Śveta jīraka) (Fr.)	1 Part
13.	Sauvarcala Lavaṇa	1 Part
14.	Viḍaṅga (Fr.)	1 Part
15.	Sāmudra Lavaṇa	1 Part
16.	Taṅkaṇa - śuddha	1 Part
17.	Viṣamuṣṭi - śuddha (Sd.)	16 Parts
18.	Jambiramla (Jambira) (Fr.)	Q.S. for Mardana

Dose

125 to 250 mg

Anupāna

Lime juice, warm water

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Āmajvara (Fever due to indigestion)

12 : 2 AṢṬĀKṢARĪ GUṬIKĀ

(Vaidyayogaratnāvalī, Guṭikāprakaraṇa: 71)

नागफेनं हिमद्वन्द्वं जातीहिङ्गुलमागधीः ।
रामठातिविषायुक्ताः समभागा विचूर्णिताः ।।
बिल्वजीरकदुस्पर्शमुस्तादीप्यकधान्यकैः ।
सिद्धे कषाये जम्बीरस्वरसे च विमर्दयेत् ।
कुर्याच्च गुटिकाः पश्चात् गुञ्जायास्सम्मिताः फलैः ।
अष्टाक्षरीयं गुटिका ग्रहणीरोगिणां हिता ।
तथा चार्शस्यतीसारे दध्ना वा माक्षिकेण वा ।
पञ्चकृत्वः प्रयुञ्जीत बले सत्यनलस्य तु ।
पाचने पञ्चकोलस्य कषायेणैव पाययेत् ।।
(वैद्ययोगरत्नावली, गुटिकाप्रकरण; ७१)

1.	Nāgaphena (Ahiphena) - śuddha	(Fr. Exd.)	1 Part
2.	Śveta Candana	(Ht. Wd.)	1 Part
3.	Raktacandana	(Ht. Wd.)	1 Part
4.	Jātī (Jātīphala)	(Sd.)	1 Part
5.	Hiṅgula		1 Part
6.	Māgadhi (Pippalī)	(Fr.)	1 Part
7.	Rāmāṭha (Hiṅgu)	(Exd.)	1 Part
8.	Atiṣā	(Rt. Tr.)	1 Part

9.	Bilva	(Fr.)	Q.S. for Bhāvanā
10.	Jīraka kaṣāya (Śveta jīraka)	(Fr.)	Q.S. for Bhāvanā
11.	Dusparśa kaṣāya (Kaṇṭakārī)	(Pl.)	Q.S. for Bhāvanā
12.	Mustā kaṣāya (Mustā)	(Rz.)	Q.S. for Bhāvanā
13.	Dīpyaka kaṣāya (Ajamodā)	(Fr.)	Q.S, for Bhāvanā
14.	Dhānyaka	(Fr.)	Q.S. for Bhāvanā
15.	Jambīra śvarasa (Jambīra)	(Fr.)	Q.S for Bhāvanā

Dose

125 mg

Anupāna

Water

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Atīśāra (Diarrhoea), Pravāhikā (Dysentery), Śūla (Colicky Pain), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools)

12 : 3 ELĀDI GUṬIKĀ

(Bhaiṣajyaratnāvalī, Raktapittādhikāra: 32-35)

एलापत्रत्वचोऽर्द्धक्षाः पिप्पल्यर्द्धपलं तथा ।
 सितामधुकखर्जूरमृद्धीकाश्च पलोन्मिताः ॥३२॥
 सञ्चूर्ण्य मधुना युक्ता गुटिकाः कारयेद्भिषक् ।
 तोलकाद्धा ततश्चैकां भक्षयेन्ना दिने दिने ॥३३॥
 श्वासं कासं ज्वरं हिक्कां छर्दिं मूर्च्छां मदं भ्रमम् ।
 रक्तनिष्ठीवनं तृष्णां पार्श्वशूलमरोचकम् ॥३४॥
 शोषप्लीहाढ्यवातांश्च स्वरभेदं क्षतक्षयम् ।
 गुटिका तर्पणी वृष्या रक्तपित्तं विनाशयेत् ॥३५॥
 (भैषज्यरत्नावली, रक्तपित्ताधिकार; ३२-३५)

1.	Elā (Sūkṣmailā)	(Sd.)	6 g
2.	Patra (Tejapatra)	(Lf.)	6 g
3.	Tvak	(St.Bk.)	6 g
4.	Pippalī	(Fr.)	24 g
5.	Sitā		48 g
6.	Madhuka (Yaṣṭī)	(Rt.)	48 g
7.	Kharjūra	(P.)	48 g
8.	Mṛdvīkā (Drākṣā)	(Dr.Fr.)	48 g
9.	Madhu		48 g

Dose

2 to 4 g

Anupāna

Honey

Important Therapeutic Uses

Chardi (Emesis), Hikkā (Hiccup), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Bhrama
 (Vertigo), Mūrccā (Syncope), Raktapitta (Bleeding disorder), Rakta Niṣṭhīvana (Blood
 stained sputum), Jvara (Fever), Mada (Intoxication), Tṛṣṇā (Thirst), Aruci (Tastelessness),
 Pārśva Śūla (Intercostal neuralgia and pleurodynia), Śoṣa (Cachexia), Plīhā Roga (Splenetic
 disease), Āmavāta (Rheumatism), Svarabheda (Hoarseness of voice), Kṣata Kṣaya

(Emaciation due to injury), Śukrakṣaya (Oligospermia)

12 : 4 KASTŪRYĀDI (VĀYU) GUṬIKĀ

(Sahasrayoga, Guṭikāprakaraṇa: 8)

कस्तूरी किरियात्त रत्तपुलुकुं कांतेंदु जातीफल ।
क्षारौ च त्रिफलात्रिजातहिरवी द्वौ जीरकौ दीप्यकम् ।
अग्रग्राहि शताह्व यष्टि करयांपु कावितोयं रसम् ।
पारंकी पशुपाशि चंदनवचाचीनोषणत्र्यूषणम् ॥
पोनकारांजन वज्रनागमनयोलाशालियुंचालियम् ।
चेर्तोष्पं सलिलेथवा पयसिवा भृंगस्य पिष्ट्वा कृता ॥
संशुष्कानिललल् समीरगुलिका कुन्निप्रमाण शृते ।
प्रस्थार्धेऽभसि कर्ष जीरकयुते सेव्यानिलातौ नृणाम् ॥
(सहस्रयोग, गुटिकाप्रकरण; ८)

1.	Kastūrī (Mṛgamada)		1 Part
2.	Kiriyāt (Kirātatikta)	(Pl.)	1 Part
3.	Aratta (Rāsnā)	(Rt./Lf.)	1 Part
4.	Puzu (Gandhamārjāra vīrya)		1 Part
5.	Kānta bhasma (Lauha)		1 Part
6.	Indu (Karpūra)	(Sub.Ext.)	1 Part
7.	Jātīphala	(Sd.)	1 Part
8.	Yava kṣāra (Yava)	(Pl.)	1 Part
9.	Sarjikā kṣāra		1 Part
10.	Harītakī	(P.)	1 Part
11.	Bibhītaka	(P.)	1 Part
12.	Āmalakī	(P.)	1 Part
13.	Tvak	(St.Bk.)	1 Part
14.	Elā (Sūkṣmailā)	(Sd.)	1 Part
15.	Patra (tejapatra)	(Lf.)	1 Part

16.	Hiravī	(Pl.)	1 Part
17.	Śveta Jīraka	(Fr.)	1 Part
18.	Kṛṣṇa Jīraka	(Fr.)	1 Part
19.	Dīpyaka (Ajamodā)	(Fr.)	1 Part
20.	Agaragrāhī (Akāarakarabha)	(Rt.)	1 Part
21.	Śatāhvā	(Fr.)	1 Part
22.	Yaṣṭī	(Rt.)	1 Part
23.	Karayāmpu (Lavanga)	(Fl.Bd.)	1 Part
24.	Kāvi (Gairika)		1 Part
25.	Toyam (Hrīvera)	(Rt.)	1 Part
26.	Rasa (rasa Sindūra)		1 Part
27.	Pāraṅki	(R.)	1 Part
28.	Paśupāśi	(Ar.)	1 Part
29.	Candana (Śveta candana)	(Ht.Wd.)	1 Part
30.	Vacā	(Rz.)	1 Part
31.	Cīnoṣaṇa (kankola)	(Fr.)	1 Part
32.	Śunthī	(Rz.)	1 Part
33.	Marica	(Fr.)	1 Part
34.	Pippalī	(Fr.)	1 Part
35.	Ponkāra (taṅkaṇa) - Śuddha		1 Part
36.	Añjana - Śuddha		1 Part
37.	Vajranāga (Vastanābha) - Śuddha	(Rz.)	1 Part
38.	Manayola (Māhśilā)		1 Part
39.	Āśalī (Cakramarda)	(Sd.)	1 Part
40.	Cāyilya (Hiṅgula)		1 Part
41.	Salila (Jala) or Payas (Godugdha) or Bhr̥ṅgarāja svarasa (Bhr̥ṅgarāja)	(Pl.)	Q.S.

Dose

125 mg

Anupāna

Jīraka Kvātha

Important Therapeutic Uses

Vāta Vaigunya (Abnormality of Vāta doṣa), Vāta Kapha Jvara (Fever due to Vāta doṣa and Kapha doṣa), Śvāsa (Dyspnoea/Asthma)

12 : 5 KĀṆKĀYANA GUṬIKĀ

(Bhaiṣajyaratnāvali, Gulmādhikāra: 56-62)

शटी पुष्करमूलञ्च दन्ती चित्रकमाढकीम् ।
शृङ्गवेरं वचाञ्चैव पलिकानि समाहरेत् ॥५६॥
त्रिवृतायाः पलञ्चैकं कुर्यात् त्रीणि च हिङ्गुनः ।
यवक्षारपले द्वे तु द्वे पले चाम्लवेतसात् ॥५७॥
यमान्यजाजी मरिचं धान्यकञ्चेति कार्षिकम् ।
उपकुञ्च्यजमोदाभ्यां तथा चाष्टमिकामपि ॥५८॥
मातुलुङ्गरसे चैता गुडिकाः कारयेद्भिषक् ।
आसाञ्चैकां पिबेद् द्वे वा तिस्रो वाथ सुखाम्बुना ॥५९॥
अम्लैर्मद्यैश्च यूषैश्च घृतेन पयसाथवा ।
एषा काङ्कायनोक्ता च गुडिका गुल्मनाशिनी ॥६०॥
अर्शोहृद्रोगशमनी कृमीणाञ्च विनाशिनी ।
गोमूत्रयुक्ता शमयेत् कफगुल्मं चिरोत्थितम् ॥६१॥
क्षीरेण पित्तगुल्मञ्च मद्यैरम्लैश्च वातिकम् ।
त्रिफलारसमूत्रैश्च नियच्छेत् सान्निपातिकम् ॥
रक्तगुल्मे च नारीणामुष्ट्रक्षीरेण पाययेत् ॥६२॥
(भैषज्यरत्नावली, गुल्माधिकार; ५६-६२)

- | | | | |
|----|-----------------------|-------|------|
| 1. | Śaṭī | (Rz.) | 48 g |
| 2. | Puṣkaramūla (Puṣkara) | (Rt.) | 48 g |

3.	Dantī	(Rt.)	48 g
4.	Citraka	(Rt.)	48 g
5.	Āḍhakī	(Rt.)	48 g
6.	Śṛṅgavera (Ārdraka)	(Rz.)	48 g
7.	Vacā	(Rz.)	48 g
8.	Trivṛtā (Trivṛt)	(Rt.)	48 g
9.	Hiṅgu	(Exd.)	144 g
10.	Yava kṣāra (Yava)	(Pl.)	96 g
11.	Amlavetasa	(Fr.)	96 g
12.	Yamānī (Yavānī)	(Fr.)	12 g
13.	Ajājī (Śveta jīraka)	(Fr.)	12 g
14.	Marica	(Fr.)	12 g
15.	Dhānyaka	(Fr.)	12 g
16.	Upakuñcī (Upakuñcikā)	(Fr.)	24 g
17.	Ajamodā	(Fr.)	24 g
18.	Mātuluṅga rasa (Mātuluṅga)	(Fr.)	Q.S. for mardana

Dose

2 g

Anupāna

Ghee, milk, water, madya, cow's urine, Triphalā Kāṣāya

Important Therapeutic Uses

Gulma (Abdominal lump), Kṛmi (Helminthiasis/Worm infestation), Arśa (Haemorrhoids), Raktapitta (Bleeding disorder), Hṛdroga (Heart disease)

12 : 6 KHADIRĀDI GUṬIKĀ (MUKHAROGA)

(Carakasamhitā, Cikitsāsthāna, Adhyāya 26 : 206-214)

तुलां खदिरसारस्य द्विगुणामरिमेदसः ।
 प्रक्षाल्य जर्जरीकृत्य चतुर्द्रोणेऽम्भसः पचेत् ॥२०६॥
 द्रोणशेषं कषायं तं पूत्वा भूयः पचेच्छनैः ।
 ततस्तस्मिन् घनीभूते चूर्णीकृत्याक्षभागिकम् ॥
 चन्दनं पद्मकोशीरं मञ्जिष्ठा धातकी घनम् ।
 प्रपौण्डरीकं यष्ट्याहवत्वगेलापद्मकेशरम् ॥२०८॥
 लाक्षां रसाञ्जनं मांसीत्रिफलालोध्रवालकम् ।
 रजन्यौ फलिनीमेलां समङ्गां कट्फलं वचाम् ॥
 यवासागुरुपत्तङ्गगैरिकाञ्जनमावपेत् ।
 लवङ्गनखकक्कोलजातिकोशान् पलोन्मितान् ॥२१०॥
 कर्पूरकुडवं चापि क्षिपेच्छीतेऽवतारिते ।
 ततस्तु गुटिकाः कार्याः शुष्काश्चास्येन धारयेत् ॥२११॥
 तैलं चानेन कल्केन कषायेण च साधयेत् ।
 दन्तानां चलनभ्रंशसौषिर्यक्रिमिरोगनुत् ॥२१२॥
 मुखपाकास्यदौर्गन्ध्यजाड्यारोचकनाशनम् ।
 स्रावोपलेपपैच्छिल्यवैस्वर्यगलशोषनुत् ॥२१३॥
 दन्तास्यगलरोगेषु सर्वेष्वेतत् परायणम् ।
 खदिरादिगुटीकेयं तैलं च खदिरादिकम् ॥२१४॥
 (चरकसंहिता, चिकित्सास्थान, अध्याय २६; २०६-२१४)

1.	Khadira sāra (khadira)	(Ht.Wd.)	4.800 kg
2.	Arimeda (viṭkhadira)	(St.Bk.)	9.600 kg
3.	Water for decoction		49.152 l.
	reduced to		12.288 l.
4.	Candana (Śveta candana)	(Ht.Wd.)	12 g
5.	Padmaka	(Ht.Wd.)	12 g
6.	Uśīra	(Rt.)	12 g
7.	Mañjiṣṭhā	(St.)	12 g
8.	Dhātakī	(Fl.)	12 g
9.	Ghana (Mustā)	(Rz.)	12 g

10.	Prapaṇḍarīka	(Pl.)	12 g	
11.	Yasṭyāhvā (Yasṭī)	(Rt.)	12 g	
12.	Tvak	(St.Bk.)	12 g	
13.	Elā (Sūkṣmailā)	(Sd.)		12 g
14.	Padma (Kamala)	(Fl.)	12 g	
15.	Keśara (Nāgakeśara)	(Stmn.)	12 g	
16.	Lākṣā	(Gl.)		12 g
17.	Rasāñjana (Dāruharidrā)	(St.Ext.)		12 g
18.	Māṃsī (Jaṭāmāṃsī)	(Rt./Rz.)	12 g	
19.	Harītakī	(P.)	12 g	
20.	Bibhītaka	(P.)	12 g	
21.	Āmalakī	(P.)	12 g	
22.	Lodhra	(St.Bk.)	12 g	
23.	Bālaka (Hrīvera)	(Rt.)	12 g	
24.	Haridrā	(Rz.)	12 g	
25.	Dāruharidrā	(St.)	12 g	
26.	Phalinī (Priyaṅgu)	(Fl.)	12 g	
27.	Elā (Sūkṣmailā)	(Sd.)		12 g
28.	Samaṅgā (Lajjālu)	(Pl.)		12 g
29.	Kaṭphala	(St.Bk.)	12 g	
30.	Vacā	(Rz.)	12 g	
31.	Yavāsā (Yavāsaka)	(Pl.)	12 g	
32.	Agaru	(Ht.Wd.)	12 g	
33.	Pattaṅga	(Rt.)	12 g	
34.	Gairika		12 g	
35.	Añjana (Srotoñjana)		12 g	
36.	Lavaṅga	(Fl.Bd.)	48 g	
37.	Nakha (Vyāghranakha)	(Fr.)	48 g	
38.	Kakkola (Kaṅkola)	(Fr.)	48 g	

39.	Jātikōṣa (Jātīphala)	(Ar.)	48 g
40.	Karpūra	(Sub.Ext.)	192 g

Dose

2 g

Anupāna

Honey

Important Therapeutic Uses

Mukha Daurgandhya (Halitosis), Mukha Pāka (Stomatitis), Danta Roga (Disease of tooth), Dantasauṣīrya (Dental caries), Danta Kṛmi (Dental caries), Gala Roga (Diseases of throat), Aruci (Tastelessness), Caladanta (Loose tooth), Mukhajāḍya (Restricted movement of jaw), Āsya Roga (Diseases of buccal cavity)

12 : 7 KHADIRĀDI GUṬIKĀ (KĀSA)

(Yogarātnākara, Kāsacikitsā: Page 353-354)

खादिरं पौष्करं शृङ्गी कट्फलं द्विजयष्टिका ।
हरीतकी लवङ्गं च व्योषं चातिविषं तथा ।१।
कारवी यासममृता बृहतीद्वयमक्षकम् ।
पृथक्कर्षद्वयं ग्राह्यं सूक्ष्मचूर्णं तु कारयेत् ।२।
सर्वैः समं खादिरं च मेलयित्वा विभावयेत् ।
दाडिमत्वक्तथा क्षुद्राखदिराम्भोभिरार्द्रकैः ।३।
बब्बूलत्वग्दलक्वाथैराटरुषजलैस्तथा ।
सप्तधा भावयेद् बद्ध्वा गुटिका खादिरी मता ।
कासश्वासौ निहन्त्याशु दुस्तरौ चिरजावपि ।।४।।
(योगरत्नाकर; कासचिकित्सा; पृष्ठ ३५३-३५४)

1.	Khādira (Khadira)	(Ht.Wd.)	24 g
2.	Pauṣkara(Puṣkara)	(Rt.)	24 g

3.	Śṛṅgī (Karkāṭaśṛṅgī)	(Gl.)	24 g
4.	Kaṭphala	(St.Bk.)	24 g
5.	Dvijayaṣṭikā (Bhārṅgī)	(Rt.)	24 g
6.	Harītakī	(P.)	24 g
7.	Lavaṅga	(Fl.Bd.)	24 g
8.	Śuṇṭhī	(Rz.)	24 g
9.	Marica	(Fr.)	24 g
10.	Pippalī	(Fr.)	24 g
11.	Atiṣā	(Rt.Tr.)	24 g
12.	Kāravī (Kṛṣṇajīraka)	(Fr.)	24 g
13.	Yāsa (Yavāsaka)	(Pl.)	24 g
14.	Amṛtā (Guḍūcī)	(St.)	24 g
15.	Bṛhatī	(Pl.)	24 g
16.	Kaṇṭakārī	(Pl.)	24 g
17.	Akṣaka (Bibhītaka)	(P.)	24 g
18.	Khadira	(Ht.Wd.)	360 g
19.	Dāḍima- tvak kvātha	(Fr.R.)	Q.S. for bhāvanā
20.	Kṣudrā kvātha (Kaṇṭakārī)	(Pl.)	Q.S. for bhāvanā
21.	Khādira kvātha (Khadira)	(Ht.Wd.)	Q.S. for bhāvanā
22.	Ārdraka rasa (Ārdraka)	(Rz.)	Q.S. for bhāvanā
23.	Babbūla- tvak kvātha	(St.Bk.)	Q.S. for bhāvanā
24.	Babbūla -patra kvātha	(Lf.)	Q.S. for bhāvanā
25.	Āṭarūṣajala (Vāsā)	(Lf.)	Q.S. for bhāvanā

Dose

1 g

Anupāna

Honey

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma)

12 : 8 GANDHAKA VAṬĪ

(Bhaiṣajyaratnāvalī, Agnimāndyadhikāra: 143-146)

रसाद्धं गन्धकं शुद्धं शुण्ठीचूर्णं च तत्समम् ।
लवङ्गं मरिचं चापि प्रत्येकं तु पलं भवेत् ॥१४३॥
सैन्धवं त्रिपलं ग्राह्यं त्रिपलं च सुवर्चलम् ।
चणकाम्लं पलद्वन्द्वं क्षारं मूलकजं तथा ॥१४४॥
मर्दयेन्निम्बुकद्रावैर्यामान् सप्त खरांशुभिः ।
बदरप्रमाणमात्रा सर्वाजीर्णप्रणाशिनी ॥१४५॥
चणकस्याम्लकाभावे चुक्रं देयं मनीषिभिः ॥१४६॥
(भैषज्यरत्नावली, अग्निमान्द्यादिरोगाधिकार; १४३-१४६)

1.	Rasa (Pārada) - śuddha	24 g
2.	Gandhaka - śuddha	48 g
3.	Śuṇṭhī (Rz.)	48 g
4.	Lavaṅga (Fl.Bd..)	48 g
5.	Marica (Fr.)	48 g
6.	Saindhava Lavaṇa	144 g
7.	Suvarcala (Sauvarcala Lavaṇa)	144 g
8.	Caṇakāmla (Canaka) (Lf.)	96 g
9.	Mūlaka kṣāra (Mūlaka) (Pl.)	96 g
10.	Nimbūka drāva (Nimbū) (Fr.)	Q.S. for mardana

Dose

2 g

Anupāna

Lemon juice, warm water

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Ajīrṇa (Dyspepsia)

12 : 9 GOROCANĀDI VAṬĪ

(Vaidyayogaratnāvalī, Guṭikāprakaraṇa: 77)

गोरोचनं कलङ्कोम्बुं रुद्राक्षं चन्दनं वचा ।
अक्लारिं च सरामच्चमब्जं पुलुगु नागवुम् ।
पञ्चशृङ्गं किरीयात्तं पोन्नुं पविलमञ्जनम् ।
कर्पूरं जीरकं तुम्बा कार्पासास्थि मयूरवुम् ।
लशुनं पूतिगन्धं च त्रिकटु मुञ्जमूलवुम् ।
करलेकं च पाठा च शङ्खपुष्पं च नीलिनी ।
मुक्का जातीकपोङ्गरं मायक्क शुतपुष्पयुम् ।
अजाजी आर्यमुत्रङ्डा करुञ्जीरकमम्बकम् ।
ओक्कवकूट्टियवक्केणमार्द्रकं कुत्तिनीरतिल् ।
(वैद्ययोगरत्नावली, गुटिकाप्रकरण; ७७)

1.	Gorocana		1 Part
2.	Kalaṅkombu (Mṛgaśṛṅga)		1 Part
3.	Rudrākṣa	(Sd.)	1 Part
4.	Candana (Śveta candana)	(Ht.Wd.)	1 Part
5.	Vacā	(Rz.)	1 Part
6.	Aklāri	(Fr.P.)	1 Part
7.	Rāmacca (Uśīra)	(Rt.)	1 Part
8.	Abja (Kamala)	(Fl.)	1 Part
9.	Puzuku (Gandhamārjāravīrya)		1 Part
10.	Nāga- bhasma		1 Part
11.	Kṛṣṇamṛgaśṛṅga		1 Part

12.	Gośṛṅga		1 Part
13.	Varāhaśṛṅga (Varāha danta)		1 Part
14.	Ajaśṛṅga		1 Part
15.	Māhiṣaśṛṅga		1 Part
16.	Kiriyāt (Kirātatikta)	(Pl.)	1 Part
17.	Poṇṇu (Svarṇa) - bhasma		1 Part
18.	Paviza (Pravāla) - bhasma		1 Part
19.	Añjana (Srotonjana)		1 Part
20.	Karpūra	(Sub. Ext.)	1 Part
21.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
22.	Tumbā (Droṇapuṣpī)	(Pl.)	1 Part
23.	Kārpāsāsthi (Kārpāsa)	(Sd.)	1 Part
24.	Mayūra (Apāmārgabīja)	(Sd.)	1 Part
25.	Laśuna	(Bl.)	1 Part
26.	Pūtīgandhā (Cīrabilva)	(Ht. Wd.)	1 Part
27.	Śuṇṭhī	(Rz.)	1 Part
28.	Marica	(Fr.)	1 Part
29.	Pippalī	(Fr.)	1 Part
30.	Munṇa (Agnimantha)	(Rt./St.Bk.)	1 Part
31.	Karaleka (Īśvarī)	(Rt.)	1 Part
32.	Pāṭhā	(Pl.)	1 Part
33.	Śaṅkhapuṣpa (Śaṅkhapuṣpī)	(Pl.)	1 Part
34.	Nīlinī (Nīlī)	(Pl.)	1 Part
35.	Harītakī	(P.)	1 Part
36.	Bibhītaka	(P.)	1 Part
37.	Āmalakī	(P.)	1 Part
38.	Jātīka (Jātīphala)	(Sd.)	1 Part
39.	Poṅgarā (ankaṇa) - śuddha		1 Part
40.	Māyakka (Māyakku)	(Gl.)	1 Part

41.	Śatapušpā (Śatāhvā)	(Fr.)	1 Part
42.	Ajājī (Śveta jīraka)	(Fr.)	1 Part
43.	Aryamuttaṅga (Mustā)	(Rz.)	1 Part
44.	Kariñjīraka (Kṛṣṇa jīraka)	(Fr.)	1 Part
45.	Ambaka (Ambara)		1 Part
46.	Ārdraka nīra (Ārdraka)	(Rz.)	Q.S. for bhāvanā

Note:

Śrīṅgas are made into a paste, dried and then the powders are added.

Special Method of Preparation

Note: Śrīṅgas are made into a paste, dried and then the powders are added.

Dose

125 g

Anupāna

Surasā Patra Svarasa, Nāgavallī Dala Svarasa, Ārdraka Svarasa

Important Therapeutic Uses

Jvara (Fever), Śvasanaka Jvara (Pneumonia), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kaṇṭharoga (Disorders of Throat), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Smṛtināśa (Loss of memory), Śravaṇa Lopa (Impaired hearing), Dṛṣṭi Lopa (Defects in eye sight), Sañjñānāśa (Loss of consciousness)

12 : 10 CANDRAPRABHĀ VAṬĪ

(Śarṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 7: 40-49)

चन्द्रप्रभा वचा मुस्तं भूनिम्बामृतदारुकम् ।
हरिद्रातिविषा दार्वी पिप्पलीमूलचित्रकौ ॥४०॥
धान्यकं त्रिफला चव्यं विडङ्गं गजपिप्पली ।

व्योषं माक्षिकधातुश्च द्वौ क्षारौ लवणत्रयम् ॥४१॥
 एतानि शाणमात्राणि प्रत्येकं कारयेद् बुधः ।
 त्रिवृद्धन्तीपत्रकं च त्वगेला वंशरोचना ॥४२॥
 प्रत्येकं कर्षमात्राणि कुर्यादेतानि बुद्धिमान् ।
 द्विकर्षं हतलोहं स्याच्चतुष्कर्षा सिता भवेत् ॥४३॥
 शिलाजत्वष्टकर्षं स्यादष्टौ कर्षाश्च गुग्गुलोः ।
 एभिरेकत्र सङ्क्षुण्णैः कर्तव्या गुटिका शुभा ॥४४॥
 चन्द्रप्रभेति विख्याता सर्वरोगप्रणाशिनी ।
 प्रमेहान् विंशतिं कृच्छ्रं मूत्राघातं तथाश्मरीम् ॥४५॥
 विबन्धाऽऽनाहशूलानि मेहनं ग्रन्थिमर्बुदम् ।
 अन्त्रवृद्धिं कटीशूलं श्वासं कासं विचर्चिकाम् ॥४६॥
 अण्डवृद्धिं तथा पाण्डुं कामलां च हलीमकम् ।
 कुष्ठान्यर्शांसि कण्डूं च प्लीहोदरभगन्दरम् ॥४७॥
 दन्तरोगं नेत्ररोगं स्त्रीणामार्तवजां रुजम् ।
 पुंसां शुक्रगतान् दोषान् मन्दाग्निमरुचिं तथा ॥४८॥
 वायुं पित्तं कफं हन्याद् बल्या वृष्या रसायनी ।
 चन्द्रप्रभायां कर्षस्तु चतुःशाणो विधीयते ॥४९॥
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; ४०-४९)

1.	Candraprabhā (Karpūra)	(Sub.Ext.)	3 g
2.	Vacā	(Rz.)	3 g
3.	Mustā	(Rz.)	3 g
4.	Bhūnimba (Kirātatikta)	(Pl.)	3 g
5.	Amṛtā (Guḍūcī)	(St.)	3 g
6.	Dāruka (Devadāru)	(Ht.Wd.)	3 g
7.	Haridrā	(Rz.)	3 g
8.	Atiṣā	(Rt.Tr.)	3 g
9.	Dārvī (Dāruharidrā)	(St.)	3 g
10.	Pippalīmūla (Pippalī)	(Rt.)	3 g
11.	Citraka	(Rt.)	3 g
12.	Dhānyaka	(Fr.)	3 g

13.	Harītakī	(P.)	3 g
14.	Bibhītaka	(P.)	3 g
15.	Āmalakī	(P.)	3 g
16.	Cavya	(St.)	3 g
17.	Viḍaṅga	(Fr.)	3 g
18.	Gajapippalī	(Fr.)	3 g
19.	Śunthī	(Rz.)	3 g
20.	Marica	(Fr.)	3 g
21.	Pippalī	(Fr.)	3 g
22.	Mākṣika dhātu bhasma (Mākṣika)		3 g
23.	Yava kṣāra (Yava)	(Pl.)	3 g
24.	Sarji Kṣāra (Svarjīkṣāra)		3 g
25.	Saindhava lavaṇa		3 g
26.	Sauvarcala lavaṇa		3 g
27.	Vida lavaṇa		3 g
28.	Trivṛt	(Rt.)	12 g
29.	Dantī	(Rt.)	12 g
30.	Patraka (Tejapatra)	(Lf.)	12 g
31.	Tvak	(St.Bk.)	12 g
32.	Elā (Sūkṣmailā)	(Sd.)	12 g
33.	Vaṁśarocana (Vaṁśa)	(S.C.)	12 g
34.	Hāṭa loha (Lauha) bhasma		24 g
35.	Sitā		48 g
36.	Śilājatu		96 g
37.	Guggulu	(Exd.)	96 g

Dose

250 to 500 mg

Anupāna

Water, milk, gungily powder

Important Therapeutic Uses

Vibandha (Constipation), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Śūla (Colicky Pain), Granthi (Cyst), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Mūtrakṛcchra (Dysuria), Prameha (Urinary disorders), Aśmarī (Calculus), Arśa (Haemorrhoids), Arbuda (Tumor), Mūtrāghāta (Urinary obstruction), Āntra Vṛddhi (Hernia), Kaṭi Śūla (Lower backache), Kuṣṭha (Diseases of skin), Kaṇḍū (Itching), Plīhodara (Disorder of Spleen, Ascites associated with splenomegaly), Bhagandara (Fistula-in-ano), Dantaroga (Dental disease), Netraroga (Eye disorder), Aruci (Tastelessness), Mandāgni (Impaired digestive fire), Strīroga (Gynaecological disorders), Ārtava Rujā (Dysmenorrhoea), Śukra Doṣa (Vitiation of semen), Daurbalya (Weakness)

12 : 11 CITRAKĀDI GUṬIKĀ

(Carakasamhitā, Cikitsāsthāna, Adhyāya 15: 96-97)

चित्रकं पिप्पलीमूलं द्वौ क्षारौ लवणानि च ।
व्योषं हिङ्ग्वजमोदां च चव्यं चैकत्र चूर्णयेत् ॥९६॥
गुटिका मातुलुङ्गस्य दाडिमस्य रसेन वा ।
कृता विपाचयत्यामं दीपयत्याशु चानलम् ॥९७॥
(चरकसंहिता, चिकित्सास्थान, अध्याय १५; ९६-९७)

1.	Citraka	(Rt.)	1 Part
2.	Pippalīmūla (Pippalī)	(Rt.)	1 Part
3.	Yava kṣāra (Yava)	(Pl.)	1 Part
4.	Sarji Kṣāra (Svarjīkṣāra)		1 Part
5.	Sauvarcala Lavaṇa		1 Part
6.	Saindhava Lavaṇa		1 Part
7.	Viḍa Lavaṇa		1 Part
8.	Sāmudra Lavaṇa		1 Part

9.	Audbhida Lavaṇa		1 Part
10.	Śuṇṭhī	(Rz.)	1 Part
11.	Marica	(Fr.)	1 Part
12.	Pippalī	(Fr.)	1 Part
13.	Hiṅgu	(Exd.)	1 Part
14.	Ajamodā	(Fr.)	1 Part
15.	Cavya	(St.)	1 Part
16.	Mātuluṅga rasa or Dāḍima rasa	(Fr.)	Q.S. for mardana

Dose

1/2 g

Anupāna

Warm water, butter milk

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Āmadoṣa (Products of impaired digestion and metabolism / consequences of Āma), Grahaṇī (Malabsorption syndrome)

12 : 12 CUKKUMTIPPALYĀDIGUṬIKA

(Sahasrayoga, Guṭikāprakaraṇa,:: 2)

चुक्कुं तिप्पलि चेन्निनायक कलंकोंबुं वचाजीरकम् ।
रुद्राक्षं किरियात्तु चंचलियवुं पाषाण जीर्णोषणम् ॥
कर्पूरं पुलुगं मनोहवतुरिशुं स्तन्ये उरिन्या रसे ।
पिष्ट्वाजालि रसें च पिण्डयप हरेत् द्राक् सन्निपातज्वरम् ॥
(सहस्रयोग, गुटिकाप्रकरण; २)

1.	Cukku (Śuṇṭhī)	(Rz.)	1 Part
2.	Tippali (Pippalī)	(Fr.)	1 Part

3.	Cennināyaka (Kumārī)	(Lf.)	1 Part
4.	Kalaṅkambu (Mṛgaśṛṅga)		1 Part
5.	Vacā	(Rz.)	1 Part
6.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
7.	Rudrākṣa	(Sd.)	1 Part
8.	Kiriyāta (Kirātatikta)	(Pl.)	1 Part
9.	Ceṇcalya (Sarja)	(Exd.)	1 Part
10.	Pāṣāṇa (Malla)		1 Part
11.	Jīrṇoṣaṇa (Marica)	(Fr.)	1 Part
12.	Karpūra	(Sub.Ext.)	1 Part
13.	Puzuku (Gandhamārajārvīrya)		1 Part
14.	Manohvā (Maṇḍilā) - śuddha		1 Part
15.	Turiś (Tuttha) - śuddha		1 Part
16.	Stanya		Q.S
17.	Uziñija rasa (Kākatiktā)	(Pl.)	Q.S
18.	Ajājī (Śveta jīraka)	(Fr.)	Q.S

Dose

250 mg

Anupāna

Honey, warm water, Guḍūcī Svarasa

Important Therapeutic Uses

Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

12 : 13 DUGDHA VAṬĪ

(Bhaiṣajyaratnāvalī, Śoṭharogādhikāra: 152-154)

अमृतं धूर्तबीजञ्च हिङ्गुलञ्च समं समम् ।
 धूर्तपत्ररसेनैव मर्दयेद्याममात्रकम् ॥१५२॥
 मुद्गोपमां वटीं कृत्वा दुग्धेन सह पाययेत् ।
 दुग्धेन भोजयेदन्नं वर्जयेल्लवणं जलम् ॥१५३॥
 शोथं नानाविधं हन्ति पाण्डुरोगं सकामलम् ।
 सेयं दुग्धवटी नाम्ना गोपनीया प्रयत्नतः ॥१५४॥
 (भैषज्यरत्नावली, शोथरोगाधिकार; १५२-१५४)

1.	Amṛta (Vatsanābha)	(Rt.Tr.)	1 Part
2.	Dhūrta bīja (Dhattūra) - śuddha (Sd.)		1 Part
3.	Hiṅgula - śuddha		1 Part
4.	Dhūrta Patra rasa (Dhattūra)	(Lf.)	Q.S. for mardana

Dose

60 mg

Anupāna

Milk

Important Therapeutic Uses

Udara (Diseases of abdomen / enlargement of abdomen), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Śoṭha Roga (Inflammatory disease)

12 : 14 DHĀNVANTARA GUṬIKĀ

(Sahasrayoga, Guṭikāprakaraṇa: 56)

एलां विश्वाभयां जातीं बृहत्त्यार्ये च जीरकम् ।
 चीनोषणं च भूनिम्बं रुद्राक्षं सुरदारु च ॥
 कर्पूरं करिगूथं च मृगरेतस्समं समम् ।
 निष्पिष्य जीरकक्वाथे हिमांभसि च कल्पयेत् ॥
 गुटिका संमिता माषैः कषाये साधिते पुनः ।

पनसच्छदभूनिम्बजीरकैः साधु योजिता ।।
पाययेच्छ्वासनाशाय कासानां च निवृत्तये ।
यक्ष्मणः शान्तये हिक्काच्छर्द्योश्च विनिवृत्तये ।।
कफप्रसेकशान्त्यै च नाम्ना धान्वन्तरी मता ।
गुटिकेयं वशेषात्स्यान्मारुतस्यानुलोमनी ।
(सहस्रयोग, गुटिकाप्रकरण; ५६)

1.	Elā (Sūkṣmailā)	(Sd.)	1 Part
2.	Viśvā (Śuṇṭhī)	(Rz.)	1 Part
3.	Abhayā (Harītakī)	(P.)	1 Part
4.	Jātī (Jātīphala)	(Sd.)	1 Part
5.	Br̥hatī	(Pl.)	1 Part
6.	Ārya (Candrikā)	(Sd.)	1 Part
7.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
8.	Cīnoṣaṇa (Kaṅkola)	(Sd.)	1 Part
9.	Bhūnimba (Kirātatikta)	(Pl.)	1 Part
10.	Rudrākṣa	(Sd.)	1 Part
11.	Suradāru (Devadāru)	(Ht.Wd.)	1 Part
12.	Karpūra	(Sub.Ext.)	1 Part
13.	Karigūtha		1 Part
14.	Mṛgaretasa		1 Part
15.	Jīraka kvātha (Śveta jīraka)	(Fr.)	Q.S. for bhavana
16.	Himāmbhasa (Śatapatrikā)	(Fl.)	Q.S. for bhavana

Special Method of Preparation

Ingredients 1 to 11 are ground well in Jiraka Kvātha. When it is ready for making pills, ingredients 12 and 13 are added along with sufficient quantity of rose water (ingredient 16) till it is ready to make pills.

Dose

1 g

Anupāna

Decoction of panasa patra, Bhūnimba, Jiraka

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Hṛdroga (Heart disease), Yakṣmā (Tuberculosis), Hikkā (Hiccup), Chardi (Emesis), Kaphapraseka (Excessive salivation)

12 : 15 PRABHĀKARA VAṬĪ

(Bhaiṣajyaratnāvalī, Hṛdrogādhikāra : 67)

माक्षिकं लोहमभ्रञ्च तुगाक्षीरी शिलाजतु ।
क्षिप्त्वा खल्लोदरे पश्चाद् भावयेत् पार्थवारिणा ॥६६॥
गुञ्जाद्वयमितां कुर्याद् वटीं छायाविशोषिताम् ।
प्रभाकरवटी सेयं हृद्रोगान् निखिलान् जयेत् ॥६७॥
(भैषज्यरत्नावली, हृद्रोगाधिकार; ६६-६७)

1.	Mākṣika (Svarṇamākṣika) - bhasma	1 Part
2.	Lauha - bhasma	1 Part
3.	Abhra (Abhraka) - bhasma	1 Part
4.	Tugākṣīrī (Vaṁśa) (S.C.)	1 Part
5.	Śilājatu - śuddha	1 Part
6.	Pārtha vāri (Arjuna) (St.Bk.)	Q.S. for bhāvanā

Dose

125 to 250 mg

Anupāna

Water, Arjuna Kvātha, milk

Important Therapeutic Uses

12 : 16 PRĀṆADĀ GUṬIKĀ

(Bhaiṣajyaratnāvalī, Arśorogādhikāra : 59-68)

त्रिपलं शृङ्गवेरस्य चतुर्थं मरिचस्य च ।
पिप्पल्याः कुडवार्द्धञ्च चव्यश्च पलमेव च ॥५९॥
तालीशपत्रस्य पलं पलार्द्धं केशरस्य च ।
द्वे पले पिप्पलीमूलादूर्द्धं कर्षञ्च पत्रकात् ॥६०॥
सूक्ष्मैलाकर्षमेकञ्च कर्षञ्च त्वङ्मृणालयोः ।
गुडात्पलानि त्रिंशच्च चूर्णमेकत्र कारयेत् ॥६१॥
तोलाद्धमाना गुडिका प्राणदेति प्रकीर्तिता ।
पूर्वं भक्ष्या च पश्चाच्च भोजनस्य यथाबलम् ॥६२॥
मद्यं मांसरसं यूषं क्षीरं तोयं पिबेदनु ।
हन्यादर्शांसि सर्वाणि सहजान्यस्त्रजान्यपि ॥६३॥
वातपित्तकफोत्थानि सन्निपातोद्भवानि च ।
पानात्यये मूत्रकृच्छ्रे वातरोगे गलग्रहे ॥६४॥
विषमज्वरे च मन्देऽग्नौ पाण्डुरोगे तथैव च ।
कृमिहृद्रोगिणाञ्चैव गुल्मशूलार्तिनां तथा ॥६५॥
श्वासकासपरीतानामेषा स्यादमृतोपमा ।
शुण्ठ्याः स्थानेऽभया देया विङ्ग्रहे पित्तपायुजे ॥६६॥
प्राणदेयं सिता देया चूर्णमानाच्चतुर्गुणा ।
अम्लपित्ताग्निमान्द्यादौ प्रयोज्या गुदजातुरे ॥६७॥
पक्त्वैनं गुडिकाः कार्या गुडेन सितयाथवा ।
परं हि वह्निर्गर्गाल्लघिमानं भजन्ति ताः ॥६८॥
(भैषज्यरत्नावली, अर्शोरोगाधिकार; ५९-६८)

1.	Śṛṅgavera (Śuṇṭhī)	(Rz.)	144 g
2.	Marica	(Fr.)	192 g
3.	Pippalī	(Fr.)	96 g

4.	Cavya	(St.)	48 g
5.	Tālīśapatra (Tālīsa)	(Lf.)	48 g
6.	Keśara (Nāgakeśara)	(Stmn.)	24 g
7.	Pippalīmūla (Pippalī)	(Rt.)	96 g
8.	Patra (Tejapatra)	(Lf.)	6 g
9.	Sūkṣmailā	(Sd.)	12 g
10.	Tvak	(St.Bk.)	12 g
11.	Mṛṇāla (Kamala)	(St./Rt.)	12 g
12.	Guda		1.440 kg

Dose

2 to 4 g.

Anupāna

Honey, water, madya, Māmsarasa, Yūṣa

Important Therapeutic Uses

Sahaja Arśoroga (Congenital haemorrhoids), Mūtrakṛcchra (Dysuria), Vātaroga (Disease due to Vāta doṣa), Viṣamajvara (Intermittent fever), Mandāgni (Impaired digestive fire), Pāṇḍu (Anaemia), Gulma (Abdominal lump), Kṛmija Hṛdroga (Bacterial endocarditis), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Raktārśa (Bleeding haemorrhoids), Pānātyaya (Acute alcoholism), Śūla (Colicky Pain), Galagraha (Difficulty in swallowing), Viṭbandha (Constipation), Amlapitta (Dyspepsia), Guda Roga (Anorectal disease)

12 : 17 PLĪHĀRI VAṬIKĀ

(Bhaiṣajyaratnāvalī, Plīhāyakṛdrogādhikāra: 59)

सहासाराभ्रकासीसलशुनानि समानि च ।
द्रोणपुष्पीरसेनैव मर्दयेत्प्रहरत्रयम् ॥५९॥

वल्लद्वयं प्रदातव्यं प्रदोषे सलिलं ह्यनु ।
 प्लीहानं यकृतं गुल्ममग्निमान्द्यं सशोथकम् ॥६०॥
 कासं श्वासं तृषां कम्पं दाहं शीतं वमिं भ्रमिम् ।
 प्लीहारिवटिका ह्येषा नाशयेन्नात्र संशयः ॥६१॥
 (भैषज्यरत्नावली, प्लीहयकृद्रोगाधिकार; ५९-६१)

1.	Sahāsāra (Kumārī)	(Lf.)	1 Part
2.	Abhra (Abhraka) - bhasma		1 Part
3.	Kāsisa - śuddha		1 Part
4.	Laśuna	(Bl.)	1 Part
5.	Droṇapuspī- svarasa	(Pl.)	Q.S. for mardana

Dose

250 mg

Anupāna

Water

Important Therapeutic Uses

Plīhā-Yakṛdroga (Disorder of Spleen and Liver), Gulma (Abdominal lump),
 Agnimāndya (Digestive impairment), Śoṭha (Inflammation), Kāsa (Cough), Śvāsa
 (Dyspnoea/Asthma), Tṛṣṇā (Thirst), Kampa (Tremor), Dāha (Burning sensation), Chardi
 (Emesis), Bhrama (Vertigo)

12 : 18 BILVĀDI GUṬIKĀ

(Aṣṭāṅgahr̥daya, Uttarasthāna, 36: 84- 85)

बिल्वस्य मूलं सुरसस्य पुष्पं फलं करञ्जस्य नतं सुराह्वम् ।
 फलत्रिकं व्योषनिशाद्वयं च बस्तस्य मूत्रेण सुसूक्ष्मपिष्टम् ॥८४॥
 भुजङ्गलूतोन्दुरवृश्चिकाद्यैर्विषूचिकाजीर्णगरज्वरैश्च ।
 आर्तान्नरान् भूतविधर्षितांश्च स्वस्थीकरोत्यञ्जनपाननस्यैः ॥८५॥

(अष्टांगहृदय, उत्तरस्थान, अध्याय ३६; ८४-८५)

1.	Bilva	(Rt.)	1 Part
2.	Surasa (Tulasī) - puṣpa	(Fl.)	1 Part
3.	Karañja	(Sd.)	1 Part
4.	Nata (Tagara)	(Rt.)	1 Part
5.	Surāhva (Devadāru)	(Ht.Wd.)	1 Part
6.	Harītakī	(P.)	1 Part
7.	Bibhītaka	(P.)	1 Part
8.	Āmalakī	(P.)	1 Part
9.	Śunthī	(Rz.)	1 Part
10.	Marica	(Fr.)	1 Part
11.	Pippalī	(Fr.)	1 Part
12.	Nīśā (Haridrā)	(Rz.)	1 Part
13.	Dārūnīśā (Dāruharidrā)	(St.)	1 Part
14.	Basta mūtra		Q.S. for mardana

Direction

used for Añjana, Nasya and Lepa

Important Therapeutic Uses

Lūtā-Vṛścika-Sarpaviṣa (Poison of Scorpion, Spider and Snake), Viṣūcikā (Gastro-enteritis with piercing pain), Ajīrṇa (Dyspepsia), Garadoṣa (Effects of slow / accumulated poison), Jvara (Fever), Bhūta Bādhā (Psychological disorder)

12 : 19 MARMA GUṬIKĀ

(Sahasrayoga, Guṭikāprakaraṇa: 53)

विदारि जीवन्ति वरी मुस्ता वारा हिक्वा कुरुविकिलडुम्।

नेल्लक्कानन्नारि गुलूचि दूर्वा प्रत्येकमूरल् कुडवांशभागान् ॥
 यष्टीचंदनवुं नल्ल रक्तचंदनमेन्निव ।
 अरच्चु चाणमेल् मून्नु वेव्वेरनालिकोल्लुग ॥
 सहस्रवेधि कन्नारं कन्मदं पालुनिर्वेसि ।
 गरुडप्पच्चयुं क्किट्टपलार्धं डलितंचुमे ॥
 ओक्केक्कूट्टि यरप्पानाय कषायं वरकुमौषधम् ।
 तलनीलि कोलुप्पा च पोन्नां डाणि च मूर्ववेर् ॥
 नाल्पामराणां मुकुलं तेट्रांपरल जेरिञ्जिलुम् ।
 इरुवेलि स रामच्चं पलमीरंडु कोल्लुग ॥
 द्वादश प्रस्थ वेल्लत्तिल् कषायं वच्चरक्युक ।
 नाल्पामर त्वक् पाच्चोत्ति आरपल्लानि पेलुतोल् ॥
 करिंकारयुडे तोलुं निशात्वक् पूर्ववत्पचेत् ।
 कल्लूरवंजिय दिन्वेरुं पलमेट्टदु कूट्टुग ॥
 षोडश प्रस्थ वेल्लत्तिल् कषायं वच्चरक्युग ।
 मून्नामत्ते यरप्पिन्नु मुद्गमाषं गलेलवुम् ॥
 कूट्टिप्पच्चिच्चु कूट्टेणं सर्वमर्म विकारजित् ।
 (सहस्रयोग, गुटिकाप्रकरण; ५३)

1.	Vidārīkanda	(Rt.Tr.)	192 g
2.	Jivantī	(Rt.)	192 g
3.	Varī (Satāvarī)	(Rt.Tr.)	192 g
4.	Mustā	(Rz.)	192 g
5.	Varāhi (Vārāhī kanda)	(Rz.)	192 g
6.	Kūvā ūral (Tavākṣīrī)	(Rz.)	192 g
7.	Kuruvikizīngu	(Rz.)	192 g
8.	Nellikai (Āmalakī)	(P.)	192 g
9.	Nannāri (Śveta sārivā)	(Rt.)	192 g
10.	Guḍūcī	(St.)	192 g
11.	Dūrvā	(Pl.)	192 g
12.	Yaṣṭī	(Rt.)	192 g
13.	Śveta Candana	(Ht.Wd.)	192 g

14.	Raktacandana	(Ht.Wd.)	192 g
15.	Sahasravedhi		24 g
16.	Kannāra (Kumārī)	(Lf.)	24 g
17.	Kanmada (Śilājatu) - śuddha		24 g
18.	Pālunirvaśī		24 g
19.	Garuḍappacca		24 g
20.	Talanili (Prasāriṇī)	(Pl.)	96 g
21.	Kozuppa (Loṇikā)	(Pl.)	96 g
22.	Ponnānggaṇi (Matsyākṣī)	(Pl.)	96 g
23.	Mūrvā	(Rt.)	96 g
24.	Nyagrodha	(Fl.)	96 g
25.	Udumbara	(Fl.)	96 g
26.	Aśvattha	(Fl.)	96 g
27.	Plakṣa	(Fl.)	96 g
28.	Tetṭāmbaral (Kataka)	(Sd.)	96 g
29.	Nerīṇṇil (Gokṣura)	(Fr.)	96 g
30.	Iruvēli (Hrīvēra)	(Rt.)	96 g
31.	Rāmacca (Uśīra)	(Rt.)	96 g
32.	Water for decoction		9.216 l.
	reduced to		2.304 l.
33.	Nyagrodha	(St.Bk.)	96 g
34.	Udumbara	(St.Bk.)	96 g
35.	Aśvattha	(St.Bk.)	96 g
36.	Plakṣa	(St.Bk.)	96 g
37.	Pāccotṭi (Lodhra)	(St.Bk.)	96 g
38.	Nārā (Jambūbheda)	(St.Bk.)	96 g
39.	Pullānī	(Pl.)	96 g
40.	Pezu (Kaṭabhī)	(St.Bk.)	96 g
41.	Kariṅkāra (Karamarda)	(St.Bk.)	96 g

42.	Dārvī (Dāruharidrā)	(St.)	96 g
43.	Kallūrvanci (Paṣaṇabheda)	(Rt.)	384 g
44.	Water for decoction		9.216 l.
	reduced to		2.304 l.
45.	Mudga	(Sd.)	768 g
46.	Māṣa	(Sd.)	768 g
47.	Elā (Sūkṣmailā)	(Sd.)	768 g
48.	Water for decoction		12.288 l.
	reduced to		3.072 l.
	to be filtered and again reduced to		1.536 l.

Dose

2 g

Anupāna

Water

Important Therapeutic Uses

Marmavikāra (Disorders of vital points), Āghāta (Trauma)

12 : 20 MARICĀDI GUṬIKĀ

(Śārṅgadharasṃhitā, Madhyamakhaṇḍa, Adhyāya 7: 13-15)

मरिचं कर्षमात्रं स्यात् पिप्पली कर्षसम्मिता ॥१३॥
अर्धकर्षो यवक्षारः कर्षयुग्मं च दाडिमम् ।
एतच्चूर्णीकृतं युञ्ज्यादष्टकर्षगुडेन हि ॥१४॥
शाणप्रमाणां गुटिकां कृत्वा वक्त्रे विधारयेत् ।
अस्याः प्रभावात् सर्वेऽपि कासा यान्त्येव सङ्क्षयम् ॥१५॥
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; १३-१५)

1.	Marica	(Fr.)	12 g
2.	Pippalī	(Fr.)	12 g
3.	Yava kṣāra (Yava)	(Pl.)	6 g
4.	Dāḍima	(Fr.R.)	24 g
5.	Guḍa		96 g

Dose

3 g (dissolved slowly in the mouth)

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma)

12 : 21 MĀNASAMITRA VAṬAKA

(Sahasrayoga, Guṭikāprakaraṇa : 68)

बलानागबलाबिल्वधावनीमूलविद्रुमैः ।
 शङ्खपुष्पीताम्रचूडपदिकाहेमपुष्करैः ॥
 मृगशृङ्गवचाताप्यचन्दनद्वयमौक्तिकैः ।
 काललोहमधूकत्वक्मागधीघनसारकैः ॥
 ऐलेयकविशालार्करागनिर्गुण्डिकाप्लवैः ।
 रास्नारजतशैलेयगोजिह्वापद्मकेसरैः ॥
 जीवकर्षभकाकोलीबृहतीश्रावणीयुगैः ।
 भूनिम्बकृतमालत्वक्परुषकफलत्रयैः ॥
 अमृतागोपिकाद्वन्द्वजीवन्तीसोमवल्लिभिः ।
 हयगन्धानिशोशीरद्राक्षायष्ट्याहवृद्धिभिः ॥
 दूर्वाहंसपदीभद्रालवङ्गतुलसीदलैः ।
 कस्तूरीकुङ्कुमाभ्यां च पिष्टैः त्रायन्तिकारसे ॥
 शङ्खपुष्पीकषाये च तोये च वचया शृते ।
 अनन्तालक्ष्मणाबिल्वबलामूलशृतेऽपि च ॥

गोक्षीरे जीरकक्वाथे सोमवल्यां च वारिणि ।
 स्तन्यं च वटकान् कुर्यात् भूनिम्बफलसम्मितान् ॥
 छायायामथ संशोष्य प्राप्तकाले सुचूर्णिताम् ।
 तेष्वैकैकां समालोड्य गव्ये पयसि पाययेत् ॥
 एते मानसमित्राख्यवटकाः पूर्वसम्मताः ।
 मनोदोषहराः प्रज्ञां मेधां च प्रतिभामपि ॥
 वाग्मित्वं कवितां चाशु प्रयच्छेयुरसंशयम् ।
 न चैनामतिवर्तेरन् उन्मादाः प्रबला अपि ॥
 (सहस्रयोग, गुटिकाप्रकरण; ६८)

1.	Balā	(Rt.)	1 Part
2.	Nāgabālā	(Rt.)	1 Part
3.	Bilva	(Rt./St.Bk.)	1 Part
4.	Dhāvanīmūla (Prśniparṇī)	(Pl.)	1 Part
5.	Vidruma (Pravāla) - piṣṭī		1 Part
6.	Śaṅkhaṇḍī	(Pl.)	1 Part
7.	TāmracūḍāPādikā	(Pl.)	1 Part
8.	Hema (Svarṇa) - bhasma		1 Part
9.	Puṣkara mūla (Puṣkara)	(Rt.)	1 Part
10.	Mṛgaśṛṅga bhasma		1 Part
11.	Vacā	(Rz.)	1 Part
12.	Tāpya (Svarṇamākṣika)		1 Part
13.	Śveta Candana	(Ht.Wd.)	1 Part
14.	Raktacandana	(Ht.Wd.)	1 Part
15.	Mauktika (Muktā) - Piṣṭī		1 Part
16.	Kālaloḥa (Lauha) - bhasma		1 Part
17.	Madhūka	(Fl.)	1 Part
18.	Tvak	(St.Bk.)	1 Part
19.	Māgadhī (Pippalī)	(Fr.)	1 Part
20.	Ghanasāraka (Karpūra)	(Sub.Ext.)	1 Part
21.	Aileya (Elavāluka)	(Sd.)	1 Part

22.	Viśālā (Rakta indravāruṇī)	(Pl.)	1 Part
23.	Arkarāga (Aklāri)	(Pl.)	1 Part
24.	Nirguṇḍikāmūla (Nirguṇḍī)	(Rt.)	1 Part
25.	Plava	(Rz.)	1 Part
26.	Rāsnā	(Rt./Lf.)	1 Part
27.	Rajata -bhasma		1 Part
28.	Śaileya (Śilājatu) - śuddha		1 Part
29.	Gojihvā	(Pl.)	1 Part
30.	Padma kesara	(Adr.)	1 Part
31.	Jīvaka	(Rt.Tr.)	1 Part
32.	Rṣabhaka	(Rt.Tr.)	1 Part
33.	Kākolī	(Sub.Rt.)	1 Part
34.	Kṣīrakākolī	(Sub.Rt.)	1 Part
35.	Bṛhatī	(Pl.)	1 Part
36.	Kṣudrā (Kaṇṭakārī)	(Pl.)	1 Part
37.	Śrāvaṇī (Muṇḍītikā)	(Pl.)	1 Part
38.	Mahāśrāvṇī (Muṇḍītikā)	(Pl.)	1 Part
39.	Bhūnimba (Kirātatikta)	(Pl.)	1 Part
40.	Kṛtamāla (Āragvadha)	(St.Bk.)	1 Part
41.	Parūṣaka	(Rt.)	1 Part
42.	Harītakī	(P.)	1 Part
43.	Bibhītaka	(P.)	1 Part
44.	Āmalakī	(P.)	1 Part
45.	Amṛtā (Guḍūcī)	(St.)	1 Part
46.	Śveta Sārivā	(Rt.)	1 Part
47.	Kṛṣṇa Sārivā	(Rt.)	1 Part
48.	Jivantī	(Rt.)	1 Part
49.	Somavallī	(Pl.)	1 Part
50.	Hayagandhā (Aśvagandhā)	(Rt.)	1 Part

51.	Niśā (Haridrā)	(Rz.)	1 Part
52.	Uśīra	(Rt.)	1 Part
53.	Drākṣā	(Dr.Fr.)	1 Part
54.	Yaṣṭyāhvaya (Yaṣṭī)	(Rt.)	1 Part
55.	Ṛddhi	(Sub. Rt. Tr.)	1 Part
56.	Dūrvā	(Pl.)	1 Part
57.	Hasapadī	(Pl.)	1 Part
58.	Bhadrā	(Pl.)	1 Part
59.	Lavaṅga	(Fl.Bd.)	1 Part
60.	Tulasī	(Lf.)	1 Part
61.	Kastūrī (Mṛgamada)		1 Part
62.	Kuṅkuma	(Stl./Stg)	1 Part
63.	Trāyantī svarasa (Trāyamāṇa) (Pl.)		Q.S.
64.	Śaṅkhaṣpī - kaṣāya	(Pl.)	Q.S.
65.	Vacātoya (Vacā) - kaṣāya	(Rz.)	Q.S.
66.	Anantā (śvētasārivā) - kaṣāya	(Rt.)	Q.S.
67.	Lakṣmaṇā - kaṣāya	(Rt.)	Q.S.
68.	Bilva - kaṣāya	(Rt.)	Q.S.
69.	Balamūla - kaṣāya	(Rt.)	Q.S.
70.	Gokṣīra (Godugdha)		Q.S.
71.	Jīraka kvātha (Śveta jīraka)	(Fr.)	Q.S.
72.	Somavallī - svarasa	(Pl.)	Q.S.
73.	Stanya		Q.S.

Dose

1 g

Anupāna

Milk

Important Therapeutic Uses

Manodoṣa (Mental disorder), Unmāda (Mania/Psychosis), Apasmāra (Epilepsy), Mandabuddhitva (Retarded intellect), Vākdoṣa (Disorder of speech), Viṣūcikā (Gastro-enteritis with piercing pain), Mada (Intoxication), Mūrcchā (Syncope), Saṁnyāsa (Coma), Bhūta Bādhā (Psychological disorder), Sarpa Viṣa (Snake poison)

12 : 22 MUKKĀMUKKAṬUVĀDI GUṬIKĀ

(Sahasrayoga, Guṭikāprakaraṇa: 7)

मुक्कामुक्कुडु जीरकद्वयवचा किर्यात्तु कर्पूरवुं ।
जातिक्या पडु चेन्निनायक करां पूवुल्लि तक्कोलवुम् ॥
कोट्टं नल्ललवंग हिंगुमजमोजं कोलभिन्यासके ।
निर्गुडीस्वरसेन पिष्टगुलिकां कोष्णाम्बुना पाययेत् ॥
(सहस्रयोग, गुटिकाप्रकरण; ७)

1.	Harītakī	(P.)	1 Part
2.	Bibhītaka	(P.)	1 Part
3.	Āmalakī	(P.)	1 Part
4.	Śuṇṭhī	(Rz.)	1 Part
5.	Marica	(Fr.)	1 Part
6.	Pippalī	(Fr.)	1 Part
7.	Śveta Jīraka	(Fr.)	1 Part
8.	Kṛṣṇa jiraka	(Fr.)	1 Part
9.	Vacā	(Rz.)	1 Part
10.	Kiriyāt (Kirātatikta)	(Pl.)	1 Part
11.	Karpūra	(Sub.Ext.)	1 Part
12.	Jātikā (Jātīphala)	(Sd.)	1 Part
13.	Paṭu (Saindhava Lavaṇa)	(Sd.)	1 Part
14.	Cennināyaka (Kūmārī)	(Lf.)	1 Part
15.	Karāmpu (Lavaṅga)	(Fl.Bd.)	1 Part

16.	Ulli (Laśuna)	(Bl.)	1 Part
17.	Takkola (Kaṅkola)	(Fr.)	1 Part
18.	Koṭṭam (Kuṣṭha)	(Rt.)	1 Part
19.	Lavaṅga	(Fl. Bd.)	1 Part
20.	Hiṅgu	(Exd.)	1 Part
21.	Ajamoja (Ajamodā)	(Fr.)	1 Part
22.	Nirguṇḍī svarasa (Nirguṇḍī) (Lf.)		Q.S.

Dose

1 g

Anupāna

Warm water

Important Therapeutic Uses

Abhinyāsa Jvara (Meningitis), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

12 : 23 MṚTASĀÑJĪVANĪ GUṬĪKĀ

(Sahasrayoga, Guṭikāprakaraṇa : 66)

यष्टीचन्दनरुद्राक्षं मृगशृङ्गं वचाञ्जनम् ।
 अक्लारि जीरक तृटी रोचन चीनतीक्ष्णवुम् ॥
 कर्पूरं जातिपत्रं व जातिक्का वृषशृङ्गवुम् ।
 कृष्णासारस्य शृङ्गं च गोशृङ्गं कुन्निविद्रुमम् ॥
 मुत्तुं पीलियुडे कण्णु रुप्यं स्वर्णं फलत्रयम् ॥
 कषायक्कल् त्रिकटुकं कस्तूरी सममोक्कवे ॥
 शाङ्खिखनी कृष्णजीरं च अम्बरुं द्विगुणांशमान् ।
 भूनागमष्टभागं च नारीक्षीरेण पेषयेत् ॥
 त्रयोदशान्सन्निपातानपस्मारान् मनोभ्रमम् ।

विषान् सर्वान् जयत्येषा मृतसञ्जीवनी वटी ।।
(सहस्रयोग, गुटिकाप्रकरण; ६६)

1.	Yastī	(Rt.)	1 Part
2.	Candana (Śveta candana)	(Ht.Wd.)	1 Part
3.	Rudrākṣa	(Sd.)	1 Part
4.	Mṛgaśṛṅga - bhasma		1 Part
5.	Vacā	(Rz.)	1 Part
6.	Añjana (Dāruharidra)	(St.Ext.)	1 Part
7.	Aklāri	(Fr.P.)	1 Part
8.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
9.	Truṭi (Sūkṣmailā)	(Sd.)	1 Part
10.	Rocana (Gorocana)		1 Part
11.	Cīnatīkṣṇa (Kaṅkola)	(Fr.)	1 Part
12.	Karpūra	(Sub.Ext.)	1 Part
13.	Jātīpatri (Jātīphala)	(Ar.)	1 Part
14.	Jātīkka (Jātīphala)	(Sd.)	1 Part
15.	Vṛṣaśṛṅga - bhasma		1 Part
16.	Kṛṣṇasāraśṛṅga - bhasma		1 Part
17.	Gośṛṅga - bhasma		1 Part
18.	Kunni (guñja) - bīja	(Sd.)	1 Part
19.	Vidruma (Pravāla) - Piṣṭī		1 Part
20.	Muttu (Muktā) - Piṣṭī		1 Part
21.	Pilikkaṇṇu (mayūrapiccha) - bhasma		1 Part
22.	Rūpya (Rajata) bhasma		1 Part
23.	Svarṇa - bhasma		1 Part
24.	Harītakī	(P.)	1 Part
25.	Bibhītaka	(P.)	1 Part
26.	Āmalakī	(P.)	1 Part
27.	Kaṣāyakkal (Gairika)		1 Part

28.	Śunṭhī	(Rz.)	1 Part
29.	Marica	(Fr.)	1 Part
30.	Pippalī	(Fr.)	1 Part
31.	Kastūrī (Mṛgamada)		1 Part
32.	Śaṅkhinī	(Pl.)	2 Parts
33.	Kṛṣṇa Jīraka	(Fr.)	2 Parts
34.	Ambara		2 Parts
35.	Bhūnāga		8 Parts
36.	Nārīkṣīra (Stanya)		Q.S.

Dose

1 g

Anupāna

milk

Important Therapeutic Uses

Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Apasmāra (Epilepsy), Manovibhrama (Delirium), Viṣa (Poison)

12 : 24 YAKṚT ŚŪLAVINĀŚINĪ VAṬIKĀ

(Bhaiṣajyaratnāvalī, Plīhāyakṛtrogādhikāra : 62-64)

नरसारं कर्षमात्रं सैन्धवञ्च द्विकर्षकम् ।
कोकिलाक्षोद्भवं बीजं त्वचं रोहीतकस्य च ॥६२॥
यमानी चित्रकञ्चापि दशकर्षप्रमाणकम् ।
सम्मर्द्य बदरास्थ्याभां वटकां पूतिकाम्बुना ॥६३॥
कृत्वा तां योजयेद्धीमान् कारवेल्लाम्भसा समम् ।
हन्त्येषा यकृतो व्याधीन् गुल्मप्लीहोदराणि च ॥६४॥
(भैषज्यरत्नावली, प्लीहयकृतद्रोगाधिकार; ६२-६४)

1.	Narasāra - śuddha		12 g
2.	Saindhava lavaṇa		24 g
3.	Kokilākṣa	(Sd.)	120 g
4.	Rohitaka	(St.Bk.)	120 g
5.	Yamānī (Yavānī)	(Fr.)	120 g
6.	Citraka	(Rt.)	120 g
7.	Pūtikāmbu (Cirabilva)	(Lf.)	Q.S. mardana

Dose

750 mg

Anupāna

Kāravella Rasa, water

Important Therapeutic Uses

Yakṛtrogā, Gulma (Abdominal lump), Plīhodara (Disorder of Spleen, Ascites associated with splenomegaly)

12 : 25 RAJAḤPRAVARTINĪ VAṬĪ

(Bhaiṣajyaratnāvalī, Strīrogādhikāra: 233-235)

कन्यासारं च कासीसं रामठं टङ्कणं तथा ।
समादाय समं सर्वं पेषयेत्कन्यकाद्रवैः ॥२३३॥
निर्मापयेद्भिषग्वर्यो रक्तिद्वयमिता वटीः ।
शीलितेयं तु वटिका विनिहन्ति सुदारुणाम् ॥२३४॥
रजोरोधव्यथां कष्टरजःस्रावव्यथां तथा ।
रजःप्रवर्तिनी ह्येषा नीलकण्ठेन भाषिता ॥२३५॥
(भैषज्यरत्नावली, स्त्रीरोगाधिकार; २३३-२३५)

- | | | | |
|----|-------------------------------|-------|--------|
| 1. | Kanyāsāra (Kumārī) - musabbar | (Lf.) | 1 Part |
|----|-------------------------------|-------|--------|

2.	Kāśīsa- śuddha		1 Part
3.	Rāmaṭha (Hiṅgu)	(Exd.)	1 Part
4.	Taṅkaṇa - śuddha		1 Part
5.	Kanyā (Kumārī) svarasa	(Lf.)	Q.S. for mardana

Dose

250 mg

Anupāna

warm water, Tila Kaṣāya, Kulattha Kaṣāya

Important Therapeutic Uses

Rajorodha (Obstruction to menstrual flow), Kaṣṭārtava (Dysmenorrhoea), Ārtava Vedanā (Dysmenorrhoea)

12 : 26 LAVANĠĀDI VAṬĪ

(Vaidyajīvanam, Kāsaśvāsacikitsā: 7)

तुल्या लवंगमरिचाक्षफलत्वचः स्युः ।
 सर्वैः समो निगदितः खदिरस्य सारः ।
 बबूलवृक्षजकषाययुतञ्च चूर्णम् ।
 कासान्निहन्ति गुटिका घटिकाऽष्टकान्ते ॥७॥
 (वैद्यजीवनम्, कासश्वासचिकित्सा, ७)

1.	Lavaṅga	(Fl.Bd.)	1 Part
2.	Marica	(Fr.)	1 Part
3.	Akṣaphala (Bibhītaka)	(P.)	1 Part
4.	Khadirasāra (Khadira)	(Ht.Wd.)	3 Parts
5.	Babbūla kaṣāya (Babbūla)	(St.Bk.)	Q.S. for mardana

Dose

1 g

Anupāna

Warm water

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma)

12 : 27 LAŚUNĀDI VAṬĪ

(Vaidyajīvanam, Kṣayarogādicikitsā: 13)

लशुनजीरकसैन्धवगन्धकत्रिकटुरामठचूर्णमिदं समम् ।
सपदिनिम्बुरसेन विषूचिकां हरति यो रतिभोगविचक्षणे ॥१३॥
(वैद्यजीवनम्, क्षयरोगादिचिकित्सा; १३)

1.	Laśuna	(Bl.)	1 Part
2.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
3.	Saindhava lavaṇa		1 Part
4.	Gandhaka - Śuddha		1 Part
5.	Śuṇṭhī	(Rz.)	1 Part
6.	Marica	(Fr.)	1 Part
7.	Pippalī	(Fr.)	1 Part
8.	Rāmaṭha (Hiṅgu)	(Exd.)	1 Part
9.	Nimbu rasa (Nimbū)	(Fr.)	Q.S. for bhāvanā

Dose

1 g

Anupāna

Warm water

Important Therapeutic Uses

Viṣūcikā (Gastro-enteritis with piercing pain), Ajīrṇa (Dyspepsia), Atīśāra (Diarrhoea)

12 : 28 ŚIVĀ GUṬIKĀ (LAGHU)

(Yogarātnākara, Rājayakṣmādhikāra,;page 322: 1-6)

कौटजत्रिफलानिम्बपटोलघननागरैः ।
भावितानि दशाहानि रसैर्द्वित्रिगुणानि च ॥१॥
शिलाजतुपलान्यष्टौ तावती सितशर्करा ।
त्वक्क्षीरीपिप्पलीधात्रीकर्कटाख्यान्पलोन्मितान् ॥२॥
निदग्धिफलमूलाभ्यां पलं युञ्ज्यात् त्रिजातकात् ।
मधुत्रिफलसंयुक्तान्कुर्यादक्षसमान्गुडान् ॥३॥
दाडिमान्लपयः क्षीररसयूषसुरासवान् ।
तं भक्षयित्वाऽनुपिबेन्निरत्रो हितभक्ष्यभुक् ॥४॥
पाण्डुकुष्ठज्वरप्लीहतमकार्शोभगन्दरम् ।
नाशयेन्मूत्रकृच्छ्राणि मूत्रस्थानविबन्धनात् ॥५॥
यद्यत्र योजितं येन कान्तलोहं तथाऽभ्रकम् ।
पलं पलं च मिलिते तदा स्यात् किमतः परम् ॥६॥
तीव्रदुःखप्रदं पाण्डुं प्रमेहं सपरिग्रहम् ।
राजरोगं च व्याधींश्च जयेदिति किमद्भुतम् ॥७॥
(योगरत्नाकर, राजयक्ष्मचिकित्सा, १-७ पृष्ठ ३२२)

- | | | | | |
|----|------------------------|----------|------------------|---------------------|
| 1. | Kuṭaja - kvātha | (St.Bk.) | Q.S. for bhāvanā | 768 ml. to 1.152 l. |
| 2. | Triphalā - kvātha | (P.) | Q.S. for bhāvanā | 768 ml.to 1.152 l. |
| 3. | Nimba- kvātha | (St.Bk.) | Q.S. for bhāvanā | 768 ml. to 1.152 l. |
| 4. | Paṭola - kvātha | (Pl.) | Q.S. for bhāvanā | 768 ml. to 1.152 l. |
| 5. | Ghana kvātha (Mustā) | (Rz.) | Q.S. for bhāvanā | 768 ml. to 1.152 l. |
| 6. | Nāgara kvātha (Śunthī) | (Rz.) | Q.S. for bhāvanā | 768 ml. to 1.152 l. |

7.	Śilājatu - śuddha		384 g
8.	Sitā		384 g
9.	Tvakṣīrī (Vaṃśa)	(S.C.)	48 g
10.	Pippalī	(Fr.)	48 g
11.	Dhātrī (Āmalakī)	(P.)	48 g
12.	Karkāṭaśṅgī	(Gl.)	48 g
13.	Nidigdhika (Kaṇṭakārī)	(Rt.)	48 g
14.	Nidigdha phala (Kaṇṭakārī)	(Fr.)	48 g
15.	Tvak	(St.Bk.)	48 g
16.	Elā (Sūkṣmailā)	(Sd.)	48 g
17.	Patra (Tejapatra)	(Lf.)	48 g
18.	Drākṣā	(Dr.Fr.)	48 g
19.	Kharjūra	(P.)	48 g
20.	Gambhārī	(Fr.)	48 g
21.	Kāntalauha (lauha) - bhasma		48 g
22.	Abhraka - bhasma		48 g

Dose

6 g

Important Therapeutic Uses

Pāṇḍu (Anaemia), Kuṣṭha (Diseases of skin), Jvara (Fever), Tamaka Śvāsa (Bronchial asthma), Arśa (Haemorrhoids), Bhagandara (Fistula-in-ano), Mūtrakṛcchra (Dysuria), Rājanyakṣmā (Tuberculosis), Prameha (Urinary disorders), Plīhā Roga (Splenic disease)

Special Precaution

Note: This medicine is taken in empty stomach and no food is to be taken till medicine is digested (2 to 3 hours.)

12 : 29 ŚUKRAMĀTRKĀ VAṬĪ

(Bhaiṣajyaratnāvalī, Pramehādhikāra : 95-100)

गोक्षुरबीजं त्रिफला पत्रमेला रसाञ्जनम् ।
 धान्यकं चविकं जीरं तालीशं टङ्कदाडिमौ ॥९५॥
 प्रत्येकार्द्धपलं दत्त्वा गुग्गुलोः कर्षमेव च ।
 रसाभ्रगन्धलौहानां प्रत्येकञ्च पलं क्षिपेत् ॥९६॥
 सर्वमेकीकृतं वैद्यो दण्डयोगेन मर्दयेत् ।
 घृतभाण्डे तु संस्थाप्य चतुर्गुञ्जञ्च भक्षयेत् ॥९७॥
 अनुपानं प्रदातव्यं जातिभेदात् पृथक् पृथक् ।
 दाडिमस्य रसेनैव छागदुग्धेन चाम्भसा ॥९८॥
 चन्द्रनाथेन गदिता वटिका शुक्रमातृका ।
 प्रमेहान् विंशतिं हन्ति वातपित्तकफोद्भवान् ॥९९॥
 द्वन्द्वजान् सन्निपातोत्थान् मूत्रकृच्छ्राश्मरीगदान् ।
 बलवर्णाग्निजननी ज्वरदोषनिषूदनी ॥१००॥
 (भैषज्यरत्नावली, प्रमेहाधिकार; ९५-१००)

1.	Gokṣura - bīja	(Fr.)	24 g
2.	Harītakī	(P.)	24 g
3.	Bibhītaka	(P.)	24 g
4.	Āmalakī	(P.)	24 g
5.	Patra (Tejapatra)	(Lf.)	24 g
6.	Elā (Sūkṣmailā)	(Sd.)	24 g
7.	Rasāñjana (Dāruharidrā)	(St.Ext.)	24 g
8.	Dhānyaka	(Fr.)	24 g
9.	Cavya	(St.)	24 g
10.	Jīraka (Śvetajīraka)	(Fr.)	24 g
11.	Tālīsapatra (Tālīsa)	(Lf.)	24 g
12.	Taṅkaṇa - śuddha		24 g

13.	Dāḍima	(Sd.)	24 g
14.	Guggulu-śuddha	(Exd.)	12 g
15.	Rasa (Pārada) - śuddha		48 g
16.	Gandhaka - śuddha		48 g
17.	Abhraka - bhasma		48 g
18.	Lauha - bhasma		48 g

Dose

500 mg

Anupāna

Dāḍima Svarasa, water, goat milk.

Important Therapeutic Uses

Aśmarī (Calculus), Śukrameha (Spermatorrhoea), Prameha (Urinary disorders), Mūtrakṛcchra (Dysuria), Jvara (Fever), Daurbalya (Weakness), Vaivarnya (Discolouration), Agnimāndya (Digestive impairment)

12 : 30 ŚŪLAHARAṆA YOGA

(Rasendrasārasaṅgraha, Śularogacikitsā: 61-63)

हरीतकी त्रिकटुकं कुचिलं हिङ्गु सैन्धवम् ।
 गन्धकश्च समं सर्वं वटीं कुर्यात् सुखावहाम् ॥६१॥
 लघुकोलप्रमाणान्तु शस्यते प्रातरेव हि ।
 एकैका वटिका ग्राह्या गुल्मशूलविनाशिनी ॥६२॥
 ग्रहण्यामतिसारे च साजीर्णं मन्दपावके ।
 योजयेदुष्णपयसा सुखःमज्जोति निश्चितम् ।
 सुवर्णञ्च भवेत् देहं सदोत्साहयुतं नृणाम् ॥६३॥
 (रसेन्द्रसारसङ्ग्रह, शूलरोगचिकित्सा, ६१-६३)

1.	Harītakī	(P.)	1 Part
----	----------	------	--------

2.	Śunṭhī	(Rz.)	1 Part
3.	Marica	(Fr.)	1 Part
4.	Pippalī	(Fr.)	1 Part
5.	Kucilā (Viṣamuṣṭi) - śuddha	(Sd.)	1 Part
6.	Hiṅgu	(Exd.)	1 Part
7.	Saindhava lavaṇa		1 Part
8.	Gandhaka - śuddha		1 Part

Dose

250 to 500 mg

Anupāna

Warm milk

Important Therapeutic Uses

Śūla (Colicky Pain), Grahaṇī (Malabsorption syndrome), Atisāra (Diarrhoea), Gulma (Abdominal lump), Agnimāndya (Digestive impairment), Ajīrṇa (Dyspepsia)

12 : 31 ŚŪLAVAJRIṆĪ VAṬIKĀ

(Rasendrasārasaṅgraha, Śūlarogacikitsā : 46-50)

रसगन्धकलौहानां पलाद्धेन समन्वितम् ।
 त्रिफला रामठं शुल्वं शटी त्रिकटु टङ्कणम् ॥४६॥
 पत्रं त्वगेलातालीशजातीफललवङ्गकम् ।
 यमानी जीरकं धान्यं प्रत्येकं तोलकं मतम् ॥४७॥
 माषैका वटिका कार्या छागीदुग्धेन वा पुनः ।
 एकैका भक्षिता चेयं वटिका शूलवज्रिणी ॥४८॥
 शूलमष्टविधं हन्ति प्लीहगुल्मोदरं तथा ।
 अम्लपित्तामवातञ्च पाण्डुत्वं कामलां तथा ॥४९॥
 शोथं गलग्रहं वृद्धिं श्लीपदं सभगन्दरम् ।

वृद्धाबालकरी चैव मन्दाग्नेरपि दीपनी ॥५०॥
(रसेन्द्रसारसङ्ग्रह; शूलरोगचिकित्सा; ४६-५०)

1.	Rasa (Pārada) - śuddha		24 g
2.	Gandhaka - śuddha		24 g
3.	Lauha - bhasma		24 g
4.	Harītakī	(P.)	12 g
5.	Bibhītaka	(P.)	12 g
6.	Āmalakī	(P.)	12 g
7.	Rāmaṭha (Hiṅgu)	(Exd.)	12 g
8.	Śulva (Tamra) - bhasma		12 g
9.	Śaṭhī (Śaṭī)	(Rz.)	12 g
10.	Śuṇṭhī	(Rz.)	12 g
11.	Marica	(Fr.)	12 g
12.	Pippalī	(Fr.)	12 g
13.	Taṅkaṇa- śuddha		12 g
14.	Patra (Tejapatra)	(Lf.)	12 g
15.	Tvak	(St.Bk.)	12 g
16.	Elā (Sūkṣmailā)	(Sd.)	12 g
17.	Tālīśa	(Lf.)	12 g
18.	Jātīphala	(Sd.)	12 g
19.	Lavaṅga	(Fl.Bd.)	12 g
20.	Yamānī (Yavānī)	(Fr.)	12 g
21.	Jīraka (Śveta jīraka)	(Fr.)	12 g
22.	Dhānya (Dhānyaka)	(Fr.)	12 g
23.	Chāgīdugdha (Ajākshīra)		Q.S. for mardana

Dose

25 mg

Anupāna

Warm water.

Important Therapeutic Uses

Śūlaroga (Gastric ulcer/Duodenal ulcer/Colic), Plīhodara (Disorder of Spleen, Ascites associated with splenomegaly), Gulma (Abdominal lump), Udara (Diseases of abdomen / enlargement of abdomen), Amlapitta (Dyspepsia), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Śoṭha (Inflammation), Mandāgni (Impaired digestive fire), Ślīpada (Filariasis), Āmavāta (Rheumatism), Galagraha (Difficulty in swallowing), Bhagandara (Fistula-in-ano), Vṛddhi (Inguino-scrotal swellings)

12 : 32 ŚAṆKHA VAṬĪ

(Bhaiṣajyaratnāvalī, Agnimāndyādhikāra : 182-183)

चिञ्चाक्षारपलं पटुव्रजपलं निम्बूरसे कल्कितम् ।
तस्मिन् शङ्खपलं प्रतप्तमसकृत् संस्थाप्य शीर्णावधि ॥१८२॥
हिङ्गुव्योषपलं रसामृतवली निक्षिप्य निष्कांशिकाः ।
बद्ध्वा शङ्खवटी क्षयग्रहणिकारुक्पक्तिशूलादिषु ॥१८३॥
(भैषज्यरत्नावली, अग्निमान्द्यादिरोगाधिकार; १८२-१८३)

1.	Ciñcā - kṣāra	(St.Bk.)	48 g
2.	Paṭuvraja (Pañca lavaṇa)		48 g
3.	Nimbū - svarasa	(Fr.)	Q.S. for mardana
4.	Śaṅkha- bhasma		48 g
5.	Hiṅgu	(Exd.)	48 g
6.	Śuṇṭhī	(Rz.)	48 g
7.	Marica	(Fr.)	48 g
8.	Pippalī	(Fr.)	48 g
9.	Rasa (Pārada) - śuddha		3 g

10.	Amṛta (Vatsanābha) - śuddha	(Rt.Tr.)	3 g
11.	Valī (Gandhaka) - śuddha		3 g

Dose

250 to 500 mg.

Anupāna

Honey, warm water, butter-milk.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome), Arocaka (Tastelessness), Paktiśūla (Duodenal ulcer), Kṣaya (Pthisis)

12 : 33 SAUBHĀGYA VAṬĪ

(Bhaiṣajyaratnāvalī, Jvarādhikāra : 474-475)

सौभाग्यामृतजीरपञ्चलवणव्योषाभयाऽक्षामला
निश्चन्द्राभ्रकशुद्धगन्धकरसानेकीकृतान् भावयेत् ।
निर्गुण्डियुगभृङ्गराजकवृषापामार्गपत्रोल्लसत्
प्रत्येकस्वरसेन सिद्धवटिका हन्ति त्रिदोषोदयम् ॥४७४॥
येषां शीतमतीव देहमखिलं स्वेदद्रवाद्रीकृतं
निद्रा घोरतरा समस्तकरणव्यामोहमूढं मनः ।
शूलं श्वासबलासकाससहितं मूर्च्छाऽरुचितृङ्ज्वरं
तेषां वै परिहृत्य मृत्युवदनात् प्रत्यानयेज्जीवनम् ॥४७५॥
(भैषज्यरत्नावली, ज्वराधिकार; ४७४-४७५)

1.	Saubhāgya (Taṅkaṇa) - śuddha		1 Part
2.	Amṛta (Vatsanābha) - śuddha	(Rt.Tr.)	1 Part
3.	Jīraka (Śveta jīraka)	(Fr.)	1 Part
4.	Sauvarcala Lavaṇa		1 Part
5.	Saindhava Lavaṇa		1 Part

6.	Viḍa Lavaṇa		1 Part
7.	Sāmudra Lavaṇa		1 Part
8.	Audbhida Lavaṇa		1 Part
9.	Śuṇṭhī	(Rz.)	1 Part
10.	Marica	(Fr.)	1 Part
11.	Pippalī	(Fr.)	1 Part
12.	Abhayā (Harītakaī)	(P.)	1 Part
13.	Akṣa (Bibhītaka)	(P.)	1 Part
14.	Amalakī	(P.)	1 Part
15.	Abhraka - bhasma		1 Part
16.	Gandhaka - śuddha		1 Part
17.	Rasa (Pārada) - śuddha		1 Part
18.	Śveta nirguṇḍī rasa (Nirguṇḍī) (Lf.)		Q.S. for bhāvanā
19.	Nīla nirguṇḍī rasa (nirguṇḍī) (Lf.)		Q.S. for bhāvanā
20.	Bhṛṅgarāja - rasa	(Pl.)	Q.S. for bhāvanā
21.	Vṛṣa rasa (Vāsā)	(Lf.)	Q.S. for bhāvanā
22.	Apāmārga- patra svarasa	(Lf.)	Q.S. for bhāvanā

Dose

250 mg

Anupāna

Ārdraka Svarasa, warm water

Important Therapeutic Uses

Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Viṣamajvara (Intermittent fever), Mūrcchā (Syncope), Aruci (Tastelessness), Jvara (Fever), Manoglāni (Depression), Śūla (Colicky Pain), Tr̥ṣṇā (Thirst), Kaphotkleśa (Nausea)

12 : 34 SŪRAṆA VAṬAKA

(Śarṅgadharasamhitā, Madhyamakhaṇḍa Adhyāya 7 : 28-33)

सूरणो वृद्धदारुश्च भागैः षोडशभिः पृथक् ॥२८॥
 मुशलीचित्रकौ ज्ञेयावष्टभागमितौ पृथक् ।
 शिवा बिभीतकी धात्री विडङ्गं नागरं कणा ॥२९॥
 भल्लातः पिप्पलीमूलं तालीसं च पृथक् पृथक् ।
 चतुर्भागप्रमाणानि त्वगेला मरिचं तथा ॥३०॥
 द्विभागमात्राणि पृथक् ततस्त्वेकत्र चूर्णयेत् ।
 द्विगुणेन गुडेनाथ वटकान् कारयेद् बुधः ॥३१॥
 प्रबलाग्निकरा एते तथार्शोनाशनाः पराः ।
 ग्रहणीं वातकफजां श्वासं कासं क्षयामयम् ॥३२॥
 प्लीहानं श्लीपदं शोथं हिक्कां मेहं भगन्दरम् ।
 निहन्युः पलितं वृष्यास्तथा मेध्या रसायनाः ॥३३॥
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; २८-३३)

1.	Sūraṇa	(St.Tr)	16 Parts
2.	Vṛddhadāru (Vṛddhadārūka)	(St.)	16 Parts
3.	Muśalī	(Rz.)	8 Parts
4.	Citraka	(Rt.)	8 Parts
5.	Śivā (Harītakī)	(P.)	4 Parts
6.	Bibhītaka	(P.)	4 Parts
7.	Dhātrī (Āmalakī)	(P.)	4 Parts
8.	Vidaṅga	(Fr.)	4 Parts
9.	Nāgara (Śunthī)	(Rz.)	4 Parts

10.	Kaṇā (Pippalī)	(Fr.)	4 Parts
11.	Bhallātaka	(Fr.)	4 Parts
12.	Pippalīmūla (Pippalī)	(Rt.)	4 Parts
13.	Tālīśa	(Lf.)	4 Parts
14.	Tvak	(St.Bk.)	2 Parts
15.	Elā (Sūkṣmailā)	(Sd.)	2 Parts
16.	Marica	(Fr.)	2 Parts
17.	Guḍa		90 Parts

Dose

2 to 4 g

Anupāna

Water

Important Therapeutic Uses

Arśa (Haemorrhoids), Grahaṇī (Malabsorption syndrome), Vāta Kaphaja Roga (Disease due to Vāta doṣa and Kapha doṣa), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Plīhā (Splenic disease), Ślīpada (Filariasis), Śōtha (Inflammation), Prameha (Urinary disorders), Bhagandara (Fistula-in-ano), Agnimāndya (Digestive impairment), Kṣaya (Pthisis), Palita (Graying of hair), used as Vṛṣya Rasāyana Medhya (Aphrodisiac and Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties, Brain Tonic / Nootropic)

12 : 35 SAÑJĪVANĪ VAṬĪ

(Śarṅgadharasaṃhitā, Madhyamakhaṇḍa Adhyāya 7: 18-21)

विडङ्गं नागरं कृष्णा पथ्यामलबिभीतकम् ॥१८॥
वचा गुडूची भल्लातं सविषं चात्र योजयेत् ।
एतानि समभागानि गोमूत्रेणैव पेषयेत् ॥१९॥

गुञ्जाभा गुटिका कार्या दद्यादार्द्रकजै रसैः ।
 एकामजीर्णगुल्मेषु द्वे विषूच्यां प्रदापयेत् ॥२०॥
 तिस्रश्च सर्पदष्टे तु चतस्रः सान्निपातके ।
 वटी सञ्जीवनी नाम्ना सञ्जीवयति मानवम् ॥२१॥
 (शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ७; १८-२१)

1.	Vidaṅga	(Fr.)	1 Part
2.	Nāgara (Śunthī)	(Rz.)	1 Part
3.	Kṛṣṇā (Pippali)	(Fr.)	1 Part
4.	Pathyā (Harītakī)	(P.)	1 Part
5.	Āmala (Āmalakī)	(P.)	1 Part
6.	Bibhītaka	(P.)	1 Part
7.	Vacā	(Rz.)	1 Part
8.	Guḍūcī	(St.)	1 Part
9.	Bhallātaka- Śuddha	(Fr.)	1 Part
10.	Viṣa (Vatsanābha) - Śuddha	(Rt.Tr.)	1 Part
11.	Gomūtra		Q.S. for mardana

Dose

125 mg

Anupāna

Ārdraka Svarasa, warm water

Important Therapeutic Uses

Ajīrṇa (Dyspepsia), Gulma (Abdominal lump), Viṣūcī (Gastro-enteritis with piercing pain), Sarpadamśa (Snake bite)

13. VARTI, NETRABINDU AND AÑJANA

Definition

Medicines used externally for the eye come under category of varti, Netrabindu and Añjana.

Method of preparation

Vartis are made by grinding the fine powders of the drugs with the fluids in the formula to form a soft paste. This is then made into thin sticks of about 2 centimeters in length and dried in shade. Netrabindu is prepared by dissolving the specified drugs in water or Kaṣāya and used as eye drop.

Añjanas are very fine semisolids of drugs to be applied with Netra Śalākā.

Characteristics and preservation

Colour and smell depend on the drugs used. These can be preserved for one year if kept in air tight container. In case of formulations in which minerals are used, the drugs are preserved indefinitely.

1	ELANĪR KUZAMBU (NĀLIKERĀÑJANA)	Sahasrayoga, Ūrdhvā ṅgarogacikitsā ,Netraroga	52
2	KĀYASTHĀDYA VARTTI	Carakasamhitā, Cikitsāsthāna, Adhyāya 10	46
3	CANDRODAYĀ VARTTI	Bhaiṣajyaratnāvali, Netrarogādhikāra	105-105 1/2
4	TĀMRĀDI GUṬIKĀ	Sahasrayoga, Ūrdhvāṅgarogacikitsā (Netraroga)	51
5	DANTA VARTTI	Aṣṭāṅgahṛdaya, Uttarasthāna, Adhyāya 11	33-33 1/2
6	MUKTĀDI MAHĀÑJANA	Bhaiṣajyaratnāvali, Netrarogādhikāra	242-243
7	KARPŪRĀDI KUZAMBU (LAGHU)	Sahasrayoga, Ūrdhvāṅgarogacikitsā (Netraroga)	1
8	VIMALA VARTTI	Sahasrayoga, Ūrdhvāṅgarogacikitsā	71

	(Netraroga)	
--	-------------	--

13 : 1 ELANĪR KUZAMBU (NĀLIKERĀÑJANA)

(Sahasrayoga, Ūrdhvāṅgarogacikitsā ,Netraroga: 52)

दार्वीवरामधुकमम्भसि नालिकेरे
पक्त्वाऽष्टभागपरिशिष्टरसं ।
सान्द्रं विपाच्य शशिसैन्धवमाक्षिकाढ्यं युञ्ज्यात्
व्रणार्म तिमिरादिषु पित्तजेषु ॥
(सहस्रयोग, ऊर्ध्वाङ्गरोग चिकित्सा (नेत्ररोग); ५२)

1.	Dārvī (Dāruharidrā)	(St.)	96 g
2.	Harītakī	(P.)	96 g
3.	Bibhītaka	(P.)	96 g
4.	Āmalakī	(P.)	96 g
5.	Madhuka (Yaṣṭī)	(Rt.)	144 g
6.	Nālikera jala	(URF)	8.172 l.
	reduced to		1.022 l.
7.	Śaśi (Karpūra)	(Sub.Ext.)	12 g
8.	Pītaka rohini (Gambhārī)	(St.Bk.)	12 g
9.	Saindhava Lavaṇa		6 g
10.	Makṣika (Madhu)		170.25 g

Special Method of Preparation

Powders of drugs of item Nos.1to 5 are added to Nālikera Jala before boiling. The Kaṣāya is then filtered and boiled again over a low fire to Rasakriyā (Semisolid). This is then kept in khalva When drugs of item Nos. 7,8and 9 are added and ground with

Dose

apply to the internal eye lids.

Important Therapeutic Uses

Netra Vraṇa (Corneal ulcer), Arma (Pterygium), Timira (early stage of Catract),

Pittaja Netra Roga (Eye disease due to Pitta doṣa), Abhiṣyanda (Conjunctivitis)

KA

13 : 2 KĀYASTHĀDYA VARTTI

(Carakasamhitā, Cikitsāsthāna, Adhyāya 10: 46)

कायस्थां शारदान्मुद्गान्मुस्तौशीरयवास्तथा ।
सव्योषाबस्तमूत्रेण पिष्ट्वा वर्तिः प्रकल्पयेत् ॥४६॥
(चरकसंहिता, चिकित्सास्थान, अध्याय १०; ४६)

1.	Kāyasthā (Harītakī)	(P.)	1 Part
2.	Mudga	(Sd.)	1 Part
3.	Mustā	(Rz.)	1 Part
4.	Uśīra	(Rt.)	1 Part
5.	Yava	(Sd.)	1 Part
6.	Śunthī	(Rz.)	1 Part
7.	Marica	(Fr.)	1 Part
8.	Pippalī	(Fr.)	1 Part
9.	Bastamūtra (Ājāmūtra)		Q.S. for mardana

Direction for use

mix with honey and apply to the internal eyelids.

Important Therapeutic Uses

Apasmāra (Epilepsy), Unmāda (Mania/Psychosis), Sarpadaṁṣṭa (Snake bite), Gara Viṣa (Slow / accumulated poison), Jalamṛta (Drowning)

13 : 3 CANDRODAYĀ VARTTI

(Bhaiṣajyaratnāvali, Netrarogādhikāra: 105-105 1/2)

हरीतकी वचा कुष्ठं पिप्पली मरिचानि च ।
विभीतकस्य मज्जा च शंखनाभिर्मनःशिला ॥१०५॥
सर्वमेतत्समाहृत्य छागक्षीरेण पेषयेत् ।
(भैषज्यरत्नावली, नेत्ररोगाधिकार, १०५-१०५ १/२)

1.	Harītakī	(P.)	1 Part
2.	Vacā	(Rz.)	1 Part
3.	Kuṣṭha	(Rt.)	1 Part
4.	Pippalī	(Fr.)	1 Part
5.	Marica	(Fr.)	1 Part
6.	Bibhītaka - majjā	(Enm.)	1 Part
7.	Saṅkhanābhi		1 Part
8.	Manahśilā		1 Part
9.	Ajākṣīra		1 Part

Direction for use

mixed with honey and applied to internal eyelids.

Important Therapeutic Uses

Timira (early stage of Catract), Paṭala Arbuda (Growth in layers of eye), Netra Adhimāmsa (Pterygium), Rātryandha (Night blindness (Nyctalopia)), Sikatā Vartma (Granular Eyelid disorder), Kaṇḍū (Itching)

13 : 4 TĀMRĀDI GUṬIKĀ

(Sahasrayoga, Ūrdhvāṅgarogacikitsā (Netraroga): 51)

द्विरष्टो ताम्ररजसः मधुकस्य चतुदर्श ।
कुष्ठस्य द्वादशांशाः स्युर्वचायाश्च दशैवतु ॥
सैन्धवस्याष्टभागाः पिप्पल्याश्च षडेवतु ।
अजाक्षीरेण संपेष्य ताम्रपात्रे प्रलेपयेत् ॥

मर्मादिगुटिका नाम्ना विदेहाधिपनिर्मिता ।
(सहस्रयोग, ऊर्ध्वाङ्गरोग चिकित्सा (नेत्ररोग) ५१)

1.	Tāmra raja (Tāmra) - bhasma	16 Parts
2.	Madhuka (Yaṣṭī) (Rt.)	14 Parts
3.	Kuṣṭha (Rt.)	12 Parts
4.	Vacā (Rz.)	10 Parts
5.	Saindhava Lavaṇa	8 Parts
6.	Pippalī (Fr.)	6 Parts
7.	Ajā kṣīra	Q.S. for mardana

Special Method of Preparation

After giving Bhāvanā With Ajā Kṣīra the paste should be coated on a Tāmra Pātra (Copper Vessel). When dry, it is collected and made into pills.

Direction for use

mixed with honey and applied to the internal eye lids.

Important Therapeutic Uses

Savaraṇa Śukra (Corneal ulcer/Ulcerative keratitis), Abhiṣyanda (Conjunctivitis), Adhimantha (Glaucoma), Kukūṇaka (Ophthalmia neonatorum), Timira (early stage of Catract), Paṭala (Layers of Eye), Kāca (Cataract)

13 : 5 DANTA VARTTI

(Aṣṭāṅgahrdaya, Uttarasthāna, Adhyāya 11: 33-33 1/2)

दन्तैर्दन्तिवराहोष्ट्रगवाश्वाजखरोद्भवैः ।
सशङ्खमौक्तिकाम्भोधिफेनैर्मरिचपादिकैः ॥
(अष्टाङ्गहृदय, उत्तरस्थान, ११; ३३-३३ १/२)

1.	Dantī (Hasti danta)	1 Part
2.	Varāhadanta	1 Part

3.	Uṣṭradanta	1 Part
4.	Godanta	1 Part
5.	Aśvadanta	1 Part
6.	Ajadanta	1 Part
7.	Kharadanta	1 Part
8.	Śaṅkha	1 Part
9.	Mauktika (Muktā)	1 Part
10.	Ambdhōdhiphēna (Samudraphēna)	1 Part
11.	Marica (Fr.)	2 1/2 Parts

Direction for use

mixed with honey and applied to the inner side of eye lids.

Important Therapeutic Uses

Savaraṇa Śukra (Corneal ulcer/Ulcerative keratitis), Avraṇa Śukra (Corneal opacity)

13 : 6 MUKTĀDI MAHĀÑJANA

(Bhaiṣajyaratnāvali, Netrarogādhikāra: 242-243)

मुक्ताकर्पूरकाचौगुरु मरिचकणासैन्धवैला प्रवालम् ।
 शुण्ठीकक्कोलकांस्यत्रपुरजनिशिलाशङ्खनाभ्यभ्रतुथम् ॥
 दक्षाण्डत्वक् च साक्षं क्षतजमथ शिवाक्लीतकं राजवर्तो ।
 जातीपुष्पं तुलस्याः कुसुममभिनवं बीजमस्यास्तथैव ॥
 पूतीकनिम्बार्जुनभद्रमुस्तं सताम्रसारं रसगर्भयुक्तम् ।
 प्रत्येकमेषां खलु माषकैकं पाषाणपिष्टं मधुना च सूक्ष्मम् ॥
 (भैषज्यरत्नावली, नेत्ररोगाधिकार, २४२-२५३)

1.	Muktā	1 g
2.	Karpūra (Sub.Ext.)	1 g

3.	Aguru (Agaru)	(Ht.Wd.)	1 g
4.	Marica	(Fr.)	1 g
5.	Kaṇā (Pippalī)	(Fr.)	1 g
6.	Saindhava Lavaṇa		1 g
7.	Elavāla (Elavāluka)	(St.Bk.)	1 g
8.	Kāca Lavaṇa		1 g
9.	Śuṇṭhī	(Rz.)	1 g
10.	Kakkola (Kaṅkola)	(Fr.)	1 g
11.	Kāṃsya- bhasma		1 g
12.	Trapu (Vaṅga) bhasma		1 g
13.	Rajanī (Haridrā)	(Rz.)	1 g
14.	Śilā (Manahśilā) śuddha		1 g
15.	Śaṅkhanābhi -śuddha		1 g
16.	Abhra (Abhraka) - bhasma		1 g
17.	Tuttha -śodhita		1 g
18.	Dakṣāṇḍa tvak (Kukkuṭāṇḍatvak)		1 g
19.	Akṣa (Bibhītaka)	(Enm.)	1 g
20.	Kṣataja (Kuṅkuma)	(Stl./Stg)	1 g
21.	Śivā (Harītakī)	(Enm.)	1 g
22.	Klītaka (Yaṣṭī)	(Rt.)	1 g
23.	Rājāvartta - piṣṭī		1 g
24.	Jātī puṣpa (Jātī)	(Fl.)	1 g
25.	Abhinava tulasī (Tulasī)	(Fl.)	1 g
26.	Tulasī- bīja	(Sd.)	1 g
27.	Pūtīkabīja (Karañja)	(Sd.)	1 g
28.	Nimba	(Enm.)	1 g
29.	Arjuna	(St.Bk.)	1 g
30.	Bhadra mustā	(Rz.)	1 g
31.	Rasa garba yukta tāmra sāra bhasma	(Tāmra)	1 g

Direction for use

mixed with honey and applied to eye lids.

Important Therapeutic Uses

Paittika Netra Roga (Eye disease due to Pitta doṣa)

13 : 7 KARPŪRĀDI KUZAMBU (LAGHU)

(Sahasrayoga, Ūrdhvāṅgarogacikitsā (Netraroga): 1)

कर्पूरसैन्धवपुराणघृतोपकुल्याधात्रीफलोषणकपीतकरोहिणीनाम् ।
पिष्ट्वाञ्जनं नयनयोर्मधुनैव दद्यात् सर्वाक्षवर्त्म विकृतिप्रशमाय सद्यः ।।
(सहस्रयोग, ऊर्ध्वाङ्गरोग चिकित्सा (नेत्ररोग); १)

1.	Karpūra	(Sub.Ext.)	1 Part
2.	Saindhava Lavaṇa		1 Part
3.	Purāṇa ghr̥ta (Goghr̥ta)		1 Part
4.	Upakulyā (Pippalī)	(Fr.)	1 Part
5.	Dhātrī phala (Āmalakī)	(Enm.)	1 Part
6.	Ūṣaṇa (Marica)	(Fr.)	1 Part
7.	Pītaka rohiṇī (Gambhārī)	(St.Bk.)	1 Part

Special Method of Preparation

Fine powders of drugs 1, 2 and 4 to 7 are mixed with Ghr̥ta.

Direction for use

mixed with honey and applied to the inner side of eye lids.

Important Therapeutic Uses

Vartma Roga (Disease of eye lids), Netraroga (Eye disorder)

13 : 8 VIMALA VARTTI

(Sahasrayoga, Ūrdhvāṅgarogacikitsā (Netraroga) : 71)

मधुकमरिचपिप्पली सलोधातरुरजनीत्रिफला हिमाम्बुपिष्ट्वा ।
तिमिरपटलकाचकण्डूहन्त्री विमलकरी विमलेति विश्रुता सा ॥
(सहस्रयोग, ऊर्ध्वाङ्गरोग चिकित्सा (नेत्ररोग); ७१)

1.	Madhuka (Yaṣṭī)	(Rt.)	1 Part
2.	Marica	(Fr.)	1 Part
3.	Pippalī	(Fr.)	1 Part
4.	Lodhra	(St.Bk.)	1 Part
5.	Taru rajani (Dāruharidrā)	(St.)	1 Part
6.	Harītakī	(P.)	1 Part
7.	Bibhītaka	(P.)	1 Part
8.	Āmalakī	(P.)	1 Part
9.	Himāmbu- coldwater		Q.S. for mardana

Direction for use

apply to the inner side of eye lids.

Important Therapeutic Uses

Timira (early stage of Catract), Kāca (Cataract), Netra Kaṇḍū (Itching in eyes),
Paṭala Roga (Disorders of layers of eye)

14. SATTVA

Definition

Sattva is water extractable solid substance collected from a drug.

Method of extraction

The drug is cut into small pieces, macerated in water and kept overnight. Then it is strained through cloth and the solid matter is allowed to settle. The supernatant liquid is decanted and the Sattva is washed by repeating the process by adding water and decanted. The Sattva so sedimented is allowed to dry and powdered.

Presevation and Charateristics

This can be preserved in a closed container. The colour varies from drug to drug.

1 GUḌŪCĪ SATTVA Yogaratnākara, Rājayaṣṡmācikitsā 14 : 1

GUḌŪCĪ SATTVA

(Yogarātnākara, Rājayakṣmācikitsā: Page 328)

गुडूचीं खण्डशः कृत्वा कुट्टयित्वा सुमर्दयेत् ।
वस्त्रेण विधृतं तोयं स्रावयेत्तच्छनैः शनैः ॥१॥
शुद्धशङ्खनिभं चूर्णमेतैः संमिश्रयेद्भिषक् ।
(योगरत्नाकर, राजयक्ष्माचिकित्सा, १-११/२)

- | | | | |
|----|--------|-------|----------|
| 1. | Guḍūcī | (St.) | 1 Part |
| 2. | Water | | 21 Parts |

Special Method of Preparation

Mature Guḍūcī is cut into small pieces and made into a pulp. This is put in water, stirred well and sieved through a cloth. The fibres are removed, Water is added and stirred a number of times till the deposit becomes white. Water is then decanted and th

Dose

1 g

Anupāna

Honey

Important Therapeutic Uses

Kṣaya (Pthisis), Raktapitta (Bleeding disorder), Pādadaḥa (Burning sensation of feet)

15. KŪPĪPAKVA RASĀYANA

Drugs of mineral and metallic origin (Rasaṣadhi) well mixed together in fine powder form are usually placed in a glass flask (Kācakūpī) 1/3rd full. Clay smeared pieces of cloth are pasted round the bottle in seven consecutive layers. This is dried and then buried in Vālukāyantra upto the neck. The flask in the Vālukāyantra is heated gradually in three stages of Agni, Viz. Mr̥dvagni, Madhyamāgni and Tīkṣṇāgni for a specified period of time. A red hot iron rod of about 5mm in diameter is inserted into the Kācakūpī through its opening and stirred now and then so that, the opening of the flask may not be choked by a thick coating of subliming sulphur. Otherwise, the pressure of the vapour may break the flask.

Tests for completion of Kūpīpāka

- (1) At the time of completion of Pāka, the bottom of the flask becomes red.
- (2) If a piece of broken pot or thin piece of copper plate is kept over the mouth of the flask, a white deposit is formed on inside of lid.
- (3) When a red hot iron rod is inserted into the flask and removed it is covered with smoke.
- (4) A cold iron rod should be inserted into the bottom of the flask and removed. The material, sticking to the rod when cool, should be red in colour. At this stage the mouth of the bottle is sealed with chalk or brick pieces and this is to be wrapped with cloth strips smeared with clay or a solution of jaggery and lime.

When the flask gets cooled, it is removed carefully and broken in the middle so as to separate the upper and lower halves of the body of the glass flask (Kācakūpī). For this, wrap a kerosene dipped string round the bottle, set the string afire. After the fire extinguishes, remove the burnt string with a spatula, and wrap the bottle with a wet piece of cloth. It then breaks into two pieces.

The Sindūra deposited at the neck is scraped and collected. This should be done carefully so that no part of the glass piece may mix with the Sindūra.

Characteristics and preservation

The colour of the rasa preparation may be according to the drugs used. Generally they are red, yellow or dark. They have to be kept in well stoppered bottles. They keep their potency indefinitely.

1	KĀNTAVALLABHA RASA	Vaidyayogaratnāvalī	209
2	MAKARA DHVAJA	Bhaiṣajyaratnāvalī, Vajīkaraṇādhikāra	237-246
3	MALLASINDŪRA	Siddhabhaiṣajyamaṇimālā, Adhyāya 5	37
4	RASAKARPŪRA	Rasatarāṅgiṇī, Taraṅga 6	65-75
5	RASAPUṢPA	Rasatarāṅgiṇī, Taraṅga 6	29-34
6	RASASINDŪRA	Rasatarāṅgiṇī, Taraṅga 6	162-176
7	VĀTĀGNIKUMĀRA RASA	Pharmacopoeia of Hospital of Indian Medicine, Madras.	313
8	SAMĪRAPANNAGA RASA	Āyurveda Auśadhiguṇadharmā Śāstra, IV part	Page No. 88
9	SVARṆAVAṅGA	Rasāmṛtam, Adhyāya 3	95-100
10	SVARṆASINDŪRA	Bhaiṣajyaratnāvalī, Vajīkaraṇādhikāra	247-249

15 : 1 KĀNTAVALLABHA RASA

(Vaidyayogaratnāvalī: 209)

कान्तं षोडशभागं च चतुर्दशमयोरजः ।
किट्टं द्वादशकं चैव दशभागं तु टङ्कणम् ।
मनश्शिलाष्टभागं च षड्भागं च शिलाजतु ।
सर्वेण च समं सूतं गन्धकं चापि तत्समम् ।
आर्द्रमूषौदरे न्यस्य बालुकायन्त्रके क्षिपेत् ।
पाचयेत्सप्तरात्रं तु सङ्ग्राह्य सूक्ष्मचूर्णितम् ।
सेवितं मधुना युक्तं निष्कार्धेन समन्वितम् ।
पाण्डुरोगं क्षयं गुल्मं ग्रहणीरोगनाशनम् ।
कासं श्वासं ज्वरं छर्दि प्लीहोदरमरोचकम् ।
मन्दाग्निं कुष्ठरोगं च मूलरोगं भगन्दरम् ।
वातशूलहरं वृष्यमत्यन्तमतिदीपनम् ।
तुष्टिपुष्टिकरं कान्तिवर्धनं बलवर्धनम् ।
कान्तवल्लभनामायं विष्णुना निर्मितं पुरा ।
सर्वपाण्डु क्षयं चैव लोकस्यारोग्यकारणम् ।।
(वैद्ययोगरत्नावली, २०९)

1.	Kānta (lauha) - bhasma	16 Parts
2.	Ayoraja (Lauha) - bhasma	14 Parts
3.	Kiṭṭa (Maṇḍūra) - bhasma	12 Parts
4.	Taṅkaṇa - śuddha	10 Parts
5.	Manahśilā - śuddha	8 Parts
6.	Śilājatu - śuddha	6 Parts
7.	Sūta (Pārada) - śuddha	66 Parts
8.	Gandhaka - śuddha	66 Parts

Special Method of Preparation

First prepare Kajjalī of Pārada (Mercury) and Gandhaka (Sulphur). Kajjalī Must be jet black and no lusture of mercury particles should be seen there. Then add the remaining six drugs to it, triturate well and fill in a bottle, pasted around seven times

Dose

125 mg.

Anupāna

Honey

Important Therapeutic Uses

Mandāgni (Impaired digestive fire), Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Plīhodara (Disorder of Spleen, Ascites associated with spleenomegaly), Pāṇḍu (Anaemia), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣaya (Pthisis), Arśa (Haemorrhoids), Bhagandara (Fistula-in-ano), Jvara (Fever), Aruci (Tastelessness), Chardi (Emesis), Kuṣṭha (Diseases of skin), Vātaśūla (Pain due to Vāta doṣa), Daurbalya (Weakness), Kārśya (Emaciation), Śukrakṣaya (Oligospermia)

15 : 2 MAKARA DHVAJA

(Bhaiṣajyaratnāvalī, Vajīkaraṇādhikāra : 237-246)

स्वर्णादष्टगुणं सूतं मर्दयेत् त्रिकगन्धकम् ।
रक्तकार्पासकुसुमैः कुमार्यदिभर्विमर्दयेत् ॥२३७॥
शुष्कं काचघटीरुद्धं वालुकायन्त्रगं हठात् ।
पक्वं कुर्याद्रसेन्द्रं तन्नवार्ककिरणोपमम् ॥२३८॥
भागोऽस्य भागाश्चत्वारः कर्पूरस्य सुशोभनाः ।
लवङ्गं मरिचं जातीफलं कर्पूरमात्रया ॥२३९॥
मेलयेद् मृगनाभिञ्च गद्याणकमितं ततः ।
श्लक्ष्णपिष्टो रसो नाम जायते मकरध्वजः ॥२४०॥
वल्लं वल्लद्वयं वाथ ताम्बूलीदलसंयुतम् ।
भक्षयेन्मधुरं स्निग्धं मृदुमांसमवातलम् ॥२४१॥
शृतशीतं सितायुक्तं दुग्धं गोभवमाज्यकम् ।

मध्वाद्यं मिष्टमपरं मद्यानि विविधानि च ।।२४२।।
 करोत्यग्निबलं पुंसां वलीपलितनाशनम् ।
 मेधायुःकान्तिजननः कामोद्दीपनकृन्महान् ।।२४३।।
 अभ्यासात्साधकः स्त्रीणां शतं जयति नित्यशः ।
 रतिकाले रतान्ते च पुनः सेव्यो रसोत्तमः ।।२४४।।
 मानहानिं करोत्यासां प्रमदानां सुनिश्चितः ।
 कृत्रिमं स्थावरविषं जङ्गमं वर्षवारि च ।।२४५।।
 न विकाराय भवति साधकानाञ्च वत्सरात् ।
 मृत्युञ्जयो यथाभ्यासान्मृत्युं जयति देहिनाम् ।
 तथायं साधकेन्द्रस्य जरामरणनाशनः ।।२४६।।
 (भैषज्यरत्नावली, वाजीकरणाधिकार; २३७-२४६)

1.	Svarṇa - śuddha	12 g
2.	Pārada - śuddha	96 g
3.	Gandhaka -śuddha	288 g
4.	Rakta kārṇpāsa kusuma (Kārṇpāsa) (Fl.)	Q.S. for mardhana
5.	Kumārī (Lf.)	Q.S. for mardhana

Special Method of Preparation

In a khalva purified mercury is put and purified Svarṇa Patra is dissolved by mardana. Then purified Gandhaka Cūrṇa is added in small quantities and carefully ground to form a Kajjalī. Later, the svarasas are added one by one and ground. It is dried and p

Dose

125 g

Anupāna

Betel leaf, milk, honey.

Important Therapeutic Uses

Hr̥ddaurbalya (Weakness of the heart), Jarā (Senility/Progeriasis), Jvara (Fever),
 Agnimāndya (Digestive impairment), Valī Palita (Wrinkles in skin and graying of hair),

Used as Vājīkara and Rasāyana (Aphrodisiac and Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

15 : 3 MALLASINDŪRA

(Siddhabhaiṣajyamaṇimālā, Adhyāya 5: 37)

रस रसविधू नवाक्षौ सार्धेषु चतुःसुवर्णबलिमल्लौ ।
कूप्यां द्यहं परिपचेत् पवनकफौ हन्ति मल्लसिन्दूरः ॥३७॥
(सिद्धभैषज्यमणिमाला, अध्याय ५, ३७)

1.	Rasa (Pārada) - śuddha	108 g
2.	Rasavidhu (Pārada) - rasa karpūra	108 g
3.	Balī (Gandhaka) - śuddha	66 g
4.	Malla - śuddha	54 g

Dose

62 1/2 to 125 mg.

Anupāna

Honey, Ārdraka Svarasa

Important Therapeutic Uses

Tamaka Śvāsa (Bronchial asthma), Vāta Kaphaja Roga (Disease due to Vāta doṣa and Kapha doṣa), Phiraṅga Roga (Syphilis)

15 : 4 RASAKARPŪRA

(Rasataraṅgiṇī, Taraṅga 6: 65-75)

पलसंमितं प्रयत्नाद् विमलीकृतं रसेशम् ।

सपलार्द्धकं पलैकं विमलं च गन्धकाम्लम् ॥६५॥
 चषकोपमे विशुद्धे निदधीत काचपात्रे ।
 विनिधाय काचपात्रं त्वयसस्त्रिपादिकायाम् ॥६६॥
 ज्वलिते सुराप्रदीपे संशोषयेज्जलांशम् ।
 अथ शोषिते तु चूर्णे त्ववतार्य वै प्रदीपात् ॥६७॥
 समभागिकं दद्याल्लवणं तु सैन्धवाख्यम् ।
 परिमेल्य चूर्णमेतन्निदधीत काचकुप्याम् ॥६८॥
 युगसङ्ख्यकैस्तु यामैः सिकताख्ययन्त्रसंस्थम् ।
 विपचेदतिप्रयत्नात् रसतन्त्रकर्मविज्ञः ॥६९॥
 अवबुध्य काचकूपीं स्वत एव शीतलाङ्गीम् ॥७०॥
 घनसारनामधेयं रसमाहरेद्रसज्ञः
 जलीयवाष्पे निर्याते पिधानेन पिधापयेत् ।
 कूपीकण्ठस्थितां स्वल्पां सिकताञ्चापसारयेत् ॥७१॥
 रसकर्पूरकः ख्यातो बहुभूतविषापहः ।
 त्वग्रक्तदोषशमनो ग्राही रुचिविवर्द्धनः ॥७२॥
 अतीसारप्रशमनो विशेषात्कृमिनाशनः ।
 प्रवाहिकाहरः कामं मात्राधिक्ये विषक्रियः ॥७३॥
 स्फोटं कण्डूमपि च चिरजां मण्डलादींश्च कुष्ठान् ।
 सर्वोत्थं वा सहजमपि वा स्पर्शजं वा फिरङ्गम् ।
 शीघ्रं नानाव्रणगणभवां हन्ति पीडां महोग्रां ।
 कर्पूराख्यो जठरदहनोद्दीपनोऽयं रसेशः ॥७४॥
 शीतले षोडशगुणे सलिले विनिपातितः ।
 सर्वथा द्रवतां याति रसः कर्पूरकाभिधः ॥७५॥
 (रसतरङ्गिणी तरङ्ग ६, ६५-७५)

- | | |
|--|------------------------|
| 1. Raseśa (Pārada) - śuddha | 48 g |
| 2. Gandhakāmla - śuddha | 72 g |
| 3. Saindhava Lavaṇa | in equal proportion of |
| drugs 1 & 2 (excluding watery Portion) | |

Special Method of Preparation

Śuddha Pārada and Sāndra Gandhakāmla are kept in a flask. This is heated over fire till the water evaporates. Thereafter Saindhava Lavaṇa is added to the equal amount of residue obtained from the process. Kūpīpāka for 3 to 6 hours may be sufficient for

Dose

62 1/2 to 125 mg

Anupāna

Navasarādi jala, Tvak churna

Important Therapeutic Uses

Atīśāra (Diarrhoea), Pravāhikā (Dysentery), Kṛmi (Helminthiasis/Worm infestation), Tvagrakta doṣa (Skin and blood disorder), Sphoṭa (Boil), Phiraṅgaja Vraṇa (Chancroid), Bhūta Viṣa (Microbial infection), Aruci (Tastelessness), Kaṇḍū (Itching), Maṇḍala Kuṣṭha (Lepromatous lesion), Vraṇa (Ulcer), Agnimāndya (Digestive impairment)

15 : 5 RASAPUṢPA

(Rasatarāṅginī, Taraṅga 6 : 29-34)

शुद्धं तोलकपञ्चकं रसवरं काशीसकं सैन्धवं
दत्त्वा चैव समं समं सुमसृणे खल्वे ततः पेषयेत् ।
कूपीमध्यगतं पचेत्तु सिकतायन्त्रेऽथ यामद्वयम्
नीहारप्रभमूर्ध्वभागनिचितं पुष्पं रसाद्यं हरेत् ॥२९॥
जलीयबाष्पे निष्क्रान्ते पिधानेन पिधाय वै ।
कूपिकाकण्ठदेशस्थां बालुकामपसारयेत् ॥३०॥
पुष्पवच्छोभते यस्मात्कूपीकण्ठप्रलम्बितम् ।
रसपुष्पमिदं तस्मात्प्राणाचार्यैर्निगद्यते ॥३१॥
रसपुष्पं पित्तहरं मूत्रलं व्रणदोषहृत् ।
परं विरेचनकरं तथा भूतविषापहम् ॥३२॥
स्वस्थीकरणमत्यन्तं जलीयांशविशोषणम् ।
पित्ताशयं तु विक्षोभ्य मलपित्तापसारकम् ॥३३॥
कृमीन् विषूचिकोद्भूतान् हिक्काञ्चैव फिरङ्गकम् ।

जलोदरादिकान् रोगान् नाशयत्यविलाम्बितम् ।।३४।।
(रसतरङ्गिणी तरङ्ग; ६; २९-३४)

- | | |
|-------------------------------|------|
| 1. Śuddha rasa (Pārada) | 60 g |
| 2. Kāsīsaka (Kāsīsa) - Suddha | 60 g |
| 3. Saindhava Lavaṇa | 60 g |

Dose

62 1/2 to 125 mg

Anupāna

Should be administered in gelatine capsule or put inside a seedless Drākṣā

Important Therapeutic Uses

Viṣūcikā (Gastro-enteritis with piercing pain), Jalodara (Ascites), Pitta Roga (Disease due to Pitta doṣa), Phiraṅga (Syphilis), Kṛmi (Helminthiasis/Worm infestation), Vraṇa Doṣa (Ulcer), Hikkā (Hiccup), Mūtrakṛcchra (Dysuria), Bhūta Viṣa (Microbial infection)

15 : 6 RASASINDŪRA

(Rasatarāṅginī, Tarāṅga 6 : 162-176)

तोलकाष्टकमितं रसेश्वरं तन्मितञ्च विमलं बलिं हरेत् ।
खल्वके खलु विमर्द्य कज्जलीं भावयेदथ वटाङ्कुराम्बुभिः ।।१६२।।
मषीपात्रसमाकारां सुकृष्णां काचकूपिकाम् ।
सतूलकुट्टितमृदा लेपयेत् खलु यत्नतः ।।१६३।।
स्थापयेत्कज्जलीं काचकूप्यां ततो यत्नतः पाचयेद्वालुकायन्त्रगाम् ।
अग्निवृद्धिक्रमैर्जीर्णगन्धे रसे रोधयेद्युक्तितः काचकूपीमुखम् ।।१६४।।
बालुकायन्त्रके काचकूपीमुखात् रोचनासन्निभो नैति धूमो यदा ।
सूतपाकक्रियाज्ञानदक्षैर्बुधैर्वेदितव्य जीर्णगन्धो रसः ।।१६५।।
निवेश्य कूप्यां खटिकाविधानं जलेन सम्पेषितया प्रकामम् ।।

प्रलेपयेद्वै गुडचूर्णपिष्ट्या ततःपचेद्यामयुगं रसज्ञः ॥१६६॥
 अवबुध्य तदङ्गशीततां खलु बालारुणसूर्यसन्निभम् ।
 गलदेशविलग्नमुज्ज्वलं रससिन्दूरमिहाहरेद् बुधः ॥१६७॥
 प्रमेहकरिकेशरी प्रबलशूलकालानलो
 भगन्दरहरः परं खलु महाज्वरेभाङ्कुशः ।
 समस्तगदतस्करः सकलशोषसंशोषको
 रसोऽतुलविलासदो विजयते हि सिन्दूरकः ॥१६८॥
 अलं मलयजानिलैः किमिह भेषजानां कुलैः
 वृथैव घनशीतलैः सरसचन्दनालेपनैः ।
 सखे मदनजीवनं रतिविलासलीलागृहं
 प्रकामबलकान्तिदं भज रसं ससिन्दूरकम् ॥१६९॥
 गुल्मप्लीहहरो रतिप्रियकरो यक्ष्मेभपञ्चाननः
 पाण्डुस्थौल्यविधूननो व्रणहरो रौक्ष्याग्निमान्द्यापहः ।
 कुष्ठव्याधिनिषूदनो रतिकलाप्रौदाङ्गनारञ्जनः
 कान्तामस्तकभूषणो रसपतिभूर्यात्सदा श्रेयसे ॥१७०॥
 नियमयति रसेश पञ्चवातान्नितान्तं
 प्रसरति धमनीनां स्वक्रिया वातसाम्ये ।
 दृढयति भृशमादौ जालकं नाडिकानां
 रमयति च ततोऽसौ मानसं सेवकानाम् ॥१७१॥
 बहिर्गमनशीला ये स्वेदविण्मूत्रमारुताः ।
 निरायासं विनिर्यान्ति रसस्यास्य निषेवणात् ॥१७२॥
 पित्तं निःसारयत्येष न रेचयति कर्हिचित् ।
 न च पित्ताशयं कोष्ठं विक्षोभयति भक्षितः ॥१७३॥
 स्फीततां दन्तवेष्टानां मुखपाकं क्षतादिकम् ।
 लालास्रावं प्रदाहं च न सूते चिरसेवितः ॥१७४॥
 विकारानीदृशानन्यान् दारुणान् पारदोत्थितान् ।
 न जातु प्रकरोत्येष रसः सिन्दूरसंज्ञकः ॥१७५॥
 दोषत्रितयमत्यर्थप्रवृद्धं शमयत्यलम् ।
 प्रकृतिर्गमयत्यत्र करणानि विशेषतः ॥१७६॥

- | | | |
|----|-----------------------------|------|
| 1. | Raseśvara (Pārada) - śuddha | 96 g |
| 2. | Balī (Gandhaka) - śuddha | 96 g |

3. Vaṭāṅkura (Nyagrodha) (Lf.Bd.) Q.S. for bhāvanā

Dose

125 mg

Anupāna

Honey

Important Therapeutic Uses

Kaphaja Roga (Disease due to Kapha doṣa), Balakṣaya (Loss of strength / immunity), Dhātu Kṣaya (Tissue wasting), Hṛddaurbalya (Weakness of the heart), Prameha (Urinary disorders), Śūla (Colicky Pain), Bhagandara (Fistula-in-ano), Śoṭha (Inflammation), Gulma (Abdominal lump), Rājayakṣmā (Tuberculosis), Pāṇḍu (Anaemia), Sthūlatā (Obesity), Vraṇa (Ulcer), Mandāgni (Impaired digestive fire)

15 : 7 VĀTĀGNIKUMĀRA RASA

(Pharmacopoeia of Hospital of Indian Medicine, Madras.: 313)

- | | | |
|----|----------------------------------|---------|
| 1. | Pārada - śuddha | 2 Parts |
| 2. | Gandhaka - śuddha | 2 Parts |
| 3. | Talaka cūrṇa (haritāla) - śuddha | 1 Part |

Dose

125 mg

Anupāna

Honey, warm water, Amṛtāriṣṭa, Kirātātiktāriṣṭa

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Vātaroga (Disease due to Vāta doṣa)

15 : 8 SAMĪRAPANNAGA RASA

(Āyurveda Auśadhiguṇadharmā Śāstra, IV part : Page No. 88)

पारदं गन्धकं मल्लं हरितालं मनःशिला ।
एतच्चूर्णीकृतं सर्वं मर्दयेच्च दिनत्रयम् ॥१॥
काचकूप्यां विनिक्षिप्य बालुकायन्त्रके न्यसेत् ॥२॥
क्रमाग्निना पचेत् सम्यग्यामष्टेन च मुद्रयेत् ॥२॥
स्वाङ्गशीतं समुद्धृत्य नाम्नाऽसौ वातपन्नगः ।
(आयुर्वेद औषधिगुणधर्मशास्त्र, भाग ४; पृष्ठ ८८)

1.	Pārada - śuddha	1 Part
2.	Gandhaka - śuddha	1 Part
3.	Malla - śuddha	1 Part
4.	Haratāla - śuddha	1 Part
5.	Manahśilā - śuddha	1 Part

Dose

62 1/2 to 125 mg.

Anupāna

Betel leaf, honey.

Important Therapeutic Uses

Sannipāta Roga (Disease due to vitiation of all Doṣa), Kaphonmāda (Psychosis due to Kapha doṣa), Kaphajasandhibandha (Stiffness in joints due to Kapha doṣa), Jvara (Fever), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough)

15 : 9 SVARṆAṆGA

रुद्रभागमितं वङ्गं दर्व्या दत्वाऽनले न्यसेत् ॥९५॥
विद्रुते तु तदर्धं हि सूतं तत्र विनिक्षिपेत् ।
शीघ्रं निक्षिप्य खल्वेऽथ निम्बूनीरेण पेषयेत् ॥९६॥
दत्वाऽथ सैन्धवं किञ्चिद् बहुशः क्षालयेत्ततः ।
नरसारं गन्धकं च रसतुल्यं प्रदापयेत् ॥९७॥
सम्पेष्य चातियत्नेन श्लक्ष्णचूर्णं तु कारयेत् ।
पाचयेत् सिकतायन्त्रे चतुर्याममतन्द्रितः ॥९८॥
निर्धूमे जायमाने च काचकूपीमुखे भिषक् ।
सन्दशेन गृहीत्वा च कूपीं भूमौ तु विन्यसेत् ॥९९॥
काचकूपीं विभिद्याथ कूपिकातलसंस्थितम् ।
स्वर्णवङ्गं स्वर्णवर्णं भिषग्यत्नात् समाहरेत् ॥१००॥
(रसामृत, अध्याय ३, ९५-१००)

1.	Vaṅga - bhasma	144 g	
2.	Sūta (Pārada) - śuddha	72 g	
3.	Nimbu nīra (Nimbū) svarasa (Fr.)		Q.S. for mardana
4.	Narasāra - śuddha	72 g	
5.	Gandhaka - śuddha	72 g	

Special Method of Preparation

The Miśraṇa of Vaṅga and Pārada should be washed with Saindhava water till the dark colour is removed.

Dose

125 to 250 mg

Anupāna

butter, honey

Important Therapeutic Uses

Jīrṇa Kāsa (Chronic cough), Śvāsa (Dyspnoea/Asthma), Prameha and Mūtramārga

Roga (Polyurias and diseases of Urinary tract)

Special Precaution

Note: Addition of Surākṣāra (Śoraka) 6 g. to give a bright colour is permitted.

15 : 10 SVARṆASINDŪRA

(Bhaiṣajyaratnāvalī, Vajīkaraṇādhikāra : 247-249)

पलं रसेन्द्रस्य च गन्धकस्य हेम्नोऽपि कर्षं परिगृह्य सम्यक् ।
वटप्ररोहस्य रसेन यामं यामं विमर्द्याथ कुमारिकायाः ॥२४७॥
तत्काचकूप्यां निहितं प्रयत्नात् पचेद् विधिज्ञः सिकताख्ययन्त्रे ।
ततो रजश्चोर्ध्वगतं सुरम्यं प्रगृह्य यत्नादरुणप्रभं यत् ॥२४८॥
तद्योजयेत्सर्वगदेषु वीक्ष्य धातुं बलं वह्निमथो वयश्च ।
रसायनं वृष्यतरञ्च बल्यं मेधाग्निकान्तिस्मरवर्द्धनञ्च ॥२४९॥
(भैषज्यरत्नावली, वाजीकरणाधिकार; २४७-२४९)

1.	Rasendra (Pārada) - śuddha	48 g
2.	Gandhaka - śuddha	48 g
3.	Hema (Svarṇa)	12 g
4.	Vaṭapraroḥa rasa (Vaṭa) (A.R.)	Q.S. for mardhana
5.	Kumārī-rasa (Lf.)	Q.S. for mardhana

Dose

62 1/2 to 125 mg.

Anupāna

Honey, ghee

Important Therapeutic Uses

Śukrakṣaya (Oligospermia), Dhātu Kṣaya (Tissue wasting), Buddhimāndya (Low intelligence), Sarva Roga (All diseases)

16. PARPAṬĪ

Definition

Parpaṭī is a rasa preparation. The name is derived from the method by which flakes of the compound are obtained.

Method of preparation

Kajjalī is prepared first with purified mercury (Pārada) and sulphur (Gandhaka). Other drugs mentioned in the formula are added one by one and mixed well by trituration in a khalva. The powder is put in an iron vessel and kept over fire in the Sikatāyantra. A shallow pit in fresh cow dung is made and a Kadalī leaf or an Eraṇḍa leaf is spread over the pit. When the medicine melts and becomes liquid it is poured on the leaf carefully. Another leaf is covered over it and fresh cow dung is spread and gently pressed. After it is allowed to cool the flakes of the medicine are collected and powdered.

Characteristics and preservation

Parpaṭies are dark in colour. They preserve their potency indefinitely and are kept in glass bottles.

1	PAÑCĀMṚTA PARPAṬĪ	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	461-466
2	BOLA PARPAṬĪ	Yogarātnākara, Pradararogacikitsā	Page 842
3	RASA PARPAṬĪ	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	414-416 & 436-440
4	LAUHA PARPAṬĪ	Siddhayogasaṅgraha, Atīśāra- Pravāhikā-Grahaṇyādhikāra	Page 35
5	SVARṆA PARPAṬĪ	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	457-460

16 : 1 PAÑCĀMṚTA PARPAṬI

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra : 461-466)

अष्टौ गन्धकतोलका रसदलं लौहं तदर्धं शुभम् ।
लौहार्द्धञ्च वराभ्रकं सुविमलं ताम्रं तदभ्राद्धिकम् ॥४६१॥
पात्रे लौहमये च मर्दनविधौ चूर्णीकृतञ्चैकतः ।
दर्व्या बादरवह्निनातिमृदुना पाकं विदित्वा दले ॥४६२॥
रम्भायां लघु ढालयेत् पटुरियं पञ्चामृता पर्पटी ।
ख्याता क्षौद्रघृतान्विता प्रतिदिनं गुञ्जाद्वयं वृद्धितः ॥४६३॥
लौहे मर्दनयोगतः सुविमलं भक्ष्यक्रिया लोहवत् ।
गुञ्जाष्टावथवात्रिकं त्रिगुणितं सप्ताहमेवं भजेत् ॥४६४॥
नानावर्णग्रहण्यामरुचिसमुदये दुष्टदुर्नामकादौ ।
छर्द्या दीर्घातिसारे ज्वरभरकलिते रक्तपित्ते क्षयेऽपि ॥४६५॥
वृष्याणां वृष्यराज्ञी वलिपलितहरा नेत्ररोगैकहन्त्री ।
तुन्दं दीप्तस्थिराग्निं पुनरपि नवकं रोगिदेहं करोति ॥४६६॥
(भैषज्यरत्नावली, ग्रहणीरोगाधिकार; ४६१-४६६)

1.	Gandhaka-śuddha	96 g
2.	Rasa (Pārada) - śuddha	48 g
3.	Lauha- bhasma	24 g
4.	Abhraka - bhasma	12 g
5.	Tāmra - bhasma	6 g

Dose

125 to 250 mg This may be increased gradually upto 750 mg.

Anupāna

Honey, ghee, Bhr̥ṣṭa Jīraka Cūrṇa

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Arśa (Haemorrhoids), Chardi (Emesis), Atīśāra (Diarrhoea), Jvara (Fever), Aruci (Tastelessness), Kṣaya (Pthisis), Raktapitta (Bleeding

disorder), Valī Palita (Wrinkles in skin and graying of hair), Netraroga (Eye disorder), Agnimāndya (Digestive impairment), Śukrakṣaya (Oligospermia)

16 : 2 BOLA PARPAṬĪ

(Yogarātnākara, Pradararogacikitsā: Page 842)

सूतगन्धकसुकज्जलिकायाः पर्पटी समयुता समभागम् ।
बोलचूर्णविहितं प्रतिवाप्यं स्याद्रसोऽयमसृगामयहारी ॥१॥
वल्लयुग्मयुगलं प्रीतिदेयं शर्करामधुयुतः किल दन्तः ।
रक्तगुल्मगुदजासृतियोनिस्त्रावमाशु विनिवारयतीशः ॥२॥

(योगरत्नाकर, प्रदररोग चिकित्सा; पृष्ठ ८४२)

- | | | |
|----|------------------------|---------|
| 1. | Sūta (Pārada) - śuddha | 1 Part |
| 2. | Gandhaka- śuddha | 1 Part |
| 3. | Bola (Exd.) | 2 Parts |

Special Method of Preparation

Kajjalī of drugs 1 and 2 is first prepared. Bola Cūrṇa is then added and mixed well.

Important Therapeutic Uses

Raktapradara (Menorrhagia or Metrorrhagia or both), Raktapitta (Bleeding disorder), Raktārśa (Bleeding haemorrhoids)

16 : 3 RASA PARPAṬĪ

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra : 414-416 & 436-440)

शुद्धे सूते शोधितगन्धकचूर्णेन तुल्यता कार्या ।
तावन्मर्दनमनयोर्यावन्न कणोऽपि दृश्यते सूते ॥४१४॥

पश्चात् कज्जलसदृशं चूर्णं लौहीस्थितं प्रयत्नेन ।
 निर्धूमबदरकाष्ठाङ्गारे न्यस्तं विलाप्य तैलसमम् ॥४१५॥
 सद्योगोमयनिहिते कदलदले ढालयेन्मृदुनि ।
 लौहीस्थितमवशिष्टं कठिनं तन्न गृहीतव्यम् ।
 पश्चात्पर्पटिरूपा पर्पटिका कीर्त्यते लोकैः ॥४१६॥
 अर्शोरोगं ग्रहणीं सामां शूलातिसारौ च ॥४३६॥
 कामलपाण्डुव्याधिं प्लीहानज्वातिदारुणं हन्ति ।
 गुल्मजलोदरभस्मकरोगं हन्त्यामवातांश्च ।
 अष्टादशैव कुष्ठान्यशेषशोथादिरोगांश्च ॥४३७॥
 इयमम्लपित्तशमनी त्रिदोषदमनी क्षुधातिकमनीया ।
 अग्निं निमग्नमुदरे ज्वालाजटिलं करोत्याशु ॥४३८॥
 रसगन्धकपर्पटिका स्वपवार्य व्याधिसङ्घातम् ।
 वलीपलितशून्यं पुरुषं दीर्घायुषं कुरुते ॥४३९॥
 व्याधिप्रभावहरणादपमृत्युत्रासनाशकरणाच्च ।
 मर्त्यानाममृतवटी रसगन्धकपर्पटी जयति ॥४४०॥
 (भैषज्यरत्नावली, ग्रहणीरोगाधिकार; ४१४-४१६, ४३६-४४०)

- | | | |
|----|-----------------------|--------|
| 1. | Sūta (Pārada) -śuddha | 1 Part |
| 2. | Gandhaka - śuddha | 1 Part |

Dose

250 mg Dose may be increased gradually upto 1125 mg

Anupāna

Milk, butter milk, Bhr̥ṣṭa Jīraka Cūrṇa, Hiṅgu Cūrṇa

Pathya, Apathya

PATHYA: milk, butter milk, Jīraka Kvātha APATHYA: water, salt.

Important Therapeutic Uses

Śūla (Colicky Pain), Grahaṇī (Malabsorption syndrome), Atīśāra (Diarrhoea),
 Pravāhikā (Dysentery), Gulma (Abdominal lump), Śoṭha (Inflammation), Kāmalā
 (Jaundice), Pāṇḍu (Anaemia), Jvara (Fever), Āmavāta (Rheumatism), Arśa (Haemorrhoids),

Kuṣṭha (Diseases of skin), Āmadoṣa (Products of impaired digestion and metabolism / consequences of Āma), Plīhā (Splenic disease), Jalodara (Ascites), Bhasmaka (Polyphagia with emaciation), Amlapitta (Dyspepsia)

16 : 4 LAUHA PARPAṬI

(Siddhayogasaṅgraha, Atīśāra-Pravāhikā-Grahanyādhikāra: Page 35)

रसभागो भवेदेको द्विगुणः शुद्धगन्धकः ।

रसतुल्यं तीक्ष्णभस्म कज्जली कारयेच्छुभाम् ॥

रसपर्पटिकाप्रोक्ता विधानेन प्रयत्नत ।

(सिद्धयोग सङ्ग्रह, अतिसार-प्रवाहिका, ग्रहण्याधिकार, पृष्ठ ३५)

- | | | |
|----|------------------------------|---------|
| 1. | Rasa (Pārada) śuddha | 1 Part |
| 2. | Gandhaka - śuddha | 2 Parts |
| 3. | Tikṣṇa loha (Lauha) - bhasma | 1 Part |

Dose

250 mg

Anupāna

Milk, butter milk, Bhṛṣṭa Jīraka Cūrna, Dāḍima Svarasa

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome), Amlapitta (Dyspepsia), Pāṇḍu (Anaemia), Sūtikā Jvara (Post partum Fever puerperal fever), Āmaśūla (Colicky Pain due to Āma), Atīśāra (Diarrhoea), Kāmalā (Jaundice), Plīhā Roga (Splenic disease), Bhasmaka (Polyphagia with emaciation), Āmavāta (Rheumatism), Udāvarta (Condition in which there is upward movement of vayu), Kuṣṭha (Diseases of skin), Gara (Slow / accumulated poison), Valī Palita (Wrinkles in skin and graying of hair)

16 : 5 SVARṆA PARPAṬĪ

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra : 457-460)

रसोत्तमं पलं शुद्धं हेमतोलकसंयुतम् ।
शिलायां मर्दयेत्तावद्यावदेकत्वमागतम् ॥४५७॥
सुगन्धकं पलञ्चैकमयःपात्रे ततो दृढे ।
मर्दयेद् दृढपाणिभ्यां यावत्कज्जलतां व्रजेत् ॥४५८॥
ततः पाकविधानज्ञः पर्पटीं कारयेत् सुधीः ।
रक्तिकादिक्रमेणैव योजयेदनुपानतः ॥४५९॥
ग्रहणीं विविधां हन्ति यक्ष्माणञ्च विशेषतः ।
शूलमष्टविधं हन्ति वृष्या सर्वरुजापहा ॥४६०॥
(भैषज्यरत्नावली, ग्रहणीरोगाधिकार; ४५७-४६०)

- | | | |
|----|--------------------------------|------|
| 1. | Rasottama (Pārada) - śuddha | 48 g |
| 2. | Hema (Svarṇa) - śuddha | 12 g |
| 3. | Sugaṇḍhaka (Gaṇḍhaka) - śuddha | 48 g |

Dose

125 to 250 mg

Anupāna

Śunṭhī, Bhr̥ṣṭa Jīraka Cūrṇa, honey

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Rājayaṁsmā (Tuberculosis), Āntrāśūla (Intestinal colic), Śukrakṣaya (Oligospermia)

17. PIṢṬĪ

Definition

Piṣṭī is prepared by triturating the drug with the specified liquids and exposing to sun or moonlight. These are termed as Anagnitapta Bhasma (bhasma prepared without the medium of fire).

Method of preparation

After purification (Śodhana), the drug is put in a khalva and triturated generally with rose water, unless otherwise mentioned. It is triturated with the liquid for a day and dried in the sun for another day. This process is generally continued for seven days or more till fine Piṣṭī in powder form is obtained.

Characteristics and preservation

Depending upon the colour of the drug Piṣṭī is of different colours. They are as fine as bhasma and have the characteristics of bhasma. They preserve their potency indefinitely. They are stored in glass stoppered bottles.

1	TRṆAKĀNTAMAṆĪ PIṢṬĪ (Synonym Kaharubā Piṣṭī)	Rasatantrasāra Siddhaprayogasa ṅgraha, Bhasmaprakaraṇa, 33	Page 209	1
2	PRAVĀLA PIṢṬĪ	Āyurvedasāra Saṅgraha, Śodhanamāraṇa Prakaraṇa	Page 119	2
3	MĀṆIKYA PIṢṬĪ	Rasāmṛta, Adhyāya 8	Page 76	3
4	MUKTĀ PIṢṬĪ	Āyurvedasāra Saṅgraha, Śodhanamāraṇa Prakaraṇa	Pge 145	4

17 : 1 TRṆAKĀNTAMAṆĪ PIṢṬĪ (Synonym Kaharubā Piṣṭī)

(Rasatantrasāra Siddhaprayogasaṅgraha, Bhasmaprakaraṇa, 33 : Page 209)

(पर्याय : कहरुबा पिष्टि)

- | | | |
|----|---|----------------------|
| 1. | Trṇakāntamaṇi | 1 Part |
| 2. | Gulāb arka (Śatapatrikā) distilled rose water | (Fl.) QS for mardana |

Dose

250 - 500 mg

Anupāna

Rumī Mastāgī Cūrṇa, honey, water, Dūrvā Svarasa

Important Therapeutic Uses

Raktātīśāra (Diarrhoea with Bleeding), Raktapravāhikā (Bacillary dysentery), Raktapitta (Bleeding disorder), Pittavikāra (Disorder of Pitta doṣa), Raktapradara (Menorrhagia or Metrorrhagia or both)

17 : 2 PRAVĀLA PIṢṬĪ

(Āyurvedasāra Saṅgraha, Śodhanamāraṇa Prakaraṇa: Page 119)

(आयुर्वेदसार सङ्ग्रह, शोधन, मारण प्रकरण, पृष्ठ ११९)

- | | | |
|----|--------------------------|-----------------------|
| 1. | Pravāla - śuddha | 1 Part |
| 2. | Gulāb arka (Śatapatrikā) | (Fl.) Q.S for mardana |

Dose

250 mg

Anupāna

honey, butter, ghee

Important Therapeutic Uses

Kāsa (Cough), Pitta Roga (Disease due to Pitta doṣa), Manodaurbalya (Mental weakness), Ojākṣaya (Loss of body strength (immunity)), Hṛdroga (Heart disease)

17 : 3 MĀṆIKYA PIṢṬĪ

(Rasāmṛta, Adhyāya 8 : Page 76)

(रसामृत, अध्याय ८, पृष्ठ ७६)

- | | | |
|----|--------------------------------|------------------|
| 1. | Maṇikya - śuddha | 1 Part |
| 2. | Gulāb arka (Śatapatrikā) (Fl.) | Q. S for mardana |

Dose

65 to 125 mg

Anupāna

Honey, butter milk

Important Therapeutic Uses

Ojākṣaya (Loss of body strength (immunity)), Hṛdroga (Heart disease), Kṣaya (Pthisis), Śukrakṣaya (Oligospermia), Agnimāndya (Digestive impairment), Daurbalya (Weakness), Buddhimāndya (Low intelligence)

17 : 4 MUKTĀ PIṢṬĪ

(Āyurvedasāra Saṅgraha, Śodhanamāraṇa Prakaraṇa : Pge 145)

(आयुर्वेदसार सङ्ग्रह, शोधन, मारण प्रकरण, पृष्ठ १४५)

- | | | |
|----|--------------------------------|-------------------------|
| 1. | Muktā - śuddha | 1 Part |
| 2. | Gulāb arka (Śatapatrikā) (Fl.) | ६.८ ळदृक्ष शृङ्खडुडुदडु |

Dose

65 to 125 mg

Anupāna

Honey, butter milk

Important Therapeutic Uses

Raktātīśāra (Diarrhoea with Bleeding), Raktapitta (Bleeding disorder), Manodoṣa (Mental disorder), Unmāda (Mania/Psychosis), Hṛdroga (Heart disease)

18. BHASMA

Definition

Powder of a substance obtained by calcination is called Bhasma. In this section, it is applied to the metals and minerals and animal products which are, by special processes, calcined in closed crucibles in pits and with cow dung cakes (Puṭa).

Method of preparation

First stage (Śodhana)

Bhasmas are prepared from purified minerals, metals and marine and animal products. In Ayurveda, the process of purification is called Śodhana. Chemical purification is different from medicinal purification. In chemical purification it is only elimination of foreign matters. In medicinal purification the objects aimed are (a) elimination of harmful matter from the drug;

(b) Modification of undesirable physical properties of the drug; (c) conversion of some of the characteristics of the drugs; (d) the enhancement of the therapeutic action, thereby potentizing the drug.

Śodhana is of two kinds (1) Sāmānya Śodhana which is applicable to a large number of metals or minerals, as heating the thin sheets of the metals and immersing them in Taila, Takra, Gomūtra etc. (2) Viśeṣa Śodhana which is applicable only to certain drugs and in certain preparations. Viśeṣa Śodhana consists of (1) Bhāvanā (2) Śvedana (3) Nirvāpaṇa, (4) Mardana.

Second stage (Māraṇa)

The second stage is the preparation of Bhasma. The purified drug is put into a khalva (stone mortar and pestle) and ground with juices of the specified plants or Kaṣāyas of drugs mentioned for a particular mineral or metal. It is ground for the specified period of time. Then small cakes (cakrikās) are made. The size and thickness of the cakes depend on the heaviness of the drug, The heavier the drug, the thinner are the cakes. These cakes are dried well under sunlight and placed in one single layer in a shallow earthen plate (Śarāva) and closed with another plate. The edge is sealed with clay-smeared cloth in seven consecutive layers and dried.

A pit is dug in an open place. The diameter and the depth of the pit depends on the metal or mineral that is to be calcined. Half of the pit is filled with cow dung cakes. The sealed earthen container is placed in it and the remaining space is filled with more cow dung cakes. Fire is put on all four sides and in the middle of the pit. When the burning is over, it is allowed to cool itself completely. The earthen container is removed, the seal is opened and the contents are taken out. The medicine is ground into a fine powder in a khalva. This process of triturating with the juice, making cakrikās and giving Puṭas, is repeated as many times as prescribed in the texts or till the proper fineness and quality are obtained.

The Puṭas are described under different names to indicate the size of the pit and the number of cow dung cakes to be used, details of which are given in the Paribhāṣā. They also indicate the amount of heat required and the period of burning. The following Puṭas are commonly used in the preparation of Bhasmas:-

1. Mahā Puṭa
2. Gaja Puṭa
3. Varāha Puṭa
4. Kukkuṭa Puṭa
5. Kapota Puṭa
6. Bhāṇḍa Puṭa

Characteristics and preservation

The tests for properly prepared Bhasma are (1) there should be no Candrikā (metallic lustre) (Niścandrikā) (2) When taken between the index finger and thumb and spread, it should be so fine as to get easily into the finger lines (Rakha Pūrta); (3) When a small quantity is spread on cold and still water, it should float on the surface (Vāritaram); and (4) The Bhasma should not revert to the original state (Apunarbhava).

Bhasmas, unless otherwise specified in individual formulations, are generally yellowish, black, pure white, grey, reddish black or red; depending upon the predominant drug as well as the other drugs used in the process of Māraṇa. Bhasmas are preserved in air tight glass or earthen containers. They maintain their potency indefinitely. They have no characteristic taste.

1	ABHRAKA BHASMA	(Acceptable Variety) Āyurvedaprakāśa, Adhyāya 2	97-98
2	KAPARDIKĀ BHASMA	Acceptable Variety : Āyurvedaprakāśa, Adhyāya 2	298-298 1/2
3	KĀṢĪŚĀ BHASMA		158
4	GODANTĪ BHASMA	Rasatarāṅgiṇī, Taraṅga 11	238
5	TĀMRA BHASMA	Acceptable Variety: Āyurvedaprakāśa, Adhyāya 2	113
6	TRIVAṅGA1 BHASMA	Siddhayogasaṅgraha, Svarṇādīdhātu Śodhana Mārṇa Prakaraṇa	159
7	NĀGA BHASMA	Acceptable Variety : Rasatarāṅgiṇī, Taraṅga 19	2
8	PRAVĀLA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 23	129
9	MAṆḌŪRA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 20	126
10	MUKTĀ BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 23	64
11	MUKTĀŚUKTI BHASMA	Āyurvedaprakāśa, Adhyāya 2	
12	YĀŚADA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 19	95
13	RAJATA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 16	2
14	LOHA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 20	11-12
15	VAṅGA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 18	3
16	VAJRA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 23	6
17	VAIKRĀNTA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 23	157
18	ŚAṆKHA BHASMA	Acceptable variety : Rasatarāṅgiṇī Taraṅga 12	2
19	ŚRṅGA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 12	104
20	SVARṆA BHASMA	Acceptable variety : Rasatarāṅgiṇī, Taraṅga 15	11

21	SVARṆAMĀKṢIKA BHASMA	Acceptable variety : Rasaratnasamuccaya, Adhyāya 3	4
22	HARITĀLA BHASMA	Acceptable variety : Rasaratnasamuccaya, Adhyāya 3	71

18 : 1 ABHRAKA BHASMA

((Acceptable Variety)Āyurvedaparakāśa, Adhyāya 2: 97-98)

ग्राह्य अभ्रकं

वज्रं तु वज्रवत्तिष्ठेन्न चाग्नौ विकृतिं व्रजेत् ।
सर्वाभ्रेषु वरं वज्रं व्याधिवार्धक्यमृत्युजित् ॥९७॥
यदञ्जननिभं क्षिप्तं न वह्नौ विकृतिं व्रजेत् ।
वज्रसंज्ञं हि तद्योग्यमभ्रं सर्वत्र नेतरत् ॥९८॥
(आयुर्वेदप्रकाश, अध्याय २, ९७-९८)

शोधन

अभ्रकं वह्नि सन्तप्तं सप्तवारं निषेचितम् ।
गोदुग्धे वा वराक्वाथे शुद्धिमायात्यनुत्तमाम् ॥२०॥
(रसतरंगिणी, तरंग १०;२०)

ŚODHANA

1. Vajrābhra (Abhraka) Q.S
2. Godugdha or Varā (Triphal) kvātha (P.) Q.S for nirvapana

Method of Śodhana

The Vajrābhra is heated to red hot in an iron pan and put in godugdha or Triphalā Kvātha. This process is repeated seven times. Thereafter, it is pulverized for further processing

Dhānyābhra

(Āyurvedaparakāśa, Adhyāya 2 : 113-1141/2)

धान्याभ्र

पादांशशालिसंयुक्तमभ्रं बद्ध्वाऽथ कम्बले ।
त्रिरात्रं स्थापयेन्नीरे क्लिन्नं वै मर्दयेत्करैः ॥११३॥
तन्नीर एव यत्नेन यावत्सर्वं स्रवेत्ततः ।

कम्बलाद् गलितं सूक्ष्मं वालुकासदृशं च यत् ॥११४॥
तद्धान्याभ्रकमित्युक्तं मारणं चाप्यथो भवेत् ॥
(आयुर्वेद प्रकाश, अध्याय २, ११३-११४ १/२)

- | | | |
|----|--------------------------|----------|
| 1. | Abhra (Abhraka) - śuddha | 1 Part |
| 2. | Śali (Dhānya) (Fr.) | 1/4 Part |
| 3. | Nīra (Kāñjika) | Q.S |

Special Method of Preparation

Method of Dhānyābhra: The Śodhita Abhraka is bundled in a jute or woollen bag with 1/4 quantity of paddy. This bundle is immersed in Kāñjika for 3 days. There after, the bundle is rubbed and squeezed in the liquid itself so that only abhraka particles e

Māraṇa (A)

(Rasatarāṅgiṇī, Tārāṅga 10: 39-42)

मारण (क)

धान्याभ्रकं समादाय रविक्षीरैर्विमर्दयेत् ।
रविमूलद्रवैर्वापि दिनमेकं निरन्तरम् ॥३९॥
ततः संशोषयेद् घर्मे गगनं कृतचक्रिकम् ।
रविपत्रैश्च संवेष्ट्य सप्तवारं विधानतः ॥४०॥
पुटेद् गजपुटे नैव रसतन्त्रविशारदः ।
ततो न्यग्रोधमूलोत्थैः क्वाथैर्दद्यात्पुटत्रयम् ॥४१॥
तद्वद्रम्भारसेनापि सप्तवारं पुटेद्भिषक् ।
एवं स्वल्पैः पुटैरेव गगनं मृतिमाप्नुयात् ॥४२॥
(रसतरङ्गिणी, तरङ्ग १० ३९-४२)

- | | | |
|----|----------------------|-----|
| 1. | Dhānyābhra (Abhraka) | Q.S |
|----|----------------------|-----|

- | | | | |
|----|-----------------------|-------|------------------|
| 2. | Ravi kṣīra (Arka) | (L.) | Q.S for mardhana |
| | Or | | |
| | Ravi mūla rasa (arka) | (Rt.) | |
| | Or | | |
| | Ravi dala rasa (Arka) | (Lf.) | |
| 3. | Nyagrodhamūla kvātha | (Rt.) | Q.S for mardhana |
| 4. | Rambhā (Kadalī) rasa | (Rz.) | Q.S for mardhana |

Special Method of Preparation

Method of Māraṇa (A) :The Dhānyābhra is ground Well in ingredient No. 2 for one day. Thin and flat cakrikas are made and dried under the sun. These cakrikas are kept in a Śarāva Samputa and Sandhi Lepa is done. Thereafter gaja Puṭa is given. This proce

Māraṇa (B)

((Śatapuṭī Vidhāna) Rasataraṅgiṇī, Taraṅga 10: 43-45)

मारण (ख) (शतपुटी विधान)

क्षीरत्रयं काकमाची गोक्षुरः खरमञ्जरी ।।
 वटप्ररोहो गोमूत्रं तुलसी कदलीशिफा ।।४३।।
 एभिरभ्रं विमर्द्याथ दशवारं पृथक् पृथक् ।
 पुटेत्पुटविधानज्ञः क्रमेणेव भिषग्वरः ।।४४।।
 शतधा पुटनादेवं रक्तोत्पलसमप्रभम् ।
 निश्चन्द्रं जायते भस्म सर्वदोषविजर्जितम् ।।४५।।
 (रसतरङ्गिणी, तरंग, १०; ४३-४५)

- | | | | |
|----|---------------------|------|------------------|
| 1. | Abhra (Abhraka) | | Q.S |
| 2. | Ravi - kṣīra (Arka) | (L.) | Q.S for mardhana |

3.	Vaṭa- kṣīra	(L.)	Q.S for mardhana
4.	Snuhī kṣīra	(L.)	Q.S for mardhana
5.	Kākamācī-rasa	(Pl.)	Q.S for mardhana
6.	Gokṣura - kvātha	(Fr.)	Q.S for mardhana
7.	Kharamañjarī (Apāmārga) - rasa	(Pl.)	Q.S for mardhana
8.	Vaṭa - praroha svarasa	(A.R)	Q.S for mardhana
9.	Gomūtra		Q.S for mardhana
10.	Tulasī svarasa	(Lf.)	Q.S for mardhana
11.	Kadalī - śiphā jala	(Rz.)	Q.S for mardhana

Special Method of Preparation

Method of Māraṇa(Śatapuṭī Vidhāna) (B) :The Dhānyābhra is ground with ravi Kṣīra for a day and flat thin cakrikas are prepared. cakrikas and dried well under the sun and kept in Śarāva Samputa and sandhi lepa is done. Gaja Puṭa is given. This process

Māraṇa - C -

((Sahasrapuṭī Vidhāna) Ayurvedaprakāśa, Adhyāya 2 : 132)

श्रीगोविन्दपादास्तु अन्यान्येव गगनमारकाणि भेषजानि लिखन्ति; यथा-अर्कदुग्धं १, वटदुग्धं २, सेहुण्डदुग्धं ३, घृतकुमारी ४, पञ्चाङ्गुलमूलपत्राणि ५, काकमाची ६, मुस्ता ७, वटप्ररोहः ८, बस्तशोणितं ९, बिल्वमूलपत्राणि १०, अग्निमन्थः ११, टिण्टुकः १२, पाटली १३, श्रीपर्णी १४, शालिपर्णी १५, पृश्निपर्णी १६, कण्टकारी १७, कदम्बः १८, बृहती १९, गोक्षुरः २०, तिलपर्णी २१, खरमञ्जरी २२, गुडः २३, सिद्धार्थको धवलः २४, पालङ्कया २५, मालती २६, गोमूत्रम् २७, हरीतकी २८, धात्री २९, विभीतकः ३०, तालीशपत्रं ३१, चित्रकमूलपत्रं ३२, जलकुम्भी ३३, तालमूली ३४, वृषः ३५, वाजिगन्धा ३६, अगस्त्यपत्रं ३७, भृङ्गराजः ३८, कदलीकन्दरसः ३९, सप्तपर्णः ४०, देवदारु ४१, गुडूची ४२, धतूरः ४३, कासमर्दकः ४४, मातुलानी ४५, लोध्रः ४६, तुलसी ४७, दू

वा ४८, मूषकपर्णी ४९, रजनी ५०, दाडिमपल्लवा ५१, घोण्टा ५२, शङ्खपुष्पी
 ५३, नागवल्ली ५७, मण्डूकपर्णी ५८, तित्तिका ५९, मदनः ६०,
 इत्यादिभिर्मर्दनपुटनैरेकैकेनाप्यभ्रको मारणीयः ।
 इति अभ्रकमारणीयगणः । अभिर्यथालाभं सहस्रपुटा देयाः ।
 यथासङ्ख्यं च प्रत्येकं सप्तदश पुटाः प्रायशो भवन्ति ।
 एवं सहस्रसङ्ख्या पूर्यते ॥१३२॥ इति सहस्रपुटि ॥
 (आयुर्वेदप्रकाश, अध्याय २, १३२)

1.	Abhraka		Q.S
2.	Arka dugdha	(L.)	Q.S for bhavana
3.	Vaṭa dugdha	(L.)	Q.S for bhavana
4.	Sehunḍa dugdha (Snuhī)	(L.)	Q.S for bhavana
5.	Ghṛtakumārī (Kumārī)	(Lf.)	Q.S for bhavana
6.	Pañcāṅgula mula, patra (Eraṇḍa)	(Rt.&Lf.)	Q.S for bhavana
7.	Kākamācī	(Pl.)	Q.S for bhavana
8.	Mustā	(Rz.)	Q.S for bhavana
9.	Vaṭapraroha (Vaṭa)	(A.R.)	Q.S for bhavana
10.	Bastaśonita		Q.S for bhavana
11.	Bilvamūlapatra (Bilva)	(Rt./Lf.)	Q.S for bhavana
12.	Agnimantha	(Rt./St.Bk.)	Q.S for bhavana
13.	Tintuka (Śyonāka)	(Rt./St.Bk.)	Q.S for bhavana
14.	Pāṭalī (Pāṭalā)	(Rt./St.Bk.)	Q.S for bhavana
15.	Śripaṇḍī (Gambhārī)	(Rt./St.Bk.)	Q.S for bhavana
16.	Śālīpaṇḍī	(Pl.)	Q.S for bhavana
17.	Prśnipaṇḍī	(Pl.)	Q.S for bhavana
18.	Kaṇṭakārī	(Pl.)	Q.S for bhavana
19.	Kadamba		Q.S for bhavana
20.	Bṛhatī	(Pl.)	Q.S for bhavana
21.	Gokṣura	(Pl.)	Q.S for bhavana
22.	Tilapaṇḍī (Ajagandhā)	(Pl.)	Q.S for bhavana

23.	Kharamañjarī (Apāmārga)		Q.S for bhavana
24.	Guḍa		Q.S for bhavana
25.	Dhavalā siddhārthaka (Śveta sarṣapa) (Sd.)		Q.S for bhavana
26.	Pālakyā	(Lf.)	Q.S for bhavana
27.	Mālatī	(Fl.)	Q.S for bhavana
28.	Gomūtra		Q.S for bhavana
29.	Harītakī	(P.)	Q.S for bhavana
30.	Dhātrī (Āmalakī)	(P.)	Q.S for bhavana
31.	Bibhītaka	(P.)	Q.S for bhavana
32.	Tālīsapatra (Tālīsa)	(Lf.)	Q.S for bhavana
33.	Citraka mūlapatra (Citraka)	(Rt./Lf.)	Q.S for bhavana
34.	Jalakumbhī	(Pl.)	Q.S for bhavana
35.	Tālamūlī	(Rt.Tr.)	Q.S for bhavana
36.	Vṛṣa (Vāsā)	(Lf.)	
	Q.S for bhavana		
37.	Vājigandhā (Aśvagandhā)	(Rt.)	Q.S for bhavana
38.	Agastyapatra (Agastya)	(Lf.)	Q.S for bhavana
39.	Bhṛṅgarāja	(Pl.)	Q.S for bhavana
40.	Kadalī kandarasa (Kadalī)	(Rt.Tr.)	Q.S for bhavana
41.	Saptaparṇa	(St.Bk.)	Q.S for bhavana
42.	Devadāru	(Ht.Wd.)	Q.S for bhavana
43.	Guḍūcī	(St.)	Q.S for bhavana
44.	Dhattūra	(Lf.)	Q.S for bhavana
45.	Kāsamarda	(Pl.)	Q.S for bhavana
46.	Mātulānī (Mātulunga)		Q.S for bhavana
47.	Lodhra	(St.Bk.)	Q.S for bhavana
48.	Tulasī	(Pl.)	Q.S for bhavana
49.	Dūrvā	(Pl.)	Q.S for bhavana
50.	Mūṣakaparnī	(Pl.)	Q.S for bhavana

51.	Rajanī (Haridrā)	(Rz.)	Q.S for bhavana
52.	Dāḍima Pallava (Dāḍima)	(Lf.)	Q.S for bhavana
3.	Ghoṇṭā	(Fr.)	Q.S for bhavana
54.	Śaṅkhaṇḍī	(Pl.)	Q.S for bhavana
55.	Nāgavallī	(Lf.)	Q.S for bhavana
56.	Piṇḍītagara (Tagara)	(Rt./Rz.)	Q.S for bhavana
57.	Śveta Punarnvā	(Pl.)	Q.S for bhavana
58.	Hilamocikā		Q.S for bhavana
59.	Maṇḍūkapaṇḍī	(Pl.)	Q.S for bhavana
60.	Tiktikā	(Pl.)	Q.S for bhavana
61.	Madana	(Fr.)	Q.S for bhavana

Special Method of Preparation

Method of Māraṇa (Sahasrapuṭi Vidhāna) (C) :The Dhānyābhra is given Bhāvana with arka Kṣīra for a day and flat, thin cakrikas are prepared. Cakrikas are dried well under sun and kept in Śārāva Sampūṭa and Sandhi Lepa is done. Gajapuṭa is given. This

Dose

125 mg to 375 mg

Anupāna

Honey, ghee, Triphalā Kvātha, Guḍūcī Svarasa, Ārdraka Svarasa.

Special Method of Preparation

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome), Kapharoga (Disease due to Kapha doṣa), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Raktapitta (Bleeding disorder), Kāsa (Cough), Prameha (Urinary disorders), Pāṇḍu (Anaemia), Keśa Patana (Falling of hair), Tvagroga (Skin disease), Jarā (Senility/Progeriasis), Napuṃsakatā (Impotency), Kuṣṭha (Diseases of skin), Plīhā (Splenic disease), Udara (Diseases of

abdomen / enlargement of abdomen), Granthi (Cyst), Viṣa (Poison), Kṛmi (Helminthiasis/Worm infestation), Used as Rasāyana (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties)

18 : 2 KAPARDIKĀ BHASMA

(Acceptable Variety : Āyurvedaparakāśa, Adhyāya 2: 298-298 1/2)

ग्राह्य कपर्दिका

पीताभा ग्रन्थिला पृष्ठे दीर्घवृन्ता वराटिका ।
सार्धनिष्कमिता श्रेष्ठा निष्कभारा च मध्यमा ॥२९८॥
पादोननिष्कभारा च कनिष्ठा परिकीर्तिता
(आयुर्वेद प्रकाश, अध्याय २, २९८-२९८ १/२)

Śodhana

(Āyurvedaparakāśa, Adhyāya 2: 299)

शोधन

वराटाः काञ्जिके स्विन्ना यामाच्छुद्धिमवाप्नुयात् ॥२९९॥
(आयुर्वेद प्रकाश, अध्याय २, २९९)

- | | | |
|----|--------------------|------------------|
| 1. | Varāṭā (Kapardikā) | Q.S. |
| 2. | Kāñjikā | Q.S. for Svedana |

Special Method of Preparation

Method of Śodhana :Kapardikā is boiled in Kāñjī for 3 hours.

Māraṇa

(Āyurvedaparakāśa, Adhyāya 2 : 300)

मारण

अङ्गाराग्नौ स्थित ध्माता सम्यक् प्रोत्फुल्लिता यदा ।
स्वाङ्गशीता मृता तां तु पिष्ट्वा सम्यक् प्रयोजयेत् ॥३००॥
(आयुर्वेद प्रकाश, अध्याय २; ३००)

1. Kapardikā - śuddha

Q.S.

Special Method of Preparation

Method of Māraṇa: Śodhita Kapardhikā is placed on charcoal fire and heated till each piece swells. Then these are ground well and kept in bottle when cooled.

Dose

250 mg.

Anupāna

Vāsā Svarasa, Nimbū Svarasa, Trikaṭu Kaṣāya, Udumbara Rasa.

Note:

In some parts of the Country, one or two putas with Kumari svarasa or Nimbu rasa are given after the above said Marana process, traditionally.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Pariṇāma Śūla (Duodenal ulcer), Grahaṇī (Malabsorption syndrome), Rājayakṣmā (Tuberculosis), Kaṇa Srāva (Otorrhoea), Netraroga (Eye disorder), Sphoṭa (Boil), Raktavikāra (Disorders of blood), Śukrakṣaya (Oligospermia)

Special Precaution

Note: After preparing bhasma it should be kept in water for 24 hours to reduce T
īkṣṇatva. Thereafter it should be dried

18 : 3 KĀṢĪŚA BHASMA (: 158)

Śodhana

(Rasāmṛta, Adhyāya 3 : 158)

शोधन

काशीशं भृङ्गनीरेण त्रिवारं भावितं शुचि ।।१५८।।
(रसामृतं, अध्याय ३, १५८)

1. Kāṣīśa - harita Q.S.
2. Bhṛṅga nīra (Bhṛṅgarāja) (Pl.) Q.S for Bhavana

Special Method of Preparation

Method of Śodhana: Bhāvanā with Bhṛṅgarāja Svarasa for three days.

Māraṇa

(Rasāmṛta, Adhyāya 3 : 159-160)

मारण

काशीशं निम्बुनीरेण मर्दयित्वा तु चक्रिकाः ।
कार्याः शुष्काः सम्पुटस्था दशप्रस्थवनोपलैः ।।१५९।।

पुनः पुनः पुटो देयो यावद् भस्म निरम्लकम् ।
तथा गैरिकवर्णं च काशीशस्य प्रजायते ॥१६०॥
(रसामृतं, अध्याय ३, १५९-१६०)

1. Kāśīśa Q.S.
2. Nimbū nīra (nimbū) (Fr.) Q.S for mardhana

Special Method of Preparation

Method of Māraṇa : The Śodhita Kāśīśa is ground with Nimbū Rasa and Cakrikās are prepared and dried. These are kept in Śarāva Samputa and Sandhi Lepa is done. This is subjected to Puṭa, filled with 7 kg and 680 grams of vanopala (cow dung). The Puṭa

Dose

250 mg

Anupāna

Bākucī Cūrṇa, Triphalā Kvātha, Madhu.

Important Therapeutic Uses

Pāṇḍu (Anaemia), Plīhā Roga (Splenic disease), Hikkā (Hiccup), Vraṇa (Ulcer), Visarpa (Erysipelas), Śvitra (Leucoderma/Vitiligo), Kaṣṭārtava (Dysmenorrhoea), Viṣa (Poison), Daurbalya (Weakness), Netraroga (Eye disorder)

18 : 4 GODANTĪ BHASMA

(Rasataraṅgiṇī, Taraṅga 11: 238)

ग्राह्य गोदन्ती

पत्राचितं सुमसृणं शरदिन्दुसुनिर्मलम् ।
दीप्तप्रभं तु गोदन्तं ग्राह्यमत्र प्रकीर्तितम् ॥२३८॥

(रसतरङ्गिणी, तरंग, ११, २३८)

Śodhana

(Rasatarāṅgiṇī, Taraṅga 11: 239)

शोधन

गोदन्तं निम्बुनीरेण द्रोणपुष्पीरसेन वा
यामादर्धेनैव सुस्विन्नं विशुध्यति न संशयः ॥२३९॥
(रसतरङ्गिणी, तरङ्ग, ११, २३९)

1. Godanta (godanti) Q.S.
2. Nimbu nīra (nimbū) (Fr.) Q.S. for Svedana
or
Droṇapuspīrasa (Pl.)

Māraṇa

(Rasatarāṅgiṇī, Taraṅga 11 : 240)

मारण

शरावसम्पुटान्तःस्थं गोदन्तं सुविशोधितम् ।
म्रियते पुटितं भस्म जायते शशिसुन्दरम् ॥२४०॥
(रसतरङ्गिणी, तरङ्ग, ११, २४०)

1. Godanta (Goḍanti) śuddha Q.S.

Special Method of Preparation

Method of Māraṇa : The Śodhita Godantī is placed in Śarāva Sampuṭa and subjected to Gaja Puṭa. The colour of the bhasma will be white. In some parts of the country, Bhāvanā with Kumārī Svarasa is done before subjecting it to another Puṭa.

Dose

500 mg

Anupāna

Honey, Tulasī Svarasa, ghee, sugar.

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Śiraḥśūla (Headache), Pitta Jvara (Fever due to Pitta doṣa), Jīrṇajvara (Chronic fever), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma)

18 : 5 TĀMRA BHASMA

(Acceptable Variety: Āyurvedaprakāśa, Adhyāya 2: 113)

ग्राह्य ताम्र

जपाकुसुमसङ्काशं स्निग्धं मृदु घनक्षमम् ।
लोहनागोज्झितं ताम्रं नेपालं मृत्यवे शुभम् ॥११३॥
(आयुर्वेद प्रकाश, अध्याय ३, ११३)

Sāmānya Śodhana

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 11 : 2-2 1/2)

सामान्य शोधन

स्वर्णतारारताम्रायःपत्राण्यग्नौ प्रतापयेत् ।
निषिञ्चेत्तप्ततप्तानि तैले तत्रे च काञ्जिके ॥२॥

गोमूत्रे च कुलत्थानां कषाये च त्रिधा त्रिधा ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ११, २-२ १/२)

1.	Tāmra- Patra		Q.S.
2.	Taila (Tila)	(Ol.)	Q.S. for nirvapana
3.	Takra		Q.S. for nirvapana
4.	Kāñjika		Q.S. for nirvapana
5.	Gomūtra		Q.S. for nirvapana
6.	Kulattha-kaṣāya (Sd.)		Q.S. for nirvapana

Special Method of Preparation

Method of Sāmānya Śodhana :The Tāmra Patras are heated and immersed thrice in each of the drugs one after the other.

Viśesa Śodhana

(Āyurvedaprakāśa, Adhyāya 3 : 118-118 1/2)

विशेष शोधन

स्नुह्यर्कक्षीरसिन्धूत्थैस्ताम्रपत्राणि लेपयेत् ।
अग्नौ प्रताप्य निर्गुण्डीरसे संसेचयेत् त्रिशः ॥११८॥
स्नुह्यर्कक्षीरसेकैर्वा शुल्बशुद्धिः प्रजायते ॥
(आयुर्वेद प्रकाश, अध्याय ३, ११८-११८ १/२)

1.	Tāmra patra		Q.S.
2.	Snuhī kṣīra	(L.)	Q.S. for lepana
3.	Arka kṣīra	(L.)	Q.S. for lepana
4.	Sindhūttha (Saindhava)		Q.S. for lepana
5.	Nirguṇḍī rasa	(Lf.)	Q.S. for lepana

Special Method of Preparation

Method of Viśeṣa Śodhana :Saindhava is mixed with Snuhī Kṣīra and Arka Kṣīra to a paste which is smeared on Tāmra Patra and allowed to dry. Thereafter, Tāmra Patra is heated and immersed in Nirguṇḍī Svarasa. This process is repeated 3 times. Another p

Māraṇa

(Śārṅgadharasaṃhitā, Madhyamakhaṇḍa, Adhyāya 11 : 28-34 1/2)

मारण

सूक्ष्माणि ताम्रपत्राणि कृत्वा संस्वेदयेद् बुधः ।
वासरत्रयमम्लेन ततः खल्वे विनिक्षिपेत् ॥२८॥
पादांशं सूतकं दत्वा याममम्लेन मर्दयेत् ।
तत उद्धृत्य पत्राणि लेपयेद्विगुणेन च ॥२९॥
गन्धकेनाम्लघृष्टेन तस्य कुर्याच्च गोलकम् ।
ततः पिष्ट्वा च मीनाक्षीं चांगेरीं वा पुनर्नवाम् ॥३०॥
तत्कल्केन बहिर्गोलं लेपयेदङ्गुलोन्मितम् ।
धृत्वा तद्गोलकं भाण्डे शरावेण च रोधयेत् ॥३१॥
बालुकाभिः प्रपूर्याथ विभूतिलवणाम्बुभिः ।
दत्वा भाण्डमुखे मुद्रां ततश्चुल्ल्यां विपाचयेत् ॥३२॥
क्रमवृद्धाग्निना सम्यग्यावद्यामचतुष्टयम् ।
स्वाङ्गशीतलमुद्धृत्य मर्दयेत्सूरणद्रवैः ॥३३॥
दिनैकं गोलकं कुर्यादर्धगन्धेन लेपयेत् ।
सघृतेन ततो मूषां पुटे गजपुटे पचेत् ॥३४॥
स्वाङ्गशीतं समुद्धृत्य मृतं ताम्रं शुभं भवेत् ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ११, २८-३४ १/२)

2.	Amla (Nimbū) rasa	(Fr.)	Q.S.for svedana
3.	Sūtaka (Pārada) - śuddha		1/4 Part
4.	Gandhaka		2 Part
5.	Mīnākṣkī (matsyākṣī)	(Pl.)	Q. S for lepana
	or		
	Cāṅgērī	(Pl.)	
	or		
	Punarnavā	(Pl.)	
6.	Sūraṇa (rakta punarnava) drava	(St.Tr)	Q. S for mardhana
7.	Gandha (Gandhaka) - śuddha		1/2 Part
8.	Ghṛta (Goghṛta)		Q.S.

Special Method of Preparation

Method of Māraṇa: The thin patras of Śodhita Tāmra are boiled in Nimbū Rasa for 3 days. One fourth quantity of Pārada by weight is mixed with Tāmra Patra and ground well for 3 hours adding Nimbū Rasa. Gandhaka, twice the quantity of Tāmra Patra is ground

Amṛtīkaraṇa

(Rasatarāṅgiṇī, Taraṅga 17: 40-41)

अमृतीकरण

सम्यङ्मृतं सूर्यसखस्य चूर्णं तदर्धसंशोधितगन्धकञ्च ।
दत्त्वा ततोऽम्लै खलु निम्बुकोत्थैः सम्पेषयेद् याममलं रसज्ञः ॥४०॥
गोलं विधायाऽथ रविप्रियस्य चूर्णं ह्युपर्यधः सूरणकन्दसंस्थम् ।
मृत्कर्पटैश्चाथ विलिप्य गोलं पुटे गजाख्ये पुटयेद्विधिज्ञः ॥४१॥

(रसतरङ्गिणी, तरङ्ग १७, ४०-४१)

1.	Sūrya sakha cūrṇa (Tāmra) - bhasma	1 Part
2.	Gandhaka - śuddha	1/2 Part
3.	Nimbūka amla (Nimbū) (Fr.)	Q.S for mardhana
4.	Sūraṇa - kanda (St. Tr)	Q.S.

Special Method of Preparation

Method of Amṛtīkaraṇa :Gandhaka is added to Tāmra Bhasma and triturated Well with Nimbū Rasa for 3 hours. This is to be made into a bolus and placed and placed into a Sūraṇa Kanda scooped in the middle to accommodate the bolus. The upper portion is cover

Dose

31.25 to 62.5 mg

Anupāna

Trikatu kashaya, ghee, Honey, Duralabha kvatha, Ardrak ras, Guduchi ras.

Important Therapeutic Uses

Udararoga (Ascites), Jalodara (Ascites), Sthaulya (Obesity), Śōtha (Inflammation), Pāṇḍu (Anaemia), Vātaroga (Disease due to Vāta doṣa), Kaphapittaroga (Disease due to Kapha doṣa and Pitta doṣa), Viṣa (Poison), Rājayaḥṣmā (Tuberculosis), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Netraroga (Eye disorder), Kuṣṭha (Diseases of skin), Pariṇāma Śūla (Duodenal ulcer), Śūla (Colicky Pain), Jvara (Fever), Gulma (Abdominal lump), Plīhā (Splenic disease), Yakṛt roga (Disease of liver), Meha (Excessive flow of urine), Kṣaya (Pthisis), Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome)

18 : 6 TRIVAṆGA1 BHASMA

(Siddhayogasaṅgraha, Svarṇādīdhātu Śodhana Māraṇa Prakaraṇa: 159)

(सिद्धयोगसङ्ग्रह, स्वर्णादिधातु शोधन मारण प्रकरण, १५९)

Jāraṇa

()

- | | | |
|----|--|------|
| 1. | Nāga - śuddha | Q.S. |
| 2. | Vaṅga -śuddha | Q.S. |
| 3. | Yaśada -śuddha | Q.S. |
| 4. | Bhaṅgā cūrṇa (Pl.) | Q.S. |
| 5. | Ahiphena phala (ahipheṇa) tvak cūrṇa (Fr.) | Q.S. |

Special Method of Preparation

Method of Jāraṇa (ahipheṇa) :The Śodhita Trivaṅga (Nāga, Vanga and Yaśada in equal quantities) is kept in an iron pan and heated. While it is melting, powders of Bhaṅgā and ahipheṇa phala are sprinkled in small quantities and stirred with loha Darvī (

Māraṇa

()

- | | | |
|----|--------------------------------|------|
| 1. | Trivaṅga (jārita) | Q.S. |
| 2. | Gvārapāṭha (kumārī) rasa (Lf.) | Q.S. |

Note: Sodhana of Naga, Vanga, and Yashada have been given separately under 18:7, 18:15 and 18:12 respectively.

Special Method of Preparation

Method of MāraṇaThe Jārita Trivaṅga is ground in Kumārī Svarasa for three hours. Flat cakrikas are prepared and dried well. These cakrikes are kept in Śārāva Sampuṭa and Sandhi Bandha is made and placed in ardha Gajapuṭa for calcination. This process is

Dose

125 mg

Anupāna

Honey, butter

Important Therapeutic Uses

Madhumeha (Diabetes mellitus), Prameha (Urinary disorders)

18 : 7 NĀGA BHASMA

(Acceptible Variety : Rasatarāṅgiṇi, Taranga 19: 2)

ग्राह्य नाग

सुगौरवं मृदु स्निग्धं छेदने मलिनाज्ज्वलम् ।
बहिः श्यामं द्रुतद्रावं सीसकं जात्यमादिशेत् ॥२॥
(रसतरङ्गिणी, तरङ्ग १९, २)

Śodhana

(Śārṅgadarasamhitā Mdhyaṃakhaṇḍa Adhyāya 11: 2-2 1/2)

शोधन

निषिञ्चेत्तप्ततप्तानि तैले तक्रे च काञ्जिके ॥२॥
गोमूत्रे च कुलत्थानां कषाये च त्रिधा त्रिधा ।
(शाङ्गधरसंहिता, मध्यम खण्ड, अध्याय ११, २-२ १/२)

1.	Nāga	Q.S.
2.	Taila (Tila)	(Sd.) Q.S. for nirvapaṇa
3.	Takra	Q.S. for nirvapaṇa
4.	Gomūtra	Q.S. for nirvapaṇa
5.	Kāñjika	Q.S. for nirvapaṇa
6.	Kulattha - kaṣāya	(Sd.) Q.S. for nirvapaṇa

Special Method of Preparation

Method of Śōdhana: The Nāga is melted in an iron pan. It is poured into an iron pot containing taila, etc. in sufficient quantity. The pot should be covered with a heavy stone having a hole in the centre and the melted Nāga is poured through this hole.

Jāraṇa

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyaya 11 : 37-38.)

जारण

अश्वत्थचिञ्चात्वक्चूर्णं चतुर्थांशेन निक्षिपेत् ॥३७॥
मृत्पात्रे द्राविते नागे लोहदव्या प्रचालयेत् ।
यामैकेन भवेद्भस्म ॥३८॥
(शाङ्गधरसंहिता, मध्यम खण्ड अध्याय ११, ३७-३८)

1.	Nāga (Śōdhita)	1 Part
2.	Aśvattha tvak cūrṇa	(St.Bk.) for Prakṣepa 1/4 Part
3.	Ciñcā tvak cūrṇa	(St.Bk.) for Prakṣepa 1/4 Part

Special Method of Preparation

Method of Jāraṇa : This process of Jāraṇa is similar to Trivaṅga Jāraṇa.

Māraṇa

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 11: 38-39)

मारण

तत्तुल्यां च मनःशिलाम् ॥३८॥
काञ्जिकेन द्वयं पिष्ट्वा पचेद् दृढपुटेन च
स्वाङ्गशीतं पुनः पिष्ट्वा शिलया काञ्जिकेन च ॥३९॥
पुनः पुटेच्छरावाभ्यामेवं षष्टिपुटैर्मृतिः ।
(शाङ्गधरसंहिता, मध्यम खण्ड, अध्याय ११, ३८-३९)

- | | | |
|----|-------------|-----------------|
| 1. | Jārita Nāga | 1 Part |
| 2. | Manahśilā | 1 Part |
| 3. | Kāñjika | Q.S for mardana |

Note: In practice, one fourth of Manahśilā is added from second Puta onwards instead of equal quantity.

Special Method of Preparation

Method of Māraṇa: Equal quantity of Manahśilā is added to Jārita Nāga and ground well with Kāñjika. Small cakrikas are prepared, dried and kept in Śārāva Samputa. Arddha Gaja Puṭa is given. This process is repeated 60 times. The last ten Puṭas should be

Dose

62.5 to 125 mg

Anupāna

Haridrā Svarasa, Jambu Svarasa

Important Therapeutic Uses

Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump),
Arśa (Haemorrhoids), Prameha (Urinary disorders)

18 : 8 PRAVĀLA BHASMA

(Acceptible variety : Rasatarāṅgiṇī, Taraṅga 23: 129)

ग्राह्य प्रवाल

आरक्तमञ्जुलच्छायं स्निग्धं वृत्तञ्च निर्व्रणम् ।
दीर्घस्थूलं गुरु दृढं ग्राह्यं विद्रुममुच्यते ॥१२९॥
(रसतरङ्गिणी, तरङ्ग २३, १२९)

Śodhana

(Rasatarāṅgiṇi, Taraṅga 23 : 132)

शोधन

सर्जिकाक्षारसंयुक्ते सलिले परिपाचितम् ।
यामैकेन प्रवालं तु शुद्धिमायात्यनुत्तमाम् ॥१३२॥
(रसतरङ्गिणी, तरङ्ग २३, १३२)

- | | | |
|----|-----------------------|------------------|
| 1. | Pravāla | Q.S. |
| 2. | Sarji Kā kṣāra salilā | Q.S. for Svedana |

Note: Pravala śākhā can be used in place of Pravala.

Dose

250 mg

Anupāna

Taṇḍulodaka, Gokṣurakaṣāya, Honey, Ikṣurasa, Śatāvarī Kaṣāya

Important Therapeutic Uses

Śoṭha (Inflammation), Kṣayaja Kāsa (Cough due to Pthisis), Prasveda (Excessive sweating), Hṛtkampa (Cardiac fibrillation), Asthiśoṣa (Osteoporosis), Mūtrakṛcchra (Dysuria), Mūtrasāda (Oligouria)

18 : 9 MAṆḌŪRA BHASMA

(Acceptable variety : Rasatarāṅgiṇī, Taraṅga 20: 126)

ग्राह्य मण्डूर

स्निग्धं गुरु दृढं चैव कृष्णं कोटरवर्जितम् ।
जीर्णं नष्टपुरःस्थञ्च मण्डूरं ग्राह्यमुच्यते ॥१२६॥
(रसतरङ्गिणी तरङ्ग २०, १२६)

Śodhana

(Rasatarāṅgiṇī, Taraṅga 20: 127)

शोधन

ध्मातं विभीतकांगारैर्मूत्रे परिषेचितम् ।
सप्तवारं लोहमलं शुद्धिमायात्यनुत्तमाम् ॥१२७॥
(रसतरङ्गिणी तरङ्ग २०, १२७)

- | | | |
|----|----------------------------------|-------------------|
| 1. | Lohamala (Maṇḍūra) | Q.S. |
| 2. | Bibhītakāṅgāra (Bibhītaka) (St.) | Q.S. for for heat |

3. Gomūtra

Q.S. for pariśecana

Note: Instead of Bibhitakāṅgāra any other charcoal can also be used.

Māraṇa

(Rasatarāṅginī, Tārāṅga 20 : 129-130)

मारण

चूर्णीकृतं तु मण्डूरं त्रिफलाक्वथिताम्भसा ।
सम्पेष्य सम्पुटे कृत्वा त्रिंशद्वारं ततः पुटेत् ॥१२९॥
एवं नातिचिरादेव रक्तचन्दनसप्रभम् ।
मण्डूरं जायते तूर्णं ततो योगेषु योजयेत् ॥१३०॥
(रसतरङ्गिणी, तरङ्ग, २०, १२९-१३०)

1. Maṇḍūra- śuddha Q.S.
2. Triphala - kvātha (P.) Q.S for mardana

Special Method of Preparation

Method of Māraṇa: The powder of Śodhita Maṇḍūra is ground in Triphalā Kvātha and cakrikas are prepared. These cakrikas, when dried, are kept in Śārvāva Samputa and subjected to Gaja Puṭa. This process is repeated 30 times. The colour of bhasma will be red

Dose

250 to 500 mg

Anupāna

Honey, Triphāla Kvātha, Punarnavāṣṭaka Kvātha, Punarnava Rasa

Important Therapeutic Uses

Plīhā Vṛddhi (Splenomegaly), Yakṛtvṛddhi (Enlargement of liver (Hepatomegaly)),
Kāmalā (Jaundice), Pāṇḍu (Anaemia), Śōtha (Inflammation), Raktakṣaya (Blood loss)

18 : 10 MUKTĀ BHASMA

(Acceptable variety : Rasatarāṅgiṇī, Taraṅga 23: 64)

ग्राह्य मुक्ता

चन्द्रोद्भासि स्थूलमत्यन्तरम्यं स्निग्धं वृत्तं निर्व्रणं निर्मलं यत् ।
धत्ते न्यस्तं यत्तुलायां गुरुत्वं प्राज्ञैरुक्तं मौक्तिकं तत्तुजात्यम् ॥६४॥
(रसतरङ्गिणी, तरङ्ग २३, ६४)

Śodhana

(Rasatarāṅgiṇī, Taraṅga 23 : 67)

शोधन

जयन्तीस्वरसेनेह दोलायन्त्रे विधानतः ।
यामैकं सततं स्निग्धं मौक्तिकं शुद्धिमाप्नुयात् ॥६७॥
(रसतरङ्गिणी, तरङ्ग २३, ६७)

- | | | |
|----|-------------------------|------------------|
| 1. | Mauktika (Muktā) | Q.S. |
| 2. | Jayantī (Araṇī) svarasa | Q.S. for Svedana |

Note: Even cultured pearls of smaller size can be used.

Māraṇa

(Rasatarṅgiṇī, Taraṅga 23 : 71)

मारण

मुक्ताफलन्तु तरुणीपरिस्त्रुतजलान्वितम् ।
पिष्टं त्रिवारं पुटितं मृतिमाप्नोत्यनुत्तमाम् ।।७१।।
(रसतरंगिणी, तरङ्ग २३, ७१)

1. Mukṭā - śuddha Q.S.
2. Taruṇī pariśruta jala (Śatapatrikā) Q.S. for mardana

Special Method of Preparation

Method of Māraṇa :The Śodhita Mukṭā is ground well in rose water and cakrikas are prepared. This is subjected to Gaka Puṭa three times.

Dose

125 mg

Anupāna

Honey, butter, milk

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kṣaya (Pthisis), Jīrṇajvara (Chronic fever), Pitta Jvara (Fever due to Pitta doṣa), Dantodbhava Jvara (Dentitional fever), Hṛddaurbalya (Weakness of the heart), Manovikāra (Mental disorder)

18 : 11 MUKTĀŚUKTI BHASMA

(Āyurvedaprakāśa, Adhyāya 2)

Śodhana

(Āyurvedaprakāśa, Adhyāya 2: 330)

शोधन

शोधनं शंखवत्तस्य ॥३३०॥

(आयुर्वेदप्रकाश, अध्याय २, ३३०)

- | | | |
|----|------------|------------------|
| 1. | Muktāśukti | 1 Part |
| 2. | Kāñjika | Q.S. for Svedana |

Māraṇa

(Āyurvedaprakāśa, Adhyāya 2 : 330)

मारण

मृतिः प्रोक्ता कपर्दवत् ॥३३०॥

(आयुर्वेदप्रकाश, अध्याय २; ३३०)

- | | | |
|----|----------------------------|--------|
| 1. | Muktāśukti - śuddha | 1 Part |
| 2. | Ghṛtakumārī (Kumārī) (Lf.) | Q.S. |

Note: 1. In some places, it is the tradition to keep the Muktaśukti bhasma in water for one night. Next morning, the water is drained and the bhasma is dried. If causticity persists, this process is repeated further for some days more.

2. Here Kumārī is used as per the tradition.

Special Method of Preparation

Method of MāraṇaThe Śodhita Muktaśukti is burnt on fire. This is powdered and ground with Kumārī Svarasa. Small cakrikas are prepared, dried and kept in a Śarāva Samputa. Two Gaja Puṭas are given.

Dose

250 to 500 mg

Anupāna

Honey, lemon juice

Important Therapeutic Uses

Udaraśūla (Pain in the abdomen), Jvara (Fever), Pitta Jvara (Fever due to Pitta doṣa), Raktaroga (Diseases of blood), Gulma (Abdominal lump), Aruci (Tastelessness), Viṣa (Poison), Agnimāndya (Digestive impairment), Daurbalya (Weakness)

18 : 12 YAŚADA BHASMA

(Acceptable variety : Rasatarṅgiṇī, Taraṅga 19: 95)

ग्राह्य यशद

छेदे समुज्ज्वलं स्निग्धं मृदुलं निर्मलं तथा ।
द्रुतद्रावं महाभारं यशदं ग्राह्यमुच्यते ॥९५॥
(रसतरङ्गिणी, तरङ्ग १९; ९५)

Śodhana

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 11: 2-2 1/2)

शोधन

निषिञ्चेत्तप्ततप्तानि तैले तत्रे च काञ्जिके ॥२॥

गोमूत्रे च कुलत्थानां कषाये च त्रिधा त्रिधा ।
(शाङ्गधरसंहिता, मध्यम खण्ड, अध्याय ११, २-२ १/२)

1.	Yaśada		Q.S.
2.	Taila (Tila)	(Ol.)	Q.S. for nirvapana
3.	Takra		Q.S. for nirvapana
4.	Gomūtra		Q.S. for nirvapana
5.	Kāñjika		Q.S. for nirvapana
6.	Kulattha kaṣāya	(Sd.)	Q.S. for nirvapana

Procedure : As per the Śodhana process of Nāga

Jāraṇa

(Rasataraṅgiṇī, Taraṅga 19: 112-113)

जारण

यशदं विमलं न्यस्य कटाहे गालयेद्भिषक् ।
अपामार्गस्य चूर्णञ्च स्वल्पं स्वल्पं मुहुर्मुहुः ॥११२॥
विनिक्षिपेत् भिषग्वर्यो लोहदर्व्याथ चालयेत् ।
भस्म यावद् भवेत्सम्यक् चूर्णं तावत् समापयेत् ॥११३॥
(रसतरङ्गिणी तरङ्ग १९, ११२-११३)

1.	Yaśada -śuddha		1 Part
2.	Apāmārga- cūrṇa	(Pl.)	Q.S.

Special Method of Preparation

Method of Jāraṇa : The process of Jāraṇa is as per Trivaṅga Jāraṇa.

Māraṇa

(Rasatarāṅgiṇī, Taraṅga 19 : 114-115)

मारण

राशीकृत्य ततो भस्म शरावेण पिधापयेत् ।
ज्वलदङ्गारवर्णं स्याद्यशदं तु तथा चिरम् ॥११४॥
तथा प्रदीपयेदग्निं दिनमेकं भिषक्तमः ।
स्वतःशीतं ततो ज्ञात्वा यशदं मृतमाहरेत् ॥११५॥
(रसतरङ्गिणी, तरङ्ग १९, ११४-११५)

- | | | |
|----|---------------------|---------|
| 1. | Jārita Yaśada cūrṇa | 1 Part. |
| 2. | Kumārī- rasa (Lf.) | Q.S. |

Special Method of Preparation

Method of Māraṇa :As per the Rasāyana Sāra reference appeared in Ayurveda Sāra Saṅgraha, The Jārita Yaśada is ground well with Kumārī Svarasa and small cakrikas are prepared and dried. This is subjected to Gaja Puṭa seven times, till a faint reddish y

Dose

125 mg

Anupāna

Honey, Guḍūcī Svarasa, Trikaṭu Kaṣāya

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Prasveda (Excessive sweating), Rājayakṣmā (Tuberculosis), Prameha (Urinary disorders), Śveta Pradara (Leucorrhoea)

18 : 13 RAJATA BHASMA

(Acceptable variety : Rasatarāṅgiṇī, Taraṅga 16: 2)

ग्राह्य रजत

छेदे निकाषफलके दहने प्रकामं
रम्यञ्च शारदकलाधरमण्डलाभम् ।
नाराचिकाधृतमलं गुरुतामुपेयात्
स्निग्धं तदेव कथितं रजतन्तु जात्यम् ॥२॥
(रसतरङ्गिणी, तरङ्ग १६; २)

Sāmānya Śodhana

(As Per Tāmra)

1.	Rajata - patra	1 Part
2.	Taila (Tila)	(Ol.) Q.S. for nirvapana
3.	Takra	Q.S. for nirvapana
4.	Kāñjika	Q.S. for nirvapana
5.	Gomūtra	Q.S. for nirvapana
6.	Kulattha- kaṣāya	(Sd.) Q.S. for nirvapana

Special Method of Preparation

Method of Śodhana :Rajata Patras are heated and soaked in each of the drugs (No. 2 to 6) separately 3 times.

Viśeṣa Śodhana
(Rasatarāṅgiṇī, Taraṅga 16: 6)

विशेष शोधन

पत्रीकृतं तु रजतं ज्वलने प्रतप्तं
निर्वापयेन्मुनितरोः स्वरसे त्रिवारम् ।
(रसतरङ्गिणी, तरङ्ग १६, ६)

- | | | |
|----|----------------------------------|--------------------|
| 1. | Rajata -śuddha | 1 Part |
| 2. | Munitaru (Agastya) svarasa (Lf.) | Q.S. for nirvapana |

Special Method of Preparation

Method of Viśeṣa Śodhana: Rajata Patras are heated and immersed in Munitaru (Agastya) Svarasa for 3 times.

Māraṇa (A) (First method)
(Rasatarāṅgiṇī, Taraṅga 16 : 17-21)

मारण (क)

कर्षद्वयमितं तारं विशुद्धन्तु समाहरेत् ।
रसेश्वरं तारतुल्यं निर्मलञ्च हरेद्भिषक् ॥१७॥
खल्वे सम्पेक्ष्य यत्नेन पिष्टिकां कारयेत्ततः ।
निम्बूकस्वरसं दत्त्वा दिनमेकं सुपेषयेत् ॥१८॥
ततः प्रक्षालयेत्कामं सलिलेन भिषग्वरः ।
शुद्धं सौगन्धिकं तुल्यं तथैव नटभूषणम् ॥१९॥
निक्षिप्य चाथ सम्पेक्ष्य श्लक्ष्णचूर्णञ्च कारयेत्
शरावसम्पुटे न्यस्य पुटेत्स्वल्पपुटे ततः ॥२०॥

एवं पुटत्रयेणैव रजतं मृतिमाप्नुयात् ।
भस्म सञ्जायते चैवं रक्तोत्पलसमप्रभम् ॥२१॥
(रसतरङ्गिणी, तरङ्ग, १६, १७-२१)

1.	Tāra (Rajata)	24 g
2.	Raseśvara (Pārada) -śuddha	24 g
3.	Nimbūka (Nimbū) - svarasa (Fr.)	QS for mardana
4.	Saugandhika (Gandhaka) - śuddha	24 g
5.	Nata bhūṣaṇa (Haratāla) - śuddha	24 g

Special Method of Preparation

Method of Māraṇa (A) :An amalgam of Rajata Patra and Pārada With Nimbū Svarasa is prepared. The Nimbū is washed away with water. Equal part of Gandhaka is added and ground well, then Haratāla is added, and ground well. Small thin cakrikas are

Māraṇa (B) (Second method)

(Rasatarāṅgiṇī, Taraṅga 16: 37-40)

मारण (ख)

समाहरेत्सुविमलं तारपत्रकणाच्चयम् ।
निम्बूकद्रवसंशुद्धं निरम्लाकृतमिङ्गुलम् ॥३७॥
तारद्विगुणितं दत्वा पिष्ट्वा चूर्णञ्च कारयेत् ।
ऊर्ध्वपातनयन्त्रेण पचेत्पाकविधानवित् ॥३८॥
भूयो भूयः पचेद्यावद्रजतं मृतिमाप्नुयात् ।
अधःस्थं सुमृतं तारं कृष्णाभमतिसुन्दरम् ॥३९॥
आहरेद्दूर्ध्वसंस्थन्तु रसेशञ्चातिनिर्मलम् ।
एवं मृतं चन्द्रलोहं तत्तद्योगेषु योजयेत् ॥४०॥

(रसतरङ्गिणी, तरङ्ग, १६, ३७-४०)

- | | | |
|----|----------------------------------|------------------|
| 1. | Tāra patra kaṇa (Rajata) -śuddha | 1 Part |
| 2. | Hiṅgula - śuddha | 2 Parts |
| 3. | Nimbūka (nimbū) - svarasa | Q.S. for mardana |

Special Method of Preparation

Method of Māraṇa (B) : The Śodhita Hiṅgula (processed in Nimbū Svarasa) is to be washed with water and mixed particles of Rajata and ground well. This is to be kept in Ūrdhva Pātana Yantra and heated for 6 hours. When cooled the pot is opened, and

Dose

125 mg

Anupāna

Citraka Mūla Kaṣāya, Parpaṭaka Kaṣāya, Uśīra Kaṣāya, Brahmī Rasa, Honey

Important Therapeutic Uses

Śoṣa (Cachexia), Dhātu Kṣaya (Tissue wasting), Prameha (Urinary disorders), Madātyaya (Alcoholism), Viṣa (Poison), Jvara (Fever), Pitta Roga (Disease due to Pitta doṣa), Plīhā Roga (Splenic disease), Buddhimāndya (Low intelligence), Garbhāśaya Doṣa (Uterine disorder), Apasmāra (Epilepsy)

Special Precaution

Note: In Mārana (a) three Puṭas are prescribed and in Mārana (b) however as many as fourteen Kukkuṭa Puṭas are given traditionally.

(Acceptable variety : Rasatarāṅgiṇī, Taraṅga 20: 11-12)

ग्राह्य लोह

तीक्ष्णलोहस्य फलकान्यादाय भिषजां वरः ।

रेतयेल्लोहकारैस्तच्चूर्णं शुद्ध्यै प्रयोजयेत् ॥११॥

कृपाणादिविनिर्माणमुख्ययन्त्रालयादितः ।

सुरेतितं तीक्ष्णलोहचूर्णं शुद्ध्यै नियोजयेत् ॥१२॥

(रसतरङ्गिणी, तरङ्ग २०, ११-१२)

Sāmānya Śodhana

(As Per Tāmra)

- | | | |
|----|-------------------------|-----------------------|
| 1. | Loha cūrṇa (Lauha) | 1 Part |
| 2. | Tila- taila (Ol.) | Q.S. for
nirvāpaṇa |
| 3. | Takra | Q.S. for nirvāpaṇa |
| 4. | Kāñjika | Q.S. for nirvāpaṇa |
| 5. | Gomūtra | Q.S. for nirvāpaṇa |
| 6. | Kulattha - kaṣāya (Sd.) | Q.S. for
nirvāpaṇa |

Viśeṣa Śodhana

(Rasatarāṅgiṇī, Taraṅga 20 : 18)

विशेष शोधन

वराकषायसंयुते समे गवान्तु मूत्रके ।
निषेचितं तु सप्तधा त्वयोविशुद्धिमाप्नुयात् ॥१८॥
(रसतरङ्गिणी, तरङ्ग २०; १८)

1.	Loha curna (Lauha) - śuddha		1 Part
2.	Varā (Triphalā) kṣāya	(P.) Q.S. for niṣecana	1 Part
3.	Gomūtra	Q.S. for niṣecana	1 Part

Bhānupāka

(Rasatarāṅgiṇī, Taraṅga 20 : 22-24)

भानुपाक

विमलं खलु लौहन्तु सलिलक्षालितं भिषक् ।
त्रिफलाक्वाथसंयुक्तं ततः खल्वे निधापयेत् ॥२२॥
निदाघे तु निधायाथ भानोः प्रखरभानुभिः ।
शोषयेद्भिषजां वर्यः कुर्यादेवं तु सप्तधा ॥२३॥
भानुपाके लौहतुल्या त्रिफला द्विगुणं जलम् ।
पादावशेषितञ्चाथ वराक्वाथं प्रयोजयेत् ॥२४॥
(रसतरङ्गिणी, तरङ्ग २०, २२-२४)

1.	Loha cūrṇa (Lauha)		1 Part
2.	Triphalā - kvātha	(P.)	1 Part

Special Method of Preparation

Method of Bhānupāka :Triphalā Kvātha is prepared by adding two parts of water and reducing it to 1/4 part of water. Loha is mixed with Triphalā Kvātha and kept under sun till the fluid gets evaporated. This should be repeated 7 times.

Sthālī Pāka

(Rasataraṅgiṇī, Taraṅga 20: 26-28)

स्थालीपाक

भानुपाकविपक्वन्तु लोहं प्रक्षालयेदलम् ।
ततः स्थाल्यां तु विन्यस्य चुल्लिकायां निधापयेत् ॥२६॥
वराक्वाथेन सुपचेदतिवेलं खराग्निना ।
शोषयेत्सलिलं यत्नात् लौहकर्मविचक्षणः ॥२७॥
स्थालीपाके त्रिगुणिता वरा षोडशिकं जलम् ।
अष्टभागावशिष्टञ्च क्वाथमानं विधीयते ॥२८॥
(रसतरङ्गिणी, तरङ्ग २०, २६-२८)

1.	Lauha - bhanu pakva	1 Part
2.	Varā (Triphalā) (P.)	3 Parts
3.	Water for decoction	48 Parts
	reduced to	6 Parts

Special Method of Preparation

Method of Sthālī Pāka :Loha Cūrṇa processed with Bhānupāka is washed with water and kept in a Sthālī and Triphalā Kvātha is added and heated on Tīvrāgni till the moisture evaporates.

Putapāka (Māraṇa)

(Rasatarāṅgiṇī, Tārāṅga 20 : 31 To 39 and 52)

पुटपाक (मारण)

रसादिभिर्भेषजानां खल्वे लौहं विमर्दितम् ।
पुटस्थं पच्यते यस्मात् पुटपाकस्ततः स्मृतः ॥३१॥
स्थालीपाकविपक्वन्तु लोहं प्रक्षालयेत्ततः ।
यथादोषौषधोत्थेन रसेन क्वथितेन वा ॥३२॥
लोहखल्वे सुसम्पेष्य चक्रिकाः कारयेत्ततः ।
आतपे खलु संशोष्य मृच्छरावे तु विन्यसेत् ॥३३॥
शरावेण पिधायाथ दृढं सन्धिं प्रलेपयेत् ।
वनानीतैः करीषैर्वा ह्युत्पलैर्हस्तपिण्डितैः ॥३४॥
पुटेद् गजपुटेनेह पुटपाकक्रियापटुः ।
स्वाङ्गशीतं ततो ज्ञात्वा सम्पुटन्तु समाहरेत् ॥३५॥
पुनः पूर्ववदेवेह दत्त्वा क्वाथोदकं पुनः ।
सम्पेष्य सम्पुटे कृत्वा पुटेत्पुटविधानवित् ॥३६॥
सहस्रवारमथवा शतवारमथापि वा ।
षष्टिवारं पुटेद्वापि लौहं गुणविवृद्धये ॥३७॥
गुणोदयो भवत्येवं पुटनादुत्तरोत्तरम् ।
एवं पुटविपक्वन्तु लोहं सुमृतिमाप्नुयात् ॥३८॥
पुटपाके वरादीनि यथादोषौषधानि तु ।
लोहतुल्यानि गुह्णीयात् पुटपाककलापटुः ॥३९॥
त्रिफलापुटितं लौहं सर्वत्र विनियोजयेत् ॥५२॥
(रसतरङ्गिणी, तरङ्ग २०, ३१-३९ और ५२)

- | | | |
|----|-----------------------|-------------------|
| 1. | Loha (Lauha) - śuddha | 1 Part |
| 2. | Triphalā (P.) | 1 Part |
| 3. | Water for decoction | 2 Parts |
| | reduced to | 1/4 part of water |

Special Method of Preparation

Method of Puṭapāka : Loha Cūrṇa processed with Sthālī Pāka is washed with water and mixed with Triphalā Kvātha and ground well. Thin flat cakrikās are prepared, dried and placed in Śarāva Samputa. The Sandhī is sealed, dried and subjected to Gaja Puṭa.

Amṛtīkaraṇa

(Āyurvedaprakāśa, Adhyāya 3: 280-280 1/2)

अमृतीकरण

द्विगुणे त्रिफलाक्वाथे तुल्ये पिष्ट्वाऽप्ययोरजः ॥२८०॥

विपचेन्मध्यपाकेन सर्वव्याधिजरापहम् ।

(आयुर्वेदप्रकाश, अध्याय ३, २८०-२८०१/२)

1.	Ayoraja (Lauha) bhasma	1 Part
2.	Triphalā (P.)	1 Part
3.	Water for decoction	8 Parts
	reduced to	2 Parts

Special Method of Preparation

Method of Amṛtīkaraṇa :Triphalā Kvātha is added to Lauha Bhasma and heated for six hours or till the fluid evaporates and kept in glass containers.

Dose

120 to 250 mg

Dose

120 to 250 mg

Anupāna

Honey, Ghee, Trikaṭu Cūrṇa, Triphalā Cūrṇa, Harīdrā Rasa

Important Therapeutic Uses

Atīsāra (Diarrhoea), Śūla (Colicky Pain), Amlapitta (Dyspepsia), Udararoga (Ascites), Kāmalā (Jaundice), Pāṇḍu (Anaemia), Kṛmi (Helminthiasis/Worm infestation), Medodoṣa (Disorder of adipose tissue), Prameha (Urinary disorders), Plīhā Roga (Splenic disease), Śoṭha (Inflammation), Śvāsa (Dyspnoea/Asthma), Kuṣṭha (Diseases of skin)

18 : 15 VAṄGA BHASMA

(Acceptable variety : Rasatarāṅgiṇī, Taraṅga 18: 3)

ग्राह्य वंग

मृदुलं निर्मलञ्चैव चन्द्रलोहसमप्रभम् ।
द्रुतद्रावञ्च निःशब्दं खुरकं समुदीरितम् ॥३॥
(रसतरङ्गिणी, तरङ्ग १८, ३)

Sāmānya Śodhana

(Śārṅgadharasamhitā, Madhyamakhaṇḍa, Adhyāya 11 : 2-2 1/2)

सामान्य शोधन

निषिञ्चेत्तप्ततप्तानि तैले तत्रे च काञ्जिके ॥२॥
गोमूत्रे वै कुलत्थानां कषाये च त्रिधा त्रिधा ।
(शाङ्गधरसंहिता, मध्यमखण्ड, अध्याय ११;२-२१/२)

1.	Vaṅga	Q.S.	
2.	Taila (Tila)	(Ol.)	Q.S. for nirvāpaṇa 3 times
3.	Takra		Q.S. for nirvāpaṇa 3 times
4.	Gomūtra		Q.S. for nirvāpaṇa 3 times

- | | | | | |
|----|-----------------|-------|--------------------|---------|
| 5. | Kāñjika | | Q.S. for nirvāpaṇa | 3 times |
| 6. | Kulattha kaṣāya | (Sd.) | Q.S. for nirvāpaṇa | 3 times |

Special Method of Preparation

Method of Sāmānya Śodhana: As per the Śodhana process of Nāga.

Viśeṣa Śodhana

(Rasataraṅgiṇī, Taraṅga 18 : 11)

विशेष शोधन

वङ्गकं द्रावितं सिन्दुवारद्रवे रात्रियुक्तं त्रिधा चेह निर्वापयेत् ।
 शेषकर्माचरेत् पूर्वमार्गेण वै शुक्रलोहं द्रुतं याति शुद्धि पराम् ॥११॥
 (रसतरङ्गिणी, तरङ्ग १८;११)

- | | | | |
|----|------------------------------------|-------|--------------------|
| 1. | Vaṅga | | Q.S. |
| 2. | Sinduvāra drava (Nirguṇḍī) Svarasa | (Lf.) | Q.S. for nirvāpaṇa |
| 3. | Rātri (Haridrā) | (Rz.) | Q.S. for nirvāpaṇa |

Special Method of Preparation

Method of Viśeṣa Śodhana : The melted Vaṅga is poured in the pot containing Sinduvāra Rasa and Haridrā Cūrṇa and Śodhana is done as for Nāga.

Jāraṇa (A)

(Āyurvedaparakāśa, Adhyāya 3 : 177-178)

जारण (क)

मृत्पात्रे द्राविते वङ्गे चिञ्चाश्वत्थत्वचो रजः ॥१७७॥

क्षिप्त्वा वङ्गचतुर्थांशमयोदर्व्या प्रचालयेत् ।

ततो द्वियाममात्रेण वङ्गभस्म प्रजायते ॥१७८॥

(आयुर्वेदप्रकाश, अध्याय ३, १७७-१७८)

- | | | |
|----|-------------------------------------|----------|
| 1. | Vaṅga -śuddha | 1 Part |
| 2. | Ciñcā - Tvakraja cūrṇa (St.Bk.) | 1/4 Part |
| 3. | Aśvattha - tvak raja cūrṇa (St.Bk.) | 1/4 Part |

Special Method of Preparation

Method of Jāraṇa (A) : As per the Jāraṇa process of Nāga given in 18:7

Jāraṇa (B)

(Rasāmṛta, Adhyāya 3: 88-93 1/2)

जारण (ख)

शुद्धं वङ्गं क्षिपेल्लौहे कटाहे सुदृढे भिषक् ।

तदधो ज्वालयेदग्निं द्रुते वङ्गे क्षिपेत् पुनः ॥८८॥

अपामार्गचतुर्थांशं चूर्णं संचालयेदिदम् ।

स्थूलाग्रया लोहदर्व्या यावद् भस्म प्रजायते ॥८९॥

चूर्णप्रक्षेपणं कार्यं स्वल्पं स्वल्पं मुहुर्मुहुः ।

ततः शरावपिहितं स्थापयेत्तत्र तद्भिषक् ॥९०॥

रजः सर्वं ततोऽधस्तात् कुर्यादग्निं तु तीव्रकम् ।

यावदङ्गारवर्णं तद्रजः समुपजायते ॥९१॥

स्वाङ्गशीते ततो ग्राह्यं मारणाय रजःशुभम् ।

कुक्कुटाण्डकपालानां मुक्ताशुक्त्यास्तथैव च ॥९२॥

चूर्णं पलाशपुष्पाणां वटाश्वत्थत्वचां तथा ।
 एषामेकैकयोगेन वङ्गचूर्णं प्रकारयेत् ॥९३॥
 स्वरसेन कुमार्यास्तु वर्याः क्षीरसरेण वा ।
 (रसामृत, अध्याय ३, ८८-९३ १/२)

- | | | |
|----|--------------------------------|----------|
| 1. | Vaṅga- śuddha | 1 Part |
| 2. | Apāmārga cūrṇa (Pl.) | 1/4 Part |
| 3. | Kukkuṭāṇḍa- kapāla raja | 1/4 Part |
| | or | |
| | Muktāśukti - raja | |
| | or | |
| | Palāśa - puṣpa cūrṇa (Fl.) | |
| | or | |
| | Vaṭa- tvak cūrṇa (St.Bk.) | |
| | or | |
| | Aśvattha - tvak cūrṇa (St.Bk.) | |

Special Method of Preparation

Method of Jāraṇa (B) As per the Jāraṇa process for Nāga.

Māraṇa (A)

(Āyurvedaprakāśa, Adhyāya 3 : 179-180)

मारण (क)

अथ भस्मसमं तालं क्षिप्त्वाऽम्लेन विमर्दयेत् ।
 ततो गजपुटे पक्त्वा पुनरम्लेनमर्दयेत् ॥१७९॥
 तालेन दशमांशेन याममेकं ततः पुटेत् ।
 एवं दशपुटैः पक्वं वङ्ग भवति मारितम् ॥१८०॥

(आयुर्वेदप्रकाश, अध्याय ३, १७९-१८०)

- | | | |
|----|-------------------------|-------------------|
| 1. | Vaṅga -śuddha, jārita | 1 Part |
| 2. | Tāla (Haritāla) śuddha | 1 Part |
| 3. | Amla (Nimbū) nīra (Fr.) | Q.S. for mardhana |

Note: The jārita Vaṅga is processed for Chalanā and used for Māraṇa.

Special Method of Preparation

Method of Māraṇa (A) :Jārita Vaṅga is mixed with Haritāla Cūrṇa and ground well in Nimbū Rasa. Small thin cakrikās are prepared dried and placed in Śārāva Samputa, and Ardha Gaja Puṭa is given. This process is repeated 10 times. One fourth part of Harat

Māraṇa (B)

(Rasāmṛta, Adhyāya 3: 94-94 1/2)

मारण (ख)

स्वरसेन कुमार्यास्तु वर्याः क्षीरसरेण वा ।
विमर्द्य चक्रिकाः कृत्वा ह्यर्धभाख्ये पुटे पचेत् ॥९४॥
एवं सप्तपुटैर्वङ्गं मृतं भवति निश्चितम् ।
(रसामृत, अध्याय ३, ९४-९४ १/२)

- | | | |
|----|-------------------------------------|-------------------|
| 1. | Vaṅga- jārita | 1 Part |
| 2. | Kumārī- svarasa (Lf.) | Q.S. for mardhana |
| | or | |
| | Varī (Satāvarī) - svarasa (Rt.) | Q.S. for mardhana |
| | or | |
| | Kṣīra sāra (Godugdha) - cream layer | Q.S. for mardhana |

Special Method of Preparation

Method of Māraṇa (B) :The Jārita Vaṅga is ground with the prescribed drug and small thin cakrikas are prepared and dried. This is kept in Śarvāva Sampuṭa and subjected to Ardha Gaja Puṭa. This process is repeated 7 times.

Dose

125 to 250 mg

Anupāna

Guḍūcī Svarasa Or Sattva, Honey, Ghee, Harīdrārasa

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Kapharoga (Disease due to Kapha doṣa), Medodoṣa (Disorder of adipose tissue), Prasveda (Excessive sweating), Kṣaya (Pthisis), Pāṇḍu (Anaemia), Kṛmi (Helminthiasis/Worm infestation), Prameha (Urinary disorders), Garbhāśayacyuti (Uterine prolapse), Śveta Pradara (Leucorrhoea), Raktapradara (Menorrhagia or Metrorrhagia or both), Agnimāndya (Digestive impairment), Aruci (Tastelessness), Buddhimandatā (Low intelligence), Vraṇa (Ulcer), Svapnadoṣa (Nocturnal emission)

18 : 16 VAJRA BHASMA

(Acceptable variety : Rasatarāṅginī, Taraṅga 23: 6)

ग्राह्य वज्र (हीरक)

स्निग्धं विद्युद्भिन्नं स्वच्छमलेख्यं च विलेखनम् ।
तीक्ष्णं षट्कोणमष्टास्रं जात्यं हीरकमुच्यते ॥६॥
(रसतरंगिणी, तरंग २३, ६)

Śodhana

(Rasaratnasamuccaya, Adhyāya 4 : 35)

कुलत्थक्वाथके स्विन्नं कोद्रवक्वथितेन वा ।
एकयामावधिस्विन्नं वज्रं शुध्यति निश्चितम् ॥
(रसरत्नसमुच्चय, अध्याय ४; ३५)

- | | | |
|----|-------------------|------------------------|
| 1. | Vajra (Hīraka) | Q.S. |
| 2. | Kulattha - kvātha | (Sd.) Q.S. for svedana |
| | or | |
| | Kodrava - kvātha | (Sd.) |

Nīrvāpaṇa (Vajrodana)

(Rasaratnasamuccaya, Adhyāya 4: 36-37)

निर्वापण

वज्रं मत्कुणरक्तेन चतुर्वारं विभावितम् ।
सुगन्धिमूषिकामांसैर्वर्तितैः परिवेष्ट्य च ॥३६॥
पुटेत्पुटैर्वराहाख्यैस्त्रिंशद्वारं ततः परम् ।
ध्मात्वा ध्मात्वा शतं वारान्कुलत्थक्वाथके क्षिपेत् ।
अन्यैरुक्तः शतं वारान्कर्तव्योऽयं विधिः क्रमात् ॥३७॥
(रसरत्नसमुच्चय, अध्याय ४, ३६-३७)

- | | | |
|----|-----------------|------------------------------------|
| 1. | Vajra - śodhita | Q.S. |
| 2. | Kulattha kvātha | (Sd.) Q.S. for nīrvāpaṇa 100 times |

Māraṇa

(Rasāmṛta, Adhyāya 8: 8-9)

मारण

हीरकं रससिन्दूरं शिलां गन्धं च तालकम् ॥८॥
कुलत्थक्वाथसम्पिष्टं त्रिदिनं कृतगोलकम् ।
संशुष्कं तु शरावस्थं रुद्धं गजपुटैः पचेत् ।
चतुर्दशपुटैरेवं हीरकं मृतिमाप्नुयात् ॥९॥
(रसामृत, अध्याय ८; ८-९)

1.	Hīraka - śuddha	1 Part
2.	Rasa Sindūra (Pārada)	1 Part
3.	Śilā (Manahśilā) - śuddha	1 Part
4.	Gandha (Gandhaka) - śuddha	1 Part
5.	Tālaka (Haritāla) - śuddha	1 Part
6.	Kulattha - kvātha (Sd.)	1 Part

Special Method of Preparation

Method of Māraṇa : Drugs 2 to 5 are added with Śodhita Vajra and ground well in Kulattha Kvātha for three days. One big cakrikā is prepared and kept in Śarāva Samputa, Gaja Puṭa is given. This process is repeated 14 times.

Dose

8 mg.

Anupāna

Honey, Santānikā

Important Therapeutic Uses

Udara (Diseases of abdomen / enlargement of abdomen), Pāṇḍu (Anaemia), Medodoṣa (Disorder of adipose tissue), Prameha (Urinary disorders), Śoṭha (Inflammation), Rājayakṣmā (Tuberculosis), Netraroga (Eye disorder), Valmīka Arbuda (Malignant growth (Cancer))

18 : 17 VAIKRĀNTA BHASMA

(Acceptable variety : Rasataraṅginī, Taraṅga 23: 157)

ग्राह्य वैक्रान्त (रत्न)

अष्टास्रमष्टफलकं सितपीतासितारुणम् ।
मसृणं गुरु षट्कोणं वैक्रान्तं जात्यमुच्यते ॥१५७॥
(रसतरङ्गिणी, तरङ्ग २३, १५७)

Śodhana

(Rasaratnasamuccaya, Adhyāya 2: 64)

शोधन

कुलत्थक्वाथसंस्विन्नो वैक्रान्तः परिशुद्ध्यति ।
(रसरत्नसमुच्चय, अध्याय २, ६४)

- | | | |
|---------|-------------------|----------------|
| 1. | Vaikrānta | 1 Part |
| 2. | Kulattha - kvātha | (Sd.) Q.S. for |
| svedana | | |

Māraṇa

(Rasaratnasamuccaya, Adhyāya 2: 64)

मारण

प्रियतेऽष्टपुटैर्गन्धनिम्बुकद्रवसंयुतः ॥६४॥
(रसरत्नसमुच्चय, अध्याय २, ६४)

- | | | |
|----|-----------------------------|------------------|
| 1. | Vaikrānta - śuddha | 1 Part |
| 2. | Gandha (Gandhaka) | 1 Part |
| 3. | Nimbūka drava (Nimbū) (Fr.) | Q.S. for mardana |

Special Method of Preparation

Method of Māraṇa : The Gandhaka is added to Śodhita Vaikrānta and triturated well with Nimbū Raṣa. Small thin cakrikās are prepared, dried and kept in Śarāva Sampuṭa. Ardha Gaja Puṭa is given. The process is repeated 8 times.

Dose

62.5 mg

Anupāna

Honey, Ghee

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Pāṇḍu (Anaemia), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Arśa (Haemorrhoids), Uraḥkṣata (Chest wound / injured chest/ disease of lungs), Rājayaḥmā (Tuberculosis)

18 : 18 ŚAṆKHA BHASMA

(Acceptable variety : Rasatarāṅgiṇī Taraṅga 12: 2)

ग्राह्य शङ्ख

वृत्तः स्निग्धः सूक्ष्ममुखो निर्मलश्चेन्दुसुन्दरः ।
दीर्घकायो गुरुश्चापि शङ्खः श्रेष्ठः प्रकीर्तितः ॥२॥
(रसतरङ्गिणी, तरङ्ग १२, १०)

Śodhana

(Rasatarāṅgiṇī, Taraṅga 12 : 10)

शोधन

काञ्जिकेन पचेच्छंखं दोलायन्त्रे भिषग्वरः ।
क्षालयेच्चोष्णतोयेन शंखः शुद्धिमवाप्नुयात् ॥१०॥
(रसतरङ्गिणी, तरङ्ग १२, १०)

- | | | |
|----|---------|------------------|
| 1. | Śaṅkha | 1 Part |
| 2. | Kāñjika | Q.S. for svedana |

Special Method of Preparation

Method of Śodhana: Small pieces of Śaṅkha are bundled in a piece of cloth. Svedana in Dolā Yantra With Kāñjika is given for three hours. When cool, The Śaṅkha pieces are washed with warm water.

Mārāṇa

(Rasatarāṅgiṇī, Taraṅga 12: 17-19)

मारण

शुद्धशङ्खस्य खण्डानि शरावे स्थापयेत्सुधीः ।
शरावेण पिधायथ यत्नात्सन्धिं प्रलेपयेत् ॥१७॥
आतपे त्वथ संशोष्य पुटेद् गजपुटे भिषक् ।
स्वतः शीतं समुद्धृत्य खल्वे सञ्चूर्णयेद् भिषक् ॥१८॥
चूर्णितञ्चाथ विज्ञाय सम्पुटस्थं ततः पुटेत् ।
एवं पुटद्वयेनैव शङ्खको मृतिमाप्नुयात् ॥१९॥
(रसतरङ्गिणी, तरङ्ग १२, १७-१९)

1. Śaṅkha- śuddha

1 Part

Special Method of Preparation

Method of Māraṇa1: Śodhita Śaṅkha is placed in Śaravā Samputa. Sandhi Lepa is done and dried, and Gaja Puṭa is given. This process is repeated twice. Note : 1. Kumārī rasa or Nimbū rasa to be used for bhāvanā. 2. The Śaṅkha bhasma is kept in water for

Dose

250 to 300 mg

Anupāna

Nimbū Svarasa, Triphalā Kvātha

Important Therapeutic Uses

Ajīrṇa (Dyspepsia), Agnimāndya (Digestive impairment), Grahaṇī (Malabsorption syndrome), Amlapitta (Dyspepsia), Pariṇāma Śūla (Duodenal ulcer), Yakṛplīhāvṛddhi (Enlargement of liver and spleen), Viṣa (Poison)

18 : 19 ŚRĀṅGA BHASMA

(Acceptable variety : Rasatarāṅgiṇī, Taraṅga 12: 104)

ग्राह्य शृङ्ग

कीटानुपहतं दीर्घं भाराढ्यं सुदृढं तथा ।
अनेकशृङ्गं संयुक्तं मृगशृङ्गं वरं मतम् ॥१०४॥
(रसतरङ्गिणी, तरङ्ग १२; १०४)

Śodhana

(Rasatarāṅgiṇī, Taraṅga 12: 104 1/2)

शोधन

मृगशृङ्गं समादाय करपत्रेण कर्तयेत् ।
(रसतरङ्गिणी, तरङ्ग १२, १०४ १/२)

- | | | |
|----|--------------------|---------------------|
| 1. | Śṛṅga (Mṛga śṛṅga) | 1 Part |
| 2. | Uṣṇodaka | Q.S. for prakṣālana |

Māraṇa

(Rasatarāṅgiṇī, Taraṅga 12: 105-107)

मारण

मृगशृङ्गं समादाय करपत्रेण कर्तयेत् ।
खण्डशः कारयित्वा च त्वङ्गाराग्नौ दहेत्ततः ॥१०५॥

सुदग्धञ्चाथ विज्ञाय खल्वे सञ्चूर्णयेद्भिषक् ।
रविदुग्धेन सम्पेष्य चक्रिकाः कारयेत्ततः ॥१०६॥
शरावसम्पुटान्तःस्थं पुटेत्तीव्राग्निना भिषक् ।
त्रिवारं पुटनादेणविषाणं मृतिमाप्नुयात् ॥१०७॥
(रसतरङ्गिणी, तरङ्ग १२, १०५-१०७)

- | | | |
|----|-------------------------|------------------|
| 1. | Mṛgaśṛṅga - śuddha | 1 Part |
| 2. | Ravi dugdha (Arka) (L.) | Q.S. for mardana |

Special Method of Preparation

Method of Māraṇa: Small pieces of Śṛṅga are burnt well on cow dung fire. The pieces are powdered and triturated well with ravi Dugdha. Small cakrikās are prepared and dried. These cakrikās are kept in Śarāva Sampuṭa and Gaja Puṭa is given. This is re

Dose

250 to 500 mg

Anupāna

Ghee, honey

Important Therapeutic Uses

Hikkā (Hiccup), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Uraṣṭoya (Pleural effusion/ Hydrothorax), Hṛtśūla (Angina pectoris)

18 : 20 SVARṆA BHASMA

(Acceptable variety : Rasatarāṅgiṇī, Taraṅga 15: 11)

बालारुणारुणमलं ज्वलनप्रतप्तं

शाणोपले घुसृणचूर्णसमानवर्णम् ।
नाराचिकाधृतमलं गुरुतामुपेयात्
स्निग्धं तदेव कनकं कथितं तु जात्यम् ॥११॥
(रसतरङ्गिणी, तरङ्ग १५; ११)

Sāmānya Śodhana

(As Per Tāmra)

ग्राह्य स्वर्ण सामान्य शोधन (ताम्रवत्)

1.	Svarṇa		Q.S.
2.	Taila (Tila)	(Ol.)	Q.S. for nirvapana
3.	Takra		Q.S. for nirvapana
4.	Kāñjika		Q.S. for nirvapana
5.	Gomūtra		Q.S. for nirvapana
6.	Kulattha - kaṣāya	(Sd.)	Q.S. for nirvapana

Viśeṣa Śodhana

(not needed)

विशेष शोधन (आवश्यक नहीं)

न तु शुद्धस्य हेम्नश्च शोधनं कारयेद्भिषक् ।
अन्येषामेव लोहानां शोधनं कारयेद्भिषक् ॥
(रसप्रकाशसुधाकर, अध्याय ४)

Māraṇa

(Rasendrasārasaṅgraha, Adhyāya 1: 255-256)

मारण

शुद्धसूतं समं स्वर्णं खल्वे कृत्वा तु गोलकम् ।
ऊर्ध्वाधो गन्धकं दत्वा सर्वतुल्यं निरुध्य च ॥२५५॥
त्रिंशद्वनोपलैर्दद्यात् पुटान्येवं चतुर्दश ।
निरुत्थं जायते भस्म गन्धो देयः पुनः पुनः ॥२५६॥
(रसेन्द्रसारसङ्ग्रह, अध्याय १, २५५-२५६)

- | | | |
|----|------------------------|---------|
| 1. | Svarṇa - śuddha | 1 Part |
| 2. | Sūta (Pārada) - śuddha | 1 Part |
| 3. | Gandhaka - śuddha | 3 Parts |

Special Method of Preparation

Method of Māraṇa (A) :In Śuddha Pārada, Śodhita Svarṇa is added and triturated to make a bolus. Half the quantity of Gandhaka is kept in a Śarāva and Svarṇa Golaka is kept on it. The Golaka is covered with another Śarāva. Sandhi Lepa of Śarāva Samputa

Māraṇa (B)

मारण (ख)

शुद्धस्वर्णभवं चूर्णं तत्समं श्वेतमल्लकम् ॥१६॥
काञ्चनारद्रवैर्मर्द्यं तुलसीस्वरसैस्तथा ।
विधाय चक्रिकां शुष्कां ततो लघुपुटे पचेत् ॥१७॥
द्वितीयादिपुटे देयं मल्लं पादमितं बुधैः ।
अरुणाभं भवेद्भस्म हेम्नस्तु दशभिः पुटैः ॥१८॥
(रसामृत, अध्याय ३; १६-१८)

1.	Svarṇa - śuddha	1 Part
2.	Śveta mallaka (Malla)	1 Part
3.	Kāñcanāra - drava (St. Bk.)	Q.S. for mardhana
4.	Tulasī- svarasa (Pl.)	Q.S. for mardhana

Special Method of Preparation

Method of Māraṇa (B) :Śveta Malla is added to Śodhita Svarṇa and triturated well with Kāñcanāra Kvātha for a day and Tulasī Svarasa for a day. Small thin cakrikas prepared and dried. These cakrikās are kept in Śarāva Samputa, Sandhi Lepa is done, and

Dose

15.5 to 62.5 mg

Anupāna

Honey, butter.

Important Therapeutic Uses

1st Variety of Māraṇa (a):, Grahaṇī (Malabsorption syndrome), Amlapitta (Dyspepsia), Hikkā (Hiccup), Pāṇḍu (Anaemia), Śvāsa (Dyspnoea/Asthma), Jvara (Fever),

Dhātu Kṣaya (Tissue wasting), Rājayakṣmā (Tuberculosis), Buddhikṣaya (Impaired intelligence), Apasmāra (Epilepsy), Snāyudaurbalya (Rupture of ligaments), Hṛdroga (Heart disease), Vātaroga (Disease due to Vāta doṣa), Śarīra Varṇa Hāni (Change in body complexion), Phiraṅga (Syphilis), Viṣa (Poison), Smṛtihāni (Loss of memory), Unmāda (Mania/Psychosis), Svarabheda (Hoarseness of voice), 2nd Variety of Māraṇa (b):, Kuṣṭha (Diseases of skin), Unmāda (Mania/Psychosis), Rājayakṣmā (Tuberculosis), Jarā (Senility/Progeriasis), Viṣa (Poison), used as Rasāyana, Vājīkara, Medhya, Smṛtivarḍhaka (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties, Aphrodisiac, Brain Tonic / Nootropic, Improves memory)

Special Precaution

Note: For preparing Svarṇa Bhasma, always Laghu Puṭa is advised.

18 : 21 SVARṆAMĀKṢIKA BHASMA

(Acceptable variety : Rasaratnasamuccaya, Adhyāya 3: 4)

ग्राह्य स्वर्णमाक्षिक

स्निग्धं गुरु श्यामलकान्ति किञ्चित् कषे सुवर्णद्युतिसुप्रकाशम् ।
कोणोज्झितं स्वर्णसमानवर्णं सुवर्णमाक्षिकमिह प्रशस्तम् ॥४॥
(रसतरङ्गिणी, तरङ्ग २१, ४)

Śodhana

(Rasatarāṅgiṇī, Taraṅga 21: 7-11)

शोधन

सुवर्णमाक्षिकं लौहखल्वे तु खलु कुट्टयेत् ।
सुकुट्टितं ततो ज्ञात्वा चालन्यां परिचालयेत् ॥७॥
ततो माक्षिकचूर्णन्तु चालनीपरिगालितम् ।

समादाय कटाहे तु स्थापयेद्भिषजां वरः ॥८॥
निम्बूकस्वरसं दत्वा पचेच्चुल्लीगतं ततः ।
दर्व्या सञ्चालयेत्तावद्यावत्स्यादुत्पलप्रभम् ॥९॥
ताप्यं तु यावल्लौहित्यं नैति तावत्प्रयत्नतः ।
पुनर्निम्बूरसं दत्वा पचेत्तीव्राग्नियोगतः ॥१०॥
भृशं दिनत्रयं वापि द्विदिनं वा विधानतः ।
पाचितं माक्षिकं नूनं शुद्धिमायात्यनुत्तमाम् ॥११॥
(रसतरङ्गिणी, तरङ्ग २१, ७-११)

- | | | |
|----|-------------------------------|--------------|
| 1. | Suvarṇa māṅṣika (Māṅṣika) | 1 Part |
| 2. | Nimbūka svarasa (Nimbū) (Fr.) | Q.S. svedana |

Special Method of Preparation

Method of Śodhana :The svarṇa Māṅṣika is powdered and sieved. The powder is placed in an iron pan and Nimbūka Svarasa is added and heated. It is to be stirred continuously till the moisture has evaporated. The Svarṇa Māṅṣika is pink in colour and it tak

Māraṇa (A)

(Rasatarāṅgiṇī, Taraṅga 21 : 19-10)

मारण (क)

ताप्यं निम्ब्वम्लसम्पक्वं पुनर्निम्बूकवारिणा ।
सम्पेष्य सम्पुटस्थन्तु पुटयेत् कृतचक्रिकम् ॥१९॥
एवं दशपुटैरेव पञ्चतामेति माक्षिकम् ।
रक्तोत्पलदलच्छायं जायते चातिशोभनम् ॥२०॥
(रसतरङ्गिणी, तरङ्ग २१, १९-२०)

- | | | |
|----|------------------------------------|-----------------|
| 1. | Suvarṇa māṅṣika (Māṅṣika) - śuddha | 1 Part |
| 2. | Nimbūka vāri (Nimbū) - svarasa | Q.S for mardana |

Special Method of Preparation

Method of Māraṇa (A) :The Śuddha Svarṇa Māṅṣika is ground well with Nimbū Rasa in a khalva and small thin cakrikas are placed in a Śārāva Sampuṭa and subjected to Varāha Puṭa 10 times.

Māraṇa (B)

(Rasendrasārasaṅgraha, Adhyaya 1 : 211-212)

मारण विधि (ख)

माक्षिकस्य चतुर्थांशं गन्धं दत्त्वा विमर्दयेत् ।
 उरुबूकस्य तैलेन ततः कुर्यात्सुचक्रिकाम् ॥२११॥
 शरावसम्पुटे कृत्वा पुटेद् गजपुटेन तु ।
 सिन्दूराभं भवेद् भस्म माक्षिकस्य न संशयः ॥२१२॥
 (रसेन्द्रसारसंग्रह, अध्याय १; २११-२१२)

- | | | |
|----|------------------------------------|------------------|
| 1. | Suvarṇa māṅṣika (Māṅṣika) - śuddha | 1 Part |
| 2. | Gandha (Gandhaka) | 1/4 Part |
| 3. | Urubūka (Eraṇḍa) - taila (Ol.) | Q.S. for mardana |

Special Method of Preparation

Method of Māraṇa (A) :The Śuddha Svarṇa Māṅṣika is ground well with Eraṇḍa Taila. Small thin cakrikas are prepared. These cakrikās are placed in a Śārāva Sampuṭa and

subjected to Gaja Puṭa 10 times¹. Each time Gandhaka should be added 1/4 part.

Dose

125 to 250 mg

Anupāna

Honey

Important Therapeutic Uses

Pāṇḍu (Anaemia), Śoṭha (Inflammation), Prameha (Urinary disorders), Jīṛṇajvara (Chronic fever), Rājayakṣmā (Tuberculosis), Anidrā (Insomnia), Apasmāra (Epilepsy), Rajahḥkṛcchra (Scanty menstruation (Oligomenorrhea)), Kuṣṭha (Diseases of skin), Arśa (Haemorrhoids), Kṛmi (Helminthiasis/Worm infestation)

18 : 22 HARITĀLA BHASMA

(Acceptable variety : Rasaratnasamuccaya, Adhyāya 3: 71)

(ग्राह्य हरिताल)

स्वर्णवर्णं गुरु स्निग्धं तनुपत्रं च भासुरम् ।
तत्पत्रतालकं प्रोक्तं बहुपत्रं रसायनम् ॥७१॥
(रसरत्नसमुच्चय, अध्याय ३, ७१)

Śodhana

(Rasaratnasamuccaya, Adhyāya 3: 75)

शोधन

स्विन्नं कूष्माण्डतोये वा तिलक्षारजलेऽपि वा ।

तोये वा चूर्णसंयुक्ते दोलायन्त्रेण शुद्ध्यति ॥७५॥

- | | | |
|----|-------------------------|------------------|
| 1. | Haratāla (Haritāla) | 1 Part |
| 2. | Kūṣmāṇḍa - toya (Fr.) | Q.S. for svedana |
| | or | |
| | Tila - kṣāra jala (Pl.) | |
| | or | |
| | Cūrṇa toya (cūrṇodaka) | |

Mārāṇa

(Āyurvedaprakāśa, Adhyāya 2: 184-187)

मारण

पत्राख्यं तालकं शुद्धं पौनर्नवरसेन तु ।
खल्वे विमर्दयेदेकं दिनं पश्चाद्विशोषयेत् ॥१८४॥
संशोष्य गोलकं कृत्वा चक्राकारमथापि वा ।
ततः पुनर्नवाक्षारैः स्थाल्यामर्धं प्रपूरयेत् ॥१८५॥
तत्र तद्गोलकं कृत्वा पुनस्तेनैव पूरयेत् ।
स्थालीं चुल्यां समारोप्य क्रमाद्वह्निं विवर्धयेत् ॥१८६॥
दिनान्यन्तरशून्यानि पञ्च वह्निं प्रदीपयेत् ।
एवं तन्म्रियते तालं मात्रा तस्यैकरक्तिका ॥१८७॥
(आयुर्वेदप्रकाश, अध्याय २, १८४-१८७)

- | | | |
|----|--|-----------------------|
| 1. | Patrākhyā tāla (Haritāla) śuddha | 1 Part |
| 2. | Punarnavā - rasa (Rakta Punarnavā) (Pl.) | Q.S. for mardhana |
| 3. | Punarnavā- kṣāra (Rakta Punarnavā) (Pl.) | Q.S. for yantrapurana |

Special Method of Preparation

Method of Māraṇa :The Śodhita Haratāla is ground well in Punarnavā Svarasa for seven days and one cakrikā of the entire quantity is prepared. The cakrika is dried. Half of Punarnavā Kṣāra is filled in a copper Sthālī and the cakrikā is placed over i

Dose

31 1/4 to 125 mg

Anupāna

Honey, butter.

Pathya, Apathya

Pathya : Śaṣṭyodana, cow milk

Important Therapeutic Uses

Udara (Diseases of abdomen / enlargement of abdomen), Pāṇḍu (Anaemia), Vātaroga (Disease due to Vāta doṣa), Nāḍīvrāṇa (Fistula), Apasmāra (Epilepsy), Raktavikāra (Disorders of blood), Vātarakta (Gout), Visarpa (Erysipelas), Kuṣṭha (Diseases of skin), Arśa (Haemorrhoids), Bhagandara (Fistula-in-ano), Rājayakṣmā (Tuberculosis), Śvitra (Leucoderma/Vitiligo), Visphoṭa (Blister), Dadru (Taeniasis), Pāmā (Eczema), Vicarcikā (Eczema)

19. MAṆḌŪRA

Definition

These are preparations containing Śodhita Maṇḍūra along with other drugs.

Method of preparation

Maṇḍūra is purified by a special method (the text is given under the first preparation) and boiled in Gomūtra till it becomes a rasakriyā (a paste). Then the powders mentioned in the yogas are added and stirred well. While warm, Vatakas are prepared. This can be kept in powder form also.

Characteristics and preservation

These emit a strong smell of Gomūtra and are dark in colour. These preserve their potency indefinitely. These should be kept away from moisture.

1	PUNARNAVĀDI MAṆḌŪRA	Carakasamhitā, Cikitsāsthāna, Adhyāya 16	93-95
2	MAṆḌŪRA VATAKA	Aṣṭāṅgahrdaya, Cikitsāsthāna, Adhyāya 16	16-19 1/2

19 : 1 PUNARNAVĀDI MAṆḌŪRA

(Carakasamhitā, Cikitsāsthāna, Adhyāya 16: 93-95)

पुनर्नवा त्रिवृद् व्योषविडङ्गं दारु चित्रकम् ॥९३॥
कुष्ठं हरिद्रे त्रिफला दन्ती चव्यं कलिङ्गकाः ।
पिप्पली पिप्पलीमूलं मुस्तं चेति पलोन्मितम् ॥९४॥
मण्डूरं द्विगुणं चूर्णाद् गोमूत्रे द्वाढके पचेत् ।
कोलवद् गुटिकाः कृत्वा तक्रेणालोड्य ना पिबेत् ॥९५॥
ताः पाण्डुरोगान् प्लीहानमर्शासि विषमज्वरम् ।
श्वयथुं ग्रहणीदोषं हन्युः कुष्ठं क्रिमींस्तथा ॥९६॥
(चरकसंहिता, चिकित्सास्थान, अध्याय १६, ९३-९६)

1.	Punarnavā (Rakta Punarnavā) (Rt.)	48 g
2.	Trivṛt (Rt.)	48 g
3.	Śunthī (Rz.)	48 g

4.	Marica	(Fr.)	48 g
5.	Pippalī	(Fr.)	48 g
6.	Vidaṅga	(Fr.)	48 g
7.	Dāru (Devadāru)	(Ht.Wd.)	48 g
8.	Citraka	(Rt.)	48 g
9.	Kuṣṭha	(Rt.)	48 g
10.	Haridrā	(Rz.)	48 g
11.	Dāruharidrā	(St.)	48 g
12.	Harītakī	(P.)	48 g
13.	Bibhītaka	(P.)	48 g
14.	Āmalakī	(P.)	48 g
15.	Dantī	(Rt.)	48 g
16.	Cavya	(St.)	48 g
17.	Kaliṅgaka (Kuṭaja)	(Sd.)	48 g
18.	Pippalī	(Fr.)	48 g
19.	Pippalī mūla	(Rt.)	48 g
20.	Mustā	(Rz.)	48 g
21.	Maṇḍūra bhasma		1.920 kg
22.	Gomūtra		6.144 l.

Śodhana

(Rasataṅgiṇī, Taraṅga 20: 127)

शोधन

ध्मातं विभीतकाङ्गारैर्गोमूत्रे परिषेचितम् ।
सप्तवारं लोहमलं शुद्धिमायात्यनुत्तमाम् ॥१२७॥
(रस तरङ्गिणी तरङ्ग २०, १२७)

- | | | |
|----|--------------------|------|
| 1. | Lohamala (Maṇḍūra) | Q.S. |
|----|--------------------|------|

- | | | |
|----|----------------------------------|---------------------|
| 2. | Bibhītakaṅgāra (Bibhītaka) (St.) | Q.S. for heat |
| 3. | Gomūtra | Q.S. for Pariśecana |

Special Method of Preparation

Maṇḍūra should be boiled in Gomūtra. When it becomes thick and Pasty, other Cūrṇas are added and stirred well and pills are prepared.

Dose

1 g

Anupāna

Buttermilk, water

Important Therapeutic Uses

Pāṇḍu Roga (Anaemia), Grahaṇī (Malabsorption syndrome), Śōtha (Inflammation), Plīhā Roga (Splenic disease), Viṣamajvara (Intermittent fever), Arśa (Haemorrhoids), Kuṣṭha (Diseases of skin), Kṛmi (Helminthiasis/Worm infestation)

19 : 2 MAṆḌŪRA VAṬAKA

(Aṣṭāṅgahr̥daya, Cikitsāsthāna, Adhyāya 16: 16-19 1/2)

ताप्यं दाव्यास्त्वचं चव्यं ग्रन्थिकं देवदारु च ॥१६॥
 व्योषादिनवकं चैतच्चूर्णयेद् द्विगुणं ततः ।
 मण्डूरं चाञ्जननिभं सर्वतोऽष्टगुणेऽथ तत् ॥१७॥
 पृथग्विपक्वे गोमूत्रे वटकीकरणक्षमे ।
 प्रक्षिप्य वटकान्कुर्यात्तान्खादेत्तक्रभोजनः ॥१८॥
 एते मण्डूरवटकाः प्राणदाः पाण्डुरोगिणाम् ।
 कुष्ठान्यजरकं शोफमूरुस्तम्भमरोचकम् ॥१९॥
 अर्शासि कामलां मेहान् प्लीहानं शमयन्ति च ।

(अष्टाङ्गहृदय, चिकित्सास्थान, अध्याय १६; १६-१९ १/२)

1.	Tāpya (Mākṣika) bhasma		1 Part
2.	Dārvī (Dāruharidrā)	(St.)	1 Part
3.	Cavya	(St.)	1 Part
4.	Granthika (Pippalīmūla)	(Rt.)	1 Part
5.	Devadāru	(Ht. Wd.)	1 Part
6.	Nāgarā (Śunthī)	(Rz.)	1 Part
7.	Marica	(Fr.)	1 Part
8.	Pippalī	(Fr.)	1 Part
9.	Agni (Citraka)	(Rt.)	1 Part
10.	Vella (Viḍaṅga)	(Fr.)	1 Part
11.	Harītakī	(P.)	1 Part
12.	Dhātrī (Āmalakī)	(P.)	1 Part
13.	Bibhītaka	(P.)	1 Part
14.	Mustā	(Rz.)	1 Part
15.	Maṇḍūra bhasma		28 Parts
16.	Gomūtra		336 Parts

Special Method of Preparation

Fine powder of Shodhita Mandura is taken.

Dose

1 g.

Anupāna

Buttermilk, Honey

Pathya, Apathya

Rice and Butter milk

Important Therapeutic Uses

Pāṇḍu (Anaemia), Aruci (Tastelessness), Śoṭha (Inflammation), Ūrustambha (Stiffness in thigh muscles), Prameha (Urinary disorders), Arśa (Haemorrhoids), Kuṣṭha (Diseases of skin), Ajīrṇa (Dyspepsia), Kāmalā (Jaundice), Plīhā Roga (Splenic disease)

20. RASA YOGA

Definition

Preparations containing mineral drugs as main ingredients are called Rasa Yogas. They may be in pill form. They are mixed and triturated together.

Method of preparation

Drugs such as Abhraka, Mākṣika, Svarṇa, Rajata, Tāmra, Kāṁsya etc. are used only in bhasma form in these preparations. Drugs such as Gandhaka, Manaḥśīla etc. are used in purified form. Where Rasa and Gandhaka are drugs, Kajjalī is prepared first with these two and then only other drugs are added in small quantities and ground in the khalva itself and mixed well. Bhāvanā with the prescribed Svarasa, Kvātha etc. should be given to this for a prescribed period.

Characteristics and preservation

The colour and smell depend on the drugs in the yogas. They keep their potency indefinitely, unless otherwise prescribed.

1	AMLAPITTĀNTAKA RASA	Rasendrasārasaṅgraha, Amlapittacikitsā	1	1
2	AŚVAKAṆCUKĪ RASA	Rasayogasāgara, 66	1065-6 7	2
3	ĀNANDABHAIRAVA RASA	Rasendrasārasaṅgraha, Jvarādhikara, Adhyāya 2	103-10 5	3
4	ĀROGYAVARDHINĪ GUṬIKĀ	Rasaratnasamuccaya, Visarpādicikitsā; Adhyāya 20	106-11 2	4
5	ICCHĀBHEDI RASA	Bhaiṣajyaratnāvalī, Udararogādhikāra	84-85	5
6	EKĀṄGAVĪRA RASA	Bṛhat Rasarājasundara	Page 458	6
7	KARPŪRA RASA	Bhaiṣajyaratnāvalī, Atīśārādhikāra	125 - 126	7

8	KAPHAKETU RASA	Rasendrasārasaṅgraha, Kapharogacikitsā	30 - 32	8
9	KUMĀRAKALYĀṆA RASA	Bhaiṣajyaratnāvalī, Bālarogādhikāra	163-16 6	9
10	KṚMIMUDGARA RASA	Rasendrasārasaṅgraha, Kṛmicikitsā	14	10
11	GAGANASUNDARA RASA	Bhaiṣajyaratnāvalī, Jvarāt īśārādhikāra	52-54	11
12	BRĤAT GARBHACINTĀMANI RASA	Rasendrasārasaṅgraha, S ūtikārogacikitsā	20-22	12
13	CATURBHUJA RASA	Rasendrasārasaṅgraha, Unmādacikitsā	20-26	13
14	CATURMUKHA RASA	Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra	464-46 8	14
15	CANDRAKALĀ RASA	Yogarātnākara; Mūtrakṛcchracikitsā	Page 543	15
16	CANDRĀMṚTA RASA	Rasāmṛta, Rasayogavijnānīya, Adhyāya 9	64-67	16
17	CINTĀMAṆICATURMUKHA RASA	Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra	477-48 0	17
18	JVARĀRYABHRA	Bhaiṣajyaratnāvalī, Jvarādhikāra	921-92 4	18
19	TARUNĀRKA RASA	Basavarājīyam, Jvaracikitsā		19
20	TRIBHUVANAKĪRTI RASA	Rasāmṛta, Adhyāya 9	80-81	20
21	NAVARATNARĀJAMṚGĀNKA RASA	Yogarātnākara, Rājayaṣmācikitsā	Page 330	21
22	NĀGAVALLABHA RASA	Yogarātnākara, Kāsacikitsā	Page 358-35 9	22
23	PRABHĀKARA RASA	Bhaiṣajyaratnāvalī, Jvarādhikāra	641	23
24	BRĤAT KASTŪRĪBHAIKARA	Bhaiṣajyaratnāvalī, Jvarādhikāra	723-73	24

	RASA		0	
25	BR̥HAT NR̥PAVALLABHA RASA	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	533-53 7	25
26	BR̥HAT VĀTACINTĀMAṆI RASA	Bhaiṣajyaratnāvalī, Vātavyādhyadhikāra	502-50 5	26
27	MAHĀ LAKṢMĪVILĀSA RASA	Rasendrasārasaṅgraha, Kapharogacikitsā	17-29	27
28	MAHĀ VĀTAGAJĀṆKUŚA RASA	Rasendrasārasaṅgraha, Vātavyādhicikitsā	13-14	28
29	MUKTĀPAÑCĀMṚTA RASA	Rasāmṛta, Rasayogavijnāniya 9	137-13 9	29
30	MṚTYUÑJAYA RASA	Bhaiṣajyaratnāvalī, Jvarādhikāra	409-41 8	30
31	YOGENDRA RASA	Bhaiṣajyaratnāvalī, Vātavyādhyadhikāra	506-51 2	31
32	RATNAGIRI RASA	Bhaiṣajyaratnāvalī, Jvarādhikāra	433-43 8	32
33	RASAMĀṆIKYA	Siddhabhaiṣajyamaṇimāla, Jvaraprakaraṇa	66	33
34	RASARĀJA RASA	Bhaiṣajyaratnāvalī, Vātavyādhyadhikāra	470-47 6	34
35	RĀJAMṚGĀṆKA RASA	Rasendrasārasaṅgraha, Yakṣmācikitsā	3 - 7	35
36	LAGHU MĀLINĪVASANTA RASA	Yogarātnākara, Jvarādhikāra	Page 211	36
37	LAGHVĀNANDA RASA	Rasendrasārasaṅgraha, Pāṇḍukāmalācikitsā	44-46	37
38	LAKṢMĪNĀRĀYAṆA RASA	Yogarātnākara, Vātavyādhicikitsā	Page 470	38
39	LAKṢMĪVILĀSA RASA	Bhaiṣajyaratnāvalī,	55-68	39

	(NĀRADĪYA)	Rasāyanādhikāra		
40	LOKANĀTHA RASA	Rasendrasāra Saṅgraha, Plīha Cikitsā	2 - 5	40
41	VASANTA MĀLATĪ RASA	Siddhabhaiṣajyamaṇimāla, Jvaraprakaraṇa	60-62	41
42	VASANTAKUSUMĀKARA RASA	Rasendrasārasaṅgraha, Rasāyanavāj īkaraṇādhikāra	80-85	42
43	VĀTAKULĀNTAKA RASA	Bhaiṣajyaratnāvalī, Apasmārādhikāra	40-43	43
44	VĀTARAKTĀNTAKA RASA	Bhaiṣajyaratnāvalī, Vātaraktādhikāra	119-12 3	44
45	VĀTAVIDHVAM SANA RASA	Yogarasnākara, Vātavyādhicikitsā	Page 468-46 9	45
46	VĀTĀRI RASA	Bhāvaprakāśa, Vātavyādhyaadhikāra	360-36 4	46
47	VĀRISOṢAṆA RASA	Bhaiṣajyaratnāvalī, Udararogādhikāra	129-14 4	47
48	ŚRĪNṚPATIVALLABHA RASA	Bhaiṣajyaratnāvalī, Grahaṇ īrogādhikāra	523-53 2	48
49	ŚVĀSAKUṬHĀRA RASA	Yogarasnākara, Śvāsacikitsā	Page 373	49
50	SIDDHAPRĀṆEŚVARARASA	Bhaiṣajyaratnāvalī, Jvarātisarādhikāra	44-48	50
51	SVARṆABHŪPATI RASA	Yogarasnākara, Rājayaṣṁācikitsā	Page 332	51
52	SŪTASEKHARA RASA	Yogarasnākara; Amlapittacikitsā	Page 705	52
53	SŪCIKĀBHARAṆA RASA	Rasendrasārasaṅgraha, Jvarādhikāra	145-14 6	53

54	SŪTIKĀBHARAṆA RASA	Bhāratabhaiṣajyaratnākara	Page 8267	54
55	HRDAYĀRṆAVA RASA	Rasendrasārasaṅgraha, H rdrogacikitsā	1-3	55

20 : 1 AMLAPITTĀNTAKA RASA

(Rasendrasārasaṅgraha, Amlapittacikitsā: 1)

मृतसूताभ्रलोहानां तुल्यां पथ्यां विमर्दयेत् ।
माषमात्रं लिहेत् क्षौद्रैरम्लपित्तप्रशान्तये ॥१॥
(रसेन्द्रसारसङ्ग्रह, अम्लपित्तचिकित्सा, १)

- | | | |
|----|----------------------------------|---------|
| 1. | Mṛta sūta (Pārada) - Rasasindūra | 1 Part |
| 2. | Mṛtābhra (Abhraka) - bhasma | 1 Part |
| 3. | Mṛta loha (Lauha bhasma) | 1 Part |
| 4. | Pathyā (Harītakī) (P.) | 3 Parts |

Dose

250 to 500 mg

Anupāna

Honey

Important Therapeutic Uses

Amlapitta (Dyspepsia)

20 : 2 AŚVAKAṆCUKĪ RASA

(Rasayogasāgara, 66: 1065-67)

पारदं टङ्कणं गन्धं विषं व्योषं फलत्रयम् ।

तालकं जयपालं च समं सर्वं विचूर्णयेत् ॥१०६५॥
मर्दयेद् भृङ्गनीरेण भावना तु त्रिसप्तधा ।
गुञ्जामात्रां वटीं कृत्वा छायायां शोषयेद् बुधः ॥१०६६॥
शृङ्गवेररसैः सार्धं वटीमेकां प्रयोजयेत् ।
अश्वकञ्चुकिराख्याता श्वासे कासे ज्वरे तथा ।
यथारोगानुपानेन सर्वत्र विजयप्रदा ॥ १०६७ ॥
(रसयोगसागर २६६; १०६५-१०६७)

1.	Pārada-śuddha	1 Part
2.	Taṅkaṇa-śuddha	1 Part
3.	Gandhaka - śuddha	1 Part
4.	Viṣa (Vatsanābha) - śuddha (Rt. Tr.)	1 Part
5.	Śuṇṭhī (Rz.)	1 Part
6.	Marica (Fr.)	1 Part
7.	Pippalī (Fr.)	1 Part
8.	Harītakī (P.)	1 Part
9.	Bibhītaka (P.)	1 Part
10.	Āmalakī (P.)	1 Part
11.	Tālaka (Haritāla) - śuddha	1 Part
12.	Jayapāla -śuddha (Enm.)	1 Part
13.	Bhṛṅganīra (Bhṛṅgarāja) Svarasa (Pl.)	Q.S. for bhavana

Special Method of Preparation

The drugs are put in a khalva and Bhāvanā is done for 21 days with Bhṛṅgarāja Svarasa and made into pills and dried in shade.

Dose

125 mg

Anupāna

Honey, Ādraka Rasa, Tāmbūla Rasa, cold water

Important Therapeutic Uses

Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Vibandha (Constipation), Jvara (Fever)

20 : 3 ĀNANDABHAIRAVA RASA

(Rasendrasārasaṅgraha, Jvarādhikara, Adhyāya 2: 103-105)

हिङ्गुलञ्च विषं व्योषं मरिचं टङ्कणं कणा ।
जातीकोषसमं चूर्णं जम्बीरद्रवमर्दितम् ।
रक्तिमानां वटीं कुर्यात् खादेदारद्रकसंयुताम् ॥१०३॥
वटीद्वयं त्रयं वाऽपि संन्निपाते सुदारुणे ।
ज्वरमष्टविधं हन्ति तथाऽतीसारनाशनः ॥१०४॥
जीर्णज्वरहरश्चैव तथा सर्वाङ्गभेदकः ।
आमवातादिरोगान् च नाशयेदविकल्पतः ॥१०५॥
(रसेन्द्रसारसङ्ग्रह, ज्वराधिकार, १०३-१०५)

1.	Hiṅgula-śuddha		1 Part
2.	Viṣa (Vatsanābha) -śuddha	(Rt.Tr.)	1 Part
3.	Śuṇṭhī	(Rz.)	1 Part
4.	Pippalī	(Fr.)	2 Parts
5.	Marica	(Fr.)	2 Parts
6.	Taṅkana-śuddha		1 Part
7.	Jātikoṣa (Jātīphala)	(Ar.)	1 Part
8.	Jambīra drava (Nimbū) Svarasa	(Fr.)	Q.S. for mardana

Dose

250 mg

Anupāna

Ardraka Svarasa, Honey

Important Therapeutic Uses

Jvara (Fever), Jvarātīśāra (Diarrhoea with fever), Āmavāta (Rheumatism), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Aśmarī (Calculus), Prameha (Urinary disorders), Mūtrakṛcchra (Dysuria)

20 : 4 ĀROGYAVARDHINĪ GUṬIKĀ

(Rasaratnasamuccaya, Visarpādicikitsā; Adhyāya 20: 106-112)

रसगन्धकलोहाभ्रशुल्बभस्म समांशकम् ।
 त्रिफला द्विगुणा प्रोक्ता त्रिगुणञ्च शिलाजतु ॥१०६॥
 चतुर्गुणं पुरं शुद्धं चित्रमूलं च तत्समम् ।
 तिक्ता सर्वसमा ज्ञेया सर्वं सञ्चूर्ण्य यत्नतः ॥१०७॥
 निम्बवृक्षदलाम्भोभिर्मर्दयेद्दिद्वदिनावधि ।
 ततश्च वटिका कार्या राजकोलफलोपमा ॥१०८॥
 मण्डलं सेविता सैषा हन्ति कुष्ठान्यशेषतः ।
 वातपित्तकफोद्भूताञ्ज्वरान्नानाप्रकारजान् ॥१०९॥
 देया पञ्चदिने जाते ज्वरे रोगे वटी शुभा ।
 पाचनी दीपनी पथ्या हृद्या मेदोविनाशिनी ॥११०॥
 मलशुद्धिकरी नित्यं दुर्धर्षक्षुत्प्रवर्तिनी ।
 बहुनात्र किमुक्तेन सर्वरोगेषु शस्यते ॥१११॥
 आरोग्यवर्धनी नाम्ना गुटिकेयं प्रकीर्तिता ।
 सर्वरोगप्रशमनी श्रीनागार्जुनयोगिना ॥११२॥
 (रसरत्नसमुच्चय, विसर्पादिचिकित्सा, अध्याय २०, १०६-११२)

1.	Rasa (Pārada) - śuddha	1 Part
2.	Gaṇdhaka - śuddha	1 Part
3.	Lauha - bhasma	1 Part
4.	Abhra (Abhraka) - bhasma	1 Part
5.	Śulva (Tāmra)-bhasma	1 Part
6.	Harītakī (P.)	2 Parts
7.	Bibhītaka (P.)	2 Parts

8.	Āmalakī	(P.)	2 Parts
9.	Śilājatu - śuddha		3 Parts
10.	Purā (Guggulu) - śuddha		4 Parts
11.	Citra (Eraṇḍa)	(Rt.)	4 Parts
12.	Tiktā (Kaṭukā)	(Rt./Rz.)	22 Parts
13.	Nimba vṛkṣa dalāmbha (Nimba) svarasa	(Lf.)	Q.S. (for mardana) two days

Dose

250 to 500 mg

Anupāna

Ārdraka Svarasa, Honey, Nimba Svarasa, water, milk.

Important Therapeutic Uses

Jīrṇajvara (Chronic fever), Medodoṣa (Disorder of adipose tissue), Kuṣṭha (Diseases of skin), Yakṛtvikāra (Disorder of liver)

20 : 5 ICCHĀBHEDI RASA

(Bhaiṣajyaratnāvalī, Udararogādhikāra: 84-85)

शुण्ठीमरिचसंयुक्तं रसगन्धकटङ्कणम् ।
जैपालास्त्रिगुणाः प्रोक्ताः सर्वमेकत्र पेषयेत् ॥८४॥
इच्छाभेदीद्विगुञ्जः स्यात्सितया सह पाययेत् ।
यावन्तश्चुल्लुकाः पीतास्तावद्वेगाद् विरेचयेत् ॥
तक्रौदनञ्च दातव्यमिच्छाभेदी यथेच्छया ॥८५॥
(भैषज्यरत्नावली, उदररोगाधिकार; ८४-८५)

1.	Śuṇṭhi	(Rz.)	1 Part
2.	Marica	(Fr.)	1 Part

3.	Rasa (Pārada) - śuddha	1 Part
4.	Gandhaka - śuddha	1 Part
5.	Taṅkaṇa - śuddha	1 Part
6.	Jayapāla -śuddha (Enm.)	3 Parts

Dose

250 mg

Anupāna

Cold water

Important Therapeutic Uses

Ānāha (Distension of abdomen due to obstruction to passage of urine and stools),
Udararoga (Ascites)

20 : 6 EKĀṄGAVĪRA RASA

(Bṛhat Rasarājasundara: Page 458)

शुद्धं गंधं मृतं सूतं कान्तं वङ्गं सनागकम् ।
ताम्रं चाभ्रं मृतं तीक्ष्णं नागरं मरिचं कणा ॥
सर्वमेकत्र सञ्चूर्ण्य भावयेच्च पृथक्त्रयम् ।
वराव्योषकनिर्गुण्डीवह्निमार्कवजैर्द्रवैः ॥
शिग्रुकुष्ठद्रवेणापि मनोधात्र्या द्रवेण च ।
विषमुष्ठ्यर्कहाटैश्च आर्द्रकस्य रसैस्तथा ॥
रसैश्चैकाङ्गवीरोऽसौ सुसिद्धो रसराट् भवेत् ।
पक्षाघातं चार्दितं च धनुर्वातं तथैव च ॥
अर्द्धाङ्गं गृध्रसी चापि विश्वाचीमपवाहुकम् ।
सर्ववातामयान्हन्ति सत्यं सत्यं न संशयः ॥
(बृहत् रसराजसुन्दर पृष्ठ ४५८)

1.	Gandha- (Gandhaka) - śuddha	1 Part
----	-----------------------------	--------

2.	Mṛta sūta (Pārada) - Rasasindūra		1 Part
3.	Kāñta lauha (Lauha) - bhasma		1 Part
4.	Vaṅga - bhasma		1 Part
5.	Nāga - bhasma		1 Part
6.	Tāmra - bhasma		1 Part
7.	Abhra (Abhraka) - bhasma		1 Part
8.	Tīkṣṇa (Lauha) -bhasma		1 Part
9.	Nāgara (śuñthī)	(Rz.)	1 Part
10.	Marica	(Fr.)	1 Part
11.	Kaṇā (Pippalī)	(Fr.)	1 Part
12.	Varā drava (Triphalā) - Kvātha	(P.)	Q.S.
	bhavana 3 days		
13.	Vyoṣa drava (trikaṭu) - Kvātha		Q.S. bhavana 3
	days		
	Śuñthī	(Rz.)	
	Pippalī	(Fr.)	
	Marica	(Fr.)	
14.	Nirguṇḍī Kvātha	(Lf.)	Q.S. bhavana
	3 days		
15.	Vahni drava (Citraka) -Kvātha	(Rt.)	Q.S. bhavana 3
	days		
16.	Mārkavaja drava (Bhṛṅgarāja) - svarasa	(Pl.)	Q.S. bhavana 3
	days		
17.	Śigru - svarasa	(Lf.)	Q.S. bhavana 3
	days		
18.	Kuṣṭha - Kvātha	(Rt.)	Q.S. bhavana
	3 days		
19.	Dhātrī drava (Āmalakī) - svarasa	(Fr.)	Q.S. bhavana
	3 days		

20.	Visamuṣṭī - śuddha -Kvātha	(Enm.)	Q.S. bhavana
	3 days		
21.	Arka -Kvātha	(Rt./Lf.)	Q.S. bhavana
	3 days		
22.	Haṭa (Dhattūra) -rasa	(Lf.)	Q.S. bhavana
	3 days		
23.	Ārdraka - rasa	(Rz.)	Q.S. bhavana
	3 days		

Dose

125-375 mg

Anupāna

Ārdraka Svarasa

Important Therapeutic Uses

Pakṣāghāta (Paralysis/Hemiplegia), Ardita (Facial palsy), Dhanurvāta (Tetanus / Plenosthotonus), Vātaroga (Disease due to Vāta doṣa), Gṛdhrasī (Sciatica), Viśvācī (Brachial neuralgia)

20 : 7 KARPŪRA RASA

(Bhaiṣajyaratnāvalī, Atīśārādhikāra: 125 - 126)

हिङ्गुलमहिफेनञ्च मुस्तकेन्द्रयवं तथा ।
जातीफलं च कर्पूरं सर्वं सम्मर्द्य यत्नतः ॥१२५॥
जलेन वटिका कार्या द्विगुञ्जापरिमाणतः ।
ज्वरातिसारिणे चैव तथातीसाररोगिणे ।
ग्रहणीषट्प्रकारे च रक्तातीसार उल्बणे ॥१२६॥
(भैषज्यरत्नावली, अतिसाराधिकार, १२५-१२६)

1. Hiṅgula - śuddha

1 Part

2.	Ahiphena - śuddha		1 Part
3.	Mustā	(Rz.)	1 Part
4.	IndraYava (Kuṭaja)	(Sd.)	1 Part
5.	Jātīphala	(Sd.)	1 Part
6.	Karpūra	(Sub. Ext.)	1 Part

Dose

125 mg

Anupāna

Honey, Mustā Kaṣāya

Important Therapeutic Uses

Jvarātīsāra (Diarrhoea with fever), Pakvātīsāra (Chronic diarrhoea), Raktapravāhikā (Bacillary dysentery)

20 : 8 KAPHAKETU RASA

(Rasendrasārasaṅgraha, Kapharogacikitsā: 30 - 32)

टङ्कणं मागधी शङ्खं वत्सनाभं समं समम् ।
 आर्द्रकस्य रसेनैव भावयेद्विसत्रयम् ॥३०॥
 गुञ्जामात्रं प्रदातव्यमार्द्रकस्य रसेन वै ।
 पीनसं श्वासकासञ्च गलरोगं गलग्रहम् ॥३१॥
 दन्तरोगं कर्णरोगं नेत्ररोगं सुदारुणम् ।
 सन्निपातं निहन्त्याशु कफकेतुरसोत्तमः ॥३२॥
 (रसेन्द्रसारसङ्ग्रह, कफरोगचिकित्सा, ३०-३२)

1.	Tankaṇa - śuddha		1 Part
2.	Māgadhī (Pippalī)	(Fr.)	1 Part
3.	Śaṅkha - bhasma		1 Part
4.	Vatsanābha - śuddha	(Rt.Tr.)	1 Part

5. Ārdraka rasa

Q.S. (for bhavana)

Dose

125 mg

Anupāna

Ārdraka Svarasa

Important Therapeutic Uses

Pīnasa (Chronic rhinitis/sinusitis), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Ūrdhvāṅga Roga (Disorders of Head and brain), Gala Roga (Diseases of throat), Galagraha (Difficulty in swallowing), Danta Roga (Disease of tooth), Karṇa Roga (Disease of ear), Netraroga (Eye disorder)

20 : 9 KUMĀRAKALYĀṆA RASA

(Bhaiṣajyaratnāvalī, Bālarogādhikāra: 163-166)

सिन्दूरं मौक्तिकं हेम व्योमाग्नौ हेममाक्षिकम् ।
कन्यातोयेन सम्मर्द्य कुर्यान्मुद्गमिता वटीः ॥१६३॥
वटिकां वटिकार्द्धं वा वयोऽवस्थां विविच्य च ।
क्षीरेण सितया सार्द्धं बालेषु विनियोजयेत् ॥१६४॥
कुमाराणां ज्वरं श्वासं वमनं पारिगर्भिकम् ।
ग्रहदोषांश्च निखिलान् स्तन्यस्याग्रहणं तथा ॥१६५॥
कामलामतिसारञ्च कृशकां वह्निवैकृतम् ।
रसः कुमारकल्याणो नाशयेन्नात्र संशयः ॥१६६॥
(भैषज्यरत्नावली, बालरोगाधिकारः; १६३-१६६)

- | | |
|-----------------------------------|--------|
| 1. Sindūra (Pārada) - Rasasindūra | 1 Part |
| 2. Mauktika (Muktā) - bhasma | 1 Part |
| 3. Hema (Svarṇa) - bhasma | 1 Part |
| 4. Vyoma (Abhraka) - bhasma | 1 Part |

5.	Ayas (Lauha) - bhasma	1 Part
6.	Hemamākṣika (Mākṣika) - bhasma	1 Part
7.	Kanya toya (Kumārī) - rasa (Lf.)	Q.S. (for Mardana)

Dose

62.5 mg

Anupāna

Milk, honey, Sitā

Important Therapeutic Uses

Bāla Roga (Diseases of children), Atīśāra (Diarrhoea), Kāmalā (Jaundice), Jvara (Fever), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Phakka Roga (Ricketts), Pārigarbhika Roga (Kwashiorkor), Stanyadveṣa (Aversion to breast milk), Graha Doṣa (Psychosis), Kṛśatā (Emaciation/Cachexia), Agni Vikṛti (Impaired digestion)

20 : 10 KṚMIMUDGARA RASA

(Rasendrasārasaṅgraha, Kṛmicikitsā: 14)

क्रमेण वृद्धं रसगन्धकाजमोदाविडङ्गं विषमुष्टिका च ।
पलाशबीजञ्च विचूर्ण्यमस्य निष्कप्रमाणं मधुनाऽवलीढम् ॥१४॥
पिबेत् कषायं घनजं तदूर्ध्वं रसोऽयमुक्तः क्रिमिमुद्गाराख्यः ।
क्रिमिं निहन्यात्क्रिमिजांश्च रोगान् सन्दीपयत्यग्निमयं त्रिरात्रात् ॥१५॥
(रसेन्द्रसारसङ्ग्रह, कृमिचिकित्सा, १४-१५)

1.	Rasa (Pārada) - śuddha	3 g
2.	Gandhaka - śuddha	6 g
3.	Ajamodā (Fr.)	9 g
4.	Viḍaṅga (Fr.)	12 g
5.	Viṣamuṣṭikā (Viṣamuṣṭī) - śuddha (Enm.)	15 g

6. Palāśa

(Sd.)

18 g

Dose

250 to 500 mg

Anupāna

Honey and Mustā Kaṣāya

Important Therapeutic Uses

Gaṇḍūpada Kṛmi Roga (Ascariasis), Agnimāndya (Digestive impairment)

20 : 11 GAGANASUNDARA RASA

(Bhaiṣajyaratnāvalī, Jvarātīśārādhikāra: 52-54)

टङ्कणं दरदं गन्धमभ्रकञ्च समं समम् ।
दुग्धिकाया रसेनैव भावयेच्च दिनत्रयम् ॥५२॥
द्विगुञ्जं मधुना देयं श्वेतसर्जस्य वल्लकम् ।
विविधं नाशयेद्रक्तं ज्वरातीसारमुल्वणम् ॥५३॥
पथ्यं तक्रं पयश्छागमामशूलं विनाशयेत् ।
अग्निवृद्धिकरो ह्येष रसो गगनसुन्दरः ॥५४॥
(भैषज्यरत्नावली, ज्वरातीसाराधिकार; ५२-५४)

- | | |
|----------------------------|---------------------------------|
| 1. Taṅkaṇa-śuddha | 1 Part |
| 2. Darada (Hiṅgula)-śuddha | 1 Part |
| 3. Gandhaka - śuddha | 1 Part |
| 4. Abhraka-bhasma | 1 Part |
| 5. Dugdhikā-rasa | Q.S. for bhāvanā for three days |

Dose

250 mg

Anupāna

Honey and Sarjarasa

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Āmaja Śūla (Intestinal colic due to indigestion), Jvarātīśāra (Diarrhoea with fever), Raktasrāva (Haemorrhage)

20 : 12 BRĤAT GARBHACINTĀMANI RASA

(Rasendrasārasaṅgraha, Sūtikāroga-chikitsā: 20-22)

सूतं गन्धस्तथा स्वर्णं लौहं रजतमाक्षिके ।
हरितालं वङ्गभस्माप्यभ्रकं समभागकम् ॥२०॥
भावना खलु दातव्या रसैरेषां पृथक् पृथक् ।
ब्राह्मीवासाभृङ्गराजपर्पटीदशमूलकैः ॥२१॥
सप्तधा भावयेद्वैद्यो गुञ्जामानां वटीं चरेत् ।
गर्भचिन्तामणिरसं पूर्ववद्गुणकारः ॥२२॥
(रसेन्द्रसारसङ्ग्रह, सूतिकारोगचिकित्सा, २०-२२)

1.	Sūta (Pārada)-śuddha	12 g
2.	Gandhaka - śuddha	12 g
3.	Svarṇa-bhasma	12 g
4.	Lauha-bhasma	12 g
5.	Rajata-bhasma	12 g
6.	Mākṣika-bhasma	12 g
7.	Haritāla-śuddha	12 g
8.	Vaṅga-bhasma	12 g
9.	Abhraka-bhasma	12 g
10.	Brāhmī-rasa	(Pl.) Q.S. for bhavana 7 times
11.	Vāsā-rasa	(Lf.) Q.S. for bhavana 7 times

12.	Bhṛṅgarāja-rasa	(Pl.)	Q.S. for bhavana	7 times
13.	Parpatī (Parpata)-rasa	(Pl.)	Q.S. for bhavana	7 times
14.	Daśamūlaka -rasa		Q.S. for bhavana	7 times
	Bhṛhat pancamūla	(Rt./St. Bk.)		
	Laghu pancamūla	(Pl.)		

Dose

250 mg

Anupāna

Honey

Important Therapeutic Uses

Pradara (Excessive vaginal discharge), Garbhiṇī Dāha (Burning sensation during pregnancy), Garbhiṇī Jvara (Pyrexia during pregnancy), Sūtikāroga (Post partum disorder puerperal disorders)

20 : 13 CATURBHUJA RASA

(Rasendrasārasaṅgraha, Unmādacikitasā: 20-26)

मृतसूतस्य भागौ द्वौ भागैकं हेमभस्मकम् ।
 शिला कस्तूरिका तालं प्रत्येकं हेमतुल्यकम् ॥२०॥
 सर्वं खल्लतले क्षिप्त्वा कन्यया मर्दयेद्दिनम् ।
 एरण्डपत्रैरावेष्ट्य धान्यगर्भे दिनत्रयम् ॥२१॥
 संस्थाप्य च तदुद्धृत्य सर्वरोगेषु योजयेत् ।
 एतद्रसायनवरं त्रिफलामधुमर्दितम् ॥२२॥
 तद् यथाऽग्निबलं खादेत् वलीपलितनाशनम् ।
 अपस्मारे ज्वरे कासे शोषे मन्दानले क्षये ॥२३॥
 हस्तकम्पे शिरःकम्पे गात्रकम्पे विशेषतः ।
 वातपित्तसमुत्थांश्च कफजान् नाशयेद् ध्रुवम् ॥२४॥

सर्वौषधिप्रयोगैर्ये व्याधयो न प्रसाधिताः ।
 कर्मभिः पच्यभिश्चैव मन्त्रौषधिप्रयोगतः ॥२५॥
 सर्वास्तान् नाशयत्याशु वृक्षमिन्द्राशनिर्यथा ।
 चतुर्भुजरसो नाम महेशेन प्रकाशितः ॥२६॥
 (रसेन्द्रसारसङ्ग्रह, उन्मादचिकित्सा, २०-२६)

1.	Mr̥ta sūta (Pārada) - Rasasindūra	2 Parts
2.	Hema (Svarṇa) - bhasma	1 Part
3.	Śilā (Manahśilā) - śuddha	1 Part
4.	Kastūrika (Mṛgamada)	1 Part
5.	Tāla (Haritāla) - śuddha	1 Part
6.	Kanya (Kumārī) - svarasa (Lf.)	Q.S. for Mardhana
7.	Eraṇḍa - svarasa (Lf.)	Q.S. for avestana

Special Method of Preparation

After covering with Eraṇḍa Leaves it should be kept within a heap of Dhānya (Grains) for 3 days.

Dose

125 mg

Anupāna

Triphalā Kvātha, Honey

Important Therapeutic Uses

Amlapitta (Dyspepsia), Pāṇḍu (Anaemia), Prameha (Urinary disorders), Dhātu Kṣaya (Tissue wasting), Kṣaya (Pthisis), Manyāstambha (Neck rigidity/Torticollis), Apasmāra (Epilepsy), Vraṇa (Ulcer), Śvāsa (Dyspnoea/Asthma), Śūla (Colicky Pain), Valī Palita (Wrinkles in skin and graying of hair), Agnimāndya (Digestive impairment), Hikkā (Hiccup), Āḍhyavāta (Gout), Visarpa (Erysipelas), Vidradhi (Abscess), Unmāda (Mania/Psychosis), Arśa (Haemorrhoids), Carmaroga (Skin disorders), Kārśya (Emaciation), Daurbalya (Weakness)

20 : 14 CATURMUKHA RASA

(Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra: 464-468)

रसगन्धकलोहाभ्रं समं सूताङ्घ्रिं हेम च ।
सर्वं खल्लतले क्षिप्त्वा कन्यास्वरसमर्दितम् ॥४६४॥
एरण्डपत्रैरावेष्ट्य धान्यराशौ दिनत्रयम् ।
संस्थाप्य च तदुद्धृत्य सर्वरोगेषु योजयेत् ॥४६५॥
एतद्रसायनवरं त्रिफलामधुयोजितम् ।
तद्यथाग्निबलं खादेद्वलीपलितनाशनम् ॥४६६॥
क्षयमेकादशविधं पाण्डुरोगं प्रमेहकम् ।
श्वासं शूलञ्च मन्दाग्निं हिक्काञ्चैवाम्लपित्तकम् ॥४६७॥
व्रणान् सर्वानाढ्यवातं विसर्पं विद्रधिं तथा ।
अपस्मारं महोन्मादं सर्वार्शांसि त्वगामयान् ॥४६८॥
(भैषज्यरत्नावली, वातव्याध्यधिकार; ४६४-४६८)

1.	Rasa (Pārada) - śuddha	1 Part
2.	Gandhaka - śuddha	1 Part
3.	Loha bhasma	1 Part
4.	Abhra (Abhraka) - bhasma	1 Part
5.	Kanya (Kumārī) svarasa (Lf.)	Q.S. for mardhana 1/4 Part
6.	Eraṇḍa - patra (Lf.)	Q.S. (for āveṛṭana)

Special Method of Preparation

After covering with Eraṇḍa Leaves it should be kept within a heap of Dhānya
(Grains) for 3 days.

Dose

125 mg

Anupāna

Triphalā Kvātha, Honey.

Important Therapeutic Uses

Amlapitta (Dyspepsia), Pāṇḍu (Anaemia), Prameha (Urinary disorders), Dhātu Kṣaya (Tissue wasting), Kṣaya (Pthisis), Manyāstambha (Neck rigidity/Torticollis), Apasmāra (Epilepsy), Vraṇa (Ulcer), Śvāsa (Dyspnoea/Asthma), Śūla (Colicky Pain), Valī Palita (Wrinkles in skin and graying of hair), Agnimāndya (Digestive impairment), Hikkā (Hiccup), Āḍhyavāta (Gout), Visarpa (Erysipelas), Vidradhi (Abscess), Unmāda (Mania/Psychosis), Arśa (Haemorrhoids), Carmaroga (Skin disorders), Kārśya (Emaciation), Daurbalya (Weakness)

20 : 15 CANDRAKALĀ RASA

(Yogarātnākara; Mūtrakṛcchracikitsā: Page 543)

प्रत्येकं कर्षमात्रं स्यात्सूतं ताम्रं तथाऽभ्रकम् ।
द्विगुणं गन्धकं चैव कृत्वा कज्जलिकां शुभाम् ॥१॥
मुस्तादाडिमदूर्वोत्थैः केतकीस्तनजद्रवैः ।
सहदेव्याः कुमार्याश्च पर्पटस्य च वारिणा ॥२॥
रामशीतलिकातोयैः शतावर्या रसेन च ।
भावयित्वा प्रयत्नेन दिवसे दिवसे पृथक् ॥३॥
तिक्ता गुडूचिकासत्त्वं पर्पटोशीरमाधवी ।
श्रीगन्धं सारिवा चैषां समानं सूक्ष्मचूर्णितम् ॥४॥
द्राक्षाफलकषायेण सप्तधा परिभावयेत् ।
ततः पोताश्रयं कृत्वा वट्यः कार्याश्चणोपमा ॥५॥
अयं चन्द्रकलानाम्ना रसेन्द्रः परिकीर्तितः ।
सर्वपित्तगदध्वंसी वातपित्तगदापहः ॥६॥
अन्तर्बाह्यमहादाहविध्वंसनमहाघनः ।
ग्रीष्मकाले शरत्काले विशेषेण प्रशस्यते ॥७॥
कुरुते नाग्निमान्द्यं च महातापं ज्वरं हरेत् ।
भ्रममूर्च्छाहरश्चाऽऽशु स्त्रीणां रक्तं महास्रवम् ॥८॥

ऊर्ध्वाधो रक्तपित्तं च रक्तवान्तिं विशेषतः ।
मूत्रकृच्छ्राणि सर्वाणि नाशयेन्नात्र संशयः ॥९॥
(योगरत्नाकर, मूत्रकृच्छ्रचिकित्सा, पृष्ठ ५४३)

1.	Sūtaka (Pārada) - śuddha		12 g
2.	Tāmra - bhasma		12 g
3.	Abhraka bhasma		12 g
4.	Gandhaka - śuddha		24 g
5.	Mustā - kvātha	(Rz.)	Q.S. bhavana 7 times
6.	Dāḍima- svarasa	(Fr.)	Q.S. bhavana 7 times
7.	Dūrvā - svarasa	(Pl.)	Q.S. bhavana 7 times
8.	Ketaki - svarasa	(Rt.)	Q.S. bhavana 7 times
9.	Stanaja drava (Godugdha)		Q.S. bhavana 7 times
10.	Sahadevī	(Pl.)	Q.S. bhavana 7 times
11.	Kumārī	(Lf.)	Q.S. bhavana 7 times
12.	Parpaṭa	(Pl.)	Q.S. bhavana 7 times
13.	Rāmaśītalikā- toya	(Pl.)	Q.S. bhavana 7 times
14.	Śatāvarī - rasa	(Rt. Tr.)	Q.S. bhavana 7 times
15.	Tiktā (Kaṭukā)	(Rt./Rz.)	12 g
16.	Guḍūcī sattva (Guḍūcī)	(St.)	12 g
17.	Parpaṭa	(Pl.)	12 g
18.	Uśīra	(Rt.)	12 g
19.	Mādhavī	(Fl.)	12 g
20.	Śrīgandha (Śvetacandana)	(Ht. Wd.)	12 g
21.	Sāriva (Śveta Sārivā)	(Rt.)	12 g
22.	Drākṣā - kaṣāya	(Dr. Fr.)	Q.S. bhavana 7 times

Special Method of Preparation

First Kajjalī of Pārada and Gandhaka is prepared. Drug 2&3 are added to it and seven Bhāvanas With drugs 5 to 14 are given separately. Thereafter powders of drugs 15 to

21 are added to it and Bhāvana given with Drākṣā kaṣāya for seven times.

Important Therapeutic Uses

All Pittaroga (All diseases due to Pitta doṣa), Vātapitta Roga (Disease due to Vāta doṣa and Pitta doṣa), Antardāha (Internal Burning sensation), Bāhyadāha (Burning sensation), Mahātāpa (Severe body temperature), Jvara (Fever), Bhrama (Vertigo), Mūtrak ṛcchra (Dysuria), Raktapradara (Menorrhagia or Metrorrhagia or both), Ūrdhvagata Raktapitta (Bleeding from orifices of the upper part of the body), Raktavami (Haematemesis)

20 : 16 CANDRĀMṚTA RASA

(Rasāmṛta, Rasayogavijnānīya, Adhyāya 9: 64-67)

त्रिकटु त्रिफला चव्यं धान्यजीरकसैन्धवम् ।।६४।।
रसगन्धकलोहाभ्रं प्रत्येकं कार्षिकं शुभम् ।
टङ्कणद्विपलं दत्त्वा वासानीरेण मर्दयेत् ।।६५।।
गुञ्जात्रयप्रमाणेन वटिकां कारयेद्भिषक् ।
कासं पञ्चविधं चापि श्वासं ज्वरसमन्वितम् ।।६६।।
अनुपानविशेषेण हन्ति चन्द्रामृतो रसः ।
कासे सरक्ते दातव्यो रक्तोत्पलरसाप्लुतः ।।६७।।
(रसामृत, रसयोगविज्ञानीय, ९; ६४-६७)

1.	Śunṭhī	(Rz.)	12 g
2.	Marica	(Fr.)	12 g
3.	Pippalī	(Fr.)	12 g
4.	Harītakī	(P.)	12 g
5.	Bibhītaka	(P.)	12 g
6.	Āmalakī	(P.)	12 g
7.	Cavya	(St.)	12 g
8.	Dhānya (Dhānyaka)	(Fr.)	12 g
9.	Jīraka (Śveta jīraka)	(Fr.)	12 g
10.	Saindhava lavaṇa		12 g

11.	Rasa (Pārada) - śuddha	12 g
12.	Gandhaka - śuddha	12 g
13.	Lauha - bhasma	12 g
14.	Abhra (Abhraka) - bhasma	12 g
15.	Taṅkaṇa - śuddha	96 g
16.	Vāsā -nīra (Lf.)	Q.S. for mardhana

Dose

375 mg

Anupāna

Honey, Raktotpala Svarasa, Tāmbūla Svarasa, Vāsā Svarasa, Ārdraka Svarasa

Important Therapeutic Uses

Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Jvara (Fever), Raktakāsa (Coughing up blood from the respiratory tract-hemoptysis)

20 : 17 CINTĀMAṆICATURMUKHA RASA

(Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra: 477-480)

विशुद्धं रससिन्दूरं तदर्धं लोहमभ्रकम् ।
तदर्धं कनकं खल्ले कन्यास्वरसमर्दितम् ॥४७७॥
एरण्डपत्रैरावेष्ट्य धान्यराशौ निधापयेत् ।
त्रिदिनान्ते समुद्धृत्य सर्वरोगेषु योजयेत् ॥४७८॥
एतद्रसायनवरं त्रिफलामधुसंयुतम् ।
तद्यथाग्निबलं खादेद्वलीपलितनाशनम् ॥४७९॥
अपरस्मारं महोन्मादं रोगान् वातसमुद्भवान् ।
क्रमेण शीलितं हन्ति वृक्षमिन्द्राशनिर्यथा ॥४८०॥
(भैषज्यरत्नावली, वातव्याध्यधिकार; ४७७-४८०)

1. Rasa Sindūra (Pārada)

1 Part

2.	Lauha -bhasma	1/2 Part
3.	Abhraka - bhasma	1/2 Part
4.	Kanaka (Svarṇa) - bhasma	1/4 Part
5.	Kanya (Kumārī) -svarasa (Lf.)	Q.S. for bhavana
6.	Eraṇḍa (Lf.)	Q.S. (for āveṣṭaana)

Special Method of Preparation

The paste is covered with Eraṇḍa Leaves and kept for three days within a heap of Dhānya (Grains) .When dry it is powdered and kept in a glass container.

Dose

125 mg

Anupāna

Triphalā Kvātha, Honey, Brāhmī Svarasa

Important Therapeutic Uses

Bhrama (Vertigo), Apasmāra (Epilepsy), Vātaroga (Disease due to Vāta doṣa), Dhātu Kṣaya (Tissue wasting), Hṛdroga (Heart disease), Valī Palita (Wrinkles in skin and graying of hair), Unmāda (Mania/Psychosis)

20 : 18 JVARĀRYABHRA

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 921-924)

अभ्रं ताम्रं रसं गन्धं विषञ्चेति समं समम् ।
द्विगुणं धूर्तबीजं च व्योषं पञ्चगुणं मतम् ॥९२१॥
जलेन वटिकां कुर्याद् यथादोषानुपानतः ।
अभ्रं ज्वरारिनामेदं सर्वज्वरविनाशनम् ॥९२२॥
वातिकान् पैत्तिकांश्चैव श्लैष्मिकान् सान्निपातिकान् ।
विषमाख्यान् द्वन्द्वजांश्च धातुस्थान् विषमज्वरान् ॥९२३॥
प्लीहानं यकृतं गुल्ममग्निमान्द्यं सशोथकम् ।

कासं श्वासं तृषां कम्पं दाहं शीतं वमिं भ्रमिम् ।।
 नाशयेन्नात्र सन्देहो वृक्षमिन्द्राशनिर्यथा ।।९२४।।
 (भैषज्यरत्नावली, ज्वराधिकार; ९२१-९२४)

1.	Abhra (Abhraka) - bhasma		1 Part
2.	Tāmra - bhasma		1 Part
3.	Rasa (Pārada) - śuddha		1 Part
4.	Gandha (Gandhaka) - śuddha		1 Part
5.	Viṣa (Vatsanābha) -śuddha	(Rt. Tr.)	1 Part
6.	Dhūrta bija (Dhattūra) -śuddha	(Sd.)	2 Parts
7.	Śuṇṭhī	(Rz.)	5 Parts
8.	Marica	(Fr.)	5 Parts
9.	Pippalī	(Fr.)	5 Parts

Dose

125 to 250 mg

Anupāna

Ārdraka Rasa, Honey

Important Therapeutic Uses

Gulma (Abdominal lump), Dāha (Burning sensation), Tṛṣṇā (Thirst), Jvara (Fever), Plīhā Roga (Splenic disease), Yakṛd roga, Viṣamajvara (Intermittent fever), Śōtha (Inflammation), Hikkā (Hiccup), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Mandāgni (Impaired digestive fire), Aruci (Tastelessness)

20 : 19 TARUṆĀRKA RASA

(Basavarājīyam, Jvaracikitsā)

गन्धकं टङ्कणं चाभ्रमग्निधुतूरबीजकम् ।

कृष्णसर्पस्य गरलं रक्तचन्दनवङ्गकम् ।।
 एतानि समभागानि सर्वेभ्यो हिङ्गुलः समः ।
 मातुलुङ्गरसैर्मर्द्य त्रिदिनं च महामृदु ।।
 वटिकां सर्षपाकारां ह्यनुपानविशेषतः ।
 तरुणार्करसः ख्यातः सर्वज्वरनिवारणः ।।
 (बसवराजीयम् ज्वरचिकित्सा)

1.	Gandhaka - śuddha	1 Part
2.	Taṅkaṇa - śuddha	1 Part
3.	Abhra (Abhraka) - bhasma	1 Part
4.	Agni (Citraka) (Rt.)	1 Part
5.	Dhustūra bīja (Dhattūra) -śuddha (Sd.)	1 Part
6.	Kṛṣṇa sarpa garala (Sarpa viṣa)	1 Part
7.	Raktacandana (Ht. Wd.)	1 Part
8.	Vaṅgaka (Vaṅga) - bhasma	1 Part
9.	Hiṅgula - śuddha	8 Parts
10.	Mātuluṅga rasa (Fr.)	Q.S. (for bhavana & mardhana)
3 days		

Dose

4 mg

Anupāna

Ārdraka Rasa, Honey.

Important Therapeutic Uses

Sarva Jvara (All types of fevers)

Special Precaution

1. This should not be administered to the patients suffering from Āsyapāka (ulcer in the digestive tract) 2. Persons with wounds in the hands should not be allowed to make these pills or touch the medicine during preparation.

20 : 20 TRIBHUVANAKĪRTI RASA

(Rasāmṛta, Adhyāya 9: 80-81)

हिङ्गुलं च विषं व्योषं टङ्कणं मागधीशिफाम् ।
सञ्चूर्ण्य भावयेत् त्रिधा सुरसार्द्रकहेमभिः ॥८०॥
निर्गुण्डीस्वरसेनापि रसस्त्रैलोक्यकीर्तिकः ।
विनाशयेज्ज्वरान् सर्वाननुपानविशेषतः ॥८१॥
(रसामृत, रसयोगविज्ञानीय, अध्याय ९; ८०-८१)

1.	Hiṅgula - śuddha	1 Part
2.	Viṣa (Vatsanābha) -śuddha (Rt.Tr.)	1 Part
3.	Śunṭhī (Rz.)	1 Part
4.	Marica (Fr.)	1 Part
5.	Pippalī (Fr.)	1 Part
6.	Taṅkaṇa - śuddha	1 Part
7.	Māgadhīśiphā (Pippalī) (Rt.)	1 Part
8.	Surasa (Tulasī) - svarasa (Lf.)	Q.S. for bhavana 3 times
9.	Ārdraka - svarasa (Rz.)	Q.S. for bhavana 3 times
10.	Hema (dhattūra) - svarasa (Lf.)	Q.S. for bhavana 3 times
11.	Nirguṇḍī- svarasa (Lf.)	Q.S. for bhavana 3 times

Dose

125 to 250 mg

Anupāna

Honey, Ārdraka Rasa, Tulasī Rasa

Important Therapeutic Uses

Vāta Kapha Jvara (Fever due to Vāta doṣa and Kapha doṣa), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Taruṇa Jvara (Acute fever)

20 : 21 NAVARATNARĀJAMṚGĀNKA RASA

(Yogarātnākara, Rājayakṣmācikitsā: Page 330)

सूतं गन्धकहेमताररसकं वैक्रान्तकान्तायसं
वङ्गं नागपविप्रवालविमलामाणिक्यगारुत्मकम् ।
ताप्यं मौक्तिकपुष्परागजलजं वैडूर्यकं शुल्बकं
शुक्तिस्तालकमभ्रहिङ्गुलशिलागोमेदनीलं समम् ॥१॥
गोक्षुरैः फणिवल्लिसिंहवदनामुण्डीकणा चित्रकः
इक्षुच्छिन्नरुहाहरप्रियजयाद्राक्षावरीजद्रवैः ।
शोफघ्नीशतपत्रिकामधुजलैः सच्छाल्मलीधातकी
जातीसस्यबलाचतुष्टयजलत्वग्देवपुष्पद्रवैः ॥२॥
कङ्कोलैर्मदनागकेसरजलैर्भाव्यं पृथक्सप्तधा
भाण्डे सिन्धुभृते मृगाङ्कवदयं पाच्यः क्रमाग्नौ दिनम् ।
भूयः प्राक्समुदाहृतैर्द्रवचयैस्तं भावयेत्पूर्ववत्
पश्चात्तुल्यविभागशीतलरजः कस्तूरिका भावना ॥३॥
गोप्याद् गोप्यतरं रसायनमिदं श्रीशङ्करेणोदितं
गुञ्जजासिन्धुयुतं कणामधुयुतं शोफे सपाण्ड्वामये ।
वातव्याधिमुपद्रवैश्च सहितं मेहांस्तथा विंशतिं
संयोज्यं च हरीतकीगुडयुतं वातास्रके दुर्जये ॥४॥
गम्भीरे च गुडूचिसत्वचपलाक्षौद्रैस्तु संयोजित
स्त्वाध्मानारुचिशूलमान्द्यकसनापस्मारवातोदरान् ।
श्वासान्संग्रहणीं हलीमकमथो सर्वज्वरान्नाशये
द्धातून्पोषयति क्षयं क्षपयति श्यामाशतं यौवनम् ॥५॥
प्रौढाटोपयुतं करोति सहसा तारुण्यगर्वोज्झितं
सिद्धो राजमृगाङ्क एष जयति स्वस्वानुपानैर्गदान् ॥६॥
(योगरत्नाकर, राजयक्ष्मचिकित्सा, पृष्ठ ३३०)

1.	Sūta (Pārada) - śuddha	1 Part
2.	Gandhaka - śuddha	1 Part
3.	Hema (Svarṇa) - bhasma	1 Part
4.	Tāra (Rajata) - bhasma	1 Part
5.	Rasaka (Kharpara) - bhasma	1 Part
6.	Vaikrānta - bhasma	1 Part
7.	Kāntāyasa (Lauha) - bhasma	1 Part
8.	Vaṅga - bhasma	1 Part
9.	Nāga - bhasma	1 Part
10.	Pavi (Hīraka) - bhasma	1 Part
11.	Pravāla - bhasma	1 Part
12.	Vimala - bhasma	1 Part
13.	Māṇikya - bhasma	1 Part
14.	Gārūtmaka (Pannā) - bhasma	1 Part
15.	Tāpya (Mākṣika) - bhasma	1 Part
16.	Mauktika (Muktā) - bhasma	1 Part
17.	Puṣparāga - bhasma	1 Part
18.	Jalaja (Śaṅkha) - bhasma	1 Part
19.	Vaidūryaka - bhasma	1 Part
20.	Śūlvaka (Tāmra) - bhasma	1 Part
21.	Śukti (Muktā śukti) - bhasma	1 Part
22.	Tālaka (Haritāla) - śuddha	1 Part
23.	Abhra (Abhraka) - bhasma	1 Part
24.	Hiṅgula - śuddha	1 Part
25.	Śilā (Maṇḥśilā) - śuddha	1 Part
26.	Gomeda - bhasma	1 Part
27.	Nīla - bhasma	1 Part
28.	Gokṣura svarasa (Pl.)	Q.S. for bhāvana 7 days
29.	Phaṇivallī (Nāgavallī) - svarasa (Lf.)	Q.S. for bhāvana 7 days

30.	Siṃha vadana (Vāsā) - svarasa	(Lf.)	Q.S. for bhāvana 7 days
31.	Muṇḍī - svarasa	(Lf.)	Q.S. for bhāvana 7 days
32.	Kaṇā drava (Pippalī) - kvātha	(Fr.)	Q.S. for bhāvana 7 days
33.	Citraka - kvātha	(Rt.)	Q.S. for bhāvana 7 days
34.	Ikṣu - drava - rasa	(St.)	Q.S. for bhāvana 7 days
35.	Chinnaruhā drava (Guḍūcī) - svarasa	(St.)	Q.S. for bhāvana 7 days
36.	Harapriya (Dhattura) - svarasa	(Lf.)	Q.S. for bhāvana 7 days
37.	Jayā drava (Agnimantha) - svarasa	(Lf.)	Q.S. for bhāvana 7 days
38.	Drākṣā - drava - rasa	(Dr. Fr.)	Q.S. for bhāvana 7 days
39.	Varī drava (Satāvarī)	(Rt. Tr.)	Q.S. for bhāvana 7 days
40.	Śophaghñī jala (Raktapunarnavā) - rasa	(Pl.)	Q.S. for bhāvana 7 days
41.	Śatapatrikā - jala	(Fl.)	Q.S. for bhāvana 7 days
42.	Madhu (Yaṣṭī)	(Rt.)	Q.S. for bhāvana 7 days
43.	Śālmālī - drava	(Rt.)	Q.S. for bhāvana 7 days
44.	Dhātākī - jala	(Fl.)	Q.S. for bhāvana 7 days
45.	Jātīśasya jala (Jātīphala)	(Sd.)	Q.S. for bhāvana 7 days
46.	Balā - drava	(Rt.)	Q.S. for bhāvana 7 days
47.	Nāgabālā - drava	(Rt.)	Q.S. for bhāvana 7 days
48.	Atibalā - drava	(Rt.)	Q.S. for bhāvana 7 days
49.	Mahābalā - drava	(Rt.)	Q.S. for bhāvana 7 days
50.	Jala drava (Hrīvēra)	(Rt.)	Q.S. for bhāvana 7 days
51.	Tvak drava	(St. Bk.)	Q.S. for bhāvana 7 days
52.	Devapuṣpa (Lavaṅga) drava	(Fl. Bd.)	Q.S. for bhāvana 7 days
53.	Kaṅkola - jala	(Rz.)	Q.S. for bhāvana 7 days
54.	Mada (Mṛgamada) jala		Q.S. for bhāvana 7 days
55.	Nāgakeśara jala	(Stmn.)	Q.S. for bhāvana 7 days
56.	Śīṭala (Karpura) raja	(Sub. Ext.)	1 Part

Special Method of Preparation

Kajjalī of Pārada and Gandhaka is prepared first. Drugs 3 to 27 should be added to it and mixed well. Bhāvana each 7 times with drugs 28 to 55 is given separately. The mass is made into a ball and dried. This ball is buried in a Lavaṇa Yantra and heated

Dose

125 mg

Anupāna

Pippalī Cūrṇa, Honey, Gūḍūcī Sattva, Butter

Important Therapeutic Uses

Śūla (Colicky Pain), Grahaṇī (Malabsorption syndrome), Vātodara (Distention of abdomen due to gases), Pāṇḍu (Anaemia), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Meha (Excessive flow of urine), Sarva Jvara (All types of fevers), Kṣaya (Pthisis), Vāta Vyādhi (Disease due to Vāta doṣa), Apasmāra (Epilepsy), Śvāsa (Dyspnoea/Asthma), Vātarakta (Gout), Śoṭha (Inflammation), Ādhmāna (Flatulence with gurgling sound), Aruci (Tastelessness), Agnimāndya (Digestive impairment), Kāsa (Cough), Udara (Diseases of abdomen / enlargement of abdomen), Dhātuśoṣa (Cachexia), Given as Rasāyana and Vājīkaraṇa also (Nutrient to body and mind with adapto-immuno-neuro-endocrino-modulator properties and Aphrodisiac)

20 : 22 NĀGAVALLABHA RASA

(Yogarātnākara, Kāśacikitsā: Page 358-359)

कर्षमाना मृगमदचोचटङ्कणका अथ ।
काश्मीरजन्मदरदपिप्पल्यः स्युर्द्विकर्षिकाः ॥१॥
आकारकरभो जातीपत्री जातीफलं विषम् ।
प्रत्येकं पलमानानि चत्वार्यथ सुखल्वके ॥२॥

अहिवल्लीदलरसैर्मर्दयेच्च दिनत्रयम् ।
मुद्गप्रमाणा वटका लीढा मध्वार्द्रकद्रवैः ॥३॥
ताम्बूलचर्विता मेहकासक्षयमरुद्धराः ।
नागवल्लभनामाऽयं रसो विश्वोपकारकः ॥४॥
(योगरत्नाकर कासचिकित्सा; पृष्ठ ३५८-३५९)

1.	Mrgamada		12 g
2.	Coca (Tvak)	(St. Bk.)	12 g
3.	Taṅkaṇaka (Taṅkaṇa) - śuddha		12 g
4.	Kāśmīra janma (Kuṅkuma)	(Stl./Stg)	12 g
5.	Darada (Hiṅgula) - śuddha		24 g
6.	Pippalī	(Fr.)	24 g
7.	Ākāraṇakabha	(Rt.)	48 g
8.	Jātīphala	(Sd.)	48 g
9.	Jātīpatri (Jātīphala)	(Ar.)	48 g
10.	Viṣa (Vatsanābha) - śuddha	(Rt. Tr.)	48 g
11.	Ahivallī dala rasa (Nāgavallī)	(Lf.)	Q.S. (for mardana) 3 days

Dose

62.5 to 125 mg

Anupāna

Ārdraka Rasa, Honey, Tāmbūla Patra Svarasa

Important Therapeutic Uses

Kāsa (Cough), Kṣaya (Pthisis), Prameha (Urinary disorders), Vātaroga (Disease due to Vāta doṣa)

20 : 23 PRABHĀKARA RASA

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 641)

रसेन गन्धं द्विगुणं कृशानुरसैर्विमर्द्याष्टदिनं सुघर्मे ।
रसाष्टभागं त्वमृतञ्च दद्याद्विपाचयेद्वह्निरसेन किञ्चित् ।
पित्तैश्च सद्भावित एष देयास्त्रिदोषनीहारविनाशसूर्यः ॥
(भैषज्यरत्नावली, ज्वराधिकार; ६४१)

1.	Rasa (Pārada) - śuddha	1 Part	
2.	Gandha - śuddha (Gandhaka)	2 Parts	
3.	Kṛśāṇu (Citraka) rasa (Rt.)	Q.S. for mardana	8
	days		
4.	Amṛta - śuddha (Vatsanābha) (Rt.Tr.)	1/8 Part	
5.	Vahni rasa (Citraka) (Rt.)	Q.S. (for pachana)	
6.	Matsya pitta	Q.S. for bhāvanā	
7.	Mayūrapitta	Q.S. for bhāvanā	
8.	Chāga pitta	Q.S. for bhāvanā	
9.	Māhiṣa pitta	Q.S. for bhāvanā	
10.	Vārāha pitta	Q.S. for bhāvanā	

Dose

125 mg

Anupāna

Honey, Tulasī Svarasa, Ārdraka Svarasa

Important Therapeutic Uses

Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

20 : 24 BRHAT KASTŪRĪBHAIKAVA RASA

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 723-730)

मृगमदशशिसूर्या धातकी शूकशिम्बी
रजतकनकमुक्ता विद्रुमं लोहपाठे ।
क्रिमिरिपुघनविश्वा वारि तालाभ्रधात्र्यो
रविदलरसपिष्टाः कस्तूरीभैरवोऽयम् ॥७२३॥
कस्तूरीभैरवः ख्यातः सर्वज्वरविनाशनः ।
आर्द्रकस्य रसैः पेयो विषमज्वरनाशनः ॥७२४॥
द्वन्द्वजं भौतिकान् वापि ज्वरान् कामादिसम्भवान् ।
अभिचारकृतांश्चैव तथा शुक्रकृतान् पुनः ॥७२५॥
निहन्याद् भक्षणादेव डाकिन्यादियुतांस्तथा ।
बिल्वचूर्णजीरकाभ्यां मधुना सह पानतः ॥७२६॥
आमातीसारं ग्रहणीं ज्वरातीसारमेव च ।
अग्निदीप्तिकरः शान्तः कासरोगनिकृन्तनः ॥७२७॥
क्षपयेद् भक्षणादेव मेहरोगं हलीमकम् ।
जीर्णज्वरं नूतनं वा द्विकालीनञ्च सन्ततम् ॥७२८॥
प्रक्षिप्तं भौतिकं वापि हन्ति सर्वान् विशेषतः ।
ऐकाहिकं द्वाहिकं वा त्र्याहिकं चातुराहिकम् ॥७२९॥
पञ्चाहिकं षष्ठसंस्थं पाक्षिकं मासिकं तथा ।
सर्वान् ज्वरान्निहन्याशु भक्षणादार्द्रकद्रवैः ॥७३०॥
(भैषज्यरत्नावली, ज्वराधिकारः ७२३-७३०)

1.	Mrgamada	1 Part
2.	Śaśi (Karpūra) (Sub.Ext.)	1 Part
3.	Sūrya (Tāmra) bhasma	1 Part
4.	Dhātākī (Fl.)	1 Part
5.	Śūkaśimbī (Ātmaguptā) (Fr.)	1 Part
6.	Kanaka (Svarṇa) - bhasma	1 Part
7.	Rajata - bhasma	1 Part
8.	Muktā - bhasma	1 Part

9.	Vidruma (Pravāla) bhasma		1 Part
10.	Loha bhasma (Lauha)		1 Part
11.	Pāṭhā	(St.)	1 Part
12.	Kṛmiripu (Viḍaṅga)	(Fr.)	1 Part
13.	Ghana (Mustā)	(Rz.)	1 Part
14.	Viśvā (Śuṇṭhī)	(Rz.)	1 Part
15.	Vāri (Hrīvera)	(Rt.)	1 Part
16.	Tāla (Haritāla) - śuddha		1 Part
17.	Abhra (Abhraka) - bhasma		1 Part
18.	Dhātrī rasa (Āmalakī)	(P.)	1 Part
19.	Ravi dala rasa (Arka)	(Lf.)	Q.S. for mardhana 1 day

Dose

125 mg

Anupāna

Ārdraka Svarasa, Honey, Tāmbūla Svarasa

Important Therapeutic Uses

Āmātīsāra (Diarrhoea due to indigestion/ Āma), Grahaṇī (Malabsorption syndrome), Kāsa (Cough), Jvara (Fever), Sannipāta Jvara (High grade fever due to vitiation of all Doṣa), Sarva Jvara (All types of fevers), Viṣamajvara (Intermittent fever), Jvarātīsāra (Diarrhoea with fever), Agnimāndya (Digestive impairment), Meha (Excessive flow of urine), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Jīrṇajvara (Chronic fever)

20 : 25 BRĤAT NR̥PAVALLABHA RASA

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra: 533-537)

रसगन्धकलौहाभ्रं नागं चित्रञ्च मुस्तकम् ।
 टङ्गं जातीफलं हिङ्गु त्वगेला वह्निवङ्गकम् ॥५३३॥
 तेजपत्रमजाजी च यमानी विश्वसैन्धवम् ।
 प्रत्येकं तोलकं चूर्णं तथा मरिचताम्रयोः ।
 निरुत्थकमृतं हेम तथा माषचतुष्टयम् ॥५३४॥
 आर्द्रकस्य रसेनैव धात्र्याश्च स्वरसैस्तथा ।
 भावयित्वा प्रदातव्यं चणमात्रं भिषग्वरैः ॥५३५॥
 भक्षयेत्प्रातरुत्थाय पथ्यं भक्षेद्यथोचितम् ।
 अग्निमान्द्यमजीर्णञ्च दुर्नाम ग्रहणीं जयेत् ॥५३६॥
 आमाजीर्णप्रशमनः सर्वरोगनिषूदनः ।
 नाशयेदौदरान् रोगान् विष्णुचक्रमिवासुरान् ॥५३७॥
 (भैषज्यरत्नावली, ग्रहणीरोगाधिकारः; ५३३-५३७)

1.	Rasa (Pārada) - śuddha	12 g
2.	Gandhaka - śuddha	12 g
3.	Lauha bhasma	12 g
4.	Abhraka bhasma	12 g
5.	Nāga bhasma	12 g
6.	Citra (Citraka) (Rt.)	12 g
7.	Abda (Mustā) (Rz.)	12 g
8.	Taṅka - śuddha (Taṅkaṇa)	12 g
9.	Jātīphala (Sd.)	12 g
10.	Hiṅgu (Exd.)	12 g
11.	Tvak (St. Bk.)	12 g
12.	Elā (Sūkṣmailā) (Sd.)	12 g
13.	Trivṛt (Rt.)	12 g
14.	Lavaṅga (Fl. Bd.)	12 g
15.	Tejapatra (Lf.)	12 g
16.	Ajājī (Śveta jīraka) (Fr.)	12 g
17.	Yamānī (Yavānī) (Fr.)	12 g
18.	Viśvā (Śuṇṭhī) (Rz.)	12 g

19.	Saindhava lavaṇa		12 g
20.	Marica	(Fr.)	12 g
21.	Tāra bhasma (Rajata)		12 g
22.	Hema (Svarṇa) - bhasma		1/2 g
23.	Ārdraka rasa	(Rz.)	Q.S. for bhāvanā
24.	Dhātrī svarasa (Āmalakī)	(P.)	Q.S. for bhāvanā

Dose

250 to 500 mg

Anupāna

Mustā Kaṣāya

Important Therapeutic Uses

Ajīrṇa (Dyspepsia), Grahaṇī (Malabsorption syndrome), Arśa (Haemorrhoids), Udara (Diseases of abdomen / enlargement of abdomen), Āmājīrṇa (Indigestion due to Āma), Agnimāndya (Digestive impairment)

20 : 26 BRĤAT VĀTACINTĀMAṆI RASA

(Bhaiṣajyaratnāvalī, Vātavyādhyaadhikāra: 502-505)

भागत्रयं स्वर्णभस्म द्विभागं रौप्यमभ्रकम् ।
लोहात्पञ्च प्रवालञ्च मौक्तिकं त्रयसम्मितम् ॥५०२॥
भस्मसूतं सप्तकञ्च कन्यारसविमर्दितम् ।
वल्लमात्रा वटी कार्या भिषग्भिः परियत्नतः ॥५०३॥
यथाव्याध्यनुपानेन नाशयेद्रोगसंकुलम् ।
वातरोगं पित्तकृतं निहन्ति नात्र चिन्तनम् ॥५०४॥
वृद्धोऽपि तरुणस्पर्द्धी कन्दर्पसमविक्रमः ।
दृष्टः सिद्धफलश्चायं वातचिन्तामणिस्त्विह ॥५०५॥

(भैषज्यरत्नावली, वातव्याध्यधिकार; ५०२-५०५)

1.	Svarṇa bhasma	3 Parts
2.	Raupya bhasma (Rajata)	2 Parts
3.	Abhraka bhasma	2 Parts
4.	Lauha bhasma	5 Parts
5.	Pravāla bhasma	3 Parts
6.	Mauktika bhasma (Muktā)	3 Parts
7.	Sūta bhasma - Rasa sindūra (Pārada)	7 Parts
8.	Kanya (Kumārī) rasa (Lf.)	Q.S. mardhana 1 day

Dose

125 mg

Anupāna

Guḍūcī Svarasa, Ajā Kṣīra, Brāhmī Svarasa, Tāmbūla Svarasa, Śaṅkhaṣpī Svarasa, Honey

Important Therapeutic Uses

Vāta Pittaja Roga (Disease due to Vātadoṣa and Pitta doṣa), Bhrama (Vertigo), Pralāpa (Delirious speech)

20 : 27 MAHĀ LAKṢMĪVILĀSA RASA

(Rasendrasārasaṅgraha, Kapharogacikitsā: 17-29)

पलं वज्राभ्रचूर्णस्य तदर्धो गन्धको भवेत् ।
तदर्धं वंगभस्मापि तदर्धः पारदस्तथा ॥१७॥
तत्समं हरितालञ्च तदर्धं ताम्रभस्मकम् ।
रसतुल्यञ्च कर्पूरं जातीकोषफलं तथा ॥१८॥
वृद्धदारकबीजञ्च बीजं स्वर्णफलस्य च ।
प्रत्येकं कार्षिकं भागं मृतस्वर्णञ्च शाणकम् ॥१९॥

निष्पिष्य वटिका कार्या द्विगुञ्जाफलमानतः ।
 निहन्ति सन्निपातोत्थान् गदान् घोरान् सुदारुणान् ॥२०॥
 गलोत्थानन्त्रवृद्धिञ्च तथाऽतीसारमेव च ।
 कुष्ठमेकादशविधं प्रमेहान् विंशतिं तथा ॥२१॥
 श्लीपदं कफवातोत्थं चिरजं कुलजं तथा ।
 नाडीव्रणं व्रणं घोरं गुदामयभगन्दरम् ॥२२॥
 कासपीनसयक्ष्मार्शःस्थौल्यदौर्गन्ध्यरक्तनुत् ।
 आमवातं सर्वरुपं जिह्वास्तम्भं गलग्रहम् ॥२३॥
 उदरं कर्णनासाक्षी-मुखवैजात्यमेव च ।
 सर्वशूलं शिरःशूलं स्त्रीरोगञ्च विनाशयेत् ॥२४॥
 वटिकां प्रातरेकैकां खादेन्नित्यं यथाबलम् ।
 अनुपानमिह प्रोक्तं मांसं पिष्टं पयो दधि ॥२५॥
 वारिभक्तं सुरासीधु सेवनात् कामरुपधृक् ।
 वृद्धोऽपि तरुणस्पद्धी न च शुक्रक्षयो भवेत् ॥२६॥
 न च लिङ्गस्य शैथिल्यं न केशा यान्ति पक्वताम् ।
 नित्यं गच्छेत् शतं स्त्रीणां मत्तवारणविक्रमः ॥२७॥
 द्विलक्षयोजनी दृष्टिर्जायते पौष्टिकं तथा ।
 प्रोक्तः प्रयोगराजोऽयं नारदेन महात्मना ॥२८॥
 महालक्ष्मीविलासोऽयं वासुदेवो जगत्पतिः ।
 प्रसादादस्य भगवान् लक्षनारीषु वल्लभः ॥२९॥
 (रसेन्द्रसारसंग्रह, द्वितीय अध्याय कफरोग चिकित्सा; १७-२९)

1.	Vajrābhra cūrṇa - bhasma (Abhraka)	48 g
2.	Gandhaka - śuddha	24 g
3.	Vaṅga bhasma	12 g
4.	Pārada - śuddha	6 g
5.	Haritāla - śuddha	6 g
6.	Tāmra bhasma	3 g
7.	Karpūra (Sub.Ext.)	6 g
8.	Jātikoṣa (Jātiphala) (Ar.)	6 g
9.	Jātīphala (Sd.)	6 g

10.	Vṛddhadaruka bīja (Vṛddhadāru) (Sd.)	12 g
11.	Svarṇa (Sd.)	12 g
12.	Mṛta svarṇa (Svarṇa) bhasma	3 g

Dose

250 mg

Anupāna

Honey, milk

Important Therapeutic Uses

Kāsa (Cough), Pīnasa (Chronic rhinitis/sinusitis), Rājayaṣmā (Tuberculosis), Sthaulya (Obesity), Āmavāta (Rheumatism), Vājīkaraṇa (Aphrodisiac), Gala Roga (Diseases of throat), Āntra Vṛddhi (Hernia), Kuṣṭha (Diseases of skin), Atīsāra (Diarrhoea), Prameha (Urinary disorders), Ślīpada (Filariasis), Vraṇa (Ulcer), Nāḍīvraṇa (Fistula), Bhagandara (Fistula-in-ano), Arśa (Haemorrhoids), Udara (Diseases of abdomen / enlargement of abdomen), Raktavikāra (Disorders of blood), Strīroga (Gynaecological disorders), Tvagroga (Skin disease), Nāsā Roga (Disease of nose), Netraroga (Eye disorder), Mukha Roga (Disease of mouth), Śūla (Colicky Pain)

20 : 28 MAHĀ VĀTAGAJĀṆKUŚA RASA

(Rasendrasārasaṅgraha, Vātavyādhicikitsā: 13-14)

मृताभ्रतीक्ष्णताम्रञ्च सूततालकगन्धकम् ।
भाङ्गी शुण्ठी बला धान्यं कट्फलञ्चाभया विषम् ॥१३॥
संपिष्य चपलाद्रावैः निष्कैकां भक्षयेद्वटीम् ।
वातश्लेष्माहरा ह्येष महावातगजाङ्कुशः ॥१४॥
(रसेन्द्रसारसंग्रह, वातव्याधि चिकित्सा; १३-१४)

1.	Mṛtābhra (Abhraka) - bhasma	1 Part
2.	Mṛta tīkṣṇa (lauha) bhasma	1 Part

3.	Mṛta Tāmra - bhasma (tāmra)		1 Part
4.	Mṛta suta - Rasa sindūra (pārada)		1 Part
5.	Mṛta Tālaka (Haritāla) bhasma (Rasamanikya)		1 Part
6.	Gandhaka - śuddha		1 Part
7.	Bhārṅgī	(Rt.)	1 Part
8.	Śuṅṭhī	(Rz.)	1 Part
9.	Balā	(Rt.)	1 Part
10.	Dhānya (Dhānyaka)	(Fr.)	1 Part
11.	Kaṭphala	(St. Bk.)	1 Part
12.	Abhayā (Harītakī)	(P.)	1 Part
13.	Viṣa (Vatsanābha) - śuddha	(Rt.Tr.)	1 Part
14.	Capalā drava (Pippalī) - Kvātha	(Fr.)	Q.S. for mardhana 1 day

Dose

250 to 500 mg

Anupāna

Pippalī Cūrṇa, Honey, Rāsnādi Kvātha

Important Therapeutic Uses

Vāta Kaphaja Roga (Disease due to Vāta doṣa and Kapha doṣa)

20 : 29 MUKTĀPĀÑCĀMṚTA RASA

(Rasāmṛta, Rasayogavijnāniya 9: 137-139)

मुक्ताप्रवालखुरवङ्गककम्बुशुक्तिभूतिं वसूदधिदृगिन्दुसुधांशुभागाम् ।
 इक्षो रसेन सुरभेः पयसा विदारीकन्यावरीसुरसहंसपादीरसैश्च ॥१३७॥
 संमर्द्य यामयुगलं च वनोपलाभिर्दद्यात् पुटं सुमृदुलं भिषजां वरिष्ठः ।

पञ्चामृतं रसविभुं भिषजः प्रयुक्तं गुञ्जा चतुष्टयमितं चपलारजश्च ॥१३८॥
 पत्रे निधाय चिरसूतपयस्विनीनां दुग्धेन च प्रपिवत् खलु पथ्यमोक्तुः ।
 जीर्णज्वरः क्षयमियादथ राजयक्ष्मा कासादिलिगंसहितश्च क्षयं प्रयाति ॥१३९॥
 (रसामृत, रसयोग विज्ञानीय, अध्याय ९; १३७-१३९)

1.	Muktā - bhasma	8 Parts
2.	Pravāla - bhasma	4 Parts
3.	Khurabaṅgaka (vaṅga) bhasma	2 Parts
4.	Kambu (Śaṅkha) bhasma	1 Part
5.	Śukti - bhasma	1 Part
6.	Ikṣu rasa (St.)	Q.S. (for mardana)
7.	Surabhīpaya (Godugdha)	Q.S. (for mardana)
8.	Vidārī rasa (Rt. Tr.)	Q.S. (for mardana)
9.	Kanya rasa(Kumārī) (Lf.)	Q.S. (for mardana)
10.	Varī (śatāvarī) rasa (Rt. Tr.)	Q.S. (for mardana)
11.	Surasā rasa (Tulasī) (Lf.)	Q.S. (for mardana)
12.	Hamsapadī rasa (Pl.)	Q.S. (for mardana)

Special Method of Preparation

Drugs 1 to 5 are mixed well Mardana for six hours with drugs 6 to 12. One Laghupuṭa is put in the usual way and made into powder.

Dose

250 mg

Anupāna

Pippalī Cūrṇa, milk, honey

Important Therapeutic Uses

Kāsa (Cough), Jīrṇajvara (Chronic fever), Rājayakṣmā (Tuberculosis), Kṣaya (Pthisis)

20 : 30 MR̥TYUÑJAYA RASA

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 409-418)

विषस्यैकं तथा भागं मरिचं पिप्पली कणा ।
गन्धकस्य तथा भागं भागं स्याट्टङ्गस्य वै ॥४०९॥
सर्वत्र समभागं स्याद् द्विभागं हिङ्गुलं भवेत् ।
जम्बीरस्य रसेनात्र कार्यं हिङ्गुलशोधनम् ॥४१०॥
रसश्चेत्समभागं स्याद् हिङ्गुलं नेष्यते तदा ।
गोमूत्रशोधितञ्चात्र विषं सौरविशोषितम् ॥४११॥
गुञ्जापादमितां पिष्ट्वा खल्लमध्ये वर्टी चरेत् ।
मधुना लेहनं प्रोक्तं सर्वज्वरनिवृत्तये ॥४१२॥
दध्युदकानुपानेन वातज्वरनिर्बहणः ।
आर्द्रकस्य रसैः पानं दारुणे सान्निपातिके ॥४१३॥
जम्बीररसयोगेन अजीर्णज्वरनाशनः ।
अजाजीगुडसंयुक्तो विषमज्वरनाशकः ॥४१४॥
तीव्रज्वरे महाघोरे पुरुषे यौवनान्विते ।
पूर्णमात्रा प्रदातव्या पूर्णं वटिचतुष्टयम् ॥४१५॥
अतिक्षीणेऽतिवृद्धे च शिशौ चाल्पवयस्यपि ।
तुर्यमात्रा प्रदातव्या व्यवस्थासारनिश्चिता ॥४१६॥
नवज्वरे प्रदाने च यामैकान्नाशयेज्ज्वरम् ।
अक्षीणे च कफाभावे दाहे च वातपैत्तिके ॥४१७॥
सितां दद्यात् प्रयत्नेन नारिकेलाम्बु निर्भयम् ।
अयं मृत्युञ्जयो नाम रसः सर्वज्वरापहः ॥
अनुपानप्रभेदेन निहन्ति सकलान् गदान् ॥४१८॥
(भैषज्यरत्नावली, ज्वराधिकार, ४०९-४१८)

- | | | |
|----|---|--------|
| 1. | Viṣa (Vatsanābha) go mūtra śodhita (Rt.Tr.) | 1 Part |
| 2. | Marica (Fr.) | 1 Part |
| 3. | Pippalī (Kaṇā,) (Pippalī) (Fr.) | 1 Part |
| 4. | Gandhaka - śuddha | 1 Part |
| 5. | Taṅkaṇa - śuddha | 1 Part |

6.	Hiṅgula - jambīra rasa śodhita	2 Parts
	Or	
	Rasa (Pārada) - śuddha	1 Part

Dose

125 mg

Anupāna

Mastu, Ārdraka Svarasa, Honey

Important Therapeutic Uses

Sarva Jvara (All types of fevers), Viṣamajvara (Intermittent fever), Jīrṇajvara (Chronic fever)

20 : 31 YOGENDRA RASA

(Bhaiṣajyaratnāvalī, Vātavyādhyadhikāra: 506-512)

विशुद्धं रससिन्दूरं तदद्धं शुद्धहाटकम् ।
तत्समं कान्तलौहञ्च तत्समञ्चाभ्रमेव च ॥५०६॥
विशुद्धं मौक्तिकञ्चैव वङ्गञ्च तत्समं मतम् ।
कुमारिकारसैर्भाव्यं धान्यराशौ दिनत्रयम् ॥५०७॥
ततो रक्तिद्वयमितां वर्तिं कुर्याद्विचक्षणः ।
योगवाही रसो ह्येष सर्वरोगकुलान्तकः ॥५०८॥
वातपित्तभवान् रोगान् प्रमेहान् बहुमूत्रताम् ।
मूत्राघातमपस्मारं भगन्दरगुदामयम् ॥५०९॥
मूर्च्छोन्मादञ्च यक्ष्माणं पक्षाघातं हतेन्द्रियम् ।
शूलाम्लपित्तकं हन्ति भास्करस्तिमिरं यथा ॥५१०॥
त्रिफलारसयोगेन शुभया सितयापि वा ।
भक्षयित्वा भवेद्रोगी कामरूपी सुदर्शनः ॥५११॥
रात्रौ सेव्यं गवां क्षीरं कृशानाञ्च विशेषतः ।

योगेन्द्राख्यो रसो नाम्ना कृष्णात्रेयविनिर्मितः ॥५१२॥
(भैषज्यरत्नावली, वातव्याध्यधिकार; ५०६-५१२)

1.	Rasa Sindūra (Pārada)	1 Part
2.	Hātaka (Svarṇa) bhasma	1/2 Part
3.	Kāntaloḥa bhasma (Lauha)	1/2 Part
4.	Abhra (Abhraka) bhasma	1/2 Part
5.	Mauktika (Muktā) bhasma	1/2 Part
6.	Vaṅga bhasma	1/2 Part
7.	Kumārī rasa (Lf.)	Q.S. (for mardana)

Special Method of Preparation

Sl. No.1-6 to be placed in a kharala for bhāvanā and Mardana With Kumārī Svarasa and then make pellets and dry, then whole thing covered with Eraṇḍa, leaves and kept in a heap of Dhānya for 3 days

Dose

125 to 250 mg

Anupāna

Triphalā Kvātha, Honey

Important Therapeutic Uses

Bahumūtra (Polyuria), Prameha (Urinary disorders), Vātaroga (Disease due to Vāta doṣa), Apasmāra (Epilepsy), Pakṣāghāta (Paralysis/Hemiplegia), Bhagandara (Fistula-in-ano), Arśa (Haemorrhoids), Vātapitta Roga (Disease due to Vāta doṣa and Pitta doṣa), Mūtrāghāta (Urinary obstruction), Guda Roga (Anorectal disease), Mūrcchā (Syncope), Unmāda (Mania/Psychosis), Yakṣmā (Tuberculosis), Kṣīṇendriya (Impaired senses), Śūla (Colicky Pain), Amlapitta (Dyspepsia)

20 : 32 RATNAGIRI RASA

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 433-438)

शुद्धसूतं समं गन्धं मृतताम्राभ्रहाटकम् ।
 प्रत्येकं सूततुल्यं स्यात् सूताद्धं मृतलौहकम् ॥४३३॥
 लौहाद्धं मृतवैक्रान्तं मर्दयेद् भृङ्गजद्रवैः ।
 पर्पटीरसवत्पाच्यं चूर्णितं भावयेत् पृथक् ॥४३४॥
 शिग्रुवासकनिर्गुण्डीवचाग्निभृङ्गमुण्डिकैः ।
 द्राक्षामृताजयन्तीभिर्मुनिब्राह्मीसुतिक्तकैः ॥४३५॥
 कन्यायाश्च द्रवैर्भाव्यं प्रतिवारं त्रिधा त्रिधा ।
 रुद्ध्वा लघुपुटे पाच्यं वालुकायन्त्रमध्यगम् ॥४३६॥
 यन्त्रं निरुद्ध्य यत्नेन स्वाङ्गशीतं समुद्धरेत् ।
 चूर्णं नवज्वरे देयं रक्तिमात्रं रसस्य वै ॥४३७॥
 कृष्णाधान्यसमायुक्तं मुहूर्तान्नाशयेज्ज्वरम् ।
 अयं रत्नगिरिर्नाम रसो योगस्य वाहकः ॥४३८॥
 (भैषज्यरत्नावली, ज्वराधिकार; ४३३-४३८)

1.	Śuddha sūta (Pārada)	1 Part
2.	Gandha (Gandhaka) - śuddha	1 Part
3.	Mṛta Tāmra (Tāmra) - bhasma	1 Part
4.	Mṛta Abhra (Abhraka) - bhasma	1 Part
5.	Mṛta Hāṭaka (Svarṇa) - bhasma	1 Part
6.	Mṛta Lauhaka (Lauha) - bhasma	1/2 Part
7.	Mṛta Vaikrānta (Vaikrānta) - bhasma	1/4 Part
8.	Bhṛṅgarāja drava (Bhṛṅgarāja) (Pl.)	Q.S. for bhāvanā 3 times
9.	Śigru - drava- rasa (Lf.)	Q.S. for bhāvanā 3 times
10.	Vāsaka (Vāsā) drava (Lf.)	Q.S. for bhāvanā 3 times
11.	Nirguṇḍī - drava (Lf.)	Q.S. for bhāvanā 3 times

12.	Vacā - drava	(Rz.)	Q.S. for bhāvanā 3 times
13.	Agni drava (Citraka)	(Rt.)	Q.S. for bhāvanā 3 times
14.	Bhr̥ṅga drava (Bhr̥ṅgarāja)	(Pl.)	Q.S. for bhāvanā 3 times
15.	Muṇḍīka- drava (Mūṇḍītikā)	(Rt.)	Q.S. for bhāvanā 3 times
16.	Drākṣā - drava	(Dr.Fr.)	Q.S. for bhāvanā 3 times
17.	Amṛtā drava (Guḍūcī)	(St.)	Q.S. for bhāvanā 3 times
18.	Jayantī drava	(Lf.)	Q.S. for bhāvanā 3 times
19.	Muni drava (Agastya)	(Lf.)	Q.S. for bhāvanā 3 times
20.	Brāhmī - drava	(Pl.)	Q.S. for bhāvanā 3 times
21.	Sutiktaka drava (Kaṭukā)	(Rz.)	Q.S. for bhāvanā 3 times
22.	Kanyā drava (Kumārī)	(Lf.)	Q.S. for bhāvanā 3 times

Special Method of Preparation

Kajjalī is melted as is done for Parpatī and mixed with other drugs. Mardana with Bhr̥ṅgarāja Svarasa and Bhāvanā with other drugs 9 to 22 is done one after another. Then Laghu Puṭa in Vālukā Yantra is given.

Dose

125 mg

Anupāna

Pippalī Cūrṇa, Dhānyaka Cūrṇa, Honey

Important Therapeutic Uses

Navajvara (Acute fever)

20 : 33 RASAMĀṆIKYA

(Siddhabhaiṣajyamāṇimāla, Jvaraprakaraṇa: 66)

अभ्रसम्पुटं तालं किञ्चिदङ्गारसाधितम् ।
वातश्लेष्मज्वरे शस्तं माणिक्यरसशब्दितम् ॥६६॥
(सिद्धभैषज्यमणिमाला, ज्वरप्रकरण; ६६)

1. Tāla - śuddha (Haratāla)

Q.S.

Special Method of Preparation

Small pieces of Tāla (Haratāla) are kept on Abhraka (Mica) Sheet and covered by another sheet of Abhraka. This Abhraka Sampuṭa Containing Tālaka is kept on moderate fire. When Tālaka is melted and colour is also changed like Māṇikya (Red) Sampuṭa

Dose

125 to 250 mg

Anupāna

Ghee, honey

Important Therapeutic Uses

Vātaśleṣma Jvara (Fever due to Vāta doṣa and Śleṣma doṣa), Śvāsa
(Dyspnoea/Asthma)

20 : 34 RASARĀJA RASA

(Bhaiṣajyaratnāvalī, Vātavyādhyadhikāra: 470-476)

पुलैकं मूर्च्छितं सूतं व्योमसत्त्वञ्च कार्षिकम् ।
 सुवर्णं तत्समं ज्ञेयं कन्यारसविमर्दितम् ॥४७०॥
 लौहं रूप्यं मृतं वङ्गं वाजिगन्धालवङ्गकम् ।
 जातीकोषं तथा क्षीरकाकोलीञ्च तदर्द्धकम् ॥४७१॥
 काकमाचीरसेनैव सर्वं सम्मर्दयेद् दृढम् ।
 गुञ्जाद्वयप्रमाणेन वटिकां कारयेद्भिषक् ॥४७२॥
 क्षीरञ्च शर्करातोयमनुपानं प्रयोजयेत् ।
 पक्षाघातार्दिते वाते सोद्गारे सापतानके ॥४७३॥
 अङ्गभङ्गे तथा कुब्जे धनुःस्तम्भे तथैव च ।
 शिरसो घूर्णिते स्वेदे हस्तपादादिशीतले ॥४७४॥
 मनोविभ्रमकम्पे च आध्माने नेत्रवैकृते ।
 दापयेद् रसराजोऽयं वातव्याधिकुलान्तकृत् ॥४७५॥
 बल्यो वृष्यश्च भोग्यश्च वाजीकरण उत्तमः ।
 नातः परतरं श्रेष्ठं विद्यते रसकर्मणि ॥४७६॥
 (भैषज्यरत्नावली, वातव्याध्यधिकार; ४७०-४७६)

1.	Mūrcchita Sūta - Rasa sindhūra (Pārada)	48 g
2.	Vyoma sattva (Abhraka) - bhasma	12 g
3.	Suvarṇa (Svarṇa) - bhasma	12 g
4.	Kanyā rasa (Kumārī) (Lf.)	Q.S. (ढदृद्ध डण्फड्डदफ & Mardana)
5.	Mṛta lauha (Lauha) bhasma	6 g
6.	Mṛta rūpya (Rajata) - bhasma	6 g
7.	Mṛta Vaṅga (Vaṅga) bhasma	6 g
8.	Vājigandhā (Aśvagandhā) (Rt.)	6 g
9.	Lavaṅgaka (Lavaṅga) (Fl. Bd.)	6 g
10.	Jātīkoṣa (Jātīphala) (Ar.)	6 g
11.	Kṣīrakākoli	6 g
12.	Kākamācī rasa (Pl.)	Q.S. (ढदृद्ध डण्फड्डदफ & mardhana)

Dose

125 to 250 mg

Anupāna

Honey, milk, sugar water

Important Therapeutic Uses

Pakṣāghāta (Paralysis/Hemiplegia), Ardita (Facial palsy), Apatantraka (Hysteria with loss of consciousness), Apatānaka (Tetanic convulsions), Hanustambha (Lock jaw), Bādhirya (Deafness), Mastaka Bhrama (Vertigo), Vātaroga (Disease due to Vāta doṣa), Daurbalya (Weakness), Śukrakṣaya (Oligospermia)

20 : 35 RĀJAMṚGĀṆKA RASA

(Rasendrasārasaṅgraha, Yakṣmācikitsā: 3 - 7)

रसभस्म त्रयो भागा भागैकं हेमभस्मकम् ।
मृततारस्य भागैकं शिलागन्धकतालकम् ॥३॥
प्रतिभागद्वयं शुद्धमेकीकृत्य विचूर्णयेत् ।
वराटिका तेन पूर्या चाजाक्षीरेण टङ्कणम् ॥४॥
पिष्ट्वा तेन मुखं रुध्वा मृद्भाण्डे तां निरोधयेत् ।
शुष्कं गजपुटे पाच्यं चूर्णयेत् स्वाङ्गशीतलम् ॥५॥
दशपिप्पलिकैः क्षौद्रैर्मरिचैर्वा घृतान्वितैः ।
गुञ्जाचतुष्टयञ्चास्य क्षयरोगप्रशान्तये ॥६॥
सघृतैर्दापयोद्वाऽथ वातश्लेष्मभवे क्षये ।
रसो राजमृगाङ्कोऽयं नानारोगनिसूदनः ॥७॥
(रसेन्द्रसारसङ्ग्रह, यक्ष्माचिकित्सा; ३-७)

- | | | |
|----|-------------------------------------|---------|
| 1. | Rasa bhasma (Pārada) - Rasa sindūra | 3 Parts |
| 2. | Hema (Svarṇa) bhasma | 1 Part |
| 3. | Mṛta Tāra (Rajata) bhasma | 1 Part |

4.	Śilā (Manahśilā) - śuddha	2 Parts
5.	Gandhaka - śuddha	2 Parts
6.	Tālaka (Haritāla) -śuddha	2 Parts
7.	Varāṭikā (Kapardika) -śuddha	1 Part
8.	Taṅkaṇa - śuddha	1 Part

Special Method of Preparation

Drugs 1 to 6 are mixed together Varāṭikās are filled with the powder and the mouths of Varāṭikās are sealed by a paste made of Taṅkaṇa and Ajā Kṣīra. These Varāṭikas are placed in Śarāva Sampuṭa and sealed with clay smeared cloth. This is heated in Ga

Dose

250 to 500 mg

Anupāna

Pippalī Cūrṇa And Honey, Marica Cūrṇa And Ghṛta

Important Therapeutic Uses

Vātaśleṣmajakṣaya (Pthisis due to Vāta doṣa and Śleṣma doṣa)

20 : 36 LAGHU MĀLINĪVASANTA RASA

(Yogarātnākara, Jvarādhikāra: Page 211)

रसकयुगलभागं वल्लिजं भागमेकं द्वितयमथ सुखल्वे मर्दयेन्म्रक्षणेन ।
भवति घृतविमुक्तो निम्बुनीरेण यावज्ज्वरहरमधुकुल्या मालिनीप्राग्वसन्तः ॥१॥
जीर्णज्वरे धातुगतेऽतिसारे रक्तान्विते रक्तभवे विकारे ।
घोरव्यथे पित्तभवे च दोषे वल्लद्वयं दुग्धयुतं च पथ्यम् ॥२॥
प्रदरं नाशयत्याशु तथा दुर्नामशोणितम् ।
विषमं नेत्ररोगं च गजेन्द्रमिव केसरी ॥३॥
वसन्तो मालिनीपूर्वः सर्वरोगहरः शिशोः ।
गर्भिण्यै तत्र देयो वै जयन्त्याः पुष्पकैः सह ॥

सर्वज्वरहरः श्रेष्ठो गर्भपोषण उत्तमः ॥४॥
(योगरत्नाकर, ज्वराधिकार; पृष्ठ २११)

1.	Rasaka (Kharpara) - bhasma	2 Parts
2.	Vallija nistuṣa (Marica) (Fr.)	1 Part
3.	Mṛkṣaṇa (Navanīta)	Q.S. (for mardana)
4.	Nimbū nīra (Nimbū) (Fr.)	Q.S. (for mardana)

Special Method of Preparation

To be ground with Nimbū Svarasa till the stickyness is removed from the medicine.

Note: Since the genuine Kharpara bhasma not generally available Yaśada bhasma which has the same property is used in place of Kharpara bhasma.

Dose

250 mg

Anupāna

Milk, honey

Important Therapeutic Uses

Pittavikāra (Disorder of Pitta doṣa), Raktavikāra (Disorders of blood), Jvara (Fever), Kṣaya (Pthisis), Pradara (Excessive vaginal discharge), Garbhinī Roga (Disorders during Pregnancy), Arśa (Haemorrhoids), Jīrṇajvara (Chronic fever), Dhātugata Atīśāra (Diarrhoea resulting in tissue wasting), Netraroga (Eye disorder), Raktārśa (Bleeding haemorrhoids), Viṣamajvara (Intermittent fever)

20 : 37 LAGHVĀNANDA RASA

(Rasendrasārasaṅgraha, Pāṇḍukāmalācikitsā: 44-46)

पारदं गन्धकं लौहं विषमभ्रकमेव च ।
समांशं मरिचञ्चाष्टौ टङ्गणञ्च चतुर्गुणम् ॥४४॥
भृङ्गराजरसैश्चाम्लवेतसैः सप्त भावनाः ।

गुञ्जाद्वयं पर्णखण्डे खादेत् सायं निहन्ति च ॥४५॥
पाण्डुतामरुचिञ्चैव मन्दाग्निं ग्रहणीं ज्वरम्।
बातश्लेष्मभवान् रोगान् जयेदचिरसेवनान् ॥४६॥
(रसेन्द्रसारसङ्ग्रह, पाण्डुकामला चिकित्सा; ४४-४६)

1.	Pārada - śuddha	1 Part
2.	Gandhaka - śuddha	1 Part
3.	Lauha bhasma	1 Part
4.	Viṣa (Vatsanābha) - śuddha (Rt.Tr.)	1 Part
5.	Abhraka bhasma	1 Part
6.	Marica (Fr.)	8 Parts
7.	Taṅgaṇa - śuddha (Taṅkaṇa) bhasma	4 Parts
8.	Bhr̥ṅgarāja (Pl.)	Q.S. (for bhavana & mardana) 7 times
9.	Amlavetasa (Fr.)	Q.S. (for bhavana & mardana) 7 times

Dose

250 mg

Anupāna

Betel leaf and honey

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Vāta Kapha Roga (Disease due to Vāta doṣa and Kapha doṣa), Pāṇḍu (Anaemia), Jvara (Fever), Bhrama (Vertigo), Pradara (Excessive vaginal discharge), Aruci (Tastelessness), Gulma (Abdominal lump)

20 : 38 LAKṢMĪNĀRĀYAṆA RASA

(Yogarātnākara, Vātavyādhicikitsā: Page 470)

शुद्धगन्धकमेतच्च टंकणं विषहिङ्गुलम् ।
 रोहिण्यतिविषाकृष्णावत्सकाभ्रकसैन्धवम् ॥१॥
 एतानि समभागानि खल्वमध्ये विनिक्षिपेत् ।
 दन्तीद्रावैः फलद्रावैर्मर्दयेच्च दिनत्रयम् ॥२॥
 वल्लद्वयां वटीं कृत्वा आर्द्रकस्य जलैर्ददेत् ।
 दोषज्वरे सन्निपाते विषूच्यां विषमज्वरे ॥३॥
 अतिसारे ग्रहण्यां च रक्ताभे मेहशूलजित् ।
 सूतिकावातदोषघ्नो लङ्केशमिव राघवः ॥४॥
 इष्टान्नं भोजयेत्पथ्यमभ्यङ्गं स्नानमाचरेत् ।
 कर्पूरमिश्रताम्बूलं प्रसूनं हरिचन्दनम् ॥५॥
 नारिकेलोदकं पीत्वा नारीणां सङ्गमेव च ।
 लक्ष्मीनारायणो नाम रसानामुत्तमो रसः ॥६॥
 (योगरत्नाकर, वातव्याधिचिकित्सा; पृष्ठ ४७०)

1.	Gandhaka - śuddha	1 Part
2.	Taṅkaṇa - śuddha	1 Part
3.	Viṣa (Vatsanābha) - śuddha (Rt. Tr.)	1 Part
4.	Hiṅgula-śuddha	1 Part
5.	Rohiṇī (Kaṭukā) (Rz.)	1 Part
6.	Ativiṣā - śuddha (Rt. Tr.)	1 Part
7.	Kṛṣṇā (pippalī) (Fr.)	1 Part
8.	Vatsaka (Kuṭaja) (Sd.)	1 Part
9.	Abhraka bhasma	1 Part
10.	Saindhava lavaṇa	1 Part
11.	Dantī drava (Rt)	Q.S.(for bhavana & mardana 3) days
12.	Harītakī (P.)	Q.S.(for bhavana & mardana 3) days
13.	Āmalakī (P.)	Q.S.(for bhavana & mardana 3) days

14. Bibhītaka

(P.)

Q.S.(for bhavana & mardana 3)

days

Dose

250 mg

Anupāna

Ārdraka Svarasa, Tāmbūla Rasa, Nārīkelodaka

Important Therapeutic Uses

Prasūtavāta (Puerperal disorder), Vātaroga (Disease due to Vāta doṣa), Jvara (Fever), Sūtikāroga (Post partum disorder puerperal disorders), Sannipāta Roga (Disease due to vitiation of all Doṣa), Viṣamajvara (Intermittent fever), Viṣūcī (Gastro-enteritis with piercing pain), Atīśāra (Diarrhoea), Grahaṇī (Malabsorption syndrome), Raktātīśāra (Diarrhoea with Bleeding), Āmātīśāra (Diarrhoea due to indigestion/ Āma), Meha (Excessive flow of urine), Śūla (Colicky Pain)

20 : 39 LAKṢMĪVILĀSA RASA (NĀRADĪYA)

(Bhaiṣajyaratnāvalī, Rasāyanādhikara: 55-68)

पलं कृष्णाभ्रचूर्णस्य तदद्धौ रसगन्धकौ ।
तदद्धं चन्द्रसंज्ञस्य जातीकोषफले तथा ॥५५॥
वृद्धदारकबीजञ्च बीजं धुस्तूरकस्य च ।
त्रैलोक्यविजयाबीजं विदारीमूलमेव च ॥५६॥
नारायणी तथा नागबला चातिबला तथा ।
बीजं गोक्षुरकस्यापि नैचुलं बीजमेव च ॥५७॥
एतेषां कार्षिकं चूर्णं पर्णपत्ररसैः पुनः ।
निष्पिष्य वटिका कार्या त्रिगुञ्जाफलमानतः ॥५८॥
निहन्ति सन्निपातोत्थान् गदान् घोरान् चतुर्विधान् ।
वातोत्थान् पैत्तिकांश्चैव नास्त्यत्र नियमः क्वचित् ॥५९॥

कुष्ठमष्टादशाख्यञ्च प्रमेहान् विंशतिं तथा ।
 नाडीव्रणं व्रणं घोरं गुदामयभगन्दरम् ॥६०॥
 श्लीपदं कफवातोत्थं रक्तमांसाश्रितञ्च यत् ।
 मेदोगतं धातुगतं चिरजं कुलसम्भवम् ॥६१॥
 गलशोथमन्त्रवृद्धिमतीसारं सुदारुणम् ।
 आमवातं सर्वरूपं जिह्वास्तम्भं गलग्रहम् ॥६२॥
 उदरं कर्णनासाक्षिमुखवैकृत्यमेव च ।
 कासपीनसयक्ष्मार्शःस्थौल्यदौर्गन्ध्यनाशनः ॥६३॥
 सर्वशूलं शिरःशूलं स्त्रीणां गदनिषूदनम् ।
 वटिकां प्रातरेकैकां खादेन्नित्यं यथाबलम् ॥६४॥
 अनुपानमिह प्रोक्तं मांसं पिष्टं पयो दधि ।
 वारितक्रसुरासीधुसेवनात्कामरूपधृक् ॥६५॥
 वृद्धोऽपि तरुणस्पृद्धी न च शुक्रस्य संक्षयः ।
 न च लिङ्गस्य शैथिल्यं न केशा यान्ति पक्वताम् ॥६६॥
 नित्यं स्त्रीणां शतं गच्छेन्मत्तवारणविक्रमः ।
 द्विलक्षयोजनी दृष्टिर्जायते पौष्टिकः परः ॥६७॥
 प्रोक्तः प्रयोगराजोऽयं नारदेन महात्मना ।
 रसो लक्ष्मीविलासस्तु वासुदेवे जगत्पतौ ॥
 अभ्यासाद् यस्य भगवान् लक्षनारीषु वल्लभः ॥६८॥
 (भैषज्यरत्नावली, रसायनाधिकार; ५५-६८)

1.	Kṛṣṇābhra (Abhraka) bhasma	48 g
2.	Rasa (Pārada) - śuddha	24 g
3.	Gandhaka - śuddha	24 g
4.	Candra (Karpūra) (Sub. Ext.)	12 g
5.	Jātikōśa (Jātīphala) (Ar.)	12 g
6.	Jātīphala (Sd.)	12 g
7.	Vṛddhadāraka (Vṛddhadāruka) (Sd.)	12 g
8.	Dhustūraka (Dhattūra) (Sd.)	12 g
9.	Trailokya vijayā (Vijayā) -bīja (Bhaṅga) (Sd.)	12 g
10.	Vidārī mūla (Rt. Tr.)	12 g

11.	Nārāyaṇī (Śatavari)	(Rt. Tr.)	12 g
12.	Nāgabalā	(Rt.)	12 g
13.	Atibalā	(Rt.)	12 g
14.	Gokṣuraka (Gokṣura)	(Fr.)	12 g
15.	Nicula - bīja	(Sd.)	12 g
16.	Parna patra (Nāgavallī)	(Lf.)	Q.S. (for mardana)

Dose

250 mg

Anupāna

Tāmbūla Svarasa, honey, milk

Important Therapeutic Uses

Udara (Diseases of abdomen / enlargement of abdomen), Prameha (Urinary disorders), Dhātu Kṣaya (Tissue wasting), Ūrdhvāṅga Roga (Disorders of Head and brain), Nāḍīvrāṇa (Fistula), Kuṣṭha (Diseases of skin), Vraṇa (Ulcer), Guda Roga (Anorectal disease), Bhagandara (Fistula-in-ano), All kinds of Ślīpāda (Filariasis), Galaśoṣa (Dryness in throat), Āntra Vṛddhi (Hernia), Atīśāra (Diarrhoea), Āmavāta (Rheumatism), Jihvāstambha (Glossal palsy), Galagraha (Difficulty in swallowing), Mukha-Karṇa-Nāsa-Akṣi Vikṛti (Disorders of Mouth, Ear, Nose and Eyes), Kāsa (Cough), Pīnasa (Chronic rhinitis/sinusitis), Yakṣmā (Tuberculosis), Arśa (Haemorrhoids), Sthaulya (Obesity)

20 : 40 LOKANĀTHA RASA

(Rasendrasāra Saṅgraha, Plīha Cikitsā: 2 - 5)

पारदं गंधकं चैव समभागं विमर्दयेत् ।
मृताभ्रं रसतुल्यं च पुनस्तत्रैव मर्दयेत् ॥२॥
रसाद् द्विगुणलौहं च लौहतुल्यं च ताम्रकम् ।
भस्म वराटिकायाश्च ताम्रतस्त्रिगुणं कुरु ॥३॥

नागवल्लीरसेनैव मर्दयेद् यत्नतो भिषक् ।
पुटेद् गजपुटे विद्वान् स्वांगशीतं समुद्धरेत् ॥४॥
यकृत्प्लीहोदरं गुल्मं श्वयथुञ्च विनाशयेत् ।
पिप्पलीमधुसंयुक्तां सगुडां वा हरीतकीम् ।
गोमूत्रश्च पिबेच्चानु गुडं वा जीरकान्वितम् ॥५॥
(रसेन्द्रसारसंग्रह, प्लीहचिकित्सा, २-५)

1.	Pārada-śuddha	12 g
2.	Gandhaka - śuddha	12 g
3.	Mṛtābhra (Abhraka) - bhasma	12 g
4.	Loha bhasma	24 g
5.	Tāmra (Tāmra) - bhasma	24 g
6.	Varāṭikā (Kapardikā) bhasma	72 g
7.	Nāgavallī rasa (Lf.)	Q.S. (for mardana)

Special Method of Preparation

Drugs 1 to 6 are mixed well and mardana is done in Nāgavallī Rasa and small cakrikās are prepared. These cakrikās are kept in Śārāva Sampuṭa and Gajapuṭa is given. When cool, the cakrikas are powdered and bottled.

Dose

125-250 mg

Anupāna

Honey, Gomūtra

Important Therapeutic Uses

Yakṛtṭplīhodara (Disease of liver and spleen), Gulma (Abdominal lump), Śoṭha (Inflammation)

20 : 41 VASANTA MĀLATĪ RASA

(Siddhabhaiṣajyamaṇimāla, Jvaraprakaraṇa: 60-62)

स्वर्णं मुक्ता च दरदं मरिचं भागवृद्धितः ।
 खर्पर्यष्टौ कलांशं स्यान्नवनीतं पयोभवम् ॥६०॥
 निम्बूकैर्मर्दयेत्तावद्यावत् स्नेहो लयं व्रजेत् ।
 मालती प्राग्वसन्तोऽयं रसो धातुज्वरं जयेत् ॥६१॥
 मात्रा गुञ्जाद्वयोन्माना कणा मधु चमत्कृता ।
 प्रकुञ्चपञ्चके पञ्चनवतिनिम्बुकान्यलम् ॥६२॥
 (सिद्धभैषज्यमणिमाला, ज्वरप्रकरण; ६०-६२)

1.	Svarṇa - bhasma	1 Part
2.	Muktā bhasma	2 Parts
3.	Darada (Hiṅgula) -śuddha	3 Parts
4.	Marica (Fr.)	4 Parts
5.	Kharpara bhasma	8 Parts
6.	Navanīta	18/16 or 1 1/8 Part
7.	Nimbuka (Nimbū) svarasa (Fr.)	Q.S. (for mardana)

Note: 1. Yaśada bhasma may be used in place of Kharpara bhasma.

2. Usually Nimbū svarasa is taken four times the weight of drugs.

The mardana is continued till the greasiness of Navaavanīta ends.

Dose

125 to 250 mg

Anupāna

Pippalī Cūrṇa, Honey

Important Therapeutic Uses

Jīrṇa Kāsa (Chronic cough), Viṣamajvara (Intermittent fever), Jīrṇajvara (Chronic fever)

20 : 42 VASANTAKUSUMĀKARA RASA

(Rasendrasārasaṅgraha, Rasāyanavājīkaraṇādhikāra: 80-85)

द्विभागं हाटकं चन्द्रं त्रयो वङ्गाहिकान्तकाः ।
चतुर्भागं शुद्धमभ्रं प्रवालं मौक्तिकं तथा ॥८०॥
भावयेद् गव्यदुग्धेन भावनेक्षुरसेन च ।
वासालाक्षारसोदीच्यरम्भाकन्दप्रसूनकैः ॥८१॥
शतपत्ररसेनैव मालत्याः कुङ्कुमोदकैः ।
पश्चान्मृगमदैर्भाव्यं सुगन्धिरससंभवैः ॥८२॥
कुसुमाकरविख्यातो वसन्तपदपूर्वकः ।
गुञ्जाद्वयेन संसेव्यः सितामध्वाज्यसंयुतः ॥८३॥
मेहघ्नः कान्तिदश्चैव कामदः पुष्टिदस्तथा ।
वलीपलितहश्चैव स्मृतिभ्रंशं विनाशयेत् ॥८४॥
तुष्टिदो बल्यमायुष्यः पुत्रप्रसवकारकः ।
प्रमेहान् विंशतिञ्चैव क्षयमेकादशं तथा ।
तथा सोमरुजं हन्ति साध्यासाध्यमथापि वा ॥८५॥
(रसेन्द्रसारसङ्ग्रह, रसायनवाजीकरणाधिकार; ८०-८५)

1.	Hāṭaka (Svarṇa) bhasma	2 Parts
2.	Candra (Rajata) bhasma	2 Parts
3.	Vaṅga bhasma	3 Parts
4.	Ahi (Nāga) bhasma	3 Parts
5.	Kāntaka (Lauha) bhasma	3 Parts
6.	Abhra bhasma (Abhraka)	4 Parts
7.	Pravāla bhasma	4 Parts
8.	Mauktika (Muktā) bhasma	4 Parts

9.	Gavyadugdha (Godugdha)		Q.S. (for bhāvanā & mardana)
10.	Ikṣu	(St.)	Q.S. (for bhāvanā & mardana)
11.	Vāsā	(Lf.)	Q.S. (for bhāvanā & mardana)
12.	Lākṣā	(Gl.)	Q.S. (for bhāvanā & mardana)
13.	Udīcyā	(Rt.)	Q.S. (for bhāvanā & mardana)
14.	Rambhā kanda (Kadalī)	(Rt. Tr.)	Q.S. (for bhāvanā & mardana)
15.	Śata patra (Śatapatrikā)	(Fl.)	Q.S. (for bhāvanā & mardana)
16.	Mālatī (Jātī)	(Fl.)	Q.S. (for bhāvanā & mardana)
17.	Mṛgamada		1 Part (for bhāvanā & mardana)

Special Method of Preparation

Drugs 1 to 8 are mixed well and Bhāvanas in drugs 9 to 16 are given separately one after the other. Kastūrī is mixed in water and Bhāvanā in Kastūri Jala is given. It is ground well and stored in well stoppered bottle.

Dose

125 to 250 mg

Anupāna

Honey, Goghṛta, Milk, Sitā

Important Therapeutic Uses

Meha (Excessive flow of urine), Valī Palita (Wrinkles in skin and graying of hair),

Smṛti Bhramśa (Impairment of memory), Kṣaya (Pthisis), Somaroga (Polyuria in females), Kārśya (Emaciation)

20 : 43 VĀTAKULĀNTAKA RASA

(Bhaiṣajyaratnāvalī, Apasmārādhikāra: 40-43)

मृगनाभिः शिला नागकेशरं कलिवृक्षजम् ।
पारदं गन्धकं जातीफलमेलालवङ्गकम् ॥४०॥
प्रत्येकं कार्षिकञ्चैव श्लक्ष्णचूर्णञ्च कारयेत् ।
जलेन मर्दयित्वा तु वटीं गुञ्जार्धसम्मिताम् ॥४१॥
यथाव्याध्यनुपानेन योजयेच्च चिकित्सकः ।
अपस्मारे महाघोरे मूर्च्छारोगे च शस्यते ॥४२॥
वातजान् सर्वरोगांश्च हन्यादचिरसेवनात् ।
नातः परतरं श्रेष्ठमपस्मारेषु वर्तते ॥
ब्रह्मणा निर्मितः पूर्वं नाम्ना वातकुलान्तकः ॥४३॥
(भैषज्यरत्नावली, अपस्माराधिकारः ४०-४३)

1.	Mṛga nābhi (mṛgamada)	12 g
2.	Śilā (Manahśilā) - śuddha	12 g
3.	Nāgakēśara (Stmn.)	12 g
4.	Kali vṛkṣa (Bibhītaka) (P.)	12 g
5.	Pārada-śuddha	12 g
6.	Gandhaka - śuddha	12 g
7.	Jātīphala (Sd.)	12 g
8.	Elā (Sūkṣmailā) (Sd.)	12 g
9.	Lavaṅgaka (Lavaṅga) (Fl. Bd.)	12 g
10.	Jala	Q.S. (for bhāvanā & mardana)

Dose

125 to 250 mg

Anupāna

Brāhmī Rasa, Vacā Cūrṇa, Milk

Important Therapeutic Uses

Apasmāra (Epilepsy), Mūrcchā (Syncope), Vātaroga (Disease due to Vāta doṣa)

20 : 44 VĀTARAKTĀNTAKA RASA

(Bhaiṣajyaratnāvali, Vātaraktādhikāra: 119-123)

पारदं गन्धकं लौहं घनं तालं मनःशिला ।
शिलाजतु पुरं शुद्धं समभागं विचूर्णयेत् ॥११९॥
विडङ्गं त्रिफलाव्योषमब्धिफेनं पुनर्नवा ।
देवदारु चित्रकञ्च दार्वी श्वेतापराजिता ॥१२०॥
चूर्णमेषां पृथक् तुल्यं सर्वमेकत्र भावयेत् ।
त्रिफलाभृङ्गराजस्य रसेनैव त्रिधा त्रिधा ॥१२१॥
सम्भाव्य भक्षयेत्पश्चान्माषमात्रं दिने दिने ।
कृत्वानुपानं निम्बस्य पत्रं पुष्पं त्वचं समम् ॥१२२॥
माषमात्रं घृतैः कुर्यात् सर्ववातविकारनुत् ।
वातरक्तं महाघोरं गम्भीरं सर्वजं जयेत् ॥
सर्वोपद्रवसंयुक्तं साध्यासाध्यं निहन्त्ययम् ॥१२३॥
(भैषज्यरत्नावली, वातरक्ताधिकार; ११९-१२३)

- | | | |
|----|--------------------------|--------|
| 1. | Pārada-śuddha | 1 Part |
| 2. | Gandhaka - śuddha | 1 Part |
| 3. | Lauha bhasma | 1 Part |
| 4. | Ghana (Abhraka) bhasma | 1 Part |
| 5. | Tāla (Haritāla) - śuddha | 1 Part |
| 6. | Manahśilā - śuddha | 1 Part |
| 7. | Śilājatu śuddha | 1 Part |

8.	Pura - śuddha (Guggulu)	(Exd.)	1 Part
9.	Viḍaṅga	(Fr.)	1 Part
10.	Harītakī	(P.)	1 Part
11.	Bibhītaka	(P.)	1 Part
12.	Āmalakī	(P.)	1 Part
13.	Śunthī	(Rz.)	1 Part
14.	Marica	(Fr.)	1 Part
15.	Pippalī	(Fr.)	1 Part
16.	Abdhiphēna (Samudraphēna)		1 Part
17.	Punarnavā (Rakta Punarnavā)	(Pl.)	1 Part
18.	Devadāru	(Ht. Wd.)	1 Part
19.	Citraka	(Rt.)	1 Part
20.	Dārvī (Dāruharidrā)	(St.)	1 Part
21.	Śvetāparājita (Aparājitā)	(Pl.)	1 Part
22.	Harītakī	(P.)	Q.S. (for bhāvanā & mardana)
	3 times		
23.	Bibhītaka	(P.)	Q.S. (for bhāvanā & mardana)
	3 times		
24.	Āmalakī	(P.)	Q.S. (for bhāvanā & mardana)
	3 times		
25.	Bhṛṅgarāja	(Pl.)	Q.S. (for bhāvanā & mardana)
	3 times		

Dose

500 mg

Anupāna

Nimba Patra, Nimba Puṣpa, Nimba Tvak

Important Therapeutic Uses

20 : 45 VĀTAVIDHVAM SANA RASA

(Yogarātnākara, Vātavayādhikitsā: Page 468-469)

रसं गन्धकं नागवङ्गं च लौहं तथा ताम्रजं व्योम निश्चन्द्रिकं च ।
कणा टङ्कणं त्र्यूषणं नागरं वै पृथग्भागमेकं विमर्द्यैकयामम् ॥१॥
ततो वत्सनाभं चतुःसार्धभागं दृढं मर्दयेद् भावना व्योषजात् त्रिः ।
वराचित्रकैर्मार्कवैः कुष्ठजादिभस्त्रिभिर्भावयेन्निर्गुण्डी भानुदग्धैः ॥२॥
महीधात्रिकाचन्द्रिकानिम्बुनीरैः समं भावयेद्वातविध्वंसनोऽयम् ।
समीरे च शूले महाश्लेष्मरोगे ग्रहण्यां तथा सन्निपाते च सर्वे ।
स्त्रियाः सूतिकावातरोगेषु दद्यान्निषेवेत गुञ्जाद्वयं सूतमेनम् ॥३॥
(योगरत्नाकर, वातव्याधिचिकित्सा; पृष्ठ ४६८-४६९)

1.	Rasa (Pārada) - Śuddha	1 Part
2.	Gandhaka - Śuddha	1 Part
3.	Nāga bhasma	1 Part
4.	Vaṅga bhasma	1 Part
5.	Loha bhasma	1 Part
6.	Tāmra bhasma	1 Part
7.	Niscandra Vyoma bhasma (Abhraka)	1 Part
8.	Kaṇā (Pippalī) (Fr.)	1 Part
9.	Taṅkaṇa - Śuddha	1 Part
10.	Śuṅthī (Rz.)	1 Part
11.	Marica (Fr.)	1 Part
12.	Pippalī (Fr.)	1 Part
13.	Nāgara (Śuṅthī) (Rz.)	1 Part
14.	Vatsanābha - Śuddha (Rt.Tr.)	4 1/2 Parts
15.	Vyoṣa	Q.S. (for bhāvanā) 3 times

	Suṇṭhī	(Rz.)	
	Pippalī	(Fr.)	
	Marica	(Fr.)	
16.	Varā kvātha		Q.S. (for bhāvanā) 3 times
	Harītakī	(P.)	
	Bibhītaka	(P.)	
	Āmalakī	(P.)	
17.	Citraka - rasa	(Pl.)	Q.S. (for bhāvanā) 3 days
18.	Mārkava (Bhr̥ṅgarāja)	(Pl.)	Q.S. (for bhāvanā) 3 times
19.	Kuṣṭha	(Rt.)	Q.S. (for bhāvanā) 3 times
20.	Nirguṇḍī	(Lf.)	Q.S. (for bhāvanā) 3 times
21.	Bhānu (Arka) dugdha	(L.)	Q.S. (for bhāvanā) 3 times
22.	Mahīdhātrika (TĀmalakī)	(Pl.)	Q.S. (for bhāvanā) 3 times
23.	Candrika - nīra (Candrasūra)	(Sd.)	Q.S. (for bhāvanā) 3 times
24.	Nimbu nīra (Nimbū)	(Fr.)	Q.S. (for bhāvanā) 3 times

Dose

250 mg

Anupāna

Honey

Important Therapeutic Uses

Vātajā Śūla (Pain due to Vāta doṣa), Vātajā Grahaṇī (Malabsorption due to Vāta doṣa), Kapharoga (Disease due to Kapha doṣa), Sūtikā Vāta (Neurological disorders of puerperium), Grahaṇī (Malabsorption syndrome), Sannipāta Roga (Disease due to vitiation

of all Doṣa)

20 : 46 VĀTĀRI RASA

(Bhāvaprakāśa, Vātavyādhyaadhikāra: 360-364)

रसो गन्धो वरा वह्निर्गुग्गुलुः क्रमवर्द्धितः ।
तत्रैकभागः सूतः स्याद् गन्धको द्विगुणं स्मृतः ॥३६०॥
त्रिभागा त्रिफला योज्या चतुर्भागस्तु चित्रकः ।
गुग्गुलुः पञ्चभागः स्याद्बुबुतैलेन मर्दयेत् ॥३६१॥
क्षिप्त्वा तत्रोदितं चूर्णं तेन तैलेन मर्दयेत् ।
गुटिकां कर्षमात्रान्तु भक्षयेत्प्रातरेव हि ॥३६२॥
नागरैरण्डमूलानां कषायं प्रपिबेदनु ।
अभ्यज्यैरण्डतैलेन स्वेदयेत्पृष्ठदेशकम् ॥३६३॥
विरेकपरिणामे तु स्निग्धमुष्णञ्च भोजयेत् ।
वातारिसंज्ञको ह्येष रसो नियतसेवितः ।
मासेन मरुतो रोगान्हरेत्सुरतवर्जितः ॥३६४॥
(भावप्रकाश, वातव्याध्यधिकार; ३६०-३६४)

1.	Rasa (Pārada) - śuddha	1 Part
2.	Gandha - śuddha (Gandhaka)	2 Parts
3.	Harītakī (P.)	3 Parts
4.	Bibhītaka (P.)	3 Parts
5.	Āmalakī (P.)	3 Parts
6.	Vahni (Citraka) (Rt.)	4 Parts
7.	Guggulu-śuddha (Exd.)	5 Parts
8.	Rubu (Eraṇḍa) taila (Ol.)	Q.S. (for kuttana)
(Mardana)		

Dose

1-3 g

Anupāna

Śuṇṭhī Kvātha, Eraṇḍa Mūla Kvātha

Important Therapeutic Uses

Vātaroga (Disease due to Vāta doṣa)

20 : 47 VĀRIŚOṢAṆA RASA

(Bhaiṣajyaratnāvalī, Udararogādhikāra: 129-144)

चतुर्विंशतिभागाः स्युर्गन्धाद् वङ्गं तदर्द्धकम् ।
वङ्गभागाद् भवेदर्द्धः पारदः कृष्णमभ्रकम् ॥१२९॥
चतुर्दशविभागं स्यान्मृतं तद्दीयते पुनः ।
मृतलौहमष्टभागं मृतताम्रं नवात्र तत् ॥१३०॥
मृतहेमद्वयं तेषां मृतरूप्यञ्च सप्तकम् ।
अतिशुद्धमतिस्थूलं मृतं हीरं त्रयोदश ॥१३१॥
भागा ग्राह्या माक्षिकस्य विशुद्धस्यात्र षोडश ।
अष्टादशमितं ग्राह्यं नवं काशीशकं पुनः ॥१३२॥
तुत्थकञ्च षडेवात्र नवीनं ग्राह्यमेव च ।
तालकञ्च चतुर्भागं शिला योज्यास्त्रयो बुधैः ॥१३३॥
शैलेयं पञ्च दातव्यं सर्वमेकत्र नूतनम् ।
मृतमौक्तिकभागैकं सौभाग्यं द्वयमेव च ॥१३४॥
कुट्टयित्वा विचूर्ण्यथ जम्बीरस्य रसेन वै ।
भावयेत्सप्तधा गाढं गुडिकां तस्य कारयेत् ॥१३५॥
पानकद्वितये कृत्वा मुद्रयेत्पानकद्वयम् ।
घटमध्ये निवेश्याथ दत्त्वा पूर्वञ्च वालुकाम् ॥१३६॥
ऊर्ध्वञ्च तां पुनर्दत्त्वा वालुकां मुद्रयेत् सुखम् ।
अहोरात्रं दहेदग्नौ स्वाङ्गशीतं समुद्धरेत् ॥१३७॥
बकुलस्य च बीजेन कण्टकारीद्वयेन च ।
गुडूचीत्रिफलावारा भावयेत्सप्त सप्तधा ॥१३८॥

वृद्धदाररसेनापि तथा देयास्तु भावनाः ।
 गिरीकन्यारसेनापि रोहितमत्स्यपित्ततः ॥१३९॥
 एवं सिद्धो भवेत्सम्यग् रसोऽसौ वारिशोषणः ।
 देवान् गुरुन् समभ्यर्च्य पितृन् साधूंस्तथा मुनीन् ॥१४०॥
 रक्तिकाद्वितयं देयं सन्निपाते समुच्छ्रये ।
 मरिचेन समं देयं तेन जागर्ति मानवः ॥१४१॥
 श्लैष्मिके च गदे देयं ग्रहण्यामग्निमान्द्यके ।
 प्लीहिनि पाण्डौ प्रयोक्तव्यं त्रिकटुत्रिफलाम्भसा ॥१४२॥
 शूलरोगे प्रयोक्तव्यमुदरे च विशेषतः ।
 कुष्ठे सुदुष्टे देयोऽयं काकोदुम्बरिकाम्भसा ॥१४३॥
 अतिवह्निकरः श्रीदो बलवर्णाग्निवर्द्धनः ।
 धन्वन्तरिकृतः सद्यो रसः परमदुर्लभः ॥
 सर्वरोगे प्रयोक्तव्यो निःसन्देहं भिषग्वरैः ॥१४४॥
 (भैषज्यरत्नावली, उदररोगाधिकारः; १२९-१४४)

1.	Gandha - śuddha (Gandhaka)	24 Parts
2.	Vaṅga - bhasma	12 Parts
3.	Pārada-śuddha	6 Parts
4.	Kṛṣṇābhraka -bhasma (Abhraka)	14 Parts
5.	Mṛta Lauha (Lauha) bhasma	8 Parts
6.	Mṛta Tāmra (Tāmra) bhasma	9 Parts
7.	Mṛta Hema (Svarṇa) bhasma	2 Parts
8.	Mṛta rūpya (Rajata) bhasma	7 Parts
9.	Mṛta Hīra (Hīraka) bhasma	13 Parts
10.	Mākṣika bhasma	16 Parts
11.	Kāśīśaka (Kāsīsa) bhasma	18 Parts
12.	Tutthaka bhasma	6 Parts
13.	Tālaka -śuddha (Haritāla)	4 Parts
14.	Śilā (Manahśilā) - śuddha	3 Parts
15.	Śaileya (Śilājatu) -śuddha	5 Parts
16.	Mṛta mouktika (Muktā)	1 Part

17.	Saubhāgya (Taṅkaṇa) - śuddha	2 Parts
18.	Jambīra (Fr.)	Q.S. (for 7 bhāvanās)
19.	Bakula bīja (Sd.)	Q.S. (for 7 bhāvanās)
20.	Kaṇṭakārī (Pl.)	Q.S. (for 7 bhāvanās)
21.	Br̥hatī (Pl.)	Q.S. (for 7 bhāvanās)
22.	Guḍūcī (St.)	Q.S. (for 7 bhāvanās)
23.	Harītakī (P.)	Q.S. (for 7 bhāvanās)
24.	Bibhītaka (P.)	Q.S. (for 7 bhāvanās)
25.	Āmalakī (P.)	Q.S. (for 7 bhāvanās)
26.	Vṛddhadāru rasa (St.)	Q.S. (for 7 bhāvanās)
27.	Girikanyā rasa (Aparājitā) (Pl.)	Q.S. (for 7 bhāvanās)
28.	Rohita matsya pitta	Q.S. (for 7 bhāvanās)

Special Method of Preparation

Kajjalī of Pārada and Gandhaka is prepared first and other drugs are added to it and Bhāvanā 7 times with Jambīra Rasa is given. Thereafter the whole bolus is kept in a Śarāva Samputa and Pāka in Bālukā Yantra for 24 hours is done. The drug should be re

Dose

62.5 to 125 mg

Anupāna

Trikaṭu Kvātha, Triphalā Kvātha, Kākodumbarikā Rasa

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Pāṇḍu (Anaemia), Jalodara (Ascites), Śoṭha (Inflammation), Urastoya (Pleural effusion/ Hydrothorax), Kuṣṭha (Diseases of skin), Agnimāndya (Digestive impairment), Plīhā Roga (Splenic disease), Śūlaroga (Gastric ulcer/Duodenal ulcer/Colic), Udara (Diseases of abdomen / enlargement of abdomen), Daurbalya (Weakness), Vaivarṇya (Discolouration)

20 : 48 ŚRĪNRPATIVALLABHA RASA

(Bhaiṣajyaratnāvalī, Grahaṇīrogādhikāra: 523-532)

जातीफललवङ्गाब्दत्वगेलाटङ्गरामठम् ।
जीरकं तेजपत्रं च यमानी विश्वसैन्धवम् ॥५२३॥
लौहमभ्रं रसो गन्धं ताम्रं प्रत्येकशः पलम् ।
मरिचं द्विपलं दत्त्वा छागीक्षीरेण पेषयेत् ॥५२४॥
धात्रीरसेन वा पेष्यं वटिकां कुरु यत्नतः ।
श्रीमद्गहननाथेन विचिन्त्य परिनिर्मितः ॥५२५॥
सूर्यवत्तेजसा चायं रसो नृपतिवल्लभः ।
अष्टादशवटीं खादेत्पवित्रः सूर्यदर्शकः ॥५२६॥
हन्ति मन्दानलं शोथमामदोषं विसूचिकाम् ।
प्लीहगुल्मोदराष्ठीलयकृत्पाण्डुं सकामलाम् ॥५२७॥
हृच्छूलं पार्श्वशूलञ्च चक्षुःशूलं हलीमकम् ।
शिरःशूलं कटीशूलमानाहमष्टशूलकम् ॥५२८॥
सश्वासमामवातञ्च श्लीपदं महदर्बुदम् ।
गलगण्डं गण्डमालामम्लपित्तञ्च गर्दभीम् ॥५२९॥
कृमिकुष्ठानि संहन्ति वातरक्तं भगन्दरम् ।
जीर्णज्वरं ज्वरं कण्डूं तन्द्रालस्यं वमिं भ्रमिम् ॥५३०॥
दाहविद्रधिहिककाञ्च जडं गद्गदमूकताम् ।
दुर्वारं स्वरभेदञ्च ब्रध्नवृद्धिविसर्पकान् ॥५३१॥
ऊरुस्तम्भं रक्तपित्तं गुदभ्रंशारुचिं तृषाम् ।
कर्णनासासमुत्थांश्च दन्तरोगं च पीनसम् ॥
स्थौल्यं च कुरुते नित्यं रसो नृपतिवल्लभः ॥५३२॥
(भैषज्यरत्नावली, ग्रहणीरोगाधिकारः; ५२३-५३२)

1.	Jātīphala	(Sd.)	48 g
2.	Lavaṅga	(Fl. Bd.)	48 g
3.	Abda (Mustā)	(Rz.)	48 g
4.	Tvak	(St. Bk.)	48 g
5.	Elā (Sūkṣmailā)	(Sd.)	48 g

6.	Taṅga (Taṅkaṇa) -śuddha		48 g
7.	Rāmaṭha (Hiṅgu) - śuddha	(Exd.)	48 g
8.	Jīraka (Śveta jīraka)	(Fr.)	48 g
9.	Tejapatra	(Lf.)	48 g
10.	Yamānī (Yavānī)	(Fr.)	48 g
11.	Viśvā (Śuṇṭhī)	(Rz.)	48 g
12.	Saindhava lavaṇa		48 g
13.	Lauha bhasma		48 g
14.	Abhraka bhasma		48 g
15.	Rasa (Pārada) - śuddha		48 g
16.	Gandha - (Gandhaka)	śuddha	48 g
17.	Tāmra bhasma		48 g
18.	Marica	(Fr.)	96 g
19.	Dhātrī (Āmalakī) rasa	(P.)	Q.S. (for bhāvanā & mardana)

Dose

250 mg

Anupāna

Ārdraka Svarasa, Honey, Dhātrī Svarasa

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Viṣūcikā (Gastro-enteritis with piercing pain), Āmadoṣa (Products of impaired digestion and metabolism / consequences of Āma), Plīhā (Splenic disease), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Mandāgni (Impaired digestive fire), Aṣṭhīlā (Prostatic Hyperplasia), Yakṛt roga (Disease of liver), Hṛtśūla (Angina pectoris), Pārśva Śūla (Intercostal neuralgia and pleurodynia), Prṣṭha Śūla (Backache), Kaṭi Śūla (Lower backache), Śūla (Colicky Pain), Kuṣṣiśūla (Pelvic pain), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Kāsa (Cough), Śvāsa

(Dyspnoea/Asthma), Āmavāta (Rheumatism), Ślīpada (Filariasis), Śōtha (Inflammation), Arbuda (Tumor), Galagaṇḍa (Goiter), Gaṇḍamālā (Cervical lymphadenitis), Amlapitta (Dyspepsia), Gṛdhrasī (Sciatica), Kṛmi (Helminthiasis/Worm infestation), Kuṣṭha (Diseases of skin), Dadru (Taeniasis), Vātarakta (Gout), Bhagandara (Fistula-in-ano), Upadaṃśa (Syphilis/Soft chancre), Atīsāra (Diarrhoea), Arśa (Haemorrhoids), Prameha (Urinary disorders), Jīrṇajvara (Chronic fever), Tandrā (Lassitude), Ālasya (Laziness), Bhrama (Vertigo), Klama (Tiredness without exertion/Langour), Dāha (Burning sensation), Vidradhi (Abscess), Hikkā (Hiccup), Mūkatā (Aphasia), Mouḍhyam (Stupidity), Svarabheda (Hoarseness of voice), Bradhna Vṛddhī (Hernia), Visarpa (Erysipelas), Nāsā Roga (Disease of nose), Daurbalya (Weakness), Pīnasa (Chronic rhinitis/sinusitis), Śītapitta (Urticaria), Sthāvara Viṣa (Poison of plant and mineral origin), Dantaroga (Dental disease), Vaivarnya (Discolouration), Ūrustambha (Stiffness in thigh muscles), Raktapitta (Bleeding disorder), Gudabhraṃśa (Prolapse of the rectum), Aruci (Tastelessness), Tṛṣṇa (Thirst), Kārṇa Roga (Disease of ear)

20 : 49 ŚVĀSAKUṬHĀRA RASA

(Yogarātnākara, Śvāsacikitsā: Page 373)

रसो गन्धो विषं चैव टङ्कणं च मनःशिला ।
 एतानि टङ्कमात्राणि मरिचं चाष्टटङ्ककम् ॥१॥
 एकैकं मरिचं दत्त्वा खल्वे सूक्ष्मं विमर्दयेत् ।
 त्रिकटु टङ्कमात्रं च दत्त्वा पश्चाद्विचूर्णयेत् ॥२॥
 सर्वमेकत्र संयोज्य काचकूप्यां विनिक्षिपेत् ।
 कासे श्वासे च मन्दाग्नौ वातश्लेष्मामयेषु च ॥३॥
 गुञ्जामात्रं प्रदातव्यं पर्णखण्डेन धीमता ।
 सन्निपाते च मूर्च्छायामपस्मारे तथा पुनः ॥४॥
 अतिमोहत्वमापन्ने नस्यं दत्त्वा विचक्षणः ।
 रसः श्वासकुठारोऽयं सर्वश्वासविकारहा ॥५॥
 (योगरत्नाकर, श्वासचिकित्सा; पृष्ठ ३७३)

1.	Rasa (Pārada) - śuddha	4 g
2.	Gandha (Gandhaka) - śuddha	4 g
3.	Viṣa (Vatsanābha) - śuddha (Rt. Tr.)	4 g
4.	Taṅkaṇa - śuddha	4 g
5.	Manahśilā - śuddha	4 g
6.	Marica (Fr.)	36 g
7.	Śuṇṭhī (Rz.)	4 g
8.	Pippalī (Fr.)	4 g

Dose

125 to 250 mg

Anupāna

Honey

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Vāta Kaphaja Roga (Disease due to Vāta doṣa and Kapha doṣa), Sannipāta Roga (Disease due to vitiation of all Doṣa), Mūrccā (Syncope), Apasmāra (Epilepsy), Meha (Excessive flow of urine)

20 : 50 SIDDHAPRĀṆEŚVARARASA

(Bhaiṣajyaratnāvalī, Jvarātisarādhikāra: 44-48)

गन्धेशाभ्रं पृथग्वेदभागमन्यच्च भागिकम् ।
 स्वर्जिटङ्गयवक्षाराः पञ्चैव लवणानि च ॥४४॥
 वराव्योषेन्द्रबीजानि द्विजीराग्नियमानिकाः ।
 सहिङ्गु बीजसारञ्च शतपुष्पा सुचूर्णिता ॥४५॥
 सिद्धः प्राणेश्वरः सूतः प्राणिनां प्राणदायकः ।
 वल्लैकं भक्षयेदस्य नागवल्लीदलैर्युतम् ॥४६॥

उष्णोदकानुपानञ्च दद्यात्तत्र पलत्रयम् ।
ज्वरातिसारेऽतिसृतौ केवले वा ज्वरेऽपि च ॥४७॥
घोरे त्रिदोषजे रोगे ग्रहण्यामसृगामये ।
वातरोगे च शूले च शूले च परिणामजे ॥४८॥
(भैषज्यरत्नावली, ज्वरातीसाराधिकार; ४४-४८)

1.	Gandha- (Gandhaka) śuddha	4 Parts
2.	Īśa -śuddha(Pārada)	4 Parts
3.	Abhra (Abhraka) bhasma	4 Parts
4.	Svarji (Svarjikā kṣāra)	1 Part
5.	Nirmalīkṛta taṅga - śuddha (Taṅkaṇa)	1 Part
6.	Yava kṣāra (Yava) (Pl.)	1 Part
7.	Sauvarcala Lavaṇa	1 Part
8.	Saindhava Lavaṇa	1 Part
9.	Viḍa Lavaṇa	1 Part
10.	Audbhida Lavaṇa	1 Part
11.	Sāmudra Lavaṇa	1 Part
12.	Harītakī (P.)	1 Part
13.	Bibhītaka (P.)	1 Part
14.	Āmalakī (P.)	1 Part
15.	Śunthī (Rz.)	1 Part
16.	Marica (Fr.)	1 Part
17.	Pippalī (Fr.)	1 Part
18.	Indra bīja (Kuṭaja) (Sd.)	1 Part
19.	Śveta Jīraka (Fr.)	1 Part
20.	Kṛṣṇa Jīraka (Fr.)	1 Part
21.	Agni (Citraka) (Rt.)	1 Part
22.	Yamānikā (Yavānī) (Fr.)	1 Part
23.	Hiṅgu - śuddha (Exd.)	1 Part
24.	Bījasāra (Asana) (Ht. Wd.)	1 Part
25.	Śatapuspā (Śatāhvā) (Fr.)	1 Part

Dose

250 to 500 mg

Anupāna

Bhr̥ṣṭa Jīraka, Honey

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Śūla (Colicky Pain), Jvara (Fever), Jvarātīśāra (Diarrhoea with fever), Pariṇāma Śūla (Duodenal ulcer)

20 : 51 SVARṆABHŪPATI RASA

(Yogarātnākara, Rājayakṣmācikitsā: Page 332)

शुद्धसूतसमं गन्धं मृतशुल्बं तयोः समम् ।
अभ्रलोहकयोर्भस्म कान्तभस्म सुवर्णजम् ॥१॥
रजतं च विषं सम्यक्पृथक्सूतसमं भवेत् ।
हंसपादीरसैर्मर्द्यं दिनमेकं वटीकृतम् ॥२॥
काचकूप्यां विनिक्षिप्य मृदा संलेपयेद् बहिः
शुष्का सा वालुकायन्त्रे शनैर्मृद्वग्निना पचेत् ॥३॥
चतुर्गुञ्जमितं देयमार्द्रकद्रवपिप्पली ।
क्षयं त्रिदोषजं हन्ति सन्निपातांस्त्रयोदश ॥४॥
आमवातं धनुर्वातं शृङ्खलावातमेव च ।
आढ्यवातं पङ्गुवातं कफवाताग्निमान्द्यनुत् ॥५॥
कटिवातं सर्वशूलं नाशयेन्नात्र संशयः ।
गुल्मशूलमुदावर्तं ग्रहणीमतिदुस्तरम् ॥६॥
प्रमेहमुदरं सर्वामश्मरीं मूत्रविङ्ग्रहम् ।
भगन्दरं सर्वकुष्ठं विद्रधिं महतीं तथा ॥७॥
श्वासकासमजीर्णं च ज्वरमष्टविधं तथा ।
कामलां पाण्डुरोगं च शिरोरोगं च नाशयेत् ॥८॥

अनुपानविशेषेण सर्वरोगान्विनाशयेत् ।
यथा सूर्योदये नश्येत्तमः सर्वगतं तथा ।
सर्वरोगविनाशाय सर्वेषां स्वर्णभूपतिः ॥९॥
(योगरत्नाकर, राजयक्ष्मचिकित्सा, पृष्ठ ३३२)

1.	Śuddha sūta (Pārada)	1 Part
2.	Gandha - śuddha (Gandhaka)	1 Part
3.	Mṛta Śūlva (Tāmra bhasma)	2 Parts
4.	Abhra (Abhraka) bhasma	1 Part
5.	Lohaka (Lauha) bhasma	1 Part
6.	Kānta (Lauha) bhasma	1 Part
7.	Suvarṇaja (Svarṇa) bhasma	1 Part
8.	Rajata bhasma	1 Part
9.	Viṣa (Vatsanābha) - śuddha (Rt. Tr.)	1 Part
10.	Haṁsapadī rasa (Pl.)	Q.S. (for Mardana)

Special Method of Preparation

Kajjalī of Pārada and Gandhaka is prepared and other drugs are added to it and mixed well. Mardana with Haṁsapadī Rasa is done. Then is kept in Vālukā Yantra and Pāka is done with moderate fire for 12 hours.

Dose

250 mg

Anupāna

Ārdraka Svarasa And Pippalī Cūrṇa

Important Therapeutic Uses

Grahaṇī (Malabsorption syndrome), Vātaroga (Disease due to Vāta doṣa), Ādhyavāta (Gout), Dhanurvāta (Tetanus / Plenosthotonus), Āmavāta (Rheumatism), Śoṭha (Inflammation), Sannipāta Roga (Disease due to vitiation of all Doṣa), Kṣaya (Pthisis), Aśmarī (Calculus), Śṛṅghalā Vāta (Neurological disorder), Paṅguvāta (Paraplegia), Mandāgni (Impaired digestive fire), Kaṭivāta (Disorders of lumbo-sacral region due to

vitiated Vāta doṣa), Sarva Śūla (All kinds of pain), Gulma (Abdominal lump), Śūla (Colicky Pain), Udāvarta (Condition in which there is upward movement of vayu), Prameha (Urinary disorders), Udara (Diseases of abdomen / enlargement of abdomen), Vibandha (Constipation), Bhagandara (Fistula-in-ano), Kuṣṭha (Diseases of skin), Vidradhi (Abscess), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Ajīrṇa (Dyspepsia), Jvara (Fever), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Śīroroga (Disease of head)

20 : 52 SŪTAŚĒKHARA RASA

(Yogarātnākara; Amlapittakitsā: Page 705)

शुद्धं सूतं मृतं स्वर्णं टङ्कणं वत्सनागकम् ।
व्योषमुन्मत्तबीजं च गन्धकं ताम्रभस्मकम् ॥१॥
चतुर्जातं शङ्खभस्म बिल्वमज्जा कचोरकम् ।
सर्वं समं क्षिपेत्खल्वे मर्द्यं भृङ्गरसैर्दिनम् ॥२॥
गुञ्जामात्रां वटीं कृत्वा द्विगुञ्जे मधुसर्पिषी ।
भक्षयेदम्लपित्तघ्नो वान्तिशूलामयापहः ॥३॥
पञ्च गुल्मान्पञ्च कासान्प्रहण्यामयनाशनः ।
त्रिदोषोत्थातिसारघ्नः श्वासमन्दाग्निनाशनः ॥४॥
उग्रहिककामुदावर्तं देहयाप्यगदापहः ।
मण्डलान्नात्र सन्देहः सर्वरोगहरः परः ।
राजयक्ष्महरः साक्षाद्रसोऽयं सूतशेखरः ॥५॥
(योगरत्नाकर, अम्लपित्तचिकित्सा, पृष्ठ ७०५)

- | | | |
|----|--|--------|
| 1. | Śuddha sūta (Pārada) | 1 Part |
| 2. | Svarṇa bhasma | 1 Part |
| 3. | Taṅkaṇa - śuddha | 1 Part |
| 4. | Vatsanāgaka -śuddha (Vatsanābha) (Rt. Tr.) | 1 Part |
| 5. | Śuṅṭhī (Rz.) | 1 Part |
| 6. | Marica (Fr.) | 1 Part |
| 7. | Pippalī (Fr.) | 1 Part |

8.	Unmatta (Dhattūra) - śuddha (Sd.)	1 Part
9.	Gandhaka - śuddha	1 Part
10.	Tāmra bhasma	1 Part
11.	Elā (Sūkṣmailā) (Sd.)	1 Part
12.	Tvak (St. Bk.)	1 Part
13.	Patra (Tejapatra) (Lf.)	1 Part
14.	Nāgakēśara (Stmn.)	1 Part
15.	Śaṅkha bhasma	1 Part
16.	Bilva majja (Fr. P.)	1 Part
17.	Kacoraka (Karcūra) (Rz.)	1 Part
18.	Bhr̥ṅgarāja rasa (Pl.)	Q.S. (for mardana)

Dose

125-250 mg

Anupāna

Ghee, honey

Important Therapeutic Uses

Amlapitta (Dyspepsia), Chardi (Emesis), Gulma (Abdominal lump), Kāsa (Cough), Grahaṇī (Malabsorption syndrome), Tridoṣajātīsāra (Diarrhoea due to all Doṣa), Śūla (Colicky Pain), Śvāsa (Dyspnoea/Asthma), Mandāgni (Impaired digestive fire), Hikkā (Hiccup), Udāvarta (Condition in which there is upward movement of vāyu), Rājayakṣmā (Tuberculosis)

20 : 53 SŪCIKĀBHARAṆA RASA

(Rasendrasārasaṅgraha, Jvarādhikāra: 145-146)

रसगन्धकनागञ्च विषं स्थावरजङ्गमम् ।

मात्स्यवाराहमायूरच्छागपित्तैर्विभावयेत् ।।१४५।।
सूचिकाभरणो नाम भैरवेण प्रकीर्तितः ।
सूचिकाग्रेण दातव्यः सन्निपातनिबर्हणः ।।१४६।।
(रसेन्द्रसारसङ्ग्रह; ज्वराधिकार १४५-१४५)

1.	Rasa (Pārada) - śuddha	1 Part
2.	Gandhaka - śuddha	1 Part
3.	Nāga bhasma	1 Part
4.	Sthāvaraviṣa (Vatsanābha) - śuddha (Rt.Tr.)	1 Part
5.	Jāṅgama Viṣa - śuddha (Kṛṣṇa sarpa viṣa)	1 Part
6.	Matsya pitta	Q.S.(for bhāvanā)
7.	Varāha pitta	Q.S.(for bhāvanā)
8.	Mayūra pitta	Q.S.(for bhāvanā)
9.	Chāga pitta (ajā)	Q.S.(for bhāvanā)

Dose

7.8 - 15.62 mg

Anupāna

Tāmbūla Svarasa, Honey, Ārdraka Svarasa

Important Therapeutic Uses

Sannipāta Jvara (High grade fever due to vitiation of all Doṣa)

Special Precaution

precaution:1. This should not be given to the patient suffering from ulcer in the digestive tract.2. persons With wounds in the hands should not be allowed to make these pills or touch the medicine during preparation.

सुवर्णं रजतं ताम्रं प्रवालं पारदं समम् ।
 गन्धकं चाभ्रकं तालं शिला त्रिकटु रोहिणी ।
 एतानि समभागानि रविक्षीरेण मर्दयेत् ॥
 चित्रमूलकषायेण पुनर्नवरसेन च ॥
 दिनं गजपुटे पाच्यं मूषायां धारयेत्पृथक् ।
 अनुपानविशेषेण देयं गुञ्जार्धकं तु तत् ॥
 (भारत-भैषज्य-रत्नाकर; पृष्ठ, ८२६७)

1.	Suvarṇa (Svarṇa) bhasma	1 Part
2.	Rajata bhasma	1 Part
3.	Tāmra bhasma	1 Part
4.	Pravāla bhasma	1 Part
5.	Pārada-śuddha	1 Part
6.	Gandhaka - śuddha	1 Part
7.	Abhraka bhasma	1 Part
8.	Tāla (Haritāla) -śuddha	1 Part
9.	Śilā (Manahśilā) - śuddha	1 Part
10.	Śunṭhī (Rz.)	1 Part
11.	Marica (Fr.)	1 Part
12.	Pippalī (Fr.)	1 Part
13.	Rohiṇī (Kaṭukā) (Rz.)	1 Part
14.	Ravi (Arka) kṣīra (L.)	Q.S. (for mardana)
15.	Citra mūla (Eraṇḍa) kaṣāya (Rt.)	Q.S. (for mardana)
16.	Punarnavā rasa (Rakta Punarnavā) (Pl.)	Q.S. (for mardana)

Special Method of Preparation

After mardana cakrikas are made and kept in a Śarāva Sampuṭa and one Gaja Puṭa is given.

Dose

62.5 mg

Anupāna

Balā Kaṣāya, Jīraka Kvātha

Important Therapeutic Uses

Sūtikā Roga (Puerperal disease), Dhanurvāta (Tetanus / Plenosthotonus)

20 : 55 HRDAYĀRṆAVA RASA

(Rasendrasārasaṅgraha, Hṛdrogacikitsā: 1-3)

शुद्धसूतसमं गन्धं मृतताम्रं तयोः समम् ।
मर्दयेत् त्रिफलाक्वाथैः काकमाचीद्रवैर्दिनम् ॥१॥
चणमात्रां वटीं खादेद् रसोऽयं हृदयार्णवः ।
काकमाचीफलं कर्षं त्रिफलाफलसंयुतम् ॥२॥
द्वात्रिंशत् तोलकं तोयं क्वाथमष्टावशेषितम् ।
अनुपानं पिबेच्चात्र हृद्रोगे च कफोत्थिते ॥३॥
(रसेन्द्रसारसङ्ग्रह, हृद्रोगचिकित्सा, १-३)

1.	Śuddha sūta (Pārada)	1 Part
2.	Gandha - (Gandhaka) śuddha	1 Part
3.	Mṛta Tāmra (Tāmra) bhasma	2 Parts
4.	Harītakī (P.)	Q.S. (for bhāvanā & Mardana)
5.	Bibhītaka (P.)	Q.S. (for bhāvanā & Mardana)
6.	Āmalakī (P.)	Q.S. (for bhāvanā & Mardana)
7.	Kākamācī - drava (Pl.)	Q.S. (for bhāvanā & Mardana)

Dose

125 to 250 mg

Anupāna

Kākamācī Kvātha, Triphalā Kvātha, Arjuna Cūrṇa, Honey

Important Therapeutic Uses

Kaphaja Hṛdroga (Heart disease due to Kapha doṣa)

21. LAUHA

Definition

Lauha kalpas are preparations of Lauha Bhasma as main ingredient added to other drugs.

Method of preparation

The drugs are reduced to fine powder and mixed with Lauha Bhasma. Bhāvanā is given with prescribed liquids if mentioned.

Characteristics and preservation

The powder should be very fine and the bhasma used should be well prepared. When well protected from moisture and heat, they keep their potency for a period of two years. Preparations containing mercury or its compounds keep their potency indefinitely.

1	CANDANĀDI LAUHA	Bhaiṣajyaratnāvalī, Jvarādhikāra	946
2	DHĀTRĪ LAUHA	Bhaiṣajyaratnāvalī, Ś ūlarogādhikāra	142-14 7
3	PIPPALYĀDI LAUHA	Bhaiṣajyaratnāvalī, Hikkāśvasādhikāra	61-62
4	PUṬAPAKVA VIṢAMA JVARĀNTAKA LAUHA	Rasendrasārasangraha, Jvarādhikāra	271-27 7
5	PRADARĀNTAKA LAUHA	Bhaiṣajyaratnāvalī, Str īrogādhikāra	75-79
6	PRADARĀRI LAUHA	Bhaiṣajyaratnāvalī, Str īrogādhikāra	70-74
7	YAKRDĀRI LAUHA	Rasendrasārasangraha, Plīhācikitsā	27-29
8	ROHĪTAKA LAUHA	Bhaiṣajyaratnāvalī; Plīhāyak rdrogādhikāra	117
9	VIDAṆGA LAUHA	Rasendrasārasangraha, Kṛmicikitsā	26-28
10	VIDAṆGĀDI LAUHA	Bhaiṣajyaratnāvalī; Pāṇḍurogādhikāra	25-26

11	SAPTĀMṚTA LAUHA	Bhaiṣajyaratnāvalī, Ś ūlarogādhikāra	83-84
12	SARVAJVARAHARA LAUHA	Bhaiṣajyaratnāvalī, Jvarādhikāra	971-974

21 : 1 CANDANĀDI LAUHA

(Bhaiṣajyaratnāvalī, Jvarādhikāra : 946)

रक्तचन्दनह्रीवेरपाठोशीरकणाशिवा-
नागरोत्पलधात्रीभिस्त्रिमदेन समन्वितः ॥
लौहो निहन्ति विविधान् समस्तान् विषमज्वरान् ॥९४६॥
(भैषज्यरत्नावली, ज्वराधिकार; ९४६)

1.	Raktacandana	(Ht.Wd.)	1 Part
2.	Hrīvēra	(Rt.)	1 Part
3.	Pāṭhā	(Rt./Pl.)	1 Part
4.	Uśīra	(Rt.)	1 Part
5.	Kaṇā (Pippalī)	(Fr.)	1 Part
6.	Sivā (Harītakī)	(P.)	1 Part
7.	Nāgara (Śunthī)	(Rz.)	1 Part
8.	Utpala	(Fl.)	1 Part
9.	Dhātrī (Āmalakī)	(P.)	1 Part
10.	Mustā	(Rz.)	1 Part
11.	Citraka	(Rt.)	1 Part
12.	Vidaṅga	(Fr.)	1 Part
13.	Lauha bhasma		12 Parts

Dose

250 to 500 mg

Anupāna

Honey

Important Therapeutic Uses

Viṣamajvara (Intermittent fever), Jīṛṇajvara (Chronic fever)

21 : 2 DHĀTRĪ LAUHA

(Bhaiṣajyaratnāvalī, Śūlarogādhikāra : 142-147)

धात्रीचूर्णस्याष्टौ पलानि चत्वारि लौहचूर्णस्य ।
यष्टीमधुकरजश्च द्विपलं दद्यात् पटे घृष्टम् ॥१४२॥
अमृताक्वाथेनैतच्चूर्णं भाव्यञ्च सप्ताहम् ।
चण्डातपेषु शुष्कं भूयः पिष्ट्वा नवे घटे स्थाप्यम् ॥१४३॥
घृतमधुना संयुक्तं भक्तादौ मध्यतस्तथान्ते च ।
त्रीनपि वारान् खादेत् पथ्यं दोषानुबन्धेन ॥१४४॥
भुक्तस्यादौ शमयति रोगान् पित्तानिलोद्भूतान् ।
मध्येऽन्ने विष्टम्भं जयति नृणां विदह्यते नान्नम् ॥१४५॥
पानान्नकृतान् दोषान् भक्तान्ते शीलितं जयति ।
एवं जीर्यति चान्नं शूलं नृणां सुकष्टमपि ॥१४६॥
हरति च सहसा युक्तो योगश्चायं जरत्पित्तम् ।
चक्षुष्यः पलितघ्नः कफपित्तसमुद्भवान् जयेद्रोगान् ॥
प्रसादयत्यपि रक्तं पाण्डुत्वं कामलां जयति ॥१४७॥
(भैषज्यरत्नावली, शूलरोगाधिकार; १४२-१४७)

- | | | | |
|----|-------------------------|-------|------------------|
| 1. | Dhātrī (Āmalakī) | (P.) | 384 g |
| 2. | Lauha cūrṇa - bhasma | | 192 g |
| 3. | Yaṣṭimadhu raja (Yaṣṭī) | (Rt.) | 96 g |
| 4. | Amṛtā (Guḍūcī) kvātha | (St.) | Q.S. for bhavana |

Special Method of Preparation

Drugs 1 to 3 are powdered separately and mixed together and put in Amṛtā Kaṣāya for Bhāvanā. After seven days it is taken and dried in the sun. It is then mixed well.

Dose

1/2 to 1 g

Anupāna

Ghee, honey.

Important Therapeutic Uses

Śūlaroga (Gastric ulcer/Duodenal ulcer/Colic), Pāṇḍu (Anaemia), Kāmalā (Jaundice), Amlapitta (Dyspepsia), Netraroga (Eye disorder), Palita (Graying of hair), Viṣṭambha (Constipation), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Mandāgni (Impaired digestive fire), Raktapitta (Bleeding disorder)

21 : 3 PIPPALYĀDI LAUHA

(Bhaiṣajyaratnāvalī, Hikkāśvasādhikara : 61-62)

पिप्पल्यामलकीद्राक्षाकोलास्थिमधुशर्करा-
विडङ्गपुष्करैर्युक्तं लौहं हन्ति सुदारुणाम् ॥६१॥
हिक्कां छर्दि महाश्वासं त्रिरात्रेण न संशयः ॥६२॥
(भैषज्यरत्नावली, हिक्काश्वासाधिकार; ६१-६२)

1.	Pippalī	(Fr.)	1 Part
2.	Āmalakī	(P.)	1 Part
3.	Drākṣā	(Dr.Fr.)	1 Part
4.	Kolāsthi (Kola)	(Enm.)	1 Part
5.	Madhu		1 Part
6.	Śarkarā		1 Part
7.	Viḍaṅga	(Fr.)	1 Part
8.	Puṣkara	(Rt.)	1 Part
9.	Lauha bhasma		8 Parts

Dose

250 mg

Anupāna

Honey

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Chardi (Emesis), Hikkā (Hiccup), Śvāsa (Dyspnoea/Asthma), Mandajvara (Low grade fever)

21 : 4 PUTAPAKVA VIṢAMA JVARĀNTAKA LAUHA

(Rasendrasārasangraha, Jvarādhikāra : 271-277)

हिङ्गुलसम्भवं सूतं गन्धकेन सुकज्जलम् ।
रसपर्पटीवत् पाच्यं सूताङ्घ्रिं हेमभस्मकम् ॥२७१॥
लौहं ताम्रमभ्रकञ्च रसस्य द्विगुणं क्षिपेत् ।
वङ्गज्चैव प्रवालञ्च रसार्द्धञ्च विनिक्षिपेत् ॥२७२॥
मुक्ता शङ्खं शुक्तिभस्म रसपादिकमेव च ।
मुक्तागृहे च संस्थाप्य पुटपाकेन साधयेत् ॥२७३॥
भक्षयेत् प्रातरुत्थाय द्विगुञ्जाफलमानतः ।
अनुपानं प्रयोक्तव्यं कणाहिङ्गु ससैन्धवम् ॥२७४॥
ज्वरमष्टविधं हन्ति वातपित्तकफोद्भवम् ।
प्लीहानं यकृतं गुल्मं साध्यासाध्यमथापि वा ॥२७५॥
सन्ततं सतताख्यञ्च त्र्याहिकं चतुराहिकम् ।
कामलां पाण्डुरोगञ्च शोथं मेहमरोचकम् ॥२७६॥
ग्रहणीमामदोषञ्च कासं श्वासञ्च दारुणम् ।
मूत्रकृच्छ्रातिसारञ्च नाशयेदविकल्पतः ॥२७७॥
(रसेन्द्रसारसङ्ग्रह, ज्वराधिकार; २७१-२७७)

- | | | |
|----|---------------------------------------|---------|
| 1. | Hiṅgula sambhava Sūta (Pārada) śuddha | 4 Parts |
| 2. | Gandhaka - śuddha | 4 Parts |

3.	Hema (Svarṇa) bhasma	1 Parts
4.	Lauha bhasma	8 Parts
5.	Tāmra bhasma	8 Parts
6.	Abhraka bhasma	8 Parts
7.	Vaṅga bhasma	2 Parts
8.	Pravāla bhasma	2 Parts
9.	Muktā bhasma	1 Parts
10.	Śaṅkha bhasma	1 Parts
11.	Śukti bhasma	1 Parts

Special Method of Preparation

Drugs of S.No. 1 & 2 are mixed and parpati to be made and then all drugs are mixed together and placed in the Sampuṭa of Muktā Śukti after drying and Laghu Puṭa is given.

After the Puṭa, The shells are removed and then Bhasma alone is taken.

Dose

250 mg

Anupāna

Pippalī, Hiṅgu, Saindhava Lavaṇa, Honey

Important Therapeutic Uses

All types of Jvara (Fever), Grahaṇī (Malabsorption syndrome), Gulma (Abdominal lump), Plīhā Roga (Splenic disease), Kāmalā (Jaundice), Pāṇḍu (Anaemia), Śoṭha (Inflammation), Viṣamajvara (Intermittent fever), Jīrṇajvara (Chronic fever), Meha (Excessive flow of urine), Aruci (Tastelessness), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Āmadoṣa (Products of impaired digestion and metabolism / consequences of Āma), Atīśāra (Diarrhoea), Mūtrakṛcchra (Dysuria)

21 : 5 PRADARĀNTAKA LAUHA

(Bhaiṣajyaratnāvalī, Strīrogādhikāra: 75-79)

लौहं ताम्रं हरीतालं वङ्गमभ्रं वराटिका ।
त्रिकटु त्रिफला चित्रं विडङ्गं पटुपञ्चकम् ॥७५॥
चविका पिप्पली शङ्खं वचा हवुषपालकम् ।
शटी पाठा देवदारु एला च वृद्धदारकम् ॥७६॥
एतानि समभागानि सञ्चूर्ण्य वटिकां कुरु ।
शर्करामधुसंयुक्तां घृतेन भक्षयेत्पुनः ॥७७॥
रक्तं श्वेतं तथा पीतं नीलं प्रदरदुस्तरम् ।
कुक्षिशूलं कटीशूलं योनिशूलञ्च संहरेत् ॥७८॥
मन्दाग्निमरुचिं पाण्डुं कृच्छ्रं श्वासञ्च कासनुत् ।
आयुःपुष्टिकरं बल्यं बलवर्णप्रसादनम् ॥७९॥
(भैषज्यरत्नावली, स्त्रीरोगाधिकार; ७५-७९)

1.	Lauha bhasma	1 Part
2.	Tāmra bhasma	1 Part
3.	Haritāla bhasma	1 Part
4.	Vaṅga bhasma	1 Part
5.	Abhra (Abhraka) bhasma	1 Part
6.	Varāṭikā (Kapardikā) bhasma	1 Part
7.	Suṇṭhī (Rz.)	1 Part
8.	Marica (Fr.)	1 Part
9.	Pippalī (Fr.)	1 Part
10.	Harītakī (P.)	1 Part
11.	Bibhītaka (P.)	1 Part
12.	Āmalakī (P.)	1 Part
13.	Citrā (Eraṇḍa) (Rt.)	1 Part
14.	Viḍaṅga (Fr.)	1 Part
15.	Saindhava lavaṇa	1 Part
16.	Sāmudra Lavaṇa	1 Part
17.	Viḍa Lavaṇa	1 Part
18.	Sauvarcala Lavaṇa	1 Part

19.	Audbhida Lavaṇa		1 Part
20.	Cavikā (Cavya)	(St.)	1 Part
21.	Pippalī	(Fr.)	1 Part
22.	Śaṅkha bhasma		1 Part
23.	Vacā	(Rz.)	1 Part
24.	Havuşa (Hapuṣa)	(Fr.)	1 Part
25.	Pākala (Kuṣṭha)	(Rt.)	1 Part
26.	Śaṭī	(Rz.)	1 Part
27.	Pāṭhā	(Rt./Pl.)	1 Part
28.	Devadāru	(Ht. Wd.)	1 Part
29.	Elā (Sūkṣmailā)	(Sd.)	1 Part
30.	Vṛddhadāraka (vṛddhadāruka)	(St.)	1 Part

Special Method of Preparation

Rasamanikya may be used in place of Haritala bhasma.

Dose

500 mg

Anupāna

Sugar, honey, ghee

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Śūlaroga (Gastric ulcer/Duodenal ulcer/Colic), Pāṇḍu (Anaemia), Pradara (Excessive vaginal discharge), Kuṣṣīśūla (Pelvic pain), Kaṭi Śūla (Lower backache), Yoniśūla (Pain in female genital tract), Aruci (Tastelessness), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough), Kārśya (Emaciation), Daurbalya (Weakness)

21 : 6 PRADARĀRI LAUHA

(Bhaiṣajyaratnāvalī, Strīrogādhikāra : 70-74)

वत्सकस्य तुलां सम्यग् जलद्रोणे विपाचयेत् ।
 अष्टभागावशिष्टन्तु कषायमवतारयेत् ॥७०॥
 वस्त्रपूते घनीभूते द्रव्याणीमानि दापयेत् ।
 समङ्गा शाल्मलं पाठा बिल्वं मुस्तञ्च धातकी ॥७१॥
 अरुणा व्योमकं लौहं प्रत्येकन्तु पलं पलम् ।
 माषद्वयं प्रयुञ्जीत कुशमूलं पयो ह्यनु ॥७२॥
 श्वेतं रक्तं तथा नीलं पीतं प्रदरदुस्तरान् ।
 कुक्षिशूलं कटीशूलं देहशूलञ्च सर्वगम् ॥७३॥
 प्रदरारिरयं लौहो हन्ति रोगान् सुदुस्तरान् ।
 आयुःपुष्टिकरश्चैव बलवर्णाग्निवर्द्धनः ॥७४॥
 (भैषज्यरत्नावली, स्त्रीरोगाधिकार; ७०-७४)

1.	Vatsaka (Kuṭaja)	(St. Bk.)	4.800 kg
2.	Water for decoction		24.576 l.
	reduced to		3.072 l.
3.	Samaṅgā (Mañjiṣṭhā)	(Rt.)	48 g
4.	Śālmali	(Rt.)	48 g
5.	Pāṭhā	(Rt./Pl.)	48 g
6.	Bilva	(Rt./St. Bk.)	48 g
7.	Mustā	(Rz.)	48 g
8.	Dhātakī	(Fl.)	48 g
9.	Aruṇa (Atiṣā)	(Rt.Tr.)	48 g
10.	Vyomaka (Abhraka) bhasma		48 g
11.	Lauha bhasma		48 g

Special Method of Preparation

Kuṭaja Kaṣāya is first prepared. It is filtered and boiled again to form Rasa Kriyā and fine powders of all the other drugs are added and mixed well.

Dose

1 to 2 g

Anupāna

Kuśa Mūla Kaṣāya, milk

Important Therapeutic Uses

Pradara (Excessive vaginal discharge), Śūlaroga (Gastric ulcer/Duodenal ulcer/Colic), Kuṣṣīśūla (Pelvic pain), Kaṭi Śūla (Lower backache), Dehaśūla (Bodyache), Daurbalya (Weakness), Agnimāndya (Digestive impairment), Vaivarṇya (Discolouration)

21 : 7 YAKṚDĀRI LAUHA

(Rasendrasārasangraha, Plīhācikitsā: 27-29)

द्विकर्षं लौहचूर्णस्य चाभ्रकस्य पलाद्धकम् ।
कर्षं शुद्धं मृतं ताम्रं लिम्पाकाङ्घ्रित्वचं पलम् ॥२७॥
मृगाजिनभस्मपलं सर्वमेकत्र कारयेत् ।
नवगुञ्जाप्रमाणेन वटिकां कारयेद् भिषक् ॥२८॥
यकृत्प्लीहोदरञ्चैव कामलाञ्च हलीमकम् ।
कासं श्वासं ज्वरं हन्याद् बलवर्णाग्निकारकम् ।
यकृदरि त्विदं लौहं वातगुल्मविनाशनम् ॥२९॥
(रसेन्द्रसारसङ्ग्रह, प्लीहचिकित्सा; २७-२९)

1.	Lauha - cūrṇa - bhasma	24 g
2.	Abhraka bhasma	24 g
3.	Tāmra bhasma	12 g
4.	Limpākāṅghri (Nimbū) (Rt. Bk.)	48 g
5.	Mṛgājina bhasma	48 g

Note:Antardhūma bhasma of Mṛgājina (burnt ash of Deer's skin) should be taken

Dose

250 to 500 mg

Anupāna

Pippalī Cūrṇa, Honey

Important Therapeutic Uses

Udara (Diseases of abdomen / enlargement of abdomen), Gulma (Abdominal lump), Kāmalā (Jaundice), Yakṛd roga, Plīhā Roga (Splenic disease), Jīrṇajvara (Chronic fever), Kāsa (Cough), Śvāsa (Dyspnoea/Asthma), Halīmaka (Chronic obstructive Jaundice/Chlorosis/Advanced stage of Jaundice), Mandāgni (Impaired digestive fire), Daurbalya (Weakness)

21 : 8 ROHĪTAKA LAUHA

(Bhaiṣajyaratnāvalī; Plīhāyakṛdrogādhikāra: 117)

रोहीतकसमायुक्तं त्रिकत्रययुतन्त्वयः ।
प्लीहानमग्रमांसञ्च शोथं हन्ति न संशयः ॥११७॥
(भैषज्यरत्नावली, प्लीहयकृद्रोगाधिकार; ११७)

1.	Rohītaka	(St. Bk.)	1 Part
2.	Suṇṭhī	(Rz.)	1 Part
3.	Marica	(Fr.)	1 Part
4.	Pippalī	(Fr.)	1 Part
5.	Harītakī	(P.)	1 Part
6.	Bibhītaka	(P.)	1 Part
7.	Āmalakī	(P.)	1 Part
8.	Mustā	(Rz.)	1 Part
9.	Citraka	(Rt.)	1 Part
10.	Vidaṅga	(Fr.)	1 Part
11.	Ayaḥ (Lauha) bhasma		10 Parts

Dose

250 mg

Anupāna

Honey

Important Therapeutic Uses

Plīhā Roga (Splenic disease), Yakṛd roga, Śōtha (Inflammation)

21 : 9 VIDAṄGA LAUHA

(Rasendrasārasangraha, Kṛmicikitsā : 26-28)

रसं गन्धञ्च मरिचं जातीफललवङ्गकम् ।
शुण्ठी टंगं कणा तालं प्रत्येकं भागसम्मितम् ॥२६॥
सर्वचूर्णसमं लौहं विडङ्गं सर्वतुल्यकम् ।
लौहं विडङ्गकं नाम कोष्ठस्थक्रिमिनाशनम् ॥२७॥
दुर्नाम ह्यरुचिञ्चैव मन्दाग्निञ्च विसूचिकाम् ।
शोथं शूलं ज्वरं हिक्कां श्वासं कासं विनाशयेत् ॥२८॥
(रसेन्द्रसारसङ्ग्रह, कृमिचिकित्सा; २६-२८)

1.	Rasa (Pārada) - śuddha	1 Part
2.	Gandhaka - śuddha	1 Part
3.	Marica (Fr.)	1 Part
4.	Jātīphala (Sd.)	1 Part
5.	Lavaṅgaka (Lavaṅga) (Fl. Bd.)	1 Part
6.	Śuṇṭhī (Rz.)	1 Part
7.	Taṅka (Taṅkaṇa) - śuddha	1 Part
8.	Kaṇā (Pippalī) (Fr.)	1 Part
9.	Tāla (Haritāla) - śuddha	1 Part
10.	Lauha bhasma	9 Parts
11.	Vidaṅga (Fr.)	18 Parts

Dose

500 mg

Anupāna

Kampillaka Cūrṇa, Honey

Important Therapeutic Uses

Agnimāndya (Digestive impairment), Aruci (Tastelessness), Śūla (Colicky Pain), Viṣūcikā (Gastro-enteritis with piercing pain), Arśa (Haemorrhoids), Kṛmi (Helminthiasis/Worm infestation), Śoṭha (Inflammation), Jvara (Fever), Hikkā (Hiccup), Śvāsa (Dyspnoea/Asthma), Kāsa (Cough)

21 : 10 VIDĀṄGĀDI LAUHA

(Bhaiṣajyaratnāvalī; Pāṇḍurogadhikāra : 25-26)

विडङ्गमुस्तत्रिफलादेवदारुषडूषणैः ।
तुल्यमात्रमयश्चूर्णं गोमूत्रेऽष्टगुणे पचेत् ॥२५॥
गुञ्जाद्वयमितां कृत्वा वटीं खादेद् दिने दिने ।
कामलापाण्डुरोगार्तः सुखमापद्यतेऽचिरात् ॥२६॥
(भैषज्यरत्नावली, पाण्डुरोगाधिकार; २५-२६)

1.	Vidāṅga	(Fr.)	1 Part
2.	Mustā	(Rz.)	1 Part
3.	Harītakī	(P.)	1 Part
4.	Bibhītaka	(P.)	1 Part
5.	Āmalakī	(P.)	1 Part
6.	Devadāru	(Ht.Wd.)	1 Part
7.	Pippalī	(Fr.)	1 Part
8.	Pippalī mūla (Pippalī)	(Rt.)	1 Part

9.	Cavya	(St.)	1 Part
10.	Citraka	(Rt.)	1 Part
11.	Śuṇṭhī	(Rz.)	1 Part
12.	Marica	(Fr.)	1 Part
13.	Āyaścūrṇa (Lauha) bhasma		12 Parts
14.	Gomūtra		192 Parts

Special Method of Preparation

Gomūtra and Lauha Bhasma are boiled together to form a thick paste and then fine powders of other drugs are added and mixed well.

Dose

250 mg

Anupāna

Honey, butter, milk

Important Therapeutic Uses

Kāmalā (Jaundice), Pāṇḍu (Anaemia), Śoṭha (Inflammation)

21 : 11 SAPTĀMṚTA LAUHA

(Bhaiṣajyaratnāvalī, Śūlarogādhikāra : 83-84)

मधुकं त्रिफलाचूर्णमयोरजः समं लिहन् ।
मधुसर्पिर्युतं सम्यग् गव्यं क्षीरं पिबेदनु ॥८३॥
छर्दिं सतिमिरं शूलमम्लपित्तं ज्वरं क्लमम् ।
आनाहं मूत्रसङ्गञ्च शोथञ्चैव निहन्ति तत् ॥८४॥
(भैषज्यरत्नावली, शूलरोगाधिकार; ८३-८४)

1.	Madhuka (Yaṣṭī)	(Rt.)	1 Part
2.	Harītakī	(P.)	1/3 Part
3.	Bibhītaka	(P.)	1/3 Part

- | | | | |
|----|------------------------|------|----------|
| 4. | Āmalakī | (P.) | 1/3 Part |
| 5. | Ayoraja (Lauha) bhasma | | 1 Part |

Dose

250 mg

Anupāna

Honey, ghee and milk

Important Therapeutic Uses

Chardi (Emesis), Śūla (Colicky Pain), Amlapitta (Dyspepsia), Jvara (Fever), Mūtrasaṅga (Obstruction in urinary tract), Timira (early stage of Cataract), Klama (Tiredness without exertion/Langour), Ānāha (Distension of abdomen due to obstruction to passage of urine and stools), Śoṭha (Inflammation)

21 : 12 SARVAJVARAHARA LAUHA

(Bhaiṣajyaratnāvalī, Jvarādhikāra: 971-974)

चित्रकं त्रिफला व्योषं विडङ्गं मुस्तकन्तथा ।
 श्रेयसी पिप्पलीमूलमुशीरं देवदारु च ॥९७१॥
 किराततिक्तकं बालं कटुकी कण्टकारिका ।
 शोभाञ्जनस्य बीजञ्च मधुकं वत्सकं समम् ॥९७२॥
 लौहतुल्यं गृहीत्वा तु वटिकां कारयेद्भिषक् ।
 सर्वज्वरहरो लौहः सर्वज्वरकुलान्तकृत् ॥९७३॥
 वातिकं पैत्तिकं श्लेष्मद्वन्द्वजं सान्निपातिकम् ।
 जीर्णज्वरञ्च विषमं रोगसङ्करमेव च ।
 प्लीहानमग्रमांसञ्च यकृतञ्च विनाशयेत् ॥९७४॥
 (भैषज्यरत्नावली, ज्वराधिकारः ९७१-९७४)

- | | | | |
|----|-----------|-------|--------|
| 1. | Citraka | (Rt.) | 1 Part |
| 2. | Harītakī | (P.) | 1 Part |
| 3. | Bibhītaka | (P.) | 1 Part |

4.	Āmalakī	(P.)	1 Part
5.	Sunṭhī	(Rz.)	1 Part
6.	Marica	(Fr.)	1 Part
7.	Pippalī	(Fr.)	1 Part
8.	Vidaṅga	(Fr.)	1 Part
9.	Mustaka (Mustā)	(Rz.)	1 Part
10.	Sreyasī (gaja pippalī)	(Fr.)	1 Part
11.	Pippalīmūla (Pippalī)	(Rt.)	1 Part
12.	Uśīra	(Rt.)	1 Part
13.	Devadāru	(Ht. Wd.)	1 Part
14.	Kirātatikṭaka (Kirātatikṭa)	(Pl.)	1 Part
15.	Bāla (Hrīvera)	(Rt.)	1 Part
16.	Kaṭukā	(Rt./Rz.)	1 Part
17.	Kaṇṭakārikā (Kaṇṭakārī)	(Pl.)	1 Part
18.	Śobhānjana (Śigru)	(Sd.)	1 Part
19.	Madhuka (Yaṣṭī)	(Rt.)	1 Part
20.	Vatsaka (Kuṭaja)	(Sd.)	1 Part
21.	Lauha bhasma		20 Parts

Dose

250 mg

Anupāna

Honey, Guḍūcī Svarasa

Important Therapeutic Uses

Jīṛṇajvara (Chronic fever), Plīhā Roga (Splenic disease), Yakṛd roga, Hṛdayāgra Vṛdhhi (Ventricular Hypertrophy), Sarva Jvara (All types of fevers)