# RISK AND RESILIENCE BOOTCAMP





## IT ROLES

This module examines how various roles in the IT context interact with risk management and resilience



## IT ROLES IN RISK MANAGEMENT

- Generally, risk management is holistic
  - It requires an overall cohesive strategy
  - And continuous cross-disciplinary coordination between different functional areas
- For this to work
  - Each area of responsibility has its own unique set of targeted responsibilities
  - And must also collaborate with other roles involved in risk management, both IT and non-IT
- The roles discussed here are generic
  - They will map to a variety of specific roles in a specific organization

### **CONTROLS**

#### Each role owns controls

- A control is a specific measure; whether a policy, process, practice, or technical mechanism, that is implemented to reduce risk to an acceptable level
- Controls can be:
  - *Preventive*: stop a risk event from occurring (patching, input validation)
  - Detective: identify when a risk event is happening (monitoring, audits)
  - Corrective: restore systems and reduce impact after a risk event (backups, incident response)

#### These are tied to policies, regulations, and frameworks

- Examples:
  - Sysadmin: Patch management is a preventive control
  - *Developer*. Secure coding standards are *preventive* controls
  - *Tester*. Regression suites are *detective* controls for software defects
  - Security analyst. SIEM monitoring is a detective control
  - *DBA*: Backup and restore procedures are *corrective* controls

### CREATE EVIDENCE

- Controls are only useful if
  - They can be shown to be in place and are effective at mitigating risk
  - Evidence is the documentation, reports, or logs that prove a control worked as intended
  - What auditors, regulators, and risk managers depend on
- Examples:
  - Sysadmin: Patch compliance reports, backup logs, configuration baselines
  - Developer. Code review records, dependency scanning reports
  - *Tester*: Test execution logs, defect reports, coverage metrics
  - Security analyst. Incident tickets, SIEM alerts, vulnerability scan results
  - *DBA*: Restore test results, access control reviews
- Shows regulators, auditors, and executives that risks are managed
  - Without evidence, "we patched" or "we tested" can't be trusted

## INTRODUCES OR MITIGATES RISK

#### Daily work in IT can either

- Reduce risk when controls are applied correctly
- Or introduce risk when shortcuts, errors, or omissions occur
- Risk management is cumulative: every action shifts the organization's risk posture

#### Examples:

- Sysadmin: Forgetting to apply a critical patch introduces risk but consistently applying patches mitigates it
- Developer. Writing insecure SQL queries introduces risk but using parameterized queries mitigates it
- *Tester*. Missing coverage for critical workflows introduces risk but full testing mitigates it
- Security analyst: Ignoring low-priority alerts that signal lateral movement introduces risk but tuning SIEM rules mitigates the initial system attack
- DBA: Not testing restores introduces risk, but scheduled restore tests mitigate it

### **ROLES**

- The following discussion will deal with these generic roles:
  - System Administrator (Sysadmin): Manages servers, operating systems, and core infrastructure to ensure secure and stable IT operations
  - Developer: Designs, codes, and maintains software applications that support business functions
  - Tester/QA Engineer: Validates that software meets functional, quality, and security requirements before release
  - Security Analyst: Monitors, detects, and responds to threats across systems, networks, and application
  - Database Administrator (DBA): Maintains and secures organizational data, ensuring availability, integrity, and recoverability

## ROLES

- Generic roles: (cont)
  - Network Engineer: Designs and manages network infrastructure to provide secure and reliable connectivity
  - Cloud / DevOps Engineer: Builds and operates cloud-native environments and CI/CD pipelines for scalable and compliant delivery
  - Project Manager / Product Owner: Coordinates projects, balancing scope, timelines, and risks while keeping stakeholders aligned
  - Business Analyst: Bridges business needs and technical requirements, ensuring systems support processes while meeting compliance and control expectations
  - *IT Auditor:* Evaluates IT controls, compliance, and governance to provide independent assurance that risks are effectively managed

- Responsible for the day-to-day management and upkeep of IT infrastructure
  - Includes servers, operating systems, storage, and supporting platforms
  - Ensures that IT services are available, secure, and reliable for the business
  - They are often the "front line" in keeping core systems running smoothly
- Typical responsibilities include:
  - Installing, configuring, and maintaining servers, operating systems, and related tools
  - Monitoring performance and availability of systems
  - Managing system access and user accounts
  - Applying patches and upgrades to maintain security and stability
  - Backing up data and ensuring recovery processes work
  - Troubleshooting incidents and restoring service after disruptions

#### General risk-relevant activities:

- Maintain secure and stable infrastructure through baselines, patches, and hardening
- Enforce configuration standards and ensure consistency across systems
- Protect against unauthorized access by managing privileged accounts
- Validate recovery capabilities so the business can bounce back from incidents

#### Contribution to risk management

- Operational Continuity. Ensuring critical systems are patched, backed up, and available to reduce downtime risk
- Control Ownership: Directly operate preventive (patching), detective (monitoring), and corrective (restore) controls
- Evidence Creation: Logs, patch reports, baseline scans, and restore test results are evidence for auditors and risk teams
- Privilege Management: By managing "admin" access, they reduce insider threats and privilege creep.

- Typical risk management activities
  - Patch Management: Regularly applying vendor and security patches to eliminate vulnerabilities
  - Configuration Management: Using baselines (e.g., CIS benchmarks) and monitoring for drift from standards in performance and quality (KPIs and SLAs)
  - Backups & Restore Testing: Ensuring data and system recovery works through periodic restore exercises, often called disaster recovery drills
  - Access Reviews: Auditing and limiting privileged accounts, enforcing least privilege
  - Incident Support: Restoring services and providing logs during investigations

- Common risks if not managed
  - Unpatched Vulnerabilities: Exposed systems become easy targets for attackers
  - Failed Restores: Backups that can't be restored result in data loss or extended downtime
  - Privilege Creep: Users accumulating unnecessary permissions over time, increasing insider risk
  - Configuration Drift: Systems slowly deviating from secure standards, introducing hidden vulnerabilities
  - *Unauthorized Changes:* Making system changes without following change control can introduce instability

- Responsible for designing, coding, testing, and maintaining applications and services that support business operations.
  - Ensures that software is not only functional but also secure, resilient, and maintainable.
  - Translates business requirements into technology solutions
- Typical responsibilities include:
  - Writing and maintaining application code
  - Integrating with APIs, databases, and third-party components
  - Performing peer code reviews and unit testing
  - Managing source code repositories and version control
  - Fixing bugs and responding to security findings
  - Participating in the full Software Development Life Cycle (SDLC)

- Role in risk management
  - Developers are the builders of digital products
  - Their choices directly affect confidentiality, integrity, and availability of systems
- Their risk contributions include
  - Embedding security by design into applications, not added on after the fact
  - Writing code that is defensive against potential misuse or deliberate attack
  - Follow secure coding guidelines and comply with SDLC controls
  - Ensure software can withstand real-world threats without introducing new vulnerabilities

#### SDLC controls

- Policies, processes, and technical practices built into the SDLC
- Ensures that applications are secure, reliable, and compliant from design through retirement
- Checkpoints and safeguards applied throughout the development process, not just at the end

#### Requirements Phase

- Control: Security and compliance requirements documented
- Example: "Application must comply with GDPR for data handling"

### Design Phase

- Control: Threat modeling and secure design reviews
- Example: Architecture reviewed against OWASP and internal standards

#### Development Phase

- Control: Secure coding standards and peer code reviews
- Example: All code changes must be peer-reviewed before merge

#### Testing Phase

- Control: Risk-based testing, security testing, automated unit and regression testing
- Example: Static code analysis and penetration testing required before release

#### Deployment Phase

- Control: Change management approvals and environment hardening
- Example: No deployment to production without approval in change tracking system

- Maintenance Phase
  - Control: Patch management and continuous monitoring
  - Example: Third-party dependency updates must be reviewed within 30 days of release
- Decommissioning/Retirement Phase
  - Control: Secure data disposal and documentation of system shutdown
  - Example: All sensitive data must be deleted or anonymized

- Contribution to risk management
  - Preventing Vulnerabilities: Secure coding and dependency checks reduce exploitable flaws
  - Control Ownership: Implement preventive controls (input validation, encryption) and support detective controls (logging, error handling)
  - Evidence Creation: Code reviews, automated test results, dependency scan reports, and design documentation provide risk evidence
  - Resilience: Building applications that degrade gracefully, recover quickly, and log effectively in order to support both risk and resilience objectives

- Typical risk management activities
  - Secure Coding Practices: Using defensive programming techniques (e.g., input sanitization, parameterized queries)
  - Peer Reviews: Reviewing code for quality, maintainability, and adherence to security standards
  - Threat Modeling: Identifying possible attack vectors and mitigating them at the design stage
  - Dependency Scanning: Checking third-party libraries and frameworks for vulnerabilities
  - *Unit and Integration Testing:* Ensuring code works as intended, with tests to validate security-critical functions

- Common risks if not managed
  - Injection Flaws (e.g., SQL Injection, XSS): Occur if user input isn't validated
  - Insecure Dependencies: Using outdated or unvetted open-source libraries introduces vulnerabilities
  - Logic Errors: Mistakes in business logic can create exploitable loopholes
  - Poor Documentation: Incomplete or unclear documentation increases maintenance and handover risks
  - Hardcoded Secrets: Embedding credentials in code creates serious exposure
  - Insecure Error Handling: Revealing system details in error messages can aid attackers

- Responsible for evaluating software and systems
  - Ensure they function correctly, meet requirements, and are free from critical defects
  - Confirm that applications are not only functional but also secure, reliable, and usable before reaching production
  - A key line of defense against introducing risks into the operational environment
- Typical responsibilities include:
  - Designing and executing test cases
  - Running regression and integration tests after code changes
  - Performing risk-based and security-focused testing, including exploratory testing
  - Supporting the use of automated testing tools and frameworks
  - Documenting test results and tracking defects
  - Collaborating with developers to resolve issues before release

- Role in risk management
  - Ensure that quality and security requirements are validated before release.
- Directly reduces operational, compliance, and reputation risks by:
  - Detecting defects that could lead to failures, outages, or vulnerabilities
  - Providing assurance evidence that controls are effective
  - Applying risk-based testing to focus on the most critical functionality and threats
  - Providing feedback to other roles on potential risk issues

### Contribution to risk management

- Risk Detection: Identify vulnerabilities, defects, and weak points before release
- Control Validation: Confirm that preventive and detective controls (e.g., input validation, error handling) actually work
- Evidence Creation: Provide logs, defect reports, test coverage reports, and pass/fail results for auditors and risk managers
- *Risk Communication:* Translate technical defects into business impact (e.g., "This flaw could expose customer data")

### Security testing

- The area of security testing has evolved a number of specific methods to deal with adversarial attack risks
- For example, red team testing where external testers take on the role of an adversary and attempt to breach the organization's security measures

- Typical risk management activities
  - Functional Testing: Ensuring systems perform as intended under expected conditions
  - Regression Testing: Verifying that new changes don't break existing functionality
  - Security Testing: Checking for vulnerabilities such as weak authentication, injection flaws, and misconfigurations
  - Risk-Based Testing: Prioritizing testing on the highest-risk features (e.g., payments, authentication, data access)
  - Defect Tracking and Reporting: Documenting issues and following up on remediation before going live in production
  - Exploratory Testing: Looking for "what if?" scenarios that have been overlooked
  - *Live Testing:* Running operational tests in the production environment to detect any signs of drift or potential breaches

- Common risks if not managed
  - Incomplete Test Coverage: Leaving critical areas untested exposes the system to undetected failures
  - Missed Critical Flaws: Security or functional defects that escape testing can lead to breaches or outages
  - Ineffective Test Evidence: Poorly documented test results weaken compliance and audit readiness
  - Over-Reliance on Automation: Automated tests may miss context-specific issues if not complemented with exploratory testing
  - Late Testing: Defects found too late in the SDLC increase cost, delay, and risk
  - System Drift: Failure to detect changes in the functioning of the operational system that may introduce risk

- Responsible for monitoring, detecting, analyzing, and responding to security threats
  - Ensures that suspicious activities are identified quickly
  - Ensures incidents are contained before they escalate
  - Serve as the eyes and ears of cybersecurity, constantly watching for signals of compromise or attack
- Typical responsibilities include:
  - Monitoring logs and alerts from SIEM systems and other security tools
  - Investigating suspicious activity and escalating incidents when needed
  - Performing vulnerability scans and analyzing the results
  - Responding to and documenting security incidents
  - Coordinating with IT and risk teams to remediate threats
  - Supporting compliance and audit requests with monitoring evidence

- Role in risk management is to ensure
  - Incidents are identified quickly before they cause significant damage
  - Vulnerabilities are surfaced and remediated before attackers can exploit them
  - Responses are coordinated to minimize the impact of threats
  - Monitoring evidence is available to support audits, governance, and regulatory obligations
  - Works with testers to actively probe system defenses

- Contribution to Risk Management
  - Detective Controls: Identify abnormal or malicious activity (e.g., SIEM alerts, anomaly detection)
  - Corrective Controls: Trigger incident response procedures and containment actions
  - Evidence Creation: Generate incident tickets, SIEM logs, vulnerability reports, and response timelines
  - *Risk Reduction:* Shorten the "dwell time" of attackers and reduce potential impact by ensuring fast detection and response

- Typical Risk Management Activities
  - SIEM Monitoring. Reviewing real-time alerts for signs of intrusion, misuse, or anomalies
  - *Incident Response:* Containing and eradicating threats, restoring services, and conducting post-incident reviews
  - Vulnerability Scanning: Running scans to identify system weaknesses and prioritizing remediation
  - Threat Intelligence Review: Tracking new and emerging threats relevant to the enterprise
  - Reporting & Documentation: Maintaining evidence for audits and supporting governance reporting

- Common risks if not managed
  - Alert Fatigue: Too many alerts can overwhelm analysts, leading to missed true positives
  - Missed Indicators: Subtle signs of intrusion (e.g., lateral movement, unusual logins) may go unnoticed
  - Delayed Response: Slow containment allows attackers to escalate and cause more damage
  - Overreliance on Tools: Assuming automated tools catch everything, without human analysis
  - Poor Documentation: Weak or missing incident records reduce accountability and hinder compliance

- Responsible for the design, implementation, maintenance, and security of databases that store critical business data
  - Ensure that data remains confidential, accurate, and available to authorized users while preventing loss, corruption, or unauthorized access
- Typical responsibilities include:
  - Installing, configuring, and upgrading database systems
  - Managing user accounts, permissions, and access rights
  - Performing backups and validating restore procedures
  - Monitoring performance, tuning queries, and optimizing storage
  - Implementing encryption and other data protection controls
  - Responding to incidents such as outages or data corruption

- DBAs are central to protecting the confidentiality, integrity, and availability (CIA)
  of organizational data.
  - Directly influence whether sensitive data remains secure
  - Ensure systems can recover from failure
  - Ensure compliance requirements (e.g., GDPR, HIPAA, SOX) are met
- Contribution to risk management
  - Data Protection: Enforce encryption, access controls, and least privilege for sensitive data
  - Availability & Resilience: Ensure backups and recovery plans are tested and reliable
  - *Control Ownership:* Operate preventive controls (encryption, permissions), detective controls (monitoring logs, anomaly detection), and corrective controls (restore after failure)
  - Evidence Creation: Backup and restore logs, access control reviews, and encryption status reports serve as audit evidence

- Typical Risk Management Activities
  - Backup & Restore Validation: Running regular restore tests to ensure data can be recovered after an incident
  - Access Management. Defining and reviewing database user roles and privileges to enforce least privilege
  - Performance Monitoring: Tracking database health to prevent outages or bottlenecks that affect critical services
  - Encryption & Data Security: Applying encryption at rest and in transit, masking sensitive data, and ensuring compliance
  - Audit Logging: Enabling database logs to detect unauthorized or suspicious activity

- Common risks if not managed
  - Data Loss: Backups that fail or untested restores that don't work when needed
  - Unauthorized Access: Weak privilege management leading to insider threats or external breaches
  - Weak Recovery: Lack of tested recovery plans causing extended downtime
  - Unencrypted Sensitive Data: Exposure of personal or financial data leading to regulatory fines and reputational damage
  - Performance Failures: Poorly tuned systems causing outages or degraded business operations

## **NETWORK ENGINEERS**

- Responsible for designing, implementing, and maintaining the organization's network infrastructure
  - Including routers, switches, firewalls, VPNs, and wireless systems
  - Ensure that communication across the enterprise is secure, reliable, and efficient.
- Typical responsibilities include:
  - Designing network architectures to support business needs
  - Configuring firewalls, intrusion detection/prevention systems, and segmentation
  - Monitoring network performance and troubleshooting connectivity issues
  - Managing VPNs and remote access solutions
  - Ensuring redundancy and failover mechanisms are in place
  - Documenting network diagrams and maintaining configuration baselines

#### **NETWORK ENGINEERS**

- Common risks if not managed
  - Misconfigurations: Incorrect firewall or routing rules creating vulnerabilities
  - Single Points of Failure: Lack of redundancy causing major outages
  - Shadow Networks: Unauthorized or undocumented devices introducing unmanaged risk
  - Data Exfiltration: Attackers may use the network to exfiltrate sensitive data undetected
  - Weak Remote Access: Poorly secured VPNs or remote connections enabling intrusions

- Responsible for building, automating, and maintaining IT services in cloud environments and continuous delivery pipelines
  - Ensures that infrastructure and applications are scalable, resilient, and compliant while supporting rapid software delivery
  - Instead of hardware, they use systems defined with infrastructure as code tools
- Typical responsibilities include:
  - Designing and provisioning cloud resources (compute, storage, networking)
  - Writing and maintaining Infrastructure as Code (IaC) templates
  - Automating deployments via CI/CD pipelines
  - Monitoring performance, reliability, and security in cloud environments
  - Managing identity, access, and permissions for cloud services
  - Ensuring compliance with cloud security frameworks and organizational policies

- Role in risk management
  - Cloud environments are highly dynamic environments where risks can escalate quickly if left unchecked
- Their role in risk management includes:
  - Preventing misconfigurations (e.g., public storage buckets, over-permissive IAM roles)
  - Embedding controls directly into automated pipelines ("security as code")
  - Ensuring cloud systems are resilient, redundant, and recoverable
  - Supporting compliance by mapping infrastructure to regulatory standards (e.g., ISO 27001, SOC 2, NIST CSF)

- Contribution to risk management
  - Control Ownership:
    - Preventive controls: IaC templates, hardened images, least-privilege IAM roles
    - Detective controls: Continuous monitoring, automated compliance scans
    - Corrective controls: Auto-scaling, automated rollbacks in CI/CD
  - Evidence Creation: Pipeline audit logs, compliance scan results, cloud provider configuration reports, IaC version control history
  - Risk Reduction: Automation reduces human error, enforces consistency, and makes security repeatable
    at scale
  - Resilience: Auto-healing and redundant cloud architectures minimize downtime

- Typical risk management activities
  - IaC Compliance & Drift Detection: Validating deployed infrastructure matches approved configurations
  - CI/CD Security: Integrating static analysis, dependency scanning, and secret detection into pipelines
  - Access & Identity Management: Enforcing least privilege through IAM or equivalent roles and periodic reviews
  - Cloud Monitoring & Logging: Using tools like AWS CloudWatch, Azure Monitor, or GCP Stackdriver for anomaly detection
  - Disaster Recovery Planning: Leveraging multi-region replication, snapshots, and automated failover

- Common risks if not managed
  - *Misconfigured Cloud Resources*. Publicly exposed databases or storage buckets
  - Excessive Permissions: Overly broad IAM roles leading to privilege abuse
  - Pipeline Vulnerabilities: Compromised CI/CD pipelines allowing malicious code injection
  - Uncontrolled Shadow IT: Teams spinning up cloud resources without governance
  - Failed Auto-Recovery: Automation scripts misfiring during outages, making problems worse

- Role in risk management
  - PMs and POs are risk integrators
  - Don't directly configure systems or write code, but they ensure risks are captured, tracked, and mitigated at the project or product level
  - Their decisions influence whether risks are properly addressed or overlooked
- Contribution to Risk Management
  - Risk Awareness: Ensure that project plans include risk identification and mitigation
  - Control Alignment: Verify that controls are scheduled and completed
  - Evidence Creation: Maintain risk registers, project reports, and change logs as audit artifacts
  - Risk Communication: Translate technical risks into business terms for stakeholders
  - Governance Support. Enforce adherence to risk frameworks

- Responsible for planning, coordinating, and delivering IT projects and products
  - Ensure conformance with scope, budget, timelines, and stakeholder expectations
  - Ensure that quality and compliance requirements are met
  - Also focus on governance, prioritization, and risk visibility across the lifecycle of a project or product
- Typical responsibilities include:
  - Defining project scope, objectives, and deliverables
  - Tracking timelines, budgets, and resource allocations
  - Maintaining communication with business stakeholders and technical teams
  - Managing risks, issues, and dependencies through registers and reviews
  - Prioritizing features and backlog items to align with business value
  - Coordinating testing, release planning, and post-release reviews

- Typical risk management activities
  - Risk Register Maintenance: Recording identified risks, their owners, likelihood, and impact
  - Dependency Tracking: Monitoring interdependent systems or deliverables that could create cascading failures
  - Change & Release Management: Ensuring proper approvals and testing before go-live
  - Status & Risk Reporting: Providing regular updates to leadership on open risks and mitigation progress
  - Prioritization with Risk Lens. Balancing business features with technical debt and security backlog

- Common risks if not managed
  - Ignored Technical Debt: Security and stability issues accumulate if schedules prioritize only new features
  - Poor Prioritization: Focusing on low-value features while leaving critical vulnerabilities unresolved
  - Lack of Risk Transparency: Failure to communicate risks upward can leave executives blindsided
  - Scope Creep: Expanding requirements without addressing capacity or risk implications
  - Compliance Gaps: Missing required controls or documentation due to poor planning

### BUSINESS ANALYSTS (BAS)

- Act as bridges between business stakeholders and technical teams.
  - Responsible for gathering, analyzing, and documenting business requirements and ensuring that technology solutions align with business goals, compliance needs, and risk considerations.
  - Their role helps prevent misalignment between what is built and what the business (and regulators) actually require
- Typical responsibilities include:
  - Gathering and documenting business and functional requirements
  - Translating business needs into technical specifications
  - Modeling business processes and identifying bottlenecks or control gaps
  - Supporting solution design and testing by validating requirements
  - Ensuring compliance and governance needs are captured in requirements
  - Facilitating communication between non-technical and technical stakeholders

### BUSINESS ANALYSTS (BAS)

- Play a preventive role by ensuring risks are considered early in requirements and process design.
  - If risks are not identified up front, they can easily propagate into design, development, and operations
- Contribution to risk management
  - *Risk Identification:* Spot business process weaknesses that could introduce operational or compliance risks
  - Control Definition: Capture requirements for controls (e.g., "all sensitive data must be encrypted" or "two-person approval required for payments")
  - Evidence Creation: Provide requirement documents, process models, and traceability matrices as proof of risk-aware design
  - Communication: Ensure stakeholders understand risk of business and technical decisions
  - Governance Alignment: Map requirements to frameworks and standards (e.g., PCI DSS for payments, GDPR for data protection)

### BUSINESS ANALYSTS (BAS)

- Typical risk management activities
  - Business Process Modeling: Creating models to reveal single points of failure, manual dependencies, or role confusion
  - Requirements Validation: Checking that risk, compliance, and resilience needs are included in solution requirements
  - Traceability. Linking business requirements to test cases and controls, ensuring nothing is missed
  - Stakeholder Analysis: Identifying Responsible, Accountable, Consulted, Informed (RACI) roles to clarify accountability
  - Risk-Based Prioritization: Helping prioritize requirements that reduce critical risks

- Provide independent assurance that IT systems, processes, and controls are designed and operating effectively to manage risk
  - Review evidence from across IT roles, evaluate compliance with frameworks and regulations, and report findings to leadership
  - Auditors do not build or run systems. They assess and validate how others manage risk
- Typical responsibilities include:
  - Planning and conducting IT audits based on regulatory or organizational requirements
  - Reviewing logs, reports, and controls operated by IT staff
  - Testing the effectiveness of preventive, detective, and corrective measures
  - Identifying gaps, weaknesses, and non-compliance issues
  - Writing audit reports with findings and recommendations
  - Following up on remediation efforts and control improvements

- Strengthen risk management by providing an independent "second line of defense"
  - Role is to ensure that controls owned by others are in place, effective, and aligned with policies, standards, and regulations
- Contribution to risk management
  - Independent Assurance: Validate that risks are being managed as claimed
  - Control Effectiveness Testing: Assess whether controls work as intended (e.g., restore tests, access reviews)
  - Evidence Review: Examine patch reports, logs, test cases, and other artifacts for sufficiency and reliability
  - Risk Communication: Escalate findings to management and boards in business-relevant language
  - Governance Support: Ensure alignment with ISACA, COBIT, NIST, ISO, and regulatory frameworks

- Typical risk management activities
  - Audit Planning & Scoping: Identifying high-risk areas to focus on
  - Control Testing: Re-performing or reviewing key controls such as backups, access reviews, and monitoring
  - Sampling & Evidence Review: Checking a representative set of logs, reports, or system outputs
  - Reporting. Documenting gaps, deficiencies, and strengths in control environments
  - Follow-up & Verification: Ensuring remediation actions are completed and effective

- Common risks if not managed
  - Undetected Control Failures: If audits are weak or infrequent, broken controls may persist
  - Regulatory Penalties: Missing or incomplete audits can lead to fines or sanctions
  - Management Blind Spots: Without independent assurance, executives may think risks are covered when they are not
  - Inconsistent Assurance: Poor audit methodologies or incomplete evidence review undermine reliability
  - Over-Reliance on Self-Reporting: Accepting control owners' claims without evidence verification increases residual risk

#### CROSS-ROLE COORDINATION

- These roles do not operate in isolation
- They need to collaborate and communicate in order to implement an overall risk management program
- We will explore this aspect of risk management in another module

# Q&A AND OPEN DISCUSSION

