

HIMA

Complete Application Documentation — Detailed Edition

Every feature · use case · flow · socket event · all 64 branches · all 604 routes

Innovfix Pvt. Ltd. · Reverse-documented from the live production codebase · 2026-07-14

Part 1 — Full App Documentation (14 domains)

Part 2 — System Flow Diagrams (7 flows)

Part 3 — Branch-by-Branch Changelog + complete 64-branch index

Part 4 — Real-time Socket Events (chat/presence layer)

Part 5 — Complete Route Reference (604 endpoints)

Part 0 - Documentation Governance

Mandatory rule for maintaining the Hima Complete Application Documentation

RULE: Update this document whenever a genuinely new feature or capability is added to the Hima app, admin panel, backend, or supporting system. Do not add routine bug fixes or UI-only improvements.

1. Changes that MUST update this document

- A new user-facing feature in the male or female application.
- A new admin-panel feature, control, dashboard, report, setting, or operational tool.
- New backend code that enables the feature: APIs, routes, database entities, socket events, jobs/crons, payment flows, AI services, permissions, configuration, or monitoring.
- A material extension that gives an existing module a new capability or business flow.

2. Changes that MUST NOT be added

- Bug fixes, crash fixes, hotfixes, or corrections that only restore expected behaviour.
- UI polish such as colour, spacing, typography, animation, icon, layout, or wording improvements when no new capability is introduced.
- Refactoring, dependency upgrades, performance tuning, logging, cleanup, or internal code restructuring that does not add a feature.
- A bug-fix branch or UI-improvement branch must not be added to the feature documentation or feature changelog solely because code changed.

3. Required update for every new feature

Required item	What must be documented
Feature summary	Purpose, users affected, and the problem or business need it solves.
Flows and rules	Main flow, validations, permissions, edge cases, failure handling, and dependencies.
Technical impact	App/admin screens, APIs, routes, controllers, models/tables, socket events, jobs, configuration, analytics, and external services added for the feature.
Operations	Feature flags, monitoring, support/admin actions, rollout notes, and rollback or kill-switch behaviour when relevant.
Document control	Update the document date/version and record the feature name and owning release/branch.

4. Ownership and release gate

- The developer or feature owner must supply the documentation update in the same release cycle as the feature.
- The Tech Lead must verify that the feature is documented before release sign-off.
- A new feature is not documentation-complete until this PDF reflects the released implementation.

Effective 2026-07-14 - applies to all future Hima app, admin-panel, backend, and supporting-system feature work.

Part 1 — Full App Documentation

Hima — Full Application Documentation

Features · use cases · modules · data model · background jobs · branches

Innovfix Pvt. Ltd. · Reverse-documented from the live production codebase · Current branch `backend-release-2026-05-21` · Prepared 2026-07-14

What Hima is: a real-money **audio/video companion-calling platform**. Male **callers** buy coins and connect with female **creators** over random-matched or direct audio/video calls & chat; creators **earn income** per call and withdraw it to their bank. The system spans a Laravel (PHP 8.2) backend on 3 app servers + MySQL master/replica, an Android app, a real-time socket server, an admin panel, an AI layer, and an MCP ops/support toolkit.

~700

API + web routes

~100

controllers (modules)

~130

data models

40+

background jobs/crons

68

git branches

14

MCP ops modules

1. Core — Users, Auth & Onboarding

Features

- Registration / login** (mobile OTP), profile, avatars, language, gender, interests — `AuthController`, `UsersController`, `UserController`, `AvatarsController`
- Creator verification / KYC** — voice verification, PAN/Aadhaar KYC (Cashfree Secure-ID + PaySprint), bank details — `UsersVerificationController`, `VoiceDetectionController`, `MonthlyPanWithdrawalsController`
- Admin 2FA** — mandatory TOTP + enrollment-lock — `TwoFactorController`
- AI onboarding** — new users chatted by AI to warm them up — `ai_onboarding` branch, `AiOnboardingSession`
- Versioning / force-update** — per-user `minimum_version` + `update_type` gating

Use cases: a woman signs up → verifies voice/PAN → becomes a payable creator. A man signs up → gets AI-onboarded → buys coins → starts calling.

2. Calls — the core engine

Features

- Random matchmaking** — weighted-by-score matcher pairs a caller with an available creator (audio/video), language-aware, peak-tuned — `AuthController::random_user`, `random_female_connecteds`
- Direct / individual calls** — call a specific creator; recent/repeat callers — `UserCallsController`, `CalculateRepeatCallers`
- Call lifecycle** — ring, connect (`started_time`), bill per minute (`coins_spend` → creator `income`), end — `UserCalls`, `CallStatusLogsController`
- Reject / missed-call handling** — 3-reject cool-down block, missed-call counters, ghost-skip (skip creators who never answer) — `CallRejectCount`, `male_reject_blocks`, `missed_call_count` branch
- Do-Not-Disturb (DND)** — server-authoritative; creator unavailable until she turns it off — `do_not_disturb` branch
- Agora** — real-time audio/video transport + token generation — `GenerateAgoraToken`
- Connection monitoring** — connect-rate alerts, phantom/ghost-call heal — `RunCallConnectionMonitor`, `PhantomHealController`, `CallConnectionMonitorLog`

Use cases: caller taps "random call" → matcher finds an online creator in his language → Agora call connects → coins deducted per minute → creator earns income → withdraws later.

3. Coins, Payments & Subscriptions

Features

Area	Modules
Coin packs & purchase	<code>CoinsController</code> , <code>OrdersController</code> , <code>TransactionsController</code> , <code>Coins</code> , <code>RechargeTrans</code>
Gateways	Cashfree, PhonePe, Razorpay , HDFC, Skril (+ Paytm in progress) — each with create-order + verified webhook
Offers / trials / coupons	<code>OfferCoinsController</code> , <code>TrialCoinsController</code> , <code>CouponsController</code> , <code>CouponCoinsController</code> , <code>CouponAnalyticsController</code>
Autopay / subscriptions	UPI-mandate recurring (₹299/10-day) — <code>AutopayController</code> , <code>AutopayDashboardController</code> , <code>AutopayReportController</code> , <code>SubscriptionEvent</code> , <code>UserSubscription</code>
Free / daily coins	<code>DailyClaim</code> , free-coins claim flow

Use cases: caller buys a ₹ coin pack (or subscribes to autopay for daily coins); coupons/offers boost conversion; verified-before-credit webhooks prevent fraud.

4. Creator Economy — earnings, tiers, payouts

Features

- **Income & balance** — per-call income accrues to creator `balance / total_income`; income-cap guard against leaks
- **Tiers & scores** — creators ranked by weighted metrics; drive matcher priority — `RecalculateCreatorTiers`, `RecalculateCreatorScores`, `CreatorsDashboardController`, `CreatorAnalyticsController`, `ScoreHealthController`
- **Bonuses** — call-bonus tiers, automatic creator bonus, star-creator, icebreaker prompts — `BonusController`, `CallBonusTier`, `automatic_bonus_creator` + `star_creator` branches, `IcebreakerQuestionsController`
- **Withdrawals / payouts** — bank withdrawal via Cashfree payouts, PAN-gated, TDS, double-pay & auto-refund guards — `WithdrawalsController`, `CheckPendingWithdrawals`, `WithdrawalBankDetail`
- **Warnings & auto-disable** — creator warning system, auto-unblock, resignation — `CreatorWarningsController`, `WarningController`, `AutoUnblockWarningCreators`, `ResignationController`
- **Inactive-creator win-back (Maya)** — see §9

Use cases: creator earns across calls → climbs tiers → gets more matches + bonuses → withdraws to bank; if she misbehaves she gets warned/auto-disabled; if she goes quiet, Maya wins her back.

5. Chat, Gifts & Social

- **Chat messaging** (real-time socket) — `ChatsController`, `ChMessage`, `ChFavorite`, `whatsapp_like_ui` branch
- **Gifts** — paid virtual gifts in chat/call — `GiftsController`, `Gifts`
- **Friend requests** — `FriendRequestController`, `FriendRequest`
- **Deleted-chat archive** — nothing truly deleted; kept for moderation — `DeletedChatsController`, `WipeConversation`
- **Reviews & ratings** — `ReviewsController`, `UserRatingController`, `CreatorsRatingsController`, app-store rating prompts

6. Safety & Moderation

- **Blocks** — unified call-block + chat-block (matcher honours both) — `BlockCreatorController`, `BlockedUsersController`, `BlockedUsers`, `ChatBlockedUsers`
- **Reports** — user reports with reasons — `ReportUserController`, `UserReportsController`, `ReportReason`
- **Content moderation** — bad-word filter (chat archived), vulgar-name cleaning, AI auto-moderation of name/description — `ModerationWarningController`, `CleanVulgarNames`, `feature/auto-moderation-name-description`
- **Voice-gender verification** — ensure creators are female — `VoiceDetectionController`, `VoiceGeminiScore`, `voice_accuracy` branch
- **IP geolocation & logging** — `UserIpLogController`, `UserLocationController`, `GeoEnrichIps`

7. Notifications & Engagement

- **Push** — FCM + OneSignal — `FcmNotificationController`, `NotificationsController`, `fcm_tokens`
- **Smart / personal / screen / segmented** notifications with peak-time scheduling — `SmartNotificationsController`, `PersonalNotificationsController`, `ScreenNotificationsController`, `ProcessSmartNotifications`
- **Analytics & conversion** — opens, clicks, conversions — `NotificationAnalyticsController`, `NotificationConversion`, `NotificationTrackerController`, `NotificationStats`
- **Creator nudges** — unread-message + bank-update + inactive-new-user notifications — `NotifyCreatorsUnreadMessages`, `NotifyBankUpdateCreators`, `NotifyInactiveNewUsers`

8. Growth, Attribution & Games

- **Install attribution** — Play install-referrer, in-house attribution, ad-source integration — `InstallReferrerController`, `inhouse_attribution`, `ad_source_integration`, `BackfillReferrerAttribution`
- **Tracking / deep links** — trackable links, deep-link clicks, retargeting — `TrackingLinkController`, `DeepLinkController`, `RetargetReportController`, `track_deep_link_clicks`
- **Engagement games** — IPL rooms (live-match reactions), Ludo game, paywall video — `IplRoomController`, `ipl_rooms`, `play_ludo_game`, `paywall_video` branches
- **WhatsApp campaigns** — `WhatsappCampaignsController`, `WhatsapplinkController`

9. AI Systems

System	What it does
Maya (Creator RM)	AI win-back + 24/7 support of creators over WhatsApp (WATI + Gemini), in their own Tanglish/Manglish. <code>MayaWebhookController</code> , <code>maya_messages</code>
AI ticket replies	Auto-classify + reply to support tickets, escalate to human — <code>TicketsController</code> , <code>TicketsMcpController</code> , <code>GenerateMissingAiReplies</code>
AI onboarding	AI chats new users to activate them — <code>ai_onboarding</code> , <code>AiOnboardingSession</code>
Voice-gender AI	Gemini scores creator voice to confirm female — <code>VoiceGeminiScore</code>
Image / poster generation	AI marketing posters & images — <code>PosterGeneratorController</code> , <code>ImageGenerationController</code> , <code>SpeechTextController</code>

10. Admin, Ops & Reporting

- **Admin panel** — settings, roles, app-settings, language config, landing pages, news, categories, explainer videos — `SettingsController`, `RoleController`, `AppsettingsController`, `LanguageConfigController`, `NewsController`
- **Dashboards & reports** — home, daily reports, business/score health, support-team & autopay dashboards, retarget/creator analytics — `HomeController`, `DailyReportsController`, `BusinessHealthController`, `SupportTeamDashboardController`
- **Diagnosis board** — live D/S ratio, connection, retention, ARPU by language — `DiagnosisController`, `WarmDiagnosisBoard`
- **Health monitors** — server/AI-agent/notification/tier monitors + snapshots — `RunServerMonitor`, `RunAIAgentMonitor`, `RunHealthSnapshot`, `ServerHealthSnapshot`
- **MCP toolkit (14 modules)** — Cursor/Claude-based support & ops: user lookups, tickets, refunds (coin+payout, capped+audited), finance, moderation, notifications, config, audit — `Api/Mcp/*`; tokens via `MintMcpToken` / `RevokeMcpToken`, login at `/mcp-login`

11. Support

- **Tickets** — in-app + public (from URL) tickets, AI + human replies, delayed-reply cron — `TicketsController`, `PublicTicketsController`, `Ticket_Raise_From_Url`, `SendDelayedTicketReplies`
- **Support team** — team management + dashboard + Cursor MCP read/act tools — `SupportTeamDashboardController`, `support_team_management`

12. Background jobs / crons (40+)

Score/tier: `creators:recalculate-scores` (hourly, peak-skip),
`creators:recalculate-tiers`, `creators:calculate-repeat-callers`.
Monitors: `monitor:server`, `monitor:ai-agent`, `monitor:call-connection`,
`monitor:notifications`, `monitor:tier`, `health:snapshot`.
Notifications: `creators:process-notifications`, `smart:process-notifications`, `creators:notify-unread-messages`, `users:notify-`

`inactive-new`, `creators:notification-stats`.
Finance: `CheckPendingWithdrawals`, autopay reconcile
(`ReconcileAutopayStatuses`), `PanBackfillSeeding`.
Data/ops: `report:daily`, `geo:enrich-ips`, `attribution:backfill`,
`ArchiveOldUserCalls`, `creators:auto-unblock-warning`, `tickets:send-delayed-replies`, `CleanVulgarNames`, `GenerateMissingAiReplies`.

13. All Git Branches (68) — by theme

Theme	Branches
Releases / snapshots	main · backend-release-2026-05-21 · backend_june1_june5 · backend_june_15_29 · app_releases · prod-snapshot-2026-05-21-evening · prod-snapshot-2026-05-22-morning · prod-snapshot-app1-2026-05-21-evening · prod-truth-2026-06-15 · complete_sprint_6_12_Apr
Calls	call_bug_fix_backend_18_24 · call_module_bugs_backend · male_call_reject_count · missed_call_count · track_random_call_faliures · recent_call_testing · avg-cretors-connect · disbale_call_of_blocked_creators · do_not_disturb
Chat	chat_sprint_all_fixes_2026_05_27 · whatsapp_like_ui · open_chat_screen_from_notification · test/seed-demo-chat
Creators	creator_warning_system · north_creator_listing_fix · star_creator · automatic_bonus_creator · name_issue_fixing · avg-cretors-connect
Payments	demo_autopay · feature/autopay-wireup
AI	AI-fixes · ai_onboarding · voice_accuracy
Moderation	feature/auto-moderation-name-description · creator_warning_system
Growth / attribution	ad_source_integration · inhouse_attribution · track_app_notifications_clicks · track_deep_link_clicks · tracking_link_count_fix · referral_testing · new_paid_user_count · new_play_store_ratings
Games / engagement	ipl_rooms · ipl_new_fixes · play_ludo_game · paywall_video
Support / MCP	support-system-branch · support_team_management · mcp-v3-rollout-2026-06-10 · Ticket_Raise_From_Url · notification_access
Features / fixes	icebreaker_questions · poster-generator · poster-generator-fixed · recent_filter_feature · fix_remaining_time · dashbaord_filter_issue · hotfix/update-profile-interests-optional · perf/register-users-indexes · name_issue_fixing · demo · demo-block-fix-2026-04-27 · demo-block-fix-2026-04-28-v2 · testing_claude_branch

14. Data model — key entities (~130 total)

People: Users, Admin, DeletedUsers, Document.

Calls: UserCalls, CallRejectCount, CallsStatusLogs, CallDropStatusLog, random_female_connecteds, Not_repeat_call_users.

Money: Coins, OfferCoin, TrialCoins, CouponCoins, Coupons, Orders, Payments, Transactions, RechargeTrans, TransactionCharges, Upis, pay_sprint.

Subscriptions: UserSubscription, SubscriptionEvent, DailyClaim.

Payouts: Withdrawals, WithdrawalBankDetail, ReconciliationLog.

Creator: CallBonusTier, CallBonusPayout, CreatorTag, CreatorWarning,

CreatorActiveMonitor, CreatorIcebreakerSeen, Ratings, Review, IcebreakerQuestion.

Chat/social: ChMessage, ChFavorite, ChatBlockedUsers, BlockedUsers, Gifts, FriendRequest.

Safety: Warning, ReportReason, UserReport, IpRestrict.

Notifications: Notifications, PersonalNotifications, ScreenNotifications, SentNotification, NotificationConversion, FemaleOnlineNotificationPreference.

AI/ops: AiOnboardingSession, AiReferenceFaq, McpToken, McpAuditLog, McpRefundApproval, ServerHealthSnapshot, various *MonitorLog.

Growth: InstallTracking, InstallReferrerResponse, TrackingLink, DeepLink, DeepLinkClick, LinkClick.

Games: IpIMatch, IpIRoom, IpIRoomMember, IpIRoomReaction.


Part 2 — System Flow Diagrams

Hima — System Flow Diagrams

The money flow, call lifecycle, matcher, payout, autopay, Maya & moderation — how the pieces actually connect


Innovfix Pvt. Ltd. · authored from the live codebase · 2026-07-14

1. The Money Flow (end-to-end)



Key numbers: ~₹0.26 revenue per coin purchased; creators earn ~40% of revenue (payout guard); platform margin largely comes from coins bought-but-not-spent (breakage). Withdrawals go out via **Cashfree payouts** (IMPS), PAN-gated, TDS applied.

2. Call Lifecycle



Connected = started_time IS NOT NULL. "Connect rate" = connected ÷ attempts. This is the single most-watched health metric (a matcher/socket break shows here first).

3. Random Matcher (inside `random_user`)

```
build exclusion set: recently-connected + recent-calls + BlockedUsers(blocked=2)
|
▼
base pool = female, busy=0, audio/video_status=1 (cached ~8s at peak: RANDPOOL_CACHE)
|
├ VIDEO or 3-7 AM → weighted random, NO language filter
└ else           → weighted by score within caller's connected-languages
|
▼
starter score for new creators (video=100) → GHOST-SKIP: prefer missed_calls < 3
                                           (soft tier, only if ≥25 responsive remain)
|
▼
audio weight cap 40 → remove blocked → pickWeightedCreator()
|
▼ (if empty) relaxed fallback excluding last-5 called
return matched creator → create call → ring
```

4. Withdrawal / Payout

```
creator requests withdrawal POST /withdrawals
|
balance deducted, row status=0 (pending), PAN-gate + $206AA TDS check
|
▼
cron_update_withdrawals (PHASE 1/2/3) → Cashfree Payout API (IMPS)
                                     transfer_id assigned
|
├ transfer NOT accepted → roll back balance, skip null transfer_id
├ Cashfree webhook: SUCCESS → status=1 (Paid)
└ Cashfree webhook: REVERSED → 30-day auto-refund coins (kill-switches in gateway_config)
|
▼
double-pay guard: 30-min cancel hold + Urgent-Manual-Credit override + admin alerts
```

Statuses: **0=Pending**, **1=Paid**, **2=Cancelled**. Payout health watched via double-pay alerts + reconciliation logs. Agency creators are settled separately (host-wise commission).

5. Autopay / Subscription (₹299 / 10-day)

```
caller sees ₹1 trial sheet (if never subscribed)
|
autopay_initiate → Cashfree UPI mandate (cap 11 months, GPay-compatible)
|
▼
mandate active → daily coin claim daily_claim (DailyClaim)
|
▼
recurring CHARGE every cycle → CashfreeSubscriptionWebhook → subscription_events
                             (real ₹299 charge, not the ₹1 auth)
|
├ CHARGE failure → actionable push (distinct from AUTH failure)
└ cancel → subscription_cancel
```

Autopay revenue lives in `subscription_events` (NOT `transactions`). Coin-pack revenue lives in `transactions.add_coins`. Both together = total revenue.

6. Maya — AI Creator Win-back & Support

```
SEND: inactive-creator list → WATI approved template (Tanglish/Manglish)
| "Hi {name}... demand high, come online, you'll get calls"
▼
creator REPLIES on WhatsApp
|
▼ WATI webhook → /api/maya/webhook (secret-gated, whitelist, kill-switch)
|
▼ look up creator + context (calls, balance, exit-reason from tickets, status)
|
▼ Gemini 2.5 Flash (OpenRouter) → short Tanglish reply, name not pet-names
| [ESCALATE] token → hand to human for money/harassment/ban
▼ WATI sendMessage → creator's phone (~3 sec, 24/7)
|
▼ every message logged maya_messages
```

Dependency: Maya promises "come online → you'll get calls." The matcher must give **returning creators call-priority** or they re-churn (49% re-churn risk).

7. Safety & Moderation

```
Block (BlockService) → writes BOTH blocked_users + chat_blocked_users
→ matcher excludes pair (call) + chat delivery stops
DND → server-authoritative; creator unavailable; rejected at connect-gate
Bad word in chat → message archived (deleted_chat_messages) + hidden
Report → user_reports (with reason) → moderation review
Voice-gender → Gemini scores creator voice → confirm female (auto-approve/reject)
Vulgar name → CleanVulgarNames cron + AI profile moderation
Creator warnings → tiered warnings → auto-disable → resignation
```

Part 3 — Branch-by-Branch Changelog

Hima — Branch-by-Branch Changelog

What each of the 64 git branches actually built or fixed (from commit history)

Innovfix Pvt. Ltd. · derived from `git log` per branch · current/live branch `backend-release-2026-05-21` · 2026-07-14

 Calls & Matcher

Branch	What it changed
<code>call_bug_fix_backend_18_24</code>	Atomic compare-and-swap on <code>individual_update_connected_call</code> to stop duplicate billing; server wall-clock <code>started_time</code> (2-sec hangup bug); unblock incoming-call push (throttle + stale fcm_token); in-call timer parity.
<code>call_module_bugs_backend</code>	Expose <code>coins_spend</code> for recent-calls pill + rating; surface <code>is_busy</code> ; stop overwriting female audio/video status at call start; server force-ends call when caller's coins exhaust.
<code>male_call_reject_count</code>	Hide a caller from a creator for 1 hour on rejection; 3-rejections-in-5-min block logic; the reject-count feature.
<code>missed_call_count</code>	Missed-call filter + days filter in <code>calls_list</code> ; <code>call_switch</code> column; OTP integration.
<code>recent_call_testing</code>	45 recent-call bug fixes across 5 testing types; ghost-creator cleanup cron.
<code>recent_filter_feature</code>	Missed-call + days filter for <code>calls_list</code> (talk-time).
<code>track_random_call_faliures</code>	Track random-call failures; dashboard card with audio+video breakdown.
<code>avg-cretors-connect</code>	Average creators-connected metric work (branch off base).
<code>hotfix/update-profile-interests-optional</code>	Optional interests to unblock male onboarding; weighted video matching; language-free top-score matching 3–7 AM.

 Do-Not-Disturb & Blocking

Branch	What it changed
<code>do_not_disturb</code>	Full DND feature — auto-toggles audio/video status, respected across all OneSignal paths, auto-expire, creator seen offline when DND on, refresh activity on DND-off.
<code>disbale_call_of_blocked_creators</code>	Admin block check when a female calls a male.
<code>demo-block-fix-2026-04-27 / -28-v2</code>	Block-fix work from demo; register <code>check_block_status</code> + <code>unlock_user</code> routes; feedback forms; call-notification hardening; chat throttles.

 Chat

Branch	What it changed
<code>chat_sprint_all_fixes_2026_05_27</code>	Socket typing handler; exclude deleted tombstones from unread; hide presence when blocked; auto-read on join; unified chat+call block (WhatsApp-style) .
<code>whatsapp_like_ui</code>	<code>last_message</code> + <code>unread_count</code> in <code>female_users_list</code> ; creator-online notif rate-limit 2min→1h.
<code>open_chat_screen_from_notification</code>	Chat metadata in OneSignal payload (deep-open the chat screen).
<code>test/seed-demo-chat</code>	Artisan command to seed a demo icebreaker into a creator's inbox.

 Creators — verification, warnings, bonuses, star

Branch	What it changed
<code>creator_warning_system</code>	Automated creator-warning system + weekly connectivity column + cooldown gate; AI onboarding for new male users; IPL team badge.
<code>automatic_bonus_creator</code>	Automatic bonus to verified (status=2) females only; candidate/language filters; fix "only first user got bonus" crash.
<code>star_creator</code>	Star Creator feature — call rates, banners, notifications, call routing, admin panel, payout handling.
<code>voice_accuracy</code>	Voice-accuracy integration; rating-prompt system (migrations/models/APIs).
<code>name_issue_fixing</code>	One-time name-change restriction; profile-update null-response fix.

north_creator_listing_fix	North-language mapping includes Bengali in the shared pool.
new_play_store_ratings	Play Store rating-prompt system (gender triggers, 15-day cooldown, negative-signal detection); one-time name change; new-filter 3→2 days.

Payments, Autopay & Withdrawals

Branch	What it changed
feature/autopay-wireup	Autopay wire-up + OpenRouterService helpers; prefer users.gender over avatar; optional interests.
demo_autopay	Mandate validity capped at 11 months (GPay compat); trial-offer video as mp4 upload; drop dead default-coupon-analytics routes; scope "missed" to other-side-initiated.
paywall_video	Paywall-video admin module + language API; offer coins in paywall selector; disable call-direction OneSignal notifs.
icebreaker_questions	Ice-breaker Questions + Female Discovery; withdrawals UPI→IMPS via Cashfree payout; env()→config() for payout creds (cache-safe); cashfree_payin config.
backend_june_15_29	Autopay push for CHARGE-vs-AUTH failures; security ownership guards on bank/upi/pancard/withdrawals; Cashfree payee-id resolution; balance rollback when transfer not accepted.

AI & Onboarding

Branch	What it changed
ai_onboarding	AI-generated personalised onboarding icebreaker + chip defaults; <code>get_user_concern</code> + quick-reply templates; harden IPL+onboarding APIs; my_chat/friends + /general lists.
AI-fixes	Stabilise AI ticket-escalation state; broaden escalation fallback; new AI ticket-response categories; QA workflow.
feature/auto-moderation-name-description	AI-first profile-content moderation; auto-moderate female profile name/description (later toggled AI off).
testing_claude_branch	QA test-case workflow; AI ticket categories; login-screen docs.

Growth, Attribution & Tracking

Branch	What it changed
inhouse_attribution	Short-link system (models/helpers/migrations); IP detection with device_id/user_id; <code>first_install</code> API (renamed from myipaddress); nginx IP-forwarding.
ad_source_integration	Install-tracking system (migrations, controllers, dashboard); admins table; reconciliation logs.
tracking_link_count_fix	Tracking-link gender-attribution fixes; <code>tracking_info</code> API; referrer mapping + dashboard debug.
track_deep_link_clicks	Deep Links — create + track clicks with IP dedup; reliable Play-Store intent redirect; per-language.
track_app_notifications_clicks	Notification click tracking; conversion % + totals; notification_id in OneSignal payload; configurable cron URL.
referral_testing	63 referral + female-home bug fixes.

Games / Engagement

Branch	What it changed
ipl_rooms / ipl_new_fixes	IPL rooms — create/join/leave/mute/reactions, pagination, room-by-code + random-room lookup, listener count, admin table.
play_ludo_game	Play-Ludo toggle in settings + userdetails; Ludo FCM invites + realtime handling; game assets.

Posters & Support Tooling

Branch	What it changed
poster-generator / -fixed	Poster generator as native Laravel module; achievers leaderboard posters; templates/fonts; align duration with Female Reports.
support-system-branch	Poster hardening for production; Target-Achievers poster (3 templates, font selector); per-call duration cap 3h.
support_team_management	Support-staff multi-language assignment; Review Reward Limits; Pending-Creators box on dashboard.
notification_access	Staff access to scheduled notifications + list; dashboard new-paid metrics.

mcp-v3-rollout-2026-06-10	MCP v3 — 25 ops tools, RBAC, kill-switches, schema migrations; voice-detection fixes; index-friendly search perf.
Ticket_Raise_From_Url	Public ticket page; tickets-by-mobile + status API; CORS + GET for ticket APIs; Agora-token fixes.

 Dashboards, Reports & Perf

Branch	What it changed
backend_june1_june5	Per-source notification analytics (Broadcast/Smart/Creator-online); segmented Customize-Notifications + conversion/revenue; earnings cache 300→60s.
dashbaord_filter_issue	Language-date dashboard filtering + locale guard; partial-day recharge metric; call-rejection 3-in-5min.
fix_remaining_time	Remaining-time full-minutes + Agora token config; dashboard 500 guards; poster bonus-slab editor.
userreport_csv_timing_fix	usersreports time-range filters + CSV export parity.
perf/register-users-indexes	Index <code>users.mobile</code> + <code>refer_code</code> ; weighted video matching.
new_paid_user_count	New-paid-user-count metric work.

 Releases, Snapshots & Trunk

Branch	What it is
main	Trunk — AI ticket redirects, DAU report, bulk-delete notifications, deep links, weighted video matching, perf hardening.
backend-release-2026-05-21	Current live branch — agency withdrawal-block + admin UI, ghost-skip threshold 3→5, agency dashboard true earnings, live Jun 11–12 hotfixes.
app_releases	AI-onboarding port so language-config toggle works; ₹1 trial sheet for never-subscribed; gender-fallback across 11 APIs; wallet phonepe fallback.
complete_sprint_6_12_Apr	Star Tab/Creator toggles; AI onboarding via OpenRouter; IPL pagination; round-2 API bug fixes.
prod-snapshot-2026-05-21-evening / -22-morning / -app1	Production-state snapshots preserving uncommitted live changes from multiple devs before merges.
prod-truth-2026-06-15	Live-prod source capture; PAN verification PaySprint↔Cashfree VRS toggle; audio pick-weight cap 40.
demo	Demo submodule — random matching + verification views, block conditions.

Hima Branch-by-Branch Changelog · Innovfix Pvt. Ltd. · summarised from git commit history 2026-07-14 · 64 branches · some feature-branches share a common base so early commits repeat across them.

Complete Branch Index (64 branches — none omitted)

AI-fixes	feature/auto-moderation-name-description	poster-generator-fixed
Ticket_Raise_From_Url	feature/autopay-wireup	prod-snapshot-2026-05-21-evening
ad_source_integration	fix_remaining_time	prod-snapshot-2026-05-22-morning
ai_onboarding	hotfix/update-profile-interests-optional	prod-snapshot-app1-2026-05-21-evening
app_releases	icebreaker_questions	prod-truth-2026-06-15
automatic_bonus_creator	inhouse_attribution	recent_call_testing
avg-cretors-connect	ipl_new_fixes	recent_filter_feature
backend-release-2026-05-21	ipl_rooms	referral_testing
backend_june1_june5	main	star_creator
backend_june15_29	male_call_reject_count	support-system-branch
call_bug_fix_backend_18_24	mcp-v3-rollout-2026-06-10	support_team_management
call_module_bugs_backend	missed_call_count	test/seed-demo-chat
chat_sprint_all_fixes_2026_05_27	name_issue_fixing	testing_claude_branch
complete_sprint_6_12_Apr	new_paid_user_count	track_app_notifications_clicks
creator_warning_system	new_play_store_ratings	track_deep_link_clicks
dashbaord_filter_issue	north_creator_listing_fix	track_random_call_faliures
demo	notification_access	tracking_link_count_fix
demo-block-fix-2026-04-27	open_chat_screen_from_notification	userreport_csv_timing_fix
demo-block-fix-2026-04-28-v2	paywall_video	voice_accuracy
demo_autopay	perf/register-users-indexes	whatsapp_like_ui
disbale_call_of_blocked_creators	play_ludo_game	
do_not_disturb	poster-generator	

Part 4 — Real-time Socket Events

Real-time Socket Layer (Socket.IO)

Server: `socket-server/index.js` (Node, PM2 `hima-socket-server`, port **3003**), fronted by nginx `/socket.io/` → 127.0.0.1:3003. Uses the `@socket.io/redis-adapter` (shared Redis) so the 3 app nodes share rooms; transports `['websocket', 'polling']`. This is the **chat + presence** signaling layer — everything real-time that isn't an HTTP call. (Call media itself runs over Agora; call ring/answer is signalled via FCM/OneSignal push + the HTTP call APIs.)

← Inbound events (client → server, `socket.on`)

Event	What it does
<code>join_user</code>	Registers the user's socket on connect → marks them present/online, joins their personal room for direct delivery.
<code>join_chat</code>	Opens a chat thread (joins the chat room). Triggers auto-read + emits <code>joined_chat</code> to self and <code>user_joined_chat</code> to the peer (presence in thread).
<code>leave_chat</code>	Leaves the chat thread room → emits <code>left_chat</code> / <code>user_left_chat</code> .
<code>send_message</code>	Sends a chat message → persists to <code>chat_messages</code> , delivers to peer as <code>new_message</code> , confirms to sender as <code>message_sent</code> (bad-word filter + block checks applied).
<code>message</code> / <code>chat message</code>	Generic message channel (legacy/compat path).
<code>mark_read</code>	Marks the thread's messages read → emits <code>messages_read</code> to the sender (blue ticks).
<code>send_reaction</code>	Adds/updates an emoji reaction on a message → <code>reaction_sent</code> / <code>reaction_updated</code> .
<code>delete_message</code>	Deletes a message — archives it to <code>deleted_chat_messages</code> first , blanks the original, emits <code>message_deleted</code> (or <code>delete_error</code>).
<code>get_users_in_chat</code>	Requests who is currently in the thread → replies <code>users_in_chat_response</code> .
<code>disconnect</code>	Socket disconnect → marks user offline, cleans up presence.

→ Outbound events (server → client, `emit`)

Event	Meaning
<code>connected</code>	Connection acknowledged.
<code>new_message</code>	A new message delivered to the recipient in real time.
<code>message_sent</code>	Sender's own message accepted/stored (single tick).
<code>message_error</code>	Send failed (blocked, invalid, etc.).
<code>messages_read</code>	Read receipts — peer read the messages (blue ticks).
<code>message_deleted</code> / <code>delete_error</code>	Result of a delete request.
<code>reaction_sent</code> / <code>reaction_updated</code> / <code>reaction_error</code>	Reaction added / changed / failed.
<code>joined_chat</code> / <code>left_chat</code>	Self join/leave acknowledgement for a thread.
<code>user_joined_chat</code> / <code>user_left_chat</code>	Peer entered / left the thread (drives "online in chat" + typing indicators).
<code>users_in_chat_response</code>	List of users currently in the thread.
<code>creator_status_changed</code>	Broadcasts a creator's online/offline/DND status change (presence used by the UI + matching).

Deploy note: code changes to `socket-server/index.js` require `pm2 restart hima-socket-server` on all 3 boxes (brief reconnect blip), not just an fpm reload.

Part 5 — Complete Route Reference (604 endpoints)

Every HTTP endpoint (app + admin), sorted by feature area.

Area	Method	Path	Controller	Action	Src
AI	POST	/ai_onboarding_complete	AuthController	ai_onboarding_complete	api
AI	POST	/ai_onboarding_reply	AuthController	ai_onboarding_reply	api
AI	POST	/ai_onboarding_start	AuthController	ai_onboarding_start	api
AI	POST	/speech_text	AuthController	speech_text	api
AI	POST	/speech_text	AuthController	speech_text	api
Auth/User	GET	/admin_login_logs	AdminLoginLogController	index	web
Auth/User	GET	/admin_login_logs/export	AdminLoginLogController	export	web
Auth/User	POST	/appsettings_list	AuthController	appsettings_list	api
Auth/User	GET	/appsettings/edit	AppsettingsController	edit	web
Auth/User	PUT	/appsettings/update	AppsettingsController	update	web
Auth/User	POST	/avatar_list	AuthController	avatar_list	api
Auth/User	POST	/avatar_list	AuthController	avatar_list	api
Auth/User	POST	/business-setting	SettingsController	saveBusinessSettings	web
Auth/User	POST	/categories_list	AuthController	categories_list	api
Auth/User	POST	/check_refer_code	AuthController	check_refer_code	api
Auth/User	GET	/company-setting	SettingsController	companyIndex	web
Auth/User	POST	/company-settings	SettingsController	saveCompanySettings	web
Auth/User	ANY	/cookie-consent	SettingsController	CookieConsent	web
Auth/User	POST	/cookie-setting	SettingsController	saveCookieSettings	web
Auth/User	GET	/create/ip	SettingsController	createlp	web
Auth/User	POST	/create/ip	SettingsController	storelp	web
Auth/User	GET	/cron_jobs	AuthController	cron_jobs	api
Auth/User	GET	/cron_updates	AuthController	cron_updates	api
Auth/User	POST	/customerdetails	AuthController	customerdetails	api
Auth/User	POST	/delete_users	AuthController	delete_users	api
Auth/User	POST	/delete_users	AuthController	delete_users	api
Auth/User	DELETE	/destroy/ip/{id}	SettingsController	destroylp	web
Auth/User	POST	/edit-profile	UserController	editprofile	web
Auth/User	GET	/edit/ip/{id}	SettingsController	editlp	web
Auth/User	POST	/edit/ip/{id}	SettingsController	updatelp	web
Auth/User	POST	/email-settings	SettingsController	saveEmailSettings	web
Auth/User	POST	/explanation_video_list	AuthController	explanation_video_list	api
Auth/User	POST	/female_discovery	AuthController	female_discovery	api
Auth/User	POST	/female_status_list	AuthController	female_status_list	api
Auth/User	POST	/female_users_list	AuthController	female_users_list	api
Auth/User	POST	/female_users_list	AuthController	female_users_list	api
Auth/User	POST	/get_remaining_time	AuthController	get_remaining_time	api
Auth/User	POST	/get_user_concern	AuthController	get_user_concern	api
Auth/User	POST	/get-female-talk-duration	AuthController	get_female_talk_duration	api
Auth/User	POST	/get-female-talk-duration	AuthController	get_female_talk_duration	api
Auth/User	POST	/individual_app_update	AuthController	individual_app_update	api
Auth/User	POST	/log-app-event	AuthController	log_app_event	api
Auth/User	POST	/log-app-event	AuthController	log_app_event	api
Auth/User	POST	/login	AuthController	login	api
Auth/User	POST	/login	AuthController	login	api
Auth/User	POST	/logout	AuthController	logout	api
Auth/User	POST	/my_requests	AuthController	my_requests	api
Auth/User	GET	/onboarding_config	AuthController	onboarding_config	api
Auth/User	GET	/onboarding_config	AuthController	onboarding_config	api
Auth/User	GET	/profile	UserController	profile	web
Auth/User	POST	/pusher-settings	SettingsController	savePusherSettings	web

Area	Method	Path	Controller	Action	Src
Auth/User	POST	/received_requests	AuthController	received_requests	api
Auth/User	POST	/refresh	AuthController	refresh	api
Auth/User	POST	/register	AuthController	register	api
Auth/User	POST	/register	AuthController	register	api
Auth/User	POST	/send_otp	AuthController	send_otp	api
Auth/User	POST	/send_otp	AuthController	send_otp	api
Auth/User	POST	/setting/cache-setting	SettingsController	CacheSettings	web
Auth/User	POST	/setting/google-calender	SettingsController	saveGoogleCalenderSettings	web
Auth/User	POST	/setting/seo-setting	SettingsController	SeoSettings	web
Auth/User	POST	/settings_list	AuthController	settings_list	api
Auth/User	POST	/settings_list	AuthController	settings_list	api
Auth/User	POST	/subqueries_list	AuthController	subqueries_list	api
Auth/User	POST	/system-settings	SettingsController	saveSystemSettings	web
Auth/User	GET	/test-mail	SettingsController	testMail	web
Auth/User	ANY	/test-mail	SettingsController	testMail	web
Auth/User	POST	/test-mail/send	SettingsController	testSendMail	web
Auth/User	POST	/update_profile	AuthController	update_profile	api
Auth/User	POST	/update_profile	AuthController	update_profile	api
Auth/User	POST	/update-password/{id?}	UserController	updatePassword	web
Auth/User	POST	/user_avatar_image	AuthController	user_avatar_image	api
Auth/User	POST	/user_validations	AuthController	user_validations	api
Auth/User	POST	/user_validations	AuthController	user_validations	api
Auth/User	GET	/user-location	UserLocationController	index	web
Auth/User	POST	/userdetails	AuthController	userdetails	api
Auth/User	GET	/users/{id}/add-balance	UsersController	showAddBalanceForm	web
Auth/User	POST	/users/{id}/add-balance	UsersController	addBalance	web
Auth/User	GET	/users/export	UsersController	export	web
Auth/User	POST	/whatsaplink_list	AuthController	whatsaplink_list	api
Auth/User	POST	/zohomail_list	AuthController	zohomail_list	api
Auth/User	POST	/zoom-settings	SettingsController	zoomSetting	web
Autopay/Subscriptions	POST	/autopay_event	AutopayController	autopayEvent	api
Autopay/Subscriptions	POST	/autopay_initiate	AutopayController	autopayInitiate	api
Autopay/Subscriptions	GET	/autopay-events	AutopayEventsController	index	web
Autopay/Subscriptions	POST	/daily_claim	AutopayController	dailyClaim	api
Autopay/Subscriptions	POST	/daily_claim_status	AutopayController	dailyClaimStatus	api
Autopay/Subscriptions	GET	/internal/autopay-daily-report	AutopayReportController	dailyReport	api
Autopay/Subscriptions	POST	/language_config	AutopayController	languageConfig	api
Autopay/Subscriptions	POST	/paywall_video_content	AutopayController	paywallVideoContent	api
Autopay/Subscriptions	POST	/subscription_cancel	AutopayController	subscriptionCancel	api
Autopay/Subscriptions	POST	/subscription_status	AutopayController	subscriptionStatus	api
Autopay/Subscriptions	POST	/trial_offer_config	AutopayController	trialOfferConfig	api
Autopay/Subscriptions	POST	/trial-coins/update-status	TrialCoinsController	updateStatus	web
Autopay/Subscriptions	POST	/trial-offer-assets/{id}/activate	TrialOfferAssetController	setActive	web
Calls	GET	/agora/token	ArogaController	getToken	api
Calls	POST	/agora/token	ArogaController	getToken	api
Calls	POST	/call_drop_status	AuthController	call_drop_status	api
Calls	POST	/call_female_user	AuthController	call_female_user	api
Calls	POST	/call_female_user	AuthController	call_female_user	api
Calls	POST	/call_male_user	AuthController	call_male_user	api
Calls	POST	/call_reject_count	AuthController	call_reject_count	api
Calls	POST	/call_status	AuthController	call_status	api
Calls	GET	/call-status-logs	CallStatusLogsController	index	web
Calls	POST	/calls_list	AuthController	calls_list	api
Calls	POST	/calls_list	AuthController	calls_list	api
Calls	POST	/calls_status_update	AuthController	calls_status_update	api

Area	Method	Path	Controller	Action	Src
Calls	POST	/calls_status_update	AuthController	calls_status_update	api
Calls	POST	/check_call_alive	AuthController	check_call_alive	api
Calls	POST	/check_call_availability	AuthController	checkCallAvailability	api
Calls	GET,POST	/cron_detect_orphan_calls	AuthController	cron_detect_orphan_calls	api
Calls	POST	/every_min_update_connected_call	AuthController	every_min_update_connected_call	api
Calls	POST	/female_call_attend	AuthController	female_call_attend	api
Calls	POST	/female_call_attend	AuthController	female_call_attend	api
Calls	POST	/get_call_earnings	AuthController	get_call_earnings	api
Calls	POST	/individual_update_connected_call	AuthController	individual_update_connected_call	api
Calls	POST	/missed_call_count	AuthController	missed_call_count	api
Calls	POST	/missed_call_count	AuthController	missed_call_count	api
Calls	POST	/notify_call_end	AuthController	notify_call_end	api
Calls	POST	/pending_incoming_call	AuthController	pending_incoming_call	api
Calls	POST	/random_user	AuthController	random_user	api
Calls	POST	/random_user	AuthController	random_user	api
Calls	GET	/reports/call-connection-rate-by-language	UsersController	apiCallConnectionRateByLanguage	api
Calls	GET	/revenue-per-call-by-tier	BusinessHealthController	getRevenuePerCallByTier	web
Calls	POST	/run-call-connection	AIAgentMonitorController	runCallConnectionMonitoring	web
Calls	POST	/update_connected_call	AuthController	update_connected_call	api
Calls	POST	/update_connected_call	AuthController	update_connected_call	api
Calls	POST	/user_call_duration	AuthController	user_call_duration	api
Calls	GET	/usercalls	UserCallsController	index	web
Calls	DELETE	/usercalls/{id}	UserCallsController	destroy	web
Calls	POST	/usercalls/update-user	UserCallsController	updateuser	web
Chat/Social	POST	/add_favorite	AuthController	add_favorite	api
Chat/Social	POST	/add_message_reaction	AuthController	add_message_reaction	api
Chat/Social	GET	/admin_chats	AdminChatController	index	web
Chat/Social	GET	/admin_chats/{chatId}	AdminChatController	show	web
Chat/Social	DELETE	/admin_chats/{chatId}	AdminChatController	destroy	web
Chat/Social	GET	/admin_chats/{chatId}/connected-users	AdminChatController	getConnectedUsers	web
Chat/Social	DELETE	/admin_chats/{chatId}/messages/{messageId}	AdminChatController	deleteMessage	web
Chat/Social	GET	/admin_chats/socket-monitor	AdminChatController	socketMonitor	web
Chat/Social	POST	/admin_chats/socket-restart	AdminChatController	restartSocketServer	web
Chat/Social	GET	/admin_chats/socket-status	AdminChatController	socketStatus	web
Chat/Social	GET	/admin_chats/statistics/data	AdminChatController	statistics	web
Chat/Social	GET	/block-creator	BlockCreatorController	index	web
Chat/Social	POST	/block-creator/block	BlockCreatorController	blockCreator	web
Chat/Social	GET	/block-creator/create	BlockCreatorController	create	web
Chat/Social	POST	/block-creator/creator/{id}/toggle-block	BlockCreatorController	toggleCreatorBlock	web
Chat/Social	GET	/block-creator/creator/{id}/warnings	BlockCreatorController	viewCreatorWarnings	web
Chat/Social	POST	/block-creator/give-warning	BlockCreatorController	giveWarning	web
Chat/Social	POST	/block-creator/search	BlockCreatorController	searchCreator	web
Chat/Social	DELETE	/block-creator/warning/{id}	BlockCreatorController	deleteWarning	web
Chat/Social	POST	/blocked_user	AuthController	blocked_user	api
Chat/Social	GET	/blocked-users	BlockedUsersController	index	web
Chat/Social	POST	/blocked-users/bulk-update	BlockedUsersController	bulkUpdate	web
Chat/Social	POST	/chat_block_user	AuthController	chat_block_user	api
Chat/Social	POST	/chat_blocked_users_list	AuthController	chat_blocked_users_list	api
Chat/Social	POST	/chat_gate_status	AuthController	chat_gate_status	api
Chat/Social	POST	/chat_history	AuthController	chat_history	api
Chat/Social	POST	/chat_unblock_user	AuthController	chat_unblock_user	api
Chat/Social	GET	/chats	ChatsController	index	web
Chat/Social	GET	/chats/{chatId}	ChatsController	show	web
Chat/Social	POST	/chats/upload_attachment	AuthController	upload_attachment	api
Chat/Social	POST	/check_block_status	AuthController	check_block_status	api

Area	Method	Path	Controller	Action	Src
Chat/Social	POST	/check_chat_blocked	AuthController	check_chat_blocked	api
Chat/Social	POST	/check_favorite	AuthController	check_favorite	api
Chat/Social	POST	/check_friend_request	AuthController	check_friend_request	api
Chat/Social	POST	/delete_chat_message	AuthController	delete_chat_message	api
Chat/Social	GET	/deleted-chats	DeletedChatsController	index	web
Chat/Social	POST	/fallback_send_message	AuthController	fallback_send_message	api
Chat/Social	POST	/friend_list	AuthController	friend_list	api
Chat/Social	POST	/friend_tabs_counts	AuthController	friend_tabs_counts	api
Chat/Social	GET	/friend-requests	FriendRequestController	index	web
Chat/Social	DELETE	/friend-requests/{id}	FriendRequestController	destroy	web
Chat/Social	POST	/friend-requests/bulk-delete	FriendRequestController	bulkDelete	web
Chat/Social	POST	/gifts_list	AuthController	gifts_list	api
Chat/Social	POST	/internal/send-friend-request-notification	AuthController	send_friend_request_notification_internal	api
Chat/Social	POST	/internal/send-message-notification	AuthController	send_message_notification_internal	api
Chat/Social	POST	/mark_messages_read	AuthController	mark_messages_read	api
Chat/Social	POST	/moderation-warnings/messages	ModerationWarningController	saveMessages	web
Chat/Social	POST	/my_chat	AuthController	my_chat	api
Chat/Social	POST	/my_chat/friends	AuthController	my_chat_friends	api
Chat/Social	POST	/my_chat/general	AuthController	my_chat_general	api
Chat/Social	POST	/remove_favorite	AuthController	remove_favorite	api
Chat/Social	POST	/request_friends	AuthController	request_friends	api
Chat/Social	POST	/send_gifts	AuthController	send_gifts	api
Chat/Social	POST	/send_message_notification	AuthController	send_message_notification	api
Chat/Social	POST	/send_message_notification_internal	AuthController	send_message_notification_internal	api
Chat/Social	POST	/toggle_dnd	AuthController	toggle_dnd	api
Coins/Offers	GET	/	DefaultCouponAnalyticsController	dashboard	web
Coins/Offers	POST	/all_coins_list	AuthController	all_coins_list	api
Coins/Offers	POST	/best_offers	AuthController	best_offers	api
Coins/Offers	POST	/check_referral_offer	AuthController	check_referral_offer	api
Coins/Offers	POST	/claim_free_coins	AuthController	claim_free_coins	api
Coins/Offers	GET	/coins	CoinsController	index	web
Coins/Offers	POST	/coins_list	AuthController	coins_list	api
Coins/Offers	POST	/coins_list	AuthController	coins_list	api
Coins/Offers	POST	/coins/update-status	CoinsController	updateStatus	web
Coins/Offers	GET	/coupon-analytics	CouponAnalyticsController	dashboard	web
Coins/Offers	GET	/coupon-analytics/live-data	CouponAnalyticsController	liveData	web
Coins/Offers	POST	/coupon-coins/update-status	CouponCoinsController	updateStatus	web
Coins/Offers	POST	/coupons_list	AuthController	coupons_list	api
Coins/Offers	GET	/data	DefaultCouponAnalyticsController	getAnalyticsData	web
Coins/Offers	POST	/default_coupon_applied	AuthController	default_coupon_applied	api
Coins/Offers	POST	/female_transaction	AuthController	female_transaction	api
Coins/Offers	POST	/free_coins_status	AuthController	free_coins_status	api
Coins/Offers	PATCH	/offer-coins/{id}/status	OfferCoinsController	toggleStatus	web
Coins/Offers	POST	/transaction_charges_list	AuthController	transaction_charges_list	api
Coins/Offers	POST	/transaction_list	AuthController	transaction_list	api
Coins/Offers	POST	/transaction_list	AuthController	transaction_list	api
Coins/Offers	GET	/transactions	TransactionsController	index	web
Coins/Offers	DELETE	/transactions/{id}	TransactionsController	destroy	web
Coins/Offers	GET	/transactions/{id}/download	TransactionsController	downloadInvoice	web
Coins/Offers	POST	/transactions/download-excel	TransactionsController	downloadInvoicesExcel	web
Coins/Offers	GET	/transactions/download-pdf	TransactionsController	downloadPdfForm	web
Coins/Offers	POST	/transactions/download-pdf	TransactionsController	downloadInvoicesPdf	web
Coins/Offers	POST	/try_coins	AuthController	try_coins	api
Coins/Offers	GET	/users/{id}/add-coins	UsersController	showAddCoinsForm	web
Coins/Offers	POST	/users/{id}/add-coins	UsersController	addCoins	web

Area	Method	Path	Controller	Action	Src
Creator	GET	/	CreatorAnalyticsController	index	web
Creator	GET	/	InactiveCreatorsController	index	web
Creator	GET	/	CreatorsDashboardController	index	web
Creator	POST	/admin/agencies/{id}/add-creator	AgencyDashboardController	addCreatorToAgency	web
Creator	GET	/admin/agency-creators	AgencyDashboardController	internalView	web
Creator	GET	/admin/agency-creators/{id}	AgencyDashboardController	adminCreatorDetail	web
Creator	POST	/admin/agency-creators/{id}/reassign	AgencyDashboardController	reassignCreator	web
Creator	GET	/admin/agency-creators/export.csv	AgencyDashboardController	exportAllCreatorsCsv	web
Creator	POST	/admin/agency-creators/search	AgencyDashboardController	searchCreatorForAgency	web
Creator	GET	/agency/creators	AgencyDashboardController	creators	web
Creator	GET	/agency/creators/{id}	AgencyDashboardController	creatorDetail	web
Creator	GET	/agency/creators/export.csv	AgencyDashboardController	exportCreatorsCsv	web
Creator	GET	/att-by-language	CreatorsDashboardController	attByLanguage	web
Creator	GET	/back-to-main	CreatorsDashboardController	backToMain	web
Creator	GET	/bonus/edit	BonusController	edit	web
Creator	PUT	/bonus/update	BonusController	update	web
Creator	POST	/creator_tags	AuthController	creator_tags	api
Creator	GET	/creator-registered	UsersController	creatorRegisteredReports	web
Creator	GET	/creator-tags	CreatorTagsController	index	web
Creator	GET	/creator-tags/{creatorId}	CreatorTagsController	show	web
Creator	DELETE	/creator-tags/{id}	CreatorTagsController	destroy	web
Creator	GET	/creator-tags/export	CreatorTagsController	export	web
Creator	GET	/creator-trend/{creatorId}	CreatorsDashboardController	creatorTrend	web
Creator	GET	/creator-warnings	CreatorWarningsController	index	web
Creator	POST	/creator-warnings/{creator}/level	CreatorWarningsController	updateWarningLevel	web
Creator	POST	/creator-warnings/upload-image	CreatorWarningsController	uploadWarningImage	web
Creator	GET	/creator/{creatorId}	CreatorAnalyticsController	creatorDetail	web
Creator	GET	/creators	CreatorsDashboardController	creators	web
Creator	POST	/creators_admin_list	AuthController	creators_admin_list	api
Creator	GET	/data	CreatorAnalyticsController	getData	web
Creator	GET	/export	CreatorAnalyticsController	export	web
Creator	GET	/export	InactiveCreatorsController	export	web
Creator	GET	/export/creators	CreatorsDashboardController	exportCreators	web
Creator	GET	/export/leavers	CreatorsDashboardController	exportLeavers	web
Creator	POST	/icebreaker_questions	AuthController	icebreakerQuestions	api
Creator	GET	/icebreaker-questions	IcebreakerQuestionsController	index	web
Creator	PUT	/icebreaker-questions/{id}	IcebreakerQuestionsController	update	web
Creator	DELETE	/icebreaker-questions/{id}	IcebreakerQuestionsController	destroy	web
Creator	GET	/icebreaker-questions/{id}/edit	IcebreakerQuestionsController	edit	web
Creator	POST	/icebreaker-questions/bulk	IcebreakerQuestionsController	bulkStore	web
Creator	POST	/icebreaker-questions/import	IcebreakerQuestionsController	importCsv	web
Creator	POST	/icebreaker-settings	IcebreakerQuestionsController	saveSettings	web
Creator	GET	/image-generation/api/achievers-bonus	ImageGenerationController	getBonusSlabs	web
Creator	POST	/image-generation/api/achievers-bonus	ImageGenerationController	saveBonusSlabs	web
Creator	GET	/internal/score-health	ScoreHealthController	index	api
Creator	GET	/moderation-warnings	ModerationWarningController	index	web
Creator	POST	/moderation-warnings	ModerationWarningController	store	web
Creator	POST	/my_warnings	AuthController	my_warnings	api
Creator	GET	/new-creators	CreatorsDashboardController	newCreators	web
Creator	POST	/run-tier	AIAgentMonitorController	runTierMonitoring	web
Creator	GET	/sudden-leavers	CreatorsDashboardController	suddenLeavers	web
Creator	GET	/summary	CreatorsDashboardController	summary	web
Creator	GET	/tier-performance	AlgorithmAnalyticsController	getTierPerformance	web
Creator	GET	/tier-performance	BusinessHealthController	getTierPerformance	web
Creator	GET	/trend	CreatorsDashboardController	trend	web

Area	Method	Path	Controller	Action	Src
Creator	POST	/update_creator_tags	AuthController	creator_tags	api
Creator	POST	/update_voice	AuthController	update_voice	api
Creator	POST	/update_voice	AuthController	update_voice	api
Creator	GET	/users-verification	UsersVerificationController	index	web
Creator	PUT	/users-verification/{id}	UsersVerificationController	update	web
Creator	GET	/users-verification/{id}/edit	UsersVerificationController	edit	web
Creator	POST	/users-verification/detect-gender	UsersVerificationController	detectGender	web
Creator	POST	/users-verification/get-accuracy	UsersVerificationController	getAccuracy	web
Creator	POST	/users-verification/toggle-auto-verify	UsersVerificationController	toggleAutoVerify	web
Creator	POST	/users-verification/update-gender	UsersVerificationController	updateGender	web
Creator	POST	/users-verification/update-status	UsersVerificationController	updateStatus	web
Creator	GET	/voice_detection	VoiceDetectionController	index	web
Creator	POST	/voice_detection/analyze	VoiceDetectionController	analyze	web
Games	POST	/ipl-rooms-create	IplRoomController	createRoom	api
Games	POST	/ipl-rooms-details	IplRoomController	roomDetails	api
Games	POST	/ipl-rooms-join	IplRoomController	joinRoom	api
Games	POST	/ipl-rooms-leave	IplRoomController	leaveRoom	api
Games	POST	/ipl-rooms-list	IplRoomController	roomsList	api
Games	POST	/ipl-rooms-matches	IplRoomController	matchSuggestions	api
Games	POST	/ipl-rooms-mute	IplRoomController	toggleMute	api
Games	POST	/ipl-rooms-reaction	IplRoomController	sendReaction	api
Games	GET	/user-ip-logs	UserIpLogController	index	web
Games	GET	/user-ip-logs/{id}	UserIpLogController	show	web
Growth/Attribution	GET	/d/{shortCode}	DeepLinkController	redirect	web
Growth/Attribution	POST	/first_install	AuthController	first_install	api
Growth/Attribution	POST	/generate-tracking-link	TrackingLinkController	generateTrackingLink	api
Growth/Attribution	POST	/install-referrer	AuthController	install_referrer	api
Growth/Attribution	POST	/install-referrer	AuthController	install_referrer	api
Growth/Attribution	GET	/install-referrer	InstallReferrerController	index	web
Growth/Attribution	GET	/install-tracking	InstallTrackingController	index	web
Growth/Attribution	DELETE	/install-tracking/{id}	InstallTrackingController	destroy	web
Growth/Attribution	GET	/s/{shortCode}	TrackingLinkController	redirectShortLink	web
Growth/Attribution	POST	/tracking_info	AuthController	tracking_info	api
Growth/Attribution	POST	/user-install-referrer	AuthController	user_install_referrer	api
Growth/Attribution	POST	/user-install-referrer	AuthController	user_install_referrer	api
Growth/Attribution	GET	/user-install-referrer	UserInstallReferrerResponseController	index	web
MCP (ops/support)	GET	/audit	AuditMcpController	all	api
MCP (ops/support)	GET	/audit/me	AuditMcpController	mine	api
MCP (ops/support)	GET	/auth/session	McpAuthController	session	api
MCP (ops/support)	POST	/categories/create	ConfigMcpController	categoriesCreate	api
MCP (ops/support)	POST	/categories/delete	ConfigMcpController	categoriesDelete	api
MCP (ops/support)	POST	/categories/list	ConfigMcpController	categoriesList	api
MCP (ops/support)	POST	/categories/toggle-active	ConfigMcpController	categoriesToggleActive	api
MCP (ops/support)	POST	/categories/update	ConfigMcpController	categoriesUpdate	api
MCP (ops/support)	PATCH	/creators/{id}/bio	CreatorMcpController	updateBio	api
MCP (ops/support)	POST	/creators/{id}/detect-voice-gender	CreatorMcpController	detectVoiceGender	api
MCP (ops/support)	POST	/creators/{id}/override-voice-gender	CreatorMcpController	overrideVoiceGender	api
MCP (ops/support)	POST	/creators/{id}/warnings/set-level	CreatorMcpController	creatorWarningsSetLevel	api
MCP (ops/support)	POST	/creators/approve	CreatorMcpController	approve	api
MCP (ops/support)	POST	/creators/reject	CreatorMcpController	reject	api
MCP (ops/support)	POST	/creators/review/check-user	CreatorMcpController	reviewCheckUser	api
MCP (ops/support)	POST	/creators/review/create	CreatorMcpController	reviewCreate	api
MCP (ops/support)	POST	/creators/voice-reviews/{id}/decide	CreatorMcpController	voiceReviewDecide	api
MCP (ops/support)	POST	/dashboard/summary	SupportReadsMcpController	dashboardSummary	api
MCP (ops/support)	GET	/db/describe/{table}	McpDbController	describe	api

Area	Method	Path	Controller	Action	Src
MCP (ops/support)	POST	/db/query	McpDbController	query	api
MCP (ops/support)	GET	/db/tables	McpDbController	tables	api
MCP (ops/support)	POST	/finance/coupon/toggle	FinanceMcpController	couponStatusToggle	api
MCP (ops/support)	POST	/finance/transactions/delete	FinanceMcpController	transactionDelete	api
MCP (ops/support)	POST	/finance/withdrawals/{id}/cancel	FinanceMcpController	withdrawalCancel	api
MCP (ops/support)	POST	/finance/withdrawals/{id}/mark-paid	FinanceMcpController	withdrawalMarkPaid	api
MCP (ops/support)	POST	/finance/withdrawals/{id}/urgent-credit	FinanceMcpController	withdrawalUrgentCredit	api
MCP (ops/support)	POST	/investigation/chat/messages/{id}/delete	InvestigationMcpController	chatDeleteMessage	api
MCP (ops/support)	GET	/mcp-login	McpLoginController	showLoginForm	web
MCP (ops/support)	POST	/mcp-login	McpLoginController	login	web
MCP (ops/support)	POST	/mcp-login/logout	McpLoginController	logout	web
MCP (ops/support)	POST	/moderation/poster/generate	ModerationMcpController	posterGeneration	api
MCP (ops/support)	POST	/moderation/scheduled-notifications/create	ModerationMcpController	scheduledNotificationsCreate	api
MCP (ops/support)	POST	/moderation/scheduled-notifications/list	ModerationMcpController	scheduledNotificationsList	api
MCP (ops/support)	POST	/moderation/uploads/approve	ModerationMcpController	uploadReviewApprove	api
MCP (ops/support)	POST	/moderation/uploads/list	ModerationMcpController	uploadReviewList	api
MCP (ops/support)	POST	/moderation/uploads/reject	ModerationMcpController	uploadReviewReject	api
MCP (ops/support)	POST	/moderation/warnings/add	ModerationMcpController	moderationWarningsAdd	api
MCP (ops/support)	POST	/moderation/warnings/list	ModerationMcpController	moderationWarningsList	api
MCP (ops/support)	POST	/notifications/send-to-user	NotificationsMcpController	sendToUser	api
MCP (ops/support)	GET	/refunds/approvals	RefundsMcpController	listApprovals	api
MCP (ops/support)	POST	/refunds/approvals/{id}/decide	RefundsMcpController	decideApproval	api
MCP (ops/support)	GET	/refunds/budget	RefundsMcpController	budget	api
MCP (ops/support)	POST	/refunds/coins	RefundsMcpController	issueCoinRefund	api
MCP (ops/support)	POST	/refunds/payouts	RefundsMcpController	issuePayoutRefund	api
MCP (ops/support)	POST	/reports/monthly-pan	SearchAndReportsMcpController	monthlyPanReport	api
MCP (ops/support)	GET	/reports/my-eod	NotificationsMcpController	myEodReport	api
MCP (ops/support)	POST	/rpc	McpRpcController	handle	api
MCP (ops/support)	POST	/sub-queries/create	ConfigMcpController	subQueriesCreate	api
MCP (ops/support)	POST	/sub-queries/delete	ConfigMcpController	subQueriesDelete	api
MCP (ops/support)	POST	/sub-queries/list	ConfigMcpController	subQueriesList	api
MCP (ops/support)	POST	/sub-queries/update	ConfigMcpController	subQueriesUpdate	api
MCP (ops/support)	GET	/tickets	TicketsMcpController	index	api
MCP (ops/support)	GET	/tickets/{id}	TicketsMcpController	show	api
MCP (ops/support)	POST	/tickets/{id}/classify	TicketsMcpController	classify	api
MCP (ops/support)	POST	/tickets/{id}/generate-ai-reply	TicketsMcpController	generateAiReply	api
MCP (ops/support)	POST	/tickets/{id}/reply	TicketsMcpController	reply	api
MCP (ops/support)	POST	/tickets/bulk-update-status	TicketsMcpController	bulkUpdateStatus	api
MCP (ops/support)	POST	/user-reports/{report_id}/resolve	UserMcpController	reportResolve	api
MCP (ops/support)	POST	/user-reports/list	SupportReadsMcpController	userReportsList	api
MCP (ops/support)	POST	/user-reports/set-status	SupportReadsMcpController	userReportsSetStatus	api
MCP (ops/support)	POST	/user-reports/show	SupportReadsMcpController	userReportsShow	api
MCP (ops/support)	POST	/user-reports/stats	SupportReadsMcpController	userReportsStats	api
MCP (ops/support)	GET	/user/{id}/daily-activity	UserMcpController	dailyActivity	api
MCP (ops/support)	GET	/user/{id}/profile	UserMcpController	profile	api
MCP (ops/support)	POST	/users/{id}/add-balance	UserMcpController	addBalance	api
MCP (ops/support)	POST	/users/{id}/add-coins	UserMcpController	addCoins	api
MCP (ops/support)	POST	/users/{id}/block-toggle	UserMcpController	blockToggle	api
MCP (ops/support)	PATCH	/users/{id}/profile	UserMcpController	updateProfile	api
MCP (ops/support)	POST	/users/{id}/set-gender	UserMcpController	setGender	api
MCP (ops/support)	POST	/users/{id}/warn-creator	UserMcpController	warnCreator	api
MCP (ops/support)	POST	/users/search	SearchAndReportsMcpController	usersSearch	api
Notifications	POST	/	NotificationConversionController	store	api
Notifications	GET	/notificationId	NotificationConversionController	show	api
Notifications	GET	/custom-notifications	CustomNotificationController	create	web

Area	Method	Path	Controller	Action	Src
Notifications	GET	/custom-notifications/analytics	CustomNotificationAnalyticsController	index	web
Notifications	GET	/custom-notifications/analytics/export	CustomNotificationAnalyticsController	export	web
Notifications	GET	/custom-notifications/history	CustomNotificationController	history	web
Notifications	GET	/custom-notifications/preview-count	CustomNotificationController	previewCount	web
Notifications	POST	/custom-notifications/send	CustomNotificationController	send	web
Notifications	POST	/get_female_notification_preference	AuthController	get_female_notification_preference	api
Notifications	POST	/invalidate_fcm_token	AuthController	invalidate_fcm_token	api
Notifications	POST	/notification_clicked	NotificationAnalyticsController	trackClick	api
Notifications	POST	/notification_clicked	NotificationAnalyticsController	trackClick	api
Notifications	GET	/notification-analytics	NotificationAnalyticsController	index	web
Notifications	GET	/notification-tracker	NotificationTrackerController	index	web
Notifications	DELETE	/notification-tracker/{id}	NotificationTrackerController	destroy	web
Notifications	POST	/run-notifications	AIAgentMonitorController	runNotificationMonitoring	web
Notifications	GET	/screen_notifications/{id}/edit	ScreenNotificationsController	edit	web
Notifications	POST	/screen_notifications/bulk-destroy	ScreenNotificationsController	bulkDestroy	web
Notifications	POST	/screen_notifications/bulk-store	ScreenNotificationsController	bulkStore	web
Notifications	POST	/screen_notifications/generate-ai	ScreenNotificationsController	generateAI	web
Notifications	GET	/screen_notifications/segment-count	ScreenNotificationsController	segmentCount	web
Notifications	POST	/send_fcm_token	AuthController	send_fcm_token	api
Notifications	POST	/send-fcm-notification	AuthController	sendNotification	api
Notifications	POST	/send-test-notification	NotificationsController	sendTestNotification	api
Notifications	POST	/set_female_notification_preference	AuthController	set_female_notification_preference	api
Notifications	GET	/smart-notifications	SmartNotificationsController	index	web
Notifications	POST	/smart-notifications/run-manually	SmartNotificationsController	runManually	web
Notifications	POST	/smart-notifications/toggle	SmartNotificationsController	toggle	web
Other	GET	/	(closure)		web
Other	GET	/	(closure)		web
Other	GET	/	AIAgentMonitorController	index	web
Other	GET	/	WhatsappCampaignsController	index	web
Other	POST	/	WhatsappCampaignsController	store	web
Other	DELETE	/id	WhatsappCampaignsController	destroy	web
Other	GET	/id/recompute	WhatsappCampaignsController	recompute	web
Other	POST	/admin_staff/{id}/toggle-active	AdminStaffController	toggleActive	web
Other	GET	/admin/agency-settlement/{agencyId}	AgencySettlementController	adminReport	web
Other	POST	/admin/agency-settlement/{agencyId}/set-commission	AgencySettlementController	setCommission	web
Other	GET	/agency/settlement	AgencySettlementController	agencyReport	web
Other	GET	/app-events	AppEventsController	index	web
Other	GET	/check	HomeController	check	web
Other	POST	/company-email-setting/{name?}	EmailTemplateController	updateStatus	web
Other	POST	/company-email-setting/{name}			web
Other	GET	/comparison/{logId}	AIAgentMonitorController	getComparisonData	web
Other	GET	/config-cache	(closure)		web
Other	GET	/create	WhatsappCampaignsController	create	web
Other	GET	/data-deletion	(closure)		web
Other	GET	/email_template_lang/{id}/{lang?}	EmailTemplateController	manageEmailLang	web
Other	POST	/email_template_status/{id}	EmailTemplateController	updateStatus	web
Other	POST	/email_template_store/{pid}	EmailTemplateController	storeEmailLang	web
Other	ANY	/event/export-event	EventController	export_event	web
Other	ANY	/event/get_event_data	EventController	get_event_data	web
Other	GET	/history	AIAgentMonitorController	getAlertHistory	web
Other	GET	/home	HomeController	index	web
Other	GET	/home/getlanguage	HomeController	getlanguage	web
Other	GET	/image-generation	(closure)		web
Other	GET	/image-generation/api/features	ImageGenerationController	listFeatures	web

Area	Method	Path	Controller	Action	Src
Other	POST	/image-generation/api/features	ImageGenerationController	uploadFeature	web
Other	DELETE	/image-generation/api/features/{id}	ImageGenerationController	deleteFeature	web
Other	POST	/image-generation/api/generate	ImageGenerationController	generate	web
Other	GET	/news/edit	NewsController	edit	web
Other	PUT	/news/update	NewsController	update	web
Other	GET	/password/resets/{lang?}			web
Other	GET	/phantom-heal	PhantomHealController	index	web
Other	POST	/regenerate/{logId}	AIAgentMonitorController	regenerateReport	web
Other	POST	/run	AIAgentMonitorController	runManually	web
Other	POST	/run-server	AIAgentMonitorController	runServerMonitoring	web
Other	GET	/status	AIAgentMonitorController	getLatestStatus	web
Other	POST	/subqueries/{id}/delete-image	SubqueryController	deleteImage	web
Other	GET	/subqueries/get-categories-by-language	SubqueryController	getCategoriesByLanguage	web
Other	POST	/summarize-range	AIAgentMonitorController	summarizeRange	web
Payments	POST	/add_coins	AuthController	add_coins	api
Payments	POST	/add_coins_cashfree	AuthController	updateCashfreePaymentAndAddCoins	api
Payments	POST	/add_coins_phonepe	AuthController	updatePhonePePaymentAndAddCoins	api
Payments	POST	/admin/agency-settlement/{agencyId}/record-payment	AgencySettlementController	recordPayment	web
Payments	POST	/auth/cashfree_subscription_webhook	CashfreeSubscriptionWebhookController	__invoke	api
Payments	POST	/cashfree-payout-webhook	AuthController	cashfree_payout_webhook	api
Payments	GET	/cashfree/check-order-status	CashfreeController	checkOrderStatus	api
Payments	POST	/cashfree/create-order	CashfreeController	createOrder	api
Payments	GET	/cashfree/subscription/redirect/{sessionId}	AutopayController	subscriptionRedirectPage	web
Payments	GET,POST	/cashfree/subscription/return	(closure)		web
Payments	POST	/cashfree/webhook	CashfreeController	handleWebhook	api
Payments	POST	/create-upi-payment-link	RazorpayController	createPaymentLink	api
Payments	GET	/create/webhook	SettingsController	createWebhook	web
Payments	POST	/create/webhook	SettingsController	storeWebhook	web
Payments	POST	/createUpigateway	AuthController	createUpigateway	api
Payments	POST	/createUpigateway	AuthController	createUpigateway	api
Payments	DELETE	/destroy/webhook/{id}	SettingsController	destroyWebhook	web
Payments	GET	/edit/webhook/{id}	SettingsController	editWebhook	web
Payments	POST	/edit/webhook/{id}	SettingsController	updateWebhook	web
Payments	POST	/hdfc/order_status	HdfcPgController	orderStatus	api
Payments	POST	/hdfc/session	HdfcPgController	createSession	api
Payments	GET	/maya/webhook	MayaWebhookController	verify	api
Payments	POST	/maya/webhook	MayaWebhookController	handle	api
Payments	POST	/payment-settings	SettingsController	savePaymentSettings	web
Payments	GET,POST	/payment-success	(closure)		web
Payments	GET	/payments	PaymentsController	index	web
Payments	GET	/payments/download-bulk-range	PaymentsController	downloadBulkInvoice	web
Payments	GET	/payments/download-export	PaymentsController	handleDownloadOrExport	web
Payments	GET	/phonepe-payments	PhonePePaymentsController	index	web
Payments	GET	/phonepe/auto-check-orders	PhonePeController	autoCheckPendingPhonePeOrders	api
Payments	POST	/phonepe/check-status	PhonePeController	checkOrderStatus	api
Payments	POST	/phonepe/generate-checksum	PhonePeController	generateChecksum	api
Payments	POST	/phonepe/live/check-status	PhonePeController	checkOrderStatusLive	api
Payments	POST	/phonepe/live/create-order	PhonePeController	createOrderLive	api
Payments	GET	/phonepe/reconcile-transactions	PhonePeController	reconcileMissingPhonePeTransactions	api
Payments	POST	/phonepe/webhook	PhonePeController	handleWebhook	api
Payments	POST	/razorpay_add_coins	AuthController	razorpay_add_coins	api
Payments	POST	/update_upi	AuthController	update_upi	api
Payments	POST	/upi_withdrawals	AuthController	upi_withdrawals	api
Reports/Admin	GET	/	AlgorithmAnalyticsController	dashboard	web

Area	Method	Path	Controller	Action	Src
Reports/Admin	GET	/	BusinessHealthController	dashboard	web
Reports/Admin	GET	/admin/agencies	AgencyDashboardController	agenciesList	web
Reports/Admin	POST	/admin/agencies	AgencyDashboardController	storeAgency	web
Reports/Admin	GET	/agency/dashboard	AgencyDashboardController	dashboard	web
Reports/Admin	GET	/agency/login	AgencyDashboardController	showLogin	web
Reports/Admin	POST	/agency/login	AgencyDashboardController	login	web
Reports/Admin	GET	/agency/logout	AgencyDashboardController	logout	web
Reports/Admin	GET	/algorithm-impact	BusinessHealthController	getAlgorithmImpact	web
Reports/Admin	GET	/cohort-retention	BusinessHealthController	getCohortRetention	web
Reports/Admin	GET	/cron_socket_health	AuthController	cron_socket_health	api
Reports/Admin	GET	/dashboard	(closure)		web
Reports/Admin	GET	/dashboard	HomeController	index	web
Reports/Admin	GET	/diagnosis	DiagnosisController	index	web
Reports/Admin	GET	/diagnosis/refresh	DiagnosisController	refresh	web
Reports/Admin	GET	/efficiency	BusinessHealthController	getEfficiencyMetrics	web
Reports/Admin	GET	/health	(closure)		api
Reports/Admin	GET	/hourly	AlgorithmAnalyticsController	getHourlyBreakdown	web
Reports/Admin	GET	/last-30-days	AlgorithmAnalyticsController	getLast30Days	web
Reports/Admin	GET	/last-30-days	BusinessHealthController	getLast30Days	web
Reports/Admin	POST	/save-snapshot	AlgorithmAnalyticsController	saveDailySnapshot	web
Reports/Admin	GET	/seven-day-trend	BusinessHealthController	getSevenDayTrend	web
Reports/Admin	GET	/today	AlgorithmAnalyticsController	getTodayMetrics	web
Reports/Admin	GET	/top-performers	AlgorithmAnalyticsController	getTopPerformers	web
Reports/Admin	GET	/user-quality	BusinessHealthController	getUserQuality	web
Support/Tickets	GET	/ai-tickets	AITicketsController	index	web
Support/Tickets	GET	/ai-tickets/{id}	AITicketsController	show	web
Support/Tickets	POST	/ai-tickets/{id}/generate	AITicketsController	generateAiReply	web
Support/Tickets	POST	/ai-tickets/generate-bulk	AITicketsController	generateBulkAiReplies	web
Support/Tickets	GET	/ai-tickets/test-connection	AITicketsController	testConnection	web
Support/Tickets	POST	/check_rating_prompt	AuthController	check_rating_prompt	api
Support/Tickets	POST	/create_ticket	AuthController	create_ticket	api
Support/Tickets	POST	/create_ticket	AuthController	create_ticket	api
Support/Tickets	GET,POST	/create_ticket_by_mobile	AuthController	create_ticket_by_mobile	api
Support/Tickets	GET	/creators-ratings	CreatorsRatingsController	index	web
Support/Tickets	GET	/creators-ratings/export	CreatorsRatingsController	export	web
Support/Tickets	GET	/daily-reports	DailyReportsController	index	web
Support/Tickets	DELETE	/daily-reports/{filename}	DailyReportsController	delete	web
Support/Tickets	POST	/daily-reports/generate	DailyReportsController	generate	web
Support/Tickets	GET	/daily-reports/view/{filename}	DailyReportsController	view	web
Support/Tickets	GET	/femalereports	UsersController	femalereports	web
Support/Tickets	POST	/femalereports/add-bonus	UsersController	addBonus	web
Support/Tickets	GET	/femalereports/duration	UsersController	femaleReportsByDuration	web
Support/Tickets	GET	/femalereports/duration/export	UsersController	femaleReportsByDurationExport	web
Support/Tickets	POST	/get_rating_prompt_config	AuthController	get_rating_prompt_config	api
Support/Tickets	POST	/log_rating_prompt_event	AuthController	log_rating_prompt_event	api
Support/Tickets	GET	/raise-tickets	PublicTicketsController	create	web
Support/Tickets	POST	/raise-tickets	PublicTicketsController	store	web
Support/Tickets	POST	/ratings	AuthController	ratings	api
Support/Tickets	POST	/reports	AuthController	reports	api
Support/Tickets	GET	/reports/creator-d7-retention-by-language	UsersController	apiCreatorD7RetentionByLanguage	api
Support/Tickets	GET	/reports/d7-retention-by-language	UsersController	apiD7RetentionByLanguage	api
Support/Tickets	GET	/reports/installs	UsersController	apiInstalls	api
Support/Tickets	GET	/reports/paid-registered-by-language	UsersController	apiPaidRegisteredByLanguage	api
Support/Tickets	GET	/reports/register-to-purchase	UsersController	apiRegisterToPurchase	api
Support/Tickets	GET	/reports/revenue-by-language	UsersController	apiRevenueByLanguage	api

Area	Method	Path	Controller	Action	Src
Support/Tickets	GET	/reports/roas	UsersController	apiRoas	api
Support/Tickets	GET	/reports/ticket-frt	UsersController	apiTicketFrt	api
Support/Tickets	GET	/reports/ticket-reopen-rate	UsersController	apiTicketReopenRate	api
Support/Tickets	GET	/reports/ticket-resolution-rate	UsersController	apiTicketResolutionRate	api
Support/Tickets	GET	/reports/ticket-resolution-time	UsersController	apiTicketResolutionTime	api
Support/Tickets	GET	/reports/users-report	UsersController	apiUsersReport	api
Support/Tickets	GET	/retarget-report	RetargetReportController	index	web
Support/Tickets	POST	/review-limits-save	SettingsController	saveReviewLimitsSettings	web
Support/Tickets	POST	/review-limits-settings	SettingsController	saveReviewLimitsSettings	web
Support/Tickets	POST	/reviews/check-user	ReviewsController	checkUser	web
Support/Tickets	GET	/support-team-dashboard	SupportTeamDashboardController	index	web
Support/Tickets	GET	/tickets	TicketsController	index	web
Support/Tickets	GET,POST	/tickets_by_mobile_status	AuthController	tickets_by_mobile_status	api
Support/Tickets	POST	/tickets_list	AuthController	tickets_list	api
Support/Tickets	POST	/tickets_list	AuthController	tickets_list	api
Support/Tickets	GET	/tickets/{id}	TicketsController	show	web
Support/Tickets	PUT	/tickets/{id}	TicketsController	update	web
Support/Tickets	PATCH	/tickets/bulk-update-status	TicketsController	bulkUpdateStatus	web
Support/Tickets	GET	/user-ratings	UserRatingController	index	web
Support/Tickets	GET	/user-ratings/{id}	UserRatingController	show	web
Support/Tickets	DELETE	/user-ratings/{id}	UserRatingController	destroy	web
Support/Tickets	GET	/user-ratings/feature-status	UserRatingController	getRatingFeatureStatus	web
Support/Tickets	POST	/user-ratings/toggle-feature	UserRatingController	toggleRatingFeature	web
Support/Tickets	GET	/user-reports	UserReportsController	index	web
Support/Tickets	GET	/user-reports-export	UserReportsController	export	web
Support/Tickets	GET	/user-reports-stats	UserReportsController	getStats	web
Support/Tickets	GET	/user-reports/{id}	UserReportsController	show	web
Support/Tickets	DELETE	/user-reports/{id}	UserReportsController	destroy	web
Support/Tickets	PUT	/user-reports/{id}/status	UserReportsController	updateStatus	web
Support/Tickets	POST	/user-reports/bulk-delete	UserReportsController	bulkDelete	web
Support/Tickets	POST	/user-reports/bulk-update	UserReportsController	bulkUpdateStatus	web
Support/Tickets	GET	/usersreports	UsersController	usersreports	web
Support/Tickets	GET	/usersreports/export	UsersController	exportUsersReports	web
Withdrawals/Payouts	GET	/cron_update_withdrawals	AuthController	cron_update_withdrawals	api
Withdrawals/Payouts	GET	/reports/monthly-pan-withdrawals	MonthlyPanWithdrawalsController	index	web
Withdrawals/Payouts	GET	/reports/monthly-pan-withdrawals/export	MonthlyPanWithdrawalsController	export	web
Withdrawals/Payouts	POST	/update_bank	AuthController	update_bank	api
Withdrawals/Payouts	POST	/update_pancard	AuthController	update_pancard	api
Withdrawals/Payouts	POST	/withdrawals	AuthController	withdrawals	api
Withdrawals/Payouts	GET	/withdrawals	WithdrawalsController	index	web
Withdrawals/Payouts	POST	/withdrawals_list	AuthController	withdrawals_list	api
Withdrawals/Payouts	POST	/withdrawals_list	AuthController	withdrawals_list	api
Withdrawals/Payouts	POST	/withdrawals_list	AuthController	withdrawals_list	api
Withdrawals/Payouts	PUT	/withdrawals/{id}	WithdrawalsController	update	web
Withdrawals/Payouts	POST	/withdrawals/{id}/urgent-credit	WithdrawalsController	urgentManualCredit	web
Withdrawals/Payouts	GET	/withdrawals/{withdrawal}/live-status	WithdrawalsController	liveStatus	web
Withdrawals/Payouts	PATCH	/withdrawals/bulk-cancel	WithdrawalsController	bulkCancelStatus	web
Withdrawals/Payouts	PATCH	/withdrawals/bulk-update-status	WithdrawalsController	bulkUpdateStatus	web
Withdrawals/Payouts	GET	/withdrawals/contact_export	WithdrawalsController	contact_export	web
Withdrawals/Payouts	GET	/withdrawals/double-pay-alerts	WithdrawalsController	doublePayAlerts	web
Withdrawals/Payouts	GET	/withdrawals/export	WithdrawalsController	export	web
Withdrawals/Payouts	GET	/withdrawals/export-tds	WithdrawalsController	exportTdsIndex	web
Withdrawals/Payouts	GET	/withdrawals/export-tds-old	WithdrawalsController	exportTds	web
Withdrawals/Payouts	GET	/withdrawals/export-tds/download	WithdrawalsController	exportTds	web
Withdrawals/Payouts	GET	/withdrawals/exportnew	WithdrawalsController	exportnew	web

Area	Method	Path	Controller	Action	Src
Withdrawals/Payouts	GET	/withdrawals/exportUnpaid	WithdrawalsController	exportUnpaid	web
Withdrawals/Payouts	GET	/withdrawals/female-report	WithdrawalsController	withdrawalsfemaleReport	web
Withdrawals/Payouts	GET	/withdrawals/upload	(closure)		web
Withdrawals/Payouts	POST	/withdrawals/upload	WithdrawalsController	upload	web
Withdrawals/Payouts	GET	/withdrawalsreports	WithdrawalsController	withdrawalsReport	web

Local Call-Audio Extraction Foundation

Revision 1.1 - 2026-07-17 - Android audio-call scope - branch app_july_14. This addendum documents extraction only; no transcription or moderation AI is active.

Outcome

Both participant development builds can independently expose their own local microphone track as bounded, transcription-ready PCM16/WAV chunks after the remote peer joins. Audio is not persisted, uploaded, transcribed, displayed in admin, or connected to warnings.

1. Purpose, users and end-to-end flow

Stage	Current implementation	Boundary / owner
Call connection	MaleAudioCallingActivity and FemaleAudioCallingActivity attach an Agora record-frame observer. Extraction starts only after onUserJoined.	Android audio-call activities
Capture	Only the device's local microphone track is copied. Remote playback and mixed frames are not observed, preserving participant attribution.	Agora SDK 4.5 record position
Assembly	16 kHz, mono, little-endian PCM16 is assembled into 30-second maximum windows. A 1-second tail is repeated at boundaries so split words remain complete.	OverlappingPcmChunker
Voice activity	A conservative language-independent energy VAD labels unique audio with speech presence, voiced duration, ratio and RMS. It does not remove words or alter PCM.	EnergyVoiceActivityDetector
Output	ExtractedAudioChunk exposes raw PCM and an on-demand standard WAV encoder. The present callback logs non-sensitive timing/VAD metadata and releases the bytes.	In-memory callback only
Future AI	A later authenticated consumer can upload each local speaker chunk and submit it to the selected transcription provider. This is intentionally absent now.	Not implemented

2. Privacy and lifecycle controls

Control	Verified behavior
Mute	Manual mute and call-interruption mute close the pre-mute partial window, pause extraction, and start a clean boundary after unmute. Muted frames are ignored.
Call end	leaveChannel and onDestroy both detach the observer, flush only the final pre-end partial window, shut down the serial worker and remain idempotent.
Retention	No Android file/cache/database entry is created. No server storage or audio endpoint exists. PCM lives only in bounded memory until the callback returns.
Failure isolation	Observer registration failure, unexpected PCM format and consumer exceptions are logged safely and never end or block the call.

Technical Contract and Release Boundary

Owning feature: Android local call-audio extraction foundation. Release/branch: app_july_14, 2026-07-17.

3. Components and contracts

Component	Responsibility	Contract
AgoraLocalAudioExtractor	Observer registration, small frame copy, serial worker, mute/lifecycle control	Record frames only; callback returns immediately; no network/disk
OverlappingPcmChunker	Bounded continuous windows	30,000 ms max; 1,000 ms overlap; monotonic output sequence
EnergyVoiceActivityDetector	Shadow-mode speech/silence metadata	20 ms frames; recall-biased thresholds; language-independent
Pcm16WavEncoder	Future provider-compatible payload	RIFF/WAVE, PCM format 1, mono, 16-bit, 16 kHz
ExtractedAudioChunk	Immutable metadata plus owned PCM byte array	sequence, start/end, overlap, rate, VAD; toWav() on demand

4. System impact and explicit non-features

Surface	State after this change
Admin panel / APIs / controllers	None added or changed.
Models / tables / storage	None added or changed; no audio or transcript retention.
Socket events / jobs / crons	None added or changed.
External services / spend	No provider integration and zero AI/transcription spend.
Warnings / moderation	No analysis, warning request, escalation or chat deletion path is connected.
Dependencies / runtime gate	Uses existing Agora 4.5.0 and Kotlin/JVM APIs; no new library. Development flavor only; production does not construct/register the extractor.
User/admin UI	No new screen or visible control. Existing call mute and teardown behavior governs extraction.

5. Capacity, monitoring, rollout and rollback

Topic	Evidence / requirement
Bound	PCM input is 32 KB/s. One full window is 960 KB; overlap is 32 KB. Processing runs off the Agora/UI thread on one low-priority serial worker.
Automated evidence	Eight focused tests pass. A simulated one-hour stream completed in 0.067 s on the development Mac and never exceeded a 960 KB window.
Must verify on devices	Two-phone intelligibility, Agora callback continuity, low-end CPU/RAM/battery, Bluetooth/wired routes, background/reconnect behavior and long-call stability.
Monitoring	Use local metadata logs for registration, sequence, duration, overlap and VAD only. Never log PCM, transcript content, call IDs or user IDs.
Accuracy boundary	VAD is not transcription and cannot prove language accuracy. All-language transcription quality must be validated after a provider is integrated.
Rollout / rollback	Keep production flavor disabled and the AI consumer absent until device QA passes. To roll back, remove the two activity hooks and audio package; no backend/database rollback is required.

Hima — Support Bot

AI ticket-deflection feature — **how it works**, configuration, and operations

Innovfix Pvt. Ltd. · Hima App · v1 · 2026-07-17 · Backend: Laravel (demo_hima / hima-admin-panel) · App: Android (hima_app)

What it is, in one line. A guided in-app chat that sits **in front of** the existing ticket system: it asks the user 3–4 questions, reads **their own live account data**, answers, and only creates a support ticket if the user says the answer did not help. The goal is to stop the repeat-contact tickets (the average user raised ~2 per month) at the source — without ever making a false statement about someone's money or account.

1. The user flow

Step	Screen	Notes
0 · Language	"Choose your language" (prompt in English, all 11 options)	Applies to this conversation only — does not change the profile language / matching.
1 · Category	5 categories, volume-ordered	Calls · Earnings/Withdrawal · Coins/Recharge · Account/Profile · Something else.
2 · Sub-category	The category's sub-options + "My issue isn't listed"	Chips are server-driven — the app renders labels and posts keys; it knows nothing about the taxonomy.
3 · One detail	A sub-category-specific question (optional, with Skip where safe)	e.g. "double charge" asks for a date/time; the answer genuinely needs it.
4 · Answer	Typing → the AI's answer	Only this step is slow. The bot has already read the user's data before replying.
5 · Did this solve it?	[Yes, solved] · [No, still need help]	Yes → close, no ticket . No → one more attempt, then a human.

Yes vs No — the whole point. "Yes" closes the chat and **creates no ticket row** (a deflected issue must not appear in tickets, or deflection is unmeasurable). "No" buys **one** second, different answer; a second "No" creates a ticket for a human, pre-tagged and with the bot's diagnostics attached. There is no third attempt.

2. How it stays accurate (why it can be trusted with money)

- **Reads live data via fixed, read-only tools** — never free-form SQL. Eight tools: account summary, recent calls, call detail, recharge history, coin ledger, withdrawal history, earnings summary, block status.
- **The user is structural, not a parameter.** The logged-in user id is fixed on the server; it appears in **no** tool the model can call, so the model cannot express "look at another user's data" (closes IDOR by construction).
- **Grounding guard.** Every number in a reply (₹ amounts, coins, order ids, times) must be a value a tool actually returned. Any invented number → the answer is discarded and the issue is escalated.
- **Skip-AI on money.** For sensitive/redirect money categories the model is never called at all — a human takes it directly, so money cannot be hallucinated about.
- **Recharge crediting is never asserted as fact.** transactions has no gateway/order link and add_coins also covers admin grants, so a same-size credit near a payment is only an **indication**, not proof. The bot states **payment_status** (paid / not completed) as fact, reports any nearby credit as a labelled possibility with its confidence, and routes every paid recharge to a human to verify against the gateway dashboard — it never claims "you were credited" or "money taken, no coins".
- **Fail closed.** If a tool cannot read the user's data (DB/replica down), the bot escalates to a human rather than answering around the gap. On prod, reads use a replica; if the replica lags, it falls back to the primary so it never states stale data.
- **Never promises** a refund, credit or timeline; **never deletes** an account — a delete request is treated as a symptom and probed.

3. Configuration & kill-switches (ops)

Setting	Where	Effect
support_bot_enabled	gateway_config	Master kill-switch. When set to <code>0</code> , the app shows the old raise-ticket form and in-flight sessions escalate to a human instead of calling the model. Fails closed (unreadable = off).
support_bot_model	gateway_config	The model id (default Claude Sonnet). Deliberately separate from the ticket-answering model.
known_issue_banner	gateway_config	When set, shown first during a platform incident — deflects the duplicate flood before the menu.
support_hours_start / _end	gateway_config	Agent shift (default 4 PM–12 AM IST) for the out-of-hours "when we'll look" ETA.
SUPPORT_BOT_READ_CONNECTION	.env	Read replica for tool queries on prod (empty on demo). Lag-guarded.
SUPPORT_BOT_SESSION_CEILING	.env	Hard per-session deadline (25s) — under PHP's execution limit; the app waits longer so it always gets the definitive answer.
SUPPORT_BOT_TOKEN_BUDGET	.env	Hard per-session cost ceiling; exceeding it escalates rather than spending more.

Answers are ops-editable without a deploy. The per-sub-category playbooks live in `ai_reference_faqs` (already per-language, already an admin UI). The Yes/No taps are a free labelled dataset — a sub-category below ~40% "Yes" is a broken playbook or a real product bug.

4. Endpoints (all `anonymous`, no `user_id` ever accepted from the client)

Endpoint	Purpose
support_bot_start	Opens/*resumes* a session; returns language chips + any known-issue banner. Checks for a pending escalated ticket up front.
support_bot_reply	Walks the tree, then answers. One request per session at a time (locked).
support_bot_feedback	"Did this solve it?" — the only thing that resolves or escalates. Runs the second attempt.
support_bot_session	Rebuilds a session reopened after the app was killed (transcript + current step).
support_bot_attach	Optional file on the ticket the bot raised (image/video/audio, ≤5MB). Serialised per ticket.

5. Rollout & what to watch

- **Demo-first, always.** Everything is verified on `demohima.himaapp.in` before prod. Prod goes on an explicit go, staged by sub-category allowlist and user %.
- **Fallback is safe.** With the kill-switch off, or on any start failure, the user gets the old form — the support channel is never removed behind the LLM.
- **Weekly metrics:** per-sub-category Yes-rate · grounding-guard trips (should be ~0) · p50/p95 latency · tokens/session · **48h re-contact rate** · and the north star: **tickets per user per month**.

Design guardrail — "calls not coming" (the #1 driver) is a real product bug the bot cannot fix. The bot reads the data and escalates; it does **not** troubleshoot ("check your network"), which reads as being fobbed off by a robot. Its deflection target there is near-zero **by design** — track it as a product-bug signal, not a deflection KPI.

6. QA test cases (formal — run before release)

How to run. Each case has a stable ID (`SB-###`), priority (P1 blocks release), module reference, preconditions and test data, numbered steps, and the expected result. Fill the **Execution** row: mark Pass/Fail, attach Evidence (screen recording / DB row), log a Defect ID on failure, and record the Retest result. **Build/role/data:** run on the Play/Internal build, as a **male caller** and a **female creator**, on WiFi **and** mobile data, unless a case says otherwise.

SB-001 **P1** **Guided flow, end to end** Module: Support Bot / Flow · Ref §1

Precondition	Bot enabled (<code>support_bot_enabled=1</code>); test account has no open escalated ticket.
Test data	Any account; pick category "Calls".
Steps	1. Open Help → Support. 2. Observe the language prompt; select one. 3. Select a category, then a sub-category. 4. Answer the follow-up (or Skip if offered). 5. Wait for the answer, then observe the "Did this solve it?" controls.
Expected	Steps appear in order language → category → sub-category → optional detail → answer → Yes/No. "My issue isn't listed" is present at the sub-category step. No crash; each step responds <2s except the answer.

Execution: ☐ Pass ☐ Fail Evidence: _____ Defect#: _____ Retest: _____

SB-002 **P1** **Language & script consistency** Module: Support Bot / Language · Ref §1.0

Test data	Select English at step 0; then type the free-text detail in Tanglish ("calls varala").
Steps	1. Select a language and complete the flow to an answer. 2. Read every bot message for language consistency. 3. At the free-text step type romanised (Tanglish) text.
Expected	The whole conversation stays in the chosen language (no mid-chat switch). The answer mirrors the user's script (Tanglish in → Tanglish out), not native Tamil.

Execution: ☐ Pass ☐ Fail Evidence: _____ Defect#: _____ Retest: _____

SB-003 **P1** **Deflection creates no ticket** Module: Support Bot / Deflection · Ref §1.5

Precondition	DB/admin access to check the <code>tickets</code> table.
Steps	1. Complete a flow to an answer. 2. Tap "Yes, solved". 3. Query <code>tickets</code> for this user/timestamp.
Expected	Conversation closes; optional rating shows; no new row in <code>tickets</code> .

Execution: ☐ Pass ☐ Fail Evidence: _____ Defect#: _____ Retest: _____

SB-004 **P1** **Escalation: second attempt then human** Module: Support Bot / Escalation · Ref §1.5

Steps	1. Reach an answer; tap "No, still need help". 2. Observe the second attempt (a different answer). 3. Tap "No" again. 4. Open the ticket in admin.
Expected	Exactly one second attempt (different content). A ticket is created for a human (<code>source=bot</code> , <code>requires_manual_support=1</code>) with the bot's diagnostics attached. No third AI attempt.

Execution: ☐ Pass ☐ Fail Evidence: _____ Defect#: _____ Retest: _____

SB-005 **P1** **Delete-account is probed, never actioned** Module: Support Bot / Safety · Ref §2

Steps	1. Choose Account → a delete-account intent (or type "delete my account"). 2. Follow the conversation.
Expected	The bot asks what the underlying problem is and tries to help; it never offers or performs deletion. No account is deleted or disabled.

Execution: ☐ Pass ☐ Fail Evidence: _____ Defect#: _____ Retest: _____

SB-006 **P1** **Resume mid-flow after app kill** Module: Support Bot / Resume · Ref §4

Steps

1. Advance to the sub-category / detail step.
2. Force-kill the app (swipe from recents).
3. Reopen Help → Support.

Expected The prior conversation is rebuilt and lands on the same step; the user does not re-answer earlier questions.

Execution: ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____

SB-007 **P2** **Resume after answer / when finished** Module: Support Bot / Resume · Ref §4

Steps

1. Receive an answer (Yes/No shown); kill and reopen.
2. Resolve or escalate the session; kill and reopen again.

Expected First reopen shows THAT answer with Yes/No (never the rejected first answer). After resolve/escalate, reopen is read-only (transcript only, no live input).

Execution: ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____

SB-008 **P2** **Attachment — validation & lifecycle** Module: Support Bot / Attach · Ref §4

Precondition A ticket has just been raised (SB-004), so the attach option is offered.

Test data A <5MB image; a >5MB video; a .txt file; a large screen-recording.

Steps

1. Attach the valid image → confirm it appears on the ticket.
2. Attach the >5MB file → observe rejection.
3. Attach the .txt → observe type rejection.
4. Start a large upload, then rotate the screen; and separately, start one and background/kill the app.
5. Try to pick a second file while one is uploading.

Expected Valid file uploads (visible on the ticket in admin). Too-large/wrong-type are rejected with a clear message and are NOT shown as accepted. Rotation mid-upload does not break the upload or crash. Killing mid-upload leaves no orphaned cache file. A second pick while uploading is blocked with a "wait" message.

Execution: ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____

SB-009 **P2** **Slow-network patience** Module: Support Bot / Timeout · Ref §1.4

Test data Throttle the network (e.g. slow 3G profile).

Steps

1. Reach the answer step on a slow connection.
2. Repeat for the second attempt (after "No").

Expected The app waits (up to ~30s) for the definitive answer or escalation on BOTH the first and second attempts; it does not fail early or dump the user to the old form.

Execution: ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____

SB-010 **P1** **Kill-switch (start & mid-session)** Module: Support Bot / Ops · Ref §3

Precondition Ability to set `gateway_config.support_bot_enabled`.

Steps

1. Set the flag to 0; open Help → Support.
2. Set it back to 1; start a session and reach the sub-category step.
3. Set it to 0 mid-session; send the next step.

Expected With the flag 0, the old raise-ticket form is shown (no bot). Flipping to 0 mid-session makes the next step escalate to a human (no AI call), with no hang or crash.

Execution: ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____

SB-011 **P2** **Pending ticket & duplicate guard** Module: Support Bot / Tickets · Ref §1**Precondition** The test account already has one open escalated ticket.**Steps**

1. Open Help → Support.
2. Separately, from two devices, drive one session each to escalation at the same time.

Expected The user is told about the open ticket at the START (not after four questions). No duplicate ticket is created, even from two concurrent devices.**Execution:** ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____**SB-012** **P1** **MONEY — recharge is verified, never invented** Module: Support Bot / Money · Ref §2 · MUST-PASS**Precondition** DB access; a creator and a male account. Verify every figure against the DB, never the reply alone.**Test data** A real ₹1–₹49 recharge; also one completed >30 min after starting the order.**Steps**

1. Ask a recharge/coins question after a real recharge.
2. Compare the bot/ticket diagnostics to the `cashfree_payments` / `phonepe_payments` and `transactions` rows.
3. Repeat for a delayed (>30 min) completion and for two close same-size purchases.

Expected Recharge routes to a human. Diagnostics state **payment_status** as fact only; crediting is shown as INDICATIVE (never a definitive "you were credited" or "money taken, no coins"). A delayed credit is still matched; two close same-size purchases with one credit are marked for human review, not falsely credited. Every ₹/coin/order-id/time in any reply came from the data (no invented refund/timeline).**Execution:** ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____**SB-013** **P1** **MONEY — earnings connected count** Module: Support Bot / Money · Ref §2 · MUST-PASS**Precondition** A creator account with some calls that never connected (`started_time='00:00:00'`).**Steps**

1. Ask an earnings question.
2. Compare the "connected calls" figure to the Recent Calls tool and the DB.

Expected The connected count excludes `00:00:00` (never-connected) calls and matches Recent Calls exactly.**Execution:** ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____**SB-014** **P1** **SECURITY — own data only (IDOR)** Module: Support Bot / Security · Ref §4 · MUST-PASS**Precondition** Two accounts A and B; a tool to send raw API requests (Postman).**Steps**

1. As A, drive a bot session; confirm it only ever reflects A's data.
2. With A's token, call the ticket routes passing B's `user_id` / mobile number.

Expected The bot only ever shows A's own data. Ticket create/list use the token identity — passing B's `user_id`/mobile returns A's own tickets or 401, never B's data; unregistered vs registered numbers return identical responses (no enumeration).**Execution:** ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____**SB-015** **P3** **Zoho launcher hygiene** Module: Support Bot / UI · Ref §5**Steps**

1. As a female account (launcher enabled from home), open Support and leave.
2. As a male account, open Support and leave.

Expected Female: the floating Zoho launcher is hidden on the bot screen and restored on exit. Male: the launcher never appears.**Execution:** ☐ Pass ☐ Fail **Evidence:** _____ **Defect#:** _____ **Retest:** _____