Controller の説明

```
OPEN FILES
FOLDERS
                                         class IdeasController < ApplicationController</pre>

▼ railsgirls

                                            before_action :set_idea, only: [:show, :edit, :update, :destroy]

▼ app
    assets
                                              @ideas = Idea.all

▼ controllers

      ▶ concerns
        application_controller.rb
                                    9
                                    10
    ▶ helpers
                                                       Idea new
    ▶ mailers
    ▶ models コントローラー名
    ideas
          _form.html.erb
          edit.html.erb
                                              @idea = Idea.new(idea_params)
                                    20
          index.html.erb
                                              respond_to do |format|
          index.json.jbuilder
                                                  @idea.save
          new.html.erb
                                                  format.html { redirect_to @idea, notice: 'Idea was successfully created.' }
format.json { render action: 'show', status: :created, location: @idea }
          show.html.erb
          show.json.jbuilder
                                   26
                                                   format.html { render action: 'new' }
      ▼ layouts アクション名と
                                                   format.json { render json: @idea.errors, status: :unprocessable_entity }
          application.html.erb
  ▶ bin
                                    30
  ▶ config

    db

                                              respond_to do |format|
                                                if @idea.update(idea_params)
                                                  format.html { redirect_to @idea, notice: 'Idea was successfully updated.' }
                                                   format.json { head :no_content }
  ▶ public
  ▶ test
                                                   format.html { render action: 'edit' }
  ▶ tmp
                                                   format.json { render json: @idea.errors, status: :unprocessable_entity }
                                   39
                                   40
  ▶ vendor
    .gitignore
    config.ru
                                             ef destroy
                                   44
    Gemfile
                                              @idea.destroy
    Gemfile.lock
                                              respond_to do |format|
format.html { redirect_to ideas_url }
                                   46
    Rakefile
                                   48
    README.rdoc
                                                format.json { head :no_content }
                                   49
                                   50
                                                  set idea
                                   54
                                                @idea = Idea.find(params[:id])
                                              def idea_params
                                                params.require(:idea).permit(:name, :description, :picture)
                                   58
                                   60
```

アクションと呼びます。

edit 指定したアイディアの編集画面を表示しなさい