Play Dog House

ref. 0976.5



ASSEMBLY INSTRUCTIONS

Assembly video on YouTube:
youtu.be/bKaQVilDzvM

Product size: **4.13 × 3.03 × 2.29 m**
Doghouse with a tunnel, two slides (the ears) and a ball pit
Maximum load: 320 kg spread over no more than 8 children
Comes with 500 balls
Assembled by an adult.
9 steps · keep this manual for future reference.

BEFORE YOU START

Read carefully

Caution

Give this toy to the child only after it has been **assembled by an adult**, and always use it under **adult supervision**.

Assembly rules

- Assemble in this order: the **ears** on one head, the **other head**, the **long screws** with the knobs, the **tongues**, the **nets** and the **hair pieces**.
- Each long screw goes first through the **head** and then through the **ear**; a **knob** on each end, hand tightened.
- The large nets go under the ears; the small ones, in the opening of each head.
- Assemble on level ground.


Tools

- **10 mm open-end or combination wrench**: M6×45 screws (4 pcs, step 8)
- The 8 knobs are hand tightened

The rivet nuts come already fitted in the hair pieces. There are no specific tightening torques.

Screws in this playground

Each type has its own color. The same card appears in each step and in the assembly video.



4× Screw M6×45 · step 8

PARTS LIST

Play Dog House parts



HEAD 2×
No. 1 · ref. 976502



EAR (SLIDE) 2×
No. 2 · ref. 976503



TONGUE 2×
No. 3 · ref. 976504



HAIR PIECE 2×
No. 4 · ref. 976507



LONG SCREW 4×
No. 5 · ref. 976506




KNOB 8×
No. 6 · ref. 2090296

LARGE NET WITH 4 HOOKS 2×
No. 7 · ref. 2070231

SMALL NET WITH 4 HOOKS 2×
No. 8 · ref. 2070232



M6×45 SCREW 4×
No. 9 · ref. 2090194



LID 4×
No. 10 · ref. 976505


PRODUCT ASSEMBLY

Step by step

In each step, the arrows show where the part goes, the **black numbers** give the order and the **yellow letters** point to the details explained under the picture.

---

1 STEP 1 OF 9
Ear on the head



A Head

B Ear

Stand one **head** up on level ground, with its inner side facing you.

Fit the tabs of one **ear** (slide) into the slots on the inner side of the head.

CAUTION
Assemble it on the ground, with no children nearby.

PARTS FOR THIS STEP



1× Head
ref. 976502




1× Ear (slide)
ref. 976503



How it looks at the end of step 1

2 STEP 2 OF 9
The other ear



Repeat with the other **ear**, on the other side of the same head.

PARTS FOR THIS STEP



1× Ear (slide)
ref. 976503



How it looks at the end of step 2

3 STEP 3 OF 9
The other head



Fit the other **head** onto the free ends of both ears, with its inner side facing the first head.

PARTS FOR THIS STEP



1× Head
ref. 976502



How it looks at the end of step 3


STEP 4 OF 9

4 Long screws and knobs



C Long screw

D Knob



Long screw through the head and the ear

Each side of each head has a hole that goes through the head and the ear: 4 points in all.

1. Slide a **long screw** through the hole: first through the head, then through the ear.

2. Screw a **knob** onto the end of the long screw on the inner side.

3. Screw the other knob onto the other end, on the outer side. Repeat at the 4 points and hand-tighten the **8 knobs**.

PARTS FOR THIS STEP

4× Long screw ref. 976506	**8×** Knob ref. 2090296



How it looks at the end of step 4

5 STEP 5 OF 9
Tongues



Fit a **tongue** at the bottom of the opening of each head.

PARTS FOR THIS STEP



2× Tongue
ref. 976504



How it looks at the end of step 5

6 STEP 6 OF 9
Large nets



- **E** Upper hooks on the long screw
- **F** Lower hooks in the hole of the head

A **large net** goes under each ear.

Hook the net's **upper hooks** onto the long screw, between the head and the ear, and the **lower hooks** into the holes on the side of the head.

Repeat on the other side with the other large net.

PARTS FOR THIS STEP


2× Large net
ref. 2070231



How it looks at the end of step 6

STEP 7 OF 9

7 Small nets



G Hooks in the holes of the opening

Hook a **small net** into the holes inside the opening of each head.

PARTS FOR THIS STEP


2× Small net
ref. 2070232



How it looks at the end of step 7

STEP 8 OF 9

8 Hair pieces




H Hair piece

I Screw

J Lid

SCREW AND TOOL



Tool: **10 mm wrench**.

1. Fit a **hair piece** on top of each head.

2. From the inner side of the head, screw the hair piece with the **2 M6×45 screws** (10 mm wrench); they thread into the rivet nuts already in the hair piece.

3. Cover each screw with a **lid**.

PARTS FOR THIS STEP

4× Lid
ref. 976505

2× Hair piece
ref. 976507

4× M6×45 screw
ref. 2090194



How it looks at the end of step 8

STEP 9 OF 9

9 Balls



Put the **500 balls** inside the product, between the nets.


Check that every knob is tight and that the nets are held by all their hooks.



How it looks at the end of step 9


FASTENING DETAILS

How each part is fastened




Heads and ears

At each of the 4 points, a long screw goes through the head and the ear, with a knob on each end.



Large nets

Upper hooks on the long screw, between the head and the ear; lower hooks in the holes on the side of the head.



Hair pieces

2 M6×45 screws per hair piece, from the inner side of the head, into the hair piece's rivet nuts; the lids cover the screws.




Assembly complete

Check the product visually, making sure every part is fitted and firmly fastened. **Only then let children use it.**

Maximum load 320 kg, spread over no more than 8 children. Check the 8 knobs, the hair piece screws and the hooks of the 4 nets.

INSTALLATION DETAILS

Location and safety area



Area reserved for installation and impact (top view): 1 m around and 2 m at the exit of each slide, 8.13 × 5.03 m. Product size: 4.13 × 3.03 × 2.29 m.

To keep users safe, minimum spaces and free distances must be respected.

Circulation area: at least 1.20 m wide around the equipment, so users can run freely; at least 1.50 m where the path changes direction, so strollers and wheelchairs can get in and turn.

Fall space: neighboring static equipment with overlapping fall spaces must be at least 1.50 m apart for a fall height of up to 600 mm, and 2.50 m for higher falls. Maximum fall height of this product: **1800 mm**.

Slide landing area: at least 1000 mm from the sides of the run-out section and 2000 mm (type 01 run-out) or 1000 mm (type 02 run-out) from the end of the run-out section.

Ground: an even, continuous, stable surface that is non-slip in any weather, with no obstacles and a cross slope of no more than 2%. Use on grass, sand, carpet or another soft, level surface.

Location: first check for chemicals and loose material (rubble, sharp objects). Choose an airy place with morning sun, sheltered from drafts; do not install it in basements or garages. Never use it near stairs, roads, swimming pools, water or slippery places. If the area is fenced, the gates must open outwards and be at least 1 m wide.

Footprint: the assembled product takes about 4.13 × 3.03 m of ground; keep the free area around it and at the exit of both slides, as in the picture.

To avoid accidents, the child should wear shoes. This product is not intended for commercial use.

INSPECTION AND MAINTENANCE

Keep the playground safe

Visual inspection — daily

- Cleanliness
- Free distances between the ground and the equipment
- Ground surface finish and exposed foundations
- Sharp edges and missing components
- Excessive wear and structural integrity

Operational inspection — every 1 to 3 months

Pay special attention to the structural integrity of the product, besides the items of the visual inspection.

Main inspection — yearly

- Structure: bending, deformation and cracks
- Finish: cracks, chips, broken or open joints
- Missing, bent, broken, loose or worn parts
- Edges, pinch points, access points and protective surfaces
- Knobs of the 4 long screws tight
- Hooks of the 4 nets in place and nets without tears

Maintenance

- Tighten the joining parts and clean (do not use paints, solvents or other chemicals)
- Keep the free spaces and drain holes clean
- Replace fasteners and faulty or worn parts

As per NBR 16071-7:2012. Any change that affects safety only after consulting the manufacturer.

XALINGO S/A INDÚSTRIA E COMÉRCIO
BR 471, km 147 – Santa Cruz do Sul – RS – Brasil – CEP 96835-642
CNPJ 95.425.534/0001-76

SAC
(51) 3719-9800 · sac@xalingo.com.br
www.xalingo.com.br

Play Dog House · ref. 0976.5
Keep this manual for future reference.