Casinha Tropical Creme

ref. 0945.4

ASSEMBLY INSTRUCTIONS

Assembly video on YouTube:
youtu.be/h0CJTnZkDBc



Product size: **1.65 × 1.24 × 1.50 m**
Playhouse with a door, two windows with opening shutters, a mailbox and a tiled roof, with a sink with stove, a faucet and a little chair
Walls and roof rotomolded in polyethylene with UV additive
Age: 2 years and up
To be assembled by an adult; a second person makes it easier to fit the walls and the roof.
5 steps · keep this manual for future reference.

BEFORE YOU START

Read carefully

Caution

Give this toy to the child only after it has been **assembled by an adult**, and always use it under **adult supervision**.

Assembly rules

- Assemble in this order: the **back wall** on the **side wall with window**, the **side wall without window**, the **front wall** and the **roof**; then the accessories. The door and the window shutters come already fitted.
- At each corner, the hooks go into the slots a little above their final position and then drop down: if the wall does not go down straight, lift it and fit it again.
- Assemble on level ground: on uneven ground the tabs will not line up.

Tools

- No tools needed: all parts snap together

This playhouse has no screws.

PARTS LIST

Casinha Tropical Creme parts



SIDE WALL WITH WINDOW (A) 1×
No. 1 · ref. 945403



BACK WALL (B) 1×
No. 2 · ref. 945402



SIDE WALL WITHOUT WINDOW (C) 1×
No. 3 · ref. 945404



FRONT WALL (D) 1×
No. 4 · ref. 945401



ROOF (E) 1×
No. 5 · ref. 945406



SINK WITH STOVE (F) 1×
No. 6 · ref. 945409



FAUCET (G) 1×
No. 7 · ref. 945412




LITTLE CHAIR (H) 1×
No. 8 · ref. 944304

PRODUCT ASSEMBLY

Step by step


In each step, the arrows show where the part goes, the **black numbers** give the order and the **yellow letters** point to the details explained under the picture.

1 STEP 1 OF 5
Back wall on the side wall with window



A Side wall with window (A)

B Back wall (B)



The back wall's hooks go into the side wall's slots and drop down

A Back wall hook

Set out the walls: the **side wall with window (A)**, the **back wall (B)**, the **side wall without window (C)** and the **front wall (D)**, the one with the door. The door and the window shutters come already fitted on the walls.

Stand side wall A up. Hold back wall B a little above its final position, with the hooks on the end of the back wall level with the side wall's slots.

Push the back wall against the side wall until the hooks go into the slots, then lower the back wall: the hooks lock and the two walls line up at the bottom and at the top.

CAUTION
The walls are large: with a second person holding them, fitting is easier and the wall will not tip over.


PARTS FOR THIS STEP



1× Back wall (B)
ref. 945402




1× Side wall with window (A)
ref. 945403



How it looks at the end of step 1

STEP 2 OF 5

2 Side wall without window



A Side wall without window (C)

B Back wall (B)

Lift the back wall (B) a little, just enough for the hooks on its other end to be level with the slots of the **side wall without window (C)**.


Bring side wall C against the end of the back wall, with the hooks inside the slots, and lower the back wall again until it rests on the floor.

The two side walls end up parallel, with the back wall between them.

PARTS FOR THIS STEP




1× Side wall without window (C)
ref. 945404



How it looks at the end of step 2

STEP 3 OF 5

3 Front wall



A Front wall (D): the one with the door



The front wall's hooks go into the side walls' slots and drop down

A Front wall hook

Open side wall C slightly by swinging its front end outward: the corner with the back wall works like a hinge.

Hold the **front wall (D)** a little above its final position and push it against side wall A until the hooks go into the slots.

Close side wall C against the other end of the front wall, with the hooks inside the slots, and lower the front wall until it rests on the floor.

Check that the four walls are level at the top and resting on the ground.

PARTS FOR THIS STEP




1× Front wall (D)
ref. 945401




How it looks at the end of step 3

STEP 4 OF 5

4 Roof



A Roof (E)



The side wall's pin goes into the roof's socket

A Side wall pin

Place the **roof (E)** on the playhouse, with the highest part of the roof running from one side wall to the other, over the peaks of the side walls.

Lower the roof straight down: the pin at the top of each side wall goes into the roof's socket, and the roof sits on top of the four walls.

CAUTION
The roof is large: put it on with a second person, one on each side.

PARTS FOR THIS STEP




1× Roof (E)
ref. 945406



How it looks at the end of step 4

STEP 5 OF 5

5 Sink, faucet and little chair



A Sink with stove (F)

B Faucet (G)

C Little chair (H)

Place the **sink with stove (F)** inside the playhouse, against the side wall without window (C).

Fit the **faucet (G)** into the hole in the sink.


The **little chair (H)** can go inside or outside the playhouse.

PARTS FOR THIS STEP

1× Little chair (H)
ref. 944304

1× Sink with stove (F)
ref. 945409


1× Faucet (G)
ref. 945412



How it looks at the end of step 5


FASTENING DETAILS

How each part is held



Walls

At the four corners, the hooks of the back and front walls go into the side walls' slots a little above their final position and drop down until they lock.



Roof

It goes straight down onto the playhouse: the pin at the top of each side wall goes into the roof's socket.




Assembly complete

Check the product visually, making sure every part is fitted and firmly fastened. **Only then let children use it.**

Check that the four walls are fully fitted, that the roof sits on top of the walls and that the door and the windows open and close.

INSTALLATION DETAILS

Location and safety area



Area reserved for installation (top view): 1 m clear around the playhouse, 3.68 × 3.24 m. Product size: 1.65 × 1.24 × 1.50 m.

To keep users safe, minimum spaces and free distances must be respected.

Circulation area: at least 1.20 m wide around the equipment, so users can run freely; at least 1.50 m where the path changes direction, so strollers and wheelchairs can get in and turn.

Ground: an even, continuous, stable surface that is non-slip in any weather, with no obstacles and a cross slope of no more than 2%. Use on grass, sand, carpet or another soft, level surface.

Location: first check for chemicals and loose material (rubble, sharp objects). Choose an airy place with morning sun, sheltered from drafts; do not install it in basements or garages. Never use it near stairs, roads, swimming pools, water or slippery places. If the area is fenced, the gates must open outwards and be at least 1 m wide.

Footprint: the assembled playhouse takes up about 1.65 × 1.24 m on the ground, roof included; keep the 1 m clear area around it, as in the figure.

To avoid accidents, the child should wear shoes. This product is not intended for commercial use.

INSPECTION AND MAINTENANCE

Keep the playhouse safe

Visual inspection — daily

- Cleanliness
- Free distances between the ground and the equipment
- Ground surface finish and exposed foundations
- Sharp edges and missing components
- Excessive wear and structural integrity

Operational inspection — every 1 to 3 months

Pay special attention to the structural integrity of the product, besides the items of the visual inspection.

Main inspection — yearly

- Structure: bending, deformation and cracks
- Finish: cracks, chips, broken or open joints
- Missing, bent, broken, loose or worn parts
- Edges, pinch points, access points and protective surfaces
- Walls fully fitted, roof seated, door and windows opening and closing

Maintenance

- Tighten the joining parts and clean (do not use paints, solvents or other chemicals)
- Keep the free spaces and drain holes clean
- Replace fasteners and faulty or worn parts

As per NBR 16071-7:2012. Any change that affects safety only after consulting the manufacturer.

XALINGO S/A INDÚSTRIA E COMÉRCIO
BR 471, km 147 – Santa Cruz do Sul – RS – Brasil – CEP 96835-642
CNPJ 95.425.534/0001-76

SAC
(51) 3719-9800 · sac@xalingo.com.br
www.xalingo.com.br

Casinha Tropical Creme · ref. 0945.4
Keep this manual for future reference.