Playground Modular Adventure

ref. 0968.5



ASSEMBLY INSTRUCTIONS

Assembly video on YouTube:
youtu.be/XaGTVNa-cBQ

Product size: **5,77 × 3,84 × 3,10 m**
Two roofed towers joined by a red-wall module, a side module, spiral slide, curved slide, climber, slide-ladder, tic-tac-toe and basketball hoop
Modular fit-together system: takes other parts of the Playground Modular line
Age range: 3 years and up
Assembly by an adult, with a second person helping with the walls and roofs.
21 steps · keep this manual for future reference.

BEFORE YOU START

Read carefully

Caution

Give this toy to the child only after it has been **assembled by an adult**, and always use it under **adult supervision**.

Assembly rules

- Assemble it on firm, level ground, in its final place, with the free area around it (see "Location and safety area").
- The walls with **tabs** (large yellow and red) go into the **slots** (blue and medium yellow walls) lined up 8 cm higher and slide down **all the way**. Do not use a hammer.
- For the large walls (2.26 m) and the roofs, assemble with **two people**.
- Slides, climber and slide-ladder just fit in: they take no screws.
- Screws only on the basketball hoop (4 M6×45 with washer) and on the roofs (8 Phillips 5×35).


Tools

- **10 mm open-end or combination wrench**: M6×45 screws (4 pcs, step 17)
- **Phillips screwdriver** no. 2: Phillips 5×35 roof screws (8 pcs, step 14)
- A steady ladder to put the roofs on

There are no specific tightening torques. The basketball hoop's rivet nuts come already fitted; walls, platforms, slides and climber just fit in.

Screws in this playground

Each type has its own color. The same card appears in each step and in the assembly video.



4× Screw M6×45 · step 17

PARTS LIST

Playground Modular Adventure parts



LARGE YELLOW WALL 4×
No. 1 · ref. 956502



LARGE BLUE WALL 4×
No. 2 · ref. 968703



MEDIUM RED WALL 4×
No. 3 · ref. 956504



MEDIUM YELLOW WALL 1×
No. 4 · ref. 956503



PLATFORM 4×
No. 5 · ref. 956508



ROOF 2×
No. 6 · ref. 968704



FLAG 2×
No. 7 · ref. 1830909



TIC-TAC-TOE CUBE 9×
No. 8 · ref. 957608



BASKETBALL HOOP WITH NET 1×
No. 9 · ref. 988702



CLIMBER 1×
No. 10 · ref. 957605



SPIRAL SLIDE 1×
No. 11 · ref. 956509



SLIDE-LADDER 1×
No. 12 · ref. 1828708



CURVED SLIDE 1×
No. 13 · ref. 957606



HEX SCREW M6×45 4×
No. 14 · ref. 2090194



M8 FLAT WASHER 4×
No. 15 · ref. 2090185




PHILLIPS SCREW 5×35 8×
No. 16 · ref. 2090500

PRODUCT ASSEMBLY

Step by step

In each step, the arrows show where the part goes, the **black numbers** give the order and the **yellow letters** point to the details explained under the picture.

1 STEP 1 OF 21
Blue wall and yellow wall



A Blue wall with the 4 hoop holes: front of tower 1

B Yellow wall: tabs lined up with the slots, 8 cm higher



How the walls fit together

A Tab lined up with the slot, 8 cm higher: then it goes all the way down

Set aside the parts of **tower 1**: 2 large blue walls, 2 large yellow walls and 1 platform.

The blue wall **with the 4 basketball hoop holes** is the front of tower 1 (the tic-tac-toe side). Stand it up.

Bring a large yellow wall to the edge of the blue wall, with the tabs **lined up with the slots, 8 cm above** their final position, then **lower it all the way**.

CAUTION
The large walls are 2.26 m high: with a second person holding them, they fit more easily and do not tip over.


PARTS FOR THIS STEP



1× Large yellow wall
ref. 956502




1× Large blue wall
ref. 968703



How it looks at the end of step 1

STEP 2 OF 21

2 Another yellow wall



A Another yellow wall, on the other side, the same way

Fit the other large yellow wall on the other edge of the blue wall the same way: 8 cm higher, then all the way down.

PARTS FOR THIS STEP




1× Large yellow wall
ref. 956502




How it looks at the end of step 2

STEP 3 OF 21

3 Tower 1 platform



A Platform between the two yellow walls



Platform hooks in the yellow wall slots

A The platform hooks go into the slots of the yellow walls

Fit the platform between the two yellow walls, from the side that is still open.

The hooks at the ends of the platform go into the slots of the yellow walls, 0.93 m high.

PARTS FOR THIS STEP




1× Platform
ref. 956508



How it looks at the end of step 3

4 STEP 4 OF 21
Blue wall closes tower 1



A Blue wall closes tower 1


Close the tower with another large blue wall.

For the tabs to go into the slots, lift the walls already standing a little (about 8 cm), bring the blue wall against them and lower everything together.

PARTS FOR THIS STEP



1× Large blue wall
ref. 968703



How it looks at the end of step 4

5 STEP 5 OF 21
Red walls of the middle module



A 2 red walls on the blue wall of tower 1: 8 cm higher, then down

Fit **2 medium red walls** to the back blue wall of tower 1, one on each edge, in line with the yellow walls.

Like the yellow walls: tabs lined up with the slots, 8 cm higher, then lower them all the way.

PARTS FOR THIS STEP




2× Medium red wall
ref. 956504



How it looks at the end of step 5

STEP 6 OF 21

6 Middle module platform



A Module platform between the red walls


Fit a platform between the two red walls: the hooks at the ends go into their slots.

> The platform of the red-wall modules sits lower than the towers' (0.68 m from the ground).

PARTS FOR THIS STEP



1× Platform
ref. 956508



How it looks at the end of step 6

STEP 7 OF 21

7 Blue wall: tower 2 begins



A Blue wall closes the module: tower 2 begins

Close the middle module with a large blue wall: it is the first one of **tower 2**.

For the tabs to go into the slots, lift the walls already standing a little (about 8 cm), bring the blue wall against them and lower everything together.

PARTS FOR THIS STEP



1× Large blue wall
ref. 968703



How it looks at the end of step 7

8 STEP 8 OF 21
Yellow walls of tower 2



A 2 large yellow walls, as in tower 1

Fit the **last 2 large yellow walls** on the edges of that blue wall, as in tower 1: 8 cm higher, then down.

PARTS FOR THIS STEP




2× Large yellow wall
ref. 956502



How it looks at the end of step 8

9 STEP 9 OF 21
Tower 2 platform




A Tower 2 platform

Fit the platform between the two yellow walls of tower 2, with the hooks in the slots.

PARTS FOR THIS STEP




1× Platform
ref. 956508



How it looks at the end of step 9

10 STEP 10 OF 21
Blue wall closes tower 2



A Blue wall closes tower 2


Close tower 2 with the last large blue wall.

For the tabs to go into the slots, lift the walls already standing a little (about 8 cm), bring the blue wall against them and lower everything together.

PARTS FOR THIS STEP



1× Large blue wall
ref. 968703



How it looks at the end of step 10

11 STEP 11 OF 21
Red walls of the side module



A 2 red walls on the yellow wall of tower 2: 8 cm higher, then down

Fit the **last 2 medium red walls** to one of the yellow walls of tower 2 (see the side in the picture), one on each edge: 8 cm higher, then down.

PARTS FOR THIS STEP




2× Medium red wall
ref. 956504



How it looks at the end of step 11

12 STEP 12 OF 21
Side module platform



A Side module platform

Fit the last platform between the two red walls.

PARTS FOR THIS STEP



1× Platform
ref. 956508



How it looks at the end of step 12

13 STEP 13 OF 21
Medium yellow wall



A Medium yellow wall closes the module

Close the side module with the **medium yellow wall**.

For the tabs to go into the slots, lift the red walls a little (about 8 cm), bring the medium yellow wall against them and lower everything together.

PARTS FOR THIS STEP



1× Medium yellow wall
ref. 956503




How it looks at the end of step 13

STEP 14 OF 21

14 Roofs



A Roof on the 4 walls of each tower



Phillips screw 5×35 at the roof corner

A Phillips screw 5×35: 1 at each roof corner (4 per roof)

Place a roof on each tower: the roof feet fit on top of the 4 walls.

Fasten each roof with **4 Phillips screws 5×35**, 1 at each corner, from the outside in, at the top of the blue walls (8 in all).

CAUTION
The top of the towers is 2.2 m above the ground: put the roofs on with **two people** and a steady ladder.

PARTS FOR THIS STEP



2× Roof
ref. 968704




8× Phillips screw 5×35
ref. 2090500



How it looks at the end of step 14

15 STEP 15 OF 21
Flags



A Flag on top of each roof

Fit a flag on top of each roof.


PARTS FOR THIS STEP

2× Flag
ref. 1830909



How it looks at the end of step 15

16 STEP 16 OF 21
Tic-tac-toe




A 9 tic-tac-toe cubes

Fit the **9 cubes** into the openings of the front blue wall of tower 1, with the X and O letters facing out.

The cubes turn: children flip each one to mark X or O.

PARTS FOR THIS STEP

9× Tic-tac-toe cube
ref. 957608



How it looks at the end of step 16


STEP 17 OF 21

17 Basketball hoop



A Basketball hoop on the outside

B 4 M6×45 screws + washer, from inside the tower



Hoop screws, from inside the tower

A Inside the tower: M6×45 screw with washer, screwed into the hoop's rivet nut

Hold the basketball hoop against the outside of the front blue wall of tower 1, lined up with the 4 holes.

From inside the tower, put the **4 M6×45 screws with washer** through the holes and tighten them into the hoop's rivet nuts.


PARTS FOR THIS STEP

1× Basketball hoop with net
ref. 988702

4× M8 flat washer
one on each M6×45 hoop screw

4× M6×45 hex screw
ref. 2090194

SCREW AND TOOL



Tool: **10 mm wrench.**



How it looks at the end of step 17

18 STEP 18 OF 21
Climber



A Climber in the yellow wall opening

Fit the climber into the opening of one of the yellow walls of tower 1: its top end goes into the wall opening and rests on the platform.

PARTS FOR THIS STEP



1× Climber
ref. 957605



How it looks at the end of step 18

19 STEP 19 OF 21
Spiral slide



A Spiral slide on the other yellow wall

Fit the spiral slide into the opening of the other yellow wall of tower 1: tilt it, fit one side and press the other in.

PARTS FOR THIS STEP



1× Spiral slide
ref. 956509



How it looks at the end of step 19

20 STEP 20 OF 21
Slide-ladder



A Slide-ladder on the red wall

Fit the slide-ladder into the opening of one of the red walls of the middle module, on the same side as the spiral slide: its top end rests on the module platform.

PARTS FOR THIS STEP



1× Slide-ladder ref. 1828708



How it looks at the end of step 20

21 STEP 21 OF 21
Curved slide



A Curved slide on the back blue wall of tower 2

Fit the curved slide into the opening of the back blue wall of tower 2: its top end goes into the opening and rests on the platform.

> Check that every wall, platform and roof is fully fitted before letting children use it.

PARTS FOR THIS STEP



1× Curved slide ref. 957606



How it looks at the end of step 21


FASTENING DETAILS

How each part is held




Walls

The blue walls and the medium yellow wall have the slots; the large yellow and red walls have the tabs: lined up 8 cm higher, then all the way down.




Platforms

The hooks at the ends of the platform go into the slots of the side walls.



Roof

Phillips screw 5×35, 1 at each corner, from the outside in, at the top of the blue walls: 4 per roof.



Basketball hoop

M6×45 screw with washer, from inside the tower, screwed into the hoop's rivet nuts: 4 in all.



Slides, climber and ladder

They just fit in: the top end goes into the wall opening and rests on the platform.




Assembly complete

Check the product visually, making sure every part is fitted and firmly fastened. **Only then let children use it.**

Maximum load of 100 kg per platform.
Ages 3 and up.

INSTALLATION DETAILS

Location and safety area



Area reserved for installation and slide landing (top view): 9.59 × 7.32 m. Product size: 5.77 × 3.84 × 3.10 m.

To keep users safe, minimum spaces and free distances must be respected.

Circulation area: at least 1.20 m wide around the equipment, so users can run freely; at least 1.50 m where the path changes direction, so strollers and wheelchairs can get in and turn.

Fall space: neighboring static equipment with overlapping fall spaces must be at least 1.50 m apart for a fall height of up to 600 mm, and 2.50 m for higher falls. Maximum fall height of this product: **930 mm**.

Slide landing area: at least 1000 mm from the sides of the run-out section and 2000 mm (type 01 run-out) or 1000 mm (type 02 run-out) from the end of the run-out section.

Ground: an even, continuous, stable surface that is non-slip in any weather, with no obstacles and a cross slope of no more than 2%. Use on grass, sand, carpet or another soft, level surface.

Location: first check for chemicals and loose material (rubble, sharp objects). Choose an airy place with morning sun, sheltered from drafts; do not install it in basements or garages. Never use it near stairs, roads, swimming pools, water or slippery places. If the area is fenced, the gates must open outwards and be at least 1 m wide.

Expansion: the Playground Modular takes other parts of the line (walls, platforms, slides and roofs), so you can build it as big as you like.

To avoid accidents, the child should wear shoes. This product is not intended for commercial use.

INSPECTION AND MAINTENANCE

Keep the playground safe

Visual inspection — daily

- Cleanliness
- Free distances between the ground and the equipment
- Ground surface finish and exposed foundations
- Sharp edges and missing components
- Excessive wear and structural integrity

Operational inspection — every 1 to 3 months

Pay special attention to the structural integrity of the product, besides the items of the visual inspection.

Main inspection — yearly

- Structure: bending, deformation and cracks
- Finish: cracks, chips, broken or open joints
- Missing, bent, broken, loose or worn parts
- Edges, pinch points, access points and protective surfaces
- Walls, platforms and roofs fully fitted; slides, climber and ladder firm in their openings; hoop and roof screws tight

Maintenance

- Tighten the joining parts and clean (do not use paints, solvents or other chemicals)
- Keep the free spaces and drain holes clean
- Replace fasteners and faulty or worn parts

As per NBR 16071-7:2012. Any change that affects safety only after consulting the manufacturer.

XALINGO S/A INDÚSTRIA E COMÉRCIO
BR 471, km 147 – Santa Cruz do Sul – RS – Brasil – CEP 96835-642
CNPJ 95.425.534/0001-76

SAC
(51) 3719-9800 · sac@xalingo.com.br
www.xalingo.com.br

Playground Modular Adventure · ref. 0968.5
Keep this manual for future reference.