Play Modular Advanced

ref. 0968.4



ASSEMBLY INSTRUCTIONS

Assembly video on YouTube:
youtu.be/VEEPHBc7Wgo

Product size: **6,71 × 4,57 × 3,10 m**
Playground with 5 modules joined by a tunnel and a bridge, a tower with a roof and flag, basketball hoop, tic-tac-toe, 2 curved slides, 2 slide-ladders, a spiral slide and a climber
Age: 3 years and up. Maximum weight 100 kg per platform.
Adult assembly. For the tunnel, the bridge and the roof, ask a second person to help.
37 steps · keep this manual for future reference.

BEFORE YOU START

Read carefully

Caution

Give this toy to the child only after it has been **assembled by an adult**, and always use it under **adult supervision**.

Assembly rules

- Assemble on **level ground**: on uneven ground the joints do not line up.
- The tabs of the **thin walls** (large yellow, medium red and small purple) go straight down into the slots of the **thick walls** (large blue, medium yellow, small green and light blue).
- Every joint must go **fully in**: if the part sits crooked, lift it and fit it again.
- Use a **washer** on every M6×45 screw.
- Assemble the modules in order (1 to 5): each new module rests on the one before.

Tools




- **10 mm open-end or combination wrench**: M6×45 screws (10 pcs, steps 10, 21 and 30)
- **Phillips #2 screwdriver** (or a drill/driver with a Phillips #2 bit): Phillips 5×35 screws (4 pcs, step 28)
- Household stepladder, for the roof and the flag


There are no specific tightening torques for the fasteners. The rivet nuts come already fitted in the parts.

Screws in this playground

Each type has its own color. The same card appears in each step and in the assembly video.



10× Screw M6×45 · steps 10, 21 and 30



4× Screw Philips 5×35 · step 28

PARTS LIST

Play Modular Advanced parts



LARGE BLUE WALL — 2×
No. 1 · ref. 956501



LARGE YELLOW WALL — 4×
No. 2 · ref. 956502



BASKETBALL WALL – WITH HOLES (LIGHT BLUE) — 1×
No. 3 · ref. 968703



BASKETBALL WALL – NO HOLES (LIGHT BLUE) — 1×
No. 4 · ref. 968707



MEDIUM YELLOW WALL — 2×
No. 5 · ref. 956503



MEDIUM RED WALL — 4×
No. 6 · ref. 956504



SMALL LIME-GREEN WALL — 2×
No. 7 · ref. 956505



SMALL PURPLE WALL — 2×
No. 8 · ref. 956506



GRAY FLOOR — 4×
No. 9 · ref. 956508



TUNNEL HALF — 2×
No. 10 · ref. 956507



BRIDGE BASE — 1×
No. 11 · ref. 968705



BRIDGE SIDE — 2×
No. 12 · ref. 968706



ROOF — 1×
No. 13 · ref. 968704



FLAG — 1×
No. 14 · ref. 1830909



BASKETBALL HOOP WITH NET — 1×
No. 15 · ref. 988702



TIC-TAC-TOE CUBE — 9×
No. 16 · ref. 957608




CLIMBER — 1×
No. 17 · ref. 957605



SPIRAL SLIDE — 1×
No. 18 · ref. 956509



SLIDE-LADDER — 2×
No. 19 · ref. 1828708



CURVED SLIDE — 2×
No. 20 · ref. 957606



STAINLESS HEX SCREW M6×45 mm — 10×
No. 21 · ref. 2090194



M8 FLAT WASHER — 10×
No. 22 · ref. 2090185



PHILLIPS FLANGE-HEAD SCREW 5×35 mm — 4×
No. 23 · ref. 2090500



M6 RIVET NUT — 10×
No. 24 · ref. 2090183 · already fitted


PRODUCT ASSEMBLY

Step by step


In each step, the arrows show where the part goes, the **black numbers** give the order and the **yellow letters** point to the details explained under the picture.

STEP 1 OF 37 · BEFORE YOU START

1 Identify the walls



- **A** Light-blue wall with holes (1)
- **B** Light-blue wall without holes (1)
- **C** Large blue wall (2)
- **D** Large yellow wall (4)



Medium and small walls

- **A** Medium yellow wall (2)
- **B** Medium red wall (4)
- **C** Small green wall (2)
- **D** Small purple wall (2)

The Play Modular Advanced has **18 walls of 8 kinds**. Sort the walls by kind before you start: each step says which wall goes where.

There are **thin walls** (large yellow, medium red and small purple), with **tabs** at the ends, and **thick walls** (large blue, medium yellow, small green and the light-blue ones), with **slots** at the ends.

CAUTION
The two light-blue walls look alike: the one **with holes** is the front of the roof tower (the holes are for the basketball hoop bolts); the one **without holes** goes between Modules 3 and 4.


STEP 2 OF 37 · MODULE 1 – RED WALLS

2 Medium yellow wall and medium red wall



A Medium yellow wall

B Medium red wall



The tabs of the red wall go down into the slots of the yellow one

A Red wall tab going down into the slot of the medium yellow wall

Stand the **medium yellow wall** up, where Module 1 goes.

Fit the **medium red wall** straight down: the tabs at its ends go into the slots of the medium yellow wall.

CAUTION
The tabs of the thin walls (large yellow, medium red and small purple) **go straight down** into the slots of the thick walls. When the thick wall goes in afterwards, lift the thin one a little and let it go down. Do not force it: if it does not go down, lift it and line it up again.

PARTS FOR THIS STEP



1× Medium yellow wall
ref. 956503



1× Medium red wall
ref. 956504



How it looks at the end of step 2

STEP 3 OF 37 · MODULE 1 – RED WALLS

3 Another medium red wall



A Medium red wall

Fit the **medium red wall** straight down: the tabs at its ends go into the slots of the medium yellow wall.

The two red walls stand parallel, with their free ends on the same side.

PARTS FOR THIS STEP



1× Medium red wall
ref. 956504




How it looks at the end of step 3

4 Module 1 floor



A Floor: hooks into the red walls



Floor hooks in the red walls

A Floor hook in the slot of the red wall

Fit the **floor** from above, between the two medium red walls: the **hooks** at the ends of the floor go into their slots.

PARTS FOR THIS STEP



1× Floor
ref. 956508



How it looks at the end of step 4

STEP 5 OF 37 · MODULE 2 – BLUE WALLS

5 Large yellow wall: closes Module 1



A Large yellow wall



The ends of the red walls go into the slots of the large yellow wall

A End of the red wall going into the slot of the large yellow wall

Bring the **large yellow wall** to the free ends of the red walls of Module 1, slightly off the ground: the **tabs of the red walls** go into the **slots of the yellow one**.

Then let the yellow wall go down to the ground: it closes Module 1 and starts Module 2.

PARTS FOR THIS STEP



1× Large yellow wall
ref. 956502



How it looks at the end of step 5

STEP 6 OF 37 · MODULE 2 – BLUE WALLS

6 Large blue wall (tunnel side)



A Large blue wall

Stand the **large blue wall** up at the end of the large yellow wall, on the side where the tunnel goes (the round opening of the blue wall is in the middle).

Lift the yellow wall a little and let its tab go down into the slot of the blue wall.

PARTS FOR THIS STEP



1× Large blue wall
ref. 956501



How it looks at the end of step 6

STEP 7 OF 37 · MODULE 2 – BLUE WALLS

7 Another large yellow wall



A Large yellow wall

Fit the **large yellow wall** straight down: the tabs at its ends go into the slots of the large blue wall.

PARTS FOR THIS STEP



1× Large yellow wall
ref. 956502




How it looks at the end of step 7

STEP 8 OF 37 · MODULE 2 – BLUE WALLS

8 Module 2 floor



A Floor: hooks into the large yellow walls



Floor hooks in the yellow walls

A Floor hook in the slot of the large yellow wall

Fit the **floor** from above, between the two large yellow walls: the **hooks** at the ends of the floor go into their slots.

PARTS FOR THIS STEP



1× Floor
ref. 956508



How it looks at the end of step 8

STEP 9 OF 37 · MODULE 2 – BLUE WALLS

9 Another large blue wall closes Module 2



A Large blue wall

Stand the **large blue wall** up, closing the module. Lift the end of each of the large yellow walls a little and let its tab go down into the slot of the large blue wall.

PARTS FOR THIS STEP



1× Large blue wall
ref. 956501



How it looks at the end of step 9

STEP 10 OF 37 · TUNNEL

10 Tunnel: the 2 halves




On the ground, fit the **upper half of the tunnel** on the **lower half**, with the side flanges one on top of the other.

Join the halves with **2 M6×45 bolts with washer**, one in each flange, from the top down: the bolt screws into the rivet already in the lower half.

PARTS FOR THIS STEP

- **2×** Tunnel half ref. 956507
- **2×** M8 flat washer one on each M6×45 screw
- **2×** M6×45 hex screw ref. 2090194


SCREW AND TOOL



Tool: **10 mm wrench.**



How it looks at the end of step 10




One bolt in each flange of the tunnel

A M6×45 bolt + washer, from the top down, into the rivet of the lower half

STEP 11 OF 37 · TUNNEL

11 Tunnel on the large blue wall



Fit one mouth of the **assembled tunnel** into the **round opening of the large blue wall** of Module 2, from the outside.

Hold the tunnel level until the next wall is in place.



How it looks at the end of step 11



Tunnel mouth on the blue wall

A The tunnel mouth goes into the round opening of the blue wall

12

STEP 12 OF 37 · TUNNEL

Medium yellow wall on the other tunnel mouth



A Medium yellow wall

Fit the round opening of the **medium yellow wall** onto the other tunnel mouth, from the outside, and rest the wall on the ground.

It is the first wall of Module 3.

PARTS FOR THIS STEP



1× Medium yellow wall
ref. 956503




How it looks at the end of step 12

13

STEP 13 OF 37 · MODULE 3

Medium red wall




A Medium red wall

Fit the **medium red wall** straight down: the tabs at its ends go into the slots of the medium yellow wall.

PARTS FOR THIS STEP



1× Medium red wall
ref. 956504



How it looks at the end of step 13

14 STEP 14 OF 37 · MODULE 3
Another medium red wall



A Medium red wall

Fit the **medium red wall** straight down: the tabs at its ends go into the slots of the medium yellow wall.

PARTS FOR THIS STEP



1× Medium red wall
ref. 956504



How it looks at the end of step 14

15 STEP 15 OF 37 · MODULE 3
Module 3 floor



A Floor: hooks into the red walls

Fit the **floor** from above, between the two medium red walls: the **hooks** at the ends of the floor go into their slots.

PARTS FOR THIS STEP



1× Floor
ref. 956508



How it looks at the end of step 15

STEP 16 OF 37 · MODULE 3

16 Light-blue wall without holes closes Module 3



A Light-blue wall without holes

Stand the **light-blue wall without holes** up, closing the module. Lift the end of each of the medium red walls a little and let its tab go down into the slot of the light-blue wall.

Use the one **without holes**: the one with holes is the front of Module 4.

PARTS FOR THIS STEP



1× Light-blue wall without holes
ref. 968707



How it looks at the end of step 16

STEP 17 OF 37 · MODULE 4 – ROOF TOWER

17 Large yellow wall



A Large yellow wall

Fit the **large yellow wall** straight down: the tabs at its ends go into the slots of the light-blue wall without holes.

PARTS FOR THIS STEP



1× Large yellow wall
ref. 956502




How it looks at the end of step 17

18

STEP 18 OF 37 · MODULE 4 – ROOF TOWER

Another large yellow wall



A Large yellow wall

Fit the **large yellow wall** straight down: the tabs at its ends go into the slots of the light-blue wall without holes.

PARTS FOR THIS STEP



1× Large yellow wall
ref. 956502



How it looks at the end of step 18

19

STEP 19 OF 37 · MODULE 4 – ROOF TOWER

Module 4 floor



A Floor: hooks into the large yellow walls

Fit the **floor** from above, between the two large yellow walls: the **hooks** at the ends of the floor go into their slots.

PARTS FOR THIS STEP




1× Floor
ref. 956508



How it looks at the end of step 19

20 Light-blue wall with holes closes the tower



A Light-blue wall with holes

Stand the **light-blue wall with holes** up, closing the module. Lift the end of each of the large yellow walls a little and let its tab go down into the slot of the light-blue wall.

The **holes** are at the height of the basketball hoop, which goes on in step 30.

PARTS FOR THIS STEP




1× Light-blue wall with holes (for the hoop)
ref. 968703



How it looks at the end of step 20

STEP 21 OF 37 · BRIDGE AND MODULE 5

21 Bridge: base and 2 sides



On the ground, fit the **2 purple sides** on the sides of the **yellow bridge base**.

Fix each side with **2 M6×45 bolts with washer** (4 in all), from the outside in: the bolt screws into the rivet already in the base.

PARTS FOR THIS STEP



1× Bridge base
ref. 968705



2× Bridge side
ref. 968706




4× M8 flat washer
one on each M6×45 screw



4× M6×45 hex screw
ref. 2090194


SCREW AND TOOL



Tool: **10 mm wrench.**



How it looks at the end of step 21




2 bolts on each side

A M6×45 bolt + washer, from the outside in, into the rivet of the bridge base

STEP 22 OF 37 · BRIDGE AND MODULE 5


22 Bridge on the red wall of Module 3



Take the **assembled bridge** to the **medium red wall** on the outer side of Module 3 and fit the end of the base into its slots, at floor height.

Hold the other end of the bridge until Module 5 is built.

CAUTION
The bridge is heavy and long: do this step and the next one with **2 people**.



How it looks at the end of step 22




End of the bridge on the red wall

A The end of the bridge fits into the slots of the red wall, at floor height

STEP 23 OF 37 · BRIDGE AND MODULE 5

23 Small purple wall on the other end of the bridge




A Small purple wall

Fit the **small purple wall** on the other end of the bridge: the end of the base goes into the slots of the purple wall. Rest the wall on the ground.

PARTS FOR THIS STEP



1× Small purple wall
ref. 956506



How it looks at the end of step 23

STEP 24 OF 37 · BRIDGE AND MODULE 5

24 Small green wall



A Small green wall

Stand the **small green wall** up at the end of the purple wall, on the Module 4 side.

Lift the purple wall a little and let its tab go down into the slot of the green wall.

PARTS FOR THIS STEP



1× Small green wall
ref. 956505




How it looks at the end of step 24

25

STEP 25 OF 37 · BRIDGE AND MODULE 5

Another small purple wall




A Small purple wall

Fit the **small purple wall** straight down: the tabs at its ends go into the slots of the small green wall.

PARTS FOR THIS STEP



1× Small purple wall
ref. 956506




How it looks at the end of step 25

26

STEP 26 OF 37 · BRIDGE AND MODULE 5

Another small green wall closes Module 5




A Small green wall

Stand the **small green wall** up, closing the module. Lift the end of each of the small purple walls a little and let its tab go down into the slot of the small green wall.

PARTS FOR THIS STEP



1× Small green wall
ref. 956505



How it looks at the end of step 26

Roof



A Roof

With **2 people**, rest the **roof** on top of the 4 walls of Module 4: the roof skirts go down on the outside of the light-blue walls.

PARTS FOR THIS STEP



1× Roof
ref. 968704



How it looks at the end of step 27

Roof: 4 Phillips screws




Fix the roof with **4 Phillips 5×35 screws**, 1 in each corner: through the roof skirt, into the top of the light-blue walls (2 in the front one and 2 in the back one).

PARTS FOR THIS STEP



4× Phillips 5×35 flange-head screw ref. 2090500


SCREW AND TOOL



Tool: **Phillips #2 screwdriver** (or a drill/driver).



How it looks at the end of step 28



Phillips screw in the roof skirt

A Phillips 5×35 screw through the roof skirt, into the light-blue wall

Flag



A Flag

Fit the **flag** into the hole on top of the roof, all the way down.

PARTS FOR THIS STEP



1× Flag
ref. 1830909



How it looks at the end of step 29

Basketball hoop: 4 bolts



A Basketball hoop



Hoop bolts, from inside the tower

A M6×45 bolt + washer from inside the tower, through the hole in the wall, into the rivet of the hoop

Hold the **basketball hoop** against the light-blue wall with holes, on the outside, with the net hanging down.

From inside the tower, fix the hoop with **4 M6×45 bolts with washer**, through the 4 holes in the wall: the bolt screws into the rivet already in the hoop.

PARTS FOR THIS STEP



1× Basketball hoop with net
ref. 988702




4× M8 flat washer
one on each M6×45 screw



4× M6×45 hex screw
ref. 2090194

SCREW AND TOOL



Tool: **10 mm wrench.**



How it looks at the end of step 30

STEP 31 OF 37 · ROOF, BASKETBALL AND TIC-TAC-TOE

31 9 tic-tac-toe cubes



A 9 cubes

Fit the **9 tic-tac-toe cubes** into the 9 lower openings of the light-blue wall with holes, one in each opening.

Check that each cube turns freely.

PARTS FOR THIS STEP



9× Tic-tac-toe cube
ref. 957608



How it looks at the end of step 31

Climber



A Orange climber



Top end in the opening of the wall

A The top end fits into the opening of the wall, at floor height

Fit the top end of the **orange climber** into the opening of the left large yellow wall of Module 4, at floor height: tilt it, fit one side and press the other in.

Rest the other end on the ground.

PARTS FOR THIS STEP



1× Climber
ref. 957605



How it looks at the end of step 32

33 STEP 33 OF 37 · SLIDES AND CLIMBERS

Spiral slide



A Orange spiral slide


Fit the top end of the **orange spiral slide** into the opening of the right large yellow wall of Module 4, at floor height: tilt it, fit one side and press the other in.

Rest the other end on the ground.

PARTS FOR THIS STEP



1× Spiral slide
ref. 956509



How it looks at the end of step 33

34 STEP 34 OF 37 · SLIDES AND CLIMBERS

Slide-ladder on Module 3



A Yellow slide-ladder

Fit the top end of the **yellow slide-ladder** into the medium red wall of Module 3, opposite the bridge, at floor height: tilt it, fit one side and press the other in.

Rest the other end on the ground.

PARTS FOR THIS STEP



1× Slide-ladder
ref. 1828708



How it looks at the end of step 34

35

STEP 35 OF 37 · SLIDES AND CLIMBERS

Slide-ladder on Module 1



A Other yellow slide-ladder

Fit the top end of the **other yellow slide-ladder** into the medium red wall of Module 1 that faces the tunnel, at floor height: tilt it, fit one side and press the other in.

Rest the other end on the ground.

PARTS FOR THIS STEP



1× Slide-ladder ref. 1828708



How it looks at the end of step 35

36

STEP 36 OF 37 · SLIDES AND CLIMBERS

Curved slide on Module 2



A Purple curved slide

Fit the top end of the **purple curved slide** into the opening of the back large blue wall of Module 2, at floor height: tilt it, fit one side and press the other in.

Rest the other end on the ground.

PARTS FOR THIS STEP



1× Curved slide ref. 957606



How it looks at the end of step 36

37

STEP 37 OF 37 · SLIDES AND CLIMBERS

Curved slide on Module 5



A Other purple curved slide

Fit the top end of the **other purple curved slide** into the back small green wall of Module 5, at floor height: tilt it, fit one side and press the other in.

Rest the other end on the ground.

> Before letting children play, check that every wall went all the way down, that the floors are fitted and that every screw is tight.

PARTS FOR THIS STEP



1× Curved slide
ref. 957606



How it looks at the end of step 37


FASTENING DETAILS

How each part is held




Thin wall on a thick wall

The tabs at the ends of the thin walls (large yellow, medium red and small purple) go straight down into the slots of the thick walls. No screws.




Floor

The hooks at the ends of the floor go into the slots of the thin walls, at the height of the openings. No screws.



Tunnel

2 M6×45 screws + washer, one in each flange, from the top down, into the rivet nut of the lower half.




Bridge

4 M6×45 screws + washer, 2 on each side, from the outside in, into the rivet nuts of the base.



Roof

4 Phillips 5×35 screws, 1 in each corner, through the roof skirt into the top of the light-blue walls.



Basketball hoop

4 M6×45 screws + washer, from inside the tower, through the holes in the light-blue wall, into the rivet nuts of the hoop.



Slides and climbers

The top end fits into the opening of the wall, at floor height: tilt it, fit one side and press the other in. No screws.



Assembly complete

Check the product visually, making sure every part is fitted and firmly fastened. **Only then let children use it.**

Before letting children play, check that every wall went all the way down, that the floors are fitted and that every screw is tight.

INSTALLATION DETAILS

Location and safety area

To keep users safe, minimum spaces and free distances must be respected.

Circulation area: at least 1.20 m wide around the equipment, so users can run freely; at least 1.50 m where the path changes direction, so strollers and wheelchairs can get in and turn.

Fall space: neighboring static equipment with overlapping fall spaces must be at least 1.50 m apart for a fall height of up to 600 mm, and 2.50 m for higher falls. Maximum fall height of this product: **930 mm**.

Slide landing area: at least 1000 mm from the sides of the run-out section and 2000 mm (type 01 run-out) or 1000 mm (type 02 run-out) from the end of the run-out section.


Ground: an even, continuous, stable surface that is non-slip in any weather, with no obstacles and a cross slope of no more than 2%. Use on grass, sand, carpet or another soft, level surface.

Location: first check for chemicals and loose material (rubble, sharp objects). Choose an airy place with morning sun, sheltered from drafts; do not install it in basements or garages. Never use it near stairs, roads, swimming pools, water or slippery places. If the area is fenced, the gates must open outwards and be at least 1 m wide.

Area reserved for installing this playground and for impact: about **7.23 × 10.54 m** (figure below): 1 m free all around the playground, 1.5 m in front of the climber and 2 m past the exit of the curved slides, the slide-ladders and the spiral slide.

Footprint: the assembled playground takes up about 6.71 × 4.57 m of ground.

To avoid accidents, the child should wear shoes. This product is not intended for commercial use.



Area reserved for installation and impact (top view). Keep the dashed area free of obstacles.

INSPECTION AND MAINTENANCE

Keep the playground safe

Visual inspection — daily

- Cleanliness
- Free distances between the ground and the equipment
- Ground surface finish and exposed foundations
- Sharp edges and missing components
- Excessive wear and structural integrity

Operational inspection — every 1 to 3 months

Pay special attention to the structural integrity of the product, besides the items of the visual inspection.

Main inspection — yearly

- Structure: bending, deformation and cracks
- Finish: cracks, chips, broken or open joints
- Missing, bent, broken, loose or worn parts
- Edges, pinch points, access points and protective surfaces
- Walls fully fitted and floors level
- Slides, slide-ladders, climber and spiral slide firm in their openings
- Roof, basketball hoop, tunnel and bridge: screws tight

Maintenance

- Tighten the joining parts and clean (do not use paints, solvents or other chemicals)
- Keep the free spaces and drain holes clean
- Replace fasteners and faulty or worn parts

As per NBR 16071-7:2012. Any change that affects safety only after consulting the manufacturer.

XALINGO S/A INDÚSTRIA E COMÉRCIO
BR 471, km 147 – Santa Cruz do Sul – RS – Brasil – CEP 96835-642
CNPJ 95.425.534/0001-76

SAC
(51) 3719-9800 · sac@xalingo.com.br
www.xalingo.com.br

Play Modular Advanced · ref. 0968.4
Keep this manual for future reference.