New Big Play

ref. 0986.5



ASSEMBLY INSTRUCTIONS

Assembly video on YouTube:
youtu.be/xgzPYNrKRaw

Product size: **2.33 × 1.34 × 1.49 m**
To climb, hide and slide: steps on the walls, a platform, a hideout underneath with windows on every side, and a slide
Maximum weight: 100 kg on the platform
Age: 3 years and up
To be assembled by an adult, with the help of a second person; no tools.
5 steps · keep this manual for future reference.

BEFORE YOU START

Read carefully

Caution

Give this toy to the child only after it has been **assembled by an adult**, and always use it under **adult supervision**.

Assembly rules

- Assemble in this order: the **floor** on **wall B**, **wall C** on the floor, **wall A**, **wall D** and the **slide**. The floor only goes in sideways, so it comes before walls A and D.
- Walls A and D go on from above: the hooks sit over the edge of walls B and C and go down. If the wall does not go down straight, lift it and fit it again.
- Assemble on level ground: on uneven ground the joints do not line up.

Tools

- No tools needed: all the parts fit together

The assembly uses no screws.

PARTS LIST

New Big Play parts



BLUE WALL, WITH THE SLIDE FITTING (A)
No. 1 · ref. 986502
1×



RED WALL (B)
No. 2 · ref. 986505
1×



PURPLE WALL (C)
No. 3 · ref. 986504
1×



YELLOW WALL (D)
No. 4 · ref. 986503
1×



FLOOR (E)
No. 5 · ref. 947604
1×




SLIDE (F)
No. 6 · ref. 947605
1×

PRODUCT ASSEMBLY

Step by step


In each step, the arrows show where the part goes, the **black numbers** give the order and the **yellow letters** point to the details explained under the picture.

1 STEP 1 OF 5
Floor on wall B



B Red wall (B)

E Floor (E)



The floor's tabs go into the slots of wall B

E The floor's tabs go into the slots of the wall

Lay out the parts: **wall A**, blue, which takes the slide; **wall B**, red; **wall C**, purple; **wall D**, yellow; the **floor (E)**, green; and the **slide (F)**, orange.

Stand **wall B** up. The **floor (E)** has two tabs at each end: fit the tabs of one end into the two slots of wall B, halfway up the wall, and push the floor until it touches the wall.

CAUTION
The walls are large: assemble with a second person, who holds the walls upright.


PARTS FOR THIS STEP



1× Floor (E)
ref. 947604




1× Red wall (B)
ref. 986505



How it looks at the end of step 1

STEP 2 OF 5

2 Wall C on the floor



C Purple wall (C)


Fit **wall C**, purple, onto the other end of the floor: the floor's tabs go into the two slots of wall C. Push the wall until it touches the floor.

Walls B and C stand facing each other, held by the floor.

PARTS FOR THIS STEP




1× Purple wall (C)
ref. 986504




How it looks at the end of step 2

STEP 3 OF 5

3 Wall A



A Blue wall (A)



The hooks of wall A go down over the outside of the edge of walls B and C


A Hook of wall A

Lift **wall A**, blue, about 10 cm off the ground, on the floor side, with the slide fitting (the opening at floor height) facing out.

Put the 3 hooks at each end of wall A over the edge of walls B and C and lower the wall: the hooks go down over the outside of the edge and lock. If needed, lean your body weight on the wall until it sits on the ground.

PARTS FOR THIS STEP

1× Blue wall (A)
ref. 986502



How it looks at the end of step 3

STEP 4 OF 5

4 Wall D



D Yellow wall (D)

On the other side, put on **wall D**, yellow, the same way: from above, with the hooks over the back edge of walls B and C.

Check that the four walls are fully fitted and resting on the ground.

PARTS FOR THIS STEP



1× Yellow wall (D)
ref. 986503




How it looks at the end of step 4

STEP 5 OF 5

5 Slide



F Slide (F)



The slide's hooks go over the edge of the opening

F The slide's hooks go over the edge

Rest the top end of the **slide (F)** on the lower opening of wall A, at floor height: the hooks at its end go over the edge and down on the inside.

The other end of the slide rests on the ground.

PARTS FOR THIS STEP




1× Slide (F)
ref. 947605



How it looks at the end of step 5

FASTENING DETAILS

How each part is held




Floor

The two tabs at each end of the floor go sideways into the slots of walls B and C.



Walls A and D

The 3 hooks at each end go down from above over the outside of the edge of walls B and C.



Slide

The hooks at the top end go over the edge of the lower opening of wall A and down on the inside.




Assembly complete

Check the product visually, making sure every part is fitted and firmly fastened. **Only then let children use it.**

Maximum weight 100 kg on the platform. Check that the four walls are fully fitted, that the floor is firm and that the slide is hooked on the opening of wall A.

INSTALLATION DETAILS

Location and safety area



Area reserved for installation and impact (top view): 1 m around and 2 m at the slide exit, 3.34 × 5.33 m. Product size: 2.33 × 1.34 × 1.49 m.

To keep users safe, minimum spaces and free distances must be respected.

Circulation area: at least 1.20 m wide around the equipment, so users can run freely; at least 1.50 m where the path changes direction, so strollers and wheelchairs can get in and turn.

Fall space: neighboring static equipment with overlapping fall spaces must be at least 1.50 m apart for a fall height of up to 600 mm, and 2.50 m for higher falls. Maximum fall height of this product: **670 mm**.

Slide landing area: at least 1000 mm from the sides of the run-out section and 2000 mm (type 01 run-out) or 1000 mm (type 02 run-out) from the end of the run-out section.

Ground: an even, continuous, stable surface that is non-slip in any weather, with no obstacles and a cross slope of no more than 2%. Use on grass, sand, carpet or another soft, level surface.

Location: first check for chemicals and loose material (rubble, sharp objects). Choose an airy place with morning sun, sheltered from drafts; do not install it in basements or garages. Never use it near stairs, roads, swimming pools, water or slippery places. If the area is fenced, the gates must open outwards and be at least 1 m wide.

Footprint: the assembled New Big Play takes up about 2.33 × 1.34 m on the ground, including the slide; keep 1 m clear around it and 2 m in front of the slide exit, as in the figure.

To avoid accidents, the child should wear shoes. This product is not intended for commercial use.

INSPECTION AND MAINTENANCE

Keep the playground safe

Visual inspection — daily

- Cleanliness
- Free distances between the ground and the equipment
- Ground surface finish and exposed foundations
- Sharp edges and missing components
- Excessive wear and structural integrity

Operational inspection — every 1 to 3 months

Pay special attention to the structural integrity of the product, besides the items of the visual inspection.

Main inspection — yearly

- Structure: bending, deformation and cracks
- Finish: cracks, chips, broken or open joints
- Missing, bent, broken, loose or worn parts
- Edges, pinch points, access points and protective surfaces
- Walls fully fitted, floor firm and slide hooked on

Maintenance

- Tighten the joining parts and clean (do not use paints, solvents or other chemicals)
- Keep the free spaces and drain holes clean
- Replace fasteners and faulty or worn parts

As per NBR 16071-7:2012. Any change that affects safety only after consulting the manufacturer.

XALINGO S/A INDÚSTRIA E COMÉRCIO
BR 471, km 147 – Santa Cruz do Sul – RS – Brasil – CEP 96835-642
CNPJ 95.425.534/0001-76

SAC
(51) 3719-9800 · sac@xalingo.com.br
www.xalingo.com.br

New Big Play · ref. 0986.5
Keep this manual for future reference.