Playground Modular Future

ref. 0968.6

ASSEMBLY INSTRUCTIONS



Product size: **5,77 × 3,82 × 3,10 m**
Three modules with a roof, basketball hoop, tic-tac-toe, climber, spiral slide, slide-climber and curved slide
Modular snap-fit system: takes other Playground Modular parts
Age: 3 years and up
Assembly by an adult; a second person makes fitting the walls and the roof easier.
20 steps · keep this manual for future reference.

BEFORE YOU START

Read carefully

Caution

Give this toy to the child only after it has been **assembled by an adult**, and always use it under **adult supervision**.

Assembly rules

- Assemble one module at a time, in this order: **Module 1** (the roof tower), **Module 2** (red walls) and **Module 3**; then the **roof**, the **flag**, the **hoop** and the **cubes**; finally the **climber**, the **spiral slide**, the **slide-climber** and the **curved slide**.
- In each module: a light-blue (or blue) wall with a yellow or red wall, the other yellow or red wall, the floor and the wall that closes the module.
- Every joint must go fully in: if the part sits crooked, lift it and fit it again.
- Assemble on level ground: on uneven ground the joints do not line up.


Tools

- **Phillips screwdriver no. 2**: Phillips 5×35 screws (4 pcs, step 13)
- **10 mm open-end or combination wrench**: M6×45 screws (4 pcs, step 15)
- A steady household ladder, for the roof


There are no specific tightening torques for the fasteners. The rivet nuts come already fitted in the parts.

Screws in this playground

Each type has its own color. The same card appears in each step and in the assembly video.



4× Screw Philips 5×35 · step 13



4× Screw M6×45 · step 15

PARTS LIST

Playground Modular Future parts



BASKETBALL WALL - WITH HOLES 1×
No. 1 · ref. 968703



BASKETBALL WALL - WITHOUT HOLES 2×
No. 2 · ref. 968707



LARGE BLUE WALL 1×
No. 3 · ref. 956501




LARGE YELLOW WALL 4×
No. 4 · ref. 956502



MEDIUM RED WALL 2×
No. 5 · ref. 956504



FLOOR 3×
No. 6 · ref. 956508



ROOF 1×
No. 7 · ref. 968704



FLAG 1×
No. 8 · ref. 1830909



BASKETBALL HOOP WITH NET 1×
No. 9 · ref. 988702



CUBE (TIC-TAC-TOE) 9×
No. 10 · ref. 957608



CLIMBER 1×
No. 11 · ref. 957605



SPIRAL SLIDE 1×
No. 12 · ref. 956509



SLIDE-CLIMBER 1×
No. 13 ·
ref. 1828708



CURVED SLIDE 1×
No. 14 · ref. 957606



HEX SCREW M6×45 4×
No. 15 ·
ref. 2090194



M8 FLAT WASHER 4×
No. 16 ·
ref. 2090185



PHILLIPS SCREW 5×35 4×
No. 17 ·
ref. 2090500

PRODUCT ASSEMBLY


Step by step

In each step, the arrows show where the part goes, the **black numbers** give the order and the **yellow letters** point to the details explained under the picture.

1


STEP 1 OF 20

Module 1: light-blue wall with holes and yellow wall



A Light-blue wall with holes (for the hoop)

B Large yellow wall



Joint between the walls

A The yellow wall's tabs go into the light-blue wall's slots

Sort the walls by colour. The **light-blue wall with holes** (the holes are for the basketball hoop) is the front of Module 1.

Stand it up and bring a **large yellow wall** against its side, forming a corner.

Line up the yellow wall's tabs with the light-blue wall's slots and lower the yellow wall until the tabs are fully in.

CAUTION
The walls are over 2 m high: with a second person holding them, fitting is easier and the wall will not tip over.

PARTS FOR THIS STEP



1× Large yellow wall
ref. 956502




1× Light-blue wall with holes
ref. 968703



How it looks at the end of step 1

STEP 2 OF 20

2 Module 1: other yellow wall



A Large yellow wall

Fit the other **large yellow wall** on the other side of the light-blue wall the same way, parallel to the first one.

PARTS FOR THIS STEP



1× Large yellow wall
ref. 956502




How it looks at the end of step 2

STEP 3 OF 20

3 Module 1: floor



A Platform



Floor hooks in the wall slots

A The floor's hooks go into the yellow wall's slots

Fit the **floor** between the two yellow walls, from the side that is still open.

The hooks on the sides of the floor go into the yellow walls' slots; the floor sits level, at the height of the wall openings.

PARTS FOR THIS STEP



1× Platform
ref. 956508



How it looks at the end of step 3

STEP 4 OF 20

4 Module 1: light-blue wall without holes



A Light-blue wall without holes

Close Module 1 with a **light-blue wall without holes**: the tabs of the yellow walls go into its slots.

Check that the walls are lined up at the top and that the floor is level.

PARTS FOR THIS STEP



1× Light-blue wall without holes
ref. 968707



How it looks at the end of step 4

STEP 5 OF 20

5 Module 2: red wall



A Medium red wall

Module 2 starts on the other side of the light-blue wall that closed Module 1.

Fit a **medium red wall** into that wall's slots the same way: lower it until the tabs are fully in.

PARTS FOR THIS STEP



1× Medium red wall
ref. 956504



How it looks at the end of step 5

STEP 6 OF 20

6 Module 2: other red wall



A Medium red wall

Fit the other **medium red wall** on the other side, parallel to the first one.

PARTS FOR THIS STEP




1× Medium red wall
ref. 956504



How it looks at the end of step 6

STEP 7 OF 20

7 Module 2: floor




A Floor (lower)

Fit the **floor** between the red walls, with the hooks on its sides in their slots. In this module it sits lower, at the height of the red walls' openings.

PARTS FOR THIS STEP



1× Platform
ref. 956508



How it looks at the end of step 7

STEP 8 OF 20

8 Module 2: light-blue wall without holes



A Light-blue wall without holes

Close Module 2 with the other **light-blue wall without holes**: the tabs of the red walls go into its slots.

Check that the walls are lined up at the top and that the floor is level.

PARTS FOR THIS STEP



1× Light-blue wall without holes
ref. 968707



How it looks at the end of step 8

STEP 9 OF 20

9 Module 3: yellow wall



A Large yellow wall

Module 3 starts on the other side of the light-blue wall that closed Module 2.

Fit a **large yellow wall** into that wall's slots.

PARTS FOR THIS STEP




1× Large yellow wall
ref. 956502



How it looks at the end of step 9

10 STEP 10 OF 20
Module 3: other yellow wall




A Large yellow wall

Fit the other **large yellow wall** on the other side, parallel to the first one.

PARTS FOR THIS STEP




1× Large yellow wall
ref. 956502



How it looks at the end of step 10

11 STEP 11 OF 20
Module 3: floor




A Platform

Fit the last **floor** between the yellow walls, from the side that is still open, with the hooks on its sides in their slots.

PARTS FOR THIS STEP



1× Platform
ref. 956508



How it looks at the end of step 11

STEP 12 OF 20

12 Module 3: large blue wall



A Large blue wall

Close Module 3 with the **large blue wall**: the tabs of the yellow walls go into its slots.

Check that the walls are lined up at the top and that the floor is level.

PARTS FOR THIS STEP



1× Large blue wall
ref. 956501




How it looks at the end of step 12

STEP 13 OF 20

13 Roof



A Roof



Phillips screw at the roof corner

A A Phillips 5×35 screw at each corner of the roof

Place the **roof** on Module 1: the roof's feet rest on top of the walls.

Fasten the roof with the **4 Phillips 5×35 screws**, one at each corner, from the outside.

CAUTION
Use a steady ladder to reach the top of the tower and ask for help holding the roof.

PARTS FOR THIS STEP




1× Roof
ref. 968704



4× Phillips 5×35 screw
ref. 2090500

SCREW AND TOOL




Tool: **Phillips screwdriver no. 2.**



How it looks at the end of step 13

STEP 14 OF 20

14 Flag



A Flag

Fit the **flag** into the hole at the top of the roof.

PARTS FOR THIS STEP


1× Flag
ref. 1830909




How it looks at the end of step 14

STEP 15 OF 20

15 Basketball hoop



A Basketball hoop



Hoop screws, from inside the tower

A From inside the tower: 4 screws with washers through the wall holes

Hold the **basketball hoop** against the light-blue wall with holes, on the outside.

From inside the tower, pass the **4 M6×45 screws with washers** through the wall holes and tighten them into the hoop's inserts.

PARTS FOR THIS STEP




1× Basketball hoop ref. 988702



4× M6×45 screw ref. 2090194

4× Washer one on each screw

SCREW AND TOOL



Tool: **10 mm wrench.**



How it looks at the end of step 15

STEP 16 OF 20

16 Tic-tac-toe cubes




A 9 tic-tac-toe cubes

Fit the **9 cubes** into the windows of the light-blue wall with holes: they turn to play tic-tac-toe.

PARTS FOR THIS STEP



9× Tic-tac-toe cube
ref. 957608




How it looks at the end of step 16

STEP 17 OF 20

17 Climber



A Climber



Climber end in the wall opening

A The top end goes into the wall opening and rests on the floor

The **climber** fits in the opening of one of the yellow walls of Module 1, at floor height.

With the climber tilted, fit one side of its top end into the wall opening.

Press the other side until it snaps in: the end rests on the floor and the climber sits straight.

PARTS FOR THIS STEP



1× Climber
ref. 957605




How it looks at the end of step 17

STEP 18 OF 20

18 Spiral slide



A Spiral slide



Spiral slide end in the wall opening


A The top end goes into the wall opening and rests on the floor

Repeat with the **spiral slide**, in the opening of the other yellow wall of Module 1: tilt it, fit one side and press the other in.

PARTS FOR THIS STEP



1× Spiral slide
ref. 956509




How it looks at the end of step 18

STEP 19 OF 20

19 Slide-climber



A Slide-climber



Slide-climber end in the wall opening


A The top end goes into the wall opening and rests on the floor

Fit the **slide-climber** in the opening of one of the red walls of Module 2 the same way: tilt it, fit one side and press the other in.

PARTS FOR THIS STEP



1× Slide-climber ref. 1828708




How it looks at the end of step 19

STEP 20 OF 20

20 Curved slide



A Curved slide



Slide end in the wall opening

A The top end goes into the wall opening and rests on the floor

Finally, fit the **curved slide** in the opening of the large blue wall, at the end of Module 3: tilt it, fit one side and press the other in.

> The snap-fit system is modular: other Playground Modular parts can be added in the wall openings.

PARTS FOR THIS STEP




1× Curved slide
ref. 957606



How it looks at the end of step 20


FASTENING DETAILS

How each part is held



Walls

The tabs on the sides of the yellow and red walls go into the slots of the light-blue and blue walls. Lower the wall until the joint is fully in.




Floors

The hooks on the sides of the floor go into the slots of the yellow walls (the red walls in Module 2).



Roof

4 Phillips 5×35 screws, one at each corner, from the outside.



Basketball hoop

4 M6×45 screws with washers, from inside the tower, through the wall holes into the hoop's inserts.



Slides and climber

The top end goes into the wall opening, at floor height: tilt the part, fit one side and press the other in.




Assembly complete

Check the product visually, making sure every part is fitted and firmly fastened. **Only then let children use it.**

Maximum weight 100 kg per platform. Check that every wall is fully fitted, the floors are level, the roof and the hoop are screwed tight and the slides and the climber are firm in their openings.

INSTALLATION DETAILS

Location and safety area



Area reserved for installation and slide landing (top view): 7.32 × 9.60 m. Product size: 5.77 × 3.82 × 3.10 m.

To keep users safe, minimum spaces and free distances must be respected.

Circulation area: at least 1.20 m wide around the equipment, so users can run freely; at least 1.50 m where the path changes direction, so strollers and wheelchairs can get in and turn.

Fall space: neighboring static equipment with overlapping fall spaces must be at least 1.50 m apart for a fall height of up to 600 mm, and 2.50 m for higher falls. Maximum fall height of this product: **930 mm**.

Slide landing area: at least 1000 mm from the sides of the run-out section and 2000 mm (type 01 run-out) or 1000 mm (type 02 run-out) from the end of the run-out section.

Ground: an even, continuous, stable surface that is non-slip in any weather, with no obstacles and a cross slope of no more than 2%. Use on grass, sand, carpet or another soft, level surface.

Location: first check for chemicals and loose material (rubble, sharp objects). Choose an airy place with morning sun, sheltered from drafts; do not install it in basements or garages. Never use it near stairs, roads, swimming pools, water or slippery places. If the area is fenced, the gates must open outwards and be at least 1 m wide.

Footprint: the assembled playground takes up about 5.77 × 3.82 m of ground; the free areas above apply all around it.

To avoid accidents, the child should wear shoes. This product is not intended for commercial use.

INSPECTION AND MAINTENANCE

Keep the playground safe

Visual inspection — daily

- Cleanliness
- Free distances between the ground and the equipment
- Ground surface finish and exposed foundations
- Sharp edges and missing components
- Excessive wear and structural integrity

Operational inspection — every 1 to 3 months

Pay special attention to the structural integrity of the product, besides the items of the visual inspection.

Main inspection — yearly

- Structure: bending, deformation and cracks
- Finish: cracks, chips, broken or open joints
- Missing, bent, broken, loose or worn parts
- Edges, pinch points, access points and protective surfaces
- Walls fully fitted, floors level, roof and hoop screwed tight and slides and climber firm in their openings

Maintenance

- Tighten the joining parts and clean (do not use paints, solvents or other chemicals)
- Keep the free spaces and drain holes clean
- Replace fasteners and faulty or worn parts

As per NBR 16071-7:2012. Any change that affects safety only after consulting the manufacturer.

XALINGO S/A INDÚSTRIA E COMÉRCIO
BR 471, km 147 – Santa Cruz do Sul – RS – Brasil – CEP 96835-642
CNPJ 95.425.534/0001-76

SAC
(51) 3719-9800 · sac@xalingo.com.br
www.xalingo.com.br

Playground Modular Future · ref. 0968.6
Keep this manual for future reference.